

Available from

Superintendent of Documents  
U.S. Government Printing Office  
Post Office Box 37082  
Washington, D.C. 20013-7082

A year's subscription consists of 12 issues for  
this publication.

Single copies of this publication  
are available from National Technical  
Information Service, Springfield, VA 22161

---

---

# Title List of Documents Made Publicly Available

July 1-31, 1992

---

---

Date Published: September 1992

**Division of Freedom of Information and Publications Services  
Office of Administration  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555**







## CONTENTS

Preface .....	v
Arrangement of Items by Docket Number .....	ix
Alphabetic Arrangement of Docket Items by Facility Name .....	xv
Docketed Items .....	1
Low-Level Radwaste Disposal Sites — Docket 27 .....	1
Domestic Licensing of Source Material — Docket 40 .....	1
Domestic Licensing of Production and Utilization Facilities — Docket 50 .....	10
Standardized Nuclear Power Plant Design — Docket 52 .....	174
Domestic Licensing of Special Nuclear Material — Docket 70 .....	175
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71 .....	186
Licensing of Independent Spent Fuel Storage — Docket 72 .....	190
Nondocketed Items .....	193
10 CFR — Commission Meeting Records .....	193
ACNW — Advisory Committee on Nuclear Waste .....	193
ACRS — Advisory Committee on Reactor Safeguards .....	193
ADVCM — NRC Advisory Committee .....	195
COMMISSION — NRC Commissioners .....	195
CONTRACT — NRC Contracts and Modifications .....	196
FOIA — Freedom of Information Act Requests and Releases .....	199
GEN TECH IS — Generic Technical Issues .....	220
I&E — Inspection and Enforcement .....	221
NUREG — NUREG Reports and Related Correspondence .....	222
MISC — Public Document Room Miscellaneous .....	222
ORG — Correspondence with Other Organizations .....	225
PR — Proposed Rule .....	226
PRM — Petition for Rulemaking .....	231
PROJ — Projects—Predocket Licensing .....	232
PT21 — Noncompliance Reports and Related Correspondence .....	234
QA999 — Quality Assurance Inspections .....	235
REGGD — Regulatory Guides .....	235
REVIEW GROUP — NRC Research Review Groups .....	237
SECY — Position Papers Before the Commission .....	239
STATE PROG — State Programs .....	239
TOPREP — Vendor Reports and Related Correspondence .....	242
WASTE MGT — Nuclear Waste Management .....	244
WASTE RES — Waste Management Research Reports .....	248
XPORTLIC — Export and Import Licenses .....	248
Personal Author Index .....	251
Corporate Source Index .....	273
Report Number Index .....	293
Cross Reference of Enclosures to Principal Documents .....	295
Appendix A — Definitions of Docket 50 Categories .....	A-1
Appendix B — Definitions of Nondocketed Categories .....	B-1



---

## PREFACE

---

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR).

Duplicate copies may be obtained for a fee. Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System, which is accessible both at the PDR and remotely. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. Insofar as possible, we would like this document to be a valuable part of your reference material.

---

## DOCKETED ITEMS

---

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are

- A. Application/construction stage documents and correspondence
- B. Utility Preliminary Safety Analysis Reports (PSAR), amendments
- C. Utility Environmental Reports (ER), amendments, and correspondence
- D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), supplements and correspondence
- E. NRC Safety Evaluation Reports (SER), supplements and correspondence
- F. Security, medical, emergency, and fire-protection plans
- G. Legal and adjudicatory correspondence
- H. General correspondence
- I. Financial information
- J. Insurance and indemnity information
- K. Utility Final Safety Analysis Reports (FSAR) and amendments
- L. Limited work authorizations (LWA) and related correspondence
- M. Antitrust reviews and antitrust correspondence
- N. Antitrust hearing transcripts, testimony, and briefings
- O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
- P. Operating license stage documents and correspondence
- Q. Inspection reports, IE Bulletins, Circulars and Information Notices, civil penalties, and related correspondence

R.	Periodic operating reports and related correspondence	U.	Congressional/executive correspondence
S.	Reportable occurrences, PNOs, PNSs, and related correspondence	V.	Licensing of operators and related correspondence
T.	Transcripts, testimony, and briefings on non-antitrust matters	W.	Decommissioning stage documents and correspondence
		X.	Onsite storage of low-level waste
		Y.	Independent spent fuel storage installations

that category were filed in the time period of the report.

The principal elements of the entries in the list are

- |             |  |           |           |   |   |   |
|-------------|--|-----------|-----------|---|---|---|
| ⑦           | ⑧  | ⑨         | ⑩         | ⑪ | ⑫ | ⑬ |
| CLARK, P.R. | General Public Utilities Corp.—GPU Service Corp. 2 pp. | 50442:181 | 50442:182 |   |   |   |

1. NRC/PDR Document category (see Appendix A).
  2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
  3. Description of information contained in the document.
  4. Personal author(s). An asterisk in this position indicates that there is no personal author.
  5. Author affiliation (NRC, corporate, agency, or nonindividual source).
  6. Date of document described.
  7. Recipient of the document.
  8. Recipient affiliation (NRC or corporate).
  9. Pages in this document.
  10. This five-digit number is the NRC 48X microfiche designation.
  11. The three-digit portion of this entry is the number of the frame on which this document starts.
  12. This five-digit number is the microfiche on which this document ends.
  13. The three-digit portion of this entry is the number of the frame on which this document ends.
- The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number of a formal report number, it will appear in the last line of the item following entry 5.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number of a formal report number, it will appear in the last line of the item following entry 5.

## NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:

10CFR—Commission Meeting Records  
 ACRS—Advisory Committee on Reactor Safeguards  
 ADVCM—NRC Advisory Committees  
 COMMISSION—NRC Commissioners  
 CONTRACT—NRC Contracts and Modifications  
 FOIA—Freedom of Information Act Requests and Releases  
 GEN TECH IS—Generic Technical Issues  
 IE—Inspection and Enforcement Issuances  
 MISC—Public Document Room Miscellaneous  
 NUREG—NRC-Issued Formal Reports and Related Correspondence  
 ORG—Organizational File  
 PR—Proposed Rules  
 PRM—Petitions for Rulemaking  
 PROJ—Projects  
 PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections  
 REGGD—Regulatory Guides  
 RES—Research and Technical Assistance Reports  
 REVIEW GRP—Research Review Groups  
 RM—Rulemakings  
 SECY—Staff Position Papers Before the Commission  
 STATE PROG—State Programs  
 TOPREP—Vendor Topical Reports and Correspondence  
 WASH—AEC-Issued Formal Reports and Correspondence  
 WM—Waste Management Documents  
 WMRES—Waste Management Contract Documents  
 XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are

- ① NUREG—NRC-Issued Formal Reports and Related Correspondence
  - ② ③ ④  
 8910100307 NUREG/CR-5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE TEST VI-2
  - ⑤ ⑥  
 OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. Oak Ridge National Laboratory.
  - ⑦ ⑧ ⑨ ⑩ ⑪  
 FIN B-0127. ORNL/TM-11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.
  - ⑫ ⑬ ⑭ ⑮  
 51409:065-51409:134.

1. Nondocket category.

2. NRC/PDR Accession Number (year, month, day, and sequence number of item).

---

## NONDOCKETED ITEMS (cont.)

---

3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract or financial identification number (FIN), if any.
8. Secondary report number, if any.
9. Date of document described.
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

---

### NOTES:

1. The address for GPO is

Superintendent of Documents  
U.S. Government Printing Office  
P.O. Box 37082  
Washington, DC 20013-7082

To place orders, send check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202-512-2249.

2. The address for NTIS is

National Technical Information Service  
5285 Port Royal Road  
Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is

2120 L Street, NW.  
Washington, DC 20555

The mailing address is

U.S. Nuclear Regulatory Commission  
Public Document Room  
Mail Stop LL-6  
Washington, DC 20555

Telefacsimile

202/634-3343

Telephone

202/634-3273

To place orders for documents or to arrange for training on the computer system, write, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

## ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page	Docket	Name	Page
<b>Low Level Radwaste Disposal Sites - Docket 27</b>			40-8905	QUIVIRA MINING CO., GRANTS, NM	9
27-047	COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	1	40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	9
27-048	LOUISVILLE, KY, U.S. ECOLOGY, INC.	1	40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	9
<b>Domestic Licensing of Source Material - Docket 40</b>			40-8981	PATHFINDER MINES CORP., MILLS, WY	9
40-0501	ALUMINUM CO. OF AMERICA, ALCOA CENTER, PA	1	40-8989	ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	9
40-1341	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	1	<b>Domestic Licensing of Production and Utilization Facilities - Docket 50</b>		
40-1478	KERR-MCGEE OIL INDUSTRIES, INC., OKLAHOMA CITY, OK	1	50-2	FORD NUCLEAR REACTOR	10
40-2061	KERR-MCGEE CHEMICAL CORP., OKLAHOMA CITY, OK	3	50-3	INDIAN POINT STATION, UNIT 1	10
40-2136	SPENCER CHEMICAL CO., KANSAS CITY, MO	3	50-5	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	10
40-2253	ARMY, DEPT. OF, WATERTOWN, MA	3	50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	10
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	4	50-16	ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	11
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	4	50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	11
40-6811	CONTEMPORARY METALS CORP., HAZLEWOOD, MO	4	50-27	WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)	11
40-6940	CABOT CORP., BOYERTOWN, PA	4	50-29	YANKEE-ROWE NUCLEAR POWER STATION	12
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	4	50-30	PLUM BROOK RESEARCH REACTOR FACILITY	13
40-7308	KERR-MCGEE CORP., OKLAHOMA CITY, OK	4	50-47	ARMY MATERIALS RESEARCH REACTOR	13
40-7455	WHITTAKER CORP., LOS ANGELES, CA	4	50-54	CINTICHEM	13
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	4	50-59	TEXAS A&M UNIV. RESEARCH REACTOR	13
40-7603	COMMERCIAL DISCOUNT CORP.	4	50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	13
40-7604	BP CHEMICALS AMERICA, INC., LIMA, OH	5	50-70	GENERAL ELECTRIC NUCLEAR TEST REACTOR	13
40-8027	SEQUOYAH FUELS CORP., GORE, OK	5	50-73	GENERAL ELECTRIC NUCLEAR TEST REACTOR	13
40-8035	COTTER CORP., ROSWELL, NM	7	50-89	GENERAL ATOMICS	13
40-8081	MOSE COHEN & SONS, INC., CINCINNATI, OH	8	50-97	CORNELL UNIV. ZERO POWER REACTOR	13
40-8135	MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN	8	50-116	IOWA STATE UNIV. RESEARCH REACTOR	13
40-8406	PESSER CO., SOLON, OH	8	50-123	UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA	14
40-8681	UMETCO MINERALS CORP., BLANDING, UT	8	50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	14
40-8724	CHEMETRON CORP., PROVIDENCE, RI	8	50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	14
40-8778	MOLYCORP, INC., LOS ANGELES, CA	9	50-151	UNIV. OF ILLINOIS RESEARCH REACTOR	14
40-8794	MOLYCORP, INC., LOS ANGELES, CA	9	50-155	BIG ROCK POINT NUCLEAR PLANT	14
40-8820	AMAX, INC., GOLDEN, CO	9	50-157	CORNELL UNIV. RESEARCH REACTOR	15
40-8868	II-VI INC., SAXONBURG, PA	9			
40-8904	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	9			



Docket	Name	Page	Docket	Name	Page
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	15	50-271	VERMONT YANKEE NUCLEAR POWER STATION	48
50-163	GENERAL ATOMICS	15	50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	50
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	15	50-274	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	51
50-182	PURDUE UNIV. RESEARCH REACTOR	16	50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	51
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	16	50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	53
50-193	RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	16	50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	54
50-201	WEST VALLEY REPROCESSING PLANT	16	50-280	SURRY POWER STATION, UNIT 1	56
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	16	50-281	SURRY POWER STATION, UNIT 2	57
50-213	HADDAM NECK PLANT	18	50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	58
50-219	OYSTER CREEK NUCLEAR POWER PLANT	19	50-285	FORT CALHOUN STATION, UNIT 1	59
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	21	50-286	INDIAN POINT STATION, UNIT 3	61
50-223	UNIV. OF LOWELL RESEARCH REACTOR	22	50-287	OCONEE NUCLEAR STATION, UNIT 3	62
50-228	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	22	50-288	REED COLLEGE RESEARCH REACTOR	64
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	23	50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	64
50-241	MISSISSIPPI STATE UNIV. RESEARCH REACTOR	25	50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	65
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	25	50-295	ZION NUCLEAR POWER STATION, UNIT 1	67
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	26	50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	68
50-247	INDIAN POINT STATION, UNIT 2	27	50-297	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	70
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	28	50-298	COOPER NUCLEAR STATION	70
50-250	TURKEY POINT PLANT, UNIT 3	30	50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	71
50-251	TURKEY POINT PLANT, UNIT 4	31	50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	72
50-254	QUAD-CITIES STATION, UNIT 1	32	50-304	ZION NUCLEAR POWER STATION, UNIT 2	74
50-255	PALISADES NUCLEAR PLANT	34	50-305	KEWAUNEE NUCLEAR POWER PLANT	76
50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	36	50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	77
50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	38	50-309	MAINE YANKEE ATOMIC POWER PLANT	78
50-261	H.B. ROBINSON PLANT, UNIT 2	39	50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	79
50-262	BRIGHAM YOUNG UNIV. RESEARCH REACTOR	40	50-312	RANCHO SECO NUCLEAR GENERATING STATION	80
50-263	MONTICELLO NUCLEAR GENERATING PLANT	40	50-313	ARKANSAS NUCLEAR ONE, UNIT 1	81
50-265	QUAD-CITIES STATION, UNIT 2	41	50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	83
50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	43	50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	84
50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	44	50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	85
50-269	OCONEE NUCLEAR STATION, UNIT 1	45	50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	87
50-270	OCONEE NUCLEAR STATION, UNIT 2	47			

<b>Docket</b>	<b>Name</b>	<b>Page</b>	<b>Docket</b>	<b>Name</b>	<b>Page</b>
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	88	50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	123
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	89	50-373	LASALLE COUNTY STATION, UNIT 1	124
50-322	SHOREHAM NUCLEAR POWER STATION	90	50-374	LASALLE COUNTY STATION, UNIT 2	125
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	91	50-382	WATERFORD GENERATING STATION, UNIT 3	126
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	92	50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	127
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	93	50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	129
50-326	UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR	95	50-389	ST. LUCIE PLANT, UNIT 2	130
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	95	50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	131
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	96	50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	132
50-329	MIDLAND PLANT, UNIT 1	97	50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	133
50-330	MIDLAND PLANT, UNIT 2	98	50-396	UNIV. OF VIRGINIA CAVALIER REACTOR	134
50-331	DUANE ARNOLD ENERGY CENTER	98	50-397	WPPSS NUCLEAR PROJECT, UNIT 2	135
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	100	50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	136
50-334	BEAVER VALLEY POWER STATION, UNIT 1	101	50-407	UNIV. OF UTAH RESEARCH REACTOR	138
50-335	ST. LUCIE PLANT, UNIT 1	102	50-409	LA CROSSE BOILING WATER REACTOR	138
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	103	50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	138
50-338	NORTH ANNA POWER STATION, UNIT 1	105	50-412	BEAVER VALLEY POWER STATION, UNIT 2	139
50-339	NORTH ANNA POWER STATION, UNIT 2	106	50-413	CATAWBA NUCLEAR STATION, UNIT 1	140
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	107	50-414	CATAWBA NUCLEAR STATION, UNIT 2	141
50-344	TROJAN NUCLEAR PLANT	108	50-416	GRAND GULF NUCLEAR STATION, UNIT 1	143
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	109	50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	144
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	111	50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	145
50-352	LIMERICK GENERATING STATION, UNIT 1	112	50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	147
50-353	LIMERICK GENERATING STATION, UNIT 2	114	STN-50-437	FLOATING NUCLEAR PLANT	148
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	115	50-438	BELLEfonte NUCLEAR PLANT, UNIT 1	148
50-356	UNIV. OF ILLINOIS RESEARCH REACTOR	116	50-439	BELLEfonte NUCLEAR PLANT, UNIT 2	148
50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	116	50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	149
50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	117	50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	150
50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	118	50-443	SEABROOK NUCLEAR STATION, UNIT 1	151
50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	119	50-444	SEABROOK NUCLEAR STATION, UNIT 2	152
50-368	ARKANSAS NUCLEAR ONE, UNIT 2	120	50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	153
50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	121	50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	155
			STN-50-454	BYRON STATION, UNIT 1	156

Docket	Name	Page	Docket	Name	Page
STN-50-455	BYRON STATION, UNIT 2	158	70-0364	BABCOCK & WILCOX CO., APOLLO, PA	181
STN-50-456	BRAIDWOOD STATION, UNIT 1	159	70-0371	UNC, INC., UNCASVILLE, CT	181
STN-50-457	BRAIDWOOD STATION, UNIT 2	160	70-0398	COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &	181
50-458	RIVER BEND STATION, UNIT 1	162	70-0687	CINTICHEM, INC., TUXEDO, NY	181
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	163	70-0698	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	181
50-461	CLINTON POWER STATION, UNIT 1	163	70-0712	KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	181
STN-50-482	WOLF CREEK GENERATING STATION	165	70-0734	GENERAL ATOMICS, SAN DIEGO, CA	182
STN-50-483	CALLAWAY PLANT, UNIT 1	166	70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	183
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	167	70-0820	UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER	183
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	168	70-0824	BABCOCK & WILCOX CO., LYNCHBURG, VA	183
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	170	70-0920	RENSSELAER POLYTECHNIC INSTITUTE, TROY, NY	183
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	170	70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	183
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	171	70-0938	MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA	183
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	172	70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	183
52-001	GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	174	70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	184
52-002	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	175	70-1143	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	184
<b>Domestic Licensing of Special Nuclear Material - Docket 70</b>			70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	184
70-0008	BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	175	70-1193	CIMARRON CORP., OKLAHOMA CITY, OK	184
70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	175	70-1201	B&W FUEL CO., LYNCHBURG, VA	184
70-0028	BABCOCK & WILCOX CO., ALLIANCE, OH	176	70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	185
70-0033	TEXAS INSTRUMENTS, INC., ATTLEBORO, MA	176	70-1374	IDAHO STATE UNIV., POCA TELLO, ID	185
70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	176	70-1996	MALDEN HOSP., MALDEN, MA	185
70-0135	BABCOCK & WILCOX CO., APOLLO, PA	176	70-3070	LOUISIANA ENERGY SERVICES, WASHINGTON, DC	185
70-0140	AMERICAN-STANDARD, MOUNTAIN VIEW, CA	176	70-3072	GRACE HOSP., DETROIT, MI	186
70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	177	70-3073	KERR-MCGEE CORP., OKLAHOMA CITY, OK	186
70-0146	SPENCER CHEMICAL CO., KANSAS CITY, MO	177	<b>Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71</b>		
70-0152	PURDUE UNIV., WEST LAFAYETTE, IN	180	71-0062	INDUSTRIAL NUCLEAR CO.	186
70-0201	MISSOURI, UNIV. OF, COLUMBIA, MO	180	71-0115	B&W FUEL CO.	187
70-0248	MALLINCKRODT CHEMICAL WORKS, ST. LOUIS, MO	180	71-0249	NUCLEAR FUEL SERVICES, INC.	187
70-0340	SPENCER CHEMICAL CO., KANSAS CITY, MO	180	71-0346	PUBLIC SERVICE CO. OF COLORADO	187
			71-0354	ADVANCED MEDICAL SYSTEMS, INC.	187
			71-0390	COMMERCE, DEPT. OF	187
			71-0460	UNIV. OF VIRGINIA	187

Docket	Name	Page	Docket	Name	Page
71-0471	PENNSYLVANIA POWER & LIGHT	187	71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	189
71-0482	UNIV. OF MASSACHUSETTS	187	71-9034	MODEL: TRIGA-1, GENERAL ATOMICS	189
71-0524	RADIATION STERILIZERS, INC.	187	71-9035	MODEL: 680 & 680E, AMERSHAM CORP.	189
71-0557	NDE SERVICES, INC.	187	71-9036	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	189
71-0595	AKRON INDUSTRIAL SERVICES, INC.	187	71-9037	MODEL: TRIGA-2, GENERAL ATOMICS	189
71-0632	QUALITY ENERGY SERVICES & TESTS CORP.	187	71-9056	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	189
71-0633	PRINCETON GAMMA-TECH, INC.	187	71-9071	MODEL: AP-101, ANEFCO, INC.	189
71-0715	QUALITEST, INC.	187	71-9098	MODEL: CI-20WC-2 & CI-20WC-2A, CINTICHEM, INC.	189
71-0721	QUALITY SYSTEMS NDE, LTD.	187	71-9107	MODEL: 771, AMERSHAM CORP.	189
71-0736	MAGNA CHEK, INC.	187	71-9127	MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.	189
71-0737	SERGEANT, HAUSKINS & BECKWITH	187	71-9135	MODEL: CENTURY S & SA, CENTURY UNIVERSAL S & SA,	189
71-0740	MIDLAND INSPECTION & ENGINEERING, INC.	187	71-9137	MODEL: 820, AMERSHAM CORP.	190
71-0741	BIX TESTING LABORATORIES	187	71-9151	MODEL: HN-100 SERIES 3, ET AL, SCIENTIFIC ECOLOGY	190
71-0742	SOUTHERN INDUSTRIAL TESTING, INC.	187	71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	190
71-0743	AMERICAN ASSOCIATED TESTING, INC.	188	71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	190
71-0744	X-RAY CO., INC.	188	71-9165	MODEL: 855, AMERSHAM CORP.	190
71-3014	MODEL: TN-12/2, TRANSPORTATION, DEPT. OF	188	71-9176	MODEL: NUPAC 14/210H & L, ET AL, NUPAC SERVICES, INC.	190
71-4909	MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.	188	71-9185	MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	190
71-5740	MODEL: ORNL TRU CALIF., ENERGY, DEPT. OF	188	71-9216	MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.	190
71-5796	MODEL: 181375, 181361, ADVANCED MEDICAL SYSTEMS, INC.	188	71-9233	MODEL: TN-RAM, TRANSNUCLEAR, INC.	190
71-5797	MODEL: INNER & OUTER HFIR UN, ENERGY, DEPT. OF	188	71-9239	MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.	190
71-5800	MODEL: ORNL TRITIUM TARGET CONTAINER	188	71-9247	MODEL: 110G-A, NUCLEAR FUEL SERVICES, INC.	190
71-5939	MODEL: 1500, GENERAL ELECTRIC CO.	188	71-9249	MODEL: CNS 14-170, SERIES III, CHEM-NUCLEAR SYSTEMS,	190
71-5950	MODEL: BCL-4, BATTELLE COLUMBUS LABORATORY	188	<b>Licensing of Independent Spent Fuel Storage - Docket 72</b>		
71-5957	MODEL: BMI-1, CINTICHEM, INC.	188	72-0004	DUKE POWER CO., 50-269, 50-270 & 50-287	190
71-6058	MODEL: B-3, CINTICHEM, INC.	188	72-0006	CAROLINA POWER & LIGHT CO., 50-324 & 50-325	191
71-6144	MODEL: B-2, U.S. ECOLOGY, INC.	188	72-0008	BALTIMORE GAS & ELECTRIC CO., 50-317 & 50-318	191
71-6294	MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	188	72-0009	PUBLIC SERVICE CO. OF COLORADO, 50-267	191
71-6346	MODEL: FSV-1, PUBLIC SERVICE CO. OF COLORADO	188	72-0010	NORTHERN STATES POWER CO., 50-282 & 50-306	191
71-6386	MODEL: 235R001, ENERGY, DEPT. OF	188	72-1000	MODEL: CASTOR V/21, GENERAL NUCLEAR SYSTEMS, INC.	191
71-6717	MODEL: 6717-B, AMERSHAM CORP.	188	72-1004	MODEL: NUHOMS-24P, PACIFIC NUCLEAR FUEL SERVICES, INC.	191
71-9006	MODEL: AI 500 SU, AMERSHAM CORP.	188			
71-9007	MODEL: AI 520, AMERSHAM CORP.	189			
71-9010	MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP.	189			
71-9019	MODEL: BU-7, GENERAL ELECTRIC CO.	189			
71-9021	MODEL: 750, AMERSHAM CORP.	189			
71-9032	MODEL: 650, AMERSHAM CORP.	189			

<b>Docket</b>	<b>Name</b>	<b>Page</b>	<b>Docket</b>	<b>Name</b>	<b>Page</b>
72-1005	MODEL: TN-24, TRANSNUCLEAR, INC.	191	72-1007	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	191

## ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page	Name	Docket	Page
<b>Low Level Radwaste Disposal Sites - Docket 27</b>			SPENCER CHEMICAL CO., KANSAS CITY, MO	40-2136	3
COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	27-047	1	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	40-1341	1
LOUISVILLE, KY, U.S. ECOLOGY, INC.	27-048	1	UMETCO MINERALS CORP., BLANDING, UT	40-8681	8
<b>Domestic Licensing of Source Material - Docket 40</b>			WHITTAKER CORP., LOS ANGELES, CA	40-7455	4
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	4	<b>Domestic Licensing of Production and Utilization Facilities - Docket 50</b>		
ALUMINUM CO. OF AMERICA, ALCOA CENTER, PA	40-0501	1	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	50-228	22
AMAX, INC., GOLDEN, CO	40-8820	9	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	145
ARMY, DEPT. OF, WATERTOWN, MA	40-2253	3	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	147
BP CHEMICALS AMERICA, INC., LIMA, OH	40-7604	5	ARKANSAS NUCLEAR ONE, UNIT 1	50-313	81
CABOT CORP., BOYERTOWN, PA	40-6940	4	ARKANSAS NUCLEAR ONE, UNIT 2	50-368	120
CHEMETRON CORP., PROVIDENCE, RI	40-8724	8	ARMY MATERIALS RESEARCH REACTOR	50-47	13
COMMERCIAL DISCOUNT CORP.	40-7603	4	BEAVER VALLEY POWER STATION, UNIT 1	50-334	101
CONTEMPORARY METALS CORP., HAZLEWOOD, MO	40-6811	4	BEAVER VALLEY POWER STATION, UNIT 2	50-412	139
COTTER CORP., ROSWELL, NM	40-8035	7	BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	148
ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	9	BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	148
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	4	BIG ROCK POINT NUCLEAR PLANT	50-155	14
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	9	BRAIDWOOD STATION, UNIT 1	STN-50-456	159
II-VI INC., SAXONBURG, PA	40-8868	9	BRAIDWOOD STATION, UNIT 2	STN-50-457	160
KERR-MCGEE CHEMICAL CORP., OKLAHOMA CITY, OK	40-2061	3	BRIGHAM YOUNG UNIV. RESEARCH REACTOR	50-262	40
KERR-MCGEE CORP., OKLAHOMA CITY, OK	40-7308	4	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	36
KERR-MCGEE OIL INDUSTRIES, INC., OKLAHOMA CITY, OK	40-1478	1	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	38
MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN	40-8135	8	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	68
MOLYCORP, INC., LOS ANGELES, CA	40-8794	9	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	93
MOLYCORP, INC., LOS ANGELES, CA	40-8778	9	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	92
MOSE COHEN & SONS, INC., CINCINNATI, OH	40-8081	8	BYRON STATION, UNIT 1	STN-50-454	156
PATHFINDER MINES CORP., MILLS, WY	40-8981	9	BYRON STATION, UNIT 2	STN-50-455	158
PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	4	CALLAWAY PLANT, UNIT 1	STN-50-483	166
PESSER CO., SOLON, OH	40-8406	8	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	85
QUIVIRA MINING CO., GRANTS, NM	40-8905	9	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	87
SEQUOYAH FUELS CORP., GORE, OK	40-8027	5	CATAWBA NUCLEAR STATION, UNIT 1	50-413	140
SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	9	CATAWBA NUCLEAR STATION, UNIT 2	50-414	141
SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	4	CINTICHEM	50-54	13
SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	40-8904	9	CLINTON POWER STATION, UNIT 1	50-461	163
			COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	153

Name	Docket	Page	Name	Docket	Page
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	155	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	100
COOPER NUCLEAR STATION	50-298	70	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	111
CORNELL UNIV. RESEARCH REACTOR	50-157	15	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	118
CORNELL UNIV. ZERO POWER REACTOR	50-97	13	KEWAUNEE NUCLEAR POWER PLANT	50-305	76
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	72	LA CROSSE BOILING WATER REACTOR	50-409	138
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	109	LASALLE COUNTY STATION, UNIT 1	50-373	124
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	51	LASALLE COUNTY STATION, UNIT 2	50-374	125
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	91	LIMERICK GENERATING STATION, UNIT 1	50-352	112
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	83	LIMERICK GENERATING STATION, UNIT 2	50-353	114
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	84	MAINE YANKEE ATOMIC POWER PLANT	50-309	78
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	10	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	11
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	23	MIDLAND PLANT, UNIT 1	50-329	97
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	28	MIDLAND PLANT, UNIT 2	50-330	98
DUANE ARNOLD ENERGY CENTER	50-331	98	MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	26
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	89	MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	103
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	119	MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	144
ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	50-16	11	MISSISSIPPI STATE UNIV. RESEARCH REACTOR	50-241	25
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	107	MONTICELLO NUCLEAR GENERATING PLANT	50-263	40
FLOATING NUCLEAR PLANT	STN-50-437	148	NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	21
FORD NUCLEAR REACTOR	50-2	10	NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	138
FORT CALHOUN STATION, UNIT 1	50-285	59	NORTH ANNA POWER STATION, UNIT 1	50-338	105
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	44	NORTH ANNA POWER STATION, UNIT 2	50-339	106
GENERAL ATOMICS	50-89	13	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	50-297	70
GENERAL ATOMICS	50-163	15	OCONEE NUCLEAR STATION, UNIT 1	50-269	45
GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-73	13	OCONEE NUCLEAR STATION, UNIT 2	50-270	47
GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-70	13	OCONEE NUCLEAR STATION, UNIT 3	50-287	62
GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	15	OYSTER CREEK NUCLEAR POWER PLANT	50-219	19
GRAND GULF NUCLEAR STATION, UNIT 1	50-416	143	PALISADES NUCLEAR PLANT	50-255	34
H.B. ROBINSON PLANT, UNIT 2	50-261	39	PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	170
HADDAM NECK PLANT	50-213	18	PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	171
HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	115	PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	172
HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	14	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	15
INDIAN POINT STATION, UNIT 1	50-3	10	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	53
INDIAN POINT STATION, UNIT 2	50-247	27	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	54
INDIAN POINT STATION, UNIT 3	50-286	61	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	50-5	10
IOWA STATE UNIV. RESEARCH REACTOR	50-116	13			

Name	Docket	Page	Name	Docket	Page
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	149	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	64
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	150	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	88
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	65	TROJAN NUCLEAR PLANT	50-344	108
PLUM BROOK RESEARCH REACTOR FACILITY	50-30	13	TURKEY POINT PLANT, UNIT 3	50-250	30
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	43	TURKEY POINT PLANT, UNIT 4	50-251	31
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	71	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	50-274	51
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	58	UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR	50-326	95
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	77	UNIV. OF ILLINOIS RESEARCH REACTOR	50-151	14
PURDUE UNIV. RESEARCH REACTOR	50-182	16	UNIV. OF ILLINOIS RESEARCH REACTOR	50-356	116
QUAD-CITIES STATION, UNIT 1	50-254	32	UNIV. OF LOWELL RESEARCH REACTOR	50-223	22
QUAD-CITIES STATION, UNIT 2	50-265	41	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	16
RANCHO SECO NUCLEAR GENERATING STATION	50-312	80	UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA	50-123	14
REED COLLEGE RESEARCH REACTOR	50-288	64	UNIV. OF UTAH RESEARCH REACTOR	50-407	138
RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	50-193	16	UNIV. OF VIRGINIA CAVALIER REACTOR	50-396	134
RIVER BEND STATION, UNIT 1	50-458	162	UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	13
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	25	VERMONT YANKEE NUCLEAR POWER STATION	50-271	48
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	50	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	133
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	79	WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)	50-27	11
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	16	WATERFORD GENERATING STATION, UNIT 3	50-382	126
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	116	WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	131
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	117	WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	132
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	14	WEST VALLEY REPROCESSING PLANT	50-201	16
SEABROOK NUCLEAR STATION, UNIT 1	50-443	151	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	121
SEABROOK NUCLEAR STATION, UNIT 2	50-444	152	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	123
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	95	WOLF CREEK GENERATING STATION	STN-50-482	165
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	96	WPPSS NUCLEAR PROJECT, UNIT 1	50-460	163
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	136	WPPSS NUCLEAR PROJECT, UNIT 2	50-397	135
SHOREHAM NUCLEAR POWER STATION	50-322	90	WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	170
SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	167	YANKEE-ROWE NUCLEAR POWER STATION	50-29	12
SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	168	ZION NUCLEAR POWER STATION, UNIT 1	50-295	67
ST. LUCIE PLANT, UNIT 1	50-335	102	ZION NUCLEAR POWER STATION, UNIT 2	50-304	74
ST. LUCIE PLANT, UNIT 2	50-389	130	GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	52-001	174
SURRY POWER STATION, UNIT 1	50-280	56	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	52-002	175
SURRY POWER STATION, UNIT 2	50-281	57			
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	127			
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	129			
TEXAS A&M UNIV. RESEARCH REACTOR	50-59	13			

**Domestic Licensing of Special Nuclear Material - Docket 70**

AMERICAN-STANDARD, MOUNTAIN VIEW, CA	70-0140	176
--------------------------------------	---------	-----



Name	Docket	Page	Name	Docket	Page
B&W FUEL CO., LYNCHBURG, VA	70-1201	184	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1143	184
BABCOCK & WILCOX CO., ALLIANCE, OH	70-0028	176	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	184
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	176	<b>Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71</b>		
BABCOCK & WILCOX CO., APOLLO, PA	70-0364	181			
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0824	183			
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	175			
BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	70-0008	175			
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	183	ADVANCED MEDICAL SYSTEMS, INC.	71-0354	187
CIMARRON CORP., OKLAHOMA CITY, OK	70-1193	184	AKRON INDUSTRIAL SERVICES, INC.	71-0595	187
CINTICHEM, INC., TUXEDO, NY	70-0687	181	AMERICAN ASSOCIATED TESTING, INC.	71-0743	188
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	176	B&W FUEL CO.	71-0115	187
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	183	BIX TESTING LABORATORIES	71-0741	187
COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &	70-0398	181	COMMERCE, DEPT. OF	71-0390	187
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	182	INDUSTRIAL NUCLEAR CO.	71-0062	186
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	183	MAGNA CHEK, INC.	71-0736	187
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	184	MIDLAND INSPECTION & ENGINEERING, INC.	71-0740	187
GRACE HOSP., DETROIT, MI	70-3072	186	MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.	71-9127	189
IDAHO STATE UNIV., POCA TELLO, ID	70-1374	185	MODEL: 110G-A, NUCLEAR FUEL SERVICES, INC.	71-9247	190
KERR-MCGEE CORP., OKLAHOMA CITY, OK	70-3073	186	MODEL: 1500, GENERAL ELECTRIC CO.	71-5939	188
KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	70-0712	181	MODEL: 181375, 181361, ADVANCED MEDICAL SYSTEMS, INC.	71-5796	188
LOUISIANA ENERGY SERVICES, WASHINGTON, DC	70-3070	185	MODEL: 235R001, ENERGY, DEPT. OF	71-6386	188
MALDEN HOSP., MALDEN, MA	70-1996	185	MODEL: 650, AMERSHAM CORP.	71-9032	189
MALLINCKRODT CHEMICAL WORKS, ST. LOUIS, MO	70-0248	180	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	189
MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA	70-0938	183	MODEL: 6717-B, AMERSHAM CORP.	71-6717	188
MISSOURI, UNIV. OF, COLUMBIA, MO	70-0201	180	MODEL: 680 & 680E, AMERSHAM CORP.	71-9035	189
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	177	MODEL: 750, AMERSHAM CORP.	71-9021	189
PURDUE UNIV., WEST LAFAYETTE, IN	70-0152	180	MODEL: 771, AMERSHAM CORP.	71-9107	189
RENSSELAER POLYTECHNIC INSTITUTE, TROY, NY	70-0920	183	MODEL: 820, AMERSHAM CORP.	71-9137	190
SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	185	MODEL: 855, AMERSHAM CORP.	71-9165	190
SPENCER CHEMICAL CO., KANSAS CITY, MO	70-0340	180	MODEL: AI 500 SU, AMERSHAM CORP.	71-9006	188
SPENCER CHEMICAL CO., KANSAS CITY, MO	70-0146	177	MODEL: AI 520, AMERSHAM CORP.	71-9007	189
TEXAS INSTRUMENTS, INC., ATTLEBORO, MA	70-0033	176	MODEL: AP-101, ANEFCO, INC.	71-9071	189
UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER	70-0820	183	MODEL: B-2, U.S. ECOLOGY, INC.	71-6144	188
UNC, INC., UNCASVILLE, CT	70-0371	181	MODEL: B-3, CINTICHEM, INC.	71-6058	188
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-0698	181	MODEL: BCL-4, BATTELLE COLUMBUS LABORATORY	71-5950	188
			MODEL: BMI-1, CINTICHEM, INC.	71-5957	188
			MODEL: BU-7, GENERAL ELECTRIC CO.	71-9019	189
			MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	71-9036	189
			MODEL: CENTURY S & SA, CENTURY UNIVERSAL S & SA,	71-9135	189
			MODEL: CI-20WC-2 & CI-20WC-2A, CINTICHEM, INC.	71-9098	189

Name	Docket	Page	Name	Docket	Page
MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.	71-9216	190	NUCLEAR FUEL SERVICES, INC.	71-0249	187
MODEL: CNS 14-170, SERIES III, CHEM-NUCLEAR SYSTEMS,	71-9249	190	PENNSYLVANIA POWER & LIGHT	71-0471	187
MODEL: FSV-1, PUBLIC SERVICE CO. OF COLORADO	71-6346	188	PRINCETON GAMMA-TECH, INC.	71-0633	187
MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.	71-4909	188	PUBLIC SERVICE CO. OF COLORADO	71-0346	187
MODEL: HN-100 SERIES 3, ET AL, SCIENTIFIC ECOLOGY	71-9151	190	QUALITEST, INC.	71-0715	187
MODEL: INNER & OUTER HFIR UN, ENERGY, DEPT. OF	71-5797	188	QUALITY ENERGY SERVICES & TESTS CORP.	71-0632	187
MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	190	QUALITY SYSTEMS NDE, LTD.	71-0721	187
MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-9156	190	RADIATION STERILIZERS, INC.	71-0524	187
MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.	71-9239	190	SERGEANT, HAUSKINS & BECKWITH	71-0737	187
MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP.	71-9010	189	SOUTHERN INDUSTRIAL TESTING, INC.	71-0742	187
MODEL: NUPAC 14/210H & L, ET AL, NUPAC SERVICES, INC.	71-9176	190	UNIV. OF MASSACHUSETTS	71-0482	187
MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	71-9185	190	UNIV. OF VIRGINIA	71-0460	187
MODEL: ORNL TRITIUM TARGET CONTAINER	71-5800	188	X-RAY CO., INC.	71-0744	188
MODEL: ORNL TRU CALIF., ENERGY, DEPT. OF	71-5740	188	<b>Licensing of Independent Spent Fuel Storage - Docket 72</b>		
MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	71-9056	189	BALTIMORE GAS & ELECTRIC CO., 50-317 & 50-318	72-0008	191
MODEL: TN-12/2, TRANSPORTATION, DEPT. OF	71-3014	188	CAROLINA POWER & LIGHT CO., 50-324 & 50-325	72-0006	191
MODEL: TN-RAM, TRANSNUCLEAR, INC.	71-9233	190	DUKE POWER CO., 50-269, 50-270 & 50-287	72-0004	190
MODEL: TRIGA-1, GENERAL ATOMICS	71-9034	189	MODEL: CASTOR V/21, GENERAL NUCLEAR SYSTEMS, INC.	72-1000	191
MODEL: TRIGA-2, GENERAL ATOMICS	71-9037	189	MODEL: NUHOMS-24P, PACIFIC NUCLEAR FUEL SERVICES, INC.	72-1004	191
MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	71-6294	188	MODEL: TN-24, TRANSNUCLEAR, INC.	72-1005	191
NDE SERVICES, INC.	71-0557	187	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	72-1007	191
			NORTHERN STATES POWER CO., 50-282 & 50-306	72-0010	191
			PUBLIC SERVICE CO. OF COLORADO, 50-267	72-0009	191



## DOCKETED ITEMS

### LOW LEVEL RADWASTE DISPOSAL SITES

#### DOCKET 27-047 COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.

**9207080122** Provides info on cost of Barnwell Site Monitoring Program. Estimate includes matts & labor to collect & analyze essentially same number & type of samples as current monitoring program.  
HOUSE, W.B. Chem-Nuclear Systems, Inc. 92/06/29. ROSS, R. Low-Level Waste Management Branch (Post 901230). 1p. 62277:353-62277:353.

#### DOCKET 27-048 LOUISVILLE, KY, U.S. ECOLOGY, INC.

**9207150092** Partial response to FOIA request for documents. App C records are already available in PDR. Records in app D encl & being made available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/07. FACAROS, N. Affiliation Not Assigned. 79pp. 62381:143-62382:019.

**-92071090278** Submits comments on proposed approach for classifying double shell slurry feed waste at Hanford facility presented at 880922 meeting. Disregarding of individual waste streams only when stream constitutes minimal fraction recommended.  
BELL, M.J. Regulatory Branch (870413-901229). 88/11/29. GERTON, R.E. Energy, Dept. of. 3pp. 62381:309-62381:311.

**-9207150121** Notification of 910521 meeting w/recipients to discuss public comments to petition. NRC legal authority over Hanford tank waste & possible need for NRC action. Public comments from FR notice of petition encl.  
ALTMARE, P. NRC - No Detailed Affiliation Given. 91/05/21. YOUNGBLOOD, J., LINEHAN, J., HOLONICH, J. NRC - No Detailed Affiliation Given. 1p. 62381:312-62381:312.

**-9207150128** Forwards public comments responding to FR notice of Hanford waste rulemaking petition.  
ALTMARE, P. NRC - No Detailed Affiliation Given. 91/05/21. BERNERO, R., BANGART, R., CUNNINGHAM, R. NRC - No Detailed Affiliation Given. 52pp. 62381:313-62382:003.

**-9207150134** Notices of 910925-26 meeting in Washington DC to review planned DOE Disposal of Radwaste in single-shell tanks at Hanford.  
ANDREWS, R.S. National Research Council. 91/09/04. GLENN, C. NRC - No Detailed Affiliation Given. 2pp. 62382:004-62382:005.

**9207080052** Rev 0 to Richland Operational Procedure ROP 15, "Corrective Actions for Environ Monitoring Results Greater Than Action Levels."  
BOOKER, S.R. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 92/04/23. 11pp. 62250:052-62250:062.

**9207080341** Submits 1991 facility utilization rept for review, per Amend 9 to Condition 32 of License 16-19204-01.  
SAUER, R.E. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 92/06/30. LOHAUS, P.H. Division of Low-Level Waste Management & Decommissioning (Post 870413). 24pp. 62305:022-62305:045.

**9207090016** Forwards proposed rev to Richland Operating Procedure ROP 34, "Cask Insps." Changes address deficiencies identified during NRC insp of transportation QA program.  
PALMER, A.J. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 92/07/01. HOGG, R. NRC - No Detailed Affiliation Given. 11pp. 62307:325-62307:335.

**9207270013** Provides estimates of costs associated w/conducting environ monitoring at low level waste sites, per 920623 request during staff briefing. Richland, WA low level waste site compliance summary from annual environ rept for 1991 encl.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/07/17. DE PLANQUE Commissioners (Post 750119). 3pp. 62517:280-62517:290.

**-9207270014** Compliance summary from "Annual Environ Monitoring Rept for CY91, US Ecology Richland, WA Low Level Radwaste Disposal Facility."  
PALMER, A.J., NEWMAN, H.J. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 91/12/31. 8pp. 62517:283-62517:290.

### DOMESTIC LICENSING OF SOURCE MATERIAL

#### DOCKET 40-0501 ALUMINUM CO. OF AMERICA, ALCOA CENTER, PA

**9207090021** Informs that demolition of abandoned Permanent Mold Bldg facility scheduled during second half of 1992. Requests assistance in obtaining needed funds for NRC contractor to complete scoping survey of subj facility.  
RYAN, D.J. Aluminum Co. of America. 92/07/02. HUFFERT, A.M. NRC - No Detailed Affiliation Given. 1p. 62307:344-62307:344.

#### DOCKET 40-1341 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

**9207210045** Forwards insp rept 40-1341/92-01 on 920714. No violations noted.  
HALL, R.E. Uranium Recovery Field Ofc, R4. 92/07/17. Tennessee Valley Authority. 2pp. 62419:294-62419:298.

**-9207210051** Insp rept 40-1341/92-01 on 920715. No violations noted. Major areas inspected: insp of tailings stability monitoring programs to be implemented at Edgemont disposal location including radioactive waste mgt.  
KONWINSKI, G.R., HALL, R.E. Uranium Recovery Field Ofc, R4. 92/07/17. 2pp. 62419:297-62419:298.

#### DOCKET 40-1478 KERR-MCGEE OIL INDUSTRIES, INC., OKLAHOMA CITY, OK

**9207090143** FOIA request for documents & matts in possession of NRC re Kerr McGee facility in Cushing, OK.  
CORDELL, F.T. Huckaby, Fleming, Frailey, Chaffin & Darrah. 91/04/29. GRIMSLEY, D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62460:001-62460:001.

**9207090216** Final response to FOIA request for documents. Forwards app A documents which are being made available in PDR. App B documents being withheld in their entirety (ref FOIA Exemption 6).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/08. CORDELL, F.T. Huckaby, Fleming, Frailey, Chaffin & Darrah. 18pp. 62460:002-62462:271.

**-9207090289** Application for amend to license C-3571, renewing license.  
LANDRUM, L.H. Spencer Chemical Co. 57/08/16. PRICE, H.L. Atomic Energy Commission (Pre 750119). 1p. 62460:026-62460:026.

**-9207090295** License C-3571 for Spencer Chemical Co, authorizing possession of & title to U magnesium fluoride scrap for pilot scale investigations of scrap recovery.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 57/08/23. LANDRUN, L.H. Spencer Chemical Co. 1p. 62460:027-62460:032.

**-9207090333** Provides authorization to procure from Commission 200 lbs of UF6 containing normal U for use under license C-3571 prior to 580701.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 58/01/17. LANDRUM, L.M. Spencer Chemical Co. 1p. 62460:035-62460:035.

**-9207100008** Application for amend to license C-3571 covering source & depleted matl to be revised to permit 5,000 rather than 500 of inventory.  
LANDRUM, L.H. Atomic Energy Commission (Pre 750119). 58/02/19. JOHNSON, L. Spencer Chemical Co. 1p. 62460:036-62460:036.

**-9207100018** License C-3571, authorizing purchase of 1,000 lbs of UF6 containing U depleted in U-235 isotope.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 58/02/28. YOUNG, D.A. Spencer Chemical Co. 1p. 62460:038-62460:038.

**-9207100021** License C-3571, authorizing purchase of 454 kg of normal U as UF6.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 58/03/12. LANDRUM, L.H. Spencer Chemical Co. 1p. 62460:039-62460:039.

**-9207100025** Application for amend to license C-3571, authorizing purchase of 500 lbs of natural U hexafluoride to be used as food stock in further processing to U oxide.  
YOUNG, D.A. Spencer Chemical Co. 58/09/03. DELANEY, J.H. Atomic Energy Commission (Pre 750119). 1p. 62460:040-62460:040.

**-9207100030** Forwards files on Spencer Chemical Co covering licenses R-218, C-3571 & SNM-154.  
DUBINSKI, L. Atomic Energy Commission (Pre 750119). 58/09/03. HAYCOCK, T.J. Atomic Energy Commission (Pre 750119). 1p. 62460:041-62460:041.

**-9207100039** License C-3571, authorizing purchase of 227 kg of normal U as UF6 for use under license.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 58/09/08. YOUNG, D.A. Atomic Energy Commission (Pre 750119). 1p. 62460:042-62460:044.

**-9207100071** Application for amend to license C-4352, authorizing possession of & title to refined source matl at Jayhawk Works for chemical & physical processing.  
LAMBERTUS, H. Spencer Chemical Co. 59/07/16. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 1p. 62460:045-62460:045.

**-9207100079** Application for amend to license C-4352, to read as listed.  
LAMBERTUS, H. Spencer Chemical Co. 59/07/23. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 1p. 62460:046-62460:046.

**-9207100085** Amend 1 to license C-4352, authorizing possession of & title to refined source matl for experimental work.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 59/07/22. Spencer Chemical Co. 1p. 62460:047-62460:047.

**-9207100098** Undated amend 2 to license C-4352 authorizing possession of & title to refined source matl for production processing.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 91/10/08. LAMBERTUS, H. Spencer Chemical Co. 1p. 62460:048-62460:048.

**-9207100105** Undated amend 3 to license C-4352 authorizing possession of & title to refined source matl for production processing.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 91/10/08. LAMBERTUS, H. Spencer Chemical Co. 1p. 62460:049-62460:049.

**-9207100108** Undated license C-4352 for Spencer Chemical Co, authorizing possession of & title to refined source matl for experimental work.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 91/10/08. LAMBERTUS, H. Spencer Chemical Co. 1p. 62460:050-62460:050.

**-9207100130** Undated license C-4352 for Spencer Chemical Co authorizing use of listed licensed matl.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 91/10/08. Spencer Chemical Co. 2pp. 62480:051-62480:052.

**-9207100138** License C-4352 for Spencer Chemical Co authorizing purchase of 300 kg of normal U as UF6 for use under license.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 59/10/12. LEADERS, W. Spencer Chemical Co. 1p. 62460:053-62460:053.

**-9207100144** Forwards 591020 ltr from DK Welty re assignment of Spencer Chemical Co licenses.  
DUBINSKI, L. Atomic Energy Commission (Pre 750119). 59/10/26. VESPE, V.C. Atomic Energy Commission (Pre 750119). 2pp. 62460:054-62460:055.

## 2 DOCKETED ITEMS

- 9207100153** License for Spencer Chemical Co to import 50 lbs of refined source matl from Canada.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/01/27. LAMBERTUS,H. Spencer Chemical Co. 1p. 62460:056-62460:056.
- 9207100177** Application for amend to license C-4352 to read as listed.  
LAMBERTUS,H. Spencer Chemical Co. 60/04/15. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 62460:057-62460:057.
- 9207100179** Discusses 600712 ltr to HR Dinges concerning license R-218. Informs that license will not be renewed due to handling of source matl under license C-4352.  
LAMBERTUS,H. Spencer Chemical Co. 60/07/19. VESPE,V.C. Atomic Energy Commission (Pre 750119). 1p. 62460:058-62460:058.
- 9207100189** Application for amend to license C-4352,renewing license for period of 5 yrs.  
GREENLEE,H. Spencer Chemical Co. 60/09/13. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 3pp. 62460:059-62460:061.
- 9207100194** Amend to license C-4352 renewing license for period not exceeding 1 yr.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/10/12. GREENLEE,N.A. Spencer Chemical Co. 1p. 62460:062-62460:062.
- 9207100197** Forwards files on listed licenses issued to Spencer Chemical Co,Kansas City,MO.  
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 59/11/09. VESPE,V.C. Atomic Energy Commission (Pre 750119). 1p. 62460:063-62460:063.
- 9207100205** Application for amend to license C-4352 renewing license for period of 5 yrs.  
GREENLEE,M.A. Spencer Chemical Co. 61/08/24. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 2pp. 62460:064-62460:065.
- 9207100242** Informs that addl info needed re 610824 application for renewal of license C-4352.  
NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 61/09/11. GREENLEE,H. Spencer Chemical Co. 1p. 62460:066-62460:066.
- 9207100247** Application for renewal of license C-4352 authorizing use of listed licensed matl.  
\* Spencer Chemical Co. 61/10/13. 6pp. 62460:067-62460:072.
- 9207100248** Provides addl info & clarifies points in 611016 application for renewal of license C-4352.  
GREENLEE,N.A. Spencer Chemical Co. 61/12/12. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 2pp. 62460:073-62460:074.
- 9207100250** Responds to 620220 ltr re application for renewal of license C-4352.Operations to be considered potential sources of airborne radioactivity listed.  
GREENLEE,N.A. Spencer Chemical Co. 62/02/26. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 3pp. 62460:075-62460:077.
- 9207100254** Forwards application for license in name of Kerr-McGee Oil Industries to cover operation of facility & transfer, possession & sale of source matl.  
COBB,G.H. Kerr-McGee Corp. 92/07/03. Atomic Energy Commission (Pre 750119). 1p. 62460:078-62460:086.
- 9207100256** Informs that addl info needed concerning 620703 application for source matl license.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/08/21. COBB,G.H. Kerr-McGee Corp. 2pp. 62460:087-62460:127.
- 9207140193** Discusses U Brady of Region IV 630329 ltr concerning status of license SMB-471.Informs that ltr forwarded to LR Spencer re radiation levels at facility covered by license.  
DUBINSKI,L. Region 4 (Post 820201). 63/04/10. WALKER,D.I. Region 4 (Post 820201). 1p. 62460:167-62460:167.
- 9207140196** Requests info re status of license SMB-471 which expires on 650331.  
BRADY,U.L. Region 4 (Post 820201). 63/03/29. CAVANAUGH,R. Region 4 (Post 820201). 1p. 62460:168-62460:169.
- 9207140225** Application for amend to license SMB-664,authorizing use of listed licensed matl.  
LAMBERTUS,H. Kerr-McGee Corp. 63/09/09. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 2pp. 62460:180-62460:181.
- 9207140238** Amend 1 to license SMB-064 for Kerr-McGee Oil Industries, Inc,adding items 11 & 12 to read as listed.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 63/09/23. 1p. 62460:182-62460:182.
- 9207140282** Application for amend to license SMB-664 to include possession of up to 2,000 lbs of source matl at Kerr-Gee bldg in Oklahoma City for display purposes.  
LAMBERTUS,H. Kerr-McGee Corp. 64/01/27. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 62460:189-62460:200.
- 9207150031** Amend 2 to license SMB-664 for Kerr-McGee Oil Industries, Inc,adding listed conditions.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/02/06. 1p. 62460:201-62460:231.
- 9207150036** Forwards notice of violation for Kerr-McGee Industries,Inc, for concurrence.  
PAGE,R.G. Atomic Energy Commission (Pre 750119). 64/05/07. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p. 62460:232-62460:232.
- 9207150047** Discusses insp conducted on 640122-24 of activities authorized under licenses SMB-664 & SNM-695.  
PRICE,E. Atomic Energy Commission (Pre 750119). 64/06/05. LAMBERTUS,H. Kerr-McGee Corp. 3pp. 62460:237-62460:239.
- 9207150057** Responds to 640605 ltr & forwards info re results of insp conducted during Jan 22 & 23 of activities covered under licenses.  
LAMBERTUS,H. Kerr-McGee Corp. 64/06/23. PRICE Atomic Energy Commission (Pre 750119). 4pp. 62460:240-62460:243.
- 9207150066** Ack receipt of 640623 ltr in response to NRC 640605.  
PRICE,E.R. Atomic Energy Commission (Pre 750119). 64/07/14. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62460:250-62460:250.
- 9207150230** Application for amend to licenses SNM-664 & SNM-695,granting exemp-tion from specific requirements of 10CFR20.203.  
LAMBERTUS,H. Kerr-McGee Corp. 65/02/01. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 62460:312-62460:312.
- 9207150249** Forwards rept & transmittal memo of insp conducted of facility on 650126-27,for appropriate enforcement action.  
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 65/03/02. PRICE,E.R. Atomic Energy Commission (Pre 750119). 2pp. 62460:340-62460:341.
- 9207150254** Amends 3 & 4 to licenses SNM-664 & SNM-695,authorizing use of listed licensed matl.  
NUSSBAUMER,H. Atomic Energy Commission (Pre 750119). 65/03/17. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62460:342-62460:351.
- 9207150259** Discusses telcon w/Dubinski concerning insp of licenses SNM-664 & SNM-695.  
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/04/12. Atomic Energy Commission (Pre 750119). 2pp. 62460:352-62460:357.
- 9207150266** Submits compliance inquiry memo re Region IV being notified on 650412 of possible incident at Kerr-McGee Oil Industries plant at Cushing,Oklahoma.  
SANDEL,P.S. Atomic Energy Commission (Pre 750119). 65/04/14. Atomic Energy Commission (Pre 750119). 2pp. 62460:358-62461:002.
- 9207150271** Submits info on equipment ventilation & health-safety evaluations for processing thorium matl at licensed facility in Cushing,Oklahoma.  
LAMBERTUS,H. Kerr-McGee Corp. 65/04/21. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 62461:003-62461:005.
- 9207150281** Forwards TWX from Region IV reporting explosion involving natural thori-um at licensee facility,for info.  
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 65/06/25. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p. 62461:023-62461:023.
- 9207150284** Amend 4 to license SNM-664,to include date of 650421 & to delete items 10 & 12.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 65/06/29. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62461:024-62461:024.
- 9207150288** Forwards investigation rept of fire & rapid oxidation at licensee facility in Cushing,Oklahoma facility.  
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/07/09. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 3pp. 62461:025-62461:046.
- 9207150299** Forwards drawing MPU-208 submitted w/650421 ltr & determined unnec-essary for review.  
HARMON,D.F. Atomic Energy Commission (Pre 750119). 65/07/15. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62461:047-62461:049.
- 9207150310** Expresses apology for being in meeting during recipient visit.Requests meeting on 650910.  
LAMBERTUS,H. Kerr-McGee Corp. 65/09/01. WALKER,D. Atomic Energy Commission (Pre 750119). 1p. 62461:050-62461:051.
- 9207160116** Discusses 650412 memo & telcon w/J Roeder concerning State of Okla-homa personnel participation in next insp of licenses SNM-664 & SNM-695.  
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/09/03. Atomic Energy Commission (Pre 750119). 1p. 62461:056-62461:063.
- 9207160132** Provides info re 650908 insp at licensee facilities in Cushing,Oklahoma.Licensee believes that past fast reaction problems in process were due to thorium-oxygen reaction..  
CROCKER,H.W. Region 3 (Post 820201). 65/10/01. CHITWOOD,R.B. Atomic Energy Commission (Pre 750119). 2pp. 62461:074-62461:075.
- 9207160138** Compliance insp rept on 650908-10.Noncompliance noted: surveys made during & following fire & explosion on 650623 were inadequate to determine that indi-viduals were not exposed to excess concentrations.  
SANDEL,P.S. WOOLSEY,R.T. Atomic Energy Commission (Pre 750119). 65/09/30. 13pp. 62461:076-62461:088.
- 9207160153** Informs that license SMB-664 expires on 651130.Application for renewal requested if licensee desires to continue program using source matl.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 65/10/08. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62461:096-62461:098.
- 9207160168** Forwards reinspection rept for licenses SMB-664 & SNM-695, for appro-priate enforcement action.  
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/10/22. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 5pp. 62461:100-62461:107.
- 9207160198** Application for renewal of license SMB-664 for facility at Cushing,Oklahoma.  
LAMBERTUS,H. Kerr-McGee Corp. 65/10/22. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 62461:108-62461:112.
- 9207160206** Discusses 651022 NOV forwarded to licensee citing company for non-compliance w/10CFR20.201 for failure to determine adequately extent of employee exposure to concentration of thorium.  
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 65/11/22. PAGE,R.G. Atomic Energy Commission (Pre 750119). 3pp. 62461:113-62461:115.
- 9207160209** Discusses 651022 application for renewal of license SMB-664.  
HARMON,D.F. Atomic Energy Commission (Pre 750119). 65/11/24. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62461:116-62461:117.
- 9207160247** Investigation rept re explosion in fatality that occurred during dissolving of thorium scrap matl w/nitric acid. Caused by evolution & ignition of hydrogen gas.No radioactive matl released outside plant.  
WALKER,D.I. Atomic Energy Commission (Pre 750119). 66/02/07. 4pp. 62461:141-62461:144.
- 9207160252** Investigation rept re explosion resulting in fatality at facility.Cause of ex-plosion believed to be from evolution & ignition of hydrogen gas.  
\* Atomic Energy Commission (Pre 750119). 66/02/07. 2pp. 62461:145-62461:149.

- 9207160263 Forwards data from measurements made in Y-12 In Vivo facility on 660204 re Kerr-McGee employees.  
KELLER,C.A. Atomic Energy Commission (Pre 750119). 66/03/08. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62461:249-62461:249.
- 9207160266 Forwards investigation rept re recent explosion at licensee facility in Cushing,Oklahoma.  
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 66/03/09. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p. 62461:250-62461:250.
- 9207160269 Forwards investigation rept concerning explosion at licensee facility in Cushing,Oklahoma.  
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 66/03/10. JOHNSON,L. Atomic Energy Commission (Pre 750119). 1p. 62461:251-62461:251.
- 9207160279 Ack receipt of 660303 ltr informing NRC of explosion which occurred in Cushing,Oklahoma plant on 660207.  
PRICE,E. Atomic Energy Commission (Pre 750119). 66/03/10. WULLER,G.E. Kerr-McGee Corp. 1p. 62461:252-62461:253.
- 9207160287 Forwards investigation rept dtd 660307 re explosion that occurred at licensee facility in Cushing,Oklahoma.  
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 66/03/10. KLEY,G. Atomic Energy Commission (Pre 750119). 1p. 62461:254-62461:254.
- 9207160289 Forwards addendum to investigation rept re Kerr-McGee facility in Oklahoma City,Oklahoma.  
WALKER,D.I. Atomic Energy Commission (Pre 750119). 66/03/11. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 62461:255-62461:255.
- 9207160292 Informs that NRC will not correspond w/Kerr-McGee concerning investigation.Believes that no enforcement action appears appropriate.  
HANDLER,E. Atomic Energy Commission (Pre 750119). 66/03/14. Atomic Energy Commission (Pre 750119). 1p. 62461:256-62461:256.
- 9207160293 Expresses appreciation for excellent cooperation in promptly providing requested Kerr-McGee samples.  
WALKER,D.I. Atomic Energy Commission (Pre 750119). 66/03/18. SILL,C.W. Atomic Energy Commission (Pre 750119). 1p. 62461:257-62461:258.
- 9207160295 Forwards results of analyses performed on samples obtained in connection w/dissolver explosion.  
BROWN,G.D. Atomic Energy Commission (Pre 750119). 66/04/29. WULLER,G. Atomic Energy Commission (Pre 750119). 3pp. 62461:259-62461:261.
- 9207160298 Partially deleted memo re 660524 ltr concerning possible loss of bottle of partially processed enriched U scrap matl at Kerr-McGee Corp,Cimarron facility,Guthrie,OK.  
GEORGE,D.E. Atomic Energy Commission (Pre 750119). 66/05/26. HOLLINGS-WORTH Atomic Energy Commission (Pre 750119). 3pp. 62461:262-62461:273.
- 9207160303 Forwards addendum to 660307 investigation rept concerning explosion at Kerr-McGee facility in Oklahoma City,OK.  
WALKER,D.I. Atomic Energy Commission (Pre 750119). 66/06/24. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 30pp. 62461:274-62461:335.
- 9207160310 Discusses licensee 660908 shipment of special nuclear matl from Oak Ridge.  
CHITWOOD,R.B. Atomic Energy Commission (Pre 750119). 66/09/10. Atomic Energy Commission (Pre 750119). 1p. 62461:336-62461:336.
- 9207160313 Discusses review of 660207 investigation rept concerning explosion at Kerr-McGee.  
NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 66/10/03. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 2pp. 62461:338-62461:339.
- 9207160318 Requests detailed or later info re cause of hydrogen explosion that occurred 660207 in thorium processing area of Kerr-McGee plant at Cushing,OK.  
CLUKEY,H.V. General Electric Co. 66/10/10. Atomic Energy Commission (Pre 750119). 1p. 62461:340-62461:340.
- 9207160320 Discusses telcon w/RT Zitting of Kerr-McGee concerning value of Eberline film badges.  
FAULKNER,R.L. Atomic Energy Commission (Pre 750119). 67/05/12. Atomic Energy Commission (Pre 750119). 1p. 62461:341-62461:341.
- 9207160329 Discusses review of 660706 closeout insp at Kerr-McGee facility in Cushing,Oklahoma.  
FISHER,W.L. Atomic Energy Commission (Pre 750119). 89/11/17. BEACH,A.B. Atomic Energy Commission (Pre 750119). 15pp. 62461:343-62461:358.
- 9207160336 Partially deleted amends to licenses SMB-664,SMA-828, SNM-695 & SNM-928 to reflect name change of Kerr-McGee Oil Industries,Inc to Kerr-McGee Corp.W/26 oversize drawings.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 90/02/16. 243pp. 62461:359-62462:271.
- 9207100011 Application for amend to license C3571,requesting permission to procure 1,000 lbs of natural U as UF6 prior to 580701.  
LANDRUM,L.H. Atomic Energy Commission (Pre 750119). 58/02/27. JOHNSON,L. Atomic Energy Commission (Pre 750119). 1p. 62460:037-62460:037.
- 9207200208 Partial response to FOIA request for documents.Documents listed in App A & B encl & being made available for PDR.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/31. MARBLE,J.P. Huckaby, Fleming, Frailey, Chaffin & Darrah. 17pp. 62749:002-62750:088.
- 9207230301 Discusses insp on 600330-0401 of licenses C-4352,R-218, SNM-154 & SNM-329.Labeling deficiencies were brought to attention by inspector & corrective action will be taken by licensee.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/10/12. LAMBERTUS,H. Spencer Chemical Co. 1p. 62749:327-62749:327.
- 9207240082 Discusses insp on 610502-05.  
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/04/17. GREENLEE,N. Spencer Chemical Co. 3pp. 62750:058-62750:060.

9207200191 FOIA request for documents re matls in possession of NRC, including but not limited to its various employees, divisions & departments re Spencer Chemical Co. MARBLE,J.D. Huckaby, Fleming, Frailey, Chaffin & Darrah. 91/08/07. GRIMSLEY,D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62749:001-62749:001.

#### DOCKET 40-2061 KERR-MCGEE CHEMICAL CORP., OKLAHOMA CITY, OK

9207200067 Joint motion to continue to hold proceeding in abeyance.\* Licensee, state & city jointly request NRC continue to hold proceeding in abeyance for addl 60-day period.W/Certificate of Svc.  
KARAGANIS,J.V. West Chicago, IL. KARAGANIS,J.V. Karaganis & White, Ltd. #392 13103. 92/07/09. Commissioners (Post 750119). 5pp. 62404:192-62404:196.

#### DOCKET 40-2136 SPENCER CHEMICAL CO., KANSAS CITY, MO

9207200208 Partial response to FOIA request for documents.Documents listed in App A & B encl & being made available for PDR.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/31. MARBLE,J.P. Huckaby, Fleming, Frailey, Chaffin & Darrah. 17pp. 62749:002-62750:088.

-9207230284 License R-218 for Spencer Chemical Co.authorizing possession of 10 kilograms normal thorium oxide U oxide mixture for use in process research.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/01/20. WOODWARD,H.F. Spencer Chemical Co. 2pp. 62749:301-62749:302.

-9207230285 Application for renewal of License R-218.  
LANDRUM,L.H. Spencer Chemical Co. 59/01/22. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 2pp. 62749:303-62749:304.

-9207230288 License R-218 for Spencer Chemical Co.authorizing to recieve possession of & title to 10 kg of normal thorium oxide U oxide mixture for use in process research.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/01/29. LANDRUM,L.H. Spencer Chemical Co. 2pp. 62749:305-62749:306.

-9207230291 Application for amend to license R-218 to recieve possession of & title to 10 kg of normal thorium oxide-U oxide mixture.  
DINGES,H.R. Spencer Chemical Co. 59/03/03. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 62749:307-62749:307.

-9207230294 Advises that Amend 1 to license issued to authorize transfer & deliver possession of refined source matl to individuals licensed by AEC.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/03/02. DINGES,H.R. Spencer Chemical Co. 2pp. 62749:308-62749:309.

-9207230298 Insp on 590120.No noncompliance noted.Major areas inspected: administrative personnel & plant operations.  
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 59/03/19. 12pp. 62749:310-62749:326.

-9207230301 Discusses insp on 600330-0401 of licenses C-4352,R-218, SNM-154 & SNM-329.Labeling deficiencies were brought to attention by inspector & corrective action will be taken by licensee.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/10/12. LAMBERTUS,H. Spencer Chemical Co. 1p. 62749:327-62749:327.

-9207240025 Forwards 820604 ltr transmitting results of survey conducted by Gulf Oil Chemicals during Aug 1981 & found to be free of contamination.  
CROW,W.T. Uranium Fuel Licensing Branch. 82/09/19. Uranium Fuel Licensing Branch. 2pp. 62749:328-62749:329.

-9207240031 Forwards insp rept 26-B134-01 on 820618.  
CROW,W.T. Uranium Fuel Licensing Branch. 82/09/19. Uranium Fuel Licensing Branch. 2pp. 62749:338-62749:339.

-9207240032 Forwards 820614 telcon & insp rept on 800617.  
ALLEN,G.W. Kansas, State of. 82/06/16. CAIN,C.L. NRC - No Detailed Affiliation Given. 1p. 62749:340-62749:340.

#### DOCKET 40-2253 ARMY, DEPT. OF, WATERTOWN, MA

9207280321 Forwards Arsenal Mail history,per 920608 meeting w/US Army Corps of Engineers,US Army Matls Technology Lab (MTL) & US Army Lab Command in Waltham,MA re status of Mail property adjacent to MTL.List of attendees & related info encl.  
KINNEMAN,J.D. Region 1 (Post 820201). 92/07/23. NAUGHTON,J.T. Army, Dept. of, Materials Technology Laboratory. 19pp. 62498:001-62498:115.

-9207280327 Responds to 650203 request for permission to dispose of industrial plant equipment at Watertown Arsenal. Contamination levels acceptable for disposal of equipment w/o restrictions to persons not possessing AEC license.  
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/02/16. BISHOFF,F.N. Army, Dept. of. 4pp. 62498:027-62498:030.

-9207280343 Forwards readings of contaminated property furnished by Watertown Arsenal which had use of nuclear matls under license SUB-0238.  
PHILLIPS,M.S. Army, Dept. of, Corps of Engineers. 67/06/09. MAFFUCCI,J.A. Atomic Energy Commission (Pre 750119). 5pp. 62498:031-62498:035.

-9207280351 Responds to JA Maffucci 670609 ltr re disposal of bldgs 31 & 41 at Watertown Arsenal in which AEC licensed matls possessed & used under license SUB-0238.  
HARMON,D.F. Atomic Energy Commission (Pre 750119). 67/06/28. PHILLIPS,M.S. Army, Dept. of, Corps of Engineers. 3pp. 62498:036-62498:038.

-9207280358 Responds to 670628 ltr re disposal of contaminated property at Watertown Arsenal,licensed under AEC license SUB-0238. Approval of recommendation contained in paragraph 3 of encl ltr requested so that GSA may be advised.  
PHILLIPS,M.S. Army, Dept. of, Corps of Engineers. 67/09/19. HARMON,D.F. Atomic Energy Commission (Pre 750119). 22pp. 62498:039-62498:060.

## 4 DOCKETED ITEMS

—9207280360 Advises that based on circumstances described in 670919 ltr re transfer of title to contaminated property, specific AEC approval may not be required. HARMON, D.F. Atomic Energy Commission (Pre 750119). 67/10/12. PHILLIPS, M.S. Army, Dept. of, Corps of Engineers. 2pp. 62498:061-62498:062.

—9207280365 Requests authority to release contaminated area in bldg 34 on unrestricted basis based on decontamination to be performed by Isotopes, Inc. LEVIN, A.H. Army, Dept. of. 68/12/13. Atomic Energy Commission (Pre 750119). 2pp. 62498:063-62498:064.

—9207280368 Responds to 681213 telegram re release of bldg 34. AEC source mat'l license would not be required to authorize receipt or possession of bldg 34 provided conditions set forth in telegram met. HARMON, D.F. Atomic Energy Commission (Pre 750119). 68/12/18. HAAS, C.F. Army, Dept. of. 2pp. 62498:065-62498:066.

—9207280370 Requests authority to release contaminated area in bldg 41, formerly part of Watertown Arsenal, on unrestricted basis based on decontamination to be performed by Isotopes, Inc. LEVIN, A.H. Army, Dept. of. 69/06/19. Atomic Energy Commission (Pre 750119). 3pp. 62498:067-62498:069.

—9207280375 Responds to 690619 telegram re release of bldg 41. AEC source mat'l license would not be required to authorize receipt or possession of bldg 41 provided conditions set forth in telegram met. HARMON, D.F. Atomic Energy Commission (Pre 750119). 69/06/20. HAAS, C.F. Army, Dept. of. 2pp. 62498:070-62498:071.

—9207280380 Trip rept of 920528 visit to Army Matls Technology Lab in Watertown, MA to tour facility & attend meeting w/Congressman J Kennedy. BOUWENS, M.R. Region 1 (Post 820201). 92/07/15. KINNEMAN, J.D. Region 1 (Post 820201). 42pp. 62498:072-62498:112.

—9207280389 License SUB-0238 for Watertown Arsenal, authorizing receipt, possession & usage of source mat'l at stated location & for R&D activities. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 61/05/09. 2pp. 62498:113-62498:114.

—9207280393 License C-3978 for Watertown Arsenal, authorizing receipt of possession of & title to refined source mat'l for use in R&D activities. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 58/02/06. 1p. 62498:115-62498:115.

### DOCKET 40-3392 ALLIED-SIGNAL, INC., METROPOLIS, IL

9207080068 Ack receipt of 920603 ltr informing NRC of steps taken to correct open items noted in insp rept 40-3392/92-01. Concurs w/placement of all UF6 Trinity cylinders in quarantine & requests that quarantine be in place until issue resolved. GROBE, J.A. Region 3 (Post 820201). 92/06/29. KOSMIDER, M. Allied-Signal Corp. 1p. 62477:001-62477:021.

—9207240210 Responds to Insp Rept 40-3392/92-01. Corrective actions: written procedures developed for permanently rejecting UF6 cylinders. KOSMIDER, M.D. Allied-Signal Corp. 92/06/03. NORELIUS, C.E. Region 3 (Post 820201). 20pp. 62477:002-62477:021.

9207160331 Forwards request for add'l info re Trinity UF6 cylinders, per review of 920520 response to NRC 920421 ltr on lack of full penetration coupling welds on Model 48Y UF6 cylinders. HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/14. MCRAE, G. Trinity Industries, Inc. 3pp. 62416:324-62416:326.

9207240005 Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915-17 in Bethesda, MD. Purpose of workshop is to discuss NRC policies & procedures applicable to fuel cycle licensees. CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. KOSMIDER, M.D. Allied-Signal Corp. CONNER, J.A., TETRAULT, R. Babcock & Wilcox Co. 6pp. 62479:297-62479:302.

9207280027 Extends appreciation for presentation at NRC headquarters re implementation of total quality mgt program at Metropolis Works. Due to workload of pending license applications, NRC will be unable to attend total quality mgt training. HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/23. KOSMIDER, M.D. Allied-Signal Corp. 1p. 62567:024-62567:024.

### DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9207070412 Informs that parent bank, known as Union Europeenne de CIC, will merge w/wholly owned intl banking entity, CIC-Union Europeenne, Intl et Cie on 920526. CHAPPO, P.M. CIC-Union Europeenne, International et Cie. 92/05/11. Region 4 (Post 820201). 1p. 62236:352-62236:352.

9207240072 Forwards insp rept 40-6622/92-02 on 920702. No violations or deviations noted. HALL, R.E. Region 4 (Post 820201). 92/07/15. HOPKINS, R. Pathfinder Mines Corp. 3pp. 62456:149-62456:155.

—9207240077 Insp rept 40-6622/92-02 on 920702. No violations noted. Major areas inspected: status of facility, tailings & waste disposal areas. MICHAUD, P.W., HALL, R.E. Region 4 (Post 820201). 92/07/15. 4pp. 62456:152-62456:155.

### DOCKET 40-6811 CONTEMPORARY METALS CORP., HAZLEWOOD, MO

9207090115 Final response to FOIA request for documents re licenses SMA-0862 for Continental Mining & Milling Co., SMC-0907 for Commercial Discount Corp & SUB-1072 for Cotter Corp. Forwards documents in Apps C,D & E, being made available for PDR. GRIMSLEY, D.H. Office of Information Resources Management (Post 890205). 91/10/16. MCCLUSKEY, J.P. Cotter Corp. 11pp. 62424:001-62424:362.

—9207140182 Insp rept of insp of license SMA-0862 on 660804. Noncompliance noted. Major areas inspected: program, organization, facilities, posting & labeling, equipment, surveys, personnel monitoring & records. FOSTER, D.L., ALLAN, J. Atomic Energy Commission (Pre 750119). 66/08/30. 13pp. 62424:314-62424:362.

—9207100279 Application for amend to license SMB-0654, authorizing 125,000 tons residues containing 390,000 lbs U & Tm. ROARK, C.M. Continental Mining & Milling Co. 65/12/27. Atomic Energy Commission (Pre 750119). 2pp. 62424:248-62424:313.

### DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9207240014 Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915-17 in Bethesda, MD. Purpose of workshop is to discuss NRC programs & policies applicable to fuel cycle licensees. CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. HAERTJENS, B. Babcock & Wilcox Co. STAUTER, J.C. Cimarron Corp. CUNNINGHAM, R.E. General Electric Co. 6pp. 62528:226-62528:233.

9207280030 Trip rept of 920605 visit to Cabot Corp sites in Reading & Boyertown, PA. Reading site not in operation & in process of being decommissioned. Boyertown site still in operation & continues to produce U & thorium waste.

ASTWOOD, H. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/22. WEBER, M. Decommissioning & Regulatory Issues Branch (Post 901230). 3pp. 62568:330-62568:332.

### DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

9207100372 Forwards NRC latest rept on Site Decommissioning Mgt Plan & rept prepared by Shieldalloy Metallurgical Corp entitled, "Ferrochromium Slag Leachability Rept," in response to 920706 telcon. W/o encl. FARAZ, Y.H. Fuel Cycle Safety Branch. 92/07/08. MASLIA, M. Affiliation Not Assigned. 1p. 62365:050-62365:350.

9207240014 Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915-17 in Bethesda, MD. Purpose of workshop is to discuss NRC programs & policies applicable to fuel cycle licensees. CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. HAERTJENS, B. Babcock & Wilcox Co. GANNON, W.G. Cabot Corp. BARNUM, E.C. Molycorp, Inc. 6pp. 62528:228-62528:233.

### DOCKET 40-7308 KERR-MCGEE CORP., OKLAHOMA CITY, OK

9207090216 Final response to FOIA request for documents. Forwards app A documents which are being made available in PDR. App B documents being withheld in their entirety (ref FOIA Exemption 6). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/08. CORDELL, F.T. Huckaby, Fleming, Frailey, Chaffin & Darrah. 18pp. 62460:002-62462:271.

—9207160336 Partially deleted amends to licenses SMB-664, SMA-826, SNM-695 & SNM-928 to reflect name change of Kerr-McGee Oil Industries, Inc to Kerr-McGee Corp. W/26 oversize drawings. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 90/02/16. 243pp. 62461:359-62462:271.

### DOCKET 40-7455 WHITTAKER CORP., LOS ANGELES, CA

9207060160 Forwards draft procedure for review upon approval to secure site & confirm adequacy of ORNL 1984 characterization of site as basis for developing characterization plan for site. MULLER, E.R. Whittaker Industries, Ltd. dba Whittaker Steel Strip (formerly Whittaker Corp.). 92/06/26. BYKOSKI, L.M. Decommissioning & Regulatory Issues Branch (Post 901230). 47pp. 62247:257-62247:301.

9207230005 Discusses draft procedure dtd 920626, for moving contaminated slag to other locations on site & for removing from site, uncontaminated matls. Any activities involving contaminated or potentially contaminated matl must be approved by NRC. AUSTIN, J. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/16. MULLER, E.R. Whittaker Industries, Ltd. dba Whittaker Steel Strip (formerly Whittaker Corp.). 1p. 62482:251-62482:251.

### DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

9207200195 Summarizes NRC's concerns discussed at 920527 meeting in Washington re decommissioning of Muskogee site. SPIRO, H. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/13. HUNTER, J.J. Fansteel Metals. 9pp. 62449:294-62449:302.

### DOCKET 40-7603 COMMERCIAL DISCOUNT CORP.

9207100053 Responds to AEC 680405 ltr & 680422 discussion w/E Ashley re Form AEC 592 dtd 680405. Informs that compliance w/Item A will be completed on or before 680501 & Item B will be completed within three working days after completion of A. MAUGER, J.A. Commercial Discount Corp. 68/04/23. GRIER, B.H. Atomic Energy Commission (Pre 750119). 2pp. 62424:098-62424:099.

9207090115 Final response to FOIA request for documents re licenses SMA-0862 for Continental Mining & Milling Co., SMC-0907 for Commercial Discount Corp & SUB-1072 for Cotter Corp. Forwards documents in Apps C,D & E, being made available for PDR. GRIMSLEY, D.H. Office of Information Resources Management (Post 890205). 91/10/16. MCCLUSKEY, J.P. Cotter Corp. 11pp. 62424:001-62424:362.

—9207090338 Insp of license SMC-0907 on 670111. Noncompliance noted. Major areas inspected: correction of previous items of noncompliance, program, organization, facilities & posting & labeling. FOSTER, D.L., Atomic Energy Commission (Pre 750119). 67/01/23. 10pp. 62424:054-62424:063.



-9207090341 Provides info re Commercial Discount Corp, license SMC-0907, authorizing storage of 125,000 tons of residues containing source matl at 9200 Latty Avenue, Hazelwood, MI.  
ALLAN, J.M. Atomic Energy Commission (Pre 750119). 67/05/10. ROEDER, J.R. Atomic Energy Commission (Pre 750119). 2pp. 62424:064-62424:066.

-9207090346 Application for license authorizing Commercial Discount Corp to possess 125,000 tons of residues for purpose of possible foreclosure of liens & security interests involving storage & resale only.  
\* Commercial Discount Corp. 66/12/14. 4pp. 62424:067-62424:070.

-9207090347 Provides adequate reply to AEC 670123 ltr re 592.  
\* Commercial Discount Corp. 67/02/14. Atomic Energy Commission (Pre 750119). 2pp. 62424:071-62424:072.

-9207090351 Provides opportunity for licensee to advise AEC of position re noncompliance items as result of 670111 insp of license SMC-0907. Informs that reply should be sent within 20 days of receipt of ltr.  
HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 67/01/23. MCPHERSON, A.R. Commercial Discount Corp. 2pp. 62424:073-62424:074.

-9207100014 Notice of violation from insp on 670111. Violation noted: radiation levels exist in stockpile & barrel storage areas, unrestricted area, such that individual continuously present in area could receive dose in excess of 100 mrem.  
FOSTER, D.L. Atomic Energy Commission (Pre 750119). 67/01/23. 1p. 62424:075-62424:075.

-9207100022 Application for amend to license SMC-0907, authorizing 500,000 lbs ore residues .3 to 2.0 % U, for processing to recover U.  
\* Commercial Discount Corp. 67/06/09. 4pp. 62424:076-62424:079.

-9207100027 Discusses reduction of moisture contained in licensed mats, by use of aggregate dryer. Advises that shipment of matl must commence 670626 to comply w/ contract executed between Cotter Corp & licensee.  
CHAMPLIN, R.L. Commercial Discount Corp. 67/06/22. HARMON, D. Atomic Energy Commission (Pre 750119). 2pp. 62424:080-62424:081.

-9207100035 Amend 1 to license SMC-0907, changing item 8 of license to read as listed.  
HARMON, D.F. Atomic Energy Commission (Pre 750119). 67/06/23. MCPHERSON, A.R. Commercial Discount Corp. 2pp. 62424:082-62424:094.

-9207100043 Provides opportunity for licensee to advise AEC in writing of position re items of noncompliance as result of insp of license SMC-0907 on 680327-0401. Informs that reply must be sent within 20 days of receipt of ltr.  
GRIER, B.H. Atomic Energy Commission (Pre 750119). 68/04/05. MAUGER, J. Commercial Discount Corp. 2pp. 62424:095-62424:096.

-9207100046 Notice of violation from insp on 680327-0401. Violation noted: radiation level 18 inches from fence in unrestricted area was such that person continuously present in area could receive dose to whole body in excess of 2 mrem in one hour.  
ASHLEY, E.C. Atomic Energy Commission (Pre 750119). 68/04/05. 1p. 62424:097-62424:097.

-9207100066 Notifies that license SMC-0907 expires 691231. Informs that for renewal of license, application must be filed at least 30 days before expiration date. For non renewal, "Certification of Status of Source Matl Activities..." must be completed.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 69/10/24. Commercial Discount Corp. 2pp. 62424:100-62424:101.

-9207100078 Application for amend to license SMC-0907, extending license as amended, for three months commencing 691231, to permit licensee to consummate sale. Requests ack of receipt of ltr.  
STONEBERG, R.E. Commercial Discount Corp. 69/12/12. HARMON, D.F. Atomic Energy Commission (Pre 750119). 1p. 62424:102-62424:102.

-9207100082 Amend 2 to license SMC-907, extending license expiration date to 700331.  
HARMON, D.F. Atomic Energy Commission (Pre 750119). 69/12/19. STONEBERG, R.E. Commercial Discount Corp. 1p. 62424:103-62424:103.

-9207100088 Discusses issuance of license SUB-1022 to Cotter Corp for drying & shipping of mats covered by license SMC-0907. Requests advice as to what action, if any, required w/ respect to terminating licensee privileges & obligations.  
STONEBERG, R.E. Commercial Discount Corp. 70/02/12. HARMON, D.F. Atomic Energy Commission (Pre 750119). 2pp. 62424:104-62424:105.

-9207100093 Informs that license SMC-0907, hereby terminated, per 700212 ltr.  
HARMON, D.F. Atomic Energy Commission (Pre 750119). 70/02/19. STONEBERG, R.E. Commercial Discount Corp. 1p. 62424:106-62424:106.

#### DOCKET 40-7604 BP CHEMICALS AMERICA, INC., LIMA, OH

9207100171 Responds to concerns re press release listing BP Chemicals Lima, OH site in NRC Site Decommissioning Mgt Plan.  
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 92/07/02. MESELR, R.R. BP America, Inc. 10pp. 62331:346-62331:355.

9207200161 Forwards amend 5 to license SUB-908 & categorical exclusion, per 10CFR51.22(c)(11). Amend changes individuals responsible for licensed matl, per 920612 request.  
AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/08. WALPOLE, J.W. BP Chemicals International. 2pp. 62451:247-62451:252.

-9207200172 Informs that EA or EIS not warranted for licensee 920612 request for amend to license SUB-908, changing individuals responsible for licensed matl.  
AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/08. Decommissioning & Regulatory Issues Branch (Post 901230). 2pp. 62451:249-62451:250.

-9207200182 Amend 5 to license SUB-908 for BP Chemicals, Inc., changing individuals responsible for licensed matl.  
AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/08. 2pp. 62451:251-62451:252.

9207230008 Forwards comments on preliminary/interim draft repts prepared by Oak Ridge Assoc Univs/Oak Ridge Inst of Science & Education of BP Chemicals, Inc site in Lima, OH. Comments should be combined in one final draft rept.  
AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/16. VITKUS, T.J. Oak Ridge Associated Universities. 7pp. 62478:291-62478:297.

9207220283 Application for amend to License SUB-908, authorizing disposal of waters from mixed waste pond closure project. Water analysis of samples collected from Burn Pond & Deepwell Pond on 920122 & 0409 encl.  
WALPOLE, J.W. BP Chemicals International. 92/07/20. AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 13pp. 62474:315-62474:327.

#### DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK

9207100123 FOIA request for documents re incident of 910811.  
CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 91/10/15. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 2pp. 62427:193-62427:194.

9207090089 Final response to FOIA request for info. Records in app E encl & being made available in PDR. App F records completely withheld (ref FOIA exemption 7(A)).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/30. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 5pp. 62438:004-62438:035.

-9207090100 Notification of significant meeting w/ licensee on 910911-12 in Rockville, MD to discuss licensee status of environ investigation, planned corrective actions & health physics performance improvement program.  
CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 91/08/12. Division of Industrial & Medical Nuclear Safety (Post 870729). 24pp. 62438:009-62438:035.

9207090163 Partial response to FOIA request for info re facility. App EE documents encl & being made available in PDR. Records in app FF withheld in part (ref FOIA exemption 6) & app GG records withheld in entirety (ref FOIA exemption 7).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/01. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 5pp. 62272:279-62272:317.

-9207090166 Press release on 900907 re activities directed toward completing characterization of area affected by previously reported contamination & implementing other commitments. Related documentation encl.  
\* Sequoyah Fuels Corp. 90/09/07. 30pp. 62272:284-62272:317.

9207100119 Final response to FOIA request for info re incident of 910811. App A records encl & being made available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/01. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 1p. 62427:195-62427:200.

9207200041 Partial FOIA request for documents re const, operation, licensing or re-licensing of Sequoyah Fuels Corp U processing plant in Gore, OK.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/06. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 8pp. 62463:001-62463:135.

-9207200046 Forwards insp plan for Sequoyah Fuels at final restart & tentative personnel assignments to insp teams.  
EVERETT, R.J. Region 4 (Post 820201). 86/10/31. Region 4 (Post 820201). 397pp. 62463:012-62463:135.

9207160110 Partial response to FOIA request for documents re const, operation, licensing or re-licensing of Sequoyah U processing plant in Gore, OK. Records listed in app II encl & being made available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/07. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 33pp. 62398:130-62398:201.

-9207160117 Responds to 860319 memo re actions from Sequoyah accident & recommends that expanded applicability & further clarification of lessons learned task force scope of responsibility be considered in light of "straw man" action.  
MARTIN, R.D. Region 4 (Post 820201). 86/03/27. DAVIS, J.G. Office of Nuclear Material Safety & Safeguards. 29pp. 62398:162-62398:191.

9207160193 Partial response to FOIA request for documents. App JJ encl & are being made available in PDR.  
GRIMSLEY, D.H. Facility Management Branch. 91/11/12. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 4pp. 62398:202-62398:318.

-9207160204 Discusses FY88 insp plans for facility & recommends minimum of 6 inspector hours per routine insp. Region 4 plans to meet goal w/ listed schedule.  
EVERETT, R.J. Region 4 (Post 820201). 87/11/17. BARNART, R.L., FISHER, W.L. Region 4 (Post 820201). 101pp. 62398:208-62398:318.

9207280206 Partial response to FOIA request for documents. Documents listed in App KK encl & are being made available in PDR. App LL documents withheld in part (ref FOIA exemption 6) & info in App MM withheld entirely (ref FOIA Exemption 7A).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/19. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 6pp. 62512:021-62512:094.

-9207280227 Package consisting of info re const, operation, licensing, event notification, telcon record, incident repts, memo & correspondence of Sequoyah U processing plant in Gore, OK.  
\* Sequoyah Fuels Corp. 91/11/19. 67pp. 62512:029-62512:094.

9207170048 Partial response to FOIA request for documents. App NN records encl & are being made available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/20. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 12pp. 62426:001-62426:294.



## 6 DOCKETED ITEMS

- 8901100246** Forwards, for review & comment, proposed insp procedure for fuel cycle & matts facility team assessments. Procedure will be used to conduct team assessments as directed by Commission & incorporated into 5-yr plan.  
CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 8/8/12/3. EBNETER, S.D. Region 2 (Post 820201). 8pp. 62426:285-62426:294.
- 9207170057** Documents final rept on, "Assessment of Public Health Impact From Accidental Release of U6 at Sequoyah Fuels Corp Facility at Gore, OK."  
SHUM, E. Uranium Fuel Licensing Branch. CUNNINGHAM, R. Division of Fuel Cycle & Material Safety (Pre 870413). 8/6/03/21. Uranium Fuel Licensing Branch. 2pp. 62426:056-62426:261.
- 9207270310** Partial response to FOIA request for documents re const. operation, licensing & relicensing of facility & insp &/or enforcement issues. App OO documents encl & being made available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 9/1/12/03. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousey). CURRAN, D. Native Americans for a Clean Environment. 2pp. 62519:352-62519:359.
- 9207270346** Discusses NRC 860319 ltr re followup efforts on Kerr-McGee Sequoyah facility.  
STELLO, V. Ofc of the Executive Director for Operations. 8/6/04/22. PALLADINO, ROBERTS, ASSELSTINE Commissioners (Post 750119). 2pp. 62519:354-62519:355.
- 9207270353** Provides list of topics discussed w/ M Nichols during period 901204-07.  
GARCIA, P.J. Uranium Recovery Field Ofc, R4. 9/0/12/21. BEACH, A.B. Uranium Recovery Field Ofc, R4. 2pp. 62519:356-62519:359.
- 9207010217** Submits status update for procedure review, per schedule contained in licensee 920131 ltr. Procedure G-195 re notice of work practice violation combined w/ Procedure G-192 re deficiency rept.  
RICHARDSON, J.D. Sequoyah Fuels Corp. 92/06/12. MARTIN, R.D. Region 4 (Post 820201). 2pp. 62223:360-62223:361.
- 9207010221** Submits info re current status of QA upgrade program & projected implementation schedule. Two addl contract personnel began working in QA in Apr.  
DIEDRICH, J.S. Sequoyah Fuels Corp. 92/06/16. MARTIN, R.D. Region 4 (Post 820201). 3pp. 62223:357-62223:359.
- 9207010263** Forwards independent oversight program rept for wk ending 920614. Several events noted which point to need to emphasize importance to detail, especially performance of all aspects of equipment repair & selection of matl.  
GEKLER, W.C. PLG, Inc. (formerly Pickard, Lowe & Garrick, Inc.). 92/06/18. SHEPPARD, J.J. Sequoyah Fuels Corp. 12pp. 62234:309-62234:320.
- 9207060001** Forwards info re reportable events for period ending 920619, per 920313 order modifying License SUB-1010. Contaminated items discovered in warehouse & relocated to restricted area. On 920615, leak of hydrogen fluoride discovered.  
DIETRICH, J.S. Sequoyah Fuels Corp. 92/06/19. MARTIN, R.D. Region 4 (Post 820201). 4pp. 62251:052-62251:055.
- 9207020209** Forwards Sequoyah Fuels Corp 920617 response to parties on svc list not included in licensee original distribution.  
SILVERMAN, D.J. Sequoyah Fuels Corp. SILVERMAN, D.J. Newman & Holtzinger. #392 13041. 92/06/24. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 62182:119-62182:121.
- 9207060223** Forwards agreement to be executed between Sequoyah Fuels Corp (SFC) & General Atomics (GA). Agreement will make binding financial commitments of GA to SFC set forth in paragraphs numbered 1 & 2 of N Blue 920319 ltr to I Selin.  
SHEPPARD, J.J. Sequoyah Fuels Corp. 92/06/24. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 9pp. 62254:320-62254:328.
- 9207090023** Record of telcon w/ C Stephenson on 920625 re discovery of removable contamination in slurry pump room adjacent to main process bldg on 920624. Cleanup initiated but will take more than 24 h. Corrective action plan submitted.  
\* NRC - No Detailed Affiliation Given. 92/06/25. 3pp. 62307:345-62307:347.
- 9207070262** Forwards independent oversight program rept for wk ending 920621. Intermittent operation of all process sys continued during reporting period as various equipment problems & repairs occurred.  
GEKLER, W.C. PLG, Inc. (formerly Pickard, Lowe & Garrick, Inc.). 92/06/26. SHEPPARD, J.J. Sequoyah Fuels Corp. 18pp. 62260:331-62260:348.
- 9207070265** Forwards reportable events for period ending 920626, per 920313 order modifying License SUB-1010. Majority of contaminated items in warehouse & DUF4 yards relocated to restricted area. Large items posted.  
DIETRICH, J.S. Sequoyah Fuels Corp. 92/06/26. MARTIN, R.D. Region 4 (Post 820201). 4pp. 62260:327-62260:330.
- 9207080002** Followup to 920527 rept re 920517 discovery of removable contamination in Decanter area of solvent extraction bldg. Caused by leaking sight glass. Solvent extraction area posted on 920517 & posting removed on 920603.  
DIETRICH, J.S. Sequoyah Fuels Corp. 92/06/26. Document Control Branch (Document Control Desk). 3pp. 62276:359-62276:361.
- 9207130129** NPDES noncompliance notification: on 920623, electrical supply to flow recorder disconnected to perform routine maint & recorder out of svc for 3 minutes. Prior notification provided to EPA earlier on event day.  
DIETRICH, J.S. Sequoyah Fuels Corp. 92/06/26. SHOFNER, H. Environmental Protection Agency. 1p. 62366:301-62366:301.
- 9207280341** Notification of significant licensee meeting w/ util on 920804 in Rockville, MD to discuss licensee renewal application currently being revised by licensee.  
HICKEY, J.W. Fuel Cycle Safety Branch. 92/06/27. Document Control Branch (Document Control Desk). 1p. 62568:335-62568:335.
- 9207060285** Responds to NRC ltr re violations noted in insp rept 40-8027/92-09 on 920528. Corrective actions: operator counseled re requirement to wear dosimetry in restricted area & all employees reminded of safety precautions.  
SHEPPARD, J.J. Sequoyah Fuels Corp. 92/06/29. MARTIN, R.D. Region 4 (Post 820201). 2pp. 62254:359-62254:360.
- 9207070071** Forwards insp rept 40-8027/92-14 on 920603-12. Violation re failure of UF-6 area shift supervisor to adhere to safety-related alarm response procedure, noted.  
CALLAN, L.J. Region 4 (Post 820201). 92/06/30. SHEPPARD, J.J. Sequoyah Fuels Corp. 4pp. 62205:151-62205:168.
- 9207070075** Insp rept 40-8027/92-14 on 920603-12. Violation noted. Major areas inspected: licensee phased restart activities, including operations, radiation & industrial safety & event that occurred on 920606.  
CAIN, C.L. Region 4 (Post 820201). 92/06/30. 13pp. 62205:156-62205:168.
- 9207070127** Informs that transmittal of financial assurance instrument will be fully executed prior to 920717 instead of 920630 because of addl delay resulting from time required to process resolution authorizing instrument.  
DIETRICH, J.S. Sequoyah Fuels Corp. 92/06/30. HICKEY, J.W. Fuel Cycle Safety Branch. 1p. 62268:357-62268:357.
- 9207130186** Clarifies commitment in 910715 response to impartial mgt assessment covering establishment of capability to perform required safety analysis of engineered projects by 920630. Strategic plan will be implemented by 921231.  
DIETRICH, J.S. Sequoyah Fuels Corp. 92/06/30. MARTIN, R.D. Region 4 (Post 820201). 2pp. 62375:223-62375:224.
- 9207130199** Advises that content of policy manual identified & documents expressing licensee policies collected, per commitment to develop & implement policy manual by 920630, per 910715, 920103 & 27 ltrs.  
DIETRICH, J.S. Sequoyah Fuels Corp. 92/06/30. MARTIN, R.D. Region 4 (Post 820201). 1p. 62375:211-62375:211.
- 9207130192** Advises that radiological survey plan for unrestricted areas, submitted on 920228, being updated to reflect increased scope & current schedule. Revised plan will be transmitted by 920724.  
DIETRICH, J.S. Sequoyah Fuels Corp. 92/07/01. MILHOAN, J.L. Region 4 (Post 820201). 1p. 62375:218-62375:218.
- 9207130203** Clarifies corrective action plan, Items C.1 & C.2 re formalization of policy for conduct of nonroutine activities. Revised policy on use & control of procedures will be incorporated into Procedure G-001 by 920831.  
DIETRICH, J.S. Sequoyah Fuels Corp. 92/07/01. MILHOAN, J.L. Region 4 (Post 820201). 3pp. 62375:239-62375:241.
- 9207150320** Suppls 920520 response to Native Americans for Clean Environ 920511 2.206 petition for emergency enforcement action. Last fertilizer spray truck driver confirmed previous account of events. Results contained in 920520 response unchanged.  
DIETRICH, J.S. Sequoyah Fuels Corp. 92/07/01. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 2pp. 62411:354-62411:355.
- 9207130189** Forwards discussions of reportable events for period ending 920702. Contamination found on variety of objects from 920626-0702. On 920629 unusual event declared due to UF6 leak from bellows on third level of Tower 3.  
DIETRICH, J.S. Sequoyah Fuels Corp. 92/07/02. MILHOAN, J.L. Region 4 (Post 820201). 4pp. 62375:219-62375:222.
- 9207080223** Forwards insp rept 40-8027/92-13 on 920527-920603 & 08 & notice of violation.  
CALLAN, L.J. Region 4 (Post 820201). 92/07/06. SHEPPARD, J.J. Sequoyah Fuels Corp. 4pp. 62285:258-62285:278.
- 9207080226** Notice of violation from insp on 920527-0603 & 08. Violation noted: health & safety technician failed to perform work environ sampling for radiological hazards & licensee failed to decontaminate flange until 920603.  
\* Region 4 (Post 820201). 92/07/06. 2pp. 62285:263-62285:264.
- 9207080229** Insp rept 40-8027/92-13 on 920527-0603 & 08. No violations noted. Major areas inspected: review of licensee radiation safety program, routine & maint activities, routine health & safety activities & interim oversight programs.  
CAIN, C.L. Region 4 (Post 820201). 92/07/01. 14pp. 62285:265-62285:278.
- 9207130195** Requests that addl info specified in encl be provided within 60 days to complete environ review associated w/ 900829 license renewal application.  
HORN, M. Fuel Cycle Safety Branch. 92/07/06. DIETRICH, J. Sequoyah Fuels Corp. 6pp. 62375:212-62375:217.
- 9207140200** Discusses PTSB 1992 Analysis of Sequoyah Fuels Corps ability to finance decommissioning of Gore facility.  
NASH, D.A. Policy Development & Technical Support Branch (Post 870411). 92/07/06. HICKEY, J.W. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 62645:176-62645:176.
- 9207130115** Responds to 920619 ltr on behalf of Native Americans for a Clean Environment & Cherokee Nation alleging that Sequoyah Fuels Corp made false statements re corrective measures taken in response to 920501 incident.  
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 92/07/07. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousey). 1p. 62375:244-62375:252.
- 9207130131** Requests response to inquiries listed, re apparent false statements made by Sequoyah Fuels Corp concerning corrective actions taken in response to incident involving UF6 release on 920501.  
CURRAN, D. Native Americans for a Clean Environment. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousey). 92/06/19. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 8pp. 62375:245-62375:252.
- 9207140040** Forwards Corrective Action Rept CAR 92019, "Sequoyah Fuels Corp Root Cause Analysis," final rept, describing 920606 event at DUF4 plant & action plan for implementing corrective actions.  
DIETRICH, J.S. Sequoyah Fuels Corp. 92/07/07. MILHOAN, J.L. Region 4 (Post 820201). 1p. 62385:257-62385:262.
- 9207140043** "Sequoyah Fuels Corp Root Cause Analysis," final rept.  
\* Sequoyah Fuels Corp. CAR 92019. 92/07/02. 25pp. 62385:258-62385:282.
- 9207140202** Ack receipt of 920511 request for emergency enforcement action. Request denied & addl info requested.  
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 92/07/07. CURRAN, D. Native Americans for a Clean Environment. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousey). 4pp. 62375:316-62375:352.

-9207140256 Notice of receipt of petition re 920511 filing of request for emergency enforcement action w/NRC staff for consideration as petition under 10CFR2.206. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 92/07/02. 4pp. 62375:321-62375:329.

-9207140259 Requests NRC order to Sequoyah Fuels Corp to stop transporting liquid raffinate fertilizer offsite. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 92/05/11. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 62375:330-62375:332.

-9207140263 Requests comments re 920511 order for Sequoyah Fuels to immediately cease transporting liquid raffinate fertilizer offsite. ROGERS,K.C. Commissioners (Post 750119). 92/05/15. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 62375:333-62375:333.

-9207140270 Forwards petition filed by Native Americans for Clean Environ re Sequoyah Fuels Corp. GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 92/05/15. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 6pp. 62375:334-62375:340.

-9207140287 Forwards atty D Curran ltr containing assertions on part of Native Americans for Clean Environ that Region IV failed to perform appropriate actions concerning operation of facility. MARTIN,R.D. Region 4 (Post 820201). 92/05/13. WILLIAMS,D.C. Office of the Inspector Director (Post 890417). 1pp. 62375:341-62375:352.

9207150290 Suppls 920610 rept re removable contamination in first & second levels of hydrofluorination area of main process bldg discovered on 920609. Affected areas posted to require full face respiratory protection. DIETRICH,J.S. Sequoyah Fuels Corp. 92/07/07. Document Control Branch (Document Control Desk). 3pp. 62409:343-62409:345.

9207170197 Advises that on 920609,removable contamination identified on bolldown tank 1 & first & second levels of main process bldg.Areas posted to require respiratory protection & leak repaired by replacing gasket & tightening flange bolts. DIETRICH,J.S. Sequoyah Fuels Corp. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62432:355-62432:357.

9207200065 Requests NRC attention re NACE & Cherokee Nation efforts to participate in & improve effectiveness of regulatory process which have led to delay of enforcement action re false statements made by licensee.Related correspondence. CURRAN,D. Native Americans for a Clean Environment. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #392 13098. 92/07/09. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 40pp. 62404:123-62404:189.

9207200063 Informs that time provided by NRC regulation within which Commission may act to review Directors Decision DD-92-03 in docket expired.Commission has declined any review.Decision final on 920706.W/Certificate of Svc.Served on 920710. CHILK,S.J. Office of the Secretary of the Commission. #392 13096. 92/07/10. CURRAN,D. Native Americans for a Clean Environment. 3pp. 62404:120-62404:122.

9207200072 Informs that time provided by NRC within which Commission may act to review Director's Decision DD-92-02 has expired. Commission declined review.Decision became final agency action on 920702.W/Certificate of Svc.Served on 920710. CHILK,S.J. Office of the Secretary of the Commission. #392 13097. 92/07/10. WHITE,K.C. EcoLaw Institute, Inc. 3pp. 62404:201-62404:203.

9207220005 Advises that on 920702-10,contamination found in areas adjacent of north gate of DUF4 plant.On 920703,unusual event declared due to fire in motor control room 3.On 920709, contamination found on worker right arm & forearm. DIETRICH,J.S. Sequoyah Fuels Corp. 92/07/10. MILHOAN,J.L. Region 4 (Post 820201). 4pp. 62476:240-62476:243.

9207230007 Advises that on 920612,areas containing contaminated soil adjacent to emergency pond,sanitary lagoon & solvent extraction area posted as requiring shoe covers for entry. Posted area within existing restricted area of facility. DIETRICH,J.S. Sequoyah Fuels Corp. 92/07/13. Document Control Branch (Document Control Desk). 3pp. 62476:341-62476:343.

9207230022 Forwards independent oversight program rept for wk ending 920705.Level of operating activity increased.Oversight team continued to note examples of difficulties or deficiencies. GEKLER,W.C. PLG, Inc. (formerly Pickard, Lowe & Garrick, Inc.). 92/07/13. SHEPPARD,J.J. Sequoyah Fuels Corp. 11pp. 62476:330-62476:340.

9207270061 Responds to NRC 920611 ltr re violations noted in Insp Rept 40-8027/92-08.Corrective actions:outline & lesson plan developed for collection,analysis & evaluation of air samples & health & safety technician counseled. SHEPPARD,J.J. Sequoyah Fuels Corp. 92/07/13. MILHOAN,J.L. Region 4 (Post 820201). 7pp. 62516:267-62516:273.

9207180335 FR notice of receipt of 920401 application for amend to License SUB-1010 re implementation of groundwater monitoring plan,dtd 920331 & opportunity for hearing. HICKEY,J.W. Fuel Cycle Safety Branch. 92/07/14. 2pp. 62417:356-62417:357.

9207170194 Ack receipt of 920629 ltr informing NRC of steps taken to correct violations noted in insp rept 40-8027/92-09 on 920528. CALLAN,L.J. Region 4 (Post 820201). 92/07/14. SHEPPARD,J.J. Sequoyah Fuels Corp. 3pp. 62431:343-62431:348.

9207240004 Advises that procedure to clarify corrective actions associated w/920212 contamination of individual delayed from 920715 to 0831 as result of comments received during preapproval walkthroughs & reviews. DIETRICH,J.S. Sequoyah Fuels Corp. 92/07/14. MILHOAN,J.L. Region 4 (Post 820201). 1p. 62479:305-62479:305.

9207200159 Submits amended irrevocable ltr of credit NY-0656-3007152, effective 900727 through 920727. BARROW,M. Citibank, N.A. 92/07/15. NRC - No Detailed Affiliation Given. 2pp. 62447:341-62447:342.

9207280014 Advises that commitments contained in 920103 & 0313 ltrs re continued involvement of Selman & Check as mgt consultants during restart & early plant operation will be satisfied upon completion of readiness review expected at end of Aug. SHEPPARD,J.J. Sequoyah Fuels Corp. 92/07/15. MILHOAN,J.L. Region 4 (Post 820201). 1p. 62567:025-62567:025.

9207290041 Forwards independent oversight program rept for wk ending 920712.Sequoyah Oversight Team continues to be encouraged by progress in safely reestablishing production at facility. Instances of poor housekeeping/work practices noted. GEKLER,W.C. PLG, Inc. (formerly Pickard, Lowe & Garrick, Inc.). 92/07/16. SHEPPARD,J.J. Sequoyah Fuels Corp. 18pp. 62567:148-62567:163.

9207210016 Ack receipt of 920601 ltr in response to NRC 920420 notice of violation.Corrective actions will be reviewed during future insp. CALLAN,L.J. Region 4 (Post 820201). 92/07/17. SHEPPARD,J.J. Sequoyah Fuels Corp. 4pp. 62419:040-62419:050.

9207240016 Documents 920710 enforcement conference in Gore,OK re 920501 event,whereby small amount of UF6 released in DUF4 facility & shift supervisor lack of response to safety alarms on 920606.List of attendees & matts presented encl. CALLAN,L.J. Region 4 (Post 820201). 92/07/17. SHEPPARD,J.J. Sequoyah Fuels Corp. 40pp. 62456:058-62456:097.

9207280006 Advises that from 920710-17,contamination found on walkways & fences in unrestricted area.No personnel exposure occurred.No removable contamination found above licensee administrative limits.Corrective actions underway. DIETRICH,J.S. Sequoyah Fuels Corp. 92/07/17. MILHOAN,J.L. Region 4 (Post 820201). 3pp. 62562:093-62562:095.

9207290233 Forwards addl info for inclusion in record of enforcement conference re EA-92-100 held on 920710.Response to request for views concerning perceptions of vendor performance of maint activities also provided. SHEPPARD,J.J. Sequoyah Fuels Corp. 92/07/17. MILHOAN,J.L. Region 4 (Post 820201). 24pp. 62567:124-62567:147.

9207240005 Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915- 17 in Bethesda,MD.Workshop designed to provide info on NRC policies & procedures applicable to fuel cycle licensees. CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. KOSMIDER,M.D. Allied-Signal Corp. SHEPPARD,J.J. Sequoyah Fuels Corp. FRANK,R. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 6pp. 62479:297-62479:302.

9207240010 Forwards insp rept 40-8027/92-15 on 920612-24.No violations noted.Informs that generally,activities observed during insp were conducted in accordance w/requirements of license & NRC regulations. CALLAN,L.J. Region 4 (Post 820201). 92/07/20. SHEPPARD,J.J. Sequoyah Fuels Corp. 5pp. 62456:031-62456:054.

-9207240011 Insp rept 40-8027/92-15 on 920612-24.No violations noted. Major areas inspected:licensee radiation program as related to facility operations & maint activities & implementation of final phase of licensee restart program. CAIN,C.L. Region 4 (Post 820201). 92/07/17. 19pp. 62456:036-62456:054.

9207310145 Informs that on 920624,removable contamination above administrative limits identified in slurry pump room.Area posted as controlled access area & decontamination efforts initiated.Controlled access area posting removed on 920715. DIETRICH,J.S. Sequoyah Fuels Corp. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62657:322-62657:326.

9207310066 Informs that on 920626,removable contamination above administrative limits identified on roadway adjacent to main process bldg.Area posted as controlled access area.Area decontamination initiated & completed within 24 h period. DIETRICH,J.S. Sequoyah Fuels Corp. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62612:323-62612:325.

9207310251 Informs that on 920703,electrical breaker failed due to limited loss of power in main process bldg.Failed breaker de-energized & power restored to affected equipment in approx 30 minutes. DIETRICH,J.S. Sequoyah Fuels Corp. 92/07/24. Document Control Branch (Document Control Desk). 2pp. 62618:358-62618:359.

9207290261 Forwards documents for incorporation into staff hearing file for renewal proceedings & listing of staff hearing file documents.W/o documents. HORN,M. Fuel Cycle Safety Branch. 92/07/27. UTTAL,S. Office of the General Counsel (Post 860701). 6pp. 62611:233-62611:238.

9207300208 Responds to 920604 ltr raising objection to licensee 920529 plan for updating license renewal application.Substantial effort required for licensee to revise renewal application. Licensee plan reasonable & should expedite process. HICKEY,J.W. Fuel Cycle Safety Branch. 92/07/29. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 2pp. 62619:353-62619:356.

9207310095 Responds to 920529 ltr to J Greeves which provided schedule for submitting updated license renewal application. Approves vendor plans to extend use of program plan to other areas of license. HICKEY,J.W. Fuel Cycle Safety Branch. 92/07/29. SHEPPARD,J.J. Sequoyah Fuels Corp. 4pp. 62657:318-62657:321.

#### DOCKET 40-8035 COTTER CORP., ROSWELL, NM

9207090115 Final response to FOIA request for documents re licenses SMA-0862 for Continental Mining & Milling Co,SMC-0907 for Commercial Discount Corp & SUB-1072 for Cotter Corp.Forwards documents in Apps C,D & E,being made available for PDR. GRIMSLEY,D.H. Office of Information Resources Management (Post 890205). 91/10/16. MCCLUSKEY,J.P. Cotter Corp. 11pp. 62424:001-62424:362.

-9207100088 Discusses issuance of license SUB-1022 to Cotter Corp for drying & shipping of matts covered by license SMC-0907. Requests advice as to what action,if any,required w/respect to terminating licensee privileges & obligations. STONEBERG,R.E. Commercial Discount Corp. 70/02/12. HARMON,D.F. Atomic Energy Commission (Pre 750119). 2pp. 62424:104-62424:105.

## 8 DOCKETED ITEMS

### DOCKET 40-8081 MOSE COHEN & SONS, INC., CINCINNATI, OH

**9207090115** Final response to FOIA request for documents re licenses SMA-0862 for Continental Mining & Milling Co., SMC-0807 for Commercial Discount Corp & SUB-1072 for Cotter Corp. Forwards documents in Apps C,D & E, being made available for PDR. GRIMSLEY, D.H. Office of Information Resources Management (Post 890205). 91/10/16. MCCLOSKEY, J.P. Cotter Corp. 11pp. 62424:001-62424:362.

**-9207090136** Application for license for scrap matl which will be used for remelting purposes after radioactivity has been removed to accepted min approved by Fernald Plant. COHEN, W. Mose Cohen & Sons, Inc. 70/12/29. Atomic Energy Commission (Pre 750119). 2pp. 62424:013-62424:014.

**-9207090139** Provides supplemental info to application for source matl license, including that scrap matl will be decontaminated by dipping in acid & rinsing in water. Inform that smelting of matl is not contemplated. COHEN, H.D. Mose Cohen & Sons, Inc. 71/01/05. LAYFIELD, R. Atomic Energy Commission (Pre 750119). 1p. 62424:015-62424:015.

**-9207090144** License SUB-1072 for Mose Cohen & Sons, Inc., authorizing U in form of surface contamination on scrap metal to be decontaminated & stored in accordance w/statements, representations & conditions specified in application. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 71/01/20. 3pp. 62424:016-62424:018.

**-9207090210** Discusses health physics analysis of license SUB-1072, authorizing U in form of surface contamination on scrap metal to be decontaminated & stored in accordance w/licensee application w/suppl. HUETER, L.J. Atomic Energy Commission (Pre 750119). 71/03/09. ALLAN, J.M. Atomic Energy Commission (Pre 750119). 4pp. 62424:019-62424:022.

**-9207090222** Insp of license SUB-1072 on 710309. Noncompliance noted. Major areas inspected: organization, administrative control & radiological safety procedures, facilities & equipment & radiation surveys &/or evaluations. HUETER, L.J. Atomic Energy Commission (Pre 750119). 71/03/09. 19pp. 62424:023-62424:041.

**-9207090226** Application for amend to license SUB-1072. Amend would authorize alternative method of metering scrap pipe or tubing to measure for radiation. Discusses alternative method involving swabbing interior surface of such piping. COHEN, H.D. Mose Cohen & Sons, Inc. 71/03/10. LAYFIELD, R. Atomic Energy Commission (Pre 750119). 1p. 62424:042-62424:042.

**-9207090230** Notice of violation from insp on 710309. Violation noted: no airborne surveys conducted during cutting of U contaminated piping to evaluate employee exposure concentrations of airborne U, per 10CFR20.201(b). HUETER, L.J. Atomic Energy Commission (Pre 750119). 71/03/30. 1p. 62424:043-62424:043.

**-9207090233** Provides licensee opportunity to advise NRC in writing, of position re license activities determined to be in noncompliance w/AEC requirements, as result of insp. Inform that reply should be sent within 20 days of receipt of ltr. GRIER, B.H. Atomic Energy Commission (Pre 750119). 71/03/30. COHEN, H. Mose Cohen & Sons, Inc. 1p. 62424:044-62424:044.

**-9207090236** Amend 1 to license SUB-1072, authorizing survey method described in 710310 application, providing listed stipulations adhered to. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 71/04/02. COHEN, H.D. Mose Cohen & Sons, Inc. 1p. 62424:045-62424:045.

**-9207090247** Responds to violations noted in 710330 NOV, as result of insp of license SUB-1072 on 710309. Corrective actions: alpha survey instruments now available & will be used in accordance w/amend 1 of license. COHEN, H.D. Mose Cohen & Sons, Inc. 71/04/08. GRIER, B.H. Atomic Energy Commission (Pre 750119). 1p. 62424:046-62424:046.

**-9207090250** Responds to AEC 710420 request. Advises that if any future cutting of contaminated scrap performed by licensee, airborne samples will be taken for analysis. COHEN, H.D. Mose Cohen & Sons, Inc. 71/04/21. GRIER, B.H. Atomic Energy Commission (Pre 750119). 1p. 62424:047-62424:047.

**-9207090258** Safety insp on 711018 of license SUB-1072. Insp findings: no noncompliance or unsafe conditions found. SCHULTZ, W.H. Atomic Energy Commission (Pre 750119). \* Mose Cohen & Sons, Inc. 71/10/18. 2pp. 62424:048-62424:049.

**-9207090292** Forwards correspondence re license SUB-1072, Invoice L-1525-72. Requests that license be terminated, amend be sent to R Leith, Ofc of Controller & State & licensee Relations be notified of completed action. JOHNSON, L. Atomic Energy Commission (Pre 750119). FIN L-1525-72. 72/03/23. SMILEY, S.H. Atomic Energy Commission (Pre 750119). 1p. 62424:050-62424:050.

**-9207090311** Informs that license SUB-1072 terminated, per licensee 920323 application. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 72/04/14. COHEN, H.D. Mose Cohen & Sons, Inc. 1p. 62424:051-62424:053.

### DOCKET 40-8135 MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN

**9207010220** Forwards close-out insp rept 40-8135/92-01 on 920528-0604. No violations noted. Results of smear tests for removable contamination currently being assessed. GROBE, J.A. Region 3 (Post 820201). 92/06/16. WISSINK, R.G. Minnesota Mining & Manufacturing Co. (3M Co.). 2pp. 62144:005-62144:014.

**-9207010231** Close-out insp rept 40-8135/92-01 on 920528-0604. No violations noted. Major areas inspected: review of licensee activities associated w/decontamination, decommissioning & remediation of Menomonie, Wisconsin facilities. WIEDEMAN, D.G., GLINSKI, R.L., CANIANO, R.J. Region 3 (Post 820201). 92/06/16. 8pp. 62144:007-62144:014.

### DOCKET 40-8408 PESSES CO., SOLON, OH

**9207230036** Forwards four copies of Work Plan number one as defined in Section 8.4 of Administrative Order for Removal Response Activities at METCOA Restart Site in Pulaski, PA. TRAVERS, M.A. de maximis, Inc. 90/09/06. MANNING, C. Environmental Protection Agency. 20pp. 62441:040-62441:269.

**9207230071** Forwards copy of Metcoa Mgt/Options Analysis Rept for Metcoa Radiation Site, Pulaski, PA for review & reply. MANNING, C. Environmental Protection Agency. 92/05/13. ROBERTS, M. Region 1 (Post 820201). 2pp. 62443:001-62443:318.

**-9207230087** Submits Work Plan number two, Mgt Options/Analysis Rept for Metcoa Restart Site, Pulaski, PA. \* GSX Services, Inc. \* de maximis, Inc. \* Environmental Standards, Inc. 92/05/31. 400pp. 62443:003-62443:318.

**9207230037** Provides comments on work plan 2, mgt options/analysis rept, Metcoa Restart Site, Pulaski, PA dtd May 1992, per 920513 request. Review focused on radiological issues. KINNEMAN, J.D. Region 1 (Post 820201). 92/07/15. MANNING, C.A. Environmental Protection Agency. 3pp. 62441:270-62441:272.

### DOCKET 40-8681 UMETCO MINERALS CORP., BLANDING, UT

**9207290072** Responds to 920115 request for info on status of Umetco Minerals Corp amend request to use nonconventional low-cost feed sources for mill at Blanding, UT. License application currently on hold pending resolution of State of UT request. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/07/15. GARNS, J. Senate. 17pp. 62567:296-62567:316.

**9207270079** Requests attorney general hearing request be denied on grounds of untimeliness under commission regulations & being interposed merely to delay issuance & implementation of license amend. VAN HORN, R.A. UMETCO Minerals Corp. #392 13119. 92/07/16. TAYLOR, J.M. Ofc of the Executive Director for Operations. 4pp. 62476:145-62476:148.

**9207270122** Forwards 920702 request for hearing submitted by KL Alkema on behalf of State of UT. State requests hearing on amend 30 to license SUA-1358. CHILK, S.J. Office of the Secretary of the Commission. #392 13111. 92/07/17. COTTER, B.P. Atomic Safety & Licensing Board Panel. 1p. 62476:223-62476:227.

**-9207270129** Requests hearing on licensee-initiated amend of matl license subj to 10CFR40 & for action per 10CFR2.206. Certificate of Svc encl. ALKEMA, K.L., CHANCELLOR, D. Utah, State of. 92/07/02. Ofc of the Executive Director for Operations. 4pp. 62476:224-62476:227.

**9207270086** Designation of presiding officer. \* Advises that member of ASLB designated to rule on petitions for leave to intervene &/or requests for hearing & to serve as presiding officer to conduct hearing. W/Certificate of Svc. Served on 920721. COTTER, B.P. Atomic Safety & Licensing Board Panel. #392 13121. 92/07/20. 3pp. 62476:159-62476:161.

**9207310169** Transcript of 920730 proceeding in Bethesda, MD re hearing request filed by licensee & State of UT. Pp 1-8. \* Atomic Safety & Licensing Board Panel. 92/07/30. 9pp. 62660:044-62660:054.

### DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI

**9207070421** Expresses disappointment by NRC decision to issue formal order compelling Chemetron Corp to rept on characterization of two contaminated properties by 920615. LEDERMAN, M.G. Sunbeam Corp. LEDERMAN, M.G. Chemetron Corp. 92/06/08. SELIN, I. Commissioners (Post 750119). 4pp. 62242:179-62242:182.

**9207010057** Forwards safety insp rept 40-8724/92-02 on 920610-11. No violations noted. GROBE, J.A. Region 3 (Post 820201). 92/06/23. LEDERMAN, M.G. Chemetron Corp. 2pp. 62143:154-62143:160.

**-9207010052** Insp rept 40-8724/92-02 on 920610-11. No violations noted. Major areas inspected: review of remediation efforts at private garage in Parma, Ohio which was found in 1991 to be contaminated w/depleted U. SRENIAWSKI, D.J., CANIANO, R.J. Region 3 (Post 820201). 92/06/23. 5pp. 62143:156-62143:160.

**9207070077** Responds to 920608 ltr re NRC "Action Plan to Ensure Timely Cleanup of Site Decommissioning Mgt Plan Sites" & NRC order requiring submittal of final site characterization rept. W/Certificate of Svc. Served on 920702. SELIN, I. Commissioners (Post 750119). #392 13056. 92/06/26. LEDERMAN, M.G. Chemetron Corp. 6pp. 62206:238-62206:243.

**9207090103** Informs that time provided by NRC regulation which Commission may act to review decision of ASLB terminating proceeding docket has expired. W/Certificate of Svc. Served on 920701. CHILK, S.J. Office of the Secretary of the Commission. #392 13064. 92/06/30. Commissioners (Post 750119). 2pp. 62266:267-62266:268.

**9207070416** Notification of significant licensee meeting w/util in Rockville, MD on 920709. HUFFERT, A.M. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/02. Decommissioning & Regulatory Issues Branch (Post 901230). 2pp. 62274:340-62274:340.

**9207070422** Confirms meeting arrangements on 920709 concerning decommission of Harvard Avenue & Bert Avenue sites. HUFFERT, A.M. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/02. LEDERMAN, M. Chemetron Corp. LEDERMAN, M. Sunbeam Corp. 2pp. 62273:318-62273:319.

**9207290019** Confirms matters discussed during 920709 meeting re revisions to plan for remediating Harvard Avenue site. Vendor intends to use pathways analysis to demonstrate that no further remedial actions required at site.  
LEDERMAN, M.G. Chemetron Corp. 92/07/17. HUFFERT, A.M. Decommissioning & Regulatory Issues Branch (Post 901230). 2pp. 62567:358-62567:359.

**9207300289** Forwards correspondence from OH EPA to Chemetron for info.  
JONES, K. Ohio, State of. 92/07/22. HUFFERT, T. NRC - No Detailed Affiliation Given. 3pp. 62638:133-62638:135.

**DOCKET 40-8778 MOLYCORP, INC., LOS ANGELES, CA**

**9206120307** Responds to 920507 ltr transmitting questions from J Bath re significance of listing MolyCorp facility in York, PA on NRC site decommissioning mgt plan. Five criteria for inclusion in plan listed.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/01. GOODLING, B. House of Rep. 5pp. 62427:186-62427:192.

**-9207170080** Requests info re questions from J Bath in ref to NRC list of contaminated sites recently released in York, PA.  
GOODLING, B. House of Rep. 92/05/07. Office of Congressional Affairs (Post 911117). 1p. 62427:191-62427:192.

**9207060216** Submits schedule for submittal of site characterization plan, site characterization rept, decommissioning plan (DP) & completion of decommissioning & submittal of final radiological survey to certify cleanup conducted per DP.  
DANKMYER, B.K. MolyCorp, Inc. 92/06/15. AUSTIN, J.H. NRC - No Detailed Affiliation Given. 2pp. 62254:329-62254:330.

**9207060200** Record of telcon w/ MolyCorp representative on 920623 re Dankmyer questions on form licensee should commit to meeting specific decommissioning milestones. Licensee advised that ltr requesting amend to license appropriate form.  
GLENN, C.J. NRC - No Detailed Affiliation Given. 92/06/23. 1p. 62243:355-62243:355.

**9207290275** Forwards newspaper clippings received from NRC press release re York & Washington, PA facilities.  
DANKMYER, B. MolyCorp, Inc. 92/07/15. GLENN, C. NRC - No Detailed Affiliation Given. 9pp. 62610:351-62610:359.

**DOCKET 40-8794 MOLYCORP, INC., LOS ANGELES, CA**

**9207150291** Forwards "Environ Rept, MolyCorp, Inc York License SMB-1408" & "Investigation of Shallow Groundwater Aquifer at MolyCorp, Inc York, PA Facility," to support NRC assessment of license renewal application.  
BROWN, R.B. MolyCorp, Inc. 92/07/07. FARAZ, Y.H. NRC - No Detailed Affiliation Given. 1p. 62405:001-62405:144.

**-9207150293** "Environ Rept MolyCorp, Inc York License SMB-1408."  
\* MolyCorp, Inc. 92/07/31. 46pp. 62405:002-62405:047.

**-9207150296** "Investigation of Shallow Groundwater Aquifer MolyCorp, Inc York, PA Facility."  
\* MolyCorp, Inc. 90/06/30. 50pp. 62405:048-62405:144.

**9207220389** Advises that no deficiencies identified re decommissioning financial assurance submittal dtd 910905, for site located in York, PA.  
FARAZ, Y.H. Fuel Cycle Safety Branch. 92/07/16. BROWN, R.B. MolyCorp, Inc. 1p. 62471:357-62471:357.

**9207240014** Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915- 17 in Bethesda, MD. Purpose of workshop is to discuss NRC programs & policies applicable to fuel cycle licensees.  
CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. HAERTJENS, B. Babcock & Wilcox Co. ARNOLD, W.H. Louisiana Energy Services. JOHNSON, W.J. Westinghouse Electric Corp. 6pp. 62528:228-62528:233.

**DOCKET 40-8820 AMAX, INC., GOLDEN, CO**

**9207080310** Advises that NRC preparing to terminate AMAX license for site near Parkersburg, WV & transfer custody of site to DOE. Site stabilized in 1982 by removal of some contaminated soil & formation of earthen berm over soil containing zirconium.  
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 92/07/08. LONGEST, H.L. Environmental Protection Agency. 2pp. 62271:350-62271:351.

**9207100271** Advises that responsibility for managing docket now resides in Decommissioning & Regulatory Issues Branch within Div of Low Level Waste Mgt & Decommissioning. Questions should be directed to JH Austin at listed address.  
HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/08. KERRIGAN, J.E. AMAX, Inc. 1p. 62334:348-62334:348.

**9207140205** Informs that licensing responsibility for Amax, Inc is transferred to Div of LLW Mgt & Decommissioning, effective 920708.  
HICKEY, J.W. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/08. AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 1p. 62385:131-62385:131.

**DOCKET 40-8868 II-VI INC., SAXONBURG, PA**

**9207090225** Discusses Safety Insp 40-8868/92-01 on 920527 & forwards notice of violation.  
COSTELLO, F.M. Region 1 (Post 820201). 92/08/24. JOHNSON, C. Two-Six, Inc., 2pp. 62293:348-62293:350.

**-9207090227** Notice of violation from insp on 920527. Violation noted: door to outside, located at rear of main, unfenced bldg unlocked.  
\* Region 1 (Post 820201). 92/08/24. 1p. 62293:350-62293:350.

**DOCKET 40-8904 SOHIO WESTERN MINING CO., SALT LAKE CITY, UT**

**9207010280** Ack receipt of 920529 ltr informing NRC of steps taken to correct concerns noted in 920504 NOV. Finds reply responsive to concerns raised. Informs that staff cannot accommodate request to withdraw NOV.  
HALL, R.E. Uranium Recovery Field Ofc, R4. 92/06/08. SCHURTZ, G.D. SOHIO Western Mining Co. 2pp. 62178:165-62178:166.

**DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM**

**9207080121** Responds to NRC 920608 ltr re violations noted in insp rept 40-8905/92-01 on 920518-19. Corrective actions: spirometry result form modified.  
FERDINAND, B. Quivira Mining Co. 92/06/30. HALL, R. Uranium Recovery Field Ofc, R4. 12pp. 62276:338-62276:350.

**DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO**

**9207220270** Forwards Radiation Safety Insp Rept 40-8943/92-01 on 920616-18. No violations or deviations noted. Concerns raised re failure to address open items identified during previous insp.  
HALL, R.E. Uranium Recovery Field Ofc, R4. 92/07/14. COLLINGS, S. Ferret Exploration Co. of Nebraska, Inc. 3pp. 62474:299-62474:314.

**-9207220272** Radiation Safety Insp Rept 40-8943/92-01 on 920616-18. No violations or deviations noted. Major areas inspected: in situ U recovery operations & radiation safety program including mgt organization & controls & radwaste mgt.  
GRIMM, J.P., MICHAUD, P.W., HALL, R.E. Uranium Recovery Field Ofc, R4. 92/07/13. 13pp. 62474:302-62474:314.

**DOCKET 40-8946 SHIELDALLOY CORP., NEWFIELD, NJ**

**9207060208** Confirms 920625 meeting w/ NRC & State of OH in Columbus, OH to discuss groundwater & surface water monitoring program.  
SMITH, D.R. Shieldalloy Metallurgical Corp. 92/06/23. NRC - No Detailed Affiliation Given. 2pp. 62249:332-62249:333.

**9207060205** Provides comments on summary of 920511 meeting w/ NRC in Rockville, MD & ltr transmitting summary.  
SMITH, D.R. Shieldalloy Metallurgical Corp. 92/06/24. HARVEY, M. Decommissioning & Regulatory Issues Branch (Post 901230). 3pp. 62251:056-62251:058.

**9207060103** Forwards SE granting licensee 920521 request to extend expiration date of current license to 960631 & to change person responsible for licensed matl.  
AUSTIN, J.H. Division of Low-Level Waste Management & Decommissioning (Post 870413). 92/06/25. SMITH, D.R. Shieldalloy Metallurgical Corp. 3pp. 62204:042-62204:051.

**-9207060105** SER granting licensee 920521 request to extend license expiration date to 960631 & to change person responsible for licensed matl.  
AUSTIN, J.H. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/25. 4pp. 62204:045-62204:048.

**-9207060111** Amend 1 to license SMB-1507 for Shieldalloy Corp, authorizing use of listed licensed matl.  
AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 92/06/25. 3pp. 62204:049-62204:051.

**9207200089** Trip rept of 920625 visit to Shieldalloy Metallurgical Corp re ground water & surface water monitoring program for Cambridge, OH site.  
HARVEY, M. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/15. WEBER, M. Decommissioning & Regulatory Issues Branch (Post 901230). 4pp. 62448:358-62448:361.

**DOCKET 40-8981 PATHFINDER MINES CORP., MILLS, WY**

**9207020172** Forwards revs made to three pages of 920402 amend request for license SUA-1540, consisting of correction of multiplication error in calculation of topsoil salvage volumes.  
WICHERS, D.L. Pathfinder Mines Corp. 92/05/21. HALL, R.E. Uranium Recovery Field Ofc, R4. 11pp. 62194:230-62194:240.

**DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT**

**9207080008** Revised 11e.(2) storage & disposal license application, consisting of response to detailed & generic technical second round questions. Addendum 1 to "Hydrogeologic Rept Envirocare Waste Disposal Facility South Clive, UT" encl.  
JUDD, C.A. Envirocare of Utah, Inc. 92/06/29. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 375pp. 62298:001-62297:328.

**-9207080008** Addendum 1 to "Hydrogeologic Rept Envirocare Waste Disposal Facility South Clive, UT."  
\* Bingham Environmental. 92/01/31. 300pp. 62297:032-62297:328.

**9207160088** Forwards revised ER, in support of 11e.(2) application. Response to second round questions & "Addendum 1 to Hydrogeologic Rept Envirocare Waste Disposal Facility South Clive, UT" also encl.  
JUDD, C.A. Envirocare of Utah, Inc. 92/07/09. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 16pp. 62408:001-62407:103.

**-9207160082** Revised environ rept, reflecting affected pages only.  
\* Envirocare of Utah, Inc. 92/07/31. 150pp. 62408:017-62408:165.

**-9207160102** Revised Addendum 1 to "Hydrogeologic Rept Envirocare Waste Disposal Facility South Clive, UT," reflecting addition of App D-1.  
\* Bingham Environmental. 92/06/30. 300pp. 62408:168-62407:103.

**9207100332** Record of 920707 telcon w/ C Judd (Envirocare of Utah) ack receipt of rev to environ rept responding to Q2a.  
WASTER, S.L. NRC - No Detailed Affiliation Given. 92/07/07. 1p. 62365:352-62365:352.

## 10 DOCKETED ITEMS

**9207210038** Informs of changes to review schedule that have resulted in rev of estimated date of license issuance to May 1993, per NRC 91-927 ltr estimating date of issuance of license for Envirocare of Utah, Inc as Dec 1992.  
THOMPSON, H.L. Dep Exec Dir for Nuc Matis Safety, Safeguards & Operations Support (Post 890205). 92/07/14. DUFFY, L. Energy, Dept. of. 4pp. 62453:211-62453:219.

**9207220279** Forwards addl info re added explanatory text for App F of application for 11e.(2) permit, clarified elevations shown on encl Figures F-1 through F-3 & shaded design area for water storage & waste disposal, per 920720 telcon.  
PETERSON, S.J. Envirocare of Utah, Inc. 92/07/21. JOHNSON, T. NRC - No Detailed Affiliation Given. 9pp. 62474:290-62474:298.

### DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

#### DOCKET 50-2 FORD NUCLEAR REACTOR

##### F. Security, medical, emergency & fire protection plans

**9207020193** Forwards amend 37 to license R-28 & safety evaluation. Amend implements Rev 1 to "Univ of Michigan Nuclear Reactor Security Plan."  
MICHAELS, T.S. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/06/25. FLEMING, R.F. Michigan, Univ. of, Medical School, Ann Arbor, MI. 3pp. 62194:256-62194:263.

—**9207020201** Amend 37 to license R-28, implementing Rev 1 to "Univ of Michigan Nuclear Reactor Security Plan."  
WEISS, S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/06/25. 2pp. 62194:259-62194:260.

—**9207020202** Safety evaluation supporting amend 37 to license R-28.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/25. 3pp. 62194:261-62194:263.

##### P. Operating license stage documents & correspondence

**9207020193** Forwards amend 37 to license R-28 & safety evaluation. Amend implements Rev 1 to "Univ of Michigan Nuclear Reactor Security Plan."  
MICHAELS, T.S. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/06/25. FLEMING, R.F. Michigan, Univ. of, Medical School, Ann Arbor, MI. 3pp. 62194:256-62194:263.

—**9207020201** Amend 37 to license R-28, implementing Rev 1 to "Univ of Michigan Nuclear Reactor Security Plan."  
WEISS, S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/06/25. 2pp. 62194:259-62194:260.

—**9207020202** Safety evaluation supporting amend 37 to license R-28.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/25. 3pp. 62194:261-62194:263.

**9207070161** Ack receipt of 920619 ltr re status of facility. Ltr accurately reflects substance of discussion re shutdown of reactor & limitations on fuel movement.  
NOELIUS, C.E. Region 3 (Post 820201). 92/06/25. FLEMING, R.F. Michigan, Univ. of, Ann Arbor, MI. 1p. 62206:108-62206:109.

—**9207070165** Confirms order given in 920619 telcon to not operate or start up facility & not carry out any movement of reactor fuel.  
FLEMING, R.F. Michigan, Univ. of, Ann Arbor, MI. 92/06/19. NOELIUS, C. Region 3 (Post 820201). 1p. 62206:109-62206:109.

##### Q. Inspection reports, IE Bulletins & correspondence

**9207090019** Responds to findings from insp on 920622 & 24. Corrective actions: changes made to administrative procedure 301 to require that shim-safety rods be fully inserted & that magnet power key be turned off prior to fuel movement.  
FLEMING, R.F. Michigan, Univ. of, Ann Arbor, MI. 92/06/26. NOELIUS, C. Region 3 (Post 820201). 6pp. 62307:338-62307:343.

**9207200045** Forwards insp rept 50-002/92-01 on 920622-24. Violations noted but not cited. Licensees failure to determine reactors status prior to fuel movement & failure to rept occurrence to NRC within timeframe established by facility TS.  
NOELIUS, C.E. Region 3 (Post 820201). 92/07/09. FLEMING, R.F. Michigan, Univ. of, Ann Arbor, MI. 2pp. 62464:328-62464:343.

—**9207200050** Insp rept 50-002/92-01 on 920622-24. Violations noted but not cited. Major areas inspected: perform evaluations re removal of fuel element from core on 920608 while reactor was critical.  
PEDERSON, C.D. Region 3 (Post 820201). 92/07/02. 14pp. 62464:330-62464:343.

**9207280056** Confirms arrangements made for 920717 enforcement conference in Glen Ellyn, IL to discuss findings & apparent violations identified in insp rept 50-002/92-01, per 920703 telcon between RF Fleming & EC Pederson.  
NOELIUS, C.E. Region 3 (Post 820201). 92/07/10. FLEMING, R.F. Michigan, Univ. of, Ann Arbor, MI. 2pp. 62488:101-62488:104.

—**9207280064** Notification of significant licensee meeting w/utl on 920717 to discuss NRC findings during recent AIT insp, NRC enforcement policy & licensee C/A.  
PEDERSON, C.D. Region 3 (Post 820201). 92/07/10. Region 3 (Post 820201). 2pp. 62488:103-62488:104.

**9207310003** Forwards enforcement conference rept 50-002/92-02 on 920717. Conference held to discuss 920708 removal of fuel from critical reactor.  
NOELIUS, C.E. Region 3 (Post 820201). 92/07/25. FLEMING, R.F. Michigan, Univ. of, Ann Arbor, MI. 2pp. 62549:006-62549:010.

—**9207310004** Enforcement conference rept 50-002/92-02 on 920717. Areas discussed: circumstances surrounding 920708 removal of fuel from critical reactor.  
COX, C.R., MCCORMICK-BARGE Region 3 (Post 820201). 92/07/23. 3pp. 62549:008-62549:010.

##### S. Reportable occurrences, LERs & related correspondence

**9207200035** Summary of operating reactors events meeting 92-09 on 920701.  
CHAFFEE, A.E. Events Assessment Branch. 92/07/07. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 17pp. 62429:258-62429:274.

**9207150268** Followup to RO 15 re removal of fuel element from critical reactor, per NRC 920622 & 24 insp. Results of fuel element reactivity measurements listed.  
FLEMING, R.F. Michigan, Univ. of, Ann Arbor, MI. 92/07/08. NOELIUS, C. Region 3 (Post 820201). 2pp. 62411:359-62411:360.

#### DOCKET 50-3 INDIAN POINT STATION, UNIT 1

##### F. Security, medical, emergency & fire protection plans

**9207160358** Ack receipt of 920427 ltr transmitting Rev 13 to physical security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan except for Section 2.2 re personnel screening.  
JOYNER, J.H. Region 1 (Post 820201). 92/07/10. BRAM, S. Consolidated Edison Co. of New York, Inc. 4pp. 62417:358-62417:361.

##### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

#### DOCKET 50-5 PENNSYLVANIA STATE UNIV. RESEARCH REACTOR

##### H. General correspondence

**9207200140** Advises that effective 920701, DN Wormley appointed Dean of Engineering, replacing JA Brighton upon promotion of executive vice-president & provost of univ.  
SHIRLEY, D.A. Pennsylvania State Univ., University Park, PA. 92/07/17. Document Control Branch (Document Control Desk). 1p. 62448:354-62448:354.

##### Q. Inspection reports, IE Bulletins & correspondence

**9207060090** Forwards initial exam rept 50-005/OL-92-01 administered on 920526-27 to two facility employees who had applied for license to operate PA State Breazeale Reactor.  
GALLO, R.M. Operator Licensing Branch. 92/06/29. SHIRLEY, D.A. Pennsylvania State Univ., Harrisburg, PA. 2pp. 62204:093-62204:150.

—**9207060094** Exam rept 50-005/OL-92-01 on 920526-27. Exam results: written & operating exams administered to one SRO, instant applicant & one SRO, Upgrade applicant. SRO, instant applicant passed both exams & SRO, Upgrade failed operating exam.  
COLLINS, J.F., CALDWELL, J.L. Operator Licensing Branch. 92/06/29. 55pp. 62204:095-62204:150.

##### V. Operator Examinations

**9207060090** Forwards initial exam rept 50-005/OL-92-01 administered on 920526-27 to two facility employees who had applied for license to operate PA State Breazeale Reactor.  
GALLO, R.M. Operator Licensing Branch. 92/06/29. SHIRLEY, D.A. Pennsylvania State Univ., Harrisburg, PA. 2pp. 62204:093-62204:150.

—**9207060094** Exam rept 50-005/OL-92-01 on 920526-27. Exam results: written & operating exams administered to one SRO, instant applicant & one SRO, Upgrade applicant. SRO, instant applicant passed both exams & SRO, Upgrade failed operating exam.  
COLLINS, J.F., CALDWELL, J.L. Operator Licensing Branch. 92/06/29. 55pp. 62204:095-62204:150.

#### DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

##### F. Security, medical, emergency & fire protection plans

**9207070305** Revised EIPs, including rev 1 to CEPIP-2000, rev 2 to CEPIP-2021 & rev 0 to CEPIP-2021-01.  
\* Commonwealth Edison Co. 92/06/19. 50pp. 62269:001-62269:051.

**9207020260** Forwards Rev 40 to security plan. Rev withheld (ref 10CFR73.21).  
KOVAICH, T.J. Commonwealth Edison Co. 92/06/23. Document Control Branch (Document Control Desk). 1p. 62425:357-62425:357.



**9207210008** Rev 02 to EPIP 0720-S13, "Augmentation Call List."  
SHARPER,D., KUCZYNSKI,J. Commonwealth Edison Co. 92/07/02. 27pp. 62471:151-62471:177.

**9207280001** Ack receipt of 920521 ltr transmitting Rev 41 to security plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable.  
PEDERSON,C.D. Region 3 (Post 820201). 92/07/15. KOVACH,T.J. Commonwealth Edison Co. 1p. 62584:290-62584:290.

**9207280087** Ack receipt of 920623 ltr transmitting Rev 40 to plant security plan submitted per 10CFR50.54(p).NRC determined that changes acceptable.  
PEDERSON,C.D. Region 3 (Post 820201). 92/07/15. KOVACH,T.J. Commonwealth Edison Co. 2pp. 62488:213-62488:214.

**9207280161** Ack receipt of 920429 ltr forwarding final rept for Oct 1991 exercise of off-site radiological emergency response plans for util.No deficiencies noted & twelve areas requiring corrective actions identified.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/16. REED,C. Commonwealth Edison Co. 2pp. 62489:213-62489:224.

**-9205290181** Forwards final exercise rept for 911009 joint exercise of offsite radiological emergency response plans site-specific to plant.  
KIATKOWSKI,D. Federal Emergency Management Agency. 92/04/29. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 2pp. 62489:112-62489:112.

**-9205290185** Joint Exercise Rept for Dresden Nuclear Power Station.  
\* Federal Emergency Management Agency. 92/03/24. 112pp. 62489:113-62489:224.

**9207310132** Rev 6a to Dresden Generating Station Emergency Plan Station Annex.  
\* Commonwealth Edison Co. 92/07/31. 28pp. 62657:283-62657:313.

#### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents.App A documents encl & being made available in PDR.Portion of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA,T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-9207080152** Summary of discussions during 871118-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting.  
STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. ZECH, ROBERTS, BERNTHAL Commissioners (Post 750119). 3pp. 62324:016-62324:018.

**-9207080257** Provides details of discussion re Dresden during 871117 & 18 NRC senior managers meeting.Facility was categorized as requiring continued close monitoring.  
STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. O'CONNOR,J.J. Commonwealth Edison Co. 2pp. 62324:027-62324:028.

**-9207080291** Summary of 880628-29 NRC senior mgt meeting.Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. ZECH, ROBERTS, CARR Commissioners (Post 750119). 2pp. 62324:052-62324:053.

**-9207090069** Provides summary of NRC discussions re Dresden at 880628 & 29 senior managers meeting.Facility was categorized as requiring continued close monitoring.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. O'CONNOR,J.J. Commonwealth Edison Co. 1p. 62324:078-62324:078.

**-9207090086** Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting.  
STELLO,V. Ofc of the Executive Director for Operations. 88/12/13. ZECH, ROBERTS, CARR Commissioners (Post 750119). 30pp. 62324:081-62324:110.

**-9207090114** Provides Commission w/summary of discussions held at 890517- 18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting.Details withheld.  
STELLO,V. Ofc of the Executive Director for Operations. 89/05/24. ZECH, ROBERTS, CARR Commissioners (Post 750119). 72pp. 62324:111-62324:143.

**9207020284** Responds to 920212 staff requirements memo re performance of util plants.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-92-228. 92/06/25. 18pp. 62465:207-62465:224.

**9207300067** Forwards nonproprietary GE-NE-187-37-0991, "Shroud Support Access Hole Cover SER for Dresden & Quad Cities" to suppl 920221 proprietary submittal,as result of GE Svcs Info Ltr (SIL) 482 & associated suppl.  
SCHRAGE,J.L. Commonwealth Edison Co. 92/07/21. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 62619:303-62619:344.

**-9207300073** Nonproprietary GE-NE-187-37-0991, "Shroud Support Access Hole Cover SER for Dresden & Quad Cities."  
CHI,LL., MEHTA,H.S., NGE. General Electric Co. GE-NE-187-37-0991. 91/09/30. 35pp. 62619:310-62619:344.

**9207280383** Notification of 920804 meeting w/util in Rockville,MD to discuss proposed decommissioning plan & implementation schedules.  
FAIRTILE,M.B. Assistant Director for Region III Reactors (Post 901216). 92/07/23. WEISS,S.H. Assistant Director for Region III Reactors (Post 901216). 2pp. 62530:310-62530:313.

#### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

#### R. Periodic operating reports & related correspondence

**9207070164** Forwards errata to 1990 & 1991 annual environ operating repts for LaSalle.  
DIEDERICH,G.J. Commonwealth Edison Co. 92/06/26. DAVIS,A.B. Region 3 (Post 820201). 1p. 62265:318-62265:322.

**-9207070214** Errata to "1990 LaSalle Annual Environ Operating Rept."  
\* Commonwealth Edison Co. 90/12/31. 2pp. 62265:319-62265:320.

**-9207070220** Errata to "1991 LaSalle Annual Environ Operating Rept."  
\* Commonwealth Edison Co. 91/12/31. 2pp. 62265:321-62265:322.

**9207070227** Forwards errata to 1990 & 1991 annual environ operating repts for Dresden Station.  
SCHROEDER,C.W. Commonwealth Edison Co. 92/06/26. DAVIS,A.B. Region 3 (Post 820201). 1p. 62273:302-62273:312.

**-9207070233** Errata to "1990 Dresden Annual Environ Operating Rept."  
\* Commonwealth Edison Co. 90/12/31. 5pp. 62273:303-62273:307.

**-9207070237** Errata to "1991 Dresden Annual Environ Operating Rept."  
\* Commonwealth Edison Co. 91/12/31. 5pp. 62273:308-62273:312.

**9207140316** Monthly operating repts for June 1992 for Dresden Nuclear Power Station.W/920701 ltr.  
MAXWELL,D.C., SCHROEDER,C.W. Commonwealth Edison Co. 92/06/30. 59pp. 62380:199-62380:257.

**9207070170** Forwards errata to 1990 & 1991 annual environ operating repts for Byron Nuclear Station.  
PLENIEWICZ,R. Commonwealth Edison Co. 92/07/07. DAVIS,A.B. Region 3 (Post 820201). 1p. 62265:352-62265:358.

**-9207070185** Errata to "1990 Byron Annual Environ Operating Rept."  
\* Commonwealth Edison Co. 90/12/31. 3pp. 62265:353-62265:355.

**-9207070192** Errata to "1991 Byron Annual Environ Operating Rept."  
\* Commonwealth Edison Co. 91/12/31. 3pp. 62265:356-62265:358.

#### DOCKET 50-16 ENRICO FERMI ATOMIC POWER PLANT, UNIT 1

#### Q. Inspection reports, IE Bulletins & correspondence

**9207310001** Forwards insp rept 50-016/92-01 on 920714.No violations noted.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/24. ORSER,W.S. Detroit Edison Co. 2pp. 62549:001-62549:005.

**-9207310002** Insp rept 50-016/92-01 on 920714.No violations noted.Major areas inspected:organization & records,surveillance,review & audit functions,radiation controls & review of periodic & special repts.  
COX,C., MCCORMICK-BARGE Region 3 (Post 820201). 92/07/23. 3pp. 62549:003-62549:005.

#### DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

#### Q. Inspection reports, IE Bulletins & correspondence

**9207090006** Responds to violations noted in Insp Repts 50-020/92-01 & 70-0938/92-01.Corrective actions:inventory & matl & control accountability records corrected to reflect probable offsite shipment for disposal in 1981 of three fission chambers.  
BERNARD,J.A., MASSE,F.X. Massachusetts Institute of Technology, Cambridge, MA. 92/07/02. Document Control Branch (Document Control Desk). 2pp. 62307:323-62307:324.

#### V. Operator Examinations

**9207240003** Advises that L Andexler (Senior Reactor Operator License SOP-3013-4) resigned position as senior operator effective 920630 due to retirement from univ after more than 30 yrs dedicated svc.Operator license terminated.  
BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 92/07/16. Document Control Branch (Document Control Desk). 1p. 62479:303-62479:303.

#### DOCKET 50-27 WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)

#### F. Security, medical, emergency & fire protection plans

**9207170132** Combined Insp Repts 50-027/92-02 & 50-027/92-03 on 920608- 10.No violations noted.One weakness noted.Major areas inspected:security plans,procedures & reviews & repts of safeguards events.Details withheld per 10CFR2.790.  
NORDERHAUG,L., PATE,R.J. Region 5 (Post 820201). 92/07/13. 1p. 62456:246-62456:246.

## 12 DOCKETED ITEMS

**9207170217** Forwards Insp Repts 50-027/92-01,50-027/92-02 & 50-027/92-03 on 920608-10. Violations noted but not cited. Insp Repts 50-027/92-02 & 50-027/92-03 withheld (ref 10CFR2.790(d)).  
PATE,R.J. Region 5 (Post 820201). 92/07/13. RAYBURN,W.R. Washington State Univ., Pullman, WA. 2pp. 62440:351-62440:357.

**-9207170220** Insp Rept 50-027/92-01 on 920608-10. Violation re mgt review of reactor operations noted but not cited. Major areas inspected: reactor operations program including health physics & emergency planning & preparedness.  
QUALLS,P.M., PATE,R.J. Region 5 (Post 820201). 92/07/13. 5pp. 62440:353-62440:357.

### P. Operating license stage documents & correspondence

**9207230179** Requests review & certification of encl Washington State Univ modified TRIGA reactor draft TS, per 900419 ltr & supplemental 900627 & 920609 ltrs.  
MENDONCA,M.M. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/17. TRIPARD,G.E. Washington, Univ. of, Seattle, WA. 44pp. 62459:044-62459:089.

### Q. Inspection reports, IE Bulletins & correspondence

**9207170132** Combined Insp Repts 50-027/92-02 & 50-027/92-03 on 920608-10. No violations noted. One weakness noted. Major areas inspected: security plans, procedures & reviews & repts of safeguards events. Details withheld per 10CFR2.790.  
NORDERHAUG,L., PATE,R.J. Region 5 (Post 820201). 92/07/13. 1p. 62456:246-62456:246.

**9207170217** Forwards Insp Repts 50-027/92-01,50-027/92-02 & 50-027/92-03 on 920608-10. Violations noted but not cited. Insp Repts 50-027/92-02 & 50-027/92-03 withheld (ref 10CFR2.790(d)).  
PATE,R.J. Region 5 (Post 820201). 92/07/13. RAYBURN,W.R. Washington State Univ., Pullman, WA. 2pp. 62440:351-62440:357.

**-9207170220** Insp Rept 50-027/92-01 on 920608-10. Violation re mgt review of reactor operations noted but not cited. Major areas inspected: reactor operations program including health physics & emergency planning & preparedness.  
QUALLS,P.M., PATE,R.J. Region 5 (Post 820201). 92/07/13. 5pp. 62440:353-62440:357.

## DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

### F. Security, medical, emergency & fire protection plans

**9207070401** Forwards defueled emergency plan for YNPS re request for exemption from 10CFR50.54(q) that requires emergency plans be maintained to meet standards of 10CFR50.47(B).  
SCHULTZ,S.P. Yankee Atomic Electric Co. 92/07/02. FAIRTILE,M. Office of Nuclear Reactor Regulation, Director (Post 870411). 18pp. 62274:126-62274:214.

**-9207070408** "Yankee Plant Defueled Emergency Plan."  
\* Yankee Atomic Electric Co. 92/07/02. 71pp. 62274:144-62274:214.

**9207100076** Forwards EA & finding of no significant impact for exemption from 10CFR50, app E annual & biennial emergency preparedness exercises at plant.  
FAIRTILE,M.B. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/02. GRANT,J.M. Yankee Atomic Electric Co. 3pp. 62297:356-62297:362.

**-9207100111** EA & finding of no significant impact concluding that util request for one-time exemption from annual emergency preparedness requirements of 10CFR50, app E, section IV.F.2 will not effect quality of human environ.  
DUDLEY,R.F. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/02. 4pp. 62297:359-62297:362.

**9207160286** Forwards Safety Insp Rept 50-029/92-03 on 920428-0702. One deviation noted re Reg Guide 1.97 instrumentation identification & four unresolved items closed out.  
LINVILLE,J.C. Region 1 (Post 820201). 92/07/09. THAYER,J.K. Yankee Atomic Electric Co. 3pp. 62416:311-62416:322.

**-9207160288** Insp Rept 50-029/92-03 on 920428-0702. Deviation noted. Major areas inspected: plant operations, radiological controls, maint & surveillance, emergency preparedness, security & engineering & technical support.  
KELLY,E.M. Region 1 (Post 820201). 92/07/09. 9pp. 62416:314-62416:322.

**9207270246** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys..." Use of Thermo-Lag 330 limited to 1/2 h radiant heat shield for 3-inch section of conduit containing cable. No compensatory measures required since unit defueled.  
THAYER,J.K. Yankee Atomic Electric Co. 92/07/22. Document Control Branch (Document Control Desk). 2pp. 62528:171-62528:172.

**9207280009** Responds to NRC 920722 request for addl info re safety analyses ref in util proposed defueled emergency plan & basis for radionuclide inventory used to evaluate fuel handling accident. ORIGEN2 used to calculate inventory.  
GRANT,J.M. Yankee Atomic Electric Co. 92/07/23. FAIRTILE,M. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 2pp. 62568:357-62568:358.

**9207310229** Forwards exemption from 10CFR50, App E, emergency preparedness training exercises at plant. Exemption granted.  
FAIRTILE,M.B. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/24. GRANT,J.M. Yankee Atomic Electric Co. 2pp. 62581:257-62581:268.

**-9207310236** Exemption from requirements of 10CFR50, App E, Sections IV.F.2 & IV.F.3 re emergency preparedness exercise training requirements.  
BOGER,B.A. Division of Reactor Projects - III, IV, V (Post 901216). 92/07/24. Yankee Atomic Electric Co. 10pp. 62581:259-62581:268.

### H. General correspondence

**9207160264** Informs that effective 920701 J DeVincentis Vice President Yankee Atomic Electric Co retired. JK Thayer named to replace J DeVincentis.  
GRANT,J.M. Yankee Atomic Electric Co. 92/07/07. Document Control Branch (Document Control Desk). 1p. 62451:319-62451:319.

**9207230017** Comment supporting proposed rules 10CFR20 & 61 re low level waste shipment manifest info.  
THAYER,J.K. Yankee Atomic Electric Co. 92/07/17. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62441:011-62441:012.

### I. Financial information

**9207080266** Forwards annual cash flow statements for util & each util sponsor company for 1992 as evidence of approved guarantee of payments of retrospective premiums assessed under Price-Anderson Act.  
TRACY,H.T. Yankee Atomic Electric Co. 92/06/30. NASH,D.A. Policy Development & Technical Support Branch (Post 870411). 3pp. 62277:293-62277:296.

**9207070012** Summarizes 920610 meeting re proposed decommissioning funding plans as recently reported by FERC. Decommissioning plan will be submitted by 940226 not in late 1992 as noted in meeting summary.  
MELLOR,R.A. Yankee Atomic Electric Co. 92/07/01. FAIRTILE,M. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62262:337-62262:338.

### J. Insurance & Indemnity Information

**9207080266** Forwards annual cash flow statements for util & each util sponsor company for 1992 as evidence of approved guarantee of payments of retrospective premiums assessed under Price-Anderson Act.  
TRACY,H.T. Yankee Atomic Electric Co. 92/06/30. NASH,D.A. Policy Development & Technical Support Branch (Post 870411). 3pp. 62277:293-62277:296.

### P. Operating license stage documents & correspondence

**9207160171** Final response to FOIA request for 910813 NRC memo re 10CFR, app G & H. App A record encl & is being made available in PDR.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/08. WILLIAMS,O. JRA Associates. 2pp. 62398:320-62398:327.

**-9108150279** Discusses factors contributing to uncertainty in predicting effect of neutron irradiation on reactor vessel & inservice volumetric exam of reactor vessel beltline matls. Performance demonstration implementation schedule encl.  
RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 91/08/13. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 62398:322-62398:327.

**9207100128** Forwards EA & finding of no significant impact for exemption from 10CFR50.71(e). FSAR update due 920712 at plant.  
FAIRTILE,M.B. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/02. GRANT,J.M. Yankee Atomic Electric Co. 3pp. 62370:333-62370:338.

**-9207100135** EA & finding of no significant impact re exemption from 10CFR50.71(e) to periodically update FSAR.  
DUDLEY,R.F. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/02. 3pp. 62370:336-62370:338.

**9207160255** Application for amend to License DRP-3, changing TS re staff qualifications, plant operation review committee & reporting requirements to reflect permanently shutdown & defueled condition of plant.  
THAYER,J.K. Yankee Atomic Electric Co. 92/07/08. FAIRTILE,M. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 5pp. 62423:249-62423:263.

**-9207160257** Proposed TS Section 6.3 re facility staff qualifications, 6.5.1 re plant operation review committee & 6.5.1.4 re meeting frequency for plant operation review committee.  
\* Yankee Atomic Electric Co. 92/07/08. 10pp. 62423:254-62423:263.

**9207210042** Advises that 920417 rev 22 to util operational QA program, acceptable.  
BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/13. THAYER,J.K. Yankee Atomic Electric Co. 2pp. 62419:267-62419:268.

**9207280335** Forwards amend 141 to license DPR-3 & safety evaluation. Amend re places licensed operator program w/ certified fuel handler program.  
FAIRTILE,M.B. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/22. GRANT,J.M. Yankee Atomic Electric Co. 2pp. 62528:326-62528:339.

**-9207280340** Amend 141 to license DPR-3, replacing licensed operator program w/ certified fuel handler program.  
WEISS,S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/22. 9pp. 62528:328-62528:336.

**-9207280342** Safety evaluation supporting amend 141 to license DPR-3.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/22. 3pp. 62528:337-62528:339.

**9207300260** Forwards exemption granting request to forego annual submittal of updated FSAR per 10CFR50.12.  
FAIRTILE,M.B. Division of Reactor Projects - III, IV, V (Post 901216). 92/07/23. GRANT,J.M. Yankee Atomic Electric Co. 2pp. 62581:249-62581:256.

**-9207300264** Exemption from requirements of 10CFR50.54 re submittal of annual update of FSAR from persons licensed to operate nuclear power reactor.  
BOGER,B.A. Division of Reactor Projects - III, IV, V (Post 901216). 92/07/23. 6pp. 62581:251-62581:256.

**Q. Inspection reports, IE Bulletins & correspondence**

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207160286** Forwards Safety Insp Rept 50-029/92-03 on 920428-0702. One deviation noted re Reg Guide 1.97 instrumentation identification & four unresolved items closed out. LINVILLE, J.C. Region 1 (Post 820201). 92/07/09. THAYER, J.K. Yankee Atomic Electric Co. 3pp. 62416:311-62416:322.

**-9207160288** Insp Rept 50-029/92-03 on 920428-0702. Deviation noted. Major areas inspected: plant operations, radiological controls, maint & surveillance, emergency preparedness, security & engineering & technical support. KELLY, E.M. Region 1 (Post 820201). 92/07/09. 9pp. 62416:314-62416:322.

**9207270246** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys...." Use of Thermo-Lag 330 limited to 1/2 h radiant heat shield for 3-inch section of conduit containing cable. No compensatory measures required since unit defueled. THAYER, J.K. Yankee Atomic Electric Co. 92/07/22. Document Control Branch (Document Control Desk). 2pp. 62528:171-62528:172.

**R. Periodic operating reports & related correspondence**

**9207140314** Monthly operating rept for June 1992 for Yankee Atomic Power Station. W/ 920709 ltr. CARROLL, K.J., BERRY, R.L. Yankee Atomic Electric Co. 92/06/30. 6pp. 62385:283-62385:288.

**DOCKET 50-30 PLUM BROOK RESEARCH REACTOR FACILITY****P. Operating license stage documents & correspondence**

**9207220199** Notification of 920724 meeting w/ util in Rockville, MD to discuss emergency diesels, radiation exposure & technical staff qualifications. PATEL, C.P. Project Directorate III-2. 92/07/14. BARRETT, R.J. Project Directorate III-2. 3pp. 62453:335-62453:337.

**DOCKET 50-47 ARMY MATERIALS RESEARCH REACTOR****W. Decommissioning Stage Documents & Correspondence**

**9207090126** Requests permission to change two issues in Decommission Order re type of protective clothing worn by workers & sequence in which major tasks are performed. NAUGHTON, J.T. Army, Dept. of, Materials Technology Laboratory. 92/06/23. ADAMS, A. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 3pp. 62309:080-62309:082.

**9207230177** Responds to 920623 ltr accepting both changes to Decommissioning plan determining that changes do not affect conclusion of staff that dismantling & decommissioning operations can be conducted w/o undue risk. WEISS, S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/16. NAUGHTON, J.T. Army, Dept. of, Materials Technology Laboratory. 4pp. 62459:080-62459:083.

**DOCKET 50-54 CINTICHEM****P. Operating license stage documents & correspondence**

**9207170156** Forwards "Proposed Soil Criteria," in response to License Condition 10.G of Amend 6 to License SNM-639. MCGOVERN, J.J. Cintichem, Inc. 92/07/15. ORLANDO, N. Decommissioning & Regulatory Issues Branch (Post 901230). 2pp. 62431:186-62431:232.

**-9207170159** "Proposed Soil Criteria" for Cintichem, Inc. Research Reactor & Radiochemical Processing Lab. Cintichem, Inc. 92/07/31. 45pp. 62431:188-62431:232.

**DOCKET 50-59 TEXAS A&M UNIV. RESEARCH REACTOR****Q. Inspection reports, IE Bulletins & correspondence**

**9207220366** Forwards Initial Exam Rept 50-059/OL-92-03 administered on 920707. GALLO, R.M. Operator Licensing Branch. 92/07/17. POSTON, J.W. Texas A&M Univ., College Station, TX. 2pp. 62472:341-62472:344.

**-9207220370** Initial Exam Rept 50-059/OL-92-03 administered on 920707. Exam results: one senior reactor operator upgrade applicant passed exam & issued appropriate license. ISAAS, P., CALDWELL, J.L. Operator Licensing Branch. 92/07/16. 2pp. 62472:343-62472:344.

**V. Operator Examinations**

**9207220366** Forwards Initial Exam Rept 50-059/OL-92-03 administered on 920707. GALLO, R.M. Operator Licensing Branch. 92/07/17. POSTON, J.W. Texas A&M Univ., College Station, TX. 2pp. 62472:341-62472:344.

**-9207220370** Initial Exam Rept 50-059/OL-92-03 administered on 920707. Exam results: one senior reactor operator upgrade applicant passed exam & issued appropriate license. ISAAS, P., CALDWELL, J.L. Operator Licensing Branch. 92/07/16. 2pp. 62472:343-62472:344.

**DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR****H. General correspondence**

**9207220333** Advises that on 920701, Dept of Nuclear Engineering merged w/ Mechanical & Aerospace Engineering. New title of department is Mechanical, Aerospace & Nuclear Engineering. Chair of combined department is PE Allaire. MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 92/07/17. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 62482:342-62482:342.

**S. Reportable occurrences, LERs & related correspondence**

**9207100061** Special rept: on 920615, briefly unidentified high radiation area noted during reactor startup. Caused by human error. Self-critical evaluation conducted & controls in place to prevent recurrence. MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 92/07/01. Region 2 (Post 820201). 9pp. 62331:295-62331:303.

**DOCKET 50-70 GENERAL ELECTRIC NUCLEAR TEST REACTOR****H. General correspondence**

**9207200294** Lists new author address for NRC svc list, per 920617 telcon. Confirmation of new address by return mail requested. TURK, J.L. Affiliation Not Assigned. 92/07/08. JULIAN, E. Docketing & Services Branch. 1p. 62451:320-62451:320.

**DOCKET 50-73 GENERAL ELECTRIC NUCLEAR TEST REACTOR****P. Operating license stage documents & correspondence**

**9207280314** Forwards revised wording re licensing of byproduct matl, per 920508 application for amend to License R-33, increasing byproduct matl limit from 200 Ci to 2,000 Ci, per 920623 meeting w/ NRC. CUNNINGHAM, G.E. General Electric Co. 92/07/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 62566:256-62566:258.

**DOCKET 50-89 GENERAL ATOMICS****H. General correspondence**

**9207160378** Informs NRC of recent changes in personnel at GA TRIGA Reactors Facility. V.J. Barbat assigned as associate physicist in charge of TRIGA Reactors Facility. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 92/07/08. ADAMS, A. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 62413:349-62413:349.

**S. Reportable occurrences, LERs & related correspondence**

**9207100264** PNO-V-92-020: on 920628, two major earthquakes occurred in State of CA desert. Unusual event declared at San Onofre & Diablo Canyon. Tremors felt at Palo Verde & at two research reactors & fuel facility. Peak accelerations listed. GARCIA, E. Region 5 (Post 820201). 92/06/29. 3pp. 62365:001-62365:003.

**DOCKET 50-97 CORNELL UNIV. ZERO POWER REACTOR****V. Operator Examinations**

**9207270332** Accepts licensee Ward Lab operator requalification training program. MICHEALS, T.S. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/21. CLARK, D.D. Cornell Univ., Ithaca, NY. 3pp. 62501:087-62501:089.

**DOCKET 50-116 IOWA STATE UNIV. RESEARCH REACTOR****V. Operator Examinations**

**9207160021** Advises that RA Danofsky (Senior Operator License SOP-30704-1) will request termination of license to devote addl time to research & administrative duties. HENDRICKSON, R. Iowa State Univ., Ames, IA. 92/06/30. Document Control Branch (Document Control Desk). 1p. 62418:350-62418:350.



## 14 DOCKETED ITEMS

### DOCKET 50-123 UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA

#### P. Operating license stage documents & correspondence

**9207310081** Responds to 920707 ltr describing actions of Natl Organization of Test, Research & Training Reactors to independently review & evaluate recent event at Univ of Michigan.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/07/23. MCKIBBEN, J.C. Missouri, Univ. of, Columbia, MO. 2pp. 62585:348-62585:353.

**-9207310084** Informs of action taken in conjunction w/Univ of Michigan re recent occurrence at univ research reactor. Panel of nationally recognized experts appointed to make independent & thorough review of occurrence.  
MCKIBBEN, J.C. Missouri, Univ. of, Columbia, MO. 92/07/07. TAYLOR, J.M. Ofc of the Executive Director for Operations. 4pp. 62585:350-62585:353.

### DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

#### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

### DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

#### P. Operating license stage documents & correspondence

**9207150256** Forwards redacted & proprietary version of "PENELEC/GPU Internal Affairs Dept Rept Williamsburg Incident Investigation 89-WM-2." Proprietary rept withheld (ref 10CFR2.790).  
KNUBEL, J. General Public Utilities Corp. - GPU Service Corp. 92/07/01. Document Control Branch (Document Control Desk). 3pp. 62417:001-62417:317.

**-9207150295** Redacted version of "PENELEC/GPU Internal Affairs Dept Rept Williamsburg Incident Investigation 89-WM-2."  
MOLLURA, A.E. Pennsylvania Electric Co. \* General Public Utilities Corp. - GPU Service Corp. 92/03/31. 300pp. 62417:004-62417:317.

#### R. Periodic operating reports & related correspondence

**9207070081** "Saxton Nuclear Experimental Corp 1991 Annual Rept." W/ 920630 ltr.  
GOOD, B.A. Saxton Nuclear Experimental Corp. 91/12/31. 15pp. 62265:328-62265:340.

#### S. Reportable occurrences, LERs & related correspondence

**9207160191** PNO-I-92-038: in late 1988, PANELEC received allegation that in 1975 or 1976, drums suspected of containing radioactive matl received at Williamsburg, PA site. Evidence from investigation of allegation did not support alleged concern.  
JOYNER, J. Region 1 (Post 820201). 92/07/10. 2pp. 62428:320-62428:321.

### DOCKET 50-151 UNIV. OF ILLINOIS RESEARCH REACTOR

#### Q. Inspection reports, IE Bulletins & correspondence

**9207080098** Forwards initial exam rept 50-151/OL-92-01 administered on 920602 to facility employees who applied for license to operate TRIGA Reactor.  
GALLO, R.M. Operator Licensing Branch. 92/06/30. JONES, B.G. Illinois, Univ. of, Urbana, IL. 2pp. 62204:052-62204:092.

**-9207080102** Exam rept 50-151/OL-92-01 on 920601-01. Exam results: written & operating exam administered to one RO applicant & operating exam to two SRO (Upgrade) applicants. One SRO (Upgrade) failed operating exam. All other applicants passed.  
ERESIAN, W., CALDWELL, J.L. Operator Licensing Branch. 92/06/26. 39pp. 62204:054-62204:092.

#### V. Operator Examinations

**9207020298** Forwards revised "Univ of IL Nuclear Reactor Lab Operator Requalification Program."  
HOLM, R.L. Illinois, Univ. of, Urbana, IL. 92/06/24. ADAMS, A. NRC - No Detailed Affiliation Given. 5pp. 62234:331-62234:344.

**-9207020303** "Univ of IL Nuclear Reactor Lab Operator Requalification Program."  
\* Illinois, Univ. of, Urbana, IL. 92/06/30. 9pp. 62234:336-62234:344.

**9207080098** Forwards initial exam rept 50-151/OL-92-01 administered on 920602 to facility employees who applied for license to operate TRIGA Reactor.  
GALLO, R.M. Operator Licensing Branch. 92/06/30. JONES, B.G. Illinois, Univ. of, Urbana, IL. 2pp. 62204:052-62204:092.

**-9207080102** Exam rept 50-151/OL-92-01 on 920601-01. Exam results: written & operating exam administered to one RO applicant & operating exam to two SRO (Upgrade) applicants. One SRO (Upgrade) failed operating exam. All other applicants passed.  
ERESIAN, W., CALDWELL, J.L. Operator Licensing Branch. 92/06/26. 39pp. 62204:054-62204:092.

### DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

#### F. Security, medical, emergency & fire protection plans

**9207100313** Forwards insp rept 50-155/92-12 on 920615-17. No violations noted.  
PEDERSON, C.D. Region 3 (Post 820201). 92/07/02. BECKMAN, W.L. Consumers Power Co. 3pp. 62366:001-62366:025.

**-9207100317** Insp rept 50-155/92-12 on 920615-17. No violations or deviations noted. Major areas inspected: review of exercise scenario & observations by five NRC representatives of key functions & location during exercise.  
PLOSKE, T. ORTH, S., MCCORMICK-BARGE Region 3 (Post 820201). 92/07/01. 23pp. 62366:004-62366:025.

**9207130138** Forwards corrected Rev 24 to security plan, reflecting page numbers inadvertently left off original submittal. Corrections withheld (ref 10CFR73.21(c)).  
BECKMAN, W.L. Consumers Power Co. 92/07/03. Document Control Branch (Document Control Desk). 1p. 62440:172-62440:172.

**9207170134** Rev 136 to EPIP-5E, "Core Spray Sampling & Estimating Less Than 10% Core Damage."  
\* Consumers Power Co. 92/07/09. 13pp. 62433:314-62433:326.

**9207220261** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 3300 Fire Barrier Sys to Maintain Cabling Inside Cable Trays & Small Conduits Free from Fire Damage." Facility does not currently utilize Thermo-Lag 3300 for fire barrier sys.  
HOFFMAN, D.P. Consumers Power Co. 92/07/15. Document Control Branch (Document Control Desk). 3pp. 62474:344-62474:346.

**9207220267** Forwards final scenario used in 920616 annual emergency exercise, per 920416 ltr stating final scenario used in exercise would be docketed after completion of exercise for confidentially purpose.  
BECKMAN, W.L. Consumers Power Co. 92/07/16. Document Control Branch (Document Control Desk). 1p. 62473:001-62473:171.

**-9207220271** Final scenario for 920616 emergency exercise.  
\* Consumers Power Co. 92/07/16. 250pp. 62473:002-62473:171.

**9207280116** Ack receipt of rev 10 to plant suitability, training & qualification plan, transmitted via 920515 ltr. Changes consistent w/10CFR50.54(p) & acceptable.  
PEDERSON, C.D. Region 3 (Post 820201). 92/07/16. BECKMAN, W.L. Consumers Power Co. 2pp. 62488:351-62488:352.

**9207280114** Forwards insp rept 50-155/92-13 on 920615-19. No violations noted. Four open items identified, response required except to containment venting issue.  
MILLER, H.J. Region 3 (Post 820201). 92/07/17. BECKMAN, W.L. Consumers Power Co. 4pp. 62497:047-62497:069.

**-9207280123** Insp rept 50-155/92-13 on 920615-19. No violations noted, four open items identified. Major areas inspected: EOPs, programs for controlling & maintaining EOPs & licensee actions to resolve previous weaknesses in EOP program.  
RESCHESKE, P.R., BURGESS, B.L. Region 3 (Post 820201). 92/07/14. 19pp. 62497:051-62497:069.

#### P. Operating license stage documents & correspondence

**9207080177** Forwards response to Generic Ltr 92-01, Rev 1, "Reactor Vessel Structural Integrity, 10CFR50.54(f)."  
BECKMAN, W.L. Consumers Power Co. 92/07/01. Document Control Branch (Document Control Desk). 17pp. 62277:083-62277:099.

**9207150237** Revises 890417, 900328 & 911009 responses to station blackout rule (10CFR50.63). All air-operated valves necessary to cope w/station blackout, are of fail-safe nature. Viewgraphs from 920526 meeting w/NRC encl.  
BECKMAN, W.L. Consumers Power Co. 92/07/03. Document Control Branch (Document Control Desk). 30pp. 62415:189-62415:218.

**9207220204** Discusses reliability of primary redundant core spray valve MO-7071. Corrective actions taken to address past failure of subj valve adequate to assure adequate valve reliability.  
BECKMAN, W.L. Consumers Power Co. 92/07/14. Document Control Branch (Document Control Desk). 3pp. 62472:355-62472:357.

**9207280042** Ack receipt of 920608 ltr re Rev 11 to Big Rock Point suitability, training & qualification plan submittal per 10CFR50.54. Changes consistent w/10CFR50.54 & acceptable.  
PEDERSON, C.D. Region 3 (Post 820201). 92/07/17. BECKMAN, W.L. Consumers Power Co. 2pp. 62488:074-62488:075.

**9207310235** Forwards revised matrix from Rev 12 of Topical Rept CPC-2A, "Quality Program Description for Operational Nuclear Plants" annual submittal dtd 920615.  
HOFFMAN, D.P. Consumers Power Co. 92/07/27. Document Control Branch (Document Control Desk). 1p. 62611:268-62611:341.

**-9207310243** Revised matrix from Rev 12 to Topical Rept CPC-2A, "Quality Program Description for Operational Nuclear Plants."  
\* Consumers Power Co. CPC-2A R12. 92/07/27. 73pp. 62611:269-62611:341.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207010087** Forwards insp rept 50-155/92-16 on 920603-06. No violations noted.  
SHAFER, W.D. Region 3 (Post 820201). 92/06/19. BECKMAN, W.L. Consumers Power Co. 6pp. 62143:177-62143:188.

—9207010072 Insp rept 50-155/92-16 on 920603-06.No violations noted. Major areas inspected:licensee activities associated w/ 920603 reactor scram w/failure of turbine stop valve to close automatically.  
PHILLIPS,M.P. Region 3 (Post 820201). 92/06/19. 6pp. 62143:183-62143:188.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207100122 Forwards insp rept 50-155/92-15 on 920523-0618.Violations under consideration for escalated enforcement action. Enforcement conference scheduled on 920709 in Region III to discuss effectiveness of procedure upgrade programs.  
GREENMAN,E.G. Region 3 (Post 820201). 92/07/02. BECKMAN,W.L. Consumers Power Co. 4pp. 62331:233-62331:242.

—9207100127 Insp rept 50-155/92-15 on 920523-0618.Violations noted. Major areas inspected:operational safety verification, maintenance & followup of previously identified unresolved items.  
PHILLIPS,M.P. Region 3 (Post 820201). 92/07/02. 6pp. 62331:237-62331:242.

9207100313 Forwards insp rept 50-155/92-12 on 920615-17.No violations noted.  
PEDERSON,C.D. Region 3 (Post 820201). 92/07/02. BECKMAN,W.L. Consumers Power Co. 3pp. 62366:001-62366:025.

—9207100317 Insp rept 50-155/92-12 on 920615-17.No violations or deviations noted.Major areas inspected:review of exercise scenario & observations by five NRC representatives of key functions & location during exercise.  
PLOSKE,T. ORTH,S., MCCORMICK-BARGE Region 3 (Post 820201). 92/07/01. 23pp. 62366:004-62366:025.

9207140318 Responds to NRC 920605 ltr re violations noted in insp rept 50-155/92-10.Corrective actions:four valves requiring removal of 938 spacer mat completely disassembled.  
BECKMAN,W.L. Consumers Power Co. 92/07/03. Document Control Branch (Document Control Desk). 4pp. 62385:166-62385:169.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207160011 Responds to NRC 920611 ltr re violations noted in insp rept 50-155/92-09.Corrective actions:degradable parts,limit switch & torque switch replaced.  
BECKMAN,W.L. Consumers Power Co. 92/07/09. Document Control Branch (Document Control Desk). 7pp. 62413:338-62413:344.

9207220261 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 3300 Fire Barrier Sys to Maintain Cabling Inside Cable Trays & Small Conduits Free from Fire Damage." Facility does not currently utilize Thermo-Lag 330 for fire barrier sys.  
HOFFMAN,D.P. Consumers Power Co. 92/07/15. Document Control Branch (Document Control Desk). 3pp. 62474:344-62474:346.

9207280114 Forwards insp rept 50-155/92-13 on 920615-19.No violations noted.Four open items identified,response required except to containment venting issue.  
MILLER,H.J. Region 3 (Post 820201). 92/07/17. BECKMAN,W.L. Consumers Power Co. 4pp. 62497:047-62497:069.

—9207280123 Insp rept 50-155/92-13 on 920615-19.No violations noted,four open items identified.Major areas inspected:EOPs,programs for controlling & maintaining EOPs & licensee actions to resolve previous weaknesses in EOP program.  
RESCHESKE,P.R., BURGESS,B.L. Region 3 (Post 820201). 92/07/14. 19pp. 62497:051-62497:069.

9207270108 Responds to unresolved items associated w/emergency condenser inlet valves & MSIV as followup to response to NRC 920605 ltr re violations noted in Insp Rept 50-155/92-10.Corrected response to GL 89-10,Suppl 3 encl.  
BECKMAN,W.L. Consumers Power Co. 92/07/20. Document Control Branch (Document Control Desk). 100pp. 62519:103-62519:200.

9207280308 Forwards enforcement conference rept 50-155/92-17 on 920709 & notice of violation.issue of actions associated w/920513 scram reviewed & determined not to be violation.  
GREENMAN,E.G. Region 3 (Post 820201). 92/07/22. BECKMAN,W.L. Consumers Power Co. 7pp. 62497:245-62497:281.

—9207280312 Notice of violation from insp on 920523-0618.Violations noted:maint order periodic instructions released to allow work on emergency diesel generator overvoltage & undervoltage relays w/o verification re removal of relays.  
GREENMAN,E.G. Region 3 (Post 820201). 92/07/22. 2pp. 62497:252-62497:253.

—9207280318 Enforcement conference rept 50-155/92-17 on 920709.Areas discussed:violations & areas of concern during insp documented in insp rept 50-155/92-15 & corrective actions taken or planned by licensee.  
PHILLIPS,M. Region 3 (Post 820201). 92/07/21. 28pp. 62497:254-62497:281.

#### R. Periodic operating reports & related correspondence

9207130117 Monthly operating rept for June 1992 for Big Rock Point Nuclear Plant.W/ 920701 ltr.  
JOHNSTON,J.R., BECKMAN,W.L. Consumers Power Co. 92/06/30. 5pp. 62374:286-62374:290.

#### S. Reportable occurrences, LERs & related correspondence

9207090003 LER 92-010-00:on 920603,reactor scrambled on high flux due to sudden spike in reactor pressure from 1,335 psig to 1,360 psig.Caused by hand trip solenoid binding.Bellows replaced w/spare & solenoid reinstalled.W/920702 ltr.  
BOURASSA,M.D., BECKMAN,W.L. Consumers Power Co. 92/07/02. 7pp. 62293:119-62293:125.

#### V. Operator Examinations

9207090342 Discusses generic fundamentals exam section of operator licensing exam,administered on 920610.Master BWR/PWR subj exam w/answer key encl for info.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

9207170249 Advises that evaluation of requalification program & licensed personnel scheduled for wk of 921130.Operators failing previous requalification exam will be reexamined.Ref matts,listed on encl,should be sent 45 days prior to exam.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/13. BECKMAN,W.L. Consumers Power Co. 10pp. 62436:234-62436:243.

9207310032 Advises that NRC plans to administer GFE section of written operator licensing exam on 921007.Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

#### DOCKET 50-157 CORNELL UNIV. RESEARCH REACTOR

#### V. Operator Examinations

9207270332 Accepts licensee Ward Lab operator requalification training program.  
MICHEALS,T.S. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/21. CLARK,D.D. Cornell Univ., Ithaca, NY. 3pp. 62501:087-62501:089.

#### DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

#### Q. Inspection reports, IE Bulletins & correspondence

9207010248 Forwards insp rept 50-160/92-02 on 920512.No violations noted.  
COLLINS,D.M. Region 2 (Post 820201). 92/06/17. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 2pp. 62230:258-62230:262.

—9207010250 Insp rept 50-160/92-02 on 920512.No violations noted.Major areas inspected:matl control & accountability.  
MCQUIRE,D.R., MASNYK,O.M. Region 2 (Post 820201). 92/06/15. 3pp. 62230:260-62230:262.

#### DOCKET 50-163 GENERAL ATOMICS

#### H. General correspondence

9207160378 Informs NRC of recent changes in personnel at GA TRIGA Reactors Facility.VJ Barbat assigned as associate physicist in charge of TRIGA Reactors Facility.  
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 92/07/08. ADAMS,A. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 62413:349-62413:349.

#### S. Reportable occurrences, LERs & related correspondence

9207100264 PNO-V-92-020:on 920628,two major earthquakes occurred in State of CA desert.Unusual event declared at San Onofre & Diablo Canyon.Tremors felt at Palo Verde & at two research reactors & fuel facility.Peak accelerations listed.  
GARCIA,E. Region 5 (Post 820201). 92/06/29. 3pp. 62365:001-62365:003.

#### DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

#### P. Operating license stage documents & correspondence

9207080120 Final response to FOIA request for documents.App A documents encl & being made available in PDR.Portions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 880205). 91/10/11. REDDA,T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

—8805190330 Summary of 880423-24 mgt meeting at Region III ofc re licensee performance,evaluation of plant discussions & fitness for duty.Task assignments & list of attendees encl.  
SNIEZEK,J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 88/05/13. DAVIS,J.G. Office of Nuclear Material Safety & Safeguards. 11pp. 62324:005-62324:015.

—9207080152 Summary of discussions during 871118-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting.  
STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.

## 16 DOCKETED ITEMS

—9207080283 Provides details of discussions re Peach Bottom during NRC senior managers meeting on 8/11/17 & 18. Facility categorized as requiring substantial improvement. STELLO, V. Ofc of the Executive Director for Operations. 8/7/12/08. AUSTIN, J.H. Philadelphia Electric Co. 17pp. 62324:035-62324:051.

—9207080291 Summary of 880628-29 NRC senior mgt meeting. Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl. STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.

—9207090044 Provides summary of discussions re Peach Bottom during NRC senior managers meeting on 880628 & 29. Facility was categorized as requiring substantial improvement. STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. PAQUETTE, J. Philadelphia Electric Co. 2pp. 62324:057-62324:058.

—9207090267 Partially withheld summary of 861021-22 NRC mgt meeting. \* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.

9207230044 Discusses commitment extension re plant surveillance testing improvement project, per 911120 ltr. Informs that Surveillance test cross-ref will not be completed until 921130 due to misplaced data. MILLER, D.B. Philadelphia Electric Co. 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62476:288-62476:289.

### Q. Inspection reports, IE Bulletins & correspondence

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 8pp. 62480:001-62480:006.

### DOCKET 50-182 PURDUE UNIV. RESEARCH REACTOR

### Q. Inspection reports, IE Bulletins & correspondence

9207230074 Forwards initial exam rept 50-182/OL-92-01 administered on 920706-07. GALLO, R.M. Operator Licensing Branch. 92/07/20. CLIKEMAN, F. Purdue Univ., West Lafayette, IN. 2pp. 62479:073-62479:076.

—9207230081 Exam rept 50-182/OL-92-01 on 920706-07. Exam results: candidate passed exam. CALDWELL, J.L. Operator Licensing Branch. 92/07/20. 2pp. 62479:075-62479:076.

### V. Operator Examinations

9207230074 Forwards initial exam rept 50-182/OL-92-01 administered on 920706-07. GALLO, R.M. Operator Licensing Branch. 92/07/20. CLIKEMAN, F. Purdue Univ., West Lafayette, IN. 2pp. 62479:073-62479:076.

—9207230081 Exam rept 50-182/OL-92-01 on 920706-07. Exam results: candidate passed exam. CALDWELL, J.L. Operator Licensing Branch. 92/07/20. 2pp. 62479:075-62479:076.

### DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

### P. Operating license stage documents & correspondence

9207080211 Application for amend to License R-103, rescinding temporary SNM possession increases requested in 891226 & 910308 ltrs to reflect establishment of capability for offsite shipment of spent fuel using BMI-1 shipping cask. MEYER, W.A. Missouri, Univ. of, Rolla, MO. 92/07/02. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62272:356-62272:357.

9207210271 Forwards RAI for review of application for amend to license R-103, submitted 920702. Requests that license condition re SNM be clarified. Example of license paragraph w/ subj conditions encl. ADAMS, A. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/14. RHYNE, J.J. Missouri, Univ. of, Columbia, MO. 5pp. 62440:141-62440:145.

9207200212 Advises that on 920715, shipment of 6.69 Ci Ir-192 to R/A Svcs in Odessa, TX in excess of license authorization. Requests that each order for irradiation svc include license authority, license number & upper limit for shipment. REILLY, W.F. Missouri, Univ. of, Columbia, MO. 92/07/16. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 62451:298-62451:300.

9207310081 Responds to 920707 ltr describing actions of Natl Organization of Test, Research & Training Reactors to independently review & evaluate recent event at Univ of Michigan. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/07/23. MCKIBBEN, J.C. Missouri, Univ. of, Columbia, MO. 2pp. 62585:348-62585:353.

—9207310084 Informs of action taken in conjunction w/ Univ of Michigan re recent occurrence at Univ research reactor. Panel of nationally recognized experts appointed to make independent & thorough review of occurrence. MCKIBBEN, J.C. Missouri, Univ. of, Columbia, MO. 92/07/07. TAYLOR, J.M. Ofc of the Executive Director for Operations. 4pp. 62585:350-62585:353.

### S. Reportable occurrences, LERs & related correspondence

9207290361 Special rept: from 920622-23, reactor operated w/ unreliable radiation monitoring of exhaust stack effluent. Caused by pieces of sheet metal, used as bending vanes, breaking loose & disconnecting from sampling line. Probe reconnected. MEYER, W.A., MCKIBBEN, J.C. Missouri, Univ. of, Rolla, MO. 92/07/20. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62611:264-62611:267.

9207310249 Special rept on 920623, discovered lower than normal chart recorder indication on stack radiation monitor gas channel. Caused by pieces of sheet metal impacting kinetic probe. Tygon tubing connection replaced w/ solid tubing. MEYER, W.A. Missouri, Univ. of, Columbia, MO. 92/07/20. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62618:352-62618:355.

### DOCKET 50-193 RHODE ISLAND & PROVIDENCE PLANTATIONS AEC

### P. Operating license stage documents & correspondence

9207220276 Forwards "SAR for Low Enriched Fuel Conversion of Rhode Island Nuclear Science Ctr Research Reactor." TEHAN, T. Rhode Island, State of. 92/07/17. Document Control Branch (Document Control Desk). 1p. 62474:001-62474:134.

9207290313 Forwards Rev 1 to "SAR for Low Enriched Fuel of Rhode Island Nuclear Science Ctr Research Reactor," per telcon w/ M. Mendonca. Rev updates analysis of LOCA to reflect beamport operational & design considerations. TEHAN, T. Rhode Island, State of. 92/07/23. Document Control Branch (Document Control Desk). 1p. 62611:251-62611:260.

—9207290315 Rev 1 to "SAR for Low Enriched Fuel of Rhode Island Nuclear Science Ctr Research Reactor." \* Rhode Island, State of. 92/07/23. 9pp. 62611:252-62611:260.

### DOCKET 50-201 WEST VALLEY REPROCESSING PLANT

### F. Security, medical, emergency & fire protection plans

9207090094 Rev 1 to EIP-24, "Emergency Preparedness Training Program." LINDBERGH, B.E., SCHIFFHAUER, C., DAMERON, M. West Valley Nuclear Services Co., Inc. 92/06/19. 16pp. 62309:312-62309:327.

9207090156 Rev 3 to EIP-7, "Duties & Responsibilities of Liaison Manager." LINDBERGH, B.E., SCHIFFHAUER, C., DAMERON, M. West Valley Nuclear Services Co., Inc. 92/06/24. 13pp. 62339:233-62339:245.

### P. Operating license stage documents & correspondence

9207140174 Responds to 920323 ltr to JR Wolf suggesting that NRC prescribe threshold limit of transuranic waste to be 100 nCi/g. Staff does not believe rulemaking warranted at this time for listed reasons. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 92/06/08. OLSEN, M.D. Energy, Dept. of, Idaho Operations Office. 2pp. 62336:029-62336:031.

9207150347 Forwards stated documents, in response to 920602 ltr re DOE request for rulemaking on transuranic limit in West Valley Demonstration Project wastes. COMFORT, G.C. Fuel Cycle Safety Branch. 92/07/09. VAUGHAN, R.C. Coalition on West Valley Nuclear Wastes. 2pp. 62412:333-62412:340.

—9207150348 Requests NRC prescription of stds to define transuranic per West Valley Demonstration Project Act. OLSEN, M.D. Energy, Dept. of, Idaho Operations Office. 92/03/23. WOLF, J.R. Office of the General Counsel (Post 860701). 4pp. 62412:335-62412:338.

—9207150349 Responds to 920323 suggestion that NRC prescribe, per West Valley Demonstration Project Act, threshold limit of transuranic wastes to be 100 nCi/g. NRC does not believe rulemaking is warranted at this time for listed reasons. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 92/06/08. OLSEN, M.D. Energy, Dept. of, Idaho Operations Office. 2pp. 62412:339-62412:340.

### DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

9207020010 Forwards FEMA final "Exercise Evaluation Rept for Off-Site Radiological Emergency Plans & Preparedness Ingestion Pathway Exercise at SONGS on 911120." PATE, R.J. Region 5 (Post 820201). 92/06/23. RAY, H.B. Southern California Edison Co. 2pp. 62247:001-62247:066.

—9206160419 Forwards D Kwiatkowski 920528 ltr transmitting FEMA final exercise rept for 911120 ingestion pathway exercise at facility. No deficiencies noted. ERICKSON, R.A. Emergency Preparedness Branch. 92/06/04. PATE, R. Region 5 (Post 820201). 1p. 62247:003-62247:004.

—9206160422 Forwards final rept for 911120 ingestion pathway exercise of radiological emergency response plans site-specific to facility. No deficiencies observed. KWIAKOWSKI, D. Federal Emergency Management Agency. 92/05/28. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 62247:004-62247:004.

-9206170097 Final "Exercise Evaluation Rept of Off-site Radiological Emergency Plans & Preparedness, Ingestion Pathway Exercise on 911120."  
SCOTT, E. Federal Emergency Management Agency. 92/04/24. 57pp. 62247:005-62247:066.

9207220255 Revised "Dept of CA Highway Patrol, Border Division Nuclear Response Plan for the San Onofre Nuclear Generating Station."  
\* Southern California Edison Co. 92/06/30. 53pp. 62471:301-62471:353.

9207210103 Forwards insp repts 50-206/92-16, 50-361/92-16 & 50-362/92-16 on 920424-0603. No violations noted.  
RICHARDS, S.A. Region 5 (Post 820201). 92/07/02. RAY, H.B. Southern California Edison Co. 3pp. 62420:288-62420:306.

-9207210105 Insp repts 50-206/92-16, 50-361/92-16 & 50-362/92-16 on 920424-0603. No violations noted. Major areas inspected: operational safety verification, radiological protection, security, evaluation of plant trips & events.  
WONG, H. Region 5 (Post 820201). 92/07/01. 14pp. 62420:291-62420:306.

9207310153 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used in four applications at facilities.  
ROSENBLUM, R.M. Southern California Edison Co. 92/07/30. Document Control Branch (Document Control Desk). 7pp. 62638:150-62638:156.

#### P. Operating license stage documents & correspondence

9207090300 Documents basis for granting temporary waiver of compliance from TS 3.0.3 re valve actuator maint - safety injection sys w/o fully complying w/TS 3.3.1 re safety injection sys & containment spray sys - operating status.  
KRIEGER, R.W. Southern California Edison Co. 92/06/18. MARTIN, J.B. Region 5 (Post 820201). 5pp. 62341:283-62341:287.

9207010063 Grants temporary waiver of compliance from TS 3.3.1 to allow continued plant operation while replenishing hydraulic oil in accumulator for actuator to valve HV-851A, per 920618 request. Waiver began on 920617 & expired on 920618.  
ZIMMERMAN, R.P. Region 5 (Post 820201). 92/06/19. KRIEGER, R.W. Southern California Edison Co. 3pp. 62230:292-62230:294.

9207020237 Forwards amend 146 to license DPR-13 & safety evaluation. Amend revises TS re ECCS to incorporate specific requirements for operation of recirculation sys.  
KALMAN, G. Project Directorate V. 92/06/24. RAY, H.B. Southern California Edison Co. 8pp. 62203:343-62203:361.

-9207020243 Amend 146 to license DPR-13, revising TS concerning ECCS to incorporate specific requirements for operation of recirculation sys.  
QUAY, T.R. Project Directorate V. 92/06/24. 8pp. 62203:347-62203:354.

-9207020245 Safety evaluation supporting amend 146 to license DPR-13.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/24. 8pp. 62203:355-62203:361.

9207010048 Forwards RWST evaluation update re results of detailed stress evaluation utilizing tank corrosion data.  
ROSENBLUM, R.M. Southern California Edison Co. 92/06/26. Document Control Branch (Document Control Desk). 53pp. 62248:104-62248:158.

9207160065 Forwards amend 147 to license DPR-13 & safety evaluation. Amend increases all owed number of emergency diesel engine start-stop cycles between crankshaft insp from 50 to 70.  
KALMAN, G. Project Directorate V. 92/06/29. RAY, H.B. Southern California Edison Co. 3pp. 62396:123-62396:143.

-9207160069 Amend 147 to license DPR-13, increasing allowed number of emergency diesel engine start-stop cycles between crankshaft insp from 50 to 70.  
QUAY, T.R. Project Directorate V. 92/06/29. 13pp. 62396:126-62396:138.

-9207160071 Safety evaluation supporting amend 147 to license DPR-13.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/29. 5pp. 62396:139-62396:143.

9207020327 Forwards Rev 1 to amend 205, requesting changes to several SONGS, unit 1 TS. Amend changes include TS 3.5.2, "Control Rod Insertion Limits."  
ROSENBLUM, R.M. Southern California Edison Co. 92/06/30. Document Control Branch (Document Control Desk). 6pp. 62249:349-62249:354.

9207160043 Forwards amend 148 to license DPR-13 & safety evaluation. Amend revises TS 3.9.3.3.3 & 3.5.2 TS 3.9 regards MTC min boron concentration in refueling water storage tank & safety injection & control rod insertion limits.  
KALMAN, G. Project Directorate V. 92/07/01. RAY, H.B. Southern California Edison Co. 4pp. 62396:144-62396:162.

-9207160050 Amend 148 to license DPR-13, revising TS 3.9.3.3.3 & 3.5.2 TS 3.9 regards MTC min boron concentration in refueling water storage tank & safety injection & control rod insertion limits.  
QUAY, T.R. Project Directorate V. 92/07/01. 12pp. 62396:148-62396:159.

-9207160057 Safety evaluation supporting amend 148 to license DPR-13.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/01. 3pp. 62396:160-62396:162.

9207150211 Forwards util proposed disposition of open items listed on NRC TAC list dtd 920310. Items include wind & tornado loadings, thermal shield support repair, low temp overpressure protection & exemption from integrated leak rate test.  
ROSENBLUM, R.M. Southern California Edison Co. 92/07/08. Document Control Branch (Document Control Desk). 29pp. 62405:227-62405:256.

9207310199 Forwards amend 15 to Topical Rept SCE-1-A, "QA Program," updating organizational structure, titles & responsibilities as result of senior mgt realignments.  
ROSENBLUM, R.M. Southern California Edison Co. 92/07/27. Document Control Branch (Document Control Desk). 3pp. 62615:226-62615:324.

-9207310211 Amend 15 to Topical Rept SCE-1-A, "QA Program," updating organizational structure, titles & responsibilities as result of senior mgt realignments.  
KATZ, B., RAY, H.B. Southern California Edison Co. 92/07/31. 95pp. 62615:229-62615:324.

#### Q. Inspection reports, IE Bulletins & correspondence

9207010059 Ack receipt of 920612 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-206/92-12, 50-361/92-12 & 50-362/92-12.  
RICHARDS, S.A. Region 5 (Post 820201). 92/06/22. RAY, H.B. Southern California Edison Co. 2pp. 62230:284-62230:289.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207210103 Forwards insp repts 50-206/92-16, 50-361/92-16 & 50-362/92-16 on 920424-0603. No violations noted.  
RICHARDS, S.A. Region 5 (Post 820201). 92/07/02. RAY, H.B. Southern California Edison Co. 3pp. 62420:288-62420:306.

-9207210105 Insp repts 50-206/92-16, 50-361/92-16 & 50-362/92-16 on 920424-0603. No violations noted. Major areas inspected: operational safety verification, radiological protection, security, evaluation of plant trips & events.  
WONG, H. Region 5 (Post 820201). 92/07/01. 14pp. 62420:291-62420:306.

9207210112 Forwards insp rept 50-206/92-21 on 920610-12. No violations noted. No significant concerns w/simulator portion of requalification program identified, but some scenarios had not been adequately validated.  
MILLER, L.F. Region 5 (Post 820201). 92/07/03. RAY, H.B. Southern California Edison Co. 5pp. 62420:345-62420:355.

-9207210117 Insp rept 50-206/92-21 on 920610-12. No violations noted. Major areas inspected: effectiveness of simulator portion of licensed operator requalification training.  
MEADOWS, T. Region 5 (Post 820201). 92/07/03. 6pp. 62420:350-62420:355.

9207220362 Forwards exam rept 50-206/OL-92-01 on 920427-0509. No safety significant issues noted.  
MILLER, L.F. Region 5 (Post 820201). 92/07/08. RAY, H.B. Southern California Edison Co. 3pp. 62472:001-62472:327.

-9207220372 Exam rept 50-206/OL-92-01 on 920427-0509. Exam results: nine of 14 RO candidates passed written & operating portions of exams & six of seven SRO candidates passed written & operating exams.  
MILLER, L.F. Region 5 (Post 820201). 92/06/26. 250pp. 62472:004-62472:327.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207300148 Suppl 880408 & 0503 responses to NRC Bulletin 88-001 re defects in Westinghouse circuit breakers. Control of problem equipment list will be updated to include type of breaker listed in bulletin. List of breakers encl.  
ROSENBLUM, R.M. Southern California Edison Co. 92/07/27. Document Control Branch (Document Control Desk). 3pp. 62638:203-62638:205.

9207310153 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used in four applications at facilities.  
ROSENBLUM, R.M. Southern California Edison Co. 92/07/30. Document Control Branch (Document Control Desk). 7pp. 62638:150-62638:156.

#### R. Periodic operating reports & related correspondence

9207220234 Monthly operating rept for June 1992 for SONGS, Unit 1. W/920714 ltr.  
VITUM, S.L., MEDLING, E.S. Southern California Edison Co. 92/06/30. 7pp. 62473:285-62473:291.

#### S. Reportable occurrences, LERs & related correspondence

9207100264 PNO-V-92-020: on 920628, two major earthquakes occurred in State of CA desert. Unusual event declared at San Onofre & Diablo Canyon. Tremors felt at Palo Verde & at two research reactors & fuel facility. Peak accelerations listed.  
GARCIA, E. Region 5 (Post 820201). 92/06/29. 3pp. 62365:001-62365:003.

9207290255 LER 92-001-00: on 920623, determined that safety injection valve unable to fully close due to mis-positioned actuator accumulator pistons. Caused by inadequate vendor design. Actuator repaired & properly charged. W/920723 ltr.  
KRIEGER, R.W. Southern California Edison Co. 92/07/23. 9pp. 62683:060-62683:068.

#### V. Operator Examinations

9207210112 Forwards insp rept 50-206/92-21 on 920610-12. No violations noted. No significant concerns w/simulator portion of requalification program identified, but some scenarios had not been adequately validated.  
MILLER, L.F. Region 5 (Post 820201). 92/07/03. RAY, H.B. Southern California Edison Co. 5pp. 62420:345-62420:355.

-9207210117 Insp rept 50-206/92-21 on 920610-12. No violations noted. Major areas inspected: effectiveness of simulator portion of licensed operator requalification training.  
MEADOWS, T. Region 5 (Post 820201). 92/07/03. 6pp. 62420:350-62420:355.

## 18 DOCKETED ITEMS

**9207220362** Forwards exam rept 50-206/OL-92-01 on 920427-0509.No safety significant issues noted.  
MILLER,L.F. Region 5 (Post 820201). 92/07/08. RAY,H.B. Southern California Edison Co. 3pp. 62472:001-62472:327.

**-9207220372** Exam rept 50-206/OL-92-01 on 920427-0509.Exam results:nine of 14 RO candidates passed written & operating portions of exams & six of seven SRO candidates passed written & operating exams.  
MILLER,L.F. Region 5 (Post 820201). 92/06/26. 250pp. 62472:004-62472:327.

**9207300047** Forwards guidelines necessary for meeting schedule of RO & SRO retake licensing exams & requalification exams.SRO license reapliactions should be submitted 30-days before retake exam date.  
MILLER,L.F. Region 5 (Post 820201). 92/07/20. RAY,H.B. Southern California Edison Co. 9pp. 62528:042-62528:050.

### DOCKET 50-213 HADDAM NECK PLANT

#### F. Security, medical, emergency & fire protection plans

**9207070291** Rev 22 to "Emergency Plan Haddam Neck Plant."  
BUCH,W.H. Connecticut Yankee Atomic Power Co. 92/06/20. 21pp. 62273:281-62273:301.

**9207070317** Forwards Rev 22 to Haddam Neck Plant emergency plan.Rev reflects annual changes to site emergency plan.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 92/07/02. Document Control Branch (Document Control Desk). 22pp. 62273:320-62273:341.

**9207140037** Responds to NRC 920529 ltr re violations noted in emergency preparedness exercise weakness insp rept 50-213/92-06. Corrective actions:streamline emergency work control processes & allow deployment to radiation areas.  
OPEKA,J.F. DEBARBA,E.A. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 92/07/07. MCCABE,E.C. Emergency Preparedness Branch. 6pp. 62366:340-62366:346.

**9207230053** Forwards procedure ST 11.7-89 "Test of New Switchgear Bldg Radio Repeater/Base Station," in response to 920518 commitment to substantiate that communications sys will be effective during AP R fire.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 92/07/15. Document Control Branch (Document Control Desk). 3pp. 62476:348-62476:359.

**-9207230056** Procedure ST 11.7-89, "Test of New Switchgear Bldg Radio Repeater/Base Station."  
LEBARON,L.E. Connecticut Yankee Atomic Power Co. 92/06/05. 9pp. 62476:351-62476:359.

**9207310103** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Cable Trays & Small Conduits Free from Fire Damage."  
ROMBERG,W.D. Connecticut Yankee Atomic Power Co. 92/07/27. Document Control Branch (Document Control Desk). 13pp. 62612:330-62612:342.

#### H. General correspondence

**9207160081** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9,task DG-1021.Opposes rule.  
OPEKA,J.F. Northeast Utilities. 92/07/06. CHILK,S.J. Office of the Secretary of the Commission. 5pp. 62375:091-62375:095.

#### I. Financial Information

**9207060232** Forwards listing of nuclear engineering & operations & maint budgets & projections for 1993,1994 & 1995.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 92/06/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 62254:354-62254:358.

#### P. Operating license stage documents & correspondence

**9207290100** FOIA request for documents re NRC rept to ACRS concerning Connecticut Yankee Atomic Power Co application for const permit to build Haddam Neck Plant.  
LAWRENCE,J.W. Winston & Strawn. 91/10/24. ROBINSON,L. Division of Freedom of Information & Publications Services (Post 890205). 2pp. 62548:001-62548:004.

**9207290115** Partial response to FOIA request for documents.Forwards app C documents which are being made available in PDR.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/12/19. LAWRENCE,J.W. Winston & Strawn. 3pp. 62548:005-62548:295.

**-9207290118** Forwards 640203 rept concerning util.  
CASE,E.G. Atomic Energy Commission (Pre 750119). 64/02/03. KOUTS,H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62548:008-62548:008.

**-9207290134** Rept to ACRS on Connecticut Yankee Atomic Power Plant,Unit 1.  
\* Atomic Energy Commission (Pre 750119). 64/02/03. 18pp. 62548:009-62548:026.

**-9207290140** Discusses 670224 telcon w/Krent re ACRS Subcommittee meeting on Connecticut Yankee.Addl info provided.  
BOYD,R.S. Atomic Energy Commission (Pre 750119). 67/02/27. ROSEN,M. Atomic Energy Commission (Pre 750119). 2pp. 62548:027-62548:030.

**-9207290147** Rept 3 to ACRS providing addl info re Connecticut Yankee Power Co.  
\* Atomic Energy Commission (Pre 750119). 67/03/09. 24pp. 62548:031-62548:064.

**-9207290156** Informs that based on results of 670321 meeting w/util, NRC agrees w/ position taken by Connecticut Yankee in amend 15 to license.  
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 67/03/28. PALLADINO,N. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62548:065-62548:065.

**-9207290180** Forwards rept on listed reactor w/ref to matter of steel liner,Nelson studs & containment pressure criteria.  
NEWMARK,N.M. Nathan M. Newmark Consulting Engineering Services. 67/04/07. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 1p. 62548:066-62548:070.

**-9207290192** Forwards safety evaluation re proposed issuance of provisional OL authorizing Connecticut Yankee Atomic Power Co to operate Haddam Neck Plant nuclear reactor.  
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 67/05/12. KNAPP,S.R. Connecticut Yankee Atomic Power Co. 1p. 62548:071-62548:071.

**-9207290197** Safety evaluation concluding that Haddam Neck Plant can be operated as proposed w/o endangering health & safety of public.  
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 67/05/11. 45pp. 62548:072-62548:116.

**-9207290206** Forwards rept to ACRS on Connecticut Yankee Atomic Power Co application for full term OL for Haddam Neck plant,for review.  
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 71/01/26. BUSH,S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62548:117-62548:117.

**-9207290210** Rept to ACRS re Connecticut Yankee Atomic Power Co full term OL review.  
\* Atomic Energy Commission (Pre 750119). 71/01/26. 61pp. 62548:118-62548:178.

**-9207290274** Forwards status of thirty four items of interest identified by Subcommittee concerning Connecticut Yankee Atomic Power Co application for full term license on 710113.  
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 71/02/22. BUSH,S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62548:179-62548:179.

**-9207290277** Suppl 1 to rept to ACRS dtd 710126.  
\* Atomic Energy Commission (Pre 750119). 71/02/22. 13pp. 62548:180-62548:192.

**-9207290281** Safety evaluation accepting performance of Connecticut Yankee Atomic Power Co including qualifications of support group & administrative controls established to maintain level of competence of operating personnel.  
\* Atomic Energy Commission (Pre 750119). 71/07/01. 20pp. 62548:193-62548:212.

**-9207290292** Suppl to safety evaluation approving design & performance of reactor plant & competence of operating organization.  
\* Atomic Energy Commission (Pre 750119). 74/12/27. 83pp. 62548:213-62548:295.

**9207080150** Application for amend to License DPR-61, revising TS Section 3/4.6.1 to provide temporary relaxation of containment integrity spec to allow svc water side of #4 containment air recirculation fan HX & motor HX to be cleaned.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 92/06/25. Document Control Branch (Document Control Desk). 13pp. 62276:313-62276:328.

**-9207080155** Proposed Tech Specs Section 3/4.6.1 re containment integrity.  
\* Connecticut Yankee Atomic Power Co. 92/06/25. 3pp. 62276:326-62276:328.

**9207060100** Summary of 920616 meeting w/util in King of Prussia,PA re progress in identifying & correcting root causes of operator performance issues at facility,noted during last SALP period.List of attendees & mgt status meeting handout encl.  
BLOUGH,A.R. Project Directorate IV. 92/06/26. OPEKA,J. Connecticut Yankee Atomic Power Co. 1p. 62250:230-62251:051.

**9207060238** Forwards notice of consideration of issuance of amend to license DPR-61 & proposed NSHC determination & opportunity for hearing re proposed amend to provide temporary relaxation of containment integrity spec.  
WANG,A.B. Project Directorate I-4. 92/06/29. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 62209:049-62209:061.

**-9207060240** Notice of consideration of issuance of amend to license DPR-61 & proposed NSHC determination & opportunity for hearing.Amend provides temporary relaxation of containment integrity specification.  
WANG,A.B. Project Directorate I-4. 92/06/29. 11pp. 62209:051-62209:061.

**9207140272** Responds to NRC SER re conformace to Rev 2 to Reg Guide 1.97 re variables for containment pressure & containment hydrogen monitoring,transmitted via 920413 ltr.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 92/07/06. Document Control Branch (Document Control Desk). 15pp. 62385:067-62385:081.

**9207150236** Forwards proposed,supplemental changes to Rev 15 to QA program topical rept QAP-10.0 re oversight activities of quality svcs personnel.  
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 92/07/06. Document Control Branch (Document Control Desk). 8pp. 62415:295-62415:302.

**9207160218** Responds to Rev 1 to GL 92-01, "Reactor Vessel Structural Integrity 10CFR50.54(f)."  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. OPEKA,J.F. Northeast Nuclear Energy Co. 92/07/06. Document Control Branch (Document Control Desk). 57pp. 62423:188-62423:242.

**9207130122** Summary of 920618 meeting w/util in Berlin,CT re licensing issues of general interest.Attendees list & outline of topics discussed encl.  
JAFEE,D.H. Project Directorate I-4. 92/07/08. Project Directorate I-4. 150pp. 62374:121-62374:270.

**9207170192** Discusses 10CFR50.54 QA program change review.Effectiveness of QA program & procedure implementation will continue to be subj of routine regional insps.  
BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/08. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62431:349-62431:351.

**9207150191** Forwards marked-up, revised updated FSAR Table 3.2-1, "Classification of Structures, Sys & Components," per NRC 920124 ltr re closeout & status of various SEP issues.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 92/07/08. Document Control Branch (Document Control Desk). 18pp. 62429:281-62429:298.

**9207170199** Suppls 900125 response to Generic Ltr 89-13 re svc water sys problems affecting safety-related equipment. Design basis flow rates verified through each HX during previous refueling outage.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 92/07/09. Document Control Branch (Document Control Desk). 10pp. 62456:256-62456:265.

**9207170131** Determines that submitted info sought to be withheld contains trade secrets/proprietary commercial info & will be withheld from public disclosure pursuant to 10CFR2.790(b)(5) of Atomic Energy Act of 1954 as amended.  
STOLZ,J.F. Project Directorate I-4. 92/07/13. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 62413:200-62413:204.

**9207220003** Clarifies info re spent fuel pool, per 920618 NRC/Northeast Utils counter-parts meeting. At present, only Millstone Unit 3 spent fuel pool not utilizing full complement of spent fuel storage racks.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 92/07/15. Document Control Branch (Document Control Desk). 2pp. 62473:268-62473:269.

**9207220413** Advises that util 920709 response to generic ltr 89-13, "Svc Water Sys Problems Affecting Safety-Related Equipment" acceptable. Util opened ISAP topic to evaluate future hardware mods that may result from generic ltr suggestions.  
WANG,A. Project Directorate I-4. 92/07/16. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 62445:327-62445:328.

**9207280274** Advises that util 920615 proposed rev 15 to QA program topical rept acceptable, per 10CFR50.54(a). Effectiveness of QA program & procedure implementation will continue to be subj of routine regional insps.  
BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/21. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62497:139-62497:141.

**9207310152** Forwards info to further clarify proposed 1993 App J mods for Type C testing of penetration P-8, per util 920507 ltr.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 92/07/25. Document Control Branch (Document Control Desk). 9pp. 62612:352-62612:360.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207060100** Summary of 920616 meeting w/util in King of Prussia, PA re progress in identifying & correcting root causes of operator performance issues at facility, noted during last SALP period. List of attendees & mgt status meeting handout encl.  
BLOUGH,A.R. Project Directorate IV. 92/06/26. OPEKA,J. Connecticut Yankee Atomic Power Co. 1p. 62250:230-62251:051.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140037** Responds to NRC 920529 ltr re violations noted in emergency preparedness exercise weakness insp rept 50-213/92-06. Corrective actions: streamline emergency work control processes & allow deployment to radiation areas.  
OPEKA,J.F., DEBARBA,E.A. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 92/07/07. MCCABE,E.C. Emergency Preparedness Branch. 6pp. 62386:340-62386:346.

**9207170192** Discusses 10CFR50.54 QA program change review. Effectiveness of QA program & procedure implementation will continue to be subj of routine regional insps.  
BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/08. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62431:349-62431:351.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207140207** Accepts 890228 response to NRC Bulletin 88-11, "Pressurizer Surge Line Thermal Stratification." TAC M72136 closed.  
STOLZ,J.F. Project Directorate I-4. 92/07/09. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62375:353-62375:355.

**9207170022** Forwards safety insp rept 50-213/92-10 on 920420-0526. No violations noted.  
BLOUGH,A. Region 1 (Post 820201). 92/07/10. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62387:054-62387:060.

**-9207170027** Insp rept 50-213/92-10 on 920420-0526. No violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, licensee self-assessment & periodic repts.  
DOERFLEIN,L.T. Region 1 (Post 820201). 92/07/10. 24pp. 62387:057-62387:080.

**9207310103** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Cable Trays & Small Conduits Free from Fire Damage."  
ROMBERG,W.D. Connecticut Yankee Atomic Power Co. ROMBERG,W.D. Northeast Nuclear Energy Co. ROMBERG,W.D. Northeast Utilities. 92/07/27. Document Control Branch (Document Control Desk). 13pp. 62612:330-62612:342.

#### R. Periodic operating reports & related correspondence

**9207200206** Monthly operating rept for June 1992 for Connecticut Yankee Haddam Neck Plant. W/920715 ltr.  
BIGALBAL,M.W., BAIN,M.P., STETZ,J.P. Connecticut Yankee Atomic Power Co. 92/06/30. 10pp. 62449:318-62449:327.

**9207200152** Forwards info requested in 920608 ltr re stack characteristics & climatology for plants, including joint frequency distribution of wind direction, wind speed & stability for 1990 & 1991 at sites.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 92/07/13. TICHLER,J. Brookhaven National Laboratory. 6pp. 62447:126-62447:221.

**-9207200160** "CPDR MI Dose Data Requirements for 1990," including wind speed/wind direction/stability joint frequency distribution for Haddam Neck Plant.  
\* Connecticut Yankee Atomic Power Co. 90/12/31. 18pp. 62447:132-62447:149.

**-9207200344** "CPDR MI Dose Data Requirements for 1991," including wind speed/wind direction/stability joint frequency distribution for Haddam Neck Plant.  
\* Connecticut Yankee Atomic Power Co. 91/12/31. 17pp. 62447:150-62447:167.

**-9207200349** "CPDR MI Dose Data Requirements for 1990," including wind speed/wind direction/stability joint frequency distribution for Millstone Nuclear Power Station.  
\* Northeast Nuclear Energy Co. 90/12/31. 18pp. 62447:168-62447:194.

**-9207200352** "CPDR MI Dose Data Requirements for 1991," including wind speed/wind direction/stability joint frequency distribution for Millstone Nuclear Power Station.  
\* Northeast Nuclear Energy Co. 91/12/31. 26pp. 62447:195-62447:221.

#### S. Reportable occurrences, LERs & related correspondence

**9207140002** LER 90-025-02: on 901101, determined that terminations on auxiliary feed-water flow transmitters may not have performed their function. Caused by assumptions of design basis analysis. Transmitters added. W/920702 ltr.  
LEBARON,L.E., STETZ,J.P. Connecticut Yankee Atomic Power Co. 92/07/02. 6pp. 62437:177-62437:182.

**9207230025** LER 92-014-00: on 920608, test of svc water filters indicated that rate of debris accumulation on filter elements caused differential pressure across filter to reach max allowable in approx two minutes. New procedure created. W/920707 ltr.  
KASUGA,R., STETZ,J.P. Connecticut Yankee Atomic Power Co. 92/07/07. 6pp. 62586:339-62586:344.

**9207170235** Special rept on 900807, 901113 & 901127 EDG failed to reach speed of 900 rpm. No evidence of deficiency or matl degradation which could have caused slow starting problems experienced.  
STETZ,J.P. Connecticut Yankee Atomic Power Co. 92/07/09. Document Control Branch (Document Control Desk). 2pp. 62436:264-62436:265.

**9207290082** LER 92-017-00: on 920627, AO failed to perform hourly fire watch on both EDG rooms. Caused by personnel error. Operator counseled on need to remain aware of responsibilities & lessons learned reviewed w/operators. W/920721 ltr.  
BINKOWSKI,M., STETZ,J.P. Connecticut Yankee Atomic Power Co. 92/07/21. 5pp. 62683:055-62683:059.

**9207290106** LER 92-016-00: on 920625, fresh air intake ventilation sys for DGs determined to be partially blocked. Cause of event still under investigation. South access doors opened to allow cross ventilation through rooms. W/920721 ltr.  
DERRIG,M., STETZ,J.P. Connecticut Yankee Atomic Power Co. 92/07/21. 4pp. 62587:291-62587:294.

**9207290129** LER 92-015-00: on 920623, both trains of svc water headers declared inoperable due to excessive fouling rates of svc water strainers. SWP strainer A cleaned & returned to svc & SWP D replaced. W/920721 ltr.  
HOMER,L., STETZ,J.P. Connecticut Yankee Atomic Power Co. 92/07/21. 5pp. 62587:301-62587:305.

#### V. Operator Examinations

**9207170181** Forwards exam forms A & B, answer key for A & B exams, exam summary & candidates individual answer sheets from 920610 generic fundamentals exam section. Results should be forwarded to applicants. W/o encl.  
BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/08. RUTH,B. Connecticut Yankee Atomic Power Co. 2pp. 62430:355-62430:356.

#### DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

#### F. Security, medical, emergency & fire protection plans

**9207080071** Forwards resident safety insp rept 50-219/92-12 on 920503-0806. Inspector observations during rept period indicate activities conducted were safe & conservative.  
BLOUGH,A.R. Region 1 (Post 820201). 92/06/26. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 62218:167-62218:198.

**-9207080077** Resident safety insp rept 50-219/92-12 on 920503-0806. Conducted activities were safe & conservative. Major areas inspected: plant operations, radiation protection, maint & surveillance & engineering & technical support.  
ROGGE,J. Region 1 (Post 820201). 92/06/24. 33pp. 62218:171-62218:198.

**9207160356** Ack receipt of 920605 ltr transmitting Rev 30 to security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan.  
JOYNER,J.H. Region 1 (Post 820201). 92/07/10. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 62423:309-62423:311.

**9207280150** Notification of significant licensee meeting 92-121 w/util on 920728 to discuss security program commitments.  
ROGGE,J. Region 1 (Post 820201). 92/07/16. Region 1 (Post 820201). 2pp. 62489:091-62489:092.

#### P. Operating license stage documents & correspondence

**9207020290** Responds to NRC request for addl info on questions re OCNPP fuel assemblies.  
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 92/06/24. Document Control Branch (Document Control Desk). 2pp. 62234:327-62234:328.



## 20 DOCKETED ITEMS

**9207020145** Updates plans to address IGSCC during upcoming Cycle 14R refueling outage.  
DEVINE,J.C. General Public Utilities Corp. - GPU Service Corp. 92/06/26. Document Control Branch (Document Control Desk). 3pp. 62219:352-62219:354.

**9207060029** Discusses review of response to generic ltr 88-20,suppl 4,re IPEEE.Selected IPEEE methods acceptable.Submittal schedule not acceptable.Requests that schedule be reassessed & results reported no later than 920818.  
DROMERICK,A.W. Project Directorate I-4. 92/06/30. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 62204:222-62204:224.

**9207080337** Responds to GL 92-01,Rev 1, "Reactor Vessel Structural Integrity."  
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 92/06/30. Document Control Branch (Document Control Desk). 6pp. 62291:356-62291:361.

**9207140042** Responds to request for addl info re request for relief from requirements of ASME XI for Class 3 piping repair.  
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 92/07/02. Document Control Branch (Document Control Desk). 4pp. 62380:325-62380:328.

**9207160008** Notification of 920716 meeting w/utl in Forked River,NJ to discuss status of licensing activities for facility.  
BROMERICK,A.W. Project Directorate I-4. 92/07/07. STOLZ,J.F. Project Directorate I-4. 3pp. 62396:199-62396:201.

**9207090317** Forwards SER re implementation of NUREG-0619,concluding that proposal is not acceptable re effectiveness of UT sys to detect thermal fatigue cracks that are 0.172 inch in depth.  
DROMERICK,A.W. Project Directorate I-4. 92/07/08. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 62293:336-62293:345.

**-9207090332** Safety evaluation concluding that proposal is not acceptable to eliminate future NUREG-0619 routine PT examinations.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/08. 7pp. 62293:339-62293:345.

**9207100287** Forwards safety evaluation denying util 920421 request for relief from commitment to perform stress improvement on certain nonisolable isolation condenser piping.  
STOLZ,J.F. Project Directorate I-4. 92/07/08. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 62364:346-62364:350.

**-9207100292** Safety evaluation denying request for schedular relief from commitment to perform piping stress improvement for IGSCC resistance of isolation condenser piping.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/08. 3pp. 62364:348-62364:350.

**9207170125** Notification of 920723 meeting w/utl in Rockville,MD to discuss matters re insp of Feedwater & Control Rod Drive Return Line Nozzles.  
DROMERICK,A.W. Project Directorate I-4. 92/07/13. STOLZ,J.F. Project Directorate I-4. 2pp. 62413:198-62413:199.

**9207200181** Responds to SBO SSER finding re util response to original SBO SER concerning loss of ventilation.  
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 92/07/14. Document Control Branch (Document Control Desk). 2pp. 62451:315-62451:316.

**9207280104** Forwards completed survey forms re deterioration & repair of concrete in nuclear plant facilities to assist NRC in development of concrete repair manual for concrete structures,per NRC 920311 ltr.  
DEVINE,J.C. General Public Utilities Corp. - GPU Service Corp. 92/07/20. Document Control Branch (Document Control Desk). 17pp. 62566:229-62566:245.

**9207280142** Discusses 920221 mgt meeting re acceptability of several assumptions made in reassessment of Suppl 3 valves.Requests responses to ltr & licensee planned action re issue.  
ANDERSON,C.J. Region 1 (Post 820201). 92/07/20. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 62488:083-62488:085.

**9207290222** Summary of 920716 progress review meeting w/utl re status of licensing actions.List of attendees & marked-up project manager rept encl.  
DROMERICK,A.W. Project Directorate I-4. 92/07/24. Project Directorate I-4. 11pp. 62557:311-62557:321.

### Q. Inspection reports, IE Bulletins & correspondence

**9207080071** Forwards resident safety insp rept 50-219/92-12 on 920503-0606.Inspector observations during rept period indicate activities conducted were safe & conservative.  
BLOUGH,A.R. Region 1 (Post 820201). 92/06/26. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 62218:167-62218:198.

**-9207080077** Resident safety insp rept 50-219/92-12 on 920503-0606. Conducted activities were safe & conservative.Major areas inspected:plant operations,radiation protection,maint & surveillance & engineering & technical support.  
ROGGE,J. Region 1 (Post 820201). 92/06/24. 33pp. 62218:171-62218:198.

**9206230183** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070055** Forwards safety insp rept 50-219/92-10 on stated dates beginning on 920429.No violations noted.Informs that process re engineering program undertaken by licensee,major commitment & good initiative.  
ANDERSON,C. Region 1 (Post 820201). 92/06/29. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 62205:136-62205:144.

**-9207070058** Safety insp rept 50-219/92-10 on stated dates beginning on 920429.No violations noted.Major areas inspected:design changes & mods,on site & corporate engineering interface & design basis document reconstitution progress.  
GREGG,H.L., EAPEN,P.K. Region 1 (Post 820201). 92/06/24. 7pp. 62205:138-62205:144.

**9207060046** Advises that licensee program commitments re UT insp of plant drywell containment,acceptable.  
DROMERICK,A.W. Project Directorate I-4. 92/06/30. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 62209:028-62209:030.

**9207170024** Forwards insp rept 50-219/92-13 on 920610-11.Licensed operator evaluations observed found adequate.  
BETTENHAUSEN,L. Region 1 (Post 820201). 92/06/30. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 62387:045-62387:053.

**-9207170029** Insp rept 50-219/92-13 on 920610-11.Licensed operator evaluations found adequate.Major areas inspected:operator evaluations which used noncertified plant ref simulator during factory acceptance testing.  
BONNETT,F.P., CONTE,R.J. Region 1 (Post 820201). 92/06/30. 6pp. 62387:048-62387:053.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140052** Responds to NRC ltr re violations noted in insp rept 50-219/92-08.Corrective actions:operator involved in procedure violation disqualified,operating shift crews lectured on mgt's expectations re human performance issues.  
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 92/07/02. Document Control Branch (Document Control Desk). 3pp. 62380:322-62380:324.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207170021** Forwards insp rept 50-219/92-80 on 920504-0605 & notice of violation.Insp team concluded that plant capable of performing safety function.  
HODGES,M.W. Region 1 (Post 820201). 92/07/09. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 62387:002-62387:044.

**-9207170023** Notice of violation from insp on 920504-0605.Violation noted:on 920605,no test programs established for functional tests of battery main breakers,static battery chargers, rotary battery chargers & inverters.  
\* Region 1 (Post 820201). 92/07/09. 1p. 62387:005-62387:005.

**-9207170025** Insp rept 50-219/92-80 on 920504-0605.Violations noted.Major areas inspected:functionality of electrical distribution sys.  
BEALL,J.E., ANDERSON,C.J. Region 1 (Post 820201). 92/07/08. 388pp. 62387:006-62387:044.

**9207210122** Ack receipt of 920618 ltr informing NRC of steps taken to correct violations noted in insp 50-219/92-07.  
BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/14. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 62421:001-62421:006.

**9207230049** Ack receipt of 920615 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-219/92-04.  
BLOUGH,A.R. Region 1 (Post 820201). 92/07/16. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 62482:244-62482:250.

**9207230052** Ack receipt of 920702 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-219/92-08.  
BLOUGH,A.R. Region 1 (Post 820201). 92/07/16. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 62497:321-62497:326.

### R. Periodic operating reports & related correspondence

**9207200198** Monthly operating rept for June 1992 for Oyster Creek Generating Station.W/920714 ltr.  
BRADLEY,E., EGAN,D., BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 92/06/30. 7pp. 62449:311-62449:317.

**9207310170** Submits results of review of util 920622 ltr transmitting description & safety evaluation summary for certain changes to procedures & mods to plant for 1991,per 10CFR50.59.SE summaries lacking basis listed in encl.  
TOSCH,K.W. New Jersey, State of. 92/07/21. Document Control Branch (Document Control Desk). 4pp. 62613:355-62613:358.

### S. Reportable occurrences, LERs & related correspondence

**9207280257** Part 21 rept re cracking of stellite 21 hardfacing on guide nose of poppets supplied as part of MSIV leakage improvement mod.Initially reported by CLEI on 920522.Recommends that liquid penetrant exam be performed.  
SHIELDS,S.N. Atwood & Morrill Co., Inc. 92/06/24. BERLINGER NRC - No Detailed Affiliation Given. 4pp. 62568:340-62568:344.

**9207140080** LER 92-007-00:on 920610,reactor scram occurred during reactor startup.Caused by failed bypass switch.Plant placed in cold shutdown condition & both bypass switches replaced. W/920708 ltr.  
MUNZING,L., BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 92/07/06. 5pp. 62437:195-62437:199.

**9207170151** LER 92-008-00:on 920608,one isolation condenser became inoperable requiring TS required shutdown.Caused by packing leak on V-14-33 attributed to scored stem.Stem stoned & smoothed & valve repacked & returned to svc.W/920708 ltr.  
CERVENKA,P., BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 92/07/08. 4pp. 62437:347-62437:350.

## V. Operator Examinations

**9207170024** Forwards insp rept 50-219/92-13 on 920610-11. Licensed operator evaluations observed found adequate.  
BETTENHAUSEN, L. Region 1 (Post 820201). 92/06/30. BARTON, J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 62387:045-62387:053.

**-9207170029** Insp rept 50-219/92-13 on 920610-11. Licensed operator evaluations found adequate. Major areas inspected: operator evaluations which used noncertified plant ref simulator during factory acceptance testing.  
BONNETT, F.P., CONTE, R.J. Region 1 (Post 820201). 92/06/30. 6pp. 62387:048-62387:053.

## DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

## F. Security, medical, emergency &amp; fire protection plans

**9207020295** Forwards "Evacuation Travel Time Estimates for JA FitzPatrick/Nine Mile Point Emergency Planning Zone."  
SALMON, H.P., FIRLIT, J.F. Power Authority of the State of New York (New York Power Authority). 92/06/17. Document Control Branch (Document Control Desk). 2pp. 62242:001-62242:162.

**-9207020297** "Evacuation Travel Time Estimates for JA FitzPatrick/Nine Mile Point Emergency Planning Zone."  
Parsons, Brinckerhoff, Quada & Douglas, Inc. 92/02/29. 200pp. 62242:002-62242:162.

**9207010088** Forwards insp repts 50-220/92-12 & 50-410/92-14 on stated date. No violations noted.  
COWGILL, C.J. Region 1 (Post 820201). 92/06/19. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 62143:267-62143:295.

**-9207010090** Insp repts 50-220/92-12 & 50-410/92-14 on stated date. No violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, emergency planning, security & safety assessment/quality verification.  
NICHOLSON, L.E. Region 1 (Post 820201). 92/06/19. 26pp. 62143:270-62143:295.

**9207210147** Notification of significant licensee meeting 92-111 w/util on 920708 to discuss physical security plan changes during const work.  
NICHOLSON, L.E. Region 1 (Post 820201). 92/06/30. Region 1 (Post 820201). 3pp. 62421:098-62421:100.

**9207280007** Responds to NRC 920617 ltr re fire protection sys & accusations contained in ltr. Fire protection sys at facility designed, installed, tested & maintained per NFPA codes & stds. Pipe fitters routinely used to install piping.  
SYLVIA, B.R. Niagara Mohawk Power Corp. 92/07/15. HEHL, C.W. Region 1 (Post 820201). 2pp. 62562:317-62562:318.

**9207300263** Rev 9 to Site Emergency Procedure S-EAP-3, "Emergency Personnel Action Procedures." W/920717 ltr.  
FIRLIT, J.F., DAHLBERG, K.S., MCCORMICK, M.J. Niagara Mohawk Power Corp. 92/07/17. 191pp. 62592:065-62592:255.

**9207300179** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys." Thermo-Lag 330 not installed at cable trays at either facility. Subj fire barrier sys installed in listed conduits in missile barrier encl in DG Room 103.  
TERRY, C.D. Niagara Mohawk Power Corp. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62593:017-62593:018.

## H. General correspondence

**9207200302** Responds to 920617 ltr to D Rathbun, requesting info for constituent, F Adelsperger, on requirements for small businesses supplying technical svcs to nuclear power facilities.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/07/02. WALSH, J.T. House of Rep. 6pp. 62421:238-62421:252.

**-9207200306** Forwards 920420 constituent ltr raising addl questions on requirements for small businesses supplying technical svcs to plants.  
WALSH, J.T. House of Rep. 92/06/17. RATHBUN, D. Office of Congressional Affairs (Post 911117). 5pp. 62421:244-62421:248.

**-9207200311** Requests, on behalf of constituent, F Adelsperger of Adelsperger Associates, info on policies affecting small businesses.  
WALSH, J.T. House of Rep. 92/05/07. RATHBUN, D. Office of Congressional Affairs (Post 911117). 3pp. 62421:249-62421:251.

**-9207200314** Responds to 920507 ltr to D Rathbun, requesting info for constituent, F Adelsperger, on policies affecting opportunities for small business.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/02. WALSH, J.T. House of Rep. 1p. 62421:252-62421:252.

## J. Insurance &amp; Indemnity Information

**9207260086** Corrects apparent clerical error in either Amend 12 or Amend 18 to Indemnity Agreement B-36. Amend 12 did not comport w/ form of indemnity agreement per 10CFR140.92, App B prior to 1989 amendments to regulation.  
WILSON, G.D. Niagara Mohawk Power Corp. 92/07/23. Document Control Branch (Document Control Desk). 2pp. 62567:037-62567:038.

## K. Utility Final Safety Analysis Report (FSAR) &amp; amendments

**9207020001** Forwards Rev 10 to "Nine Mile Point Nuclear Station Unit 1 FSAR (Updated)." Vols 1-4 & annual 10CFR50.59 safety evaluation summary rept of changes to facility design, FSAR (updated), procedures, tests & experiments.  
FIRLIT, J.F. Niagara Mohawk Power Corp. 92/06/29. Document Control Branch (Document Control Desk). 68pp. 62278:001-62278:207.

**-9207020002** Rev 10 to "Nine Mile Point Nuclear Station Unit 1 FSAR (Updated)." Vols 1 through 4.  
Niagara Mohawk Power Corp. 92/06/30. 3,400pp. 62278:067-62278:207.

## P. Operating license stage documents &amp; correspondence

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-9207080291** Summary of 880628-29 NRC senior mgt meeting. Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl.  
STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.

**-9207090059** Provides summary of NRC discussions re Nine Mile Point 1 at 880628 & 29 senior managers meeting. Facility was categorized as requiring close monitoring.  
STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. ENDRIES, J. Niagara Mohawk Power Corp. 2pp. 62324:073-62324:074.

**-9207090086** Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting.  
STELLO, V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.

**-9207090114** Provides Commission w/summary of discussions held at 890517-18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting. Details withheld.  
STELLO, V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

**-9207090146** Provides Commission w/summary of discussions held at 900612-13 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900627 Commission meeting. Portions of discussion summary partially withheld.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/06/21. CARR, ROBERTS, ROGERS Commissioners (Post 750119). 34pp. 62324:183-62324:217.

**-9207090237** Provides Commission w/summary of discussions held at 910108-09 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 910124 Commission meeting. Details withheld.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/01/17. CARR, ROGERS, CURTISS Commissioners (Post 750119). 36pp. 62324:218-62324:253.

**-9207090248** Provides summary of discussions held at 910604-05 NRC senior mgt meeting & ltrs to be sent to licensees of plants on problem plant list that will be discussed at 910620 Commission meeting. Details withheld.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/06/14. CARR, ROGERS, CURTISS Commissioners (Post 750119). 42pp. 62324:254-62324:297.

**-9207100371** Provides Commission w/summary of discussions held at 900122-23 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900215 Commission meeting.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/02/02. CARR, ROBERTS, ROGERS Commissioners (Post 750119). 38pp. 62324:144-62324:182.

**9207020323** Advises that licensee response to Generic Ltr 88-20, Suppl 4 re IPEEE submittal schedule & selected methods acceptable.  
CAPRA, R.A. Project Directorate I-1. 92/06/29. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 62194:056-62194:059.

**9207070044** Forwards amend 129 to license DPR-63 & safety evaluation. Amend revises TS 3.4.3/4.4.3 to define operating conditions under which spec applies.  
BRINKMAN, D.S. Project Directorate I-1. 92/06/29. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 62237:326-62237:339.

**-9207070047** Amend 129 to license DPR-63, revising TS 3.4.3 & 4.4.3 to define operating conditions under which spec applies.  
CAPRA, R.A. Project Directorate I-1. 92/06/29. 7pp. 62237:329-62237:335.

**-9207070051** Safety evaluation supporting amend 129 to license DPR-63.  
Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/29. 4pp. 62237:336-62237:339.

**9207100007** Forwards rept entitled, "Response to NRC GL 92-01 for Nine Mile Point Unit 1," in response to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity" & commitments in response to GL 88-11.  
TERRY, C.D. Niagara Mohawk Power Corp. 92/07/02. Document Control Branch (Document Control Desk). 2pp. 62428:001-62428:077.

**-9207100009** "Response to GL 92-01 for Nine Mile Point Unit 1."  
MANAHAN, M.P. MPM Research & Consulting. SOONG, Y. Niagara Mohawk Power Corp. 92/06/12. 74pp. 62428:003-62428:077.

**9207140252** Withdraws request for priority TS amend, transmitted via 920331 & 0513 ltrs to allow operation of potentially uncoupled control rod 22-31 for remainder of Cycle 10.  
SYLVIA, B.R. Niagara Mohawk Power Corp. 92/07/07. Document Control Branch (Document Control Desk). 1p. 62380:321-62380:321.

**9207150054** Forwards rev to scheduler exemption, granted by NRC 920320 ltr re testing of emergency condenser condensate return line valves, per 10CFR50, App J. Extension allows worker radiation exposure reductions, detailed in 911212 ltr, to be maintained.  
TERRY, C.D. Niagara Mohawk Power Corp. 92/07/09. Document Control Branch (Document Control Desk). 7pp. 62392:343-62392:349.

**9207220357** Forwards notice of withdrawal of application for amend to license DPR-63. Proposed change would have modified plant TS re operation for remainder of Cycle 10 w/control rod 22-31 potentially uncoupled. Record copy.  
BRINKMAN, D.S. Project Directorate I-1. 92/07/13. SYLVIA, B.R. Niagara Mohawk Power Corp. 3pp. 62477:026-62477:030.

**9207220357** Forwards notice of withdrawal of application for amend to license DPR-63. Proposed change would have modified plant TS re operation for remainder of Cycle 10 w/control rod 22-31 potentially uncoupled.  
BRINKMAN, D.S. Project Directorate I-1. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 62443:344-62443:350.



## 22 DOCKETED ITEMS

-9207220364 Notice of withdrawal of application for amend to license DPR-63. Proposed amend would have revised TS re operation for remainder of Cycle 10 w/control rod 22-31 potentially uncoupled.  
BRINKMAN,D.S. Project Directorate I-1. 92/07/13. 3pp. 62443:348-62443:350.

9207240188 Forwards "TER for Evaluation of ODCM Rev 8 Nine Mile Point Nuclear Station, Unit 1."  
BRINKMAN,D.S. Project Directorate I-1. 92/07/13. SYLVIA,B.R. Niagara Mohawk Power Corp. 2pp. 62479:089-62479:123.

-9206030130 "TER for Evaluation of ODCM Rev 8 Nine Mile Point Nuclear Station, Unit 1."  
YOUNG,T.E. EG&G Idaho, Inc. FIN D-6034. EGG-PHY-10286. 92/05/31. NRC - No Detailed Affiliation Given. 32pp. 62479:091-62479:123.

9207210284 Forwards notice of environ assessment & finding of no significant impact re rev to scheduler exemption granted in Commission ltr dtd 920320 relieving certain requirements in 10CFR50, app J.  
CAPRA,R.A. Project Directorate I-1. 92/07/15. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 62438:269-62438:277.

-9207210299 Environ assessment & finding of no significant impact re request for rev to scheduler exemption granted in Commission 920320 ltr concerning relief from certain requirements of 10CFR50, app J.  
CAPRA,R.A. Project Directorate I-1. 92/07/15. 6pp. 62438:271-62438:277.

9207280007 Responds to NRC 920617 ltr re fire protection sys & accusations contained in ltr. Fire protection sys at facility designed, installed, tested & maintained per NFPA codes & stds. Pipe fitters routinely used to install piping.  
SYLVIA,B.R. Niagara Mohawk Power Corp. 92/07/15. HEHL,C.W. Region 1 (Post 820201). 2pp. 62562:317-62562:318.

9207240180 Submits info re hardships associated w/non-intrusive testing in response to NRC 920611 RAI concerning util 911008 & 920526 relief requests CTS-RR-2, CS-RR-1 & EDGCW-RR-1, respectively.  
TERRY,C.D. Niagara Mohawk Power Corp. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62498:352-62498:353.

9207290267 Advises that util presently undertaking actions to streamline & simplify process & procedures which implement work control monitoring program, as followup to 920311 & 0622 ltrs.  
SYLVIA,B.R. Niagara Mohawk Power Corp. 92/07/23. Document Control Branch (Document Control Desk). 1p. 62590:349-62590:349.

9207310090 Lists leak rate values obtained by 10CFR50, App J testing of emergency condenser return line valves.  
TERRY,C.D. Niagara Mohawk Power Corp. 92/07/24. Document Control Branch (Document Control Desk). 2pp. 62612:321-62612:322.

### Q. Inspection reports, IE Bulletins & correspondence

9207010088 Forwards insp repts 50-220/92-12 & 50-410/92-14 on stated date. No violations noted.  
COWGILL,C.J. Region 1 (Post 820201). 92/06/19. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 62143:267-62143:295.

-9207010090 Insp repts 50-220/92-12 & 50-410/92-14 on stated date. No violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, emergency planning, security & safety assessment/quality verification.  
NICHOLSON,L.E. Region 1 (Post 820201). 92/06/19. 26pp. 62143:270-62143:295.

9207080064 Forwards insp repts 50-220/92-17 & 50-410/92-19 on 920615-19. Radiological controls in use at unit 1 during maint outage determined to be very good. Violation noted.  
JOYNER,J.H. Region 1 (Post 820201). 92/06/25. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 62218:343-62218:352.

-9207080067 Notice of violation from insp on 920615-19. Violation noted: workers performed wire brushing in reactor cavity at direction of contractor supervisor w/o first informing radiation protection.  
\* Region 1 (Post 820201). 92/06/25. 1p. 62218:346-62218:346.

-9207080075 Insp repts 50-220/92-17 & 50-410/92-19 on 920615-19. Violations noted. Major areas inspected: licensee radiological protection programs during outage & normal operations including mgt organization, ALARA & radiological controls.  
FURIA,J., PASCIAK,W. Region 1 (Post 820201). 92/06/22. 6pp. 62218:347-62218:352.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. App. 62480:018-62480:021.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. App. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207230185 Forwards Exam Rept 50-220/92-14OL administered during wk of 920608.  
BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/17. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 62498:046-62498:253.

-9207230184 Exam Rept 50-220/92-14OL on 920608-12. Exam results: SRO & five RO applicants passed both portion of exams. One RO did not pass written exam.  
HANSELL,S., CONTE,R.J. Region 1 (Post 820201). 92/07/15. 200pp. 62498:049-62498:253.

9207230155 Suppls 911216 response to NRC Bulletin 88-008 re emergency condenser sys, based on discovery of significant fatigue cracks in limited number of components in emergency condenser sys. List summarizing results of NDE exams, encl.  
TERRY,C.D. Niagara Mohawk Power Corp. 92/07/20. Document Control Branch (Document Control Desk). 11pp. 62496:319-62496:329.

9207280141 Forwards insp rept 50-220/92-82 & 50-410/92-82 on 920622-26 & notice of violations.  
HODGES,M.W. Region 1 (Post 820201). 92/07/20. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 62489:056-62489:082.

-9207280148 Notice of violation from insp on 920622-26. Violation noted: preventative maint procedures N1-EMP-GEN-R120 did not provide sufficient detail for qualified individual to perform steps verified MOV torque switch dial settings.  
\* Region 1 (Post 820201). 92/07/20. 1p. 62489:059-62489:059.

-9207280155 Insp repts 50-220/92-82 & 50-410/92-82 on 920622-26. Violations noted. Insp summary: final scope of valves to be included in program not completed at time of insp.  
TRAPP,J.M., ANDERSON,C.J. Region 1 (Post 820201). 92/07/21. 23pp. 62489:060-62489:082.

9207300179 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys." Thermo-Lag 330 not installed at cable trays at either facility. Subj fire barrier sys installed in listed conduits in missile barrier encl in DG Room 103.  
TERRY,C.D. Niagara Mohawk Power Corp. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62593:017-62593:019.

9207290030 Ack receipt of 920622 ltr & payment for civil penalty proposed by NRC in 920521 ltr. Corrective actions will be examined during future insps.  
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 92/07/28. SYLVIA,B.R. Niagara Mohawk Power Corp. 1p. 62508:017-62508:017.

### R. Periodic operating reports & related correspondence

9207270196 Monthly operating rept for June 1992 for NMPNS unit 1. W/920708 ltr.  
COLEMAN,D.E., DAHLBERG,K.A. Niagara Mohawk Power Corp. 92/06/30. 5pp. 62516:279-62516:283.

### S. Reportable occurrences, LERs & related correspondence

9207280065 PNO-I-92-044: on 920721, eight operators at unit 1 & three non-licensed operators at unit 2 falsified operator rounds records. Operators suspended from site access w/pay. Issue generated media interest & region 1 responded to inquiries.  
SCHMIDT,W., NICHOLSON,L. Region 1 (Post 820201). 92/07/21. 2p. 62488:111-62488:112.

### V. Operator Examinations

9207230185 Forwards Exam Rept 50-220/92-14OL administered during wk of 920608.  
BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/17. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 62496:046-62496:253.

-9207230184 Exam Rept 50-220/92-14OL on 920608-12. Exam results: SRO & five RO applicants passed both portion of exams. One RO did not pass written exam.  
HANSELL,S., CONTE,R.J. Region 1 (Post 820201). 92/07/15. 200pp. 62498:049-62498:253.

### DOCKET 50-223 UNIV. OF LOWELL RESEARCH REACTOR

#### F. Security, medical, emergency & fire protection plans

9207160195 Forwards insp rept 50-223/92-01 on 920601-03. No violations noted.  
JOYNER,J.H. Region 1 (Post 820201). 92/07/09. KEGEL,G. Massachusetts, Univ. of Boston, MA. 3pp. 62413:330-62413:337.

-9207160203 Insp rept 50-223/92-01 on 920601-03. No violations noted. Major areas inspected: radiation protection program staffing, audits & oversight, monitoring equipment, signs & postings & implementation of emergency plan.  
DRAGOUN,T., HOLMES,S., BORES,R. Region 1 (Post 820201). 92/07/08. 5pp. 62413:333-62413:337.

### Q. Inspection reports, IE Bulletins & correspondence

9207160195 Forwards insp rept 50-223/92-01 on 920601-03. No violations noted.  
JOYNER,J.H. Region 1 (Post 820201). 92/07/09. KEGEL,G. Massachusetts, Univ. of Boston, MA. 3pp. 62413:330-62413:337.

-9207160203 Insp rept 50-223/92-01 on 920601-03. No violations noted. Major areas inspected: radiation protection program staffing, audits & oversight, monitoring equipment, signs & postings & implementation of emergency plan.  
DRAGOUN,T., HOLMES,S., BORES,R. Region 1 (Post 820201). 92/07/08. 5pp. 62413:333-62413:337.

### DOCKET 50-228 AEROTEST RADIOGRAPHY & RESEARCH REACTOR

### Q. Inspection reports, IE Bulletins & correspondence

9207130147 Discusses advisability of frequent fuel element insps. No TS requirements exist for fuel element insps. Proposes that 20% insps of fuel elements take place each yr. Altered procedure will responsibly address both sides of dialogue.  
SIMENS,H.G. Aerotest Operations, Inc. 92/08/25. MENDONCA,M.M. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 2pp. 62375:242-62375:243.

**R. Periodic operating reports & related correspondence**

**9207280285** Forwards "Annual Summary of Changes, Tests & Experiments Performed at Aerotest Radiography & Research Reactor," for period ending 920630. New 13 cubic feet demineralizer installed in demineralizer stage.  
FIGUEREDO, D.E. Aerotest Operations, Inc. 92/07/10. SCARANO, R. Region 5 (Post 820201). 1p. 62497:174-62497:178.

**-9207280286** "Annual Summary of Changes, Tests & Experiments Performed at Aerotest Radiography & Research Reactor," for period ending 920630.  
FIGUEREDO, D.E., SIMENS, H.G. Aerotest Operations, Inc. 92/06/30. 4pp. 62497:175-62497:178.

**DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2****F. Security, medical, emergency & fire protection plans**

**9207070305** Revised EIPs, including rev 1 to CEPIP-2000, rev 2 to CEPIP-2032 & rev 0 to CEPIP-2021-01.  
\* Commonwealth Edison Co. 92/06/19. 50pp. 62269:001-62269:051.

**9207020260** Forwards Rev 40 to security plan. Rev withheld (ref 10CFR73.21).  
KOVACH, T.J. Commonwealth Edison Co. 92/06/23. Document Control Branch (Document Control Desk). 1p. 62425:357-62425:357.

**9207090260** Forwards Insp Repts 50-237/92-18 & 50-249/92-18 on 920616-23. No violations noted.  
BARGER-MCCORMICK Region 3 (Post 820201). 92/07/02. REED, C. Commonwealth Edison Co. 2pp. 62340:340-62340:349.

**-9207090265** Insp Repts 50-237/92-18 & 50-249/92-18 on 920616-23. No violations noted. Major areas inspected: emergency preparedness program including followup on actual emergency plan activities & status of emergency preparedness program.  
SIMONS, H., BARGER-MCCORMICK Region 3 (Post 820201). 92/07/02. 8pp. 62340:342-62340:349.

**9207210008** Rev 02 to EPIP 0720-S13, "Augmentation Call List."  
SHARPER, D., KUCZYNSKI, J. Commonwealth Edison Co. 92/07/02. 27pp. 62471:151-62471:177.

**9207280001** Ack receipt of 920521 ltr transmitting Rev 41 to security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable.  
PEDERSON, C.D. Region 3 (Post 820201). 92/07/15. KOVACH, T.J. Commonwealth Edison Co. 1p. 62584:290-62584:290.

**9207280087** Ack receipt of 920623 ltr transmitting Rev 40 to plant security plan submitted per 10CFR50.54(p). NRC determined that changes acceptable.  
PEDERSON, C.D. Region 3 (Post 820201). 92/07/15. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62488:213-62488:214.

**9207280161** Ack receipt of 920429 ltr forwarding final rpt for Oct 1991 exercise of off-site radiological emergency response plans for unit. No deficiencies noted & twelve areas requiring corrective actions identified.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/16. REED, C. Commonwealth Edison Co. 2pp. 62489:110-62489:224.

**-9205290181** Forwards final exercise rpt for 911009 joint exercise of offsite radiological emergency response plans site-specific to plant.  
KWIATKOWSKI, D. Federal Emergency Management Agency. 92/04/29. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 2pp. 62489:112-62489:112.

**-9205290185** Joint Exercise Rpt for Dresden Nuclear Power Station.  
\* Federal Emergency Management Agency. 92/03/24. 112pp. 62489:113-62489:224.

**9207280206** Forwards Insp Repts 50-237/92-15 & 50-249/92-15 on 920615-19 & 23. No violations noted.  
CREED, J.R. Region 3 (Post 820201). 92/07/22. REED, C. Commonwealth Edison Co. 2pp. 62489:343-62489:346.

**-9207280215** Partially withheld physical Insp Repts 50-237/92-15 & 50-249/92-15 on 920615-19 & 23 (ref 10CFR73.21). No violations noted. Major areas inspected: mgt support, protected & vital area physical barriers & power supply.  
MADEDA, T.J., BELANGER, J.L., CREED, J.R. Region 3 (Post 820201). 92/07/22. 2pp. 62489:345-62489:346.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities. Compensatory measures implemented.  
JACKSON, M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

**9207310132** Rev 6a to Dresden Generating Station Emergency Plan Station Annex.  
\* Commonwealth Edison Co. 92/07/31. 28pp. 62657:263-62657:313.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9207130183** Rev 10 to updated FSAR for Dresden Nuclear Power Station, Units 2 & 3. W/920707 ltr.  
PIET, P.L. Commonwealth Edison Co. 92/07/07. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 135pp. 62380:036-62380:198.

**P. Operating license stage documents & correspondence**

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-9207080152** Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting.  
STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.

**-9207080257** Provides details of discussion re Dresden during 871117 & 18 NRC senior managers meeting. Facility was categorized as requiring continued close monitoring.  
STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. O'CONNOR, J.J. Commonwealth Edison Co. 2pp. 62324:027-62324:028.

**-9207080291** Summary of 880628-29 NRC senior mgt meeting. Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl.  
STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. ZECH, ROBERTS, CARR Commissioners (Post 750119). 2pp. 62324:052-62324:053.

**-9207090069** Provides summary of NRC discussions re Dresden at 880628 & 29 senior managers meeting. Facility was categorized as requiring continued close monitoring.  
STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. O'CONNOR, J.J. Commonwealth Edison Co. 1p. 62324:078-62324:078.

**-9207090086** Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting.  
STELLO, V. Ofc of the Executive Director for Operations. 88/12/13. ZECH, ROBERTS, CARR Commissioners (Post 750119). 30pp. 62324:081-62324:110.

**-9207090114** Provides Commission w/summary of discussions held at 890517-18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting. Details withheld.  
STELLO, V. Ofc of the Executive Director for Operations. 89/05/24. ZECH, ROBERTS, CARR Commissioners (Post 750119). 72pp. 62324:111-62324:143.

**9207020284** Responds to 920212 staff requirements memo re performance of util plants.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. SECY-92-228. 92/06/25. 18pp. 62465:207-62465:224.

**9207060293** Forwards amends 115 & 112 to licenses DPR-19 & DPR-25, respectively & safety evaluation. Amends revise TS to reflect mod to fast acting solenoid valves which initiate rapid closure of TCV.  
SIEGEL, B.L. Project Directorate III-2. 92/06/29. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62243:099-62243:125.

**-9207060297** Amends 115 & 112 to licenses DPR-19 & DPR-25, respectively, revising TS to reflect mod to fast acting solenoid valves which initiate rapid closure of TCV.  
BARRETT, R.J. Project Directorate III-2. 92/06/29. 20pp. 62243:101-62243:120.

**-9207060300** Safety evaluation supporting amends 115 & 112 to licenses DPR-19 & DPR-25, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/29. 5pp. 62243:121-62243:125.

**9207090155** Application for amends to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, changing TS to reflect util efforts to upgrade TS 3/4.9 re auxiliary electrical sys to provide assurance that adequate supply of power available during plant conditions.  
PIET, P.L. Commonwealth Edison Co. 92/06/29. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 62339:246-62339:339.

**-9207090157** Proposed TS Section 3/4.9 re auxiliary electrical sys.  
\* Commonwealth Edison Co. 92/06/29. 82pp. 62339:258-62339:339.

**9207080029** Submits results of operability determination to evaluate effects of setpoint changes for second level undervoltage setpoints for 4 kV safety buses. Setpoints on Div 1, second level undervoltage relays reset to 3,835 volts for Unit 2.  
PIET, P.L. Commonwealth Edison Co. 92/06/30. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62305:342-62305:343.

**9207090357** Discusses 920615-16 meeting re plants categorized as requiring close monitoring & have been identified as having weaknesses that warrant increased NRC attention from both Headquarters & Regional ofc until performance improves.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/30. O'CONNOR, J.J. Commonwealth Edison Co. 4pp. 62269:296-62269:299.

**9207070068** Submits supplemental info for 920507 amend to licenses DPR-19, DPR-25, DPR-29, DPR-30, DPR-39, DPR-48, NPF-11, NPF-18, NPF-37, NPF-66, NPF-72 & NPF-77, per NRC request. Revised TS re rev of onsite review of procedures encl.  
SIMPSON, T.W. Commonwealth Edison Co. 92/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 62267:020-62267:089.

**-9207070089** Supplemental proposed tech specs proposing to change administrative controls sections of TS, submitted as supplement to original request w/info necessary to complete review.  
\* Commonwealth Edison Co. 92/07/01. 49pp. 62267:041-62267:089.

**9207090112** Responds to request for addl info to ensure that licensee complies w/ 10CFR50.60 & 10CFR50.61 regulatory requirements & that they fulfill commitments made in response to generic ltr 88-11.  
JACKSON, M.A. Commonwealth Edison Co. 92/07/01. Document Control Branch (Document Control Desk). 67pp. 62308:267-62308:333.

**9207090188** Confirms plans to conduct mgt meeting on 920717 at plant site to discuss progress on several radwaste improvement items. Meeting initially scheduled on 920630.  
GREENMAN, E.G. Region 3 (Post 820201). 92/07/01. REED, C. Commonwealth Edison Co. 2pp. 62295:356-62295:357.

**9207080306** Advises that pressure-temp conditions at nonconservative hydrotest temp provided sufficient margin against crack initiation & continued plant operation of Unit 2 w/Unit 3 curves conservative, per Generic Ltr 88-11.  
PIET, P.L. Commonwealth Edison Co. 92/07/02. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62271:352-62271:353.

**9207170059** Forwards response to 920611 RAI related to second-level undervoltage setpoints.  
PIET, P.L. Commonwealth Edison Co. 92/07/10. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 62458:309-62458:313.

## 24 DOCKETED ITEMS

**9207200234** Forwards environ assessment & finding of no significant impact for one time scheduled exemption from 10CFR50, App J, sections III.D.2(A) & III.D.3 (type B & C local leak rate tests), per 920527 request. SIEGEL, B.L. Project Directorate III-2. 92/07/14. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62426:344-62426:351.

**-9207200238** Environ assessment & finding of no significant impact for scheduled exemption from 10CFR50, App J, sections III.D.2(A) & III.D.3 (type B & C local leak rate tests). SIEGEL, B.L. Project Directorate III-2. 92/07/14. 6pp. 62426:346-62426:351.

**9207220009** Forwards response to NRC 920520 telcon request for addl info re resolution of single failure vulnerabilities associated w/combustible gas control. Nitrogen inerting sys used to establish inert atmosphere following outages. SCHRAGE, J.L. Commonwealth Edison Co. 92/07/15. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62473:292-62473:295.

**9207280107** Discusses Dresden oversight team visit on 920623-25. Interviews conducted & documentation reviewed, positive initiatives implemented but problems still evident. MARTIN, T.O. Region 3 (Post 820201). 92/07/20. REED, C. Commonwealth Edison Co. 9pp. 62497:038-62497:046.

**9207300067** Forwards nonproprietary GE-NE-187-37-0991, "Shroud Support Access Hole Cover SER for Dresden & Quad Cities" to suppl 920221 proprietary submittal, as result of GE Svcs Info Ltr (SIL) 462 & associated suppl. SCHRAGE, J.L. Commonwealth Edison Co. 92/07/21. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 62619:303-62619:344.

**-9207300073** Nonproprietary GE-NE-187-37-0991, "Shroud Support Access Hole Cover SER for Dresden & Quad Cities." CHI, L.L., MEHTA, H.S., NGE. General Electric Co. GE-NE-187-37-0991. 91/09/30. 35pp. 62619:310-62619:344.

**9207290144** Confirms plans to hold meeting on 920724 to discuss recent util organizational decisions. GREENMAN, E.G. Region 3 (Post 820201). 92/07/22. REED, C. Commonwealth Edison Co. 2pp. 62506:182-62506:183.

**9207310018** Confirms plans for 920807 meeting in Glen Ellyn, IL to discuss plant performance. GREENMAN, E.G. Region 3 (Post 820201). 92/07/27. REED, C. Commonwealth Edison Co. 1p. 62549:063-62549:063.

### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207080004** Requests NRC concurrence for crediting manual operator action for closure of 1/2-inch primary containment particulate sampling sys primary containment isolation valves, per Insp Repts 50-237/90-23 & 50-249/90-23. PIET, P.L. Commonwealth Edison Co. 92/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 62278:305-62278:312.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207090260** Forwards Insp Repts 50-237/92-18 & 50-249/92-18 on 920616-23. No violations noted. BARGER-MCCORMIC Region 3 (Post 820201). 92/07/02. REED, C. Commonwealth Edison Co. 2pp. 62340:340-62340:349.

**-9207090265** Insp Repts 50-237/92-18 & 50-249/92-18 on 920616-23. No violations noted. Major areas inspected: emergency preparedness program including followup on actual emergency plan activities & status of emergency preparedness program. SIMONS, H., BARGER-MCCORMIC Region 3 (Post 820201). 92/07/02. 8pp. 62340:342-62340:349.

**9207090340** Forwards Special Insp Repts 50-237/92-13 & 50-249/92-13 on 920401-0528. Violations noted. CLAYTON, B. Region 3 (Post 820201). 92/07/02. REED, C. Commonwealth Edison Co. 2pp. 62341:267-62341:282.

**-9207090343** Notice of violation from insp on 920401-0528. Violation noted: work instructions of activities affecting quality not appropriate to circumstances or did not include appropriate quantitative or qualitative acceptance criteria. CLAYTON, B. Region 3 (Post 820201). 92/07/02. 2pp. 62341:269-62341:270.

**-9207090344** Special Insp Repts 50-237/92-13 & 50-249/92-13 on 920401-0528. Violation noted. Major areas inspected: quality of work requests, adequacy of work instructions & post-maint testing. KNOP, R.C. Region 3 (Post 820201). 92/07/02. 12pp. 62341:271-62341:282.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207150028** Forwards insp repts 50-237/92-17 & 50-249/92-17 on 920622-25. No violations noted. RING, M.A. Region 3 (Post 820201). 92/07/10. REED, C. Commonwealth Edison Co. 2pp. 62335:034-62335:045.

**-9207150034** Insp repts 50-237/92-17 & 50-249/92-17 on 920622-25. No violations or deviations noted. Major areas inspected: erosion/corrosion program. SCHAPIER, J.F., WARD, K.D., JACOBSON, J.M. Region 3 (Post 820201). 92/07/09. 10pp. 62335:036-62335:045.

**9207280288** Forwards insp repts 50-237/92-16 & 50-249/92-16 on 920616-22. Noncited violations noted. SCHUMACHER, M.C. Region 3 (Post 820201). 92/07/21. REED, C. Commonwealth Edison Co. 2pp. 62497:179-62497:187.

**-9207280290** Insp repts 50-237/92-16 & 50-249/92-16 on 920616-22. No violations noted. Major areas inspected: liquid & gaseous radwaste program. KUNOWSKI, M.A., JANUSKA, A.G., SCHUMACHER, M.C. Region 3 (Post 820201). 92/07/21. 7pp. 62497:181-62497:187.

**9207280208** Forwards insp repts 50-237/92-15 & 50-249/92-15 on 920615-19 & 23. No violations noted. CREED, J.R. Region 3 (Post 820201). 92/07/22. REED, C. Commonwealth Edison Co. 2pp. 62489:343-62489:346.

**-9207280215** Partially withheld physical insp repts 50-237/92-15 & 50-249/92-15 on 920615-19 & 23 (ref 10CFR73.21). No violations noted. Major areas inspected: mgt support, protected & vital area physical barriers & power supply. MADEA, T.J., BELANGER, J.L., CREED, J.R. Region 3 (Post 820201). 92/07/22. 2pp. 62489:345-62489:346.

**9207280319** Forwards insp repts 50-237/92-14 & 50-249/92-14 & notice of violation. Certain activities appearing to be violations not cited because criteria, as specified, were satisfied. CLAYTON, B. Region 3 (Post 820201). 92/07/22. REED, C. Commonwealth Edison Co. 2pp. 62497:282-62497:304.

**-9207280324** Notice of violation from insp on 920529-0706. Violation noted: procedure SP 91-6-70 re EDG consumption test, was not type appropriate to circumstances on 920623. CLAYTON, B. Region 3 (Post 820201). 92/07/22. 2pp. 62497:284-62497:285.

**-9207280345** Insp repts 50-237/92-14 & 50-249/92-14 on 920529-0706. Violations noted. Major areas inspected: followup of previously identified items & LERs, review of operational safety & monthly maint. CLAYTON, B. Region 3 (Post 820201). 92/07/22. 19pp. 62497:286-62497:304.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities. Compensatory measures implemented. JACKSON, M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

### R. Periodic operating reports & related correspondence

**9207070164** Forwards errata to 1990 & 1991 annual environ operating repts for LaSalle. DIEDERICH, G.J. Commonwealth Edison Co. 92/06/26. DAVIS, A.B. Region 3 (Post 820201). 1p. 62265:318-62265:322.

**-9207070214** Errata to "1990 LaSalle Annual Environ Operating Rept." \* Commonwealth Edison Co. 90/12/31. 2pp. 62265:319-62265:320.

**-9207070220** Errata to "1991 LaSalle Annual Environ Operating Rept." \* Commonwealth Edison Co. 91/12/31. 2pp. 62265:321-62265:322.

**9207070227** Forwards errata to 1990 & 1991 annual environ operating repts for Dresden Station. SCHROEDER, C.W. Commonwealth Edison Co. 92/06/26. DAVIS, A.B. Region 3 (Post 820201). 1p. 62273:302-62273:312.

**-9207070233** Errata to "1990 Dresden Annual Environ Operating Rept." \* Commonwealth Edison Co. 90/12/31. 5pp. 62273:303-62273:307.

**-9207070237** Errata to "1991 Dresden Annual Environ Operating Rept." \* Commonwealth Edison Co. 91/12/31. 5pp. 62273:308-62273:312.

**9207140316** Monthly operating repts for June 1992 for Dresden Nuclear Power Station. W/920701 ltr. MAXWELL, D.C., SCHROEDER, C.W. Commonwealth Edison Co. 92/06/30. 59pp. 62380:199-62380:257.

**9207070170** Forwards errata to 1990 & 1991 annual environ operating repts for Byron Nuclear Station. PLENIEWICZ, R. Commonwealth Edison Co. 92/07/07. DAVIS, A.B. Region 3 (Post 820201). 1p. 62265:352-62265:358.

**-9207070185** Errata to "1990 Byron Annual Environ Operating Rept." \* Commonwealth Edison Co. 90/12/31. 3pp. 62265:353-62265:355.

**-9207070192** Errata to "1991 Byron Annual Environ Operating Rept." \* Commonwealth Edison Co. 91/12/31. 3pp. 62265:356-62265:358.

### S. Reportable occurrences, LERs & related correspondence

**9207280190** LER 89-029-03: on 891023, evaluation of HPCI sys discharge piping revealed elevated discharge piping temps. Caused by RFW sys backleakage into HPCI discharge piping. Standby valve lineup revised for HPCI. W/920708 ltr. CHURILLA, M., SCHROEDER, C.W. Commonwealth Edison Co. 89/11/22. 26pp. 62567:210-62567:235.

**9207130134** PNO-III-92-039: on 920701, annunciators on four control room panels lost three times in 5 s period. Caused by movement of spare cables in preparation for major mod. Add operator stationed in control room to monitor instrumentation. KNOP, R., CLAYTON, B. Region 3 (Post 820201). 92/07/01. 2pp. 62366:250-62366:251.

**9207140208** LER 92-018-00: on 920618, primary sys isolation valve closures occurred due to RWCU sys isolations. RWCU sys reset & restarted. Further investigation re un-planned RWCU pump trip will be performed. W/920708 ltr. NEAL, K.H., SCHROEDER, C.W. Commonwealth Edison Co. 92/07/07. 8pp. 62437:249-62437:254.

9207310051 LER 91-031-01: on 910921, CRD R-10 failed to latch during daily/weekly CRD exercise due to collet piston binding. All originally installed CRDs removed. W/ 920708 ltr. RAVELO, W., SCHROEDER, C.W. Commonwealth Edison Co. 92/07/08. 9pp. 62683:168-62683:174.

9207220154 LER 92-019-00: on 920624, discovered that 2/3 core height containment spray interlock had been rendered inoperable due to surveillance testing conflict. Instrument Maint First Line Supervisor counseled. W/ 920715 ltr. RUND, J., SCHROEDER, C.W. Commonwealth Edison Co. 92/07/15. 5pp. 62481:154-62481:158.

9207220144 LER 92-020-00: on 920626, informed that Unit 2 reactor vessel exceeded design basis due to non-conservative pressure-temp curves. Caused by incorrect Tech Spec curves. Listed procedures revised. W/ 920716 ltr. WHITMAN, G., SCHROEDER, C.W. Commonwealth Edison Co. 92/07/16. 5pp. 62481:144-62481:148.

9207300033 LER 92-023-00: on 920702, NSO received computer alarm indicating that reactor recirculation sample valve had closed. Caused by blown fuse. Fuse was replaced & readings taken to see if fuse adequately sized. W/ 920720 ltr. SKOGLUND, R.R., SCHROEDER, C.W. Commonwealth Edison Co. 92/07/20. 5pp. 62587:348-62587:352.

9207310080 LER 92-022-00: on 920701, intermittent audible & visual alarms received, indicating momentary losses of power to annunciators on main control room panels. Caused by loose power supply fuse. Annunciator cards replaced. W/ 920724 ltr. KARABA, P.J., SCHROEDER, C.W. Commonwealth Edison Co. 92/07/24. 5pp. 62683:079-62683:083.

#### V. Operator Examinations

9207090342 Discusses generic fundamentals exam section of operator licensing exam, administered on 920610. Master BWR/PWR subj exam w/answer key encl for info. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

9207310032 Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

#### DOCKET 50-241 MISSISSIPPI STATE UNIV. RESEARCH REACTOR

#### P. Operating license stage documents & correspondence

9207090086 Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting. STELLO, V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.

#### DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9207090120 Revised EOPs, including Rev 1 to ATT, Rev 2 to ATT, Rev 8 to AP-SW.1, Rev 6 to FR-S.1 & Rev 11 to FR-H.1. W/ 920626 ltr. MECREDDY, R.C. Rochester Gas & Electric Corp. 92/06/26. JOHNSON, A.R. Project Directorate I-3. 79pp. 62309:001-62309:079.

9207090179 Revised EPIPs, including rev 8 to EIP 1-0, rev 9 to EIP 1-5, rev 4 to EIP 1-14, rev 1 to EIP 1-15, rev 2 to EIP 4-7, rev 2 to EIP 5-1, rev 4 to EIP 5-2 & rev 1 to EIP 5-9. W/ 920626 ltr. MECREDDY, R.C. Rochester Gas & Electric Corp. 92/06/26. JOHNSON, A.R. Project Directorate I-3. 70pp. 62341:001-62341:170.

9207130234 Forwards request for addl info re util responses to reg guide 1.97, Rev 3 on conformance w/emergency response capability. JOHNSON, A.R. Project Directorate I-3. 92/07/07. MECREDDY, R.C. Rochester Gas & Electric Corp. 10pp. 62338:013-62338:022.

9207210022 Notification of significant licensee meeting 92-117 w/util on 920728 to discuss staff briefing of security program upgrades. LAZARUS, W.J. Region 1 (Post 820201). 92/07/13. Region 1 (Post 820201). 3pp. 62419:231-62419:233.

9207310156 Forwards completed ERDS survey questionnaire, per Rev 1 to NUREG-1384 re ERDS implementation, consisting of quality codes & descriptions for plant process computer sys at facility. MECREDDY, R.C. Rochester Gas & Electric Corp. 92/07/20. JOHNSON, A.R. Project Directorate I-3. 7pp. 62613:348-62613:354.

#### P. Operating license stage documents & correspondence

9207060004 Forwards application for amend to License DPR-18, revising TS 4.3.1 per guidance provided in Generic Ltr 91-01, "Removal of Schedule for Withdrawal of Reactor Vessel Matl Specimens from TS." SMITH, R.E. Rochester Gas & Electric Corp. 92/06/22. JOHNSON, A.R. Project Directorate I-3. 1p. 62250:068-62250:074.

9207060005 Application for amend to License DPR-18, revising TS 4.3.1 per guidance provided in Generic Ltr 91-01, "Removal of Schedule for Withdrawal of Reactor Vessel Matl Specimens from TS." SMITH, R.E. Rochester Gas & Electric Corp. 92/06/22. 2pp. 62250:068-62250:070.

9207060006 Proposed TS 4.3.1 re reactor vessel matl surveillance testing. Rochester Gas & Electric Corp. 92/06/22. 4pp. 62250:071-62250:074.

9207060157 Discusses licensee 911226 response to generic ltr 88-20, suppl 4, "Individual Plant Exams for External Events." Recommends that licensee update IPEEE plans to be consistent w/approaches provided in NUREG-1407. JOHNSON, A.R. Project Directorate I-3. 92/06/30. MECREDDY, R.C. Rochester Gas & Electric Corp. 4pp. 62242:225-62242:228.

9207060334 Forwards response to GL 92-01, Rev 1 re reactor vessel structural integrity. B&W Rept BAW-2166, "B&WOG Response to GL 92-01" also encl. MECREDDY, R.C. Rochester Gas & Electric Corp. 92/07/02. JOHNSON, A.R. Project Directorate I-3. 7pp. 62305:046-62305:103.

9207130234 Forwards request for addl info re util responses to reg guide 1.97, Rev 3 on conformance w/emergency response capability. JOHNSON, A.R. Project Directorate I-3. 92/07/07. MECREDDY, R.C. Rochester Gas & Electric Corp. 10pp. 62338:013-62338:022.

9207130194 Informs that licensee response period found in error & should coincide w/ 120 day response period requested by NRC after issuance of FSAR on SQUIG generic implementation procedure (Rev 2), issued on 920522. JOHNSON, A.R. Project Directorate I-3. 92/07/08. HERNAN, R. Project Directorate I-4. 1p. 62338:001-62338:001.

9207210022 Notification of significant licensee meeting 92-117 w/util on 920728 to discuss staff briefing of security program upgrades. LAZARUS, W.J. Region 1 (Post 820201). 92/07/13. Region 1 (Post 820201). 3pp. 62419:231-62419:233.

#### Q. Inspection reports, IE Bulletins & correspondence

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207060096 Advises that violation inappropriately cited against failure to follow procedures & should be withdrawn & violation of inadequate corrective action would be issued, per 911227 telcon. Corrective actions for violation found adequate. HODGES, M.W. Region 1 (Post 820201). 92/06/29. MECREDDY, R.C. Rochester Gas & Electric Corp. 4pp. 62218:079-62218:166.

9207060101 Forwards requested documentation for CAR 2010, documenting & tracking corrective action & root cause analysis for undervoltage relays 27 & 27B being called below TS figure 2.3-1, per 911227 telcon. ADAMS, S.T. Rochester Gas & Electric Corp. 91/12/27. DURR, J. Region 1 (Post 820201). 84pp. 62218:084-62218:166.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207090160 Provides update of progress re evaluation & enhancement of hydraulic flow balancing of service water sys for util in response to NRCs SWSOP team rept 50-244/91-201 dtd 920130. MECREDDY, R.C. Rochester Gas & Electric Corp. 92/07/02. JOHNSON, A.R. Project Directorate I-3. 4pp. 62341:301-62341:304.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207220304 Accepts requested actions of Bulletin 89-001, Supplement 2, "Failure of Westinghouse Steam Generator Tube Mechanical Plugs." Advises that TAC M73172 closed. JOHNSON, A.R. Project Directorate I-3. 92/07/15. MECREDDY, R.C. Rochester Gas & Electric Corp. 3pp. 62453:342-62453:344.

9207220306 Accepts requested actions of Bulletin 89-001, Items 1 & (2)d, "Failure of Westinghouse Steam Generator Tube Mechanical Plugs." Advises that TAC M73172 closed. JOHNSON, A.R. Project Directorate I-3. 92/07/15. MECREDDY, R.C. Rochester Gas & Electric Corp. 3pp. 62453:345-62453:347.

9207300086 Supplements 920615 ltr re NRC staff review of addl info provided in util 920504 ltr for Violation C & Example 5 to Violation A, identified in insp rept 50-244/92-02. HEHL, C.W. Region 1 (Post 820201). 92/07/21. MECREDDY, R.C. Rochester Gas & Electric Corp. 3pp. 62528:094-62528:117.

#### R. Periodic operating reports & related correspondence

9207220319 Monthly operating rept for June 1992 for GNPP. W/ 920715 ltr. DODGE, R.E., MECREDDY, R.C. Rochester Gas & Electric Corp. 92/06/30. 5pp. 62474:222-62474:226.

#### S. Reportable occurrences, LERs & related correspondence

9207230070 Special rept on 920702, containment (CNMT) Sump A actuation received due to svc water leak inside containment. Alternatives to redesign & replacement of CNMT recirculation fan cooling coils will be considered during 1994 outage. MECREDDY, R.C. Rochester Gas & Electric Corp. 92/07/16. Document Control Branch (Document Control Desk). 4pp. 62476:308-62476:311.

## 26 DOCKETED ITEMS

### V. Operator Examinations

**9207170175** Forwards exam forms A & B, answer key for A & B exams, exam summary & candidates individual answer sheets from 920610 generic fundamentals exam session. Results should be forwarded to applicants w/o encl.  
BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/08. CARROLL, R. Rochester Gas & Electric Corp. 2pp. 62425:359-62425:360.

### DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9207010235** Revised EIPs, including rev 16 to EIP 4211, "On-Call Procedure" & Rev 10 to EIP 4610, "Communications - Radiopaging & Callback Monthly Drill."  
\* Northeast Nuclear Energy Co. 92/06/24. 47pp. 62224:192-62224:239.

**9207150074** Forwards safety insp repts 50-245/92-17, 50-336/92-19 & 50-423/92-17. No violations noted.  
ANDERSON, C. Region 1 (Post 820201). 92/07/06. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 62335:088-62335:097.

**-9207150078** Insp repts 50-245/92-17, 50-336/92-19 & 50-423/92-17 on 920608-12. No violations noted. Major areas inspected: standby, starting, operating & shutdown & maint of emergency diesel generator units.  
WOODARD, C.H. Region 1 (Post 820201). 92/07/01. 7pp. 62335:091-62335:097.

**9207230058** Reviews 920210 response to NRC SER on EOPs for containment flood alternative methodology. Region 1 & NRR consider alternative methodology acceptable w/one stated mod. Action resolves unresolved item in Insp Rept 50-245/89-19.  
HODGES, M.W. Region 1 (Post 820201). 92/07/17. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 62524:182-62524:184.

**9207280204** Forwards draft exercise controller manual for onsite emergency preparedness partial participation exercise at facilities scheduled on 920915, for NRC review. Comments requested by 920814. W/o encl.  
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 92/07/17. MCCABE, E.C. Region 1 (Post 820201). 2pp. 62562:124-62562:125.

**9207280224** Forwards insp repts 50-245/92-13, 50-336/92-14 & 50-423/92-13 on 920503-0613 & forwards notice of violation. Good performance noted for several activities, including actions to address static pressure effects of Veritrac transmitters.  
BLOUGH, A.R. Region 1 (Post 820201). 92/07/22. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 62497:070-62497:107.

**-9207280256** Insp repts 50-245/92-13, 50-336/92-14 & 50-423/92-13 on 920503-0613. Violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, security, outage activities & licensee self-assessment.  
DOERFLEIN, L.T. Region 1 (Post 820201). 92/07/22. 33pp. 62497:075-62497:107.

**9207280234** Revised EIPs, including rev 21 to CONI 1.01, rev 41 to CONI 1.02, rev 10 to CONI 1.06, rev 2 to CONI 1.07, rev 17 to CONI 4.10, rev 21 to CONI 5.01, rev 3 to CONI 7.01, rev 25 to CONI 10.01 & rev 6 to CONI 13.01.  
\* Northeast Utilities. 92/07/24. 125pp. 62562:156-62562:316.

**9207310103** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Cable Trays & Small Conduits Free from Fire Damage."  
ROMBERG, W.D. Connecticut Yankee Atomic Power Co. 92/07/27. Document Control Branch (Document Control Desk). 13pp. 62612:330-62612:342.

#### H. General correspondence

**9207160081** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.8, task DG-1021. Opposes rule.  
OPEKA, J.F. Northeast Utilities. 92/07/06. CHILK, S.J. Office of the Secretary of the Commission. 5pp. 62375:091-62375:095.

#### I. Financial information

**9207060232** Forwards listing of nuclear engineering & operations & maint budgets & projections for 1993, 1994 & 1995.  
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 92/06/30. TAYLOR, J.M. Ofc of the Executive Director for Operations. 5pp. 62254:354-62254:358.

#### P. Operating licensee stage documents & correspondence

**9207080055** Summary of 920811 meeting w/util in King of Prussia, PA re util PEP. List of attendees & handout describing licensee presentation encl.  
HEHL, C.W. Region 1 (Post 820201). 92/06/22. OPEKA, J.F. Northeast Nuclear Energy Co. 55pp. 62218:011-62218:067.

**-9207080063** Submits Millstone Assessment Panel (MAP) responsibilities re charter. MAPs purpose to assist in coordination of NRC resources for performance monitoring & assessment of plant.  
MARTIN, T.T. Region 1 (Post 820201). 92/05/27. WIGGINS, J.T. Region 1 (Post 820201). 2pp. 62218:066-62218:067.

**9207020218** Informs that 911223 response to GL 88-20, suppl 4 re IPSEE at facility acceptable.  
ANDERSEN, J.W. Project Directorate I-4. 92/06/29. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 3pp. 62203:334-62203:336.

**9207070022** Notification of 920708 meeting w/util in Rockville, MD to discuss PEP progress.  
JAFED, D.H. Project Directorate I-4. 92/06/30. STOLZ, J.F. Project Directorate I-4. 4pp. 62237:340-62237:343.

**9207140018** Application for amend to License DPR-21, revising TS to incorporate Generic Ltr 88-01 surveillance requirement re removal of hydrogen water chemistry setpoint allowances.  
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 92/06/30. Document Control Branch (Document Control Desk). 7pp. 62380:258-62380:275.

**-9207140020** Proposed TS 3.13.A re inservice insp of ASME Boiler & Pressure Vessel Code & inservice insp program for piping, per Generic Ltr 88-01.  
\* Northeast Nuclear Energy Co. 92/06/30. 11pp. 62380:265-62380:275.

**9207070365** Notification of 920708 meeting w/util in Rockville, MD to discuss PEP progress.  
JAFED, D.H. Project Directorate I-4. 92/07/02. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 5pp. 62236:347-62236:351.

**9207150236** Forwards proposed, supplemental changes to Rev 15 to QA program topical rept QAP-10.0 re oversight activities of quality svcs personnel.  
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 92/07/06. Document Control Branch (Document Control Desk). 8pp. 62415:295-62415:302.

**9207160218** Responds to Rev 1 to GL 92-01, "Reactor Vessel Structural Integrity 10CFR50.54(f)."  
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Utilities. OPEKA, J.F. Northeast Nuclear Energy Co. 92/07/06. Document Control Branch (Document Control Desk). 57pp. 62423:188-62423:242.

**9207130122** Summary of 920618 meeting w/util in Berlin, CT re licensing issues of general interest. Attendees list & outline of topics discussed encl.  
JAFED, D.H. Project Directorate I-4. 92/07/08. Project Directorate I-4. 150pp. 62374:121-62374:270.

**9207170192** Discusses 10CFR50.54 QA program change review. Effectiveness of QA program & procedure implementation will continue to be subj of routine regional insps.  
BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/08. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 3pp. 62431:349-62431:351.

**9207140276** Informs of closure of TAC M54545 re control room habitability issue. New TAC will be assigned when GL issued.  
ANDERSON, J.W. Project Directorate I-4. 92/07/09. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 3pp. 62378:238-62378:240.

**9207210071** Notification of significant licensee meeting 92-118 w/util on 920720 to discuss performance enhancement program.  
DOERFLEIN, L.T. Region 1 (Post 820201). 92/07/09. Region 1 (Post 820201). 3pp. 62419:355-62419:357.

**9207170060** Withdraws 920508 request for relief from ASME Code, Section XI requirements to allow interim non-code repair to svc water sys to eliminate leakage from pin hole defect downstream of valve 1-SW-107.  
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 92/07/10. Document Control Branch (Document Control Desk). 1p. 62445:359-62445:359.

**9207220003** Clarifies info re spent fuel pool, per 920618 NRC/Northeast Utils counter-parts meeting. At present, only Millstone Unit 3 spent fuel pool not utilizing full complement of spent fuel storage racks.  
OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 92/07/15. Document Control Branch (Document Control Desk). 2pp. 62473:268-62473:269.

**9207220417** Summary of 920708 meeting w/util in Rockville, MD re util performance enhancement program. List of attendees & slides used during presentation encl.  
JAFED, D.H. Project Directorate I-4. 92/07/15. Project Directorate I-4. 62pp. 62445:253-62445:313.

**9207230058** Reviews 920210 response to NRC SER on EOPs for containment flood alternative methodology. Region 1 & NRR consider alternative methodology acceptable w/one stated mod. Action resolves unresolved item in Insp Rept 50-245/89-19.  
HODGES, M.W. Region 1 (Post 820201). 92/07/17. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 62524:182-62524:184.

**9207270176** Forwards correction of amend 52 to license DPR-61. Amend revised 10 pages of Tech Specs, including pages 3/4 4-1 & B 3/4 5-3a.  
ANDERSEN, J.W. Project Directorate I-4. 92/07/21. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 62491:340-62491:344.

**-9207270178** Corrected amend 52 to license DPR-61, revising 10 pages of Tech Specs, including pages 3/4 4-1 & B 3/4 5-3a.  
\* Project Directorate I-4. 92/07/21. 2pp. 62491:343-62491:344.

**9207280274** Advises that util 920615 proposed rev 15 to QA program topical rept acceptable, per 10CFR50.54(a). Effectiveness of QA program & procedure implementation will continue to be subj of routine regional insps.  
BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/21. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 3pp. 62497:139-62497:141.

**9207310191** Discusses util relief request from ASME Boiler & Pressure Vessel Code Section XI to implement interim repairs to 24"-SW-3 svc water piping as alternative to IWA-7000 repair / IWA-7000 replacement dtd 920508.  
ANDERSEN, J.W. Project Directorate I-4. 92/07/24. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 2pp. 62588:179-62588:180.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207280265** FOIA request for documents re most recent INPO insp rept for plant & util.  
BOWLES, D.K. Affiliation Not Assigned. 91/11/07. GRIMSLEY, D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62514:158-62514:158.

**9207280273** Final response to FOIA request for documents re most recent INPO insp results for plant & util. No records subj to request located.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/27. BOWLES, D. Affiliation Not Assigned. 1p. 62514:158-62514:158.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.



**9207140019** Application for amend to License DPR-21, revising TS to incorporate Generic Ltr 88-01 surveillance requirement re removal of hydrogen water chemistry setpoint allowances.  
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 92/06/30. Document Control Branch (Document Control Desk). 7pp. 62380:258-62380:275.

**-9207140020** Proposed TS 3.13.A re inservice insp of ASME Boiler & Pressure Vessel Code & inservice insp program for piping, per Generic Ltr 88-01.  
\* Northeast Nuclear Energy Co. 92/06/30. 11pp. 62380:265-62380:275.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207150074** Forwards safety insp repts 50-245/92-17, 50-336/92-19 & 50-423/92-17. No violations noted.  
ANDERSON,C. Region 1 (Post 820201). 92/07/06. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 62335:088-62335:097.

**-9207150078** Insp repts 50-245/92-17, 50-336/92-19 & 50-423/92-17 on 920608-12. No violations noted. Major areas inspected: standby, starting, operating & shutdown & maint of emergency diesel generator units.  
WOODARD,C.H., RULAND,W.H. Region 1 (Post 820201). 92/07/01. 7pp. 62335:091-62335:097.

**9207160250** Ack receipt of 920228 response to violations noted in Insp Repts 50-245/92-03, 50-336/92-03 & 50-423/92-03. Concerns raised that surveillance procedure for alternate testing approved w/o identification of conflict w/TS.  
COOPER,R.W. Region 1 (Post 820201). 92/07/06. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 62416:327-62416:338.

**9207170192** Discusses 10CFR50.54 QA program change review. Effectiveness of QA program & procedure implementation will continue to be subj of routine regional insps.  
BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/08. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62431:349-62431:351.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207170250** Forwards insp repts 50-245/92-14, 50-336/92-15 & 50-423/92-14 on 920512-14. Violations noted but not cited.  
HODGES,M.W. Region 1 (Post 820201). 92/07/13. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62440:237-62440:250.

**-9207170259** Insp repts 50-245/92-14, 50-336/92-15 & 50-423/92-14 on 920512-14. Violations noted but not cited. Major areas inspected: insp round requirements, mgt response to falsified insp round sheets & gather info for followup.  
PRELL,J., BISSETT,P.H. Region 1 (Post 820201). 92/06/29. 9pp. 62440:240-62440:250.

**9207210106** Forwards radiological controls insp repts 50-245/92-18, 50-336/92-20 & 50-423/92-18 on 920615-19. Review indicated very good radiological controls implemented at units 1 & 3 & efforts associated w/generation of unit 3 ALARA rept noted.  
JOYNER,J.H. Region 1 (Post 820201). 92/07/13. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 62420:311-62420:328.

**-9207210115** Insp repts 50-245/92-18, 50-336/92-20 & 50-423/92-18 on 920615-19. Very good radiological controls implemented at units 1 & 3. Major areas inspected: licensee action on previous insp findings, organization & staffing & training.  
NIMITZ,R.L., PASCIAK,W.J. Region 1 (Post 820201). 92/07/08. 14pp. 62420:315-62420:328.

**9207210194** Discusses insp rept 50-245/92-12 on 920322-0502 & forwards notice of violation. Concerns re technician who inappropriately influenced results of vibration test of standby gas treatment sys fan B at facility noted.  
MARTIN,T.T. Region 1 (Post 820201). 92/07/14. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 62421:180-62421:185.

**-9207210199** Notice of violation from insp on 920322-0503. Violation noted: technician performed vibration measurement on B standby gas treatment fan in improper manner in order to meet acceptance criteria of Surveillance Procedure SP-1060.  
\* Region 1 (Post 820201). 92/07/18. 3pp. 62421:183-62421:185.

**9207230058** Reviews 920210 response to NRC SER on EOPs for containment flood alternative methodology. Region 1 & NRR consider alternative methodology acceptable w/one stated mod. Action resolves unresolved item in Insp Rept 50-245/89-19.  
HODGES,M.W. Region 1 (Post 820201). 92/07/17. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 62524:182-62524:184.

**9207280119** Forwards insp rept 50-245/92-15 on 920622-25. No violations noted.  
DULL,J. Region 1 (Post 820201). 92/07/20. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 62489:005-62489:015.

**-9207280133** Insp rept 50-245/92-15 on 920622-25. No violations noted. Major areas inspected: licensee evaluations of unresolved items (91-81-01 & 91-81-02) re grid stability issue.  
MATHEW,R.K., RULAND,W. Region 1 (Post 820201). 92/07/17. 8pp. 62489:008-62489:015.

**9207280224** Forwards insp repts 50-245/92-13, 50-336/92-14 & 50-423/92-13 on 920503-0613 & forwards notice of violation. Good performance noted for several activities, including actions to address static pressure effects of Veritrac transmitters.  
BLOUGH,A.R. Region 1 (Post 820201). 92/07/22. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 62497:070-62497:107.

**-9207280254** Notice of violation from insp on 920503-0613. Violations noted: station procedures not properly implemented in that unit 2 feedwater heater 1B released for maint w/o proper venting & draining of feedwater sys.  
\* Region 1 (Post 820201). 92/07/22. 2pp. 62497:073-62497:074.

**-9207280256** Insp repts 50-245/92-13, 50-336/92-14 & 50-423/92-13 on 920503-0613. Violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, security, outage activities & licensee self-assessment.  
DOERFLEIN,L.T. Region 1 (Post 820201). 92/07/22. 33pp. 62497:075-62497:107.

**9207310103** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Cable Trays & Small Conduits Free from Fire Damage."  
ROMBERG,W.D. Connecticut Yankee Atomic Power Co. ROMBERG,W.D. Northeast Nuclear Energy Co. ROMBERG,W.D. Northeast Utilities. 92/07/27. Document Control Branch (Document Control Desk). 13pp. 62612:330-62612:342.

**9207310158** Advises that appropriate circuitry mods made to valves IC-3.6 & 7, RR-36 & 37 & CU-2A, to address issues discussed in NRC Bulletin 80-006 re ESF reset controls. Logic of secondary containment isolation dampers also modified.  
ROMBERG,W.D. Northeast Nuclear Energy Co. ROMBERG,W.D. Northeast Utilities. 92/07/27. Document Control Branch (Document Control Desk). 2pp. 62618:343-62618:344.

## R. Periodic operating reports & related correspondence

**9207150123** Monthly operating rept for June 1992 for Millstone unit 1. W/920710 ltr. NEWBURGH,G., SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities. 92/06/30. 5pp. 62411:303-62411:307.

**9207200128** Forwards draft "Effluent & Waste Disposal Annual Rept for 1990." As-buried & as-generated values added together thereby resulting in overlap.  
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 92/07/13. TICHLER,J.L. Brookhaven National Laboratory. 2pp. 62450:001-62450:095.

**-9207200138** Draft "Effluent & Waste Disposal Annual Rept for 1990."  
\* Northeast Utilities. 90/12/31. 94pp. 62450:003-62450:095.

**9207200152** Forwards info requested in 920608 ltr re stack characteristics & climatology for plants, including joint frequency distribution of wind direction, wind speed & stability for 1990 & 1991 at sites.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 92/07/13. TICHLER,J.L. Brookhaven National Laboratory. 6pp. 62447:126-62447:221.

**-9207200349** "CPRD MI Dose Data Requirements for 1990," including wind speed/wind direction/stability joint frequency distribution for Millstone Nuclear Power Station.  
\* Northeast Nuclear Energy Co. 90/12/31. 18pp. 62447:168-62447:194.

**-9207200352** "CPRD MI Dose Data Requirements for 1991," including wind speed/wind direction/stability joint frequency distribution for Millstone Nuclear Power Station.  
\* Northeast Nuclear Energy Co. 91/12/31. 26pp. 62447:195-62447:221.

## S. Reportable occurrences, LERs & related correspondence

**9207160377** LER 92-018-00: on 910809, improper fasteners used on HVAC blowout panels. Caused by programmatic error. Blowout panels have been labelled & identified. W/920709 ltr.  
BENNETT,E.A., SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities. 92/07/09. 4pp. 62480:195-62480:198.

**9207280032** PNO-I-92-043: on 920720, licensee received package containing cutter/shear used to perform underwater cutting of highly radioactive control rod blades, which was found to exhibit radiation levels of about 1,000 - 1,500 mR/h.  
NIMITZ,R., JOYNER,J. Region 1 (Post 820201). 92/07/21. 2pp. 62488:030-62488:031.

**9207290319** LER 91-014-01: on 910426, determined that postulated feedwater line break could result in complete loss of ac power. Caused by failure to recognize that TBSCW piping subj to HEB scenarios. Three whip restrains installed. W/920722 ltr.  
NOLL,W.G., SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities. 92/07/22. 6pp. 62587:308-62587:313.

## U. Congressional/Executive Correspondence

**9206170322** Forwards info re NRC investigations & inquiries of NEUT & plant, in response to 920507 ltr to Chairman Selin. Provides assurance that NRC will conduct complete evaluation of concerns re mgt integrity & employee harassment.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/11. LIEBERMAN,J.I. Senate, Governmental Affairs. 7pp. 62427:179-62427:185.

**-9206170324** Requests status rept on NRC investigations & inquiries into various matters re plant & NEUT. Lists specific matters on which info requested.  
LIEBERMAN,J.I. Senate. 92/05/07. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 62427:184-62427:185.

## DOCKET 50-247 INDIAN POINT STATION, UNIT 2

## F. Security, medical, emergency & fire protection plans

**9207070159** Discusses concern identified in insp rept 50-247/90-03 concerning implementing procedure IP-1013. Believes proposed rev 4 to IP-1013 consistent w/NRC guidance on PARs.  
JOYNER,J.H. Region 1 (Post 820201). 92/06/24. BRAM,S. Consolidated Edison Co. of New York, Inc. 3pp. 62205:316-62205:318.

**9207070180** Forwards safety insp rept 50-247/92-12 on 920510-0613. Station was operated & maintained in safe manner during period.  
COWGILL,C.J. Region 1 (Post 820201). 92/06/26. BRAM,S. Consolidated Edison Co. of New York, Inc. 2pp. 62206:110-62206:127.

## 28 DOCKETED ITEMS

-9207070186 Insp safety rept 50-247/92-12 on 920510-0613. Major areas inspected: plant operations, radiological controls, maint & surveillance, security, engineering & technical support & safety assessment/quality verification.  
NICHOLSON, L.E. Region 1 (Post 820201). 92/06/25. 15pp. 62206:112-62206:127.

9207090203 Forwards completed survey for ERDS communications & description of ERDS. Data point library also encl.  
BRAM, S.B. Consolidated Edison Co. of New York, Inc. 92/06/30. Document Control Branch (Document Control Desk). 87pp. 62335:170-62335:243.

9207160261 Page changes to Rev 3 to IP-1042, "In-Plant Radiological Surveys & Sampling." W/920702 ltr.  
BRAM, S.B. Consolidated Edison Co. of New York, Inc. 92/07/02. 12pp. 62421:350-62421:361.

9207160358 Ack receipt of 920427 ltr transmitting Rev 13 to physical security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan except for Section 2.2 re personnel screening.  
JOYNER, J.H. Region 1 (Post 820201). 92/07/10. BRAM, S. Consolidated Edison Co. of New York, Inc. 4pp. 62417:358-62417:361.

9207200103 Forwards 1992 emergency exercise scenario objectives.  
BRAM, S.B. Consolidated Edison Co. of New York, Inc. 92/07/15. Document Control Branch (Document Control Desk). 3pp. 62447:335-62447:337.

### I. Financial information

9207020279 "Consolidated Edison Co. of NY, Inc Annual Rept 1991." W/920624 ltr.  
MCGRATH, E.R., BRAM, S.B. Consolidated Edison Co. of New York, Inc. 91/12/31. 47pp. 62249:073-62249:119.

### P. Operating license stage documents & correspondence

9207080253 Advises that util response to 910628 suppl 4 to generic ltr 88-20 re IPSEE, acceptable. Util requested to update plans & provide projected milestones & schedules to NRC no later than 920918.  
WILLIAMS, F.J. Project Directorate I-1. 92/06/30. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 5pp. 62259:358-62259:360.

9207070287 Forwards SE concluding that next scheduled plant steam generator insp may be conducted during next refueling outage scheduled for Spring 1993.  
WILLIAMS, F.J. Project Directorate I-1. 92/07/01. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 3pp. 62236:341-62236:346.

-9207070289 Safety evaluation concluding that next scheduled plant steam generator insp may be conducted during next refueling outage scheduled for Spring 1993.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/01. 3pp. 62236:344-62236:346.

9207150312 Forwards response to GL 92-01, "Reactor Vessel Structural Integrity," re fracture toughness requirements & matl surveillance program for reactor pressure boundary.  
MIELE, M.L. Consolidated Edison Co. of New York, Inc. 92/07/06. Document Control Branch (Document Control Desk). 38pp. 62411:158-62411:195.

9207220205 Forwards amend 156 to license DPR-26 & safety evaluation. Amend revises TS 3.14.b deleting requirement to go to hot shutdown within 4 h of receiving hurricane warning w/winds in excess of 87 knots within 320 nautical miles of site.  
WILLIAMS, F.J. Project Directorate I-1. 92/07/15. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 4pp. 62453:289-62453:300.

-9207220208 Amend 156 to license DPR-26, revising TS 3.14.b to delete requirement to go to hot shutdown within 4 h of receiving hurricane warning for winds in excess of 87 knots within 320 nautical miles of site.  
CAPRA, R.A. Project Directorate I-1. 92/07/15. 5pp. 62453:292-62453:296.

-9207220210 Safety evaluation supporting amend 156 to license DPR-26.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/15. 3pp. 62453:297-62453:300.

9207280022 Forwards response to NRC request for addl info re 911230 application for amend to License DPR-26, modifying control room air filtration sys TS to delete requirement to monitor hydrogen cyanide & increasing alarm/trip setpoints.  
BRAM, S.B. Consolidated Edison Co. of New York, Inc. 92/07/15. Document Control Branch (Document Control Desk). 7pp. 62582:112-62582:118.

### Q. Inspection reports, IE Bulletins & correspondence

9207070159 Discusses concern identified in insp rept 50-247/90-03 concerning implementing procedure IP-1013. Believes proposed rev 4 to IP-1013 consistent w/NRC guidance on PARs.  
JOYNER, J.H. Region 1 (Post 820201). 92/06/24. BRAM, S. Consolidated Edison Co. of New York, Inc. 3pp. 62205:316-62205:318.

9207070180 Forwards safety insp rept 50-247/92-12 on 920510-0613. Station was operated & maintained in safe manner during period.  
COWGILL, C.J. Region 1 (Post 820201). 92/06/26. BRAM, S. Consolidated Edison Co. of New York, Inc. 2pp. 62206:110-62206:127.

-9207070186 Insp safety rept 50-247/92-12 on 920510-0613. Major areas inspected: plant operations, radiological controls, maint & surveillance, security, engineering & technical support & safety assessment/quality verification.  
NICHOLSON, L.E. Region 1 (Post 820201). 92/06/25. 15pp. 62206:112-62206:127.

9208230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207070287 Forwards SE concluding that next scheduled plant steam generator insp may be conducted during next refueling outage scheduled for Spring 1993.  
WILLIAMS, F.J. Project Directorate I-1. 92/07/01. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 3pp. 62236:341-62236:346.

9208260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9208290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207140180 Responds to NRC 920605 ltr re violations noted in insp rept 50-247/92-09 on 920405-0509. Corrective actions: jumper to block close condensate level control valve LCV-1128 installed, in response to 920413 MDAFWP anomaly.  
BRAM, S.B. Consolidated Edison Co. of New York, Inc. 92/07/06. Document Control Branch (Document Control Desk). 5pp. 62385:132-62385:136.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207200048 Clarifies statements in Insp Rept 50-247/92-08 re inservice testing program, transmitted via 920520 ltr. Util test program satisfies requirements of IWP. 3290 re increased test frequency if test results fall within alert range.  
BRAM, S.B. Consolidated Edison Co. of New York, Inc. 92/07/09. ANDERSON, C.J. Region 1 (Post 820201). 2pp. 62448:356-62448:357.

9207300049 Forwards insp rept 50-247/92-14 on 920622-26. No violations noted. Effective implementation of radiological environ monitoring program was observed.  
JOYNER, J.H. Region 1 (Post 820201). 92/07/18. BRAM, S. Consolidated Edison Co. of New York, Inc. 3pp. 62528:026-62528:035.

-9207300072 Insp rept 50-247/92-14 on 920622-26. No violations noted. Major areas inspected: REMP, including mgt controls, QA audits, QC program for analytical measurements & implementation of subj program & ODCM.  
PELLUSO, J., BORES, R.J. Region 1 (Post 820201). 92/07/16. 7pp. 62528:029-62528:035.

### R. Periodic operating reports & related correspondence

9207080287 "10CFR50.59(b) Rept of Changes, Tests & Experiments for 1991." W/920629 ltr.  
BRAM, S.B. Consolidated Edison Co. of New York, Inc. 91/12/31. 28pp. 62247:303-62247:330.

9207010013 Monthly operating rept for May 1992 for Indian Point 2. W/920615 ltr.  
KELLER, J., BRAM, S.B. Consolidated Edison Co. of New York, Inc. 92/05/31. 6pp. 62230:243-62230:248.

9207270201 Monthly operating rept for June 1992 for Indian Point unit 2. W/920715 ltr.  
KELLER, J., BRAM, S.B. Consolidated Edison Co. of New York, Inc. 92/06/30. 5pp. 62516:298-62516:303.

### S. Reportable occurrences, LERs & related correspondence

9207140209 LER 92-014-00: on 920605, central CR isolation occurred due to ammonia toxic gas monitor alarms. Investigation of actual cause ongoing. Sensor & transmitter for channel 2 replaced & successfully calibr several times. W/920706 ltr.  
DAHL, G., BRAM, S.B. Consolidated Edison Co. of New York, Inc. 92/07/06. 6pp. 62437:255-62437:260.

9207280102 LER 92-015-00: on 920619, offsite power grid sys disturbance occurred due to tripping of one of two main generator 345 kV output breakers. Tripped motor loads restored & generator 345 kV output breaker reclosed. W/920720 ltr.  
MAYLATH, J., BRAM, S.B. Consolidated Edison Co. of New York, Inc. 92/07/20. 4pp. 62587:249-62587:252.

### V. Operator Examinations

9207280023 Advises that listed matls forwarded to Region 1 in preparation for Aug 1992 requalification program evaluation. Matls consist of exam banks, sampling plan, proposed written exam & operating test & list of licensed personnel.  
BRAM, S.B. Consolidated Edison Co. of New York, Inc. 92/07/14. MARTIN, T.T. Region 1 (Post 820201). 2pp. 62568:359-62568:360.

## DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

### F. Security, medical, emergency & fire protection plans

9207070305 Revised EPIPs, including rev 1 to CEIP-2000, rev 2 to CEIP-2032 & rev 0 to CEIP-2021-01.  
\* Commonwealth Edison Co. 92/06/19. 50pp. 62289:001-62289:051.

9207020280 Forwards Rev 40 to security plan. Rev withheld (ref 10CFR73.21).  
KOVACH, T.J. Commonwealth Edison Co. 92/06/23. Document Control Branch (Document Control Desk). 1p. 62425:357-62425:357.

9207090280 Forwards Insp Repts 50-237/92-18 & 50-249/92-18 on 920616-23. No violations noted.  
BARGER-MCCORMICK Region 3 (Post 820201). 92/07/02. REED, C. Commonwealth Edison Co. 2pp. 62340:340-62340:349.

-9207090285 Insp Repts 50-237/92-18 & 50-249/92-18 on 920616-23. No violations noted. Major areas inspected: emergency preparedness program including, followup on actual emergency plan activities & status of emergency preparedness program.  
SIMONS, H. Region 3 (Post 820201). 92/07/02. 8pp. 62340:342-62340:349.

9207210008 Rev 02 to EPIP 0720-S13, "Augmentation Call List."  
SHARPER, D., KUCZYNSKI, J. Commonwealth Edison Co. 92/07/02. 27pp. 62471:151-62471:177.

**9207280001** Ack receipt of 920521 ltr transmitting Rev 41 to security plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable.  
PEDERSON,C.D. Region 3 (Post 820201). 92/07/15. KOVACH,T.J. Commonwealth Edison Co. 1p. 62584:290-62584:290.

**9207280087** Ack receipt of 920623 ltr transmitting Rev 40 to plant security plan submitted per 10CFR50.54(p).NRC determined that changes acceptable.  
PEDERSON,C.D. Region 3 (Post 820201). 92/07/15. KOVACH,T.J. Commonwealth Edison Co. 2pp. 62488:213-62488:214.

**9207280181** Ack receipt of 920429 ltr forwarding final rept for Oct 1991 exercise of off-site radiological emergency response plans for util.No deficiencies noted & twelve areas requiring corrective actions identified.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/16. REED,C. Commonwealth Edison Co. 2pp. 62489:110-62489:224.

**-9205290181** Forwards final exercise rept for 911009 joint exercise of offsite radiological emergency response plans site-specific to plant.  
KWIATKOWSKI,D. Federal Emergency Management Agency. 92/04/29. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 2pp. 62489:112-62489:112.

**-9205290185** Joint Exercise Rept for Dresden Nuclear Power Station.  
\* Federal Emergency Management Agency. 92/03/24. 112pp. 62489:113-62489:224.

**9207280208** Forwards insp repts 50-237/92-15 & 50-249/92-15 on 920615- 19 & 23.No violations noted.  
CREED,J.R. Region 3 (Post 820201). 92/07/22. REED,C. Commonwealth Edison Co. 2pp. 62489:343-62489:346.

**-9207280215** Partially withheld physical insp repts 50-237/92-15 & 50-249/92-15 on 920615-19 & 23 (ref 10CFR73.21).No violations noted.Major areas inspected:mgt support,protected & vital area physical barriers & power supply.  
MADEDA,T.J. Region 3 (Post 820201). 92/07/22. 2pp. 62489:345-62489:346.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities.Compensatory measures implemented.  
JACKSON,M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

**9207310132** Rev 6a to Dresden Generating Station Emergency Plan Station Annex.  
\* Commonwealth Edison Co. 92/07/31. 28pp. 62657:283-62657:313.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207130183** Rev 10 to updated FSAR for Dresden Nuclear Power Station, Units 2 & 3.W/920707 ltr.  
PIET,P.L. Commonwealth Edison Co. 92/07/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 135pp. 62380:038-62380:198.

#### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents.App A documents encl & being made available in PDR.Porions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA,T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-9207080152** Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting.  
STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.

**-9207080257** Provides details of discussion re Dresden during 871117 & 18 NRC senior managers meeting.Facility was categorized as requiring continued close monitoring.  
STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. O'CONNOR,J.J. Commonwealth Edison Co. 2pp. 62324:027-62324:028.

**-9207080291** Summary of 880628-29 NRC senior mgt meeting.Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.

**-9207090069** Provides summary of NRC discussions re Dresden at 880628 & 29 senior managers meeting.Facility was categorized as requiring continued close monitoring.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. O'CONNOR,J.J. Commonwealth Edison Co. 1p. 62324:078-62324:078.

**-9207090088** Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting.  
STELLO,V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.

**-9207090114** Provides Commission w/summary of discussions held at 890517- 18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting.Details withheld.  
STELLO,V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

**9207100083** "Dresden Nuclear Power Station Unit 3 Reactor Containment Bldg Integrated Leak Rate Test." W/920623 ltr.  
SCHROEDER,C.W. Commonwealth Edison Co. 92/06/23. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 82pp. 62254:121-62254:209.

**9207020284** Responds to 920212 staff requirements memo re performance of util plants.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-92-228. 92/06/25. 18pp. 62465:207-62465:224.

**9207060293** Forwards amends 115 & 112 to licenses DPR-19 & DPR-25, respectively & safety evaluation.Amends revise TS to reflect mod to fast acting solenoid valves which initiate rapid closure of TCV.  
SIEGEL,B.L. Project Directorate III-2. 92/06/29. KOVACH,T.J. Commonwealth Energy System. 2pp. 62243:099-62243:125.

**-9207060297** Amends 115 & 112 to licenses DPR-19 & DPR-25,respectively, revising TS to reflect mod to fast acting solenoid valves which initiate rapid closure of TCV.  
BARRETT,R.J. Project Directorate III-2. 92/06/29. 20pp. 62243:101-62243:120.

**-9207060300** Safety evaluation supporting amends 115 & 112 to licenses DPR-19 & DPR-25,respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/29. 5pp. 62243:121-62243:125.

**9207090155** Application for amends to Licenses DPR-19,DPR-25,DPR-29 & DPR-30,changing TS to reflect util efforts to upgrade TS 3/4.9 re auxiliary electrical sys to provide assurance that adequate supply of power available during plant conditions.  
PIET,P.L. Commonwealth Edison Co. 92/06/29. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 62339:246-62339:339.

**-9207090157** Proposed TS Section 3/4.9 re auxiliary electrical sys.  
\* Commonwealth Edison Co. 92/06/29. 82pp. 62339:258-62339:339.

**9207080029** Submits results of operability determination to evaluate effects of setpoint changes for second level undervoltage setpoints for 4 kV safety buses.Setpoints on Div 1 second level undervoltage relays reset to 3,835 volts for Unit 2.  
PIET,P.L. Commonwealth Edison Co. 92/06/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62305:342-62305:343.

**9207090357** Discusses 920615-16 meeting re plants categorized as requiring close monitoring & have been identified as having weaknesses that warrant increased NRC attention from both Headquarters & Regional ofc until performance improves.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/30. O'CONNOR,J.J. Commonwealth Edison Co. 4pp. 62269:296-62269:299.

**9207070068** Submits supplemental info for 920507 amend to licenses DPR-19,DPR-25,DPR-29,DPR-30,DPR-39,DPR-48,NPF-11,NPF-18, NPF-37,NPF-66,NPF-72 & NPF-77 per NRC request.Revised TS re rev of onsite review of procedures encl.  
SIMPKIN,T.W. Commonwealth Edison Co. 92/07/01. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 62267:020-62267:089.

**-9207070089** Supplemental proposed tech specs proposing to change administrative controls sections of TS,submitted as supplement to original request w/info necessary to complete review.  
\* Commonwealth Edison Co. 92/07/01. 49pp. 62267:041-62267:089.

**9207090112** Responds to request for addl info to ensure that licensee complies w/ 10CFR50.60 & 10CFR50.61 regulatory requirements & that they fulfill commitments made in response to generic ltr 88-11.  
JACKSON,M.A. Commonwealth Edison Co. 92/07/01. Document Control Branch (Document Control Desk). 87pp. 62308:267-62308:333.

**9207090188** Confirms plans to conduct mgt meeting on 920717 at plant site to discuss progress on several radwaste improvement items.Meeting initially scheduled on 920630.  
GREENMAN,E.G. Region 3 (Post 820201). 92/07/01. REED,C. Commonwealth Edison Co. 2pp. 62295:356-62295:357.

**9207170059** Forwards response to 920611 RAI related to second-level undervoltage setpoints.  
PIET,P.L. Commonwealth Edison Co. 92/07/10. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 62456:309-62456:313.

**9207220009** Forwards response to NRC 920520 telcon request for addl info re resolution of single failure vulnerabilities associated w/combustible gas control.Nitrogen inerting sys used to establish inert atmosphere following outages.  
SCHRAGE,J.L. Commonwealth Edison Co. 92/07/15. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62473:292-62473:295.

**9207280107** Discusses Dresden oversight team visit on 920623-25. Interviews conducted & documentation reviewed,positive initiatives implemented but problems still evident.  
MARTIN,T.O. Region 3 (Post 820201). 92/07/20. REED,C. Commonwealth Edison Co. 9pp. 62497:038-62497:046.

**9207300067** Forwards nonproprietary GE-NE-187-37-0991, "Shroud Support Access Hole Cover SER for Dresden & Quad Cities" to suppl 920221 proprietary submittal,as result of GE Svcs Info Ltr (SIL) 462 & associated suppls.  
SCHRAGE,J.L. Commonwealth Edison Co. 92/07/21. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 62619:303-62619:344.

**-9207300073** Nonproprietary GE-NE-187-37-0991, "Shroud Support Access Hole Cover SER for Dresden & Quad Cities."  
CHI,LL., MEHTA,H.S., NGE. General Electric Co. GE-NE-187-37-0991. 91/09/30. 35pp. 62619:310-62619:344.

**9207290144** Confirms plans to hold meeting on 920724 to discuss recent util organizational decisions.  
GREENMAN,E.G. Region 3 (Post 820201). 92/07/22. REED,C. Commonwealth Edison Co. 2pp. 62506:182-62506:183.

**9207310018** Confirms plans for 920807 meeting in Glen Ellyn,IL to discuss plant performance.  
GREENMAN,E.G. Region 3 (Post 820201). 92/07/27. REED,C. Commonwealth Edison Co. 1p. 62549:063-62549:063.

#### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207080004** Requests NRC concurrence for crediting manual operator action for closure of 1/2-inch primary containment particulate sampling sys primary containment isolation valves,per Insp Repts 50-237/90-23 & 50-249/90-23.  
PIET,P.L. Commonwealth Edison Co. 92/07/01. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 62276:305-62276:312.



## 30 DOCKETED ITEMS

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207090260** Forwards Insp Repts 50-237/92-18 & 50-249/92-18 on 920616-23.No violations noted.  
BARGER-MCCORMIC Region 3 (Post 820201). 92/07/02. REED,C. Commonwealth Edison Co. 2pp. 62340:340-62340:349.

**9207090265** Insp Repts 50-237/92-18 & 50-249/92-18 on 920616-23.No violations noted.Major areas inspected:emergency preparedness program including followup on actual emergency plan activities & status of emergency preparedness program.  
SIMONS,H. BARGER-MCCORMIC Region 3 (Post 820201). 92/07/02. 8pp. 62340:342-62340:349.

**9207090340** Forwards Special Insp Repts 50-237/92-13 & 50-249/92-13 on 920401-0528.Violations noted.  
CLAYTON,B. Region 3 (Post 820201). 92/07/02. REED,C. Commonwealth Edison Co. 2pp. 62341:267-62341:282.

**9207090343** Notice of violation from insp on 920401-0528.Violation noted:work instructions of activities affecting quality not appropriate to circumstances or did not include appropriate quantitative or qualitative acceptance criteria.  
CLAYTON,B. Region 3 (Post 820201). 92/07/02. 2pp. 62341:269-62341:270.

**9207090344** Special Insp Repts 50-237/92-13 & 50-249/92-13 on 920401-0528.Violation noted.Major areas inspected:quality of work requests,adequacy of work instructions & post-maint testing.  
KNOP,R.C. Region 3 (Post 820201). 92/07/02. 12pp. 62341:271-62341:282.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207150028** Forwards insp repts 50-237/92-17 & 50-249/92-17 on 920622-25.No violations noted.  
RING,M.A. Region 3 (Post 820201). 92/07/10. REED,C. Commonwealth Edison Co. 2pp. 62335:034-62335:045.

**9207150034** Insp repts 50-237/92-17 & 50-249/92-17 on 920622-25.No violations or deviations noted.Major areas inspected: erosion/corrosion program.  
SCHAPKER,J.F., WARD,K.D., JACOBSON,J.M. Region 3 (Post 820201). 92/07/09. 10pp. 62335:036-62335:045.

**9207280288** Forwards insp repts 50-237/92-16 & 50-249/92-16 on 920616-22.Noncited violations noted.  
SCHUMACHER,M.C. Region 3 (Post 820201). 92/07/21. REED,C. Commonwealth Edison Co. 2pp. 62497:179-62497:187.

**9207280290** Insp repts 50-237/92-16 & 50-249/92-16 on 920616-22.No violations noted.Major areas inspected:liquid & gaseous radwaste program.  
KUNOWSKI,M.A., JANUSKA,A.G., SCHUMACHER,M.C. Region 3 (Post 820201). 92/07/21. 7pp. 62497:181-62497:187.

**9207280208** Forwards insp repts 50-237/92-15 & 50-249/92-15 on 920615-19 & 23.No violations noted.  
CREED,J.R. Region 3 (Post 820201). 92/07/22. REED,C. Commonwealth Edison Co. 2pp. 62489:343-62489:346.

**9207280215** Partially withheld physical insp repts 50-237/92-15 & 50-249/92-15 on 920615-19 & 23 (ref 10CFR73.21).No violations noted.Major areas inspected:mgt support,protected & vital area physical barriers & power supply.  
MADEJA,T.J., BELANGER,J.L., CREED,J.R. Region 3 (Post 820201). 92/07/22. 2pp. 62489:345-62489:346.

**9207280319** Forwards insp repts 50-237/92-14 & 50-249/92-14 & notice of violation.Certain activities appearing to be violations not cited because criteria,as specified,were satisfied.  
CLAYTON,B. Region 3 (Post 820201). 92/07/22. REED,C. Commonwealth Edison Co. 2pp. 62497:282-62497:304.

**9207280324** Notice of violation from insp on 920529-0706.Violation noted:procedure SP 91-6-70 re EDG consumption test,was not type appropriate to circumstances on 920623.  
CLAYTON,B. Region 3 (Post 820201). 92/07/22. 2pp. 62497:284-62497:285.

**9207280345** Insp repts 50-237/92-14 & 50-249/92-14 on 920529-0706. Violations noted.Major areas inspected:followup of previously identified items & LERs,review of operational safety & monthly maint.  
CLAYTON,B. Region 3 (Post 820201). 92/07/22. 19pp. 62497:286-62497:304.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matt used at all listed facilities.Compensatory measures implemented.  
JACKSON,M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

**9207070233** Errata to "1990 Dresden Annual Environ Operating Rept."  
\* Commonwealth Edison Co. 90/12/31. 5pp. 62273:303-62273:307.

**9207070237** Errata to "1991 Dresden Annual Environ Operating Rept."  
\* Commonwealth Edison Co. 91/12/31. 5pp. 62273:308-62273:312.

**9207140316** Monthly operating repts for June 1992 for Dresden Nuclear Power Station.W/920701 ltr.  
MAXWELL,D.C., SCHROEDER,C.W. Commonwealth Edison Co. 92/06/30. 59pp. 62380:199-62380:257.

**9207070170** Forwards errata to 1990 & 1991 annual environ operating repts for Byron Nuclear Station.  
PLENIEWICZ,R. Commonwealth Edison Co. 92/07/07. DAVIS,A.B. Region 3 (Post 820201). 1p. 62265:352-62265:358.

**9207070185** Errata to "1990 Byron Annual Environ Operating Rept."  
\* Commonwealth Edison Co. 90/12/31. 3pp. 62265:353-62265:355.

**9207070192** Errata to "1991 Byron Annual Environ Operating Rept."  
\* Commonwealth Edison Co. 91/12/31. 3pp. 62265:356-62265:358.

### S. Reportable occurrences, LERs & related correspondence

**9207080251** LER 91-010-01:on 910923,480-volt bus 38 partially load shedded upon actuation of undervoltage relay 227-B38-X1. Caused by electrician shorting tool across two relay terminals.Event reviewed w/personnel.W/920630 ltr.  
JOHNSON,E., SCHROEDER,C.W. Commonwealth Edison Co. 91/10/17. 8pp. 62293:102-62293:109.

**9207070414** LER 92-014-00:on 920604,RWCU sys isolation occurred during fill & vent due to pressure control valve problem.RWCU sys reset & restarted on 920604.W/920626 ltr.  
NEAL,K.H., SCHROEDER,C.W. Commonwealth Edison Co. 92/06/26. 6pp. 62293:039-62293:044.

**9207100132** LER 92-015-00:on 920614,LPCI minimum flow valve M03-1501-13A automatically closed during valve operability test due to unknown cause.Further investigation will be performed & supplemental rept will be submitted.W/920707 ltr.  
RHEE,S.J., SCHROEDER,C.W. Commonwealth Edison Co. 92/07/07. 5pp. 62437:059-62437:063.

**9207220147** LER 92-016-00:on 920626,RWCU Sys isolation occurred during RWCU sys startup.Caused by momentary sys pressure surge. RWCU sys reset & restarted.W/920714 ltr.  
REID,J., SCHROEDER,C.W. Commonwealth Edison Co. 92/07/14. 5pp. 62481:149-62481:153.

### V. Operator Examinations

**9207090342** Discusses generic fundamentals exam section of operator licensing exam,administered on 920610.Master BWR/PWR subj exam w/answer key encl for info.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007.Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

### DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

### F. Security, medical, emergency & fire protection plans

**9207280015** Forwards FEMA rept for offsite portion of plant exercise of 911204.No deficiencies noted.W/o encl.  
CLINE,W.E. Region 2 (Post 820201). 92/07/17. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 62488:001-62488:005.

**9207270232** Ack receipt of 920622 ltr transmitting Rev 12 to training & qualification plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.  
COLLINS,D.M. Region 2 (Post 820201). 92/07/22. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 62528:183-62528:186.

**9207270323** Ack receipt of 920622 ltr transmitting Rev 2 to TPS physical security plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.  
COLLINS,D.M. Region 2 (Post 820201). 92/07/22. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 62528:124-62528:127.

**9207300276** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Damage." Thermo-Lag 330 fire barrier sys not installed at facilities.  
PLUNKETT,T.F. Florida Power & Light Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62593:216-62593:220.

### H. General correspondence

**9207160062** Comment supporting proposed rule 10CFR50 re receipt of byproduct & SNM.  
BEARD,P.M. Florida Power & Light Co. 92/07/06. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62375:071-62375:072.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9207220262** Rev 10 to updated FSAR.W/920717 ltr.  
PLUNKETT,T.F. Florida Power & Light Co. 92/07/17. 250pp. 62468:001-62471:150.

**P. Operating license stage documents & correspondence**

**9207080120** Final response to FOIA request for documents.App A documents encl & being made available in PDR.Porions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA,T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-8605190330** Summary of 860423-24 mgt meeting at Region III ofc re licensee performance,evaluation of plant discussions & fitness for duty.Task assignments & list of attendees encl.  
SNIEZEK,J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 86/05/13. DAVIS,J.G. Office of Nuclear Material Safety & Safeguards. 11pp. 62324:005-62324:015.

**-9207080152** Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting.  
STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.

**-9207080194** Provides details of discussions re Turkey Point facility during 871117 & 18 NRC senior mgt meeting.Facility was categorized as requiring continued close monitoring.  
STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. HUDIBURG,J.J. Florida Power & Light Co. 2pp. 62324:021-62324:022.

**-9207080291** Summary of 880628-29 NRC senior mgt meeting.Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.

**-9207090067** Provides summary of NRC discussions re Turkey Point at 880628 & 29 senior managers meeting.Facility was categorized as requiring continued close monitoring.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. HUDIBURG,J.J. Florida Power & Light Co. 1p. 62324:077-62324:077.

**-9207090086** Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting.  
STELLO,V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.

**-9207090114** Provides Commission w/summary of discussions held at 890517- 18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting.Details withheld.  
STELLO,V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

**-9207090267** Partially withheld summary of 861021-22 NRC mgt meeting.  
\* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.

**-9207100371** Provides Commission w/summary of discussions held at 900122- 23 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900215 Commission meeting.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/02/02. CARR Commissioners (Post 750119). 38pp. 62324:144-62324:182.

**9207060054** Discusses review of response to generic ltr 88-20,suppl 4,re IPEEE,Alternate methods proposed in 911223 response acceptable.  
NORRIS,J.A., RAGHAVAN,L. Project Directorate II-2. 92/06/25. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 62204:209-62204:212.

**9207070005** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel integrity.Encl info provides addl info to support response provided in BAW-2166.  
PLUNKETT,T.F. Florida Power & Light Co. 92/07/01. Document Control Branch (Document Control Desk). 5pp. 62267:357-62267:361.

**9207080123** Forwards rept of unsatisfactory performance testing incident,per 10CFR26.Rept details investigative analysis of unsatisfactory blind specimen results,identification of cause & corrective actions.Rept withheld.  
BOHLKE,W.H. Florida Power & Light Co. 92/07/01. Document Control Branch (Document Control Desk). 1p. 62275:354-62275:354.

**9207090319** Notification of 920709 meeting w/util in Rockville,MD to discuss request for code relief to perform temporary non-code repair for leak on code class 2 steam drain line in accordance w/generic ltr 90-05.  
RAGHAVAN,L. Project Directorate II-2. 92/07/08. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 2pp. 62293:354-62293:355.

**9207200132** Provides response to NRC request for addl info re low upper shelf toughness fracture analysis of reactor vessels for load level A & B Conditions.  
PLUNKETT,T.F. Florida Power & Light Co. 92/07/13. Document Control Branch (Document Control Desk). 16pp. 62447:257-62447:272.

**9207210338** Confirms completion of performance enhancement program.Ltr updates info provided in 891221 ltr.  
PLUNKETT,T.F. Florida Power & Light Co. 92/07/16. Document Control Branch (Document Control Desk). 2pp. 62467:360-62467:361.

**9207240151** Summary of 920707 meeting w/util in Rockville,MD re current status & plans for plants.Handout encl.  
RAGHAVAN,L. Project Directorate II-2. 92/07/21. Project Directorate II-2. 28pp. 62479:239-62479:266.

**Q. Inspection reports, IE Bulletins & correspondence**

**9207020093** Forwards insp rept 50-250/92-13 & 50-251/92-13 on 920502-29. No violations noted.  
SINKULE,M.V. Region 2 (Post 820201). 92/06/17. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 62234:276-62234:295.

**-9207020100** Insp repts 50-250/92-13 & 50-251/92-13 on 920502-29.No violations noted.Major areas inspected:monthly surveillance observations,monthly maintenance observations, NRC/counterpart meeting,operational safety & plant events.  
BUTCHER,R.C., SCHNEBLI,G.A., TROCINE,L. Region 2 (Post 820201). 92/06/17. 17pp. 62234:279-62234:295.

**9207020200** Ack receipt of 920526 ltr informing NRC of steps taken to correct violations noted in insp repts 50-250/92-07 & 50-251/92-07 on 920501.  
SINKULE,M.V. Region 2 (Post 820201). 92/06/19. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 62234:355-62234:357.

**9207060158** Responds to violations noted in Insp Repts 50-250/92-10 & 50-251/92-10.Corrective actions:instrument & control maint initial & continuing training programs revised to incorporate self-checking.  
GOLDBERG,J.H. Florida Power & Light Co. 92/06/26. Document Control Branch (Document Control Desk). 5pp. 62250:225-62250:229.

**9207140116** Forwards insp repts 50-250/92-14 & 50-251/92-14 on 920601- 05.No violations or deviations noted.  
CLINE,W.E. Region 2 (Post 820201). 92/06/26. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 62311:284-62311:305.

**-9207140161** Insp repts 50-250/92-14 & 50-251/92-14 on 920601-05.No violations or deviations noted.Major areas inspected: organization of chemistry dept & radwaste group,confirmatory measurements,plant water chemistry & info Notice 92-34.  
DECKER,T.R., CARRION,R.P. Region 2 (Post 820201). 92/06/25. 18pp. 62311:288-62311:305.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207300276** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Damage." Thermo-Lag 330 fire barrier sys not installed at facilities.  
PLUNKETT,T.F. Florida Power & Light Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62593:216-62593:220.

**R. Periodic operating reports & related correspondence**

**9207200321** Monthly operating repts for June 1992 for Turkey Point Units 1 & 2.W/ 920710 ltr.  
HERBENICK,G.D., PLUNKETT,T.F. Florida Power & Light Co. 92/06/30. 9pp. 62449:342-62449:350.

**S. Reportable occurrences, LERs & related correspondence**

**9207200129** LER 92-006-00:on 920610,discovered that recirculation of waste monitor tank,prior to liquid release,not conducted per TS & tank recirculated to less than one tank vol.Caused by overestimation of flow rate.Calibrs verified.W/920710 ltr.  
KNORR,J.E., PLUNKETT,T.F. Florida Power & Light Co. 92/07/10. 4pp. 62480:260-62480:263.

**9207200269** Special rept:three surveillance tendons,inspected on 920612, 19 & 29 found w/measured normalized lift-off force below predicted lower limit.Lift-off forces restored to required level of integrity.Addl rept will be sent by 920915.  
PLUNKETT,T.F. Florida Power & Light Co. 92/07/10. EBNETER,S.D. Region 2 (Post 820201). 8pp. 62450:330-62450:337.

**DOCKET 50-251 TURKEY POINT PLANT, UNIT 4****F. Security, medical, emergency & fire protection plans**

**9207280015** Forwards FEMA rept for offsite portion of plant exercise of 911204.No deficiencies noted.W/o encl.  
CLINE,W.E. Region 2 (Post 820201). 92/07/17. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 62488:001-62488:005.

**9207270232** Ack receipt of 920622 ltr transmitting Rev 12 to training & qualification plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.  
COLLINS,D.M. Region 2 (Post 820201). 92/07/22. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 62528:183-62528:186.

**9207270323** Ack receipt of 920622 ltr transmitting Rev 2 to TPS physical security plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.  
COLLINS,D.M. Region 2 (Post 820201). 92/07/22. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 62528:124-62528:127.

## 32 DOCKETED ITEMS

**9207300276** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Damage." Thermo-Lag 330 fire barrier sys not installed at facilities.  
PLUNKETT,T.F. Florida Power & Light Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62593:216-62593:220.

### H. General correspondence

**9207160062** Comment supporting proposed rule 10CFR50 re receipt of byproduct & SNM.  
BEARD,P.M. Florida Power & Light Co. 92/07/06. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62375:071-62375:072.

### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207220262** Rev 10 to updated FSAR,W/920717 ltr.  
PLUNKETT,T.F. Florida Power & Light Co. 92/07/17. 250pp. 62468:001-62471:150.

### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents.App A documents encl & being made available in PDR.Porions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA,T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-8605190330** Summary of 860423-24 mgt meeting at Region III ofc re licensee performance,evaluation of plant discussions & fitness for duty.Task assignments & list of attendees encl.  
SNIJEZEK,J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 86/05/13. DAVIS,J.G. Office of Nuclear Material Safety & Safeguards. 11pp. 62324:005-62324:015.

**-9207080152** Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting.  
STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.

**-9207080194** Provides details of discussions re Turkey Point facility during 871117 & 18 NRC senior mgt meeting.Facility was categorized as requiring continued close monitoring.  
STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. HUDIBURG,J.J. Florida Power & Light Co. 2pp. 62324:021-62324:022.

**-9207080291** Summary of 880628-29 NRC senior mgt meeting.Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.

**-9207090067** Provides summary of NRC discussions re Turkey Point at 880628 & 29 senior managers meeting.Facility was categorized as requiring continued close monitoring.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. HUDIBURG,J.J. Florida Power & Light Co. 1p. 62324:077-62324:077.

**-9207090086** Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting.  
STELLO,V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.

**-9207090114** Provides Commission w/summary of discussions held at 890517- 18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting.Details withheld.  
STELLO,V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

**-9207090267** Partially withheld summary of 861021-22 NRC mgt meeting.  
\* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.

**-9207100371** Provides Commission w/summary of discussions held at 900122- 23 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900215 Commission meeting.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/02/02. CARR Commissioners (Post 750119). 38pp. 62324:144-62324:182.

**9207060054** Discusses review of response to generic ltr 88-20,suppl 4,re IEEE Alternate methods proposed in 911223 response acceptable.  
NORRIS,J.A., RAGHAVAN,L. Project Directorate II-2. 92/06/25. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 62204:209-62204:212.

**9207060014** Forwards request for relief from ASME Code for repair of Code Class 2 piping in order to perform temporary repair of small leak discovered on 1/2-inch main steam drain line on steam header 4A.  
PLUNKETT,T.F. Florida Power & Light Co. 92/06/26. Document Control Branch (Document Control Desk). 7pp. 62250:075-62250:081.

**9207070005** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel integrity.Encl info provides addl info to support response provided in BAW-2166.  
PLUNKETT,T.F. Florida Power & Light Co. 92/07/01. Document Control Branch (Document Control Desk). 5pp. 62447:347-62447:353.

**9207200122** Forwards revised request for relief from ASME Code repair requirements for engineered mechanical clamp on main steam drain line piping elbow to perform temporary repair.  
PLUNKETT,T.F. Florida Power & Light Co. 92/07/09. Document Control Branch (Document Control Desk). 7pp. 62447:347-62447:353.

**9207200132** Provides response to NRC request for addl info re low upper shelf toughness fracture analysis of reactor vessels for load level A & B Conditions.  
PLUNKETT,T.F. Florida Power & Light Co. 92/07/13. Document Control Branch (Document Control Desk). 16pp. 62447:257-62447:272.

**9207210338** Confirms completion of performance enhancement program.Ltr updates info provided in 891221 ltr.  
PLUNKETT,T.F. Florida Power & Light Co. 92/07/16. Document Control Branch (Document Control Desk). 2pp. 62467:360-62467:361.

**9207240151** Summary of 920707 meeting w/util in Rockville,MD re current status & plans for plants.Handout encl.  
RAGHAVAN,L. Project Directorate II-2. 92/07/21. Project Directorate II-2. 28pp. 62479:239-62479:266.

### Q. Inspection reports, IE Bulletins & correspondence

**9207020093** Forwards insp rept 50-250/92-13 & 50-251/92-13 on 920502-29. No violations noted.  
SINKULE,M.V. Region 2 (Post 820201). 92/06/17. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 62234:276-62234:295.

**-9207020100** Insp repts 50-250/92-13 & 50-251/92-13 on 920502-29.No violations noted.Major areas inspected:monthly surveillance observations,monthly maintenance observations, NRC/courtpart meeting,operational safety & plant events.  
BUTCHER,R.C., SCHNEBLI,G.A., TROCINE,L. Region 2 (Post 820201). 92/06/17. 17pp. 62234:279-62234:295.

**9207020200** Ack receipt of 920526 ltr informing NRC of steps taken to correct violations noted in insp repts 50-250/92-07 & 50-251/92-07 on 920501.  
SINKULE,M.V. Region 2 (Post 820201). 92/06/19. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 62234:355-62234:357.

**9207060158** Responds to violations noted in Insp Repts 50-250/92-10 & 50-251/92-10.Corrective actions:instrument & control maint initial & continuing training programs revised to incorporate self-checking.  
GOLDBERG,J.H. Florida Power & Light Co. 92/06/26. Document Control Branch (Document Control Desk). 5pp. 62250:225-62250:229.

**9207140118** Forwards insp repts 50-250/92-14 & 50-251/92-14 on 920601- 05.No violations or deviations noted.  
CLINE,W.E. Region 2 (Post 820201). 92/06/26. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 62311:284-62311:305.

**-9207140161** Insp repts 50-250/92-14 & 50-251/92-14 on 920601-05.No violations or deviations noted.Major areas inspected: organization of chemistry dept & radwaste group,confirmatory measurements,plant water chemistry & Info Notice 92-34.  
DECKER,T.R., CARRION,R.P. Region 2 (Post 820201). 92/06/25. 18pp. 62311:288-62311:305.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207300276** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Damage." Thermo-Lag 330 fire barrier sys not installed at facilities.  
PLUNKETT,T.F. Florida Power & Light Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62593:216-62593:220.

### R. Periodic operating reports & related correspondence

**9207200321** Monthly operating repts for June 1992 for Turkey Point Units 1 & 2.W/ 920710 ltr.  
HERBENICK,G.D., PLUNKETT,T.F. Florida Power & Light Co. 92/06/30. 9pp. 62449:342-62449:350.

### DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

**9207020266** Forwards Rev 30 to security plan.Rev withheld (ref 10CFR73.21).  
KOVACH,T.J. Commonwealth Edison Co. 92/06/23. Document Control Branch (Document Control Desk). 1p. 62425:358-62425:358.

**9207080184** Revised EIPs,including rev 4 to QEP 135-0, "Stores Director" & rev 3 to QEP 135-S3, "Stores Director General Emergency Checklist."  
\* Commonwealth Edison Co. 92/06/23. 5pp. 62341:296-62341:300.

**9207010023** Advises that 920608 proposed scope of participation & objectives for remedial exercise at plant scheduled for 920716, acceptable.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/06/24. REED, C. Commonwealth Edison Co. 1p. 62143:033-62143:033.

**9207090080** Revised EIPs, including rev 19 to QEP 400-0, "On-site Response Actions," & rev 5 to QEP 400-S1, "Plant Assembly Checklist."  
\* Commonwealth Edison Co. 92/06/27. 4pp. 62308:349-62308:353.

**9207090041** Revised EIPs, including rev 11 to QEP 140-0, "Security Director," & rev 6 to QEP 140-S1, "Security Director Alert Checklist."  
\* Commonwealth Edison Co. 92/06/30. 8pp. 62309:337-62309:344.

**9207090058** Revised EIPs, including rev 9 to QEP 160-0, "Operations Support Center Director," & rev 7 to QEP 160-S3, "OSC Director General Emergency Checklist."  
\* Commonwealth Edison Co. 92/06/30. 6pp. 62309:346-62309:352.

**9207090065** Revised EIPs, including rev 5 to QEP 165-0, rev 4 to QEP 165-1, rev 4 to QEP 165-S8 & rev 3 to QEP 165-T1.  
\* Commonwealth Edison Co. 92/06/30. 6pp. 62308:334-62308:340.

**9207090071** Revised EIPs, including rev 20 to QEP 200-0, "Emergency Classification" & rev 9 to QEP 200-1, "Classification of GSEP Condition."  
\* Commonwealth Edison Co. 92/06/30. 4pp. 62308:344-62308:348.

**9207090090** Revised EIPs, including rev 14 to QEP 600-0, "Onsite Emergency Facilities and Equipment" & rev 5 to QEP 600-S5, "United Medical Center and Illini Hospital Radiological Emergency Inventory Checklist."  
\* Commonwealth Edison Co. 92/06/30. 5pp. 62309:306-62309:311.

**9207090127** Revised EIPs, including rev 10 to QEP 125-0, rev 6 to QEP 125-S1, rev 7 to QEP 125-S2 & rev 4 to QEP 125-S3.  
\* Commonwealth Edison Co. 92/06/30. 17pp. 62309:083-62309:099.

**9207090132** Revised EIPs, including rev 16 to QEP 300-0, rev 9 to QEP 300-1, rev 5 to QEP 300-S3 & rev 6 to QEP 300-S6.  
\* Commonwealth Edison Co. 92/06/30. 15pp. 62338:119-62338:134.

**9207270308** Ack receipt of 920623 ltr transmitting Rev 30 to security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable except for security plan conflicts re records of access authorization & employment history.  
PEDERSON, C.D. Region 3 (Post 820201). 92/07/15. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62528:195-62528:196.

**9207280379** Revised procedures including rev 8 to QEP 720-0, "Drills and Exercise," rev 6 to QEP 720-2, "Equipment and Communication Tests" & rev 5 to QEP 720-S1, "Monthly Equipment and Communications Sys Test Checklist."  
\* Commonwealth Edison Co. 92/07/20. 39pp. 62566:190-62566:228.

**9207280386** Revised procedures including rev 15 to QEP 600-0, "Onsite Emergency Facilities and Equipment," rev 4 to QEP 600-T3, "Emergency Communication Networks" & rev 5 to QEP 600-T4, "Emergency Communication Sys Location."  
\* Commonwealth Edison Co. 92/07/20. 8pp. 62562:348-62562:355.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj mat used at all listed facilities. Compensatory measures implemented.  
JACKSON, M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:358.

**9207300184** Forwards insp repts 50-254/92-17 & 50-265/92-17 on 920716-17. No violations noted.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/27. REED, C. Commonwealth Edison Co. 2pp. 62593:004-62593:011.

**9207300187** Insp repts 50-254/92-17 & 50-265/92-17 on 920716-17. No violations, deviations or deficiencies noted. Major areas inspected: response to three performance weaknesses identified during Apr 1992 EP exercise at plant.  
PLOSKE, T., SIMONS, H., MCCORMICK-BARGE Region 3 (Post 820201). 92/07/27. 6pp. 62593:006-62593:011.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207090014** Forwards rev 1 to Quad Cities Station Units 1 & 2 updated FSAR, vols 1-7.  
SCHRAGE, J.L. Commonwealth Edison Co. 92/06/30. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62356:001-62356:249.

**9207090017** Rev 1 to Quad Cities Station Unit 1 & 2 updated FSAR, vol 1-7.  
\* Commonwealth Edison Co. 92/06/30. 1,500pp. 62356:005-62356:043.

**9207090022** Chapter 1, "Introduction & General Description of Plant," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 58pp. 62356:044-62356:112.

**9207090025** Chapter 2, "Site Characteristics," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 28pp. 62356:113-62356:143.

**9207090030** App 2A, "Foundation Grouting," to Quad Cities Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 300pp. 62356:144-62357:088.

**9207090032** Chapter 3, "Design of Structures, Components, Equipment & Sys," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 300pp. 62357:089-62358:111.

**9207090035** App 3A, "Quad Cities Station Units 1 & 2," updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 125pp. 62358:112-62358:273.

**9207090038** Chapter 4, "Reactor," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 120pp. 62358:274-62359:069.

**9207090039** Chapter 5, "Reactor Coolant Sys & Connected Sys," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 200pp. 62359:070-62359:206.

**9207090042** App 5A, "Reactor Vessel Rept," to Quad Cities Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 170pp. 62359:207-62360:072.

**9207090045** Chapter 6, "Engineered Safety Features," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 400pp. 62360:073-62361:028.

**9207090049** Chapter 7, "Instrumentation & Controls," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 270pp. 62361:029-62361:247.

**9207090051** Chapter 8, "Electric Power," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 53pp. 62361:248-62361:307.

**9207090053** Chapter 9, "Auxiliary Sys," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 300pp. 62361:308-62362:189.

**9207090058** Chapter 10, "Steam & Power Conversion Sys," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 54pp. 62362:190-62362:268.

**9207090060** Chapter 11, "Radwaste Mgt," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 200pp. 62362:269-62363:065.

**9207090061** Chapter 12, "Radiation Protection," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 40pp. 62363:066-62363:104.

**9207090066** App 12A, "Post-Accident Radiation Levels," to Quad Cities Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 82pp. 62363:105-62363:231.

**9207090070** Chapter 13, "Conduct of Operations," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 58pp. 62363:232-62363:291.

**9207090072** App 13A to Quad Cities Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 110pp. 62363:292-62364:032.

**9207090083** Chapter 14, "Initial Test Program," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 54pp. 62364:033-62364:090.

**9207090087** Chapter 15, "Accident Analyses," to Quad Cities Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 100pp. 62364:091-62364:244.

**9207090088** Chapter 16, "Technical Specifications," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 2pp. 62364:245-62364:246.

**9207090092** Chapter 17, "QA," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 3pp. 62364:247-62364:249.

#### P. Operating license stage documents & correspondence

**9207100152** Forwards advance notification of shipment of radioactive mats from facilities to Barnwell low level waste burial site in Type B heavy cask.  
POWELL, G. Commonwealth Edison Co. 92/06/15. Region 3 (Post 820201). 5pp. 62331:315-62331:319.

**9207020284** Responds to 920212 staff requirements memo re performance of util plants.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. SECY-92-228. 92/06/25. 18pp. 62465:207-62465:224.

**9207100156** Forwards advance notification of shipment of radioactive mats from facilities to Barnwell low level waste disposal site in Type B heavy cask.  
POWELL, G. Commonwealth Edison Co. 92/06/25. Region 3 (Post 820201). 5pp. 62331:321-62331:325.

**9207090155** Application for amends to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, changing TS to reflect util efforts to upgrade TS 3/4.9 re auxiliary electrical sys to provide assurance that adequate supply of power available during plant conditions.  
PIET, P.L. Commonwealth Edison Co. 92/06/29. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 62339:246-62339:339.

**9207090157** Proposed TS Section 3/4.9 re auxiliary electrical sys.  
\* Commonwealth Edison Co. 92/06/29. 82pp. 62339:258-62339:339.

**9207070082** Confirms plans for 920710 mgt meeting in Glen Ellyn, IL to discuss plant performance.  
GREENMAN, E.G. Region 3 (Post 820201). 92/06/30. REED, C. Commonwealth Edison Co. 1p. 62205:145-62205:145.

**9207070088** Submits supplemental info for 920507 amend to licenses DPR-19, DPR-25, DPR-29, DPR-30, DPR-39, DPR-48, NPF-11, NPF-18, NPF-37, NPF-66, NPF-72 & NPF-77, per NRC request. Revised TS re rev of onsite review of procedures encl.  
SIMPSON, T.W. Commonwealth Edison Co. 92/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 62267:020-62267:089.

**9207070089** Supplemental proposed tech specs proposing to change administrative controls sections of TS, submitted as supplement to original request w/info necessary to complete review.  
\* Commonwealth Edison Co. 92/07/01. 49pp. 62267:041-62267:089.

**9207090112** Responds to request for addl info to ensure that licensee complies w/ 10CFR50.60 & 10CFR50.81 regulatory requirements & that they fulfill commitments made in response to generic ltr 88-11.  
JACKSON, M.A. Commonwealth Edison Co. 92/07/01. Document Control Branch (Document Control Desk). 67pp. 62308:267-62308:333.

**9207270137** Corrected Chapter 11 to, "Environ Radiological Monitoring Table of Contents." ODCM, Revs 0.C & G.  
\* Commonwealth Edison Co. 92/07/02. 20pp. 62516:304-62516:324.

## 34 DOCKETED ITEMS

**9207160205** Application for amend to License DPR-29, reflecting mod to HPCI turbine steam exhaust line. GE proprietary Calculation, GE-NE-901-013-0491, "Quad Cities HPCI Turbine Steam Supply Pressure Low Setpoint Calculation" encl. Rept withheld. SCHRAGE, J.L. Commonwealth Edison Co. 92/07/06. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 62421:294-62421:330.

**9207160208** Proposed tech specs re HPCI turbine steam exhaust line.  
\* Commonwealth Edison Co. 92/07/06. 27pp. 62421:304-62421:330.

**9207220009** Forwards response to NRC 920520 telcon request for addl info re resolution of single failure vulnerabilities associated w/combustible gas control. Nitrogen inerting sys used to establish inert atmosphere following outages. SCHRAGE, J.L. Commonwealth Edison Co. 92/07/15. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62473:292-62473:295.

**9207300067** Forwards nonproprietary GE-NE-187-37-0991, "Shroud Support Access Hole Cover SER for Dresden & Quad Cities" to suppl 920221 proprietary submittal, as result of GE Svcs Info Ltr (SIL) 462 & associated suppls. SCHRAGE, J.L. Commonwealth Edison Co. 92/07/21. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 62619:303-62619:344.

**9207300073** Nonproprietary GE-NE-187-37-0991, "Shroud Support Access Hole Cover SER for Dresden & Quad Cities." CHILL, L.L. General Electric Co. GE-NE-187-37-0991. 91/09/30. 35pp. 62619:310-62619:344.

**9207290144** Confirms plans to hold meeting on 920724 to discuss recent util organizational decisions. GREENMAN, E.G. Region 3 (Post 820201). 92/07/22. REED, C. Commonwealth Edison Co. 2pp. 62506:182-62506:183.

**9207310054** Informs of intention to reconstitute six high exposure barrier lead assembly rods into another host bundle for continued irradiation during Cycle 13. GE safety evaluation of reconstitution encl. SE withheld (ref 10CFR2.790). SCHRAGE, J.L. Commonwealth Edison Co. 92/07/23. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 62618:179-62618:184.

### Q. Inspection reports, IE Bulletins & correspondence

**9207170165** Responds to NRC 920514 ltr re violations noted in insp rept 50-254/92-01 & 50-265/92-01. Corrective actions: "Periodic HPCI Pump Operability Test," successfully completed & HPCI declared operable. KOVACH, T.J. Commonwealth Edison Co. 92/06/12. Region 3 (Post 820201). 4pp. 62446:346-62446:349.

**9207010077** Forwards insp repts 50-254/92-12 & 50-265/92-12 on 920420-0508 & notice of violation. MILLER, H.J. Region 3 (Post 820201). 92/06/23. REED, C. Commonwealth Edison Co. 2pp. 62143:193-62143:207.

**9207010087** Notice of violation from insp on 920420-0508. Violation noted: 920311 SE 92-77 did not provide basis for determining that removing portion of internal support to 2C room cooler in B/C RHR svc water pump vault did not involve USC. MILLER, H.J. Region 3 (Post 820201). 92/06/23. 1p. 62143:195-62143:195.

**9207010093** Insp repts 50-254/92-12 & 50-265/92-12 on 920420-0508. Violations noted. Major areas inspected: engineering & technical support (E&TS) w/followup of previously identified E&TS violation. NEJFELT, G.M., LERCH, R.M., BURGESS, B.L. Region 3 (Post 820201). 92/06/22. 11pp. 62143:196-62143:207.

**9207010242** Ack receipt of 920612 ltr informing NRC of steps taken to correct violations noted in insp rept 50-254/92-08 & 50-265/92-06. NORELIUS, C.E. Region 3 (Post 820201). 92/06/26. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62230:280-62230:281.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207200005** Forwards response to NRC 920501 ltr re unresolved items noted in Svc Water Operational Performance Insp Repts 50-254/92-201 & 50-265/92-201. Corrective actions: long-term corrective actions to be evaluated re check valves. KOVACH, T.M. Commonwealth Edison Co. 92/07/14. Document Control Branch (Document Control Desk). 12pp. 62447:285-62447:296.

**9207280174** Responds to NRC 920623 ltr re violations noted in insp repts 50-254/92-12 & 50-265/92-12. Corrective actions: SE in question supplemented to document results of review of temporary repair of leaking tube in cooler. KOVACH, T.J. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 4pp. 62562:342-62562:345.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities. Compensatory measures implemented. JACKSON, M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

**9207300184** Forwards insp repts 50-254/92-17 & 50-265/92-17 on 920716-17. No violations noted. MCCORMICK-BARGE Region 3 (Post 820201). 92/07/27. REED, C. Commonwealth Edison Co. 2pp. 62593:004-62593:011.

**9207300187** Insp repts 50-254/92-17 & 50-265/92-17 on 920716-17. No violations, deviations or deficiencies noted. Major areas inspected: response to three performance weaknesses identified during Apr 1992 EP exercise at plant. PLOSKI, T., SIMONS, H., MCCORMICK-BARGE Region 3 (Post 820201). 92/07/27. 6pp. 62593:006-62593:011.

### R. Periodic operating reports & related correspondence

**9207070154** Forwards errata to 1990 & 1991 annual environ operating rept for Quad-Cities Station. BAX, R.L. Commonwealth Edison Co. 92/06/30. DAVIS, A.B. Region 3 (Post 820201). 1p. 62262:263-62262:267.

**9207070200** Errata to "1990 Quad-Cities Annual Environ Operating Rept."  
\* Commonwealth Edison Co. 90/12/31. 2pp. 62262:264-62262:265.

**9207070203** Errata to "1991 Quad-Cities Annual Environ Operating Rept."  
\* Commonwealth Edison Co. 91/12/31. 2pp. 62262:266-62262:267.

**9207150013** Monthly operating repts for June 1992 for Quad Cities Units 1 & 2. W/920702 ltr. BENSON, M., TIETZ, G.C. Commonwealth Edison Co. 92/06/30. 22pp. 62389:329-62389:350.

**9207210217** Forwards listing of facility & procedure changes, tests & experiments requiring safety evaluations completed during months of May & June 1992. TIETZ, G.C. Commonwealth Edison Co. 92/07/14. Document Control Branch (Document Control Desk). 124pp. 62452:001-62452:125.

### S. Reportable occurrences, LERs & related correspondence

**9207070111** LER 90-029-01 on 901115, determined that TS 3.7.A.2.d leakage limit of 18.4 standard cubic feet per hr exceeded. Caused by cracks. Initiated work requests to repair valves & conduit for Drywell Air Lock. W/920615 ltr. KUNZMANN, D.P., BAX, R.L. Commonwealth Edison Co. 92/06/26. 6pp. 62292:191-62292:196.

**9207070259** LER 92-011-00 on 920530, Unit 1 in shutdown mode performing cooldown to cold condition for maint outage. Caused by procedural inadequacy. Cooldown rate minimized & thermocouple replaced. W/920629 ltr. SWART, R.J., BAX, R.L. Commonwealth Edison Co. 92/06/26. 6pp. 62292:340-62292:345.

**9207140033** LER 89-014-01 on 890910, determined that measured, combined leakage rate from all penetrations & valves, excluding MISVs, exceeded TS limits. On 890911, MSIV leaked in excess of TS. Valve seating surfaces machined & lapped. W/920701 ltr. KUNZMANN, D., BAX, R.L. Commonwealth Edison Co. 92/06/30. 6pp. 62437:189-62437:194.

**9207160357** LER 92-013-00 on 920609, power lost to Bus 19 resulted in failure of ESF signal to start. Caused by design deficiency. Licensee intends to change lineup of standby gas treatment sys. W/920709 ltr. LUEBER, R.A., BAX, R.L. Commonwealth Edison Co. 92/07/09. 10pp. 62480:185-62480:194.

**9207300171** LER 92-016-00 on 920626, discovered that valve 1-4199-72 not verified locked open within TS surveillance interval. Caused by personnel error. Procedure changed to permit verification of hard to reach valves w/flow test. W/920724 ltr. MASTERLARK, J.M., BAX, R.L. Commonwealth Edison Co. 92/07/24. 5pp. 62588:035-62588:039.

### V. Operator Examinations

**9207090280** Forwards exam answer key for forms A & B, grading results for facility & individual answer sheets for each applicant taking exams for facility, per 920610 generic fundamentals exam at facility. All candidates passed exam. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Commonwealth Edison Co. 48pp. 62266:001-62266:048.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

### DOCKET 50-255 PALISADES NUCLEAR PLANT

### F. Security, medical, emergency & fire protection plans

**9207090072** Rev 5 to EPIP EI-11, "Determination of Extent of Core Damage."  
\* Consumers Power Co. 91/12/04. 5pp. 62271:339-62271:344.

**9207010015** Informs that 920527 ltr transmitting proposed scope of participation & objectives for plant emergency preparedness exercise scheduled for 920901, acceptable. MCCORMICK-BARGE Region 3 (Post 820201). 92/06/24. SLADE, G.B. Consumers Power Co. 1p. 62143:008-62143:008.

**9207070007** Responds to initial SALP 11 rept covering Jan 1991 through Mar 1992. Organization of site emergency response teams changed & ability to call-out addl resources in timely manner will be improved. SLADE, G.B. Consumers Power Co. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62262:344-62262:345.

**9207060308** Provides notice that plant emergency exercise has been developed & being transmitted to NRC for review & comment. Comments should be made to MH Mitchell by 920803, to allow time for mods to be made & distribution to evaluators. SLADE, G.B. Consumers Power Co. 92/07/02. Document Control Branch (Document Control Desk). 2pp. 62243:353-62243:354.

- 9207140029** Rev 5 to Section 6 to "Palisades Nuclear Plant Site Emergency Plan." ZIELINSKI, K. Consumers Power Co. 92/07/02. 26pp. 62385:234-62385:256.
- 9207160115** Rev 2 to GORT/EOF App F, "User Manual - Segmented Gaussian Dose Protection Model." \* Consumers Power Co. 92/07/03. 23pp. 62430:229-62430:251.
- 9207270154** Public version of rev 29 to App G to GORT/EOF procedures, "Emergency Telephone Numbers." \* Consumers Power Co. 92/07/03. 11pp. 62501:076-62501:086.
- 9207140025** Rev 47 to GORT/EOF procedures index. \* Consumers Power Co. 92/07/06. 2pp. 62385:350-62385:351.
- 9207150101** Rev 10 to EI-7.1 "Post Accident Sampling-PCS Liquid/Gas & Containment Air." W/920715 ltr. \* Consumers Power Co. 92/07/07. 9pp. 62370:354-62370:362.
- 9207150215** Rev 2 to EIP EI-15.2, "Communications Tests," reflecting periodic review of rev & approval summary. REAVY, C.R. Consumers Power Co. 92/07/07. 2pp. 62398:330-62398:331.
- 9207160262** Corrected Rev 4 to EIP EI-9, "Offsite Radiological Monitoring," reflecting editorial changes & retyped to WordPerfect. \* Consumers Power Co. 92/07/07. 22pp. 62417:318-62417:339.
- 9207150088** Revised cover sheet to Rev 4 to EI-16.1, "Maint of Emergency Equipment." \* Consumers Power Co. 92/07/08. 2pp. 62412:346-62412:347.
- 9207150090** Revised cover sheet to Rev 9 to EI-15.1, "Training & Drills." \* Consumers Power Co. 92/07/08. 2pp. 62412:348-62412:349.
- 9207150093** Rev 11 to EI-3, "Communications & Notifications." \* Consumers Power Co. 92/07/08. 2pp. 62375:257-62375:258.
- 9207150096** Rev 9 to Section 5 to "Palisades Nuclear Plant Site Emergency Plan." W/ undated ltr. ZIELINSKI, K. Consumers Power Co. 92/07/08. 3pp. 62375:254-62375:256.
- 9207270312** Ack receipt of 920424 ltr transmitting Rev 28 to security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable. PEDERSON, C.D. Region 3 (Post 820201). 92/07/10. SLADE, G.B. Consumers Power Co. 1p. 62528:119-62528:119.
- 9207280229** Revised table of contents to Rev 3 to Emergency Implementation Procedure EI-2.2, "Emergency Staff Augmentation." W/920728 ltr. \* Consumers Power Co. 92/07/28. 6pp. 62566:268-62566:274.

#### P. Operating license stage documents & correspondence

- 9207060152** Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting. STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. ZECH, ROBERTS, BERNTHAL Commissioners (Post 750119). 3pp. 62324:016-62324:018.
- 9207080269** Provides details of discussions re Palisades during NRC senior managers meeting on 871117 & 18. Facility was categorized as requiring no further NRC special attention beyond regional ofc level of monitoring. STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. MCCORMICK, W.T. Consumers Power Co. 2pp. 62324:031-62324:032.
- 9207090267** Partially withheld summary of 861021-22 NRC mgt meeting. \* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.
- 9207200223** Forwards amend 149 to license DPR-20 & safety evaluation. Amend modifies TS 4.1.1.2.4 by changing testing requirements of pressurizer PORVs from ASME code, section XI, category C to category B. MASCIANTONIO, A. Project Directorate III-1. 92/06/19. SLADE, G.B. Consumers Power Co. 2pp. 62194:160-62194:168.
- 9207200300** Amend 149 to license DPR-20, revising TS 4.1.1.a.4 by changing testing requirements of pressurizer PORVs from ASME code, section XI, category C to category B. MARSH, C.B. Project Directorate III-1. 92/06/19. 4pp. 62194:163-62194:166.
- 9207200335** Safety evaluation supporting amend 149 to license DPR-20. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/19. 2pp. 62194:167-62194:168.
- 9207060136** Forwards safety evaluation re licensees response to station blackout rule 10CFR50.63. MASCIANTONIO, A. Project Directorate III-1. 92/06/25. SLADE, G.B. Consumers Power Co. 2pp. 62204:007-62204:015.
- 9207060139** Safety evaluation concluding licensees confirmation & commitments to staff SE pertaining to SBO acceptable. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/25. 7pp. 62204:009-62204:015.
- 9207202036** Advises that proposed notice of withdrawal of application for amend to OL re electrical sys mods prepared & will be published unless notified otherwise. MASCIANTONIO, A. Project Directorate III-1. 92/06/26. SLADE, G.B. Consumers Power Co. 2pp. 62194:053-62194:055.
- 9207060165** Ack receipt of 911022 response to questions re "Adequacy of Safety-Related DC Power Supplies." MASCIANTONIO, A. Project Directorate III-1. 92/06/26. SLADE, G.B. Consumers Power Co. 3pp. 62204:001-62204:003.
- 9207080187** Forwards response to Generic Ltr 92-01, Rev 1 re reactor vessel structural integrity. SLADE, G.B. Consumers Power Co. 92/07/03. Document Control Branch (Document Control Desk). 19pp. 62277:333-62277:351.

- 9207220313** Forwards notice of withdrawal of application for amend to license DPR-20. Amend re electrical sys mods. MASCIANTONIO, A. Project Directorate III-1. 92/07/15. SLADE, G.B. Consumers Power Co. 3pp. 62453:348-62453:353.
- 9207220317** Notice of withdrawal of amend to license DPR-20. Proposed amend revises TSs to incorporate new requirements into Section 3.7 electrical systems. MASCIANTONIO, A. Project Directorate III-1. 92/07/10. 2pp. 62453:351-62453:353.
- 9207290148** Forwards amend 150 to license DPR-20 & safety evaluation. Amend revises TS to delete surveillance test requirement which is no longer appropriate following mods to RPS. MASCIANTONIO, A. Project Directorate III-1. 92/07/15. SLADE, G.B. Consumers Power Co. 4pp. 62557:254-62557:273.
- 9207290153** Amend 150 to license DPR-20, revising TS to delete surveillance test requirement which is no longer appropriate following mods to RPS. MARSH, L.B. Project Directorate III-1. 92/07/15. 13pp. 62557:258-62557:270.
- 9207290158** Safety evaluation supporting amend 150 to license DPR-20. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/15. 3pp. 62557:271-62557:273.
- 9207310093** Forwards SE accepting util 910628 response to GL 89-04 & granting 910628 IST program relief request. MARSH, L.B. Project Directorate III-1. 92/07/15. SLADE, G.B. Consumers Power Co. 5pp. 62584:311-62584:311.
- 9207310106** Safety evaluation accepting util 910628 response to GL 89-04 & granting util 910628 IST program relief request. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/15. 5pp. 62584:316-62584:320.
- 9202280331** Draft technical evaluation rept, "Pump & Valves Inservice Testing Program - Palisades Nuclear Plant." Brookhaven National Laboratory. FIN A-3869. 92/02/18. NRC - No Detailed Affiliation Given. 54pp. 62584:321-62584:321.
- 9207310235** Forwards revised matrix from Rev 12 of Topical Rept CPC-2A, "Quality Program Description for Operational Nuclear Plants" annual submittal dtd 920615. HOFFMAN, D.P. Consumers Power Co. 92/07/27. Document Control Branch (Document Control Desk). 1p. 62611:268-62611:341.
- 9207310243** Revised matrix from Rev 12 to Topical Rept CPC-2A, "Quality Program Description for Operational Nuclear Plants." \* Consumers Power Co. CPC-2A R12. 92/07/27. 73pp. 62611:269-62611:341.

#### Q. Inspection reports, IE Bulletins & correspondence

- 9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.
- 9207070007** Responds to initial SALP 11 rept covering Jan 1991 through Mar 1992. Organization of site emergency response teams changed & ability to call-out addl resources in timely manner will be improved. SLADE, G.B. Consumers Power Co. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62262:344-62262:345.
- 9207070349** Responds to NRC 920602 ltr re violations noted in insp rept 50-255/92-11. Corrective actions: licensee submitted program plan for EQ of electrical equipment, including design engineering, maintenance & further assurance per 10CFR50.49. SLADE, G.B. Consumers Power Co. 92/06/30. Ofc of Enforcement (Post 870413). 7pp. 62273:355-62273:361.
- 9207080087** Forwards final SALP II rept 50-255/92-01 for period Jan 1991 - Mar 1992. DAVIS, A.B. Region 3 (Post 820201). 92/07/01. SLADE, G.B. Consumers Power Co. 3pp. 62218:068-62218:075.
- 9207080092** Final SALP II rept 50-255/92-01 for period Jan 1991 - Mar 1992. \* Region 3 (Post 820201). 92/07/01. 3pp. 62218:071-62218:075.
- 9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.
- 9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.
- 9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.
- 9207140062** Ack receipt of 920630 ltr & fee in payment of civil penalty proposed by NRC in 920602 ltr. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 92/07/09. HOFFMAN, D.P. Consumers Power Co. 1p. 62299:167-62299:167.
- 9207150011** Ack receipt of 920605 ltr informing NRC of steps taken to correct violations noted in insp rept 50-255/92-04. Notice of violation 50-255/92004-01 will be retracted, per 920610 ltr. RING, M.A. Region 3 (Post 820201). 92/07/09. SLADE, G.B. Consumers Power Co. 2pp. 62335:001-62335:013.
- 9207210056** Forwards "1992 Inservice Insp Rept 2-6" for Palisades Plant. SLADE, G.B. Consumers Power Co. 92/07/16. Document Control Branch (Document Control Desk). 1p. 62452:206-62453:210.
- 9207210068** "1992 ISI Rept 2-6." \* Consumers Power Co. 92/07/16. 200pp. 62452:207-62453:210.



## 36 DOCKETED ITEMS

**9207290163** Responds to NRC 920622 ltr re violations noted in Safety Insp Rept 50-255/92-12. Corrective actions: all longitudinal welds on main steam sys requiring insp. examined by volumetric & surface methods. SLADE, G.B. Consumers Power Co. 92/07/22. Document Control Branch (Document Control Desk). 18pp. 62567:106-62567:123.

**9207310097** Forwards response to NRC 920623 ltr re open items noted in insp rept 50-255/92-16. Corrective actions: sys engineering evaluating design basis of alarm function & methods for further testing of upstream isolation valves. SLADE, G.B. Consumers Power Co. 92/07/23. Document Control Branch (Document Control Desk). 8pp. 62612:343-62612:350.

### R. Periodic operating reports & related correspondence

**9207140058** Monthly operating rept for June 1992 for Palisades Nuclear Plant. W/ 920707 ltr. HANDLOVITS, S.M., MLYNAREK, M.G. Consumers Power Co. 92/06/30. 4pp. 62380:335-62380:338.

### V. Operator Examinations

**9207090342** Discusses generic fundamentals exam section of operator licensing exam, administered on 920610. Master BWR/PWR subj exam w/answer key encl for info. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62268:049-62268:099.

**9207150234** Advises that ref matls requested in NRC 920603 ltr re operator & senior operator licensing exams, mailed to Region III on 920707. CONNELLY, P.M. Consumers Power Co. 92/07/08. Document Control Branch (Document Control Desk). 1p. 62415:303-62415:303.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

## DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

**9207010056** Forwards partially withheld insp repts 50-259/92-20, 50-260/92-20 & 50-296/92-20 on 920511-15. No violations or deviations noted. COLLINS, D.M. Region 2 (Post 820201). 92/06/24. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62143:149-62143:153.

**9207010065** Partially withheld insp repts 50-259/92-20, 50-260/92-20 & 50-296/92-20. No violations noted. Details withheld ref 10CFR73.21. Major areas inspected: security plan & procedures, mgt effectiveness, security organization & program audit. STANSBERRY, W.W. Region 2 (Post 820201). 92/06/24. 1p. 62143:153-62143:153.

**9207300245** Revised EIPs, including Rev 13 to EIP-1, "Emergency Plan Classification Logic," Rev 13 to EIP-3, "Alert," Rev 12 to EIP-4, "Site Area Emergency," Rev 13 to EIP-5, "General Emergency" & rev to EIP-17, "Emergency...." W/920717 ltr. BARON, R.R. Tennessee Valley Authority. 92/07/17. 68pp. 62593:223-62593:289.

**9207210213** Forwards Revs 28 & 19 to physical security/contingency plans, respectively. Revs withheld (ref 10CFR73.21). BURZYNSKI, M.J. Tennessee Valley Authority. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62467:358-62467:359.

### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207240212** Forwards Amend 9 to updated FSAR for Browns Ferry Nuclear Plant. Commitments completed in Amend 9 include FSAR logic diagrams. Diagrams updated, as necessary. ZERINGUE, O.J. Tennessee Valley Authority. 92/07/22. Document Control Branch (Document Control Desk). 5pp. 62540:001-62543:312.

**9207240215** Amend 9 to updated FSAR for Browns Ferry Nuclear Plant. \* Tennessee Valley Authority. 92/07/22. 1,400pp. 62540:006-62543:312.

### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**9207080152** Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting. STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.

**9207080200** Provides details of discussions re Browns Ferry & Sequoyah during 871117 & 18 NRC senior managers meeting. Plants were categorized as requiring substantial improvement. STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. WHITE, S.A. Tennessee Valley Authority. 2pp. 62324:023-62324:024.

**9207080291** Summary of 880628-29 NRC senior mgt meeting. Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl. STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.

**9207080356** Provides summary of NRC discussions re Browns Ferry & Sequoyah during 880628 & 29 senior managers meeting. Browns Ferry & Sequoyah Unit 1 were categorized as requiring substantial improvement & Unit, close monitoring. STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. WHITE, S.A. Tennessee Valley Authority. 2pp. 62324:055-62324:056.

**9207090086** Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting. STELLO, V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.

**9207090114** Provides Commission w/summary of discussions held at 890517-18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting. Details withheld. STELLO, V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

**9207090146** Provides Commission w/summary of discussions held at 900612-13 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900627 Commission meeting. Portions of discussion summary partially withheld. TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/06/21. CARR Commissioners (Post 750119). 34pp. 62324:163-62324:217.

**9207090237** Provides Commission w/summary of discussions held at 910108-09 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 910124 Commission meeting. Details withheld. TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/01/17. CARR Commissioners (Post 750119). 38pp. 62324:218-62324:253.

**9207090248** Provides summary of discussions held at 910604-05 NRC senior mgt meeting & ltrs to be sent to licensees of plants on problem plant list that will be discussed at 910620 Commission meeting. Details withheld. TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/06/14. CARR Commissioners (Post 750119). 42pp. 62324:254-62324:297.

**9207090267** Partially withheld summary of 881021-22 NRC mgt meeting. \* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.

**9207100371** Provides Commission w/summary of discussions held at 900122-23 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900215 Commission meeting. TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/02/02. CARR Commissioners (Post 750119). 38pp. 62324:144-62324:182.

**9207020148** Summary of 920211 meeting w/util to discuss planned work activities in Units 1 & 2. WILSON, B.A. Region 2 (Post 820201). 92/06/15. MEDFORD, M.O. Region 2 (Post 820201). 10pp. 62249:029-62249:038.

**9207060065** Discusses plant implementation schedule for generic ltr 89-10. ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/06/30. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62204:206-62204:208.

**9207090339** Discusses 920615-16 meeting re BFNP as having weaknesses that warrant increased NRC attention until improvement demonstrated & remain in category of plants that require NRC authorization to operate. NRC meeting scheduled for 920702. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/30. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 62269:308-62269:311.

**9207080128** Discusses review of response to generic ltr 88-20, suppl 4 re individual plant exams for external events. Util 911220 submittal did not identify methods for performing seismic portion of IPEEE. ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/02. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62243:303-62243:306.

**9207130075** Forwards TS 314 to Licenses DPR-33 & DPR-68, changing TS to support upgrade for switches used in RHR sys to prevent intersystem LOCA. Setpoint values based on Unit 2 calculations. BARON, R.R. Tennessee Valley Authority. 92/07/02. Document Control Branch (Document Control Desk). 3pp. 62366:191-62366:211.

**9207130077** Proposed TS Table 4.2.A, "Surveillance Requirements for Primary Containment & Reactor Bldg Isolation Instrumentation" & Table 4.2.B, "Surveillance Requirements for Instrumentation That Initiates or Controls CSCS." \* Tennessee Valley Authority. 92/07/02. 18pp. 62366:194-62366:211.

**9207140296** Forwards operational readiness program & info re corrective action for tracking documents per employee concerns program & employee concerns special program. ZERINGUE, O.J. Tennessee Valley Authority. 92/07/06. Document Control Branch (Document Control Desk). 34pp. 62384:271-62384:304.

**9207090177** Forwards response to Generic ltr 92-01, "Reactor Vessel Structural Integrity." NUMARC recommended response guidelines utilized to extent practical. SHELL, R.H. Tennessee Valley Authority. 92/07/07. Document Control Branch (Document Control Desk). 48pp. 62341:201-62341:248.

**9207150279** Notification of 920715 meeting w/util in Rockville, MD re facility RPV exams. WILLIAMS, J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/08. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 3pp. 62378:267-62378:289.

**9207160304** Forwards SE accepting criteria for lower drywell steel platforms & miscellaneous steel. Requests listed addl info. WILLIAMS, J.F. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/13. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62396:025-62396:032.

**9207160305** Safety evaluation accepting design criteria for lower drywell steel platforms & miscellaneous steel. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/13. 5pp. 62396:028-62396:032.

**9207220275** Summary of 920528 meeting w/licensee in Rockville, MD re program initiative to upgrade current analog control sys w/digital control sys.  
ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/16. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 12pp. 62501:348-62501:357.

**9207220351** Summary of 920528 meeting w/util to discuss util plans for conducting expanded individual plant exam. Attendees listed in encl 1.  
ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/16. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 16pp. 62445:237-62445:252.

**9207230156** Forwards safety evaluation of seismic design criteria for heating ventilation & air conditioning.  
ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/16. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62479:013-62479:022.

**-9207230163** Safety evaluation accepting proposed HVAC seismic design criteria.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/16. 7pp. 62479:016-62479:022.

**9207230229** Accepts 920430 response to generic ltr 91-11, "Resolution of Generic Issues 48, 'LOCs for Class IE Vital Instrument Buses,' & 49, 'Interlocks & LOCs for Class IE Tie Breakers,' per 10CFR50.54(f)."  
ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/16. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62478:316-62478:318.

**9207240165** Responds to NRC 920103 SER of inservice testing program relief requests. Advises that Relief Request PV-36 re increase in stroke time from ref value instead of stroke time of previous test implemented at facilities.  
BARON, R.R. Tennessee Valley Authority. 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62515:359-62515:360.

**9207240138** Forwards plans for resolution of thermal growth issue in response to verbal agreements reached during meeting on 920430.  
ZERINQUE, O.J. Tennessee Valley Authority. 92/07/20. Document Control Branch (Document Control Desk). 5pp. 62515:285-62515:289.

**9207270008** TS 310 to Licenses DPR-33, DPR-52 & DPR-68, changing TS to eliminate use of rod sequence control sys & decreasing power level setpoint above which rod worth minimizer no longer required.  
ZERINQUE, O.J. Tennessee Valley Authority. 92/07/20. Document Control Branch (Document Control Desk). 3pp. 62516:199-62516:266.

**-9207270010** Proposed TS Table 3.2.C re instrumentation that initiates rod blocks. 4.2.C re surveillance requirements for instrumentation that initiate rod blocks & LCO 4.3.A.2 re reactivity margin - inoperable control rods.  
\* Tennessee Valley Authority. 92/07/20. 65pp. 62516:202-62516:266.

**9207300132** Forwards comments on util expanded approach to IPE process as described in 920207 submittal & subsequently discussed at 920528 meeting. Accepts util commitment to submit summary rept of expanded PRA results.  
ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/22. MEDFORD, M.O. Tennessee Valley Authority. 6pp. 62580:330-62580:335.

**9207290133** Application for amendments to licenses DPR-33, DPR-52 & DPR-68, consisting of TS Change TVA-BFN-TS-316, revising TS Section 3.2/4.2 by upgrading reactor & refuel zone radiation monitoring sys.  
ZERINQUE, O.J. Tennessee Valley Authority. 92/07/23. Document Control Branch (Document Control Desk). 3pp. 62567:039-62567:098.

**-9207290145** Proposed tech specs re upgrade to Reactor and Refuel Zone Radiation Monitoring Sys.  
\* Tennessee Valley Authority. 92/07/23. 57pp. 62567:042-62567:098.

**9207310124** Concludes that technical rationale provided by util to justify operability of unit 2 brand rex cables for one more fuel cycle acceptable, per NUREG-1232, vol 3, suppl 2.  
ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/24. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62585:354-62585:356.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207020061** Ack receipt of 920601 ltr informing NRC of steps taken to correct violations noted in insp rept 50-259/92-11, 50-260/92-11 & 50-296/92-11.  
WILSON, B.A. Region 2 (Post 820201). 92/06/12. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62234:273-62234:275.

**9207020173** Forwards Insp Repts 50-259/92-16, 50-260/92-16 & 50-296/92-16 on 920511-15. No violations or deviations noted.  
CLINE, W.E. Region 2 (Post 820201). 92/06/15. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62249:001-62249:015.

**-9207020182** Insp Repts 50-259/92-16, 50-260/92-16 & 50-296/92-16 on 920511-15. No violations or deviations noted. Major areas inspected: semi-annual radiological effluent repts, annual environ monitoring repts, solid radwaste & shipping.  
GLOERSEN, W.B., DECKER, T.R. Region 2 (Post 820201). 92/06/08. 10pp. 62248:004-62248:015.

**9207010328** Forwards insp repts 50-259/92-15, 50-260/92-15 & 50-296/92-15 on 920420-24, 0504-08 & 0518-22 & notice of violation.  
GIBSON, A.F. Region 2 (Post 820201). 92/06/18. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62202:218-62202:267.

**-9207010340** Notice of violation from insp on 920420-0522. Violation noted: licensee failed to adequately implement design requirements in switchyard operating procedure 6055 & general operating procedure 0-G01-3001.  
\* Region 2 (Post 820201). 92/06/17. 2pp. 62202:222-62202:223.

**-9207010346** Insp repts 50-259/92-15, 50-260/92-15 & 50-296/92-15 on 920420-24, 0504-08 & 0518-22. Violations noted. Major areas inspected: design of electrical sys & related engineering & maintenance activities.  
BRESLAU, B., JULIAN, C. Region 2 (Post 820201). 92/06/17. 44pp. 62202:224-62202:267.

**9207010056** Forwards partially withheld insp repts 50-259/92-20, 50-260/92-20 & 50-296/92-20 on 920511-15. No violations or deviations noted.  
COLLINS, D.M. Region 2 (Post 820201). 92/06/24. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62143:149-62143:153.

**-9207010065** Partially withheld insp repts 50-259/92-20, 50-260/92-20 & 50-296/92-20. No violations noted. Details withheld ref 10CFR73.21. Major areas inspected: security plan & procedures, mgt effectiveness, security organization & program audit.  
STANSBERRY, W.W., MCGUIRE, D.R. Region 2 (Post 820201). 92/06/24. 1p. 62143:153-62143:153.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070319** Responds to violations noted in Insp Repts 50-259/92-12, 50-260/92-12 & 50-296/92-12. Corrective actions: design control of site telecommunications subcontractor initiated.  
BARON, R.R. Tennessee Valley Authority. 92/06/29. Document Control Branch (Document Control Desk). 2pp. 62273:353-62273:354.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140081** Ack receipt of 920518 & 0629 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-259/92-12, 50-260/92-12 & 50-296/92-12.  
JOHNSON, J.R. Region 2 (Post 820201). 92/07/02. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62299:254-62299:256.

**9207140094** Forwards insp repts 50-259/92-21, 50-260/92-21 & 50-296/92-21 on 920516-0616 & notice of violation.  
WILSON, B.A. Region 2 (Post 820201). 92/07/02. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62299:296-62299:323.

**-9207140100** Notice of violation from insp on 920516-0616. Violation noted: requirements were not met for dispositioning listed examples of measuring & testing equipment nonconformance packages.  
\* Region 2 (Post 820201). 92/07/02. 2pp. 62299:300-62299:301.

**-9207140102** Insp repts 50-259/92-21, 50-260/92-21 & 50-296/92-21 on 920516-0616. Violations noted. Major areas inspected: maint observation, operational safety verification, measuring & test equipment program & restart activities.  
PATTERSON, C.A., KELLOGG, P.J. Region 2 (Post 820201). 92/06/30. 20pp. 62299:302-62299:323.

**9207270117** Forwards insp repts 50-259/92-19, 50-260/92-19 & 50-296/92-19 on 920518-22. No violations or deviations noted.  
JULIAN, C.A. Region 2 (Post 820201). 92/07/06. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62476:054-62476:067.

**-9207270121** Insp repts 50-259/92-19, 50-260/92-19 & 50-296/92-19 on 920518-22. No violations or deviations noted. Major areas inspected: large/small bore piping, tube track steel, platform steel & pipe stress calculation.  
CHOU, R.C., BLAKE, J.J. Region 2 (Post 820201). 92/07/01. 10pp. 62476:058-62476:067.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207240149** Responds to NRC 920618 ltr re violations noted in Electrical Distribution Sys Functional Insp Repts 50-259/92-15, 50-260/92-15 & 50-296/92-15 on 920420-0522. Corrective actions: plant procedures revised.  
ZERINQUE, O.J. Tennessee Valley Authority. 92/07/20. Document Control Branch (Document Control Desk). 16pp. 62505:346-62505:361.

#### R. Periodic operating reports & related correspondence

**9207010035** "ADEM Discharge Monitoring Rept for May 1992."  
LOUDERMILK, A. Tennessee Valley Authority. 92/05/31. 9pp. 62234:041-62234:049.

**9207160157** Monthly operating repts for June 1992 for Browns Ferry Nuclear Plant. W/ 920713 ltr.  
RATLIFF, S.A., BARON, R.R. Tennessee Valley Authority. 92/06/30. 13pp. 62415:339-62415:351.

#### S. Reportable occurrences, LERs & related correspondence

**9207310128** LER 92-003-00: on 920626, RPS Bus B de-energized causing actuation of several ESFs. Caused by 1B2 circuit protector trip. RPS Bus B transferred to alternate power source. 1B1 & 1B2 circuit protectors also being monitored. W/ 920724 ltr.  
SHINGLETON, E.B., ZERINQUE, O.J. Tennessee Valley Authority. 92/07/24. 7pp. 62683:197-62683:203.

#### V. Operator Examinations

**9207020153** Forwards ref matl for reactor operator & senior operator licensing exams scheduled for wk of 920921.  
PEEBLES, T.A. Region 2 (Post 820201). 92/06/15. NAUMAN, D.A. Tennessee Valley Authority. 11pp. 62219:302-62219:312.

**9207220143** Discusses arrangements for evaluation of requalification program & licensed personnel at facility. Evaluation visit scheduled for wks of 921130 & 1207.  
PEEBLES, T.A. Region 2 (Post 820201). 92/07/15. NAUMAN, D.A. Tennessee Valley Authority. 9pp. 62438:060-62438:068.



## 38 DOCKETED ITEMS

### DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207010056** Forwards partially withheld insp repts 50-259/92-20, 50-260/92-20 & 50-296/92-20 on 920511-15. No violations or deviations noted. COLLINS, D.M. Region 2 (Post 820201). 92/06/24. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62143:149-62143:153.

**9207010065** Partially withheld insp repts 50-259/92-20, 50-260/92-20 & 50-296/92-20. No violations noted. Details withheld ref 10CFR73.21. Major areas inspected: security plan & procedures, mgt effectiveness, security organization & program audit. STANSBERRY, W.W. Region 2 (Post 820201). 92/06/24. 1p. 62143:153-62143:153.

**9207160035** Forwards updated data point library for ERDS, per NRC request. BURZYNSKI, M.J. Tennessee Valley Authority. 92/07/10. Document Control Branch (Document Control Desk). 17pp. 62429:299-62429:317.

**9207300245** Revised EIPs, including Rev 13 to EIP-1, "Emergency Plan Classification Logic," Rev 13 to EIP-3, "Alert," Rev 12 to EIP-4, "Site Area Emergency," Rev 13 to EIP-5, "General Emergency" & rev to EIP-17, "Emergency..." W/920717 ltr. BARON, R.R. Tennessee Valley Authority. 92/07/17. 68pp. 62593:223-62593:289.

**9207210213** Forwards Revs 28 & 19 to physical security/contingency plans, respectively. Revs withheld (ref 10CFR73.21). BURZYNSKI, M.J. Tennessee Valley Authority. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62467:358-62467:359.

**9207300253** Forwards updated emergency response data sys data point library, per NRC request. BURZYNSKI, M.J. Tennessee Valley Authority. 92/07/24. Document Control Branch (Document Control Desk). 131pp. 62593:024-62593:179.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207240212** Forwards Amend 9 to updated FSAR for Browns Ferry Nuclear Plant. Commitments completed in Amend 9 include FSAR logic diagrams. Diagrams updated, as necessary. ZERINGUE, O.J. Tennessee Valley Authority. 92/07/22. Document Control Branch (Document Control Desk). 5pp. 62540:001-62543:312.

**9207240215** Amend 9 to updated FSAR for Browns Ferry Nuclear Plant.  
\* Tennessee Valley Authority. 92/07/22. 1,400pp. 62540:006-62543:312.

#### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**9207080152** Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting. STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.

**9207080200** Provides details of discussions re Browns Ferry & Sequoyah during 871117 & 18 NRC senior managers meeting. Plants were categorized as requiring substantial improvement. STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. WHITE, S.A. Tennessee Valley Authority. 2pp. 62324:023-62324:024.

**9207080291** Summary of 880628-29 NRC senior mgt meeting. Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl. STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.

**9207080356** Provides summary of NRC discussions re Browns Ferry & Sequoyah during 880628 & 29 senior managers meeting. Browns Ferry & Sequoyah Unit 1 were categorized as requiring substantial improvement & Unit, close monitoring. STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. WHITE, S.A. Tennessee Valley Authority. 2pp. 62324:055-62324:056.

**9207090086** Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting. STELLO, V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 3pp. 62324:081-62324:110.

**9207090114** Provides Commission w/summary of discussions held at 890517-18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting. Details withheld. STELLO, V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

**9207090146** Provides Commission w/summary of discussions held at 900612-13 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900627 Commission meeting. Portions of discussion summary partially withheld. TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/06/21. CARR Commissioners (Post 750119). 34pp. 62324:183-62324:217.

**9207090237** Provides Commission w/summary of discussions held at 910108-09 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 910124 Commission meeting. Details withheld. TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/01/17. CARR Commissioners (Post 750119). 36pp. 62324:218-62324:253.

**9207090248** Provides summary of discussions held at 910604-05 NRC senior mgt meeting & ltrs to be sent to licensees of plants on problem plant list that will be discussed at 910620 Commission meeting. Details withheld. TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/06/14. CARR Commissioners (Post 750119). 42pp. 62324:254-62324:297.

**9207090267** Partially withheld summary of 861021-22 NRC mgt meeting.  
\* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.

**9207100371** Provides Commission w/summary of discussions held at 900122-23 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900215 Commission meeting. TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/02/02. CARR Commissioners (Post 750119). 38pp. 62324:144-62324:162.

**9207020148** Summary of 920211 meeting w/util to discuss planned work activities in Units 1 & 2. WILSON, B.A. Region 2 (Post 820201). 92/06/15. MEDFORD, M.O. Region 2 (Post 820201). 10pp. 62249:029-62249:038.

**9207080068** Discusses plant implementation schedule for generic ltr 89-10. ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/06/30. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62204:206-62204:208.

**9207090339** Discusses 920615-16 meeting re BFNP as having weaknesses that warrant increased NRC attention until improvement demonstrated & remain in category of plants that require NRC authorization to operate. NRC meeting scheduled for 920702. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/30. KINGSLEY, O.D. Tennessee Valley Authority. 4pp. 62268:308-62268:311.

**9207080128** Discusses review of response to generic ltr 88-20, suppl 4 re individual plant exams for external events. Util 911220 submittal did not identify methods for performing seismic portion of IPEEE.

ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/02. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62243:303-62243:306.

**9207100072** Forwards amend 202 to license DPR-52 & safety evaluation. Amend revises TS 3.2.c.3.5.k & 4.5.k to allow continued operation when RBM is inoperable & MCPR within specified limits. WILLIAMS, J.F. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/02. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62284:263-62284:281.

**9207100077** Amend 202 to license DPR-52. Amend revises TS 3.2.c.3.5.k & 4.5.k to allow continued operation when RBM is inoperable & MCPR within specified limits. HEDDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/02. 11pp. 62284:267-62284:277.

**9207100080** Safety evaluation supporting amend 202 to license DPR-52.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/02. 4pp. 62284:278-62284:281.

**9207090177** Forwards response to Generic ltr 92-01, "Reactor Vessel Structural Integrity." NUMARC recommended response guidelines utilized to extent practical. SHELL, R.H. Tennessee Valley Authority. 92/07/07. Document Control Branch (Document Control Desk). 48pp. 62341:201-62341:248.

**9207150279** Notification of 920715 meeting w/util in Rockville, MD re facility RPV exams. WILLIAMS, J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/08. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 3pp. 62378:267-62378:269.

**9207160304** Forwards SE accepting criteria for lower drywell steel platforms & miscellaneous steel. Requests listed addl info. WILLIAMS, J.F. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/13. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62396:025-62396:032.

**9207160305** Safety evaluation accepting design criteria for lower drywell steel platforms & miscellaneous steel.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/13. 5pp. 62396:028-62396:032.

**9207220275** Summary of 920528 meeting w/licensee in Rockville, MD re program initiative to upgrade current analog control sys w/digital control sys. ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/16. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 12pp. 62501:348-62501:357.

**9207220351** Summary of 920528 meeting w/util to discuss util plans for conducting expanded individual plant exam. Attendees listed in encl 1. ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/16. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 16pp. 62445:237-62445:252.

**9207230156** Forwards safety evaluation of seismic design criteria for heating ventilation & air conditioning. ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/16. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62479:013-62479:022.

**9207230163** Safety evaluation accepting proposed HVAC seismic design criteria.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/16. 7pp. 62479:016-62479:022.

**9207230229** Accepts 920430 response to generic ltr 91-11, "Resolution of Generic Issues 48, 'LOCs for Class IE Vital Instrument Buses,' & 49, 'Interlocks & LOCs for Class IE Tie Breakers,' per 10CFR50.54(f)." ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/16. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62478:316-62478:318.

**9207240185** Responds to NRC 920103 SER of inservice testing program relief requests. Advises that Relief Request PV-36 re increase in stroke time from ref value instead of stroke time of previous test implemented at facilities. BARON, R.R. Tennessee Valley Authority. 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62515:359-62515:360.

**9207240198** Forwards plans for resolution of thermal growth issue in response to verbal agreements reached during meeting on 920430. ZERINGUE, O.J. Tennessee Valley Authority. 92/07/20. Document Control Branch (Document Control Desk). 5pp. 62515:285-62515:289.

**9207270008** TS 310 to Licenses DPR-33,DPR-52 & DPR-68,changing TS to eliminate use of rod sequence control sys & decreasing power level setpoint above which rod worth minimizer no longer required.  
ZERINGUE,O.J. Tennessee Valley Authority. 92/07/20. Document Control Branch (Document Control Desk). 3pp. 62516:199-62516:266.

**-9207270010** Proposed TS Table 3.2.C re instrumentation that initiates rod blocks,4.2.C re surveillance requirements for instrumentation that initiate rod blocks & LCO 4.3.A.2 re reactivity margin - inoperable control rods.  
\* Tennessee Valley Authority. 92/07/20. 65pp. 62516:202-62516:266.

**9207300132** Forwards comments on util expanded approach to IPE process as described in 920207 submittal & subsequently discussed at 920528 meeting.Accepts util commitment to submit summary rept of expanded PRA results.  
ROSS,T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/22. MEDFORD,M.O. Tennessee Valley Authority. 6pp. 62580:330-62580:335.

**9207290133** Application for amends to licenses DPR-33,DPR-52 & DPR-68, consisting of TS Change TVA-BFN-TS-316, revising TS Section 3.2/4.2 by upgrading reactor & refuel zone radiation monitoring sys.  
ZERINGUE,O.J. Tennessee Valley Authority. 92/07/23. Document Control Branch (Document Control Desk). 3pp. 62567:039-62567:098.

**-9207290145** Proposed tech specs re upgrade to Reactor and Refuel Zone Radiation Monitoring Sys.  
\* Tennessee Valley Authority. 92/07/23. 57pp. 62567:042-62567:098.

**9207310124** Concludes that technical rationale provided by util to justify operability of unit 2 brand rex cables for one more fuel cycle acceptable,per NUREG-1232,vol 3,suppl 2.  
ROSS,T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/24. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 62585:354-62585:356.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207200061** Ack receipt of 920601 ltr informing NRC of steps taken to correct violations noted in insp rept 50-259/92-11, 50-260/92-11 & 50-296/92-11.  
WILSON,B.A. Region 2 (Post 820201). 92/06/12. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 62234:273-62234:275.

**9207200173** Forwards Insp Repts 50-259/92-16,50-260/92-16 & 50-296/92-16 on 920511-15.No violations or deviations noted.  
CLINE,W.E. Region 2 (Post 820201). 92/06/15. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 62249:001-62249:015.

**-9207200182** Insp Repts 50-259/92-16,50-260/92-16 & 50-296/92-16 on 920511-15.No violations or deviations noted.Major areas inspected:semi-annual radiological effluent repts,annual environ monitoring repts,solid radwaste & shipping.  
GLOERSEN,W.B., DECKER,T.R. Region 2 (Post 820201). 92/06/08. 10pp. 62249:004-62249:015.

**9207010328** Forwards insp repts 50-259/92-15,50-260/92-15 & 50-296/92-15 on 920420-24,0504-08 & 0518-22.Violations noted.Major areas inspected:design of electrical sys & related engineering & maintenance activities.  
GIBSON,A.F. Region 2 (Post 820201). 92/06/18. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 62202:218-62202:267.

**-9207010340** Notice of violation from insp on 920420-0522.Violation noted:licensee failed to adequately implement design requirements in switchyard operating procedure 6055 & general operating procedure 0-G01-3001.  
\* Region 2 (Post 820201). 92/06/17. 2pp. 62202:222-62202:223.

**-9207010346** Insp repts 50-259/92-15,50-260/92-15 & 50-296/92-15 on 920420-24,0504-08 & 0518-22.Violations noted.Major areas inspected:design of electrical sys & related engineering & maintenance activities.  
BRESLAU,B., JULIAN,C. Region 2 (Post 820201). 92/06/17. 44pp. 62202:224-62202:267.

**9207010056** Forwards partially withheld insp repts 50-259/92-20, 50-260/92-20 & 50-296/92-20 on 920511-15.No violations or deviations noted.  
COLLINS,D.M. Region 2 (Post 820201). 92/06/24. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 62143:149-62143:153.

**-9207010085** Partially withheld insp repts 50-259/92-20,50-260/92-20 & 50-296/92-20.No violations noted.Details withheld ref 10CFR73.21.Major areas inspected:security plan & procedures, mgt effectiveness,security organization & program audit.  
STANSBERRY,W.W., MCGUIRE,D.R. Region 2 (Post 820201). 92/06/24. 1p. 62143:153-62143:153.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070319** Responds to violations noted in Insp Repts 50-259/92-12, 50-260/92-12 & 50-296/92-12.Corrective actions:design control of site telecommunications subcontractor initiated.  
BARON,R.R. Tennessee Valley Authority. 92/06/29. Document Control Branch (Document Control Desk). 2pp. 62273:353-62273:354.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140081** Ack receipt of 920518 & 0629 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-259/92-12,50-260/92-12 & 20-296/92-12.  
JOHNSON,J.R. Region 2 (Post 820201). 92/07/02. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 62299:254-62299:256.

**9207140094** Forwards insp repts 50-259/92-21,50-260/92-21 & 50-296/92-21 on 920516-0616 & notice of violation.  
WILSON,B.A. Region 2 (Post 820201). 92/07/02. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 62299:296-62299:323.

**-9207140100** Notice of violation from insp on 920516-0616.Violation noted:requirements were not met for positioning listed examples of measuring & testing equipment nonconformance packages.  
\* Region 2 (Post 820201). 92/07/02. 2pp. 62299:300-62299:301.

**-9207140102** Insp repts 50-259/92-21,50-260/92-21 & 50-296/92-21 on 920516-0616.Violations noted.Major areas inspected:maint observation,operational safety verification,measuring & test equipment program & restart activities.  
PATTERSON,C.A., KELLOGG,P.J. Region 2 (Post 820201). 92/06/30. 20pp. 62299:302-62299:323.

**9207270117** Forwards insp repts 50-259/92-19,50-260/92-19 & 50-296/92-19 on 920518-22.No violations or deviations noted.  
JULIAN,C.A. Region 2 (Post 820201). 92/07/06. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 62476:054-62476:067.

**-9207270121** Insp repts 50-259/92-19,50-260/92-19 & 50-296/92-19 on 920518-22.No violations or deviations noted.Major areas inspected:large/small bore piping,tube track steel,platform steel & pipe stress calculation.  
CHOU,R.C., BLAKE,J.J. Region 2 (Post 820201). 92/07/01. 10pp. 62476:058-62476:067.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207240149** Responds to NRC 920618 ltr re violations noted in Electrical Distribution Sys Functional Insp Repts 50-259/92-15, 50-260/92-15 & 50-296/92-15 on 920420-0522.Corrective actions:repts procedures revised.  
ZERINGUE,O.J. Tennessee Valley Authority. 92/07/20. Document Control Branch (Document Control Desk). 16pp. 62505:346-62505:361.

#### R. Periodic operating reports & related correspondence

**9207010035** "ADEM Discharge Monitoring Rept for May 1992."  
LOUDERMILK,A. Tennessee Valley Authority. 92/05/31. 9pp. 62234:041-62234:049.

**9207160157** Monthly operating repts for June 1992 for Browns Ferry Nuclear Plant.W/920713 ltr.  
RATLIFF,S.A., BARON,R.R. Tennessee Valley Authority. 92/06/30. 13pp. 62415:339-62415:351.

#### DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207010123** Revised EIPs,including rev 18 to PEP-104, "Emergency Control - Site Area Emergency," & rev 22 to PEP-105, "Emergency Control - General Emergency."  
W/920623 ltr.  
CHAMBERS,R.H. Carolina Power & Light Co. 92/06/23. 41pp. 62231:035-62231:075.

**9207080190** Forwards Rev 21A to industrial security plan,incorporating changes associated w/access authorization program that implements requirements of 10CFR73.56.Rev withheld (ref 10CFR73.21).  
MCCARTHY,D.C. Carolina Power & Light Co. 92/06/29. Document Control Branch (Document Control Desk). 1p. 62451:343-62451:343.

**9207080250** Forwards insp rept 50-261/92-15 on 920608-12.No violations noted.Rept details withheld.  
COLLINS,D.M. Region 2 (Post 820201). 92/07/01. WATSON,R.A. Carolina Power & Light Co. 5pp. 62293:304-62293:308.

**-9207080256** Insp rept 50-261/92-12 on 920608-12.No violations or deviations noted.Major areas inspected:contingency plans, access controls,audits,power supply & licensee corrective actions to two prior items reviewed.Details withheld.  
TOBIN,W.J., MCGUIRE,D.R. Region 2 (Post 820201). 92/07/01. 2pp. 62293:307-62293:308.

**9207130080** Rev 9 to Plant Emergency Procedure PEP-503, "Administration of Potassium Iodide." W/920706 ltr.  
CHAMBERS,R.H. Carolina Power & Light Co. 92/07/06. 12pp. 62366:212-62366:223.

**9207150127** Rev 2 to Plant Emergency Procedure PEP-654, "Public Education & Info." W/920709 ltr.  
CHAMBERS,R.H. Carolina Power & Light Co. 92/07/09. 6pp. 62404:307-62404:312.

**9207230292** Rev 3 to Plant Emergency Procedure PEP-501, "Evacuation." W/920717 ltr.  
CHAMBERS,R.H. Carolina Power & Light Co. 92/07/17. 6pp. 62482:238-62482:243.

**9207290306** Ack receipt of 920528 ltr transmitting Rev 16 to physical security plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.  
COLLINS,D.M. Region 2 (Post 820201). 92/07/23. WATSON,R.A. Carolina Power & Light Co. 4pp. 62611:247-62611:250.

#### P. Operating license stage documents & correspondence

**9207010244** Responds to 920608 request for waiver of compliance & ack receipt of 920605 license amend request to change previous correspondence re calibr of containment vessel high-range radiation monitors R-32A & B.  
REYES,L.A. Region 2 (Post 820201). 92/06/16. WATSON,R.A. Carolina Power & Light Co. 3pp. 62254:077-62254:079.

**9207080169** Requests withdrawal of 911220 request to use alternative to current requirements of 10CFR50.55a.  
MCCARTHY,D.C. Carolina Power & Light Co. 92/06/29. Document Control Branch (Document Control Desk). 1p. 62276:358-62276:358.

## 40 DOCKETED ITEMS

**9207080184** Forwards results of diesel generator load study per 881031 request for addl info re adequacy of EDG capacity.  
MCCARTHY,D.C. Carolina Power & Light Co. 92/06/29. Document Control Branch (Document Control Desk). 9pp. 62304:222-62304:230.

**9207060097** Discusses review of response to generic ltr 88-20,suppl 4 re IPEEE.IPEEE methods acceptable.Requests NRC be informed of any changes to schedule or methodology.  
MOZAFARI,B.L. Project Directorate II-1. 92/07/01. WATSON,R.A. Carolina Power & Light Co. 4pp. 62204:225-62204:228.

**9207100195** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity.Chapry upper shelf energy projected not to drop below 50-ft pounds by end-of-life for facility.  
STARKEY,R.B. Carolina Power & Light Co. 92/07/06. Document Control Branch (Document Control Desk). 11pp. 62334:268-62334:278.

**9207160260** Summary of 920529 meeting w/util re status of & progress on open licensing actions & other upcoming activities for plants.List of attendees encl.  
LE,N.B., MOZAFARI,B.L. Project Directorate II-1. 92/07/08. Project Directorate II-1. 38pp. 62396:277-62396:314.

**9207150313** Advises of implementation of Staff Positions 1 & 2 of Encl A to Generic Ltr 90-06, "Resolution of Generic Issue 70, 'PORV & Block Valve Reliability' & Generic Issue 94, 'Add Low Temp Overpressure Protection for LWRs.'"  
MCCARTHY,D.C. Carolina Power & Light Co. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62412:343-62412:345.

**9207170279** Requests NRC waiver of compliance from requirements of Tech Spec 3.3.1.2.b for Unit 2.  
DIETZ,C.R. Carolina Power & Light Co. 92/07/11. Document Control Branch (Document Control Desk). 5pp. 62458:285-62458:289.

**9207220040** Ack receipt of 920711 ltr requesting temporary waiver of compliance from TS 3.3.1.2.  
EBNETER,S.D. Region 2 (Post 820201). 92/07/13. WATSON,R.A. Carolina Power & Light Co. 4pp. 62432:076-62432:079.

**9207220165** Forwards amend 141 to license DPR-23 & safety evaluation. Amend allows use of COLR,inserts definition of COLR into TS, reflects numerical values for cycle-specific limits & restrictions being relocated to COLR & adds ref to COLR.  
MOZAFARI,B.L. Project Directorate II-1. 92/07/15. WATSON,R.A. Carolina Power & Light Co. 3pp. 62453:248-62453:288.

**-9207220188** Amend 141 to license DPR-23,allowing usage of COLR,inserts definition of COLR TS,reflects numerical values for cycle-specific limits & restrictions being relocated to COLR & adds ref to COLR.  
ADENSAM,E.G. Project Directorate II-1. 92/07/15. 31pp. 62453:251-62453:281.

**-9207220190** Safety evaluation supporting amend 141 to license DPR-23.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/15. 7pp. 62453:282-62453:288.

**9207220325** Forwards comprehensive,composite white paper on evolution of final configuration for safety injection pump B,per commitment made at 920131 meeting w/ NRC on technical & mgt issues associated w/safety injection sys.  
MCCARTHY,D.C. Carolina Power & Light Co. 92/07/17. Document Control Branch (Document Control Desk). 6pp. 62474:338-62474:343.

**9207280051** Confirms that \$149,591 electronically transferred to US Dept of Treasury,NRC on 920717 for payment of NRC Part 50 application fees for period 910630-1228,per 10CFR170.  
MCCARTHY,D.C. Carolina Power & Light Co. 92/07/22. Division of Accounting & Finance (Post 890205). 1p. 62568:356-62568:356.

**9207290388** Notification of 920729 meeting w/util in Rockville,MD to discuss CP&L integrated schedule program.  
LO,R.H. Project Directorate II-1. 92/07/24. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 3pp. 62555:358-62555:361.

**9207310231** Forwards GP-R-213850, "HB Robinson Unit 2 Reactor Containment Integrated Leakage Rate Test Rept."  
DIETZ,C.R. Carolina Power & Light Co. 92/07/29. Document Control Branch (Document Control Desk). 1p. 62656:224-62656:298.

**-9207310234** GP-R-213580, "HB Robinson Unit 2 Reactor Containment Bldg Integrated Leakage Rate Test Rept."  
\* General Physics Corp. GP-R-213850. 92/04/10. 100pp. 62656:225-62656:298.

### Q. Inspection reports, IE Bulletins & correspondence

**9207020154** Forwards insp rept 50-261/92-13 on 920427-0501.No violations noted.  
JULIAN,C.A. Region 2 (Post 820201). 92/06/18. WATSON,R.A. Carolina Power & Light Co. 3pp. 62249:016-62249:028.

**-9207020162** Insp rept 50-261/92-13 on 920427-0501.No violations or deviations noted.Major areas inspected:inservice insp work activities & maintenance.  
ECONOMOS,N., BLAKE,J. Region 2 (Post 820201). 92/06/11. 10pp. 62249:019-62249:028.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207080109** Responds to NRC ltr re violations noted in insp rept 50-261/92-11.Corrective actions:Procedure FP-005 revised & review of Procedure MMM-001 initiated.  
DIETZ,C.R. Carolina Power & Light Co. 92/07/01. Document Control Branch (Document Control Desk). 9pp. 62278:329-62278:337.

**9207080250** Forwards insp rept 50-261/92-15 on 920608-12.No violations noted.Rept details withheld.  
COLLINS,D.M. Region 2 (Post 820201). 92/07/01. WATSON,R.A. Carolina Power & Light Co. 5pp. 62283:304-62283:308.

**-9207080256** Insp rept 50-261/92-12 on 920608-12.No violations or deviations noted.Major areas inspected:contingency plans, access controls,audits,power supply & licensee corrective actions to two prior items reviewed.Details withheld.  
TOBIN,W.J., MCGUIRE,D.R. Region 2 (Post 820201). 92/07/01. 2pp. 62293:307-62293:308.

**9206280043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

### R. Periodic operating reports & related correspondence

**9207150019** Monthly operating rept for June 1992 for HB Robinson Steam Electric Plant,unit 2.W/920709 ltr.  
GROOMS,J.W., CHAMBERS,R.H. Carolina Power & Light Co. 92/06/30. 4pp. 62398:342-62398:345.

**9207310060** Provides annual rept pursuant to 10CFR50.46(a)(3)(ii) for H.B. Robinson Steam Electric Plant,Unit 2 re estimated effect of changes or errors in ECCS evaluation models or in application of models for June 1991 through May 1992.  
MCCARTHY,D.C. Carolina Power & Light Co. 92/07/24. Document Control Branch (Document Control Desk). 4pp. 62619:357-62619:360.

### S. Reportable occurrences, LERs & related correspondence

**9207020223** LER 92-010-00:on 920528,failure to test auxiliary feedwater flow indication noted.Cause unknown.Min equipment list & shift relief revised to incorporate & document requirements. W/920626 ltr.  
BAUCOM,C.T., CHAMBERS,R.H. Carolina Power & Light Co. 92/06/26. 6pp. 62292:074-62292:079.

**9207090195** LER 91-011-00:on 920605,as result of insps per NRC Info Notices 89-028 & 90-017,discovered that piping failures may occur during seismic event.Caused by generic design stds in use during const.Test lines modified.W/920706 ltr.  
CROOK,R.D., CHAMBERS,R.H. Carolina Power & Light Co. 92/07/05. 7pp. 62293:148-62293:154.

**9207150280** Special rept:on 920619,RCS temp increased above 350 F w/both channels of CV high range RM administratively inoperable. Caused by TS which minimizes checks,calibrations & tests of monitors.Amend request dtd 920605 to resolve problem.  
CHAMBERS,R.H. Carolina Power & Light Co. 92/07/09. Document Control Branch (Document Control Desk). 2pp. 62415:304-62415:305.

**9207230043** LER 92-012-00:on 920619,reactor tripped at hot shutdown during surveillance testing.Cause not yet identified. Corrective actions will be identified as part of ACR process & will be provided in supplementary rept.W/920717 ltr.  
CROOK,D., CHAMBERS,R.H. Carolina Power & Light Co. 92/07/17. 4pp. 62481:220-62481:223.

### DOCKET 50-262 BRIGHAM YOUNG UNIV. RESEARCH REACTOR

#### W. Decommissioning Stage Documents & Correspondence

**9207310082** Forwards order approving decommissioning plan & authorizing decommissioning of Univ L-77 research reactor & facility license R-109,per 900628 application.Environ assessment & finding of no significant impact & SER encl.  
ADAMS,A. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/23. ANDERSEN,D.F. Brigham Young Univ., Provo, UT. 2pp. 62588:124-62588:141.

**-9207310094** Order approving decommissioning plan & authorizing decommissioning of Univ L-77 research reactor & facility license R-109.  
BOGER,B.A. Division of Reactor Projects - III,IV,V (Post 901216). 92/07/23. Brigham Young Univ., Provo, UT. 3pp. 62588:126-62588:128.

**-9207310096** Environ assessment & finding of no significant impact re proposed order approving decommissioning plan & authorizing decommissioning for Univ L-77 research reactor & facility license R-109.  
WEISS,S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/17. 4pp. 62588:129-62588:132.

**-9207310099** Safety evaluation finding licensee decommissioning plan to be acceptable.Staff will verify acceptance w/termination field survey prior to terminating license.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/23. 9pp. 62588:133-62588:141.

### DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

#### F. Security, medical, emergency & fire protection plans

**9207070142** Discusses SALP Board results for plants.Informs that Board concludes that regulatory performance of licensee adequate. Also informs that concerns expressed by licensees will be commented on after completion of SALP program for reactors.  
KEPPLER,J.G. Region III, IE (720101-810228). 81/01/20. MOSELEY,N.C. Ofc of Inspection & Enforcement, Director (820201-870413). 22pp. 62248:002-62248:042.

**9207100083** Forwards FEMA 920603 ltr & associated final rept for Nov 1991 exercise of offsite radiological emergency response plans. FEMA identified one deficiency. MCCORMICK-BARGE Region 3 (Post 820201). 92/07/01. ELIASON, L.R. Northern States Power Co. 2pp. 62382:171-62382:260.

**-9206170062** Forwards final rept for 911105 exercise of offsite radiological emergency response plans site-specific to Monticello Plant. One deficiency & two areas requiring corrective action identified. KWIATKOWSKI, D. Federal Emergency Management Agency. 92/06/03. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 2pp. 62382:173-62382:173.

**-9206170109** "Exercise Rept Monticello Plant NSP Joint Exercise on 911105."  
\* Federal Emergency Management Agency. 92/03/30. 85pp. 62382:174-62382:260.

**9207140233** Revises 920131 submittal of ERDS data point library & plant attribute library, per Rev 1 to NUREG-1394. Software Spec ERDS-SRS-1.00-1, "ERDS Data Point Library" encl. PARKER, T.M. Northern States Power Co. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62394:294-62394:353.

**-9207140234** Software Spec ERDS-SRS-1.00-1, "ERDS Data Point Library."  
SOFGE, J.T., VAN DELL, R.E. Northern States Power Co. 92/04/21. 58pp. 62394:296-62394:353.

**9207280002** Ack receipt of 920526 ltr transmitting Rev 37 to security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable. PEDERSON, C.D. Region 3 (Post 820201). 92/07/16. PARKER, T.M. Northern States Power Co. 2pp. 62583:360-62583:361.

**9207280029** Forwards insp rept 50-263/92-11 on 920706-10. No violations noted. CREED, J.R. Region 3 (Post 820201). 92/07/17. ELIASON, L.R. Northern States Power Co. 2pp. 62488:022-62488:028.

**-9207280035** Insp rept 50-263/92-11 on 920706-10. No violations noted. Major areas inspected: physical security insp involving mgt support, protected & vital area barriers, detection & assessment aids, access control-personnel, packages & vehicle. KNICELEY, J.R., CREED, J.R. Region 3 (Post 820201). 92/07/17. 5pp. 62488:024-62488:028.

**9207300157** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Damage." Fire barrier declared inoperable & will be restored by 930331. PARKER, T.M. Northern States Power Co. 92/07/24. Document Control Branch (Document Control Desk). 4pp. 62592:341-62592:344.

#### P. Operating license stage documents & correspondence

**9207100237** Provides response to Generic Ltr 92-01, Rev 1 dtd 920306, "Reactor Vessel Structural Integrity." PARKER, T.M. Northern States Power Co. 92/07/06. Document Control Branch (Document Control Desk). 31pp. 62365:015-62365:129.

**9207130207** Revises info in 910124 & 0822 ltrs re mods to implementation of station blackout rule, including transferring power supply for temp recorder TR 23-115 to panel Y-80. Add turbine temp info provided by temp recorder TR 23-115 unnecessary. PARKER, T.M. Northern States Power Co. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62385:348-62385:349.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207070142** Discusses SALP Board results for plants. Informs that Board concludes that regulatory performance of licensee adequate. Also informs that concerns expressed by licensees will be commented on after completion of SALP program for reactors. KEPPLER, J.G. Region III, IE (720101-810228). 81/01/20. MOSELEY, N.C. Ofc of Inspection & Enforcement, Director (820201-870413). 22pp. 62248:002-62248:042.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207170055** Responds to NRC 920612 ltr re violation noted in Insp Rept 50-263/92-08. Corrective action: written safety evaluation prepared which demonstrated that existing configuration of reactor bid roof acceptable. ELIASON, L.R. Northern States Power Co. 92/07/10. Document Control Branch (Document Control Desk). 4pp. 62456:314-62456:319.

**9207220265** Forwards Safety Insp Rept 50-263/92-09 on 920528-0708. No violations noted. PHILLIPS, M.P. Region 3 (Post 820201). 92/07/16. ELIASON, L.R. Northern States Power Co. 2pp. 62457:300-62457:316.

**-9207220266** Insp Rept 50-263/92-09 on 920528-0708. No violations noted. Major areas inspected: operational safety verification, onsite followup of events, maint & surveillance activities, engineering & technical support & followup of LERs. PHILLIPS, M. Region 3 (Post 820201). 92/07/14. 15pp. 62457:302-62457:316.

**9207280029** Forwards insp rept 50-263/92-11 on 920706-10. No violations noted. CREED, J.R. Region 3 (Post 820201). 92/07/17. ELIASON, L.R. Northern States Power Co. 2pp. 62488:022-62488:028.

**-9207280035** Insp rept 50-263/92-11 on 920706-10. No violations noted. Major areas inspected: physical security insp involving mgt support, protected & vital area barriers, detection & assessment aids, access control-personnel, packages & vehicle. KNICELEY, J.R., CREED, J.R. Region 3 (Post 820201). 92/07/17. 5pp. 62488:024-62488:028.

**9207300157** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Damage." Fire barrier declared inoperable & will be restored by 930331. PARKER, T.M. Northern States Power Co. 92/07/24. Document Control Branch (Document Control Desk). 4pp. 62592:341-62592:344.

#### R. Periodic operating reports & related correspondence

**9207160145** Monthly operating rept for June 1992 for Monticello Nuclear Generating Plant. W/920710 ltr. PAUSTIAN, H.H., PARKER, T.M. Northern States Power Co. 92/06/30. 5pp. 62416:306-62416:310.

#### S. Reportable occurrences, LERs & related correspondence

**9207070008** LER 92-006-01: during wk of 920406, NRC inspector questioned actions to combat lube oil break w/fire affecting upper 4,160-volt essential switchgear. Caused by error in fire hazards analysis. Fire watch established. W/920701 ltr. HIPPE, M., PARKER, T.M. Northern States Power Co. 92/07/01. 5pp. 62292:152-62292:155.

**9207300211** LER 92-008-00: on 920624, fire barrier declared inoperable & continuous fire watch patrol established, per NRC Bulletin 92-001. Caused by failure of Thermo-Lag 330 barrier during fire endurance testing. Remote alarm installed. W/920724 ltr. HIPPE, M., PARKER, T.M. Northern States Power Co. 92/07/24. 5pp. 62588:040-62588:044.

#### V. Operator Examinations

**9207090280** Forwards exam answer key for forms A & B, grading results for facility & individual answer sheets for each applicant taking exams for facility, per 920610 gener-ic fundamentals exam at facility. All candidates passed exam. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Commonwealth Edison Co. 48pp. 62266:001-62266:048.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

#### DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207020266** Forwards Rev 30 to security plan. Rev withheld (ref 10CFR73.21). KOVACH, T.J. Commonwealth Edison Co. 92/06/23. Document Control Branch (Document Control Desk). 1p. 62425:356-62425:356.

**9207090164** Revised EIPs, including rev 4 to QEP 135-0, "Stores Director" & rev 3 to QEP 135-S3, "Stores Director General Emergency Checklist."  
\* Commonwealth Edison Co. 92/06/23. 5pp. 62341:296-62341:300.

**9207010023** Advises that 920608 proposed scope of participation & objectives for remedial exercise at plant scheduled for 920716, acceptable. MCCORMICK-BARGE Region 3 (Post 820201). 92/06/24. REED, C. Commonwealth Edison Co. 1p. 62143:033-62143:033.

**9207090080** Revised EIPs, including rev 19 to QEP 400-0, "On-site Response Actions," & rev 5 to QEP 400-S1, "Plant Assembly Checklist."  
\* Commonwealth Edison Co. 92/06/27. 4pp. 62308:349-62308:353.

**9207090041** Revised EIPs, including rev 11 to QEP 140-0, "Security Director," & rev 6 to QEP 140-S1, "Security Director Alert Checklist."  
\* Commonwealth Edison Co. 92/06/30. 8pp. 62309:337-62309:344.

**9207090058** Revised EIPs, including rev 9 to QEP 160-0, "Operations Support Center Director," & rev 7 to QEP 160-S3, "OSC Director General Emergency Checklist."  
\* Commonwealth Edison Co. 92/06/30. 6pp. 62309:346-62309:352.

**9207090065** Revised EIPs, including rev 5 to QEP 165-0, rev 4 to QEP 165-1, rev 4 to QEP 165-S8 & rev 3 to QEP 165-T1.  
\* Commonwealth Edison Co. 92/06/30. 6pp. 62308:334-62308:340.

**9207090071** Revised EIPs, including rev 20 to QEP 200-0, "Emergency Classification" & rev 9 to QEP 200-1, "Classification of GSEP Condition."  
\* Commonwealth Edison Co. 92/06/30. 4pp. 62308:344-62308:348.

**9207090090** Revised EIPs, including rev 14 to QEP 600-0, "Onsite Emergency Facilities and Equipment" & rev 5 to QEP 600-S5, "United Medical Center and Illini Hospital Radiological Emergency Inventory Checklist."  
\* Commonwealth Edison Co. 92/06/30. 5pp. 62309:306-62309:311.

**9207090127** Revised EIPs, including rev 10 to QEP 125-0, rev 6 to QEP 125-S1, rev 7 to QEP 125-S2 & rev 4 to QEP 125-S3.  
\* Commonwealth Edison Co. 92/06/30. 17pp. 62309:083-62309:099.

**9207090132** Revised EIPs, including rev 16 to QEP 300-0, rev 9 to QEP 300-1, rev 5 to QEP 300-S3 & rev 6 to QEP 300-S6.  
\* Commonwealth Edison Co. 92/06/30. 15pp. 62338:119-62338:134.

## 42 DOCKETED ITEMS

**9207270308** Ack receipt of 920623 ltr transmitting Rev 30 to security plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable except for security plan conflicts re records of access authorization & employment history.  
PEDERSON,C.D. Region 3 (Post 820201). 92/07/15. KOVACH,T.J. Commonwealth Edison Co. 2pp. 62528:195-62528:196.

**9207280379** Revised procedures including rev 8 to QEP 720-0, "Drills and Exercises," rev 6 to QEP 720-2, "Equipment and Communication Tests" & rev 5 to QEP 720-S1, "Monthly Equipment and Communications Sys Test Checklist."  
\* Commonwealth Edison Co. 92/07/20. 39pp. 62566:190-62566:228.

**9207280386** Revised procedures including rev 15 to QEP 600-0, "Onsite Emergency Facilities and Equipment," rev 4 to QEP 600-T3, "Emergency Communication Networks" & rev 5 to QEP 600-T4, "Emergency Communication Sys Location."  
\* Commonwealth Edison Co. 92/07/20. 8pp. 62562:348-62562:355.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities.Compensatory measures implemented.  
JACKSON,M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

**9207300184** Forwards insp repts 50-254/92-17 & 50-265/92-17 on 920716-17.No violations noted.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/27. REED,C. Commonwealth Edison Co. 2pp. 62593:004-62593:011.

**-9207300187** Insp repts 50-254/92-17 & 50-265/92-17 on 920716-17.No violations,deviations or deficiencies noted.Major areas inspected:response to three performance weaknesses identified during Apr 1992 EP exercise at plant.  
PLOSKI,T. Region 3 (Post 820201). 92/07/27. 6pp. 62593:006-62593:011.

### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207090014** Forwards rev 1 to Quad Cities Station Units 1 & 2 updated FSAR,vols 1-7.  
SCHRAGE,J.L. Commonwealth Edison Co. 92/06/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62356:001-62356:249.

**-9207090017** Rev 1 to Quad Cities Station Unit 1 & 2 updated FSAR,vol 1 - 7.  
\* Commonwealth Edison Co. 92/06/30. 1,500pp. 62356:005-62356:043.

**-9207090022** Chapter 1, "Introduction & General Description of Plant," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 58pp. 62356:044-62356:112.

**-9207090025** Chapter 2, "Site Characteristics," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 28pp. 62356:113-62356:143.

**-9207090030** App 2A, "Foundation Grouting," to Quad Cities Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 300pp. 62356:144-62357:088.

**-9207090032** Chapter 3, "Design of Structures,Components,Equipment & Sys," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 300pp. 62357:089-62358:111.

**-9207090035** App 3A, "Quad Cities Station Units 1 & 2" updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 125pp. 62358:112-62358:273.

**-9207090038** Chapter 4, "Reactor," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 120pp. 62358:274-62359:069.

**-9207090039** Chapter 5, "Reactor Coolant Sys & Connected Sys," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 200pp. 62359:070-62359:206.

**-9207090042** App 5A, "Reactor Vessel Rept," to Quad Cities Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 170pp. 62359:207-62360:072.

**-9207090045** Chapter 6, "Engineered Safety Features," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 400pp. 62360:073-62361:028.

**-9207090049** Chapter 7, "Instrumentation & Controls," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 270pp. 62361:029-62361:247.

**-9207090051** Chapter 8, "Electric Power," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 53pp. 62361:248-62361:307.

**-9207090053** Chapter 9, "Auxiliary Sys," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 300pp. 62361:308-62362:189.

**-9207090056** Chapter 10, "Steam & Power Conversion Sys," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 54pp. 62362:190-62362:268.

**-9207090060** Chapter 11, "Radwaste Mgt," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 200pp. 62362:269-62363:065.

**-9207090061** Chapter 12, "Radiation Protection," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 40pp. 62363:066-62363:104.

**-9207090066** App 12A, "Post-Accident Radiation Levels," to Quad Cities Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 82pp. 62363:105-62363:231.

**-9207090070** Chapter 13, "Conduct of Operations," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 58pp. 62363:232-62363:291.

**-9207090072** App 13A to Quad Cities Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 110pp. 62363:292-62364:032.

**-9207090083** Chapter 14, "Initial Test Program," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 54pp. 62364:033-62364:090.

**-9207090087** Chapter 15, "Accident Analyses," to Quad Cities Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 100pp. 62364:091-62364:244.

**-9207090088** Chapter 16, "Technical Specifications," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 2pp. 62364:245-62364:246.

**-9207090092** Chapter 17, "QA," to Quad Cities units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 3pp. 62364:247-62364:249.

### P. Operating license stage documents & correspondence

**9207100152** Forwards advance notification of shipment of radioactive matls from facilities to Barnwell low level waste burial site in Type B heavy cask.  
POWELL,G. Commonwealth Edison Co. 92/06/15. Region 3 (Post 820201). 5pp. 62331:315-62331:319.

**9207020284** Responds to 920212 staff requirements memo re performance of util plants.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-92-228. 92/06/25. 18pp. 62465:207-62465:224.

**9207100156** Forwards advance notification of shipment of radioactive matls from facilities to Barnwell low level waste disposal site in Type B heavy cask.  
POWELL,G. Commonwealth Edison Co. 92/06/25. Region 3 (Post 820201). 5pp. 62331:321-62331:325.

**9207090155** Application for amends to Licenses DPR-19,DPR-25,DPR-29 & DPR-30,changing TS to reflect util efforts to upgrade TS 3/4.9 re auxiliary electrical sys to provide assurance that adequate supply of power available during plant conditions.  
PIET,P.L. Commonwealth Edison Co. 92/06/29. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 62339:246-62339:339.

**-9207090157** Proposed TS Section 3/4.9 re auxiliary electrical sys.  
\* Commonwealth Edison Co. 92/06/29. 82pp. 62339:258-62339:339.

**9207070062** Confirms plans for 920710 mgt meeting in Glen Ellyn,IL to discuss plant performance.  
GREENMAN,E.G. Region 3 (Post 820201). 92/06/30. REED,C. Commonwealth Edison Co. 1p. 62205:145-62205:145.

**9207070068** Submits supplemental info for 920507 amend to licenses DPR-19,DPR-25,DPR-29,DPR-30,DPR-39,DPR-48,NPF-11,NPF-18, NPF-37,NPF-66,NPF-72 & NPF-77,per NRC request.Revised TS re rev of onsite review of procedures encl.  
SIMPIN,T.W. Commonwealth Edison Co. 92/07/01. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 62267:020-62267:089.

**-9207070089** Supplemental proposed tech specs proposing to change administrative controls sections of TS,submitted as supplement to original request w/info necessary to complete review.  
\* Commonwealth Edison Co. 92/07/01. 49pp. 62267:041-62267:089.

**9207090112** Responds to request for addl info to ensure that licensee complies w/ 10CFR50.60 & 10CFR50.61 regulatory requirements & that they fulfill commitments made in response to generic ltr 88-11.  
JACKSON,M.A. Commonwealth Edison Co. 92/07/01. Document Control Branch (Document Control Desk). 67pp. 62308:267-62308:333.

**9207270137** Corrected Chapter 11 to, "Environ Radiological Monitoring Table of Contents," ODCM,Revs O.C & G.  
\* Commonwealth Edison Co. 92/07/02. 20pp. 62516:304-62516:324.

**9207160205** Application for amend to License DPR-29,reflecting mod to HPCI turbine steam exhaust line.GE proprietary Calculation, GE-NE-901-013-0491, "Quad Cities HPCI Turbine Steam Supply Pressure Low Setpoint Calculation" encl.Rept withheld.  
SCHRAGE,J.L. Commonwealth Edison Co. 92/07/06. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 62421:294-62421:330.

**9207220009** Forwards response to NRC 920520 telcon request for addl info re resolution of single failure vulnerabilities associated w/combustible gas control.Nitrogen inerting sys used to establish inert atmosphere following outages.  
SCHRAGE,J.L. Commonwealth Edison Co. 92/07/15. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62473:292-62473:295.

**9207300067** Forwards nonproprietary GE-NE-187-37-0991, "Shroud Support Access Hole Cover SER for Dresden & Quad Cities" to suppl 820221 proprietary submittal,as result of GE Svcs Info Ltr (SIL) 462 & associated supple.  
SCHRAGE,J.L. Commonwealth Edison Co. 92/07/21. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 62619:303-62619:344.

**-9207300073** Nonproprietary GE-NE-187-37-0991, "Shroud Support Access Hole Cover SER for Dresden & Quad Cities."  
CHI,L.L. General Electric Co. GE-NE-187-37-0991. 91/09/30. 35pp. 62619:310-62619:344.

**9207290144** Confirms plans to hold meeting on 920724 to discuss recent util organizational decisions.  
GREENMAN,E.G. Region 3 (Post 820201). 92/07/22. REED,C. Commonwealth Edison Co. 2pp. 62506:182-62506:183.

**9207272015** "Quad-Cities Nuclear Power Station,Unit 2,Cycle 12 Startup Test Results." W/920723 ltr.  
\* Commonwealth Edison Co. 92/07/23. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 62524:310-62524:319.



**Q. Inspection reports, IE Bulletins & correspondence**

**9207170165** Responds to NRC 920514 ltr re violations noted in insp rept 50-254/92-01 & 50-265/92-01. Corrective actions: "Periodic HPCI Pump Operability Test," successfully completed & HPCI declared operable. KOVACH, T.J. Commonwealth Edison Co. 92/06/12. Region 3 (Post 820201). 4pp. 62446:346-62446:349.

**9207010077** Forwards insp repts 50-254/92-12 & 50-265/92-12 on 920420-0508 & notice of violation. MILLER, H.J. Region 3 (Post 820201). 92/06/23. REED, C. Commonwealth Edison Co. 2pp. 62143:193-62143:207.

**-9207010087** Notice of violation from insp on 920420-0508. Violation noted: 920311 SE 92-77 did not provide basis for determining that removing portion of internal support to 2C room cooler in B/C RHR svc water pump vault did not involve USQ. MILLER, H.J. Region 3 (Post 820201). 92/06/23. 1p. 62143:195-62143:195.

**-9207010093** Insp repts 50-254/92-12 & 50-265/92-12 on 920420-0508. Violations noted. Major areas inspected: engineering & technical support (E&TS) w/followup of previously identified E&TS violation. NEJFELT, G.M., LERCH, R.M., BURGESS, B.L. Region 3 (Post 820201). 92/06/22. 11pp. 62143:196-62143:207.

**9207020118** Advises that proposed future insp plan for facility reactor head, acceptable. OLSHAN, L.N. Project Directorate III-2. 92/06/23. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62183:359-62183:360.

**9207010242** Ack receipt of 920612 ltr informing NRC of steps taken to correct violations noted in insp rept 50-254/92-06 & 50-265/92-06. NORELIUS, C.E. Region 3 (Post 820201). 92/06/26. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62230:280-62230:281.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206280043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207200005** Forwards response to NRC 920501 ltr re unresolved items noted in Svc Water Operational Performance Insp Repts 50-254/92-201 & 50-265/92-201. Corrective actions: long-term corrective actions to be evaluated re check valves. KOVACH, T.M. Commonwealth Edison Co. 92/07/14. Document Control Branch (Document Control Desk). 12pp. 62447:285-62447:296.

**9207280174** Responds to NRC 920623 ltr re violations noted in insp repts 50-254/92-12 & 50-265/92-12. Corrective actions: SE in question supplemented to document results of review of temporary repair of leaking tube in cooler. KOVACH, T.J. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 4pp. 62582:342-62582:345.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities. Compensatory measures implemented. JACKSON, M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

**9207300184** Forwards insp repts 50-254/92-17 & 50-265/92-17 on 920716-17. No violations noted. MCCORMICK-BARGE Region 3 (Post 820201). 92/07/27. REED, C. Commonwealth Edison Co. 2pp. 62593:004-62593:011.

**-9207300187** Insp repts 50-254/92-17 & 50-265/92-17 on 920716-17. No violations, deviations or deficiencies noted. Major areas inspected: response to three performance weaknesses identified during Apr 1992 EP exercise at plant. PLOSKI, T., SIMONS, H., MCCORMICK-BARGE Region 3 (Post 820201). 92/07/27. 6pp. 62593:006-62593:011.

**R. Periodic operating reports & related correspondence**

**9207070154** Forwards errata to 1990 & 1991 annual environ operating rept for Quad-Cities Station. BAX, R.L. Commonwealth Edison Co. 92/06/30. DAVIS, A.B. Region 3 (Post 820201). 1p. 62262:263-62262:267.

**-9207070200** Errata to "1990 Quad-Cities Annual Environ Operating Rept." \* Commonwealth Edison Co. 90/12/31. 2pp. 62262:264-62262:265.

**-9207070203** Errata to "1991 Quad-Cities Annual Environ Operating Rept." \* Commonwealth Edison Co. 91/12/31. 2pp. 62262:266-62262:267.

**9207150013** Monthly operating repts for June 1992 for Quad Cities Units 1 & 2.W/ 920702 ltr. BENSON, M., TIETZ, G.C. Commonwealth Edison Co. 92/06/30. 22pp. 62389:329-62389:350.

**9207210217** Forwards listing of facility & procedure changes, tests & experiments requiring safety evaluations completed during months of May & June 1992. TIETZ, G.C. Commonwealth Edison Co. 92/07/14. Document Control Branch (Document Control Desk). 124pp. 62452:001-62452:125.

**S. Reportable occurrences, LERs & related correspondence**

**9207020083** Forwards LER 88-06, Rev 2, for Quad-Cities nuclear power station re flued head anchors. Page 1 replaced due to incorrect page submitted w/original rept. BARBER, T. Commonwealth Edison Co. 92/06/19. NRC - No Detailed Affiliation Given. 1p. 62292:048-62292:055.

**-9207020099** Errata to LER 88-006-02: on 880404, station notified that eleven flued head anchors did not meet design requirements. Caused by misinterpretation of scope & design structures. Mod initiated to revise structure. W/920604 ltr. KUNZMANN, D., BAX, R.L. Commonwealth Edison Co. 92/06/04. 7pp. 62292:049-62292:055.

**9207070090** LER 92-002-01: on 920103, determined that TS 3.7.A.2.a.2 limit of 293.75 SCFH exceeded. Cause not determined. Feedwater check valve 2-220-62A repaired. W/920625 ltr. KUNZMANN, D.P., BAX, R.L. Commonwealth Edison Co. 92/06/25. 8pp. 62292:175-62292:182.

**9207070098** LER 92-003-01: on 900205, determined that measured leakage rate of 528.6 standard cubic feet per hr exceeded TS for all valves. Caused by excessive leakage of HPCI steam exhaust check valve. Valve replaced. W/920615 ltr. KUNZMANN, D., BAX, R.L. Commonwealth Edison Co. 92/06/25. 7pp. 62292:183-62292:189.

**9207140188** LER 92-019-00: on 920606, discovered that door to lock high radiation area not secured. Caused by door wedging in door frame & not allowing lock mechanism to fully engage w/ striker plate. Door repaired. W/920701 ltr. POWELL, G., BAX, R.L. Commonwealth Edison Co. 92/07/06. 4pp. 62437:242-62437:245.

**9207300169** LER 92-021-00: on 920623, while removing abandoned wires from control room panel 902-10, adjacent wiring moved, causing wire to lose contact at fuse connection. Caused by cocked saddle on terminal 2. Saddle straightened. W/920723 ltr. BUNDSCHUH, J., BAX, R.L. Commonwealth Edison Co. 92/07/23. 5pp. 62588:030-62588:034.

**V. Operator Examinations**

**9207090280** Forwards exam answer key for forms A & B, grading results for facility & individual answer sheets for each applicant taking exams for facility, per 920610 generic fundamentals exam at facility. All candidates passed exam. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Commonwealth Edison Co. 48pp. 62266:001-62266:048.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

**DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1****F. Security, medical, emergency & fire protection plans**

**9207220140** Forwards safety insp repts 50-266/92-12 & 50-301/92-12 on 920504-0628. No violations noted. JACKIW, I.N. Region 3 (Post 820201). 92/07/16. LINK, R.E. Wisconsin Electric Power Co. 2pp. 62438:036-62438:059.

**-9207220145** Insp repts 50-266/92-12 & 50-301/92-12 on 920504-0628. No violations noted. Major areas inspected: plant operations, radiological controls, maint & surveillance, emergency preparedness, security & TI 2515/112 & 2515/113. JACKIW, I.N. Region 3 (Post 820201). 92/07/16. 22pp. 62438:038-62438:059.

**9207280097** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj fire barrier sys not installed at facilities. Bulletin inapplicable. FRIELING, G.D. Wisconsin Electric Power Co. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62562:097-62562:098.

**9207270155** Forwards Rev 8 to security plan. Summary of changes listed. Rev withheld (ref 10CFR3.50, 70 & 73). LINK, R.E. Wisconsin Electric Power Co. 92/07/23. Document Control Branch (Document Control Desk). 3pp. 62528:162-62528:164.

**9207280247** Ack receipt of Rev 7 to physical security plan, transmitted via 920313 ltr. Changes consistent w/provisions of 10CFR50.54(p) & acceptable. Understands that compensatory measures for intrusion alarms will be addressed. PEDERSON, C.D. Region 3 (Post 820201). 92/07/23. LINK, R.E. Wisconsin Electric Power Co. 2pp. 62566:279-62566:280.

**H. General correspondence**

**9207080286** Requests that listed ltrs be docketed under plant dockets. SAMWORTH, B. NRC - No Detailed Affiliation Given. 92/07/06. Document Control Branch (Document Control Desk). 1p. 62277:297-62277:300.

**-9207080287** Requests info re NRC review of TN-24 cask, whether cask being reviewed for storage & transport & when ruling for USC-24 will appear in FR. CAIN, F.S. Affiliation Not Assigned. 92/06/14. SAMWORTH NRC - No Detailed Affiliation Given. 2pp. 62277:298-62277:299.

**-9207080289** Requests SAR for ventilated storage cask sys & SER for USC-24 casks. CAIN, F.S. Affiliation Not Assigned. 92/06/15. SAMWORTH NRC - No Detailed Affiliation Given. 1p. 62277:300-62277:300.

## 44 DOCKETED ITEMS

**9207310215** Responds to 920615 ltr on behalf of constituent, requesting info about implementation of safety requirements at plant, including violations of regulations & penalties levied. Forwards SALP repts for period 890401-920131. W/o encl. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/07/27. KOHL, L.H. Senate. 3pp. 62581:347-62581:354.

**-9207310218** Requests, on behalf of constituent, info re plant implementation of safety requirements, violations cited by NRC following insps & any penalties levied against plant operator. KOHL, L.H. Senate. 92/06/15. CARR, K.M. Commissioners (Post 750119). 1p. 62581:350-62581:354.

### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207070017** "June 1992 Rev to Point Beach Nuclear Plant FSAR." W/920626 ltr. LINK, B. Wisconsin Electric Power Co. 92/06/26. 550pp. 62320:103-62322:355.

### P. Operating license stage documents & correspondence

**9207010243** Provides summary of data applicable to Point Beach, Units 1 & 2 from encl B&W Rept BAW-2166, "B&WOG Response to GL 92-01," in response to GL 92-01, "Reactor Vessel Structural Integrity," per commitments in response to GL 88-11 LINK, B. Wisconsin Electric Power Co. 92/06/25. Document Control Branch (Document Control Desk). 10pp. 62223:071-62223:356.

**9207280162** Advises that 920323 changes to QA program description meets requirements of 10CFR50.54(p) & acceptable. WRIGHT, G.C. Region 3 (Post 820201). 92/06/25. LINK, R. Wisconsin Electric Power Co. 1p. 62489:225-62489:225.

**9207080104** Confirms plans for 920709 mgt meeting at facility in Two Rivers, WI. Purpose of meeting to discuss plant activities & other items of mutual interest. GREENMAN, E.G. Region 3 (Post 820201). 92/06/29. LINK, R.E. Wisconsin Electric Power Co. 1p. 62458:225-62458:225.

**9207170253** Responds to NRC request for review of WCAP-13360, "Westinghouse Dynamic Rod Worth Measurement Technique." Util met w/Westinghouse on 920428 to discuss technique. Util requests to use technique to evaluate fuel rods. LINK, B. Wisconsin Electric Power Co. 92/07/10. Document Control Branch (Document Control Desk). 2pp. 62436:244-62436:245.

**9207230209** Requests that util update IPEEE plans to incorporate provisions of generic ltr 88-20, suppl 4 & forward plans to NRC within 60 days of ltr date. Util should provide sufficient info in support of any new approach. SAMWORTH, R.B. Project Directorate III-3. 92/07/14. LINK, R.E. Wisconsin Electric Power Co. 3pp. 62459:148-62459:150.

**9207230227** Notification of 920730 meeting w/counters in Oak Harbor, OH to discuss items of generic interest between NRR, Region III & licensees for plants in NRR Project Directorate III. Agenda encl. HOPKINS, J.B. Project Directorate III-3. 92/07/16. HANNON, J.N. Project Directorate III-3. 4pp. 62478:319-62478:322.

**9207310137** Proposes to redemonstrate gas turbine generator reliability after overhaul & upgrade of gas turbine by May 1993 by completing 20 countable starts & load-runs w/ two or fewer failures. Status update for SBO implementation encl. LINK, B. Wisconsin Electric Power Co. 92/07/23. Document Control Branch (Document Control Desk). 12pp. 62613:336-62613:347.

### Q. Inspection reports, IE Bulletins & correspondence

**9207010342** Responds to NRC 920528 ltr re deviations noted in insp rept 50-266/92-08 & 50-301/92-08 on 920420-24. Corrective actions: procedures in question will be revised to add immediate operability sign-off by 920918. LINK, B. Wisconsin Electric Power Co. 92/06/26. Document Control Branch (Document Control Desk). 2pp. 62234:089-62234:090.

**9207010345** Responds to NRC 920528 ltr re violations noted in insp rept 50-266/92-08 & 50-301/92-08. Corrective actions: rev to PBNP 3.2.10 issued by 920814 & evaluation of unresolved items will be complete by 920731. LINK, B. Wisconsin Electric Power Co. 92/06/26. Document Control Branch (Document Control Desk). 4pp. 62234:085-62234:088.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070232** Discusses arrangements for enforcement conference on 920707 at Region III ofc in Glen Ellyn, IL. Purpose of conference to discuss findings of insp conducted on 920527-0614. GREENMAN, E.G. Region 3 (Post 820201). 92/06/29. LINK, R.E. Wisconsin Electric Power Co. 1p. 62206:186-62206:187.

**9207140064** Forwards insp repts 50-266/92-14 & 50-301/92-14 on 920527-0614. Two apparent violations identified re crevice flushing activities are being considered for escalated enforcement action. GREENMAN, E.G. Region 3 (Post 820201). 92/06/30. LINK, R.E. Wisconsin Electric Power Co. 2pp. 62338:110-62338:118.

**-9207140111** Insp repts 50-266/92-14 & 50-301/92-14 on 920527-0614. Two apparent violations identified. Major areas inspected: circumstances surrounding excessive cool-down rate of unit 1 on 920527. JACKIWI, I.N. Region 3 (Post 820201). 92/06/30. 7pp. 62338:112-62338:118.

**9206280043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140124** Ack receipt of 920626 ltr informing NRC of steps taken to correct violations noted in insp repts 50-266/92-08 & 50-301/92-08 on 920528. MILLER, H.J. Region 3 (Post 820201). 92/07/08. LINK, R.E. Wisconsin Electric Power Co. 2pp. 62338:047-62338:055.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207170189** Ack receipt of 920615 ltr informing NRC of steps taken to correct violations noted in insp repts 50-266/92-04 & 50-301/92-04 on 920515. GREGER, L.R. Region 3 (Post 820201). 92/07/13. LINK, R.E. Wisconsin Electric Power Co. 1p. 62453:242-62453:242.

**9207170223** Forwards insp repts 50-266/92-16 & 50-301/92-16. No violations noted. GREENMAN, E.G. Region 3 (Post 820201). 92/07/13. LINK, R.E. Wisconsin Electric Power Co. 2pp. 62436:091-62436:122.

**-9207170228** Insp repts 50-266/92-16 & 50-301/92-16 on 920527-0614. No violations noted. Major areas inspected: review of apparent violations & areas of concern identified during previous insp. JACKIWI, I.N. Region 3 (Post 820201). 92/07/10. 29pp. 62436:093-62436:122.

**9207220140** Forwards safety insp repts 50-266/92-12 & 50-301/92-12 on 920504-0628. No violations noted. JACKIWI, I.N. Region 3 (Post 820201). 92/07/16. LINK, R.E. Wisconsin Electric Power Co. 2pp. 62438:036-62438:059.

**-9207220145** Insp repts 50-266/92-12 & 50-301/92-12 on 920504-0628. No violations noted. Major areas inspected: plant operations, radiological controls, maintenance & surveillance, emergency preparedness, security & TI 2515/112 & 2515/113. JACKIWI, I.N. Region 3 (Post 820201). 92/07/16. 22 pp. 62438:038-62438:059.

**9207280097** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj fire barrier sys not installed at facilities. Bulletin inapplicable. FRIELING, G.D. Wisconsin Electric Power Co. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62562:097-62562:098.

### R. Periodic operating reports & related correspondence

**9207140301** Monthly operating repts for June 1992 for Point Beach Nuclear Plant Units 1 & 2. W/920710 ltr. PETERSON, D.C., LINK, B. Wisconsin Electric Power Co. 92/06/30. 9pp. 62384:313-62384:321.

### S. Reportable occurrences, LERs & related correspondence

**9207020219** LER 92-005-00: on 920527, TS exceeded re cool-down transient. Caused by operator error. Structural integrity of reactor vessel assured & acceptable margins of safety will be maintained during operations. W/920626 ltr. REISENBUECHLER, LINK, B. Wisconsin Electric Power Co. 92/06/26. 6pp. 62292:092-62292:098.

**9207060190** LER 92-006-00: on 920531, SG B MSIV 1MS-2018 failed to fully close during initial test & when torque decreased, valve began sticking. Caused by misalignment of stuffing boxes on gaskets. In-house investigation team formed. W/920629 ltr. KOEHLER, T.J., LINK, B. Wisconsin Electric Power Co. 92/06/29. 7pp. 62292:123-62292:129.

**9207200248** Forwards corrected LER 92-004-00 re improper sequencing of ESF. Requests that LER 92-004-00 dtd 920618, incorrectly identifying event as an exclusive Unit 1 event be withdrawn. LINK, B. Wisconsin Electric Power Co. 92/07/09. Document Control Branch (Document Control Desk). 2pp. 62480:319-62480:326.

**-9207200252** Corrected LER 92-004-00: on 920515, determined that one svc water pump & one containment ventilation fan sequenced onto EDG more times than listed in FSAR, Section 8.2.3. Caused by time delay relay out of tolerance. Evaluation underway. KOEHLER, T.J. Wisconsin Electric Power Co. 92/07/09. 6pp. 62480:321-62480:326.

**9207300036** LER 92-004-01: on 920519, discovered that one svc water pump & one containment ventilation fan sequenced onto EDG greater than times listed in FSAR, Section 8.2.3. Caused by deficient procedure. Time delay relay adjusted. W/920723 ltr. KOEHLER, T.J., LINK, B. Wisconsin Electric Power Co. 92/07/23. 10pp. 62683:069-62683:078.

### V. Operator Examinations

**9207090280** Forwards exam answer key for forms A & B, grading results for facility & individual answer sheets for each applicant taking exams for facility, per 920610 generic fundamentals exam at facility. All candidates passed exam. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Commonwealth Edison Co. 48pp. 62266:001-62266:048.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

**F. Security, medical, emergency & fire protection plans**

**9207060192** Issue 18 to Section FP 6.1 of fire protection plan consisting of table of contents entitled, "Fire Protection Operability Requirements."  
\* Public Service Co. of Colorado. 92/06/17. 2pp. 62254:316-62254:317.

**9207090005** Issue 3 to Abnormal Operating Procedure AOP-I-2, "Chemical, Petroleum & Hazardous Waste Spill Response." W/920619 ltr.  
WAREMBOURG,D.W., DENISTON,M.E. Public Service Co. of Colorado. 92/06/19. 9pp. 62307:304-62307:312.

**P. Operating license stage documents & correspondence**

**9207080120** Final response to FOIA request for documents.App A documents encl & being made available in PDR.Porions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA,T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-9207080152** Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting.  
STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.

**-9207080207** Provides summary of discussions re Fort Saint Vrain during 871117 & 18 NRC senior managers meeting.Facility was categorized as requiring continued close monitoring.  
STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. WALKER,R.F. Public Service Co. of Colorado. 2pp. 62324:025-62324:026.

**-9207080291** Summary of 880628-29 NRC senior mgt meeting.Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.

**-9207090055** Provides summary of NRC discussions re Fort St Vrain at 880628 & 29 senior managers meeting.Facility was categorized as requiring no further NRC special attention beyond regional o/c level of monitoring.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. WALKER,R.F. Public Service Co. of Colorado. 1p. 62324:072-62324:072.

**-9207090267** Partially withheld summary of 861021-22 NRC mgt meeting.  
\* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.

**9207010021** Forwards addl info in support of environ rept on decommissioning covering analysis of population doses due to decommissioning & comparison of worker doses w/& w/o shield water.  
WAREMBOURG,D.W. Public Service Co. of Colorado. 92/06/24. WEISS,S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 12pp. 62234:098-62234:109.

**9207200112** Forwards safety evaluation rept as input for order authorizing decommissioning of Fort St Vrain.  
AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/13. WEISS,S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 1p. 62448:314-62448:343.

**-9207200119** Safety evaluation authorizing decommissioning of Fort St Vrain.  
PITTILO,C.L. Office of Nuclear Material Safety & Safeguards. 92/07/13. 30pp. 62448:315-62448:343.

**9207220394** Forwards summary of 920617 meeting between PSC & CO Dept of Health Water Quality Control Division & Radiation Control Division re effluent releases during decommissioning & util decommissioning plans.  
WAREMBOURG,D.W. Public Service Co. of Colorado. 92/07/14. WEISS,S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 36pp. 62474:227-62474:261.

**9207200240** Raises concerns re release of tritium into State of CO rivers.Items of immediate concern include,what alternative treatment evaluated & calculations used to determine where in South Platte River tritium std would be met.  
NELSON,P.A. Colorado, State of. 92/07/16. WEISS,S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). COHLMIA,P.J. Public Service Co. of Colorado. 2pp. 62451:324-62451:325.

**Q. Inspection reports, IE Bulletins & correspondence**

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207170187** Ack receipt of 920609 ltr informing NRC of steps taken to correct violations noted in insp repts 50-267/92-06 & 72-0009/92-06 on 920511.  
BEACH,A.B. Region 4 (Post 820201). 92/07/13. CRAWFORD,A.C. Public Service Co. of Colorado. 3pp. 62430:342-62430:354.

**R. Periodic operating reports & related correspondence**

**9207090001** Forwards semiannual fitness-for-duty performance data rept for Jan-June 1992.  
WAREMBOURG,D.W. Public Service Co. of Colorado. 92/07/01. Document Control Branch (Document Control Desk). 4pp. 62307:287-62307:289.

**9207280266** Forwards "Fort St Vrain Station Annual Rept of Changes, Tests & Experiments not Requiring Prior Commission Approval Per 10CFR50.59," covering 910123-920122.Updated FSAR not included based on possession-only license status.  
WAREMBOURG,D.W. Public Service Co. of Colorado. 92/07/22. Document Control Branch (Document Control Desk). 2pp. 62566:330-62566:353.

**-9207280269** "Fort St Vrain Station Annual Rept of Changes,Tests & Experiments not Requiring Prior Commission Approval Per 10CFR50.59," for period 910123-920122.  
\* Public Service Co. of Colorado. 92/01/22. 22pp. 62566:332-62566:353.

**Y. Dry Cask Independent Spent Fuel Storage Installations**

**9207170187** Ack receipt of 920609 ltr informing NRC of steps taken to correct violations noted in insp repts 50-267/92-06 & 72-0009/92-06 on 920511.  
BEACH,A.B. Region 4 (Post 820201). 92/07/13. CRAWFORD,A.C. Public Service Co. of Colorado. 3pp. 62430:342-62430:354.

**DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1****F. Security, medical, emergency & fire protection plans**

**9207020159** Forwards meeting summary,Duke Power comments on SALP,SALP slides,revision sheet & final SALP rept for period 900801-920229 re insp repts 50-269/92-01,50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
EBNETER,S.D. Region 2 (Post 820201). 92/06/04. HAMPTON,J.W. Duke Power Co. 29pp. 62224:240-62224:311.

**-9207020181** Provides addl info & comments re operator training assessment to be considered for inclusion in final SALP rept in connection w/insp repts 50-269/92-01,50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
HAMPTON,J.W. Duke Power Co. 92/05/14. EBNETER,S.D. Region 2 (Post 820201). 14pp. 62224:269-62224:282.

**-9207020281** Final SALP repts 50-269/92-01,50-270/92-01,50-287/92-01 & 72-0004/92-01 for Aug 1990-Feb 1992.  
\* Region 2 (Post 820201). 92/06/04. 29pp. 62224:283-62224:311.

**9207010037** Forwards insp repts 50-269/92-12,50-270/92-12 & 50-287/92-12 on 920526-29.No violations or deviations noted.  
COLLINS,D.M. Region 2 (Post 820201). 92/06/25. HAMPTON,J.W. Duke Power Co. 4pp. 62143:070-62143:074.

**-9207010042** Partially withheld insp repts 50-269/92-12,50-270/92-12 & 50-287/92-12 on 920526-29 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:mgt support,security program plans,audits & protected area barriers.  
STANSBERRY,W.M. Region 2 (Post 820201). 92/06/24. 1p. 62143:074-62143:074.

**9207090171** Rev 92-02 to vol A of "Oconee Nuclear Station Emergency Plan." W/ 920630 ltr.  
HAMPTON,J.W. Duke Power Co. 92/06/30. 100pp. 62338:157-62338:034.

**9207270159** Forwards Rev 35 to ONS physical security plan.Rev withheld.  
HAMPTON,J.W. Duke Power Co. 92/07/15. Document Control Branch (Document Control Desk). 2pp. 62528:158-62528:159.

**9207280010** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Neither Oconee nor Catawba uses Thermo-Lag matl.Bulletin inapplicable to units.  
TUCKER,H.B. Duke Power Co. 92/07/22. Document Control Branch (Document Control Desk). 2pp. 62562:110-62562:111.

**H. General correspondence**

**9207180093** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.8,task DG-1021.Opposes rule.  
TUCKER,H.B. Duke Power Co. 92/07/06. Docketing & Services Branch. 4pp. 62375:112-62375:115.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9207060137** Oconee Nuclear Station 1991 rev to FSAR.W/920630 ltr.  
HAMPTON,J.W. Duke Power Co. 92/06/30. 2,500pp. 62315:001-62320:102.

**9207150195** Forwards revised pages re App 13, "Chapter 13 Tables & Figures" inadvertently omitted from 1991 FSAR rev.  
TUCKER,H.B. Duke Power Co. 92/07/02. Document Control Branch (Document Control Desk). 7pp. 62409:298-62409:301.

**P. Operating license stage documents & correspondence**

**9207020018** Summary of 920609 meeting w/util re schedule for NRC review of DPC topical repts planned to be submitted in next several years.List of attendees & DPC handouts encl.  
REED,T.A. Project Directorate II-3. 92/06/25. Project Directorate II-3. 13pp. 62183:333-62183:345.

**9207140190** Forwards request for clarification of util changes for Topical Rept (Duke-1-A), "QA Program".  
JULIAN,C.A. Region 2 (Post 820201). 92/06/30. TUCKER,H.B. Duke Power Co. 6pp. 62311:230-62311:235.



## 46 DOCKETED ITEMS

**9207220084** Discusses mgt meeting on 920624 at Region II ofc. Items discussed included shutdown risk mgt, conduct of operations & radiological controls to be implemented for unit 3 outage scheduled to begin 920721.  
JOHNSON, J.R. Region 2 (Post 820201). 92/06/30. HAMPTON, J.W. Duke Power Co. 27pp. 62432:217-62432:243.

**9207090064** Forwards addl info re revised response to 10CFR50.63 requirements for SBO.  
HAMPTON, J.W. Duke Power Co. 92/07/01. Document Control Branch (Document Control Desk). 19pp. 62308:101-62308:202.

**-9207090076** "Battery Load & Voltage Profile for SBO."  
\* Duke Power Co. OSC-4756. 92/06/24. 14pp. 62308:121-62308:134.

**-9207090093** "Room Heat-up Calculation for SBO."  
HEMMINGS, J.O., HARRELSON, D.K., LYTTON, R.S. Duke Power Co. OSC-4747. 92/06/25. 69pp. 62308:135-62308:202.

**9207080099** Responds to NRC GL 92-01 re compliance w/regulatory program to maintain structural integrity of reactor vessels.  
TUCKER, H.B. Duke Power Co. 92/07/03. Document Control Branch (Document Control Desk). 69pp. 62335:100-62335:169.

**9207200223** Forwards listing & projected schedule for completion & submittal of new topical repts requiring NRC approval by util. Replacement SG design selected for McGuire Units 1 & 2 & Catawba Unit 1.  
TUCKER, H.B. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62450:360-62450:361.

**9207210189** Forwards non-proprietary version B&W Rept 86-1202153-01, "MK-B9 Spectrum LOCA LHR Limit Analysis for 177-Fuel Assembly Lowered Loop Plants."  
HAMPTON, J.W. Duke Power Co. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62452:126-62452:205.

**-9207210201** Nonproprietary "MK-B9 Spectrum LOCA LHR Limit Analysis for 177-Fuel Assembly Lowered Loop Plants."  
\* Babcock & Wilcox Co. 86-1202153-01. 92/06/27. 88pp. 62452:129-62452:205.

**9207200051** Application for amends to licenses DPR-38, DPR-47 & DPR-55, proposing to relocate certain cycle-specific parameter limits from TS to COLR.  
HAMPTON, J.W. Duke Power Co. 92/07/13. Document Control Branch (Document Control Desk). 4pp. 62451:161-62451:209.

**-9207200056** Proposed tech specs proposing to relocate certain cycle-specific parameter limits from TS to COLR.  
\* Duke Power Co. 92/07/13. 45pp. 62451:165-62451:209.

**9207200199** Forwards corrected TS Page 4.20-3 to Amends 195, 195 & 192 to Licenses DPR-38, DPR-47 & DPR-55, respectively.  
WIENS, L.A. Project Directorate II-3. 92/07/13. HAMPTON, J.W. Duke Power Co. 3pp. 62438:080-62438:084.

**-9207210160** Corrected TS Page 4.20-3 for amends 195, 195 & 192 to licenses DPR-38, DPR-47 & DPR-55, respectively.  
\* Project Directorate II-3. 92/07/13. 2pp. 62438:083-62438:084.

**9207230200** Requests addl info in order to complete review of util generic ltr 88-20 IPE submittal of Dec 1990. Response requested within 30 days of ltr date.  
WIENS, L.A. Project Directorate II-3. 92/07/17. HAMPTON, J.W. Duke Power Co. 5pp. 62459:094-62459:098.

**9207300085** Forwards rewrite of Amend 15 to Duke Power Co Topical Rept DUKE-1-A, "QA Program." Amend supercedes submittal transmitted on 920422.  
PRIORY, R.B. Duke Power Co. 92/07/20. Document Control Branch (Document Control Desk). 4pp. 62592:256-62592:315.

**-9207300252** Rewrite of Amend 15 to Duke-1-A, "QA Program," Section 17.0 & 17.3, responding to 920630 request for clarification. Amend 15 supercedes submittal transmitted on 920422.  
\* Duke Power Co. 92/07/20. 55pp. 62592:260-62592:315.

**9207300194** Forwards request for addl info re plant IPE submittal for generic issues 105, "Interfacing SYS LOCA at LWRs," 153, "Loss of essential Svc Water in LWRs" & 23, "RCF Seal Features."  
WIENS, L.A. Project Directorate II-3. 92/07/21. HAMPTON, J.W. Duke Power Co. 30pp. 62581:217-62581:246.

### Q. Inspection reports, IE Bulletins & correspondence

**9207020159** Forwards meeting summary, Duke Power comments on SALP, SALP slides, revision sheet & final SALP rept for period 900801-920229 re insp repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
EBNETER, S.D. Region 2 (Post 820201). 92/06/04. HAMPTON, J.W. Duke Power Co. 29pp. 62224:240-62224:311.

**-9207020181** Provides addl info & comments re operator training assessment to be considered for inclusion in final SALP rept in connection w/insp repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
HAMPTON, J.W. Duke Power Co. 92/05/14. EBNETER, S.D. Region 2 (Post 820201). 14pp. 62224:269-62224:282.

**-9207020281** Final SALP repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01 for Aug 1990-Feb 1992.  
\* Region 2 (Post 820201). 92/06/04. 29pp. 62224:283-62224:311.

**9207270056** Forwards insp repts 50-269/92-11, 50-270/92-11 & 50-287/92-11 on 920426-0523 & notice of violation. Violation involves lack of attention to detail on behalf of licensed personnel in performing activities associated w/reactivity mgt.  
HERDT, A.R. Region 2 (Post 820201). 92/06/12. HAMPTON, J.W. Duke Power Co. 4pp. 62475:254-62475:270.

**-9207270071** Notice of violation from insp on 920426-0523. Violation noted: station was not operated in accordance with procedure OP/1/A/1102/01 in that Unit 2 Reactivity Balance Procedure, PT/2/A/1103/15 was used on several occasions on 920511.  
\* Region 2 (Post 820201). 92/06/12. 2pp. 62475:258-62475:259.

**-9207270077** Insp repts 50-269/92-11, 50-270/92-11 & 50-287/92-11 on 920426-0523. Violation noted. Major areas inspected: operations & surveillance testing, maint activities & followup on previous insp findings.  
HARMON, P.E., DESAI, B.B., POERTNER, W.K. Region 2 (Post 820201). 92/06/11. 11pp. 62475:260-62475:270.

**9207020014** Ack receipt of 920528 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/92-03, 50-270/92-03 & 50-287/92-03. Response meets requirements of 10CFR2.201.  
HERDT, A.R. Region 2 (Post 820201). 92/06/18. HAMPTON, J.W. Duke Power Co. 3pp. 62234:321-62234:323.

**9207070341** Forwards supplement to 891229 response to NRC Bulletin 88-008 re thermal stresses in piping connected to RCS, per 920623 telcon w/NRC.  
HAMPTON, J.W. Duke Power Co. 92/06/24. Document Control Branch (Document Control Desk). 19pp. 62267:001-62267:019.

**9207010037** Forwards insp repts 50-269/92-12, 50-270/92-12 & 50-287/92-12 on 920526-29. No violations or deviations noted.  
COLLINS, D.M. Region 2 (Post 820201). 92/06/25. HAMPTON, J.W. Duke Power Co. 4pp. 62143:070-62143:074.

**-9207010042** Partially withheld insp repts 50-269/92-12, 50-270/92-12 & 50-287/92-12 on 920526-29 (ref 10CFR73.21). No violations or deviations noted. Major areas inspected: mgt support, security program plans, audits & protected area barriers.  
STANSBERRY, W.M., MCGUIRE, D.R. Region 2 (Post 820201). 92/06/24. 1p. 62143:074-62143:074.

**9207170006** Notification of significant licensee meeting w/util on 920717 at Region II ofc to conduct enforcement conference re circumstances surrounding 920508 Unit 1 reactor trip & Unit 1 operation w/only one operable flow path on 920511-24.  
BELISLE, G.A. Region 2 (Post 820201). 92/06/27. Region 2 (Post 820201). 3pp. 62431:330-62431:332.

**9207220137** Confirms 920618 arrangements concerning 920717 enforcement conference to discuss 920508 event re one of two Unit 1 emergency feedwater sys flow paths required by TS not operable.  
JOHNSON, J.R. Region 2 (Post 820201). 92/06/27. HAMPTON, J.W. Duke Power Co. 6pp. 62432:351-62432:354.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207270012** Forwards insp repts 50-269/92-14, 50-270/92-14 & 50-287/92-14 on 920524-0619. One violation noted & being considered for escalated enforcement action. No notice of violation being issued at this time.  
JOHNSON, J.R. Region 2 (Post 820201). 92/06/29. HAMPTON, J.W. Duke Power Co. 4pp. 62475:004-62475:011.

**-9207270019** Insp repts 50-269/92-14, 50-270/92-14 & 50-287/92-14 on 920524-0619. One violation re failure to maintain two emergency feedwater flow paths operable noted. Major areas inspected: plant operations.  
HARMON, P.E., DESAI, B.B., POERTNER, W.K. Region 2 (Post 820201). 92/06/24. 4pp. 62475:008-62475:011.

**9207140152** Ack receipt of 920618 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/92-10, 50-270/92-10 & 50-287/92-10.  
HERDT, A.R. Region 2 (Post 820201). 92/07/01. HAMPTON, J.W. Duke Power Co. 3pp. 62311:026-62311:028.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207150112** Responds to NRC 920520 ltr re violations noted in Insp Repts 50-269/92-11, 50-270/92-11 & 50-287/92-11. Corrective actions: estimated critical position calculated & verified using Unit 1 reactivity curves & curves placed in unit-specific books.  
HAMPTON, J.W. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 3pp. 62408:359-62408:361.

**9207200042** Revised response to 920325 ltr re violations noted in insp repts 50-269/92-08, 50-270/92-08 & 50-287/92-08 previously responded to on 920423. Corrective actions: addl changes to TS will be submitted by 921001.  
HAMPTON, J.W. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62451:317-62451:318.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207200196** Forwards second 10-yr insp interval Request for Relief 92-10 from 1980 Edition Section XI of ASME, including winter 1980 addenda to allow volumetric exam to be used for branch welds off main steam lines due to inaccessibility.  
HAMPTON, J.W. Duke Power Co. 92/07/15. Document Control Branch (Document Control Desk). 8pp. 62449:303-62449:310.

**9207280010** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Neither Oconee nor Catawba uses Thermo-Lag matl. Bulletin inapplicable to units.  
TUCKER, H.B. Duke Power Co. 92/07/22. Document Control Branch (Document Control Desk). 2pp. 62562:110-62562:111.

**R. Periodic operating reports & related correspondence**

**9207210231** Forwards monthly operating repts for June 1992 for Oconee Nuclear Station Units 1,2 & 3 & revised monthly rept for May 1992 for Oconee Nuclear Station Unit 1.  
MCCRAW,E.O. Duke Power Co. 92/07/15. Document Control Branch (Document Control Desk). 2pp. 62471:220-62471:239.

**-9207210237** Monthly operating repts for June 1992 for Oconee Nuclear Station Units 1,2 & 3.  
WILLIAMS,R.A., SIMMONS,N.C. Duke Power Co. 92/06/30. 15pp. 62471:222-62471:236.

**-9207210240** Revised monthly operating rept for May 1992 for Oconee Nuclear Station Unit 1, revising unit shutdowns & power reductions pages.  
\* Duke Power Co. 92/05/31. 3pp. 62471:237-62471:239.

**S. Reportable occurrences, LERs & related correspondence**

**9207170057** LER 92-005-00: on 920508, unit tripped from 14% full power & emergency feedwater actuated. Caused by equipment failure & defective procedure. Solenoid valve replaced & post-trip review directive revised. W/920709 ltr.  
BENESOLE,S.G., HAMPTON,J.W. Duke Power Co. 92/07/09. 9pp. 62437:338-62437:346.

**9207270059** LER 92-004-01: on 920508, reactor tripped from 14% full power on RPS anticipatory trip signal. Caused by mgt deficiency & low discharge pressure on main feed-water pump. Task-specific procedure developed. W/920715 ltr.  
BENESOLE,S.G., HAMPTON,J.W. Duke Power Co. 92/07/15. 8pp. 62587:138-62587:145.

**9207270114** LER 92-006-00: on 920616, discovered that max TS SR of 45 days for incore detector & core exit thermocouple instrumentation violated due to inappropriate action. Test responsibilities clarified & applicable TS reviewed. W/920716 ltr.  
BENESOLE,S.G., HAMPTON,J.W. Duke Power Co. 92/07/16. 8pp. 62587:153-62587:161.

**V. Operator Examinations**

**9207020159** Forwards meeting summary, Duke Power comments on SALP, SALP slides, revision sheet & final SALP rept for period 900801-920229 re insp repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
EBNETER,S.D. Region 2 (Post 820201). 92/06/04. HAMPTON,J.W. Duke Power Co. 29pp. 62224:240-62224:311.

**-9207020181** Provides addl info & comments re operator training assessment to be considered for inclusion in final SALP rept in connection w/ insp repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
HAMPTON,J.W. Duke Power Co. 92/05/14. EBNETER,S.D. Region 2 (Post 820201). 14pp. 62224:269-62224:282.

**-9207020281** Final SALP repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01 for Aug 1990-Feb 1992.  
\* Region 2 (Post 820201). 92/06/04. 29pp. 62224:283-62224:311.

**Y. Dry Cask Independent Spent Fuel Storage Installations**

**9207210116** Forwards Nonpropriety volume 1 & propriety volume 2 of rev 1 to "Calvert Cliffs ISFSI Updated SAR." "Calvert Cliffs ISFSI Updated SAR Final Analysis & Evaluation..." also encl. Propriety volume 2 withheld. W/36 oversize drawings.  
CREEL,G.C. Baltimore Gas & Electric Co. 92/07/16. Office of Nuclear Material Safety & Safeguards. 4pp. 62639:001-62640:099.

**DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2****F. Security, medical, emergency & fire protection plans**

**9207020159** Forwards meeting summary, Duke Power comments on SALP, SALP slides, revision sheet & final SALP rept for period 900801-920229 re insp repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
EBNETER,S.D. Region 2 (Post 820201). 92/06/04. HAMPTON,J.W. Duke Power Co. 29pp. 62224:240-62224:311.

**-9207020181** Provides addl info & comments re operator training assessment to be considered for inclusion in final SALP rept in connection w/ insp repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
HAMPTON,J.W. Duke Power Co. 92/05/14. EBNETER,S.D. Region 2 (Post 820201). 14pp. 62224:269-62224:282.

**-9207020281** Final SALP repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01 for Aug 1990-Feb 1992.  
\* Region 2 (Post 820201). 92/06/04. 29pp. 62224:283-62224:311.

**9207010037** Forwards insp repts 50-269/92-12, 50-270/92-12 & 50-287/92-12 on 920526-29. No violations or deviations noted.  
COLLINS,D.M. Region 2 (Post 820201). 92/06/25. HAMPTON,J.W. Duke Power Co. 4pp. 62143:070-62143:074.

**-9207010042** Partially withheld insp repts 50-269/92-12, 50-270/92-12 & 50-287/92-12 on 920526-29 (ref 10CFR73.21). No violations or deviations noted. Major areas inspected: mgt support, security program plans, audits & protected area barriers.  
STANSBERRY,W.M. Region 2 (Post 820201). 92/06/24. 1p. 62143:074-62143:074.

**9207090171** Rev 92-02 to vol A of "Oconee Nuclear Station Emergency Plan." W/ 920630 ltr.  
HAMPTON,J.W. Duke Power Co. 92/06/30. 100pp. 62338:157-62339:034.

**9207270159** Forwards Rev 35 to ONS physical security plan. Rev withheld.  
HAMPTON,J.W. Duke Power Co. 92/07/15. Document Control Branch (Document Control Desk). 2pp. 62528:158-62528:159.

**9207280010** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Neither Oconee nor Catawba uses Thermo-Lag matl. Bulletin inapplicable to units.  
TUCKER,H.B. Duke Power Co. 92/07/22. Document Control Branch (Document Control Desk). 2pp. 62562:110-62562:111.

**H. General correspondence**

**9207160093** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule.  
TUCKER,H.B. Duke Power Co. 92/07/06. Docketing & Services Branch. 4pp. 62375:112-62375:115.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9207060137** Oconee Nuclear Station 1991 rev to FSAR. W/920630 ltr.  
HAMPTON,J.W. Duke Power Co. 92/06/30. 2,500pp. 62315:001-62320:102.

**9207150195** Forwards revised pages re App 13, "Chapter 13 Tables & Figures" inadvertently omitted from 1991 FSAR rev.  
TUCKER,H.B. Duke Power Co. 92/07/02. Document Control Branch (Document Control Desk). 7pp. 62409:296-62409:301.

**P. Operating license stage documents & correspondence**

**9207020018** Summary of 920609 meeting w/ util re schedule for NRC review of DPC topical repts planned to be submitted in next several years. List of attendees & DPC handouts encl.  
REED,T.A. Project Directorate II-3. 92/06/25. Project Directorate II-3. 13pp. 62183:333-62183:345.

**9207140190** Forwards request for clarification of util changes for Topical Rept (Duke-1-A), "QA Program".  
JULIAN,C.A. Region 2 (Post 820201). 92/06/30. TUCKER,H.B. Duke Power Co. 6pp. 62311:230-62311:235.

**9207220084** Discusses mgt meeting on 920624 at Region II ofc. Items discussed included shutdown risk mgt, conduct of operations & radiological controls to be implemented for unit 3 outage scheduled to begin 920721.  
JOHNSON,J.R. Region 2 (Post 820201). 92/06/30. HAMPTON,J.W. Duke Power Co. 27pp. 62432:217-62432:243.

**9207090064** Forwards addl info re revised response to 10CFR50.63 requirements for SBO.  
HAMPTON,J.W. Duke Power Co. 92/07/01. Document Control Branch (Document Control Desk). 19pp. 62308:101-62308:202.

**-9207090076** "Battery Load & Voltage Profile for SBO."  
\* Duke Power Co. OSC-4756. 92/06/24. 14pp. 62308:121-62308:134.

**-9207090093** "Room Heat-up Calculation for SBO."  
HEMMINGS,J.O., HARRELSON,D.K., LYTTON,R.S. Duke Power Co. OSC-4747. 92/06/25. 69pp. 62308:135-62308:202.

**9207080099** Responds to NRC GL 92-01 re compliance w/ regulatory program to maintain structural integrity of reactor vessels.  
TUCKER,H.B. Duke Power Co. 92/07/03. Document Control Branch (Document Control Desk). 69pp. 62335:100-62335:169.

**9207200223** Forwards listing & projected schedule for completion & submittal of new topical repts requiring NRC approval by util. Replacement SG design selected for McGuire Units 1 & 2 & Catawba Unit 1.  
TUCKER,H.B. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62450:360-62450:361.

**9207210189** Forwards non-proprietary version B&W Rept 86-1202153-01, "MK-B9 Spectrum LOCA LHR Limit Analysis for 177-Fuel Assembly Lowered Loop Plants."  
HAMPTON,J.W. Duke Power Co. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62452:126-62452:205.

**-9207210201** Nonproprietary "MK-B9 Spectrum LOCA LHR Limit Analysis for 177-Fuel Assembly Lowered Loop Plants."  
\* Babcock & Wilcox Co. 86-1202153-01. 92/06/27. 88pp. 62452:129-62452:205.

**9207200051** Application for amends to licenses DPR-38, DPR-47 & DPR-55, proposing to relocate certain cycle-specific parameter limits from TS to COLR.  
HAMPTON,J.W. Duke Power Co. 92/07/13. Document Control Branch (Document Control Desk). 4pp. 62451:161-62451:209.

**-9207200056** Proposed tech specs proposing to relocate certain cycle-specific parameter limits from TS to COLR.  
\* Duke Power Co. 92/07/13. 45pp. 62451:165-62451:209.

**9207200199** Forwards corrected TS Page 4.20-3 to Amends 195, 195 & 192 to Licenses DPR-38, DPR-47 & DPR-55, respectively.  
WIENS,L.A. Project Directorate II-3. 92/07/13. HAMPTON,J.W. Duke Power Co. 3pp. 62438:080-62438:084.

**-9207210160** Corrected TS Page 4.20-3 for amends 195, 195 & 192 to licenses DPR-38, DPR-47 & DPR-55, respectively.  
\* Project Directorate II-3. 92/07/13. 2pp. 62438:083-62438:084.

**9207230200** Requests addl info in order to complete review of util generic ltr 88-20 IPE submittal of Dec 1990. Response requested within 30 days of ltr date.  
WIENS,L.A. Project Directorate II-3. 92/07/17. HAMPTON,J.W. Duke Power Co. 5pp. 62459:094-62459:098.

**9207300085** Forwards rewrite of Amend 15 to Duke Power Co Topical Rept DUKE-1-A, "QA Program." Amend supercedes submittal transmitted on 920422.  
PRIORY,R.B. Duke Power Co. 92/07/20. Document Control Branch (Document Control Desk). 4pp. 62592:256-62592:315.

## 48 DOCKETED ITEMS

**-9207300252** Rewrite of Amend 15 to Duke-1-A. "QA Program," Section 17.0 & 17.3, responding to 920630 request for clarification. Amend 15 supersedes submittal transmitted on 920422.  
\* Duke Power Co. 92/07/20. 55pp. 62592:260-62592:315.

**9207300194** Forwards request for addl info re plant IPE submittal for generic issues 105, "Interfacing SYS LOCA at LWRs," 153, "Loss of essential Svc Water in LWRs" & 23, "RCP Seal Features."  
WIENS, L.A. Project Directorate II-3. 92/07/21. HAMPTON, J.W. Duke Power Co. 30pp. 62581:217-62581:246.

**9207300284** Forwards SE authorizing Relief for Request 92-04 from ASME Code requirements for addl weld exam in second 10-yr interval inservice insp.  
MATTHEWS, D.B. Project Directorate II-3. 92/07/22. HAMPTON, J.W. Duke Power Co. 3pp. 62580:309-62580:315.

**-9207300286** SER granting relief from ASME Code requirements re addl weld exams when weld defect found.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/22. 4pp. 62580:312-62580:315.

### Q. Inspection reports, IE Bulletins & correspondence

**9207020159** Forwards meeting summary, Duke Power comments on SALP, SALP slides, revision sheet & final SALP rept for period 900801-920229 re insp repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
EBNETER, S.D. Region 2 (Post 820201). 92/06/04. HAMPTON, J.W. Duke Power Co. 29pp. 62224:240-62224:311.

**-9207020181** Provides addl info & comments re operator training assessment to be considered for inclusion in final SALP rept in connection w/ insp repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
HAMPTON, J.W. Duke Power Co. 92/05/14. EBNETER, S.D. Region 2 (Post 820201). 14pp. 62224:269-62224:282.

**-9207020281** Final SALP repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01 for Aug 1990-Feb 1992.  
\* Region 2 (Post 820201). 92/06/04. 29pp. 62224:283-62224:311.

**9207270056** Forwards insp repts 50-269/92-11, 50-270/92-11 & 50-287/92-11 on 920426-0523 & notice of violation. Violation involves lack of attention to detail on behalf of licensed personnel in performing activities associated w/ reactivity mgt.  
HERDT, A.R. Region 2 (Post 820201). 92/06/12. HAMPTON, J.W. Duke Power Co. 4pp. 62475:254-62475:270.

**-9207270077** Insp repts 50-269/92-11, 50-270/92-11 & 50-287/92-11 on 920426-0523. Violation noted. Major areas inspected: operations & surveillance testing, maint activities & followup on previous insp findings.  
HARMON, P.E., DESAI, B.B., POERTNER, W.K. Region 2 (Post 820201). 92/06/11. 11pp. 62475:260-62475:270.

**9207020014** Ack receipt of 920528 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/92-03, 50-270/92-03 & 50-287/92-03. Response meets requirements of 10CFR2.201.  
HERDT, A.R. Region 2 (Post 820201). 92/06/18. HAMPTON, J.W. Duke Power Co. 3pp. 62234:321-62234:323.

**9207070341** Forwards supplement to 891229 response to NRC Bulletin 88-008 re thermal stresses in piping connected to RCS, per 920623 telcon w/ NRC.  
HAMPTON, J.W. Duke Power Co. 92/06/24. Document Control Branch (Document Control Desk). 19pp. 62267:001-62267:019.

**9207010037** Forwards insp repts 50-269/92-12, 50-270/92-12 & 50-287/92-12 on 920526-29. No violations or deviations noted.  
COLLINS, D.M. Region 2 (Post 820201). 92/06/25. HAMPTON, J.W. Duke Power Co. 4pp. 62143:070-62143:074.

**-9207010042** Partially withheld insp repts 50-269/92-12, 50-270/92-12 & 50-287/92-12 on 920526-29 (ref 10CFR73.21). No violations or deviations noted. Major areas inspected: mgt support, security program plans, audits & protected area barriers.  
STANSBERRY, W.M., MCGUIRE, D.R. Region 2 (Post 820201). 92/06/24. 1p. 62143:074-62143:074.

**9207170006** Notification of significant licensee meeting w/ util on 920717 at Region II ofc to conduct enforcement conference re circumstances surrounding 920508 Unit 1 reactor trip & Unit 1 operation w/ only one operable flow path on 920511-24.  
BELISLE, G.A. Region 2 (Post 820201). 92/06/27. Region 2 (Post 820201). 3pp. 62431:330-62431:332.

**9207220137** Confirms 920618 arrangements concerning 920717 enforcement conference to discuss 920508 event re one of two Unit 1 emergency feedwater sys flow paths required by TS not operable.  
JOHNSON, J.R. Region 2 (Post 820201). 92/06/27. HAMPTON, J.W. Duke Power Co. pp. 62432:351-62432:354.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207270012** Forwards insp repts 50-269/92-14, 50-270/92-14 & 50-287/92-14 on 920524-0619. One violation noted & being considered for escalated enforcement action. No notice of violation being issued at this time.  
JOHNSON, J.R. Region 2 (Post 820201). 92/06/29. HAMPTON, J.W. Duke Power Co. 4pp. 62475:004-62475:011.

**-9207270019** Insp repts 50-269/92-14, 50-270/92-14 & 50-287/92-14 on 920524-0619. One violation re failure to maintain two emergency feedwater flow paths operable noted. Major areas inspected: plant operations.  
HARMON, P.E., DESAI, B.B., POERTNER, W.K. Region 2 (Post 820201). 92/06/24. 4pp. 62475:008-62475:011.

**9207140152** Ack receipt of 920618 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/92-10, 50-270/92-10 & 50-287/92-10.  
HERDT, A.R. Region 2 (Post 820201). 92/07/01. HAMPTON, J.W. Duke Power Co. 3pp. 62311:026-62311:028.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207150112** Responds to NRC 920520 ltr re violations noted in Insp Repts 50-269/92-11, 50-270/92-11 & 50-287/92-11. Corrective actions: estimated critical position calculated & verified using Unit 1 reactivity curves & curves placed in unit-specific books.  
HAMPTON, J.W. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 3pp. 62409:359-62409:361.

**9207200042** Revised response to 920325 ltr re violations noted in insp repts 50-269/92-08, 50-270/92-08 & 50-287/92-08 previously responded to on 920423. Corrective actions: addl changes to TS will be submitted by 921001.  
HAMPTON, J.W. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62451:317-62451:318.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207200196** Forwards second 10-yr insp interval Request for Relief 92-10 from 1980 Edition Section XI of ASME, including winter 1980 addenda to allow volumetric exam to be used for branch welds off main steam lines due to inaccessibility.  
HAMPTON, J.W. Duke Power Co. 92/07/15. Document Control Branch (Document Control Desk). 8pp. 62449:303-62449:310.

**9207280010** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Neither Oconee nor Catawba uses Thermo-Lag matl. Bulletin inapplicable to units.  
TUCKER, H.B. Duke Power Co. 92/07/22. Document Control Branch (Document Control Desk). 2pp. 62562:110-62562:111.

**9207300284** Forwards SE authorizing Relief for Request 92-04 from ASME Code requirements for addl weld exam in second 10-yr interval inservice insp.  
MATTHEWS, D.B. Project Directorate II-3. 92/07/22. HAMPTON, J.W. Duke Power Co. 3pp. 62580:309-62580:315.

### R. Periodic operating reports & related correspondence

**9207210231** Forwards monthly operating repts for June 1992 for Oconee Nuclear Station Units 1, 2 & 3 & revised monthly rept for May 1992 for Oconee Nuclear Station Unit 1.  
MCCRAW, E.O. Duke Power Co. 92/07/15. Document Control Branch (Document Control Desk). 2pp. 62471:220-62471:239.

**-9207210237** Monthly operating repts for June 1992 for Oconee Nuclear Station Units 1, 2 & 3.  
WILLIAMS, R.A., SIMMONS, N.C. Duke Power Co. 92/06/30. 15pp. 62471:222-62471:236.

### V. Operator Examinations

**9207020159** Forwards meeting summary, Duke Power comments on SALP, SALP slides, revision sheet & final SALP rept for period 900801-920229 re insp repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
EBNETER, S.D. Region 2 (Post 820201). 92/06/04. HAMPTON, J.W. Duke Power Co. 29pp. 62224:240-62224:311.

**-9207020181** Provides addl info & comments re operator training assessment to be considered for inclusion in final SALP rept in connection w/ insp repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
HAMPTON, J.W. Duke Power Co. 92/05/14. EBNETER, S.D. Region 2 (Post 820201). 14pp. 62224:269-62224:282.

**-9207020281** Final SALP repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01 for Aug 1990-Feb 1992.  
\* Region 2 (Post 820201). 92/06/04. 29pp. 62224:283-62224:311.

### Y. Dry Cask Independent Spent Fuel Storage Installations

**9207210116** Forwards Nonpropriety volume 1 & propriety volume 2 of rev 1 to "Calvert Cliffs ISFSI Updated SAR." "Calvert Cliffs ISFSI Updated SAR Final Analysis & Evaluation." also encl. Propriety volume 2 withheld. W/36 oversize drawings.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/16. Office of Nuclear Material Safety & Safeguards. 4pp. 62639:001-62640:099.

### DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

#### F. Security, medical, emergency & fire protection plans

**9207080020** Forwards partially withheld safeguards insp rept 50-270/92-11 on 920518-22. No violations or safety concerns noted. Potential weaknesses identified.  
JOYNER, J.H. Region 1 (Post 820201). 92/06/22. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 4pp. 62218:260-62218:271.

**-9207080022** Partially withheld insp rept 50-271/92-11 (ref 10CFR73.21). No violations or safety concerns noted. Major areas inspected: mgt support, security program plans & audits & protected portions of paragraphs sanitized, per 10CFR2.790.  
ALBERT, R.J., KEIMIG, R.R. Region 1 (Post 820201). 92/06/19. 8pp. 62218:264-62218:271.

**9207220252** Forwards Rev 21 Errata A to physical security plan, reflecting enhancements recently made to security program to address concerns identified in NRC 920409 ltr. Rev withheld (ref 10CFR73.21). MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 92/06/29. Document Control Branch (Document Control Desk). 1p. 62457:359-62457:359.

**9207280167** Notification of significant licensee meeting 92-113 in King of Prussia, PA on 920714 to discuss EOP insp response. LEW, D. Region 1 (Post 820201). 92/07/06. Region 1 (Post 820201). 3pp. 62489:276-62489:278.

**9207160355** Ack receipt of 920508 ltr transmitting Rev 22 to physical security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan w/listed exceptions. JOYNER, J.H. Region 1 (Post 820201). 92/07/10. TREMBLAY, L.A. Vermont Yankee Nuclear Power Corp. 3pp. 62413:350-62413:354.

**9207290300** Revised EIPs, including rev 12 to OP 3500, rev 13 to OP 3501, rev 25 to OP 3502, rev 27 to OP 3503 & rev 25 to OP 3504, incorporating change 107. \* Vermont Yankee Nuclear Power Corp. 92/07/20. 200pp. 62619:001-62619:194.

**9207280267** Forwards insp rept 50-271/92-12 on 920527-0706. Two violations re inadequate procedure for conduct of TS required surveillance of SGTS & workers failing to follow radiation work permit instructions not subj to enforcement. LINVILLE, J.C. Region 1 (Post 820201). 92/07/21. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 3pp. 62497:111-62497:138.

**-9207280272** Insp rept 50-271/92-12 on 920527-0706. No violations noted. Major areas inspected: plant operations, radiological controls, maint & surveillance, emergency preparedness, security & engineering & technical support. KELLY, E.M. Region 1 (Post 820201). 92/07/21. 25pp. 62497:114-62497:138.

**9207300099** Responds to NRC Bulletin 92-001 "Failure of Thermo-Lag 330 Fire Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." Continuous fire watch for 3/4-inch conduit established. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62638:206-62638:208.

#### H. General correspondence

**9207130020** Comment supporting proposed rule 10CFR50 re "Receipt of Byproduct & SNM." EDWARDS, D.W. Yankee Atomic Electric Co. 92/07/02. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:028-62285:028.

**9207140015** Informs that effective 920701 J DeVincentis retired & J Thayer has been named to replace DeVincentis in his capacity. TREMBLAY, L.A. Vermont Yankee Nuclear Power Corp. 92/07/07. Document Control Branch (Document Control Desk). 1p. 62382:359-62382:359.

#### P. Operating license stage documents & correspondence

**9207070026** Summary of 920610 meeting w/util in Rockville, MD re status of licensing issues. SEARS, P.M. Project Directorate I-3. 92/06/30. Project Directorate I-3. 5pp. 62237:344-62237:348.

**9207060252** Forwards "Startup Test Rept Vermont Yankee Cycle 16." TREMBLAY, L.A. Vermont Yankee Nuclear Power Corp. 92/07/01. Document Control Branch (Document Control Desk). 1p. 62254:331-62254:344.

**-9207060255** "Startup Test Rept Vermont Yankee Cycle 16." \* Vermont Yankee Nuclear Power Corp. 92/07/01. 13pp. 62254:332-62254:344.

**9207170030** Responds to 920629 telcon & ltr dtd 920629 requesting temporary waiver of compliance from plant TS 3.5.H.1 to permit reactor operation for addl 48 h w/ "A" EDG inoperable. Waiver granted. HEHL, C.W. Region 1 (Post 820201). 92/07/01. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 3pp. 62388:355-62388:361.

**-9207170032** Requests temporary waiver of compliance from TS LCO requirements for EDG operability. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 92/06/29. Region 1 (Post 820201). 4pp. 62388:358-62388:361.

**9207090352** Forwards response to GL 92-01 re reactor vessel structural integrity. Upper shelf life energies of vessel beltline matls not expected to be less than 50-ft pound by end of licensed operating period. PELLETIER, J.P. Vermont Yankee Nuclear Power Corp. 92/07/03. Document Control Branch (Document Control Desk). 10pp. 62341:171-62341:180.

**9207160375** Forwards response to request for addl info & revised application document incorporating as appropriate info given in response to questions in ref to ltr dtd 920218 re disposal of slightly contaminated soil. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 92/07/10. Document Control Branch (Document Control Desk). 13pp. 62426:295-62426:343.

**-9207160380** "Application to Dispose in Place Contaminated Soil." \* Vermont Yankee Nuclear Power Corp. 92/05/15. 34pp. 62426:309-62426:343.

**9207200032** Requests that license SOP 3044-5 be terminated. VYNP has determined that R Slauenwhite will no longer maintain license at facility. REID, D.A. Vermont Yankee Nuclear Power Corp. 92/07/10. Document Control Branch (Document Control Desk). 1p. 62447:345-62447:345.

**9207210140** Advises that 920417 rev 22 to operational QA program YOQAP-1-A acceptable in that program continues to satisfy criteria of app B of 10CFR50. BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/13. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 2pp. 62421:093-62421:094.

**9207270133** Forwards "Reactor Containment Bldg Integrated Leak Rate Test, Vermont Yankee Nuclear Power Station." PELLETIER, J.P. Vermont Yankee Nuclear Power Corp. 92/07/21. Document Control Branch (Document Control Desk). 1p. 62524:248-62524:309.

**-9207270135** "Reactor Containment Integrated Leak Rate Test, Vermont Yankee Nuclear Power Station." TRASK, T.C., CAPPUCIO, G., BUTEAU, B.R. Vermont Yankee Nuclear Power Corp. 92/07/08. 61pp. 62524:249-62524:309.

**9207280235** Forwards amend 134 to license DPR-28 & safety evaluation. Amend reinstates surveillance frequency required for testing automatic closure of primary containment isolation valves. SEARS, P. Project Directorate I-3. 92/07/21. TREMBLAY, L.A. Vermont Yankee Nuclear Power Corp. 3pp. 62528:352-62528:361.

**-9207280237** Amend 134 to license DPR-28, reinstating surveillance frequency required for testing automatic closure of primary containment isolation valves. NERSES, V. Project Directorate I-3. 92/07/21. 5pp. 62528:355-62528:359.

**-9207280238** Safety evaluation supporting amend 134 to license DPR-28. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/21. 2pp. 62528:360-62528:361.

**9207290154** Forwards safety evaluation denying first part of 911227 amend request 164 to revise applicable TS re deletion of supervisory titles from TS concerning composition of plant operations review committee. Notice of denial also encl. SEARS, P.M. Project Directorate I-3. 92/07/21. TREMBLAY, L.A. Vermont Yankee Nuclear Power Corp. 3pp. 62557:274-62557:280.

**-9207290180** Safety evaluation denying util requested changes to administrative controls section of Tech Specs for facility. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/21. 2pp. 62557:277-62557:278.

**-9207290186** Notice of denial of amend to license DPR-28, requesting revision of TS deleting specific supervisory titles from section of Tech Specs relative to composition of plant operations review committee. BUTLER, W.R. Project Directorate I-3. 92/07/21. 2pp. 62557:279-62557:280.

**9207300180** Notification of 920805 meeting w/util in Rockville, MD to discuss routine scheduling & prioritization meeting. SEARS, P.M. Project Directorate I-3. 92/07/22. NERSES, V. Project Directorate I-3. 3pp. 62581:213-62581:215.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207080020** Forwards partially withheld safeguards insp rept 50-270/92-11 on 920518-22. No violations or safety concerns noted. Potential weaknesses identified. JOYNER, J.H. Region 1 (Post 820201). 92/06/22. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 4pp. 62218:260-62218:271.

**-9207080022** Partially withheld insp rept 50-271/92-11 (ref 10CFR73.21). No violations or safety concerns noted. Major areas inspected: mgt support, security program plans & audits & protected. Portions of paragraphs sanitized, per 10CFR2.790. ALBERT, R.J., KEIMIG, R.R. Region 1 (Post 820201). 92/06/19. 8pp. 62218:264-62218:271.

**9207070050** Responds to NRC 920528 ltr re violations noted in insp rept 50-271/92-08 on 920413-17. Corrective actions: supervisor counseled on importance of compliance w/all applicable procedures, policies & correct method to initiate changes. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 92/06/26. Document Control Branch (Document Control Desk). 3pp. 62269:258-62269:260.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207280167** Notification of significant licensee meeting 92-113 in King of Prussia, PA on 920714 to discuss EOP insp response. LEW, D. Region 1 (Post 820201). 92/07/06. Region 1 (Post 820201). 3pp. 62489:276-62489:278.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207170214** Forwards insp rept 50-271/92-13 on 920601-05. No violations noted. Insp verified that engineering & technical support activities at plant were accomplished satisfactorily. ANDERSON, C. Region 1 (Post 820201). 92/07/10. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 3pp. 62436:217-62436:232.

**-9207170229** Insp rept 50-271/92-13 on 920601-05. No violations noted. Major areas inspected: technical adequacy of design changes, progress in safety evaluation improvement program & overall effectiveness of licensee engineering support program. CALVERT, J., CHAUDHARY, S.K., EAPEN, P.K. Region 1 (Post 820201). 92/07/08. 12pp. 62436:220-62436:232.

**9207280034** Ack receipt of 920826 ltr informing NRC of steps taken to correct violations noted in insp rept 50-271/92-08. JOYNER, J.H. Region 1 (Post 820201). 92/07/18. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 3pp. 62488:032-62488:037.

**9207280267** Forwards insp rept 50-271/92-12 on 920527-0706. Two violations re inadequate procedure for conduct of TS required surveillance of SGTS & workers failing to follow radiation work permit instructions not subj to enforcement. LINVILLE, J.C. Region 1 (Post 820201). 92/07/21. MURPHY, W.P. Vermont Yankee Nuclear Power Corp. 3pp. 62497:111-62497:138.

## 50 DOCKETED ITEMS

—9207280272 Insp rept 50-271/92-12 on 920527-0706.No violations noted. Major areas inspected:plant operations,radiological controls,maint & surveillance,emergency preparedness, security & engineering & technical support.  
KELLY,E.M. Region 1 (Post 820201). 92/07/21. 25pp. 62497:114-62497:138.

9207300099 Responds to NRC Bulletin 92-001 "Failure of Thermo-Lag 330 Fire Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." Continuous fire watch for 3/4-inch conduit established.  
MURPHY,W.P. Vermont Yankee Nuclear Power Corp. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62638:206-62638:208.

### R. Periodic operating reports & related correspondence

9207080183 "Supplemental Effluent & Waste Disposal Semiannual Rept for Third & Fourth Quarters,1991,including Annual Radiological Impact on Man for 1991." W/ 920630 ltr.  
TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp. 91/12/31. 44pp. 62276:001-62276:047.

9207160172 Monthly operating rept for June 1992 for Vermont Yankee Nuclear Power Station.W/920710 ltr.  
WALLIN,G.A., MURPHY,W.P. Vermont Yankee Nuclear Power Corp. 92/06/30. 6pp. 62423:337-62423:342.

### S. Reportable occurrences, LERs & related correspondence

9207010045 PNO-I-92-034:on 920625,util reported positive drug indication for licensed (inactive) SRC based on results from random test on 920619.Security dept pulled site access & referred individual to employee assistance program.  
FISH,T., CONTE,R. Region 1 (Post 820201). 92/06/25. 2pp. 62234:050-62234:051.

9207310086 LER 92-018-00:on 920627,during repairs,UPS trouble alarm received.Caused by design weakness in UPS control circuitry.Circuitry was reviewed & mod will be implemented into both UPS units.W/920727 ltr.  
REID,D.A. Vermont Yankee Nuclear Power Corp. 92/07/27. 5pp. 62683:084-62683:088.

### V. Operator Examinations

9207170062 Requests details of circumstances surrounding NRC-licensed operator testing positive following fitness-for-duty test on 920619.Updated medical certification should be provided if individual resumes licensed duties.  
BETTENHAUSEN,L. Region 1 (Post 820201). 92/06/30. MURPHY,W.P. Vermont Yankee Nuclear Power Corp. 4pp. 62440:358-62440:361.

9207230149 Responds to NRC request for addl info re rept made by VYNP on 920625 of NRC-licensed operator who tested positive following fitness-for-duty test.Response withheld (ref 10CFR2.790).  
MURPHY,W.P. Vermont Yankee Nuclear Power Corp. 92/07/17. Document Control Branch (Document Control Desk). 3pp. 62482:262-62482:264.

## DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

9207090243 Forwards Resident Safety Insp Repts 50-272/92-11, 50-311/92-07 & 50-354/92-07 on 920503-0613.Violations noted.  
WENZINGER,E.C. Region 1 (Post 820201). 92/07/02. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 62309:242-62309:305.

—9207090259 Resident Safety Insp Repts 50-272/92-07,50-311/92-07 & 50-354/92-07 on 920503-0613.Violations noted.Major areas inspected:operation,radiological controls,maint & surveillance testing,emergency preparedness & security.  
WHITE,J.R. Region 1 (Post 820201). 92/07/01. 59pp. 62309:247-62309:305.

9207240155 Revised EIPs,including Rev 2 to EPIP 405,Rev 6 to EPIP 601 & Rev 18 to EPIP table of contents emergency operations facility.  
\* Public Service Electric & Gas Co. of New Jersey. 92/07/09. 31pp. 62515:183-62515:214.

9207240182 Revised EIPs,including Rev 7 to EPIP 104S,Rev 1 to EPIP 106S & Rev 31 to EPIP table of contents.  
\* Public Service Electric & Gas Co. of New Jersey. 92/07/09. 32pp. 62524:217-

9207280361 Revised EIPs,including Rev 5 to EPIP 903, "Opening of EOF/ Emergency News Ctr" & revised EPIP table of contents re security procedures.  
\* Public Service Electric & Gas Co. of New Jersey. 92/07/17. 17pp. 62566:283-62566:299.

9207300173 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys." Thermo-Lag 330 fire barrier sys not installed at either facility.  
LABRUNA,S. Philadelphia Electric Co. 92/07/22. Document Control Branch (Document Control Desk). 3pp. 62593:014-62593:016.

### K. Utility Final Safety Analysis Report (FSAR) & amends

9207280132 Rev 12 to updated FSAR for Salem Generating Station,units 1 & 2.W/ 920720 ltr.  
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 92/07/20. 325pp. 62554:001-62555:288.

### P. Operating license stage documents & correspondence

9207020236 Discusses review of plant emergency control air compressors. Exemption request currently being reviewed will be subj of separate correspondence.  
STONE,J.C. Project Directorate I-2. 92/06/29. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 5pp. 62243:295-62243:299.

9207060071 Notification of 920701 meeting w/PSE&G in Rockville,MD to discuss details of calculations of erosion/corrosion rate, min acceptable wall thickness & application of 1.2 factor in allowable stress calculations.  
STONE,J.C. Project Directorate I-2. 92/06/29. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 5pp. 62194:269-62194:271.

9207070030 Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity, to enable NRC to assess compliance w/10CFR50.60 & 10CFR50.61 & fracture toughness & matl surveillance requirements for RCS.  
MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 92/06/30. Document Control Branch (Document Control Desk). 3pp. 62269:107-62269:158.

—9207070032 Rev 0 to "Salem Unit 1 Response to Generic Ltr 92-01,Rev 1, 'Reactor Vessel Structural Integrity.'"  
\* Public Service Electric & Gas Co. of New Jersey. 92/06/17. 24pp. 62269:110-62269:134.

—9207070035 Rev 0 to "Salem Unit 2 Response to Generic Ltr 92-01,Rev 1, 'Reactor Vessel Structural Integrity.'"  
\* Public Service Electric & Gas Co. of New Jersey. 92/06/17. 19pp. 62269:135-62269:158.

9207140280 License Change Request 92-07 to Licenses DPR-70 & DPR-75, changing TS 6.3 re unit staff qualifications & 6.4 re training to clarify current requirements for licensed operator qualifications & training.  
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 92/07/08. Document Control Branch (Document Control Desk). 7pp. 62385:049-62385:059.

—9207140283 Proposed TS 6.3 re unit staff qualifications & 6.4 re training.  
\* Public Service Electric & Gas Co. of New Jersey. 92/07/08. 4pp. 62385:056-62385:059.

9207200260 Summary of 920625 meeting w/util re erosion/corrosion program & results of feedwater sys exam at plants.Attendance list & viewgraphs encl.  
PINDALE,S.M. Project Directorate I-2. 92/07/10. Project Directorate I-2. 47pp. 62427:260-62427:306.

9207200329 Summary of 920701 meeting w/util re resolution of open erosion/corrosion issues identified at 920625 meeting.  
PINDALE,S.M. Project Directorate I-2. 92/07/10. Project Directorate I-2. 17pp. 62438:191-62438:208.

9207210019 Informs NRC of plans re Salem unit 1 Cycle 11 reload core scheduled for 920804.Cycle 11 reload core expected to achieve burnup of 15,750 MWD/MTU.Encl Figure reflects revised core loading pattern for Unit 1 Cycle 11.  
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 92/07/14. Document Control Branch (Document Control Desk). 6pp. 62459:356-62459:361.

9207230147 Advises of completion of engineering & installation milestones for balance of App R cable wrap project,per commitments contained in util 910404 ltr.Milestone completion listing for fire areas encl.  
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 92/07/14. Document Control Branch (Document Control Desk). 2pp. 62479:323-62479:324.

9207240099 Forwards supplemental info re request for amend to licenses DPR-70 & DPR-75 previously submitted on 920511.Encl marked up TS pages inadvertently omitted from previous submittal.  
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 92/07/16. Document Control Branch (Document Control Desk). 5pp. 62482:171-62482:224.

—9207240103 Proposed tech specs extending surveillance test intervals & allowed outage times.  
\* Public Service Electric & Gas Co. of New Jersey. 92/07/16. 50pp. 62482:176-62482:224.

9207310064 Advises that 901221 & 910620 response to Generic Ltr 90-06 do not meet 10CFR50.109 requirements & unacceptable.Requests that response be resubmitted.  
STONE,J.C. Project Directorate I-2. 92/07/24. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 4pp. 62588:200-62588:203.

### Q. Inspection reports, IE Bulletins & correspondence

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207090243 Forwards Resident Safety Insp Repts 50-272/92-11, 50-311/92-07 & 50-354/92-07 on 920503-0613. Violations noted. WENZINGER, E.C. Region 1 (Post 820201). 92/07/02. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 62309:242-62309:305.

-9207090253 Notice of violation from insp on 920503-0613. Violation noted: licensee failed to satisfy requirement of NUREG 0737 Item III.D.3.4 re release of ammonium hydroxide.  
\* Region 1 (Post 820201). 92/07/02. 2pp. 62309:245-62309:246.

-9207090259 Resident Safety Insp Repts 50-272/92-07, 50-311/92-07 & 50-354/92-07 on 920503-0613. Violations noted. Major areas inspected: operation, radiological controls, maint & surveillance testing, emergency preparedness & security. WHITE, J.R. Region 1 (Post 820201). 92/07/01. 5pp. 62309:247-62309:305.

9207160100 Forwards insp rept 50-272/92-08 on 920526-29. Deviation noted. ANDERSON, C. Region 1 (Post 820201). 92/07/08. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 62430:140-62430:150.

-9207160154 Notice of deviation from insp on 920526-29. Deviation noted: disposition of degraded components in FW sys outside containment were below minimum design wall.  
\* Region 1 (Post 820201). 92/07/08. 1p. 62430:143-62430:143.

-9207160163 Insp rept 50-272/92-08 on 920526-29. Deviations noted. Major areas inspected: review of program & sample insp data on ISI eddy examination of SG tubes & erosion/corrosion monitoring of high energy piping. PATNAIK, P., GRAY, E.H. Region 1 (Post 820201). 92/07/07. 7pp. 62430:144-62430:150.

920720233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207280100 Forwards insp repts 50-272/92-10 & 50-311/92-10 on 920623-25. No violations noted. ANDERSON, C.J. Region 1 (Post 820201). 92/07/20. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 62488:233-62488:238.

-9207280105 Insp repts 50-272/92-10 & 50-311/92-10 on 920623-25. No violations noted. Major areas inspected: implementation of erosion/corrosion program, including records related to thickness measurements. HARRIS, R., PETERSON, P.M., MCBREARTY, R. Region 1 (Post 820201). 92/07/16. 3pp. 62488:235-62488:238.

9207300173 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys." Thermo-Lag 330 fire barrier sys not installed at either facility. LABRUNA, S. Philadelphia Electric Co. 92/07/22. Document Control Branch (Document Control Desk). 3pp. 62593:014-62593:016.

#### R. Periodic operating reports & related correspondence

9207200338 Monthly operating rept for June 1992 for Salem Unit 1.W/ 920714 ltr. SHEDLOCK, M., FEST, J., VONDRA, C.A. Public Service Electric & Gas Co. of New Jersey. 92/06/30. 16pp. 62450:314-62450:329.

9207300182 "NPDES Discharge Monitoring Rept for June 1992." W/920723 ltr. VONDRA, C.A. Public Service Electric & Gas Co. of New Jersey. 92/06/30. CAPORALE, G. New Jersey, State of. 23pp. 62593:180-62593:204.

#### S. Reportable occurrences, LERs & related correspondence

9207070389 LER 92-012-00: on 920602, 1R11A radiation monitoring sys channel spiked into alarm resulting in CP/P-VR sys isolation signal. Caused by equipment failure. Sys returned to service after replacement of warning sys. W/920702 ltr. POLLACK, M.J., VONDRA, C.A. Public Service Electric & Gas Co. of New Jersey. 92/07/02. 4pp. 62293:031-62293:034.

9207070382 LER 92-013-00: on 920602, two ESF actuation signals initiated from radiation monitoring sys causing alarm. Cause attributed to an electrical fault in sys. Both channels returned to service after resetting alarm functions. W/920702 ltr. POLLACK, M.J., VONDRA, C.A. Public Service Electric & Gas Co. of New Jersey. 92/07/02. 4pp. 62293:035-62293:038.

9207200052 Special Rept 92-5: on 920623, actuation capability of 78-ft lower electrical penetration CO2 fire protection sys inoperable for more than 14 days. Caused by required maint work. Sys returned to svc on 920702. VONDRA, C.A. Public Service Electric & Gas Co. of New Jersey. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62451:295-62451:297.

9207200055 LER 91-017-01: on 910413, sustained undervoltage relay min drop voltage found below TS min allowable value & monthly surveillance test of undervoltage relay setpoints not performed since 910109. Procedures enhanced. W/920709 ltr. POLLACK, M.J., VONDRA, C.A. Public Service Electric & Gas Co. of New Jersey. 92/07/09. 5pp. 62480:226-62480:231.

9207200291 NPDES noncompliance notification: on 920618, loggerhead sea turtle recovered from circulating water sys intake trash screens. Turtle placed in 800 gallon holding tank for observation. Turtle flipper-tagged & released. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 92/07/14. Document Control Branch (Document Control Desk). 5pp. 62451:282-62451:286.

9207310112 LER 92-014-00: on 920628, results of radiographic exam on SG 13 indicated weld between feedwater nozzle & elbow had number of unacceptable linear indications. Caused by equipment failure. Indications removed. W/920723 ltr. POLLACK, M.J., VONDRA, C.A. Public Service Electric & Gas Co. of New Jersey. 92/07/23. 6pp. 62683:191-62683:196.

9207290311 NPDES noncompliance notification: on 920619, until reported oil sheen on Delaware River in area between svc water intake structure & circulating water sys intake. Sheen did not result from plant operations. Discharge rept retracted. THOMSON, F.X. Public Service Electric & Gas Co. of New Jersey. 92/07/24. New Jersey, State of. 2pp. 62593:354-62593:355.

#### V. Operator Examinations

9207140280 License Change Request 92-07 to Licenses DPR-70 & DPR-75, changing TS 6.3 re unit staff qualifications & 6.4 re training to clarify current requirements for licensed operator qualifications & training. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 92/07/08. Document Control Branch (Document Control Desk). 7pp. 62385:049-62385:059.

-9207140283 Proposed TS 6.3 re unit staff qualifications & 6.4 re training.  
\* Public Service Electric & Gas Co. of New Jersey. 92/07/08. 4pp. 62385:056-62385:059.

#### DOCKET 50-274 U.S. GEOLOGICAL SURVEY RESEARCH REACTOR

#### F. Security, medical, emergency & fire protection plans

9207202020 Concludes that changes to emergency plan for US Geological Survey TRIGA Reactor Facility maintains compliance w/ 10CFR50, App E. Determines that changes do not decrease effectiveness of approved plan & acceptable. ADAMS, A. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/06/25. SMITH, D.B. Interior, Dept. of, Geological Survey. 3pp. 62194:264-62194:266.

9207010162 Ack receipt of 920513 ltr re Rev VI to physical security plan (ref 10CFR50.54(p)). Changes consistent w/ 10CFR50.54(p) & acceptable for inclusion into plan. CALLAN, L.J. Region 4 (Post 820201). 92/06/26. SMITH, D. Interior, Dept. of, Geological Survey. 4pp. 62234:300-62234:305.

#### S. Reportable occurrences, LERs & related correspondence

9207800081 Forwards rept of fuel element cladding leak experienced during 920601-16. Informs that on 920611, presence of fission product activity in reactor water & facility air positively identified. Reactor returned to routine operation on 920617. SMITH, D.B. Interior, Dept. of, Geological Survey. 92/06/24. Document Control Branch (Document Control Desk). 4pp. 62269:182-62269:185.

#### DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9207220022 Forwards "Field Exercise Scenario Jul 1992 Emergency Planning - 920708 Diablo Canyon Annual Exercise" manual. GISCLON, J.M. Pacific Gas & Electric Co. 92/04/08. MARTIN, J.B. Region 5 (Post 820201). 1p. 62490:001-62491:331.

-9207220050 "Field Exercise Scenario Jul 1992 Emergency Planning - 920708 Diablo Canyon Annual Exercise" manual.  
\* Pacific Gas & Electric Co. 92/07/08. 2,500pp. 62490:002-62491:331.

9207170242 Forwards public version of revised EIPs Vols 3A & 3B, including rev 21 to EP R-1, rev 21 to EP G-3, rev 2 to EP RB-10 & rev 11 to EP EF-4. W/920713 release memo. GISCLON, J.M. Pacific Gas & Electric Co. 92/06/11. Document Control Branch (Document Control Desk). 2pp. 62403:201-62403:306.

-9207170248 Public version of revised EIPs vols 3A & 3B, including rev 21 to EP R-1, rev 21 to EP G-3, rev 2 to EP RB-10 & rev 11 to EP EF-4.  
\* Pacific Gas & Electric Co. 92/06/11. 103pp. 62403:204-62403:306.

9207220180 Forwards public version of revised SOPs, including III.06 HP-7, "Evacuee Decontamination," III.06 HP-9, "Emergency Worker Decontamination," III.13, "County Air Pollution District" & III.40, W/920713 release memo. GISCLON, J.M. Pacific Gas & Electric Co. 92/06/11. Document Control Branch (Document Control Desk). 6pp. 62445:025-62445:236.

-9207220191 Public version of revised SOPs, including III.06 HP-7, "Evacuee Decontamination," III.06 HP-9, "Emergency Worker Decontamination," III.13, "County Air Pollution District" & III.40, "Avila Beach Fire Protection District."  
\* Pacific Gas & Electric Co. 92/06/11. 200pp. 62445:032-62445:236.

9207210224 Forwards public version of rev 19 to EP M-6, "Fire." W/920715 release memo. GISCLON, J.M. Pacific Gas & Electric Co. 92/06/22. Document Control Branch (Document Control Desk). 8pp. 62438:001-62440:021.

-9207210227 Public version of rev 19 to EP M-6, "Fire."  
\* Pacific Gas & Electric Co. 92/05/27. 150pp. 62439:010-62440:021.

9207170262 Forwards public version of rev 2, change 12 to "Emergency Plan." W/920714 release memo. GISCLON, J.M. Pacific Gas & Electric Co. 92/06/26. Document Control Branch (Document Control Desk). 5pp. 62400:001-62403:056.

-9207170265 Public version of rev 2, change 12 to "Emergency Plan."  
\* Pacific Gas & Electric Co. 92/05/27. 500pp. 62400:007-62403:056.

9207300094 Forwards public version of revised Emergency Response Plan Std Operating Procedures, including III.06, "Environ Health" & III.06, HP-2, "Protective Action Guidelines" & III.06 HP-8, "Area & Equipment Decontamination." W/920722 release memo. GISCLON, J.M. Pacific Gas & Electric Co. 92/07/08. Document Control Branch (Document Control Desk). 6pp. 62605:001-62605:237.



## 52 DOCKETED ITEMS

—9207300205 Public version of revised San Luis Obispo County Nuclear Power Plant Emergency Response Plan Std Operating Procedures, including III.06, "Environ Health" & III.06, HP-2, "Protective Action Guidelines."  
\* San Luis Obispo, CA. 92/07/08. 150pp. 62605:006-62605:237.

### H. General correspondence

9207130040 Comment supporting proposed rules 10CFR19 & 20 re extension of implementation date of stds for protection against radiation.  
MARTIN, J.B. Pacific Gas & Electric Co. 92/06/24. Docketing & Services Branch. 1p. 62265:052-62265:052.

9207270093 Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Endorses comments submitted by NUMARC.  
RUEGER, G.M. Pacific Gas & Electric Co. 92/07/09. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 62475:339-62475:342.

### O. Advisory Committee on Reactor Safeguards reports & correspondence

9207220182 Submits comments on ACRS 910916-17 meetings re safety of facilities. USGS interpretation, favoring oblique slip of Hosgri Fault, reasonable.  
PAGE, B.M. Stanford Univ., Stanford, CA. 91/09/22. SIESS, C.P. Affiliation Not Assigned. 3pp. 62473:350-62473:352.

9207230012 Submits comments on ACRS Subcommittee on Diablo Canyon 910916 & 17 meetings. Concur w/seismic-tectonic analysis prepared by util.  
THOMPSON, G.A. Stanford Univ., Stanford, CA. 91/09/22. SIESS, C. Affiliation Not Assigned. 2pp. 62476:346-62476:347.

9207220194 Submits comments based on attendance at ACRS Subcommittee 910916 & 17 meeting on Diablo Canyon Long Term Seismic program at San Luis Obispo, CA. DAVIS, P.R. Affiliation Not Assigned. 91/09/29. IGNE, A. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62476:319-62476:319.

### P. Operating license stage documents & correspondence

9207070303 Forwards response to Rev 1 to Generic Ltr 92-01, "Reactor Vessel Structural Integrity." Surveillance results evaluated to assure embrittlement levels bounded by prediction.  
RUEGER, G.M. Pacific Gas & Electric Co. 92/06/30. Document Control Branch (Document Control Desk). 18pp. 62262:320-62262:336.

9207100103 Discusses 920615-16 senior managers meeting to evaluate nuclear safety performance of operating reactors, fuel facilities & other matls licensees. Plant is identified as good performer & is noteworthy accomplishment.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/30. CLARKE, R.A. Pacific Gas & Electric Co. 4pp. 62284:305-62284:308.

9207160017 Forwards amends 71 & 70 to licenses DPR-80 & DPR-82, respectively & safety evaluation. Amend revises TS to relocate cycle-specific info to COLR per GL 88-16.  
ROOD, H. Project Directorate V. 92/07/01. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 62396:163-62396:198.

—9207160020 Amends 71 & 70 to licenses DPR-80 & DPR-82, respectively. Amend revises TS to relocate cycle-specific info to COLR per GL 88-16.  
QUAY, T.R. Project Directorate V. 92/07/01. 18pp. 62396:166-62396:194.

—9207160027 Safety evaluation supporting amends 71 & 70 to licenses DPR-80 & DPR-82, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/01. 4pp. 62396:195-62396:198.

9207160139 Forwards License Amend Request 92-04 to License DPR-80 & DPR-82, changing expiration dates of full-power licenses from 080423 to 210922 & 101209 to 250426, respectively.  
RUEGER, G.M. Pacific Gas & Electric Co. 92/07/09. Document Control Branch (Document Control Desk). 2pp. 62430:183-62430:228.

—9207160148 License Amend Request 92-04 to Licenses DPR-80 & DPR-82, changing term of licenses to permit 40-yr operation of units from date of issuance of OLs.  
RUEGER, G.M. Pacific Gas & Electric Co. 92/07/09. 44pp. 62430:185-62430:228.

9207200214 Requests approval to use encl ASME Code Case N-505 during Unit 1 fifth refueling outage scheduled to begin in Sept 1992. Subj code case approved by ASME Main Committee on 920508 & currently in final stage of approval.  
RUEGER, G.M. Pacific Gas & Electric Co. 92/07/14. Document Control Branch (Document Control Desk). 2pp. 62451:313-62451:314.

9207220344 Advises that util demonstrated that Diablo Canyon natural circulation tests applicable to Watts Bar, thus meeting guidelines of BTP RSB 5-1, per util 910711 submittal. Details of review will be published in suppl 10 to SER.  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/14. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62442:357-62442:358.

### Q. Inspection reports, IE Bulletins & correspondence

9207090309 Forwards Meeting Repts 50-275/92-19 & 50-323/92-19 from enforcement conference on 920519.  
ZIMMERMAN, R.P. Region 5 (Post 820201). 92/06/18. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 62313:001-62313:080.

—9207090320 Enforcement Conference Repts 50-275/92-19 & 50-323/92-19 on 920519. Major area discussed: circumstances associated w/ apparent failure to comply w/TS action statements for inoperable fan cooler from 910327 to 920222.  
JOHNSON, P.H. Region 5 (Post 820201). 92/06/17. 77pp. 62313:004-62313:080.

9207100186 Forwards notice of violation from insp on 920317-0427, as documented in Insp Repts 50-275/92-17 & 50-323/92-17. Violation re CFU operability eliminated.  
ZIMMERMAN, R.P. Region 5 (Post 820201). 92/06/19. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 62382:261-62382:265.

—9207100200 Notice of violation from insp on 920317-0427. Violation noted: work order instructions not implemented for maint of containment fan cooler units as listed.  
\* Region 5 (Post 820201). 92/06/19. 2pp. 62382:264-62382:265.

9207060083 Responds to NRC ltr requesting licensee to submit addl info re molded-case circuit breakers that were either installed in operating plant or stored as spares, per NRC Bulletin 88-010.  
RUEGER, G.M. Pacific Gas & Electric Co. 92/06/25. Document Control Branch (Document Control Desk). 3pp. 62250:204-62250:206.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207270286 Forwards insp repts 50-275/92-16 & 50-323/92-16 on 920421-0601 & notice of violation.  
RICHARDSS, S.A. Region 5 (Post 820201). 92/07/07. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 62501:090-62501:118.

—9207270291 Notice of violation from insp on 920421-0601. Violations noted: licensee personnel incorrectly used two one-ton chainfalls for load leveling while lifting 10-142 primary & secondary lids w/each chainfall loaded to approx 2400 lbs.  
\* Region 5 (Post 820201). 92/07/07. 2pp. 62501:093-62501:094.

—9207270296 Insp repts 50-275/92-16 & 50-323/92-16 on 920421-0601. Violations noted. Major areas inspected: plant operations, maint & surveillance activities & follow-up of onsite events.  
JOHNSON, P.H. Region 5 (Post 820201). 92/07/07. 24pp. 62501:095-62501:118.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207240240 Responds to NRC 920619 ltr re violations noted in insp repts 50-275/92-17 & 50-323/92-17. Corrective actions: all containment fan cooler units (CFCU) thoroughly reinspected & CFU test procedure for backdraft dampers revised.  
RUEGER, G.M. Pacific Gas & Electric Co. 92/07/20. Document Control Branch (Document Control Desk). 9pp. 62498:339-62498:347.

### R. Periodic operating reports & related correspondence

9207220215 Monthly operating repts for June 1992 for DCNPP Units 1 & 2. W/920715 ltr.  
DAHAN, P., TOWNSEND, J.D. Pacific Gas & Electric Co. 92/06/30. 14pp. 62473:316-62473:329.

9207240131 "Rept on Discharge Monitoring Diablo Canyon Power Plant Second Quarter of 1992." W/920720 ltr.  
TOWNSEND, J.D. Pacific Gas & Electric Co. 92/06/30. LEONARD, W. California, State of. 92pp. 62516:051-62516:141.

### S. Reportable occurrences, LERs & related correspondence

9207010054 PNO-V-92-019: on 920620, notification of unusual event declared as result of spill of hazardous & noxious gases entering turbine bldg. Caused by exothermic reaction. Only small areas remain chemically contaminated.  
MILLER, M., JOHNSON, P. Region 5 (Post 820201). 92/06/22. 2pp. 62230:290-62230:291.

9207070320 LER 92-148-01: on 911219, determined that CCW water temp design basis limits may be exceeded. Caused by personnel error. Operations Dept shift supervisor notified of potential for CCW sys to experience high temp. W/920629 ltr.  
THIERRY, R.L., RUEGER, G.M. Pacific Gas & Electric Co. 92/06/29. 8pp. 62293:013-62293:020.

9207100264 PNO-V-92-020: on 920628, two major earthquakes occurred in State of CA desert. Unusual event declared at San Onofre & Diablo Canyon. Tremors felt at Palo Verde & at two research reactors & fuel facility. Peak accelerations listed.  
GARCIA, E. Region 5 (Post 820201). 92/06/29. 3pp. 62365:001-62365:003.

9207150008 LER 92-001-01: on 920214, 0608, 19 & 25, plant operated outside of design basis re App R criteria. Caused by personnel error due to lack of attention to detail. Fire watches established, operators notified & design change initiated. W/920708 ltr.  
THIERRY, R.L., RUEGER, G.M. Pacific Gas & Electric Co. 92/07/08. 35pp. 62437:292-62437:326.

9207270264 Forwards LER 92-005-01 re containment ventilation isolation due to spurious high radiation signal. Rev submitted to report root cause & corrective actions for event.  
RUEGER, G.M. Pacific Gas & Electric Co. 92/07/20. Document Control Branch (Document Control Desk). 1p. 62587:162-62587:167.

—9207270267 LER 92-005-01: on 920428, containment ventilation isolation occurred when output signal of radiation monitor RM-14B exceeded alarm setpoint. Caused by loose connector on test box. Test box repaired & ventilation logic reset.  
THIERRY, R.L. Pacific Gas & Electric Co. 92/07/20. 5pp. 62587:163-62587:167.

9207280090 LER 92-007-00: on 920620, CR ventilation sys manually shifted to pressurization mode & acid/caustic spill caused chemical mist to enter portions of turbine bldg. Caused by personnel error. Operator counseled & design changes made. W/920720 ltr.  
THIERRY, R.L., RUEGER, G.M. Pacific Gas & Electric Co. 92/07/20. 9pp. 62587:195-62587:203.

**9207300066** LER 83-039-01: on 911121, discovered potential for CR ventilation sys (CRVS) to be outside CRVS design basis due to personnel error. Design changes will be implemented for CRVS. W/920722 ltr. THIERRY, R.L., RUEGER, G.M. Pacific Gas & Electric Co. 92/07/22. 10pp. 62587:353-62587:362.

**9207300070** LER 92-008-00: on 920624, TS 3.7.9.2 violated when required continuous fire watch was not performed for certain safety-related equipment rooms. Caused by personnel error. Shift foreman & operator involved counseled. W/920722 ltr. THIERRY, R.L., RUEGER, G.M. Pacific Gas & Electric Co. 92/07/22. 7pp. 62588:001-62588:007.

#### DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

##### F. Security, medical, emergency & fire protection plans

**9207010082** Forwards combined insp repts 50-277/92-11 & 50-278/92-11 on 920505-0608. Weakness noted re automatic depressurization sys safety relief valve insulation & inservice testing program cold shutdown valve testing. WENZINGER, E. Region 1 (Post 820201). 92/06/19. SMITH, D.M. Philadelphia Electric Co. 3pp. 62143:242-62143:266.

**9207010086** Insp repts 50-277/92-11 & 50-278/92-11 on 920505-0608. No violations noted. Major areas inspected: operational safety, radiation protection, physical security, CR activities, license events & surveillance testing. LYASH, J.J. Region 1 (Post 820201). 92/06/17. 21pp. 62143:245-62143:266.

**9207170230** Forwards public version of revised emergency response procedures (ERP), including revs 80 & 81 to ERP index, rev 17 to ERP-140 app 1, rev 6 to ERP-110, rev 1 to ERP-205, rev 10 to ERP-250 & rev 3 to ERP-520. W/920714 release memo. BECK, G.J. Philadelphia Electric Co. 92/06/19. Document Control Branch (Document Control Desk). 3pp. 62403:125-62403:197.

**9207170237** Public version of revised emergency response procedures, including revs 80 & 81 to ERP index, rev 17 to ERP-140 app 1, rev 6 to ERP-110, rev 1 to ERP-205, rev 10 to ERP-250, rev 3 to ERP-520 & rev 5 to ERP-700. \* Philadelphia Electric Co. 92/06/19. 70pp. 62403:128-62403:197.

**9207200310** Forwards scenario package for PBAPS, units 2 & 3 re annual emergency preparedness exercise, scheduled for 920826. W/o encl. BECK, G.J. Philadelphia Electric Co. 92/06/26. Document Control Branch (Document Control Desk). 2pp. 62234:345-62234:346.

**9207100227** Rev 82 to Emergency Response Procedure (ERP) ERP-410, "Chemistry Sampling & Analysis Team." W/920702 ltr. BECK, G.J. Philadelphia Electric Co. 92/07/02. 22pp. 62366:093-62366:114.

**9207280310** Forwards proprietary response to request for info re use of security computer. Response withheld (ref 10CFR2.790(a)). SMITH, D.M. Philadelphia Electric Co. 92/07/15. Document Control Branch (Document Control Desk). 3pp. 62568:337-62568:339.

**9207230172** Requests temporary waiver of compliance from TS 3.14.D.2, "Fire Barriers" to approve use of CCTV as acceptable means of satisfying TS fire watch requirements. Hourly fire watch will continue until CCTV installed. BECK, G.J. Philadelphia Electric Co. 92/07/17. Document Control Branch (Document Control Desk). 6pp. 62479:325-62479:330.

**9207240020** Concludes that proposed CCTV sys will provide acceptable means of meeting TS requirement for continuous fire watch, in response to request for temporary waiver of compliance from TS 3.14.D.2 & request for equivalent measures. CALVO, J.A. Assistant Director for Region I Reactors. 92/07/17. SMITH, D.M. Philadelphia Electric Co. 4pp. 62482:357-62482:360.

**9207280170** Forwards insp repts 50-277/92-14 & 50-278/92-14 on 920704-11. No violations noted. WENZINGER, E. Region 1 (Post 820201). 92/07/20. SMITH, D.M. Philadelphia Electric Co. 3pp. 62489:241-62489:265.

**9207280175** Insp repts 50-277/92-14 & 50-278/92-14 on 920704-11. No violations noted. Major areas inspected: operational issues involving Unit 3 automatic reactor scram & issues re emergency planning. LYASH, J.J. Region 1 (Post 820201). 92/07/20. 21pp. 62489:244-62489:265.

**9207310183** Rev 3 to "Peach Bottom Units 2 & 3/Limerick Units 1 & 2 Emergency Communications Plan Implementing Procedure." W/920724 ltr. BECK, G.J. Philadelphia Electric Co. 92/07/24. 30pp. 62636:326-62636:355.

##### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207240144** Forwards Rev 10 of "Peach Bottom Atomic Power Station UFSAR," containing annual rev of QA program description, per 10CFR50.54(a)(3)). SMITH, D.M. Philadelphia Electric Co. 92/07/20. Document Control Branch (Document Control Desk). 12pp. 62521:001-62521:132.

**9207240211** Rev 10 of "Peach Bottom Atomic Power Station UFSAR." \* Philadelphia Electric Co. 92/01/31. 880pp. 62521:013-62521:132.

##### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:003.

**9205190330** Summary of 860423-24 mgt meeting at Region III ofc re licensee performance, evaluation of plant discussions & fitness for duty. Task assignments & list of attendees encl. SNIETZKE, J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 86/05/13. DAVIS, J.G. Office of Nuclear Material Safety & Safeguards. 11pp. 62324:005-62324:015.

**9207080152** Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting. STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.

**9207080283** Provides details of discussions re Peach Bottom during NRC senior managers meeting on 871117 & 18. Facility categorized as requiring substantial improvement. STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. AUSTIN, J.H. Philadelphia Electric Co. 17pp. 62324:035-62324:051.

**9207080291** Summary of 880628-29 NRC senior mgt meeting. Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl. STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.

**9207090044** Provides summary of discussions re Peach Bottom during NRC senior managers meeting on 880628 & 29. Facility was categorized as requiring substantial improvement. STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. PAQUETTE, J. Philadelphia Electric Co. 2pp. 62324:057-62324:058.

**9207090114** Provides Commission w/summary of discussions held at 890517-18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting. Details withheld. STELLO, V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

**9207090267** Partially withheld summary of 861021-22 NRC mgt meeting. \* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.

**9207100371** Provides Commission w/summary of discussions held at 900122-23 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900215 Commission meeting. TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/02/02. CARR Commissioners (Post 750119). 38pp. 62324:144-62324:182.

**9207080257** Requests approval of encl revised changes to QA program descriptions, per 920608 discussions w/NRC. Procedure change tracking & trending process, specified in proposed change, being put into effect. BECK, G.J. Philadelphia Electric Co. 92/06/19. Document Control Branch (Document Control Desk). 12pp. 62254:265-62254:276.

**9207020032** Forwards request for addl info & results of discussions between PECO & NRC re mods to on-site power capability for plant. MILLER, C.L. Project Directorate I-2. 92/08/23. SMITH, D.M. Philadelphia Electric Co. 8pp. 62194:025-62194:032.

**9207020104** Discusses licensee commitment to completing testing program in response to generic ltr 89-10, "Safety-Related MOV Testing & Surveillance." SHEA, J.W. Project Directorate I-2. 92/06/25. BECK, G.J. Philadelphia Electric Co. 5pp. 62183:346-62183:350.

**9207100097** Forwards amends 168 & 172 to licenses DPR-44 & DPR-56, respectively & safety evaluation. Amends modify requirements of TS section 4.5.F.1 re inoperability of EDGs. SHEA, J.W. Project Directorate I-2. 92/07/06. BECK, G.J. Philadelphia Electric Co. 3pp. 62284:290-62284:304.

**9207100102** Amends 168 & 172 to licenses DPR-44 & DPR-56, respectively, modifying requirements of TS section 4.5.F.1 re inoperability of EDGs. MILLER, C.L. Project Directorate I-2. 92/07/06. 8pp. 62284:293-62284:300.

**9207100116** Safety evaluation supporting amends 168 & 172 to licenses DPR-44 & DPR-56, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/06. 4pp. 62284:301-62284:304.

**9207170038** Responds to NRC 920611 request for addl info re 920518 application for amends to Licenses DPR-44 & DPR-56, changing TS re frequency of insp & replacement of main steam safety valves & relief valves. BECK, G.J. Philadelphia Electric Co. 92/07/09. Document Control Branch (Document Control Desk). 5pp. 62458:338-62458:343.

**9207170039** Proposed TS 3.6.D & 4.6.D re LCOs & surveillance requirements for safety & relief valves, respectively. \* Philadelphia Electric Co. 92/07/09. 3pp. 62458:341-62458:343.

**9207200156** Forwards response to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity" & Rev 1 to GE Rept SASR 88-24, "PBAPS Unit 2 Vessel Surveillance Matls Testing & Fracture Toughness Analysis," dtd Dec 1991. BECK, G.J. Philadelphia Electric Co. 92/07/10. Document Control Branch (Document Control Desk). 14pp. 62657:001-62657:282.

**9207200158** "PBAPS Unit 2 Vessel Surveillance Matls Testing & Fracture Toughness Analysis." BRANLUND, B.J., CAINE, T.A., RANGANATH, S. General Electric Co. SASR 88-24 R01. 91/12/31. 136pp. 62657:015-62657:282.

**9207210136** Advises that changes to QA program description acceptable in that QA program continues to satisfy criteria of app B of 10CFR50. BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/14. SMITH, D.M. Philadelphia Electric Co. 3pp. 62421:070-62421:072.

**9207230044** Discusses commitment extension re plant surveillance testing improvement project, per 911120 ltr. Informs that Surveillance test cross-ref will not be completed until 921130 due to misplaced data. MILLER, D.B. Philadelphia Electric Co. 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62478:288-62478:289.

**9207230164** Responds to NRC questions, transmitted in 920623 ltr re util proposal to install dedicated power source from Conowingo Hydroelectric Power Station to facility onsite distribution sys & station blackout analysis. BECK, G.J. Philadelphia Electric Co. 92/07/17. Document Control Branch (Document Control Desk). 1p. 62479:317-62479:317.



## 54 DOCKETED ITEMS

**9207230172** Requests temporary waiver of compliance from TS 3.14.D.2, "Fire Barriers" to approve use of CCTV as acceptable means of satisfying TS fire watch requirements. Hourly fire watch will continue until CCTV installed.  
BECK, G.J. Philadelphia Electric Co. 92/07/17. Document Control Branch (Document Control Desk). 6pp. 62479:325-62479:330.

**9207280277** Rev 1 to TS Change Request 91-02, revising TS re allowable out-of-svc times for emergency svc water sys. Tech Spec change being resubmitted due to omission in 920110 submittal.  
BECK, G.J. Philadelphia Electric Co. 92/07/20. Document Control Branch (Document Control Desk). 17pp. 62562:126-62562:155.

**-9207280281** Proposed TS 3.9.C & 4.9.C re out-of-svc times for emergency svc water sys.  
\* Philadelphia Electric Co. 92/07/20. 13pp. 62562:143-62562:155.

### Q. Inspection reports, IE Bulletins & correspondence

**9207010082** Forwards combined insp repts 50-277/92-11 & 50-278/92-11 on 920505-0608. Weakness noted re automatic depressurization sys safety relief valve insulation & inservice testing program cold shutdown valve testing.  
WENZINGER, E. Region 1 (Post 820201). 92/06/19. SMITH, D.M. Philadelphia Electric Co. 3pp. 62143:242-62143:266.

**-9207010086** Insp repts 50-277/92-11 & 50-278/92-11 on 920505-0608. No violations noted. Major areas inspected: operational safety, radiation protection, physical security, CR activities, license events & surveillance testing.  
LYASH, J.J. Region 1 (Post 820201). 92/06/17. 21pp. 62143:245-62143:266.

**9207010064** Forwards safety insp repts 50-277/92-12 & 50-278/92-12 on 920601-05. No violations observed. Notes that overall program observed to be strong.  
JOYNER, J.H. Region 1 (Post 820201). 92/06/22. SMITH, D.M. Philadelphia Electric Co. 4pp. 62143:162-62143:172.

**-9207010069** Insp repts 50-277/92-12 & 50-278/92-12 on 920601-05. No violations noted. Major areas inspected: radwaste & transportation, including organization, staffing, training, shipping & processing records for recent radioactive mail.  
CHAWAGA, D., PASCIAK, W. Region 1 (Post 820201). 92/06/22. 4pp. 62143:168-62143:172.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207170038** Responds to NRC 920611 request for addl info re 920518 application for amends to Licenses DPR-44 & DPR-56, changing TS re frequency of insp & replacement of main steam safety valves & relief valves.  
BECK, G.J. Philadelphia Electric Co. 92/07/09. Document Control Branch (Document Control Desk). 5pp. 62456:336-62456:343.

**-9207170039** Proposed TS 3.6.D & 4.6.D re LCOs & surveillance requirements for safety & relief valves, respectively.  
\* Philadelphia Electric Co. 92/07/09. 3pp. 62456:341-62456:343.

**9207280170** Forwards insp repts 50-277/92-14 & 50-278/92-14 on 920704-11. No violations noted.  
WENZINGER, E. Region 1 (Post 820201). 92/07/20. SMITH, D.M. Philadelphia Electric Co. 3pp. 62489:241-62489:265.

**-9207280175** Insp repts 50-277/92-14 & 50-278/92-14 on 920704-11. No violations noted. Major areas inspected: operational issues involving Unit 3 automatic reactor scram & issues re emergency planning.  
LYASH, J.J. Region 1 (Post 820201). 92/07/20. 21pp. 62489:244-62489:265.

**9207300224** Requests relief from current practice of auditing all major paragraphs of TS over four year period. Practice developed in response to NRC concerns documented in Insp Repts 50-352/84-21 & 50-352/84-58.  
BECK, G.J. Philadelphia Electric Co. 92/07/23. Document Control Branch (Document Control Desk). 2pp. 62593:205-62593:211.

### R. Periodic operating reports & related correspondence

**9207200184** Monthly operating repts for June 1992 for Peach Bottom Atomic Power Station, Units 2 & 3. W/920714 ltr.  
BARON, M.J., MILLER, D.B. Philadelphia Electric Co. 92/06/30. 14pp. 62449:328-62449:341.

### V. Operator Examinations

**9207230039** Notifies that effective 920629, DB Warfel permanently reassigned from position requiring NRC License (SOP-3851-4). Requests that license be terminated.  
POWERS, K. Philadelphia Electric Co. 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62478:344-62478:345.

## DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

### F. Security, medical, emergency & fire protection plans

**9207010082** Forwards combined insp repts 50-277/92-11 & 50-278/92-11 on 920505-0608. Weakness noted re automatic depressurization sys safety relief valve insulation & inservice testing program cold shutdown valve testing.  
WENZINGER, E. Region 1 (Post 820201). 92/06/19. SMITH, D.M. Philadelphia Electric Co. 3pp. 62143:242-62143:266.

**-9207010086** Insp repts 50-277/92-11 & 50-278/92-11 on 920505-0608. No violations noted. Major areas inspected: operational safety, radiation protection, physical security, CR activities, license events & surveillance testing.  
LYASH, J.J. Region 1 (Post 820201). 92/06/17. 21pp. 62143:245-62143:266.

**9207170230** Forwards public version of revised emergency response procedures (ERP), including revs 80 & 81 to ERP index, rev 17 to ERP-140 app 1, rev 6 to ERP-110, rev 1 to ERP-205, rev 10 to ERP-250 & rev 3 to ERP-520. W/920714 release memo.  
BECK, G.J. Philadelphia Electric Co. 92/06/19. Document Control Branch (Document Control Desk). 3pp. 62403:125-62403:197.

**-9207170237** Public version of revised emergency response procedures, including revs 80 & 81 to ERP index, rev 17 to ERP-140 app 1, rev 6 to ERP-110, rev 1 to ERP-205, rev 10 to ERP-250, rev 3 to ERP-520 & rev 5 to ERP-700.  
\* Philadelphia Electric Co. 92/06/19. 70pp. 62403:128-62403:197.

**9207020310** Forwards scenario package for PBAPS, units 2 & 3 re annual emergency preparedness exercise, scheduled for 920826. W/o encl.  
BECK, G.J. Philadelphia Electric Co. 92/06/26. Document Control Branch (Document Control Desk). 2pp. 62234:345-62234:346.

**9207100227** Rev 82 to Emergency Response Procedure (ERP) ERP-410, "Chemistry Sampling & Analysis Team." W/920702 ltr.  
BECK, G.J. Philadelphia Electric Co. 92/07/02. 22pp. 62366:093-62366:114.

**9207280310** Forwards proprietary response to request for info re use of security computer. Response withheld (ref 10CFR2.790(a)).  
SMITH, D.M. Philadelphia Electric Co. 92/07/15. Document Control Branch (Document Control Desk). 3pp. 62568:337-62568:339.

**9207230172** Requests temporary waiver of compliance from TS 3.14.D.2, "Fire Barriers" to approve use of CCTV as acceptable means of satisfying TS fire watch requirements. Hourly fire watch will continue until CCTV installed.  
BECK, G.J. Philadelphia Electric Co. 92/07/17. Document Control Branch (Document Control Desk). 6pp. 62479:325-62479:330.

**9207240020** Concludes that proposed CCTV sys will provide acceptable means of meeting TS requirement for continuous fire watch, in response to request for temporary waiver of compliance from TS 3.14.D.2 & request for equivalent measures.  
CALVO, J.A. Assistant Director for Region I Reactors. 92/07/17. SMITH, D.M. Philadelphia Electric Co. 4pp. 62482:357-62482:360.

**9207280170** Forwards insp repts 50-277/92-14 & 50-278/92-14 on 920704-11. No violations noted.  
WENZINGER, E. Region 1 (Post 820201). 92/07/20. SMITH, D.M. Philadelphia Electric Co. 3pp. 62489:241-62489:265.

**-9207280175** Insp repts 50-277/92-14 & 50-278/92-14 on 920704-11. No violations noted. Major areas inspected: operational issues involving Unit 3 automatic reactor scram & issues re emergency planning.  
LYASH, J.J. Region 1 (Post 820201). 92/07/20. 21pp. 62489:244-62489:265.

**9207310183** Rev 3 to "Peach Bottom Units 2 & 3/Limerick Units 1 & 2 Emergency Communications Plan Implementing Procedure." W/ 920724 ltr.  
BECK, G.J. Philadelphia Electric Co. 92/07/24. 30pp. 62636:326-62636:355.

### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207240144** Forwards Rev 10 of "Peach Bottom Atomic Power Station UFSAR," containing annual rev of QA program description, per 10CFR50.54(a)(3).  
SMITH, D.M. Philadelphia Electric Co. 92/07/20. Document Control Branch (Document Control Desk). 12pp. 62521:001-62523:132.

**-9207240211** Rev 10 of "Peach Bottom Atomic Power Station UFSAR."  
\* Philadelphia Electric Co. 92/01/31. 880pp. 62521:013-62523:132.

### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-8605190330** Summary of 860423-24 mgt meeting at Region III of licensee performance, evaluation of plant discussions & fitness for duty. Task assignments & list of attendees encl.  
SNIEZEK, J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 66/05/13. DAVIS, J.G. Office of Nuclear Material Safety & Safeguards. 11pp. 62324:005-62324:015.

**-9207080152** Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting.  
STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.

- 9207080283 Provides details of discussions re Peach Bottom during NRC senior managers meeting on 8/11/17 & 18. Facility categorized as requiring substantial improvement. STELLQ.V. Ofc of the Executive Director for Operations. 8/7/12/08. AUSTIN, J.H. Philadelphia Electric Co. 17pp. 62324:035-62324:051.
- 9207080291 Summary of 880628-29 NRC senior mgt meeting. Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl. STELLQ.V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.
- 9207090044 Provides summary of discussions re Peach Bottom during NRC senior managers meeting on 880628 & 29. Facility was categorized as requiring substantial improvement. STELLQ.V. Ofc of the Executive Director for Operations. 88/07/07. PAQUETTE, J. Philadelphia Electric Co. 2pp. 62324:057-62324:058.
- 9207090114 Provides Commission w/summary of discussions held at 890517- 18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting. Details withheld. STELLQ.V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.
- 9207090267 Partially withheld summary of 861021-22 NRC mgt meeting. \* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.
- 9207100371 Provides Commission w/summary of discussions held at 900122- 23 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900215 Commission meeting. TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/02/02. CARR Commissioners (Post 750119). 38pp. 62324:144-62324:182.
- 9207080257 Requests approval of encl revised changes to QA program descriptions, per 920608 discussions w/NRC. Procedure change tracking & trending process, specified in proposed change, being put into effect. BECK, G.J. Philadelphia Electric Co. 92/06/19. Document Control Branch (Document Control Desk). 12pp. 62254:265-62254:276.
- 9207020032 Forwards request for addl info & results of discussions between PECO & NRC re mods to on-site power capability for plant. MILLER, C.L. Project Directorate I-2. 92/06/23. SMITH, D.M. Philadelphia Electric Co. 8pp. 62194:025-62194:032.
- 9207020104 Discusses licensee commitment to completing testing program in response to generic ltr 89-10, "Safety-Related MOV Testing & Surveillance." SHEA, J.W. Project Directorate I-2. 92/06/25. BECK, G.J. Philadelphia Electric Co. 5pp. 62183:346-62183:350.
- 9207100097 Forwards amends 168 & 172 to licenses DPR-44 & DPR-56, respectively & safety evaluation. Amends modify requirements of TS section 4.5.F.1 re inoperability of EDGs. SHEA, J.W. Project Directorate I-2. 92/07/06. BECK, G.J. Philadelphia Electric Co. 3pp. 62284:290-62284:304.
- 9207100102 Amends 168 & 172 to licenses DPR-44 & DPR-56, respectively, modifying requirements of TS section 4.5.F.1 re inoperability of EDGs. MILLER, C.L. Project Directorate I-2. 92/07/06. 62284:293-62284:300.
- 9207100116 Safety evaluation supporting amends 168 & 172 to licenses DPR-44 & DPR-56, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/06. 4pp. 62284:301-62284:304.
- 9207170038 Responds to NRC 920611 request for addl info re 920518 application for amends to Licenses DPR-44 & DPR-56, changing TS re frequency of insp & replacement of main steam safety valves & relief valves. BECK, G.J. Philadelphia Electric Co. 92/07/09. Document Control Branch (Document Control Desk). 5pp. 62456:336-62456:343.
- 9207170039 Proposed TS 3.6.D & 4.6.D re LCOs & surveillance requirements for safety & relief valves, respectively. \* Philadelphia Electric Co. 92/07/09. 3pp. 62456:341-62456:343.
- 9207200156 Forwards response to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity" & Rev 1 to GE Rept SASR 88-24, "PBAPS Unit 2 Vessel Surveillance Matrix Testing & Fracture Toughness Analysis," dtd Dec 1991. BECK, G.J. Philadelphia Electric Co. 92/07/10. Document Control Branch (Document Control Desk). 14pp. 62657:001-62657:282.
- 9207210136 Advises that changes to QA program description acceptable in that QA program continues to satisfy criteria of app B of 10CFR50. BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/14. SMITH, D.M. Philadelphia Electric Co. 3pp. 62421:070-62421:072.
- 9207230044 Discusses commitment extension re plant surveillance testing improvement project, per 911120 ltr. Informes that Surveillance test cross-ref will not be completed until 921130 due to misplaced data. MILLER, D.B. Philadelphia Electric Co. 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62476:288-62476:289.
- 9207230164 Responds to NRC questions, transmitted in 920623 ltr re util proposal to install dedicated power source from Conowingo Hydroelectric Power Station to facility onsite distribution sys & station blackout analysis. BECK, G.J. Philadelphia Electric Co. 92/07/17. Document Control Branch (Document Control Desk). 1p. 62479:317-62479:317.
- 9207230172 Requests temporary waiver of compliance from TS 3.14.D.2, "Fire Barriers" to approve use of CCTV as acceptable means of satisfying TS fire watch requirements. Hourly fire watch will continue until CCTV installed. BECK, G.J. Philadelphia Electric Co. 92/07/17. Document Control Branch (Document Control Desk). 6pp. 62479:325-62479:330.
- 9207260277 Rev 1 to TS Change Request 91-02, revising TS re allowable out-of-svc times for emergency svc water sys. Tech Spec change being resubmitted due to omission in 920110 submittal. BECK, G.J. Philadelphia Electric Co. 92/07/20. Document Control Branch (Document Control Desk). 17pp. 62562:126-62562:155.

- 9207280281 Proposed TS 3.9.C & 4.9.C re out-of-svc times for emergency svc water sys. \* Philadelphia Electric Co. 92/07/20. 13pp. 62562:143-62562:155.

#### Q. Inspection reports, IE Bulletins & correspondence

- 9207010082 Forwards combined insp repts 50-277/92-11 & 50-278/92-11 on 920505-0608. Weakness noted re automatic depressurization sys safety relief valve insulation & inservice testing program cold shutdown valve testing. WENZINGER, E. Region 1 (Post 820201). 92/06/19. SMITH, D.M. Philadelphia Electric Co. 3pp. 62143:242-62143:266.
- 9207010086 Insp repts 50-277/92-11 & 50-278/92-11 on 920505-0608. No violations noted. Major areas inspected: operational safety, radiation protection, physical security, CR activities, license events & surveillance testing. LYASH, J.J. Region 1 (Post 820201). 92/06/17. 21pp. 62143:245-62143:266.
- 9207010084 Forwards safety insp repts 50-277/92-12 & 50-278/92-12 on 920601-05. No violations observed. Notes that overall program observed to be strong. JOYNER, J.H. Region 1 (Post 820201). 92/06/22. SMITH, D.M. Philadelphia Electric Co. 4pp. 62143:162-62143:172.
- 9207010089 Insp repts 50-277/92-12 & 50-278/92-12 on 920601-05. No violations noted. Major areas inspected: radwaste & transportation, including organization, staffing, training, shipping & processing records for recent radioactive matl. CHAWAGA, D., PASCIAK, W. Region 1 (Post 820201). 92/06/22. 4pp. 62143:166-62143:172.
- 9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.
- 9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.
- 9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.
- 9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.
- 9207170038 Responds to NRC 920611 request for addl info re 920518 application for amends to Licenses DPR-44 & DPR-56, changing TS re frequency of insp & replacement of main steam safety valves & relief valves. BECK, G.J. Philadelphia Electric Co. 92/07/09. Document Control Branch (Document Control Desk). 5pp. 62456:336-62456:343.
- 9207170039 Proposed TS 3.6.D & 4.6.D re LCOs & surveillance requirements for safety & relief valves, respectively. \* Philadelphia Electric Co. 92/07/09. 3pp. 62456:341-62456:343.
- 9207280170 Forwards insp repts 50-277/92-14 & 50-278/92-14 on 920704- 11. No violations noted. WENZINGER, E. Region 1 (Post 820201). 92/07/20. SMITH, D.M. Philadelphia Electric Co. 3pp. 62489:241-62489:265.
- 9207280175 Insp repts 50-277/92-14 & 50-278/92-14 on 920704-11. No violations noted. Major areas inspected: operational issues involving Unit 3 automatic reactor scram & issues re emergency planning. LYASH, J.J. Region 1 (Post 820201). 92/07/20. 21pp. 62489:244-62489:265.
- 9207300224 Requests relief from current practice of auditing all major paragraphs of TS over four year period. Practice developed in response to NRC concerns documented in Insp Repts 50-352/84-21 & 50-352/84-56. BECK, G.J. Philadelphia Electric Co. 92/07/23. Document Control Branch (Document Control Desk). 2pp. 62593:205-62593:211.

#### R. Periodic operating reports & related correspondence

- 9207200184 Monthly operating repts for June 1992 for Peach Bottom Atomic Power Station, Units 2 & 3. W/920714 ltr. BARON, M.J., MILLER, D.B. Philadelphia Electric Co. 92/06/30. 14pp. 62449:328-62449:341.

#### S. Reportable occurrences, LERs & related correspondence

- 9207160354 Summary of operating reactors events meeting 92-10 on 920708 re selected events occurring since last briefing on 920701. List of attendees, significant elements of discussed events & reactor scram statistics for wk ending 920705 encl. CHAFFEE, A.E. Events Assessment Branch. 92/07/10. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 15pp. 62396:039-62396:053.
- 9207240185 LER 91-017-01: on 910924, MSRV SV wiring insulation was discovered to be degraded due to improper installation. Caused by temp increase from insulation installation. Thermal insulation was properly reinstalled. W/920720 ltr. FULVIO, A.A., POWERS, K. Philadelphia Electric Co. 92/07/20. 7pp. 62520:316-62520:322.
- 9207270027 LER 92-004-00: on 920625, HPCI sy declared inoperable due to high water level in turbine casing. Level in HPCI turbine exhaust drain pot will be monitored & maintained at normal level using drain valve. W/920721 ltr. FULVIO, A.A., POWERS, K. Philadelphia Electric Co. 92/07/21. 4pp. 62520:288-62520:292.

## 56 DOCKETED ITEMS

### V. Operator Examinations

**9207230039** Notifies that effective 920629, DB Wartel permanently reassigned from position requiring NRC License (SOP-3851-4). Requests that license be terminated.  
POWERS, K. Philadelphia Electric Co. 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62476:344-62476:345.

### DOCKET 50-280 SURRY POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9207270302** Final response to FOIA request for documents re 910827 incident involving pump motor & release of approx five gallons of low level radioactive water. Forwards app A documents which are being made available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/13. GARDNER, M.J. Clark & Stant, P.C. 3pp. 62546:070-62546:208.

**-9207280194** Partially deleted one liners for 910830.  
STOHR, J.P. Region 2 (Post 820201). 91/11/13. EBNETER, S.D. Region 2 (Post 820201). 3pp. 62546:182-62546:184.

**-9207280214** Expresses appreciation for group participation in Region II response to plant transportation event. Requests that critique items from response be forwarded to be included in lessons learned. Info requested before 910904.  
HUFHAM, J. Region 2 (Post 820201). 91/08/30. MILHOAN, J. Region 2 (Post 820201). 1p. 62546:196-62546:208.

**9207202335** Forward Initial SALP Repts 50-280/92-10 & 50-281/92-10 for stated period. Performance in four functional areas rated superior & other areas received ratings of good.  
EBNETER, S.D. Region 2 (Post 820201). 92/06/09. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 62249:039-62249:072.

**-9207202338** Initial SALP Repts 50-280/92-10 & 50-281/92-10 for stated period ending 920404. Major areas evaluated: plant operations, radiological controls, emergency preparedness, maint/ surveillance, security & engineering/technical support.  
\* Region 2 (Post 820201). 92/06/09. 30pp. 62249:043-62249:072.

**9207240026** Revised EIPs, including rev 8 to EIP-1.02, rev 10 to EIP-1.03, rev 10 to EIP-1.04, rev 12 to EIP-1.05, rev 3 to EIP-4.04, rev 3 to EIP-4.24 & rev 2 to EIP-4.25. W/920716 ltr.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/16. 76pp. 62481:261-62482:004.

**9207280317** Forwards safety evaluation of revised post-fire safe shutdown methodology.  
BUCKLEY, B.C. Project Directorate II-2. 92/07/23. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62528:310-62528:325.

**-9207280320** Safety evaluation re revised post-fire safe shutdown methodology.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/23. 14pp. 62528:312-62528:325.

#### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-9207090114** Provides Commission w/summary of discussions held at 890517. 18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting. Details withheld.  
STELLO, V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

**-9207090146** Provides Commission w/summary of discussions held at 900612. 13 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900627 Commission meeting. Portions of discussion summary partially withheld.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/06/21. CARR Commissioners (Post 750119). 34pp. 62324:183-62324:217.

**-9207100371** Provides Commission w/summary of discussions held at 900122. 23 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900215 Commission meeting.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/02/02. CARR Commissioners (Post 750119). 38pp. 62324:144-62324:182.

**9207270302** Final response to FOIA request for documents re 910827 incident involving pump motor & release of approx five gallons of low level radioactive water. Forwards app A documents which are being made available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/13. GARDNER, M.J. Clark & Stant, P.C. 3pp. 62546:070-62546:208.

**-9207270325** Rev 1 to Procedure Change 91-5 to Procedure HP-7.1.40, "Packaging & Shipment of Radioactive Matl."  
\* Virginia Power (Virginia Electric & Power Co.). 01/04/09. 86pp. 62546:073-62546:181.

**-9207280196** Partially deleted items of interest for wk ending 910830.  
\* Region 2 (Post 820201). 91/08/30. Region 2 (Post 820201). 11pp. 62546:185-62546:195.

**9207300005** "Reactor Containment Bldg Integrated Leak Rate Test, Surry Power Station, Unit 1." W/920724 ltr.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/04/30. 72pp. 62619:239-62619:302.

**9207010127** Forwards Rev 0 to Technical Rept NE-893, "Surry Unit 1, Cycle 11 Core Performance Rept" for info.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/06/24. Document Control Branch (Document Control Desk). 1p. 62265:261-62265:317.

**-9207010133** Rev 0 to Technical Rept NE-893, "Surry, Unit 1, Cycle 11 Core Performance Rept."  
NGUYEN, T.T., PSUIK, T.S., DZADOS, D. Virginia Power (Virginia Electric & Power Co.). NE-893 R00. 92/05/31. 54pp. 62265:262-62265:317.

**9207020139** Commits to maintain five elements of Section 1.2 of Reg Guide 1.155, "SBO," pending resolution & upon resolution of Generic Issue B-56, "EDG Reliability," per NRC supplemental SE provided w/920312 ltr approving stated SBO submittals.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/06/24. Document Control Branch (Document Control Desk). 3pp. 62219:347-62219:349.

**9207060069** Informs that 911220 response to GL 88-20, suppl 4 concerning IPEEE at facility acceptable.  
BUCKLEY, B.C. Project Directorate II-2. 92/06/24. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 62204:203-62204:205.

**9207140304** Grants relief from hydrostatic test requirements of 1980 addenda of section XI of ASME Boiler & Pressure Vessel Code & forwards SE re subj.  
BERKOW, H.N. Project Directorate II-2. 92/06/24. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62378:218-62378:221.

**-9207140306** Safety evaluation approving request for relief from hydrostatic test requirements for facility.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/24. 2pp. 62378:220-62378:221.

**9207090290** Grants interim relief from section XI of ASME Boiler & Pressure Vessel Code for certain components in control room envelope air conditioning sys, which was identified in 910322 submittal, as supplemented 920226.  
BERKOW, H.N. Project Directorate II-2. 92/06/26. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 62271:200-62271:209.

**-9207090296** Safety evaluation re IST program & request for relief for plant.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/26. 7pp. 62271:203-62271:209.

**9207140293** Grants relief from repair requirements for threaded connections in class 1 & 2 piping, as specified in const code & forwards SE re subj.  
BERKOW, H.N. Project Directorate II-2. 92/06/26. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 62378:212-62378:217.

**-9207140295** Safety evaluation approving request for relief from const code ASA B31.1, code cases N-3 requirements for threaded connections in nuclear pipe at plant.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/26. 3pp. 62378:215-62378:217.

**9207060227** Forwards BAW-2166, "B&W Owners Group Response to Generic Ltr 92-01," to assess util compliance w/generic ltr re reactor vessel matls surveillance program & irradiated properties of reactor vessel matls.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/06/29. Document Control Branch (Document Control Desk). 3pp. 62248:172-62248:246.

**9207230218** Forwards request for addl info re individual plant exam submittal for generic issue GI-23 & draft reg guide DG-1008. Response to request should be submitted within 30 days of ltr receipt.  
BUCKLEY, B.C. Project Directorate II-2. 92/07/17. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 25pp. 62459:123-62459:147.

**9207300113** Accepts licensee clarification that normal source of power supply to Class 1E buses is through reserve station svc transformers, per 920624 submittal in response to reg guide 1.155 on SBO pending resolution of Generic Issue B-56.  
BUCKLEY, B.C. Project Directorate II-2. 92/07/22. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62580:327-62580:328.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207280122** Notification of 920610 enforcement conference w/util to discuss util corrective action that failed to prevent recurrence of significant degradation of high head safety injection sys.  
FREDRICKSON, P. Region 2 (Post 820201). 92/06/05. Region 2 (Post 820201). 2pp. 62488:359-62488:360.

**9207020235** Forward Initial SALP Repts 50-280/92-10 & 50-281/92-10 for stated period. Performance in four functional areas rated superior & other areas received ratings of good.  
EBNETER, S.D. Region 2 (Post 820201). 92/06/09. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 62249:039-62249:072.

**-9207020238** Initial SALP Repts 50-280/92-10 & 50-281/92-10 for stated period ending 920404. Major areas evaluated: plant operations, radiological controls, emergency preparedness, maint/ surveillance, security & engineering/technical support.  
\* Region 2 (Post 820201). 92/06/09. 30pp. 62249:043-62249:072.

**9207010270** Forwards summary of 920610 enforcement conference to discuss insp Repts 50-280/92-12 & 50-281/92-12 re ability of automatic start feature of charging/ SI pumps to function during potential DBA. List of attendees & viewgraphs encl.  
REYES, L.A. Region 2 (Post 820201). 92/06/19. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 32pp. 62231:001-62231:032.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207140061** Ack receipt of 920608 ltr informing NRC of steps taken to correct violations in insp rpt 50-280/92-09.  
JULIAN, C.A. Region 2 (Post 820201). 92/06/30. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 62299:163-62299:166.

**9207140030** Forwards insp repts 50-280/92-13 & 50-281/92-13 on 920510-0606 & notice of violation.  
SINKULE, M. Region 2 (Post 820201). 92/07/01. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 62299:101-62299:119.

-9207140036 Notice of violation from insp on 920510-0606. Violation noted: safety evaluations were not performed for procedures that operated plant sys differently than described in UFSAR.  
\* Region 2 (Post 820201). 92/07/01. 1p. 62299:104-62299:104.

-9207140044 Insp repts 50-280/92-13 & 50-281/92-13 on 920510-0606. Violations noted. Major areas inspected: operations, maint, surveillance, LERs, action on previous insp items & safety assessment.  
BRANCH, M.W., YORK, J.W., TINGEN, S.G. Region 2 (Post 820201). 92/07/01. 15pp. 62299:105-62299:119.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207140074 Ack receipt of 920529 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/92-07 & 50-281/92-07.  
SINKULE, M.V. Region 2 (Post 820201). 92/07/02. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62299:238-62299:239.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207240013 EN-92-051A: on 920713, notice of proposed imposition of civil penalty in amount of \$50,000 instead of initial amount of \$62,500 issued, based on reevaluation of applied escalation & mitigation factors associated w/EA-91-114.  
TROSKOSKI, W., LIEBERMAN, J. Ofc of Enforcement (Post 870413). 92/07/13. 1p. 62587:116-62587:116.

#### R. Periodic operating reports & related correspondence

9207170100 Monthly operating repts for June 1992 for Surry Unit 1. W/920713 ltr.  
NEGRON, M.A., STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/06/30. 21pp. 62440:251-62440:272.

9207200209 Informs that delay in mailing groundwater withdrawal rept for first quarter 1992 due to delays experienced in internal routing procedures for such correspondence, in response to 920630 ltr. Rept sent on 920505 instead of due date 920420.  
MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 92/07/10. SINHA, B.N. Virginia, Commonwealth of. 1p. 62451:321-62451:321.

#### S. Reportable occurrences, LERs & related correspondence

9207100117 Special rept: waste gas decay tank monitoring instrumentation out of svc for more than 30 days as result of replacement of pressure sensors due to instrument drift. Replacement pumps received in June 1992. Updated rept to be sent by 920731.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/03. Region 2 (Post 820201). 4pp. 62331:243-62331:246.

9207290419 LER 92-003-02: on 920214, determined that certain ESF sys logic actuation relays not fully tested per TS. Caused by inadequate testing methodology. Surveillance procedures for channel functional test changed. W/920724 ltr.  
KANSLER, M.R. Virginia Power (Virginia Electric & Power Co.). 92/07/24. 7pp. 62587:317-62587:324.

#### DOCKET 50-281 SURRY POWER STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9207270302 Final response to FOIA request for documents re 910827 incident involving pump motor & release of approx five gallons of low level radioactive water. Forwards app A documents which are being made available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/13. GARDNER, M.J. Clark & Stant, P.C. 3pp. 62546:070-62546:208.

-9207280194 Partially deleted one liners for 910830.  
STOHR, J.P. Region 2 (Post 820201). 91/11/13. EBNETER, S.D. Region 2 (Post 820201). 3pp. 62546:182-62546:184.

-9207280214 Expresses appreciation for group participation in Region II response to plant transportation event. Requests that critique items from response be forwarded to be included in lessons learned. Info requested before 910904.  
HUFHAM, J. Region 2 (Post 820201). 91/08/30. MILHOAN, J. Region 2 (Post 820201). 1p. 62546:196-62546:208.

9207020235 Forward Initial SALP Repts 50-280/92-10 & 50-281/92-10 for stated period. Performance in four functional areas rated superior & other areas received ratings of good.  
EBNETER, S.D. Region 2 (Post 820201). 92/06/09. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 62249:039-62249:072.

-9207202238 Initial SALP Repts 50-280/92-10 & 50-281/92-10 for stated period ending 920404. Major areas evaluated: plant operations, radiological controls, emergency preparedness, maint/ surveillance, security & engineering/technical support.  
\* Region 2 (Post 820201). 92/06/09. 30pp. 62249:043-62249:072.

9207240026 Revised EIPs, including rev 8 to EIP-1.02, rev 10 to EIP-1.03, rev 10 to EIP-1.04, rev 12 to EIP-1.05, rev 3 to EIP-4.04, rev 3 to EIP-4.24 & rev 2 to EIP-4.25. W/920716 ltr.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/16. 76pp. 62481:261-62482:004.

9207280317 Forwards safety evaluation of revised post-fire safe shutdown methodology.  
BUCKLEY, B.C. Project Directorate II-2. 92/07/23. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62528:310-62528:325.

-9207280320 Safety evaluation re revised post-fire safe shutdown methodology.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/23. 14pp. 62528:312-62528:325.

#### P. Operating license stage documents & correspondence

9207080120 Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

-9207090114 Provides Commission w/summary of discussions held at 890517-18 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at Commission meeting. Details withheld.  
STELLOR, V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

-9207090146 Provides Commission w/summary of discussions held at 900612-13 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900627 Commission meeting. Portions of discussion summary partially withheld.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/06/21. CARR Commissioners (Post 750119). 34pp. 62324:183-62324:217.

-9207100371 Provides Commission w/summary of discussions held at 900122-23 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900215 Commission meeting.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/02/02. CARR Commissioners (Post 750119). 38pp. 62324:144-62324:182.

9207270302 Final response to FOIA request for documents re 910827 incident involving pump motor & release of approx five gallons of low level radioactive water. Forwards app A documents which are being made available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/13. GARDNER, M.J. Clark & Stant, P.C. 3pp. 62546:070-62546:208.

-9207270325 Rev 1 to Procedure Change 91-5 to Procedure HP-7.1.40, "Packaging & Shipment of Radioactive Matl."  
\* Virginia Power (Virginia Electric & Power Co.). 01/04/09. 86pp. 62546:073-62546:181.

-9207280196 Partially deleted items of interest for wk ending 910830.  
\* Region 2 (Post 820201). 91/08/30. Region 2 (Post 820201). 11pp. 62546:185-62546:195.

9207020139 Commits to maintain five elements of Section 1.2 of Reg Guide 1.155, "SBO," pending resolution & upon resolution of Generic Issue B-56, "EDG Reliability," per NRC supplemental SE provided w/920312 ltr approving stated SBO submittals.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/06/24. Document Control Branch (Document Control Desk). 3pp. 62219:347-62219:349.

9207060069 Informs that 911220 response to GL 88-20, suppl 4 concerning IPEEE at facility acceptable.  
BUCKLEY, B.C. Project Directorate II-2. 92/06/24. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 62204:203-62204:205.

9207090290 Grants interim relief from section XI of ASME Boiler & Pressure Vessel Code for certain components in control room envelope air conditioning sys, which was identified in 910322 submittal, as supplemented 920226.  
BERKOW, H.N. Project Directorate II-2. 92/06/26. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 62271:200-62271:209.

-9207090296 Safety evaluation re IST program & request for relief for plant.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/26. 7pp. 62271:203-62271:209.

9207140293 Grants relief from repair requirements for threaded connections in class 1 & 2 piping, as specified in const code & forwards SE re subj.  
BERKOW, H.N. Project Directorate II-2. 92/06/26. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 62378:212-62378:217.

-9207140295 Safety evaluation approving request for relief from const code ASA B31.1, code cases N-3 requirements for threaded connections in nuclear pipe at plant.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/26. 3pp. 62378:215-62378:217.

9207060227 Forwards BAW-2166, "B&W Owners Group Response to Generic Ltr 92-01," to assess util compliance w/generic ltr re reactor vessel matls surveillance program & unirradiated & irradiated properties of reactor vessel matls.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/06/29. Document Control Branch (Document Control Desk). 3pp. 62248:172-62248:246.

9207230218 Forwards request for addl info re individual plant exam submittal for generic issue GI-23 & draft reg guide DG-1008. Response to request should be submitted within 30 days of ltr receipt.  
BUCKLEY, B.C. Project Directorate II-2. 92/07/17. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 25pp. 62459:123-62459:147.

9207300113 Accepts licensee clarification that normal source of power supply to Class 1E buses is through reserve station svc transformers, per 920624 submittal in response to reg guide 1.155 on SBO pending resolution of Generic Issue B-56.  
BUCKLEY, B.C. Project Directorate II-2. 92/07/22. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62580:327-62580:328.

#### Q. Inspection reports, IE Bulletins & correspondence

9207280122 Notification of 920610 enforcement conference w/util to discuss util corrective action that failed to prevent recurrence of significant degradation of high head safety injection sys.  
FREDRICKSON, P. Region 2 (Post 820201). 92/06/05. Region 2 (Post 820201). 2pp. 62488:359-62488:360.

## 58 DOCKETED ITEMS

**9207020235** Forward Initial SALP Repts 50-280/92-10 & 50-281/92-10 for stated period. Performance in four functional areas rated superior & other areas received ratings of good.  
EBNETER, S.D. Region 2 (Post 820201). 92/06/09. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 62249:039-62249:072.

**-9207020236** Initial SALP Repts 50-280/92-10 & 50-281/92-10 for stated period ending 920404. Major areas evaluated: plant operations, radiological controls, emergency preparedness, maint/ surveillance, security & engineering/technical support.  
\* Region 2 (Post 820201). 92/06/09. 30pp. 62249:043-62249:072.

**9207010270** Forwards summary of 920610 enforcement conference to discuss Insp Repts 50-280/92-12 & 50-281/92-12 re ability of automatic start feature of charging/ SI pumps to function during potential DBA. List of attendees & viewgraphs encl.  
REYES, L.A. Region 2 (Post 820201). 92/06/19. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 32pp. 62231:001-62231:032.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207140030** Forwards insp repts 50-280/92-13 & 50-281/92-13 on 920510-0606 & notice of violation.  
SINKULE, M. Region 2 (Post 820201). 92/07/01. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 62299:101-62299:119.

**-9207140036** Notice of violation from insp on 920510-0606. Violation noted: safety evaluations were not performed for procedures that operated plant sys differently than described in UFSAR.  
\* Region 2 (Post 820201). 92/07/01. 1p. 62299:104-62299:104.

**-9207140044** Insp repts 50-280/92-13 & 50-281/92-13 on 920510-0606. Violations noted: Major areas inspected: operations, maint, surveillance, LERs, action on previous insp items & safety assessment.  
BRANCH, M.W., YORK, J.W., TINGEN, S.G. Region 2 (Post 820201). 92/07/01. 15pp. 62299:105-62299:119.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140074** Ack receipt of 920529 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/92-07 & 50-281/92-07.  
SINKULE, M.V. Region 2 (Post 820201). 92/07/02. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62299:238-62299:239.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

### R. Periodic operating reports & related correspondence

**9207170100** Monthly operating repts for June 1992 for Surry Unit 1. W/920713 ltr.  
NEGRON, M.A., STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/06/30. 21pp. 62440:251-62440:272.

**9207200209** Informs that delay in mailing groundwater withdrawal rept for first quarter 1992 due to delays experienced in internal routing procedures for such correspondence, in response to 920630 ltr. Rept sent on 920505 instead of due date 920420.  
MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 92/07/10. SINHA, B.N. Virginia, Commonwealth of. 1p. 62451:321-62451:321.

### S. Reportable occurrences, LERs & related correspondence

**9207100117** Special rept: waste gas decay tank monitoring instrumentation out of svc for more than 30 days as result of replacement of pressure sensors due to instrument drift. Replacement pumps received in June 1992. Updated rept to be sent by 920731.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/03. Region 2 (Post 820201). 4pp. 62331:243-62331:246.

**9207200117** LER 92-007-00: on 920615, portion of AFW sys full flow recirculation line was uncovered during excavation work. Caused by personnel error. Soil promptly replaced restoring missile protection qualification of line. W/920715 ltr.  
KANSLER, M.R. Virginia Power (Virginia Electric & Power Co.). 92/07/15. 4pp. 62480:256-62480:259.

## DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

**9207070142** Discusses SALP Board results for plants. Informs that Board concludes that regulatory performance of licensee adequate. Also informs that concerns expressed by licensees will be commented on after completion of SALP program for reactors.  
KEPPLER, J.G. Region III, IE (720101-810228). 81/01/20. MOSELEY, N.C. Ofc of Inspection & Enforcement, Director (820201-870413). 22pp. 62248:002-62248:042.

**9207070311** Revised EPIPs, including rev 2 to F8, rev 1 to F8-1, F8-2, F8-3, F8-6, F8-8, F8-10 & F8-11. W/920630 ltr.  
FEY, F.L. Northern States Power Co. 92/06/30. 95pp. 62274:215-62274:318.

**9207100148** Ack receipt of 920610 ltr transmitting proposed objectives & scope of participation for plant emergency preparedness exercise scheduled for 920915. Objectives & scope acceptable.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/02. ELIASON, L.R. Northern States Power Co. 2pp. 62331:360-62331:361.

**9207130178** Rev 13 to Prairie Island Nuclear Generating Plant ISFSI emergency plan. W/920706 ltr.  
FEY, F.L. Northern States Power Co. 92/07/06. 200pp. 62384:040-62384:257.

**9207170044** Forwards rev to ERDS data point library to clarify problem areas identified by NRC during review of original data point libraries transmitted via util 911028 ltr. Data point library high & low point range readings created.  
PARKER, T.M. Northern States Power Co. 92/07/13. Document Control Branch (Document Control Desk). 17pp. 62436:200-62436:216.

**9207300257** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Plants currently use Thermo-Lag 330 sys in six individual fire areas.  
PARKER, T.M. Northern States Power Co. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62595:309-62595:311.

### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-9207090248** Provides summary of discussions held at 910604-05 NRC senior mgt meeting & ltrs to be sent to licensees of plants on problem plant list that will be discussed at 910620 Commission meeting. Details withheld.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/06/14. CARR Commissioners (Post 750119). 42pp. 62324:254-62324:297.

**9207100290** Forwards application for amends to Licenses DPR-42 & DPR-60, changing TS re applicability of surveillance requirements per Generic Ltr 87-09 & incorporating STS, Section 4.0.3, per generic ltr, into TS.  
PARKER, T.M. Northern States Power Co. 92/06/15. Document Control Branch (Document Control Desk). 1p. 62366:115-62366:131.

**-9207100293** Application for amends to Licenses DPR-42 & DPR-60, changing applicability of TS surveillance requirements per Generic Ltr 87-09 & incorporating STS, Section 4.0.3, per generic ltr, into TS.  
PARKER, T.M. Northern States Power Co. 92/06/15. 5pp. 62366:117-62366:121.

**-9207100295** Proposed TS Section 4.0 re applicability of surveillance requirements.  
\* Northern States Power Co. 92/06/15. 8pp. 62366:122-62366:131.

**9207100280** Responds to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity." Data & plots of Units 1 & 2 reactor vessel Charpy data & initial RTNDT for beltline mats encl.  
PARKER, T.M. Northern States Power Co. 92/07/06. Document Control Branch (Document Control Desk). 67pp. 62366:026-62366:092.

**9207290120** Forwards amends 99 & 92 to licenses DPR-42 & DPR-60, respectively & safety evaluation. Amend revises TS 3.8.B to remove restriction re cask handling, adds section 4.19 & associated bases & revises section 5.6.  
MASCANTONIO, A. Project Directorate III-1. 92/07/09. PARKER, T.M. Northern States Power Co. 5pp. 62583:234-62583:276.

**-9207290126** Amends 99 & 92 to licenses DPR-42 & DPR-60, respectively, revising TS 3.8.B to remove restriction re cask handling, adding 4.19 & associated bases & revising TS 5.6.  
MARSH, L.S. Project Directorate III-1. 92/07/09. 32pp. 62583:239-62583:270.

**-9207290135** Safety evaluation supporting amends 99 & 92 to licenses DPR-42 & DPR-60, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/09. 6pp. 62583:271-62583:276.

**9207170050** Forwards application for amends to Licenses DPR-42 & DPR-60, changing TS Section 3.8 to clarify applicability of requirements for containment closure during refueling.  
PARKER, T.M. Northern States Power Co. 92/07/13. Document Control Branch (Document Control Desk). 2pp. 62446:195-62446:226.

**-9207170052** Application for amends to Licenses DPR-42 & DPR-60, changing TS Section 3.8 to clarify applicability of requirements for containment closure during refueling.  
PARKER, T.M. Northern States Power Co. 92/07/13. 12pp. 62446:197-62446:208.

**-9207170054** Proposed TS Section 3.8 re core alterations during refueling & fuel handling.  
\* Northern States Power Co. 92/07/13. 18pp. 62446:209-62446:226.

### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140115** Forwards insp rept 50-282/92-12 & 50-306/92-12 on 920622-26. No violations noted.  
RING, M.A. Region 3 (Post 820201). 92/07/07. ELIASON, L.R. Northern States Power Co. 2pp. 62338:032-62338:037.



-9207140120 Insp repts 50-282/92-12 & 50-302/92-12 on 920622-26.No violations noted.Major areas inspected:to review & evaluate licensee ongoing & completed construction activities & preoperational testing of SBO/electrical sys upgrade mod. NEISLER,J.H., GARDNER,R.N. Region 3 (Post 820201). 92/07/07. 4pp. 62338:034-62338:037.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207170010 Responds to NRC 920611 ltr re deviations noted in Insp Repts 50-282/92-08 & 50-306/92-08 on 920414-0526.Corrective actions:normal inservice insp program for welds in high energy piping in auxiliary bldg will be augmented. ELIASON,L.R. Northern States Power Co. 92/07/10. Document Control Branch (Document Control Desk). 4pp. 62440:331-62440:334.

9207300257 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Plants currently use Thermo-Lag 330 sys in six individual fire areas. PARKER,T.M. Northern States Power Co. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62595:309-62595:311.

#### R. Periodic operating reports & related correspondence

9207130102 Monthly operating repts for June 1992 for Prairie Island Nuclear Generating Plant.W/920708 ltr. DUGSTAD,D., PARKER,T.M. Northern States Power Co. 92/06/30. 9pp. 62366:317-62366:325.

9207200098 Forwards rev to 1991 annual radiological environ monitoring rept.Rev corrects summary page 2. FEY,F.L. Northern States Power Co. 92/07/07. Document Control Branch (Document Control Desk). 1p. 62447:338-62447:340.

-9207200100 Rev to summary page 2 of 1991 annual radiological environ monitoring rept. \* Northern States Power Co. 91/12/31. 2pp. 62447:339-62447:340.

#### S. Reportable occurrences, LERs & related correspondence

9207130236 LER 92-004-01:on 920306,determined that full-flow test for turbine-driven auxiliary feedwater pumps may no longer be met due to increasing fuel cycle lengths.Caused by personnel oversight.Required testing performed.W/920706 ltr. HUNSTAD,A.A., PARKER,T.M. Northern States Power Co. 92/07/06. 5pp. 62437:151-62437:155.

9207200274 LER 92-007-00:on 920615,determined that design defect exists that may result in inadequate tornado missile protection for diesel generator room D1.Caused by failure to apply new criteria.Missile protection provided.W/920715 ltr. HUNSTAD,A.A., PARKER,T.M. Northern States Power Co. 92/07/15. 4pp. 62480:327-62480:330.

9207300058 LER 92-008-00:on 920624,identified six inoperable Thermo-Lag 330 fire barriers on cable trays & conduits.Appropriate actions to restore fire barriers operability being developed,per scope in NRC Bulletin 92-001.W/920724 ltr. HUNSTAD,A.A., PARKER,T.M. Northern States Power Co. 92/07/24. 4pp. 62588:119-62588:122.

#### V. Operator Examinations

9207090342 Discusses generic fundamentals exam section of operator licensing exam,administered on 920610.Master BWR/PWR subj exam w/answer key encl for info. WRIGHT,G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

9207130032 Advises that NRC plans to administer GFE section of written operator licensing exam on 921007.Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT,G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

#### Y. Dry Cask Independent Spent Fuel Storage Installations

9207130178 Rev 13 to Prairie Island Nuclear Generating Plant ISFSI emergency plan.W/920708 ltr. FEY,F.L. Northern States Power Co. 92/07/06. 200pp. 62384:040-62384:257.

9207140235 Forwards response to NRC & LLL questions on TN-40 cask thermal analysis & procedure for unloading cask. PARKER,T.M. Northern States Power Co. 92/07/10. Document Control Branch (Document Control Desk). 3pp. 62387:359-62387:361.

#### DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9207010209 Ack receipt of 920526 ltr transmitting Rev 3 to security training & qualification plan.Changes consistent w/ provisions of 10CFR50.54(p) & acceptable for inclusion into plan.Firearms qualification course should be enhanced. BEACH,A.B. Region 4 (Post 820201). 92/06/24. GATES,W.G. Omaha Public Power District. 2pp. 62230:343-62230:347.

9207140154 Summarizes enforcement conference EA-92-109 on 920619, concerning apparent violation involving protection of safeguards info.List of attendees & presentation encl. BEACH,A.B. Region 4 (Post 820201). 92/07/08. GATES,W.G. Omaha Public Power District. 16pp. 62311:029-62311:045.

9207230158 Rev 21 to EPIP-OSC-1, "Emergency Classification," including EPIP Index,Page 1 & 3.W/920715 ltr. GATES,W.G. Omaha Public Power District. 92/07/15. 102pp. 62515:001-62515:102.

9207290310 Rev 7 to Emergency Plan Implementing Procedure EPIP-TSC-8, "Core Damage Assessment," including revised table of content.W/920717 ltr. GATES,W.G. Omaha Public Power District. 92/07/17. 45pp. 62612:001-62612:046.

9207280156 Discusses insp rept 50-285/92-12 on 920526-29 & notice of violation re licensee failure to properly secure revised copy of physical security plan in corporate ofc.W/o encl. MILHOAN,J.L. Region 5 (Post 820201). 92/07/22. GATES,W.G. Omaha Public Power District. 4pp. 62489:106-62489:109.

9207310015 Discusses insp rept 50-285/92-12 on 920526-29 & forwards notice of violation. MILHOAN,J.L. Region 4 (Post 820201). 92/07/22. GATES,W.G. Omaha Public Power District. 3pp. 62549:058-62549:062.

-9207310020 Notice of violation from insp on 920526-29.Violation noted: copy of facilities physical security plan neither controlled by authorized individual nor stored in locked security storage container when unattended. \* Region 4 (Post 820201). 92/07/22. 2pp. 62549:061-62549:062.

#### I. Financial Information

9207200186 Forwards 1992/1993 statement of cash flow,as guarantee of deferred premiums for 920630-930630. GATES,W.G. Omaha Public Power District. 92/07/13. Document Control Branch (Document Control Desk). 3pp. 62451:304-62451:306.

9207300207 Advises that financial info submitted in 920713 ltr satisfies requirements of section 140.21 of 10CFR140. NASH,D.A. Inspection & Licensing Program Branch (Post 880913). 92/07/23. GATES,W.G. Omaha Public Power District. 2pp. 62580:287-62580:288.

#### J. Insurance & Indemnity Information

9207200186 Forwards 1992/1993 statement of cash flow,as guarantee of deferred premiums for 920630-930630. GATES,W.G. Omaha Public Power District. 92/07/13. Document Control Branch (Document Control Desk). 3pp. 62451:304-62451:306.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

9207280356 Volumes 1 through 7 of 1992 USAR for Fort Calhoun Station. W/920722 ltr. GATES,W.G. Omaha Public Power District. 92/07/31. 400pp. 62549:088-62550:201.

#### P. Operating license stage documents & correspondence

9207090063 Provides summary of NRC discussions re Fort Calhoun at 880628 & 29 senior managers meeting.Facility was categorized as requiring close monitoring. STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. PETERSON,F.M. Omaha Public Power District. 2pp. 62324:075-62324:076.

-9207090086 Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting. STELLO,V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.

-9207090114 Provides Commission w/summary of discussions held at 890517- 18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting.Details withheld. STELLO,V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

9207130107 Forwards suppl to 911111 application for amend to License DPR-40, revising reporting requirements upon loss of 161 kV, from contacting Region IV to contacting NRC Operations Ctr & clarifying type of written rept to be submitted. GATES,W.G. Omaha Public Power District. 92/06/25. Document Control Branch (Document Control Desk). 1p. 62366:252-62366:268.

-9207130109 Suppl to 911111 application for amend to License DPR-40, revising reporting requirements upon loss of 161 kV,from contacting Region IV to contacting NRC Operations Ctr & clarifying type of written rept to be submitted. GATES,W.G. Omaha Public Power District. 92/06/25. 4pp. 62366:253-62366:256.

-9207130112 Proposed TS Section 2.7(2) re mod of min requirements for electrical sys & Section 5.9.3 re types of special repts to be submitted to regional administrator of appropriate NRC regional ofc. \* Omaha Public Power District. 92/06/25. 12pp. 62366:257-62366:268.

9207100136 Informs that use of LEDs has been previously endorsed by NRC & will satisfactorily resolve HED 93.LEDs will be installed by 921231. GATES,W.G. Omaha Public Power District. 92/06/29. Document Control Branch (Document Control Desk). 1p. 62331:359-62331:359.

9207060237 Submits info to resolve followup items for elevated ambient air temp effects on EDG.Util plans to perform hot weather testing of EDG-1 & EDG-2 during Summer 1992 to verify engineering evaluation results. GATES,W.G. Omaha Public Power District. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62243:349-62243:350.

9207070377 Forwards corrected TS page 2-15 to Amend 146 to License DPR-40.Amend revised TS to increase MSSV setpoints & specify lift setpoints for all MSSVs & for two pressurizer safety valves. BLOOM,S. Project Directorate IV-1. 92/06/30. GATES,W.G. Omaha Public Power District. 3pp. 62236:356-62236:359.

## 60 DOCKETED ITEMS

—9207070384 Corrected TS page 2-15 to Amend 146 to License DPR-40.  
\* Project Directorate IV-1. 92/06/30. 1p. 62236:359-62236:359.

9207090201 Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity. Charpy upper shelf lift projected at be 52-ft pounds at end of current license (June 2008) based on std fuel mgt.  
GATES, W.G. Omaha Public Power District. 92/07/06. Document Control Branch (Document Control Desk). 18pp. 62341:249-62341:266.

9207140140 Documents rev to 920704 confirmatory action ltr confirming util commitments to take certain actions as result of 920703 reactor trip/turbine trip & subsequent loss of coolant accident at plant.  
MILHOAN, J.L. Region 4 (Post 820201). 92/07/08. GATES, W.G. Omaha Public Power District. 3pp. 62310:037-62310:039.

9207300064 Documents granting of one-time waiver of compliance to plant from surveillance requirements of TS 3.17(3)(iii). Waiver shall be valid for restart only.  
VIRGILIO, M.J. Assistant Director for Region IV/V Reactors (Post 901216). 92/07/22. GATES, W.G. Omaha Public Power District. 4pp. 62555:346-62555:349.

9207310160 Forwards Rev 1 to "Fort Calhoun Station Cycle 14 Core Operating Limits Rept." revising Section 6.0 & Figure 3 to reflect permissible increase in linear heat rate & correcting note on Figure 5.  
GATES, W.G. Omaha Public Power District. 92/07/23. Document Control Branch (Document Control Desk). 1p. 62638:183-62638:199.

—9207310163 Rev 1 to "Fort Calhoun Station Cycle 14 Core Operating Limits Rept."  
WEBER, W. Omaha Public Power District. 92/06/28. 14pp. 62638:184-62638:199.

9207310165 Clarifies commitment re qualifications of QA records storage facility, contained in App A to updated SAR re wind loading requirements for QA file room. Marked-up Page A-30 of updated SAR encl.  
GATES, W.G. Omaha Public Power District. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62638:200-62638:202.

### Q. Inspection reports, IE Bulletins & correspondence

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207080073 Notices of plan & implementation schedule for onsite EDG fuel oil storage capacity, per NRC 911122 ltr re violation noted in Insp Rept 50-285/91-23.W/one oversize drawing.  
GATES, W.G. Omaha Public Power District. 92/07/01. Document Control Branch (Document Control Desk). 5pp. 62270:356-62270:361.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207080274 Ack receipt of 920615 ltr advising NRC of corrective actions in response to violations noted in Insp Rept 50-285/92-09.  
BEACH, A.B. Region 4 (Post 820201). 92/07/02. GATES, W.G. Omaha Public Power District. 2pp. 62277:276-62277:282.

9207140057 Informs that NRC insp rept 50-285/92-13 has been cancelled & no insp rept will be issued.  
BEACH, A.B. Region 4 (Post 820201). 92/07/07. GATES, W.G. Omaha Public Power District. 3pp. 62299:144-62299:146.

9207140154 Summarizes enforcement conference EA-92-109 on 920619, concerning apparent violation involving protection of safeguards info. List of attendees & presentation encl.  
BEACH, A.B. Region 4 (Post 820201). 92/07/08. GATES, W.G. Omaha Public Power District. 16pp. 62311:029-62311:045.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207230221 Informs that NRC planning to send contractor, PNL, to visit plant on 920804. Contractor will accompany resident inspector in sys walkdown & verify accuracy of info. Forwards "Auxiliary Feedwater Sys Risk-Based Insp Guide for..."  
BLOOM, S.D. Project Directorate IV-1. 92/07/17. GATES, W.G. Omaha Public Power District. 3pp. 62478:329-62478:358.

—9202190101 "Auxiliary Feedwater Sys Risk-Based Insp Guide for Fort Calhoun Nuclear Power Plant."  
MOFFITT, N.E. Battelle Memorial Institute, Pacific Northwest Laboratory. 91/09/30. Division of Radiation Protection & Emergency Preparedness (Post 870411). 27pp. 62478:332-62478:358.

9207280156 Discusses insp rept 50-285/92-12 on 920526-29 & notice of violation re licensee failure to properly secure revised copy of physical security plan in corporate ofc. W/o encl.  
MILHOAN, J.L. Region 5 (Post 820201). 92/07/22. GATES, W.G. Omaha Public Power District. 4pp. 62489:106-62489:109.

9207290048 Advises that based on confirmation provided by WC Jones during 920721 telcon & independent verification by NRC that all actions required by 920704 CAL had been completed, until released to allow reactor to return to critical condition.  
MILHOAN, J.L. Region 4 (Post 820201). 92/07/22. GATES, W.G. Omaha Public Power District. 3pp. 62508:062-62508:064.

9207290322 Responds to NRC 920622 ltr re violations noted in Insp Rept 50-285/92-11 on 920426-0606. Corrective actions: current policies re climbing on piping, conduit & cable trays reviewed w/maint personnel & safety manual revised.  
GATES, W.G. Omaha Public Power District. 92/07/22. Document Control Branch (Document Control Desk). 3pp. 62588:168-62588:170.

9207310015 Discusses insp rept 50-285/92-12 on 920526-29 & forwards notice of violation.  
MILHOAN, J.L. Region 4 (Post 820201). 92/07/22. GATES, W.G. Omaha Public Power District. 3pp. 62549:058-62549:062.

—9207310020 Notice of violation from insp on 920526-29. Violation noted: copy of facilities physical security plan neither controlled by authorized individual nor stored in locked security storage container when unattended.  
\* Region 4 (Post 820201). 92/07/22. 2pp. 62549:061-62549:062.

### R. Periodic operating reports & related correspondence

9207100340 Forwards "Fort Calhoun Station Performance Indicators, May 1992."  
GATES, W.G. Omaha Public Power District. 92/06/26. Document Control Branch (Document Control Desk). 1p. 62365:241-62365:249.

—9207100341 "Fort Calhoun Station Performance Indicators, May 1992."  
\* Omaha Public Power District. 92/05/31. 107pp. 62365:242-62365:349.

9207150135 Monthly operating rept for June 1992 for Fort Calhoun Station. W/920714 ltr.  
CAVANAUGH, G.R., GATES, W.G. Omaha Public Power District. 92/06/30. 8pp. 62396:342-62396:349.

9207290318 "Annual 10CFR50.59 Rept for Fort Calhoun Station," for 910201-920122.  
GATES, W.G. Omaha Public Power District. 92/07/22. Document Control Branch (Document Control Desk). 24pp. 62595:276-62595:299.

9207310168 Forwards "Fort Calhoun Station Performance Indicators, June 1992."  
GATES, W.G. Omaha Public Power District. 92/07/27. Document Control Branch (Document Control Desk). 1p. 62659:001-62659:112.

—9207310169 "Fort Calhoun Station Performance Indicators, June 1992."  
\* Omaha Public Power District. 92/06/30. 111pp. 62659:002-62659:112.

### S. Reportable occurrences, LERs & related correspondence

9207060177 LER 92-019-00: on 920531, indication received that control element assembly 35 dropped into reactor core. Caused by mat failure of clutch coil in control element drive mechanism. Clutch assembly replaced. W/920630 ltr.  
BLESSIE, W.J., GATES, W.G. Omaha Public Power District. 92/06/30. 5pp. 62292:109-62292:113.

9207060264 LER 92-020-00: on 920601, determined that operators failed to obtain appropriate grab samples during radiation monitor inoperability. Caused by procedural inadequacies. Procedure upgraded & personnel trained re monitors. W/920701 ltr.  
BOOTH, C.E., GATES, W.G. Omaha Public Power District. 92/07/01. 6pp. 62292:137-62292:142.

9207080278 PNO-IV-92-030: on 920703, plant entered alert due to LOCA that exceeded 40 gpm when output of inverter began oscillating between 0 & 120 volts. Plant cooled down & placed on shutdown cooling. NRC will confirm util actions.  
BEACH, A.B. Region 4 (Post 820201). 92/07/06. 2pp. 62277:274-62277:275.

9207150287 Revises completion dates for corrective actions to address LER 91-08 re inappropriate surveillance requirements for RPS Level 1 bistables & LER 91-11 re pressurizer pressure low signal setpoints to 921120 & 1231, respectively.  
GATES, W.G. Omaha Public Power District. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62409:346-62409:347.

9207160354 Summary of operating reactors events meeting 92-10 on 920708 re selected events occurring since last briefing on 920701. List of attendees, significant elements of discussed events & reactor scram statistics for wk ending 920705 encl.  
CHAFFEE, A.E. Events Assessment Branch. 92/07/10. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 15pp. 62396:039-62396:053.

9207170011 Updated PNO-IV-92-030A: on 920703, plant entered alert due to LOCA that exceeded 40 gallons per minute. Caused by weak solder connection on printed circuit board. Presurizer code safety valves sent to Wyle Labs for insp/repair.  
BEACH, A.B. Region 4 (Post 820201). 92/07/10. 2pp. 62440:335-62440:336.

9207180272 LER 92-021-00: on 920611, failure to initiate fire watch for inoperable fire door noted. Caused by ambiguous instructions contained in note. Procedure revised & personnel informed of requirements for maintaining fire door. W/920713 ltr.  
BLESSIE, W.J., GATES, W.G. Omaha Public Power District. 92/07/13. 5pp. 62480:146-62480:150.

9207270099 Special rept on 920615, Fire Door 1007-19 damaged & declared inoperable due to rip in skin of door caused by cart. Appropriate compensatory measures, per TS 2.19(f) instituted during impairment. Door repaired & returned to svc on 920624.  
GATES, W.G. Omaha Public Power District. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62517:212-62517:213.

9207280092 PNO-IV-92-030B: update of PNO-IV-92-030 re declaration of alert at plant. Confirmatory action ltr items completed.  
BEACH, A.B. Region 4 (Post 820201). 92/07/22. 2pp. 62497:038-62497:037.

### V. Operator Examinations

9207060178 Forwards comments based on technical review of reactor operator & senior reactor operator licensing exams administered on 920622, per NUREG-1021 (Operator Licensing Examiner Std).  
GATES, W.G. Omaha Public Power District. 92/06/30. PELLET, J.L. Region 4 (Post 820201). 27pp. 62254:279-62254:305.

9207140167 Forwards results of Generic Fundamentals Exam section of written operator licensing exam that was administered on 920610.  
BEACH, A.B. Region 4 (Post 820201). 92/07/06. GATES, W.G. Omaha Public Power District. 100pp. 62310:253-62310:351.



## DOCKET 50-286 INDIAN POINT STATION, UNIT 3

## F. Security, medical, emergency &amp; fire protection plans

**9207070138** Forwards summary of 920617 meeting in King of Prussia, PA to discuss proposed full-participation emergency exercise scenario. JOYNER, J.H. Region 1 (Post 820201). 92/06/24. RUSSELL, J.E. Power Authority of the State of New York (New York Power Authority). 5pp. 62205:307-62205:311.

**9207070205** Forwards safety insp rept 50-286/92-11 on 920412-0606. Inspector noted deficiencies in svc water sys piping which will be evaluated in special NRC insp rept. COWGILL, C.J. Region 1 (Post 820201). 92/06/26. RUSSELL, J.E. Power Authority of the State of New York (New York Power Authority). 3pp. 62206:132-62206:157.

**-9207070207** Safety insp rept 50-286/92-11 on 920412-0606. Major areas inspected: plant operations, radiological controls, maint, security, engineering & technical support & safety assessment/quality verification. ESELGROTH, P.W. Region 1 (Post 820201). 92/06/24. 26pp. 62206:135-62206:157.

**9207170041** Forwards safeguards insp rept 50-286/92-16 on 920607-11 & notice of violation. Physical security program effective & directed toward assuring public health & safety. Review of security force members training program requested. JOYNER, J.H. Region 1 (Post 820201). 92/07/02. RUSSELL, J.E. Power Authority of the State of New York (New York Power Authority). 4pp. 62387:151-62387:163.

**-9207170045** Notice of violation from insp on 920607-11. Violation noted: security officers whose uncorrected distance vision was 20/40 or less in better eye did not carry extra pair of eye glasses while on duty.  
\* Region 1 (Post 820201). 92/07/02. 1p. 62387:155-62387:155.

**-9207170051** Insp rept 50-286/92-16 on 920607-11. Violation noted. Major areas inspected: mgt support & audits, protected & vital area physical barriers, detection & assessment aids, protected & vital area access control of personnel & lock & key control. KING, E.B., KEIMIG, R.R. Region 1 (Post 820201). 92/06/29. 8pp. 62387:156-62387:163.

**9207160280** Forwards Safety Insp Rept 50-286/92-14 on 920601-05 & notice of violation. BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/10. RUSSELL, J.E. Power Authority of the State of New York (New York Power Authority). 3pp. 62423:273-62423:288.

**-9207160282** Notice of violation from insp on 920601-05. Violation noted: on 920603, two areas identified w/o required 8 h emergency lighting necessary for operator to implement safe shutdown functions delineated in safe shutdown procedure.  
\* Region 1 (Post 820201). 92/07/10. 1p. 62423:276-62423:276.

**-9207160283** Insp Rept 50-286/92-14 on 920601-05. Violation noted. Major areas inspected: implementation of 10CFR50, Sections III.G, III.J & III.L re fire protection of safe shutdown capability, including fire protection program. CAPTON, D.L., BLUMBERG, N.J. Region 1 (Post 820201). 92/07/09. 12pp. 62423:277-62423:288.

**9207160339** Responds to 920615 correspondence re changes to Indian Point Unit 3, physical security plan identified as Temporary Addendum, rev 3. Extension of temporary addendum until Apr 1993 acceptable. JOYNER, J.H. Region 1 (Post 820201). 92/07/10. BEEDLE, R. New York, State of. 3pp. 62413:360-62413:362.

**9207280180** Forwards safety insp rept 50-286/92-17 on 920622-26. Effective implementation of radiological environ monitoring program observed. No safety concerns or violations noted. JOYNER, J.H. Region 1 (Post 820201). 92/07/18. RUSSELL, J.E. Power Authority of the State of New York (New York Power Authority). 3pp. 62489:279-62489:287.

**-9207280185** Insp rept 50-286/92-17 on 920622-26. No safety concerns or violations noted. Major areas inspected: radiological environ monitoring program, including mgt controls, QA audits, meteorological monitoring program & quality control program. PELUSO, L., BORES, R.J. Region 1 (Post 820201). 92/07/16. 6pp. 62489:282-62489:287.

**9207310131** Forwards scenario package for full participation emergency exercise scheduled to be conducted on 920923. Package withheld until exercise has been completed. BELL, D.D. Power Authority of the State of New York (New York Power Authority). 92/07/23. MCCABE, E. Region 1 (Post 820201). 2p. 62657:314-62657:315.

**9207300168** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Neither Thermo-Lag 330 fire barrier sys nor mats installed in either plant. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 92/07/24. Document Control Branch (Document Control Desk). 2pp. 62665:349-62665:350.

## H. General correspondence

**9207130013** Comment supporting proposed rule 10CFR50.54 re receipt of byproduct & special nuclear matl. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 92/07/06. Docketing & Services Branch. 2pp. 62285:010-62285:011.

## K. Utility Final Safety Analysis Report (FSAR) &amp; amendments

**9207240092** Forwards "1992 Indian Point Unit 3 FSAR Update," reflecting title changes & update to cross refs of implementing documents for FSAR Chapter 17, "QA Program." BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62512:215-62512:314.

**-9207240231** "1992 Indian Point Unit 3 FSAR Update."  
\* Power Authority of the State of New York (New York Power Authority). 92/07/31. 315pp. 62512:217-62512:314.

## P. Operating license stage documents &amp; correspondence

**9207020240** Forwards amend 122 to license DPR-64 & safety evaluation. Amend revises Tech Spec Section 3.11 moveable in-core instrumentation, to specify 38 as min number of detector guide thimbles required operable. CONICELLA, N.F. Project Directorate I-1. 92/06/25. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 2pp. 62194:272-62194:284.

**-9207020244** Amend 122 to license DPR-64, revising TS Section 3.11, moveable in-core instrumentation, to specify 38 as min number of detector guide thimbles required operable. CAPRA, R.A. Project Directorate I-1. 92/06/25. 7pp. 62194:274-62194:279.

**-9207020246** Safety evaluation supporting amend 122 to license DPR-64.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/25. 5pp. 62194:280-62194:284.

**9207100234** Forward safety evaluation & notice of denial re 900710 & 0824 applications for amend to License DPR-64, revising TS 3.7.B.1 re outage time of EDG. CAPRA, R.A. Project Directorate I-1. 92/06/25. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 3pp. 62331:257-62331:265.

**-9207100241** Safety evaluation denying 900710 & 0824 applications for amend to License DPR-64, revising TS 3.7.B.1 re allowed outage time for EDG.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/25. 4pp. 62331:260-62331:263.

**-9207100246** Notice of denial of application for amend to License DPR-64, revising TS 3.7.B.1 re allowed outage time for EDG. CAPRA, R.A. Project Directorate I-1. 92/06/25. 2pp. 62331:264-62331:265.

**9207160359** Forwards FR notice & environ assessment re application for amend to license. Amend extends expiration date of license DPR-64 to 151212, representing 40 yrs from dates of CP & OL. CONICELLA, N.F. Project Directorate I-1. 92/06/25. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 3pp. 62396:317-62396:339.

**-9207160363** Notice of issuance of environ assessment & finding of no significant impact re amend to license DPR-64, extending expiration date to 151212. CAPRA, R.A. Project Directorate I-1. 92/06/25. 5pp. 62396:320-62396:324.

**-9207160366** Environ assessment supporting amend to license DPR-64 to extend expiration date to 151212.  
\* NRC - No Detailed Affiliation Given. 92/06/25. 11pp. 62396:325-62396:339.

**9207060213** Accepts licensee selected IEEE methods, in response to GL 88-20, Suppl 4. Informs that IEEE submittal schedule not acceptable. Requests that licensee reassess schedule & report results no later than 920918. CONICELLA, N.F. Project Directorate I-1. 92/06/29. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 5pp. 62209:040-62209:045.

**9207160184** Forwards amend 123 to license DPR-64 & safety evaluation. Amend revises ETS, part II, section 2.7 & section 3.7 to specify lower limits of detection & reporting requirements for I-131 in environ samples of non-drinking water. CONICELLA, N.F. Project Directorate I-1. 92/07/09. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 4pp. 62396:262-62396:274.

**-9207160186** Amend 123 to license DPR-64, revising ETS, part II, sections 2.7 & 3.7 to specify lower limits of detection & reporting requirements for I-131 in environ samples of non-drinking water. CAPRA, R.A. Project Directorate I-1. 92/07/09. 6pp. 62396:265-62396:270.

**-9207160190** Safety evaluation supporting amend 123 to license DPR-64.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/09. 4pp. 62396:271-62396:274.

**9207170089** Forwards response to GL 92-01, Rev 1 re reactor vessel integrity. Submittal delayed due to high workloads, since plants currently in outages. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 92/07/09. Document Control Branch (Document Control Desk). 46pp. 62430:252-62430:297.

**9207220226** Forwards amend 124 to license DPR-64 & safety evaluation. Amend extends operation date of license from 090813 to 151212. CONICELLA, N.F. Project Directorate I-1. 92/07/15. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 4pp. 62453:301-62453:312.

**-9207220229** Amend 124 to license DPR-64, extending expiration date of license from 090813 to 151212. CAPRA, R.A. Project Directorate I-1. 92/07/15. 3pp. 62453:304-62453:306.

**-9207220232** Safety evaluation supporting amend 124 to license DPR-64.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/15. 5pp. 62453:307-62453:312.

**9207270003** Forwards application for amend to License DPR-64, changing TS to change frequency of containment sys testing to accommodate 24-month operating cycle, per Generic Ltr 91-04. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62516:325-62516:344.

**-9207270004** Application for amend to License DPR-64, changing TS to extend containment sys testing to accommodate 24-month operating cycle, per Generic Ltr 91-04. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 92/07/17. 1p. 62516:327-62516:327.

**-9207270005** Proposed TS re containment sys testing & 24-month operating cycles.  
\* Power Authority of the State of New York (New York Power Authority). 92/07/17. 17pp. 62516:328-62516:344.

**9207270172** Advises that licensee response to Generic Ltr 88-20, Suppl 4 re IEEE submittal schedule & selected method unacceptable. Util should reassess opportunity for submitting IPE results on more expeditious schedule, no later than 930930. CONICELLA, N.F. Project Directorate I-1. 92/07/21. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 4pp. 62491:345-62491:348.

## 62 DOCKETED ITEMS

### Q. Inspection reports, IE Bulletins & correspondence

- 9207010019** Confirms 920622 telcon between P Eiselgroth & J Macchiarulo re J Macchiarulo request for 14-day extension of time for responding to notice of violation & proposed imposition of civil penalty sent w/920521 ltr. MARTIN,T.T. NRC - No Detailed Affiliation Given. 92/06/23. BEEDLE,R. Power Authority of the State of New York (New York Power Authority). 3pp. 62143:010-62143:012.
- 9207070205** Forwards safety insp rept 50-286/92-11 on 920412-0606. Inspector noted deficiencies in svc water sys piping which will be evaluated in special NRC insp rept. COWGILL,C.J. Region 1 (Post 820201). 92/06/26. RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 3pp. 62206:132-62206:157.
- 9207070207** Safety insp rept 50-286/92-11 on 920412-0606. Major areas inspected: plant operations, radiological controls, maint, security, engineering & technical support & safety assessment/quality verification. ESELGROTH,P.W. Region 1 (Post 820201). 92/06/24. 26pp. 62206:135-62206:157.
- 9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.
- 9207080249** Responds to NRC ltr re violations noted in insp rept 50-286/92-02, 50-286/92-03 & 50-286/92-10. Corrective actions: formal process for dealing w/potential design deficiencies established. RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 92/07/01. LIEBERMAN,J. Document Control Branch (Document Control Desk). 12pp. 62277:001-62277:013.
- 9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.
- 9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.
- 9207100067** Forwards insp rept 50-286/92-901 on 930330-0522. Inspection team identified minor deficiencies w/respect to procedure adequacy, procedure adherence & failure to meet commitment. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 92/07/02. BEEDLE,R.E. Power Authority of the State of New York (New York Power Authority). 4pp. 62284:228-62284:262.
- 9207100073** Insp rept 50-286/92-901 on 920330-0522. Weaknesses noted. Major areas inspected: adequacy of outage planning & conduct w/regard to minimizing risk of initiation of accident sequences during shutdown conditions. WILCOX,J.D., IMBROS,E.V., GRIMES,B.K. Division of Reactor Projects - I/II (Post 870411). 92/06/25. 31pp. 62284:232-62284:262.
- 9207170041** Forwards safeguards insp rept 50-286/92-16 on 920607-11 & notice of violation. Physical security program effective & directed toward assuring public health & safety. Review of security force members training program requested. JOYNER,J.H. Region 1 (Post 820201). 92/07/02. RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 4pp. 62387:151-62387:163.
- 9207170045** Notice of violation from insp on 920607-11. Violation noted: security officers whose uncorrected distance vision was 20/40 or less in better eye did not carry extra pair of eye glasses while on duty. \* Region 1 (Post 820201). 92/07/02. 1p. 62387:155-62387:155.
- 9207170051** Insp rept 50-286/92-16 on 920607-11. Violation noted. Major areas inspected: mgt support & audits, protected & vital area physical barriers, detection & assessment aids, protected & vital area access control of personnel & lock & key control. KING,E.B., KEIMIG,R.R. Region 1 (Post 820201). 92/06/29. 8pp. 62387:156-62387:163.
- 9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:008.
- 9207160280** Forwards Safety Insp Rept 50-286/92-14 on 920601-05 & notice of violation. BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/10. RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 3pp. 62423:273-62423:288.
- 9207160282** Notice of violation from insp on 920601-05. Violation noted: on 920603, two areas identified w/o required 8 h emergency lighting necessary for operator to implement safe shutdown functions delineated in safe shutdown procedure. \* Region 1 (Post 820201). 92/07/10. 1p. 62423:276-62423:276.
- 9207160283** Insp Rept 50-286/92-14 on 920601-05. Violation noted. Major areas inspected: implementation of 10CFR50, Sections III.G, III.J & III.L re fire protection of safe shutdown capability, including fire protection program. CAPHTON,D.L., BLUMBERG,N.J. Region 1 (Post 820201). 92/07/09. 12pp. 62423:277-62423:288.
- 9207280180** Forwards safety insp rept 50-286/92-17 on 920622-26. Effective implementation of radiological environ monitoring program observed. No safety concerns or violations noted. JOYNER,J.H. Region 1 (Post 820201). 92/07/18. RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 3pp. 62489:279-62489:287.
- 9207280185** Insp rept 50-286/92-17 on 920622-26. No safety concerns or violations noted. Major areas inspected: radiological environ monitoring program, including mgt controls, QA audits, meteorological monitoring program & quality control program. PELUSO,L., BORES,R.J. Region 1 (Post 820201). 92/07/16. 6pp. 62489:282-62489:287.
- 9207270249** Advises that, due to 1992 outage emergent work & expanded scope of previously identified tasks, several action items contained in 911021 response to EDSFI insp Rept 50-286/91-80 rescheduled. Revised schedule listed on encl. RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 92/07/20. COWGILL,C.J. Region 1 (Post 820201). 3pp. 62528:173-62528:175.

**9207300168** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Neither Thermo-Lag 330 fire barrier sys nor mats installed in either plant. BEEDLE,R.E. Power Authority of the State of New York (New York Power Authority). 92/07/24. Document Control Branch (Document Control Desk). 2pp. 62665:349-62665:350.

**9207290026** Ack receipt of 920701 ltr & payment for civil penalty proposed by NRC in 920521 ltr. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 92/07/28. RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 1p. 62506:015-62506:015.

### R. Periodic operating reports & related correspondence

**9207150282** Monthly operating rept for June 1992 for Indian Point Unit 3.W/920711 ltr. KELLY,L., RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 92/06/30. 5pp. 62411:331-62411:335.

### S. Reportable occurrences, LERs & related correspondence

**9207150029** LER 92-006-00: on 920604, 125-volt dc coordination study identified potential unanalyzed condition re single mode failures which could result in EDG inoperability. Caused by plant design defect. Breakers opened. W/920709 ltr. KLEIN,T., RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 92/07/09. 7pp. 62480:034-62480:040.

**9207170164** LER 92-007-00: on 920610, 34 MCC supply breaker tripped on overcurrent resulting to 31 EDG inoperable. Caused by faulty amptector in MCC breaker. Supply breaker replaced & amptector & current settings were adjusted accordingly. W/920709 ltr. BYSTRAK,R., RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 92/07/09. 4pp. 62437:351-62437:354.

**9207170161** Special rept: on 920509 & 20, cable spreading room fire barrier penetrations opened to pull cables to support installation of mod to replace existing containment air particulate & gas radiation monitors. Fire watch established. RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 92/07/13. MARTIN,T.T. Region 1 (Post 820201). 2pp. 62446:350-62446:351.

**9207170213** PNO-I-92-039: on 920714, util reported confirmed positive drug test results of licensed reactor operator, based on random drug test administered on 920708. Individual site access authorization removed for min of 14 days. BRIGGS,L. Region 1 (Post 820201). 92/07/15. 2pp. 62440:337-62440:338.

**9207230148** Special rept: on 920623, control bldg fire barrier penetrations to 480-volt switchgear room opened to pull cable for installation of 125-volt dc sys mods. Hourly fire watch implemented & continued until 920713. RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 92/07/16. MARTIN,T.T. Region 1 (Post 820201). 2pp. 62479:339-62479:340.

**9207270277** LER 92-008-00: on 920619, confirmed that two series of containment isolation valves on component cooling return header may not function under max design load. Caused by undersized MOV spring packs. GL-89-10 completed. W/920720 ltr. RAY,B., RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 92/07/20. 6pp. 62587:168-62587:173.

**9207280295** LER 92-009-00: on 920622, determined that CCS had operated for 17 h w/o an operable process radiation monitor. Caused by personnel error. Compensatory sampling initiated & radiation monitor returned to svc. W/920722 ltr. RAY,B., RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 92/07/22. 6pp. 62587:260-62587:265.

**9207300076** LER 92-010-00: on 920625, control power fuse for EDG 31 blew, rendering EDG 31 inoperable. Caused by design deficiency. Design deficiency corrected on 920630.W/920724 ltr. MACCHIARULO,J., RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 92/07/24. 5pp. 62588:008-62588:012.

### V. Operator Examinations

**9207170185** Forwards exam forms A & B, answer key for A & B exams, exam summary & candidates individual answer sheets from 920310 generic fundamentals exam section. Results should be forwarded to applicants. W/o encl. BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/08. TANSKY,R. Power Authority of the State of New York (New York Power Authority). 2pp. 62433:355-62433:356.

**9207280118** Requests for info re 920714 rept that NRC licensed operator tested positive following fitness-for-duty test taken on 920708. BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/20. RUSSELL,J.E. Power Authority of the State of New York (New York Power Authority). 3pp. 62488:353-62488:355.

### DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

### F. Security, medical, emergency & fire protection plans

**9207020159** Forwards meeting summary, Duke Power comments on SALP, SALP slides, revision sheet & final SALP rept for period 900801-920229 re insp repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01. EBNETER,S.D. Region 2 (Post 820201). 92/06/04. HAMPTON,J.W. Duke Power Co. 29pp. 62224:240-62224:311.

**9207020181** Provides addl info & comments re operator training assessment to be considered for inclusion in final SALP rept in connection w/insp repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01. HAMPTON,J.W. Duke Power Co. 92/05/14. EBNETER,S.D. Region 2 (Post 820201). 14pp. 62224:289-62224:282.

—9207020281 Final SALP repts 50-269/92-01,50-270/92-01,50-287/92-01 & 72-0004/92-01 for Aug 1990-Feb 1992.  
\* Region 2 (Post 820201). 92/06/04. 29pp. 62224:283-62224:311.

9207010037 Forwards insp repts 50-269/92-12,50-270/92-12 & 50-287/92-12 on 920526-29.No violations or deviations noted.  
COLLINS,D.M. Region 2 (Post 820201). 92/06/25. HAMPTON,J.W. Duke Power Co. 4pp. 62143:070-62143:074.

—9207010042 Partially withheld insp repts 50-269/92-12,50-270/92-12 & 50-287/92-12 on 920526-29 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:mgt support,security program plans,audits & protected area barriers.  
STANSBERRY,W.M. Region 2 (Post 820201). 92/06/24. 1p. 62143:074-62143:074.

9207090171 Rev 92-02 to vol A of "Oconee Nuclear Station Emergency Plan." W/920630 ltr.  
HAMPTON,J.W. Duke Power Co. 92/06/30. 100pp. 62338:157-62339:034.

9207270159 Forwards Rev 35 to ONS physical security plan.Rev withheld.  
HAMPTON,J.W. Duke Power Co. 92/07/15. Document Control Branch (Document Control Desk). 2pp. 62528:158-62528:159.

9207280010 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Neither Oconee nor Catawba uses Thermo-Lag matl.Bulletin inapplicable to units.  
TUCKER,H.B. Duke Power Co. 92/07/22. Document Control Branch (Document Control Desk). 2pp. 62562:110-62562:111.

#### H. General correspondence

9207160093 Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9,task DG-1021.Opposes rule.  
TUCKER,H.B. Duke Power Co. 92/07/06. Docketing & Services Branch. 4pp. 62375:112-62375:115.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

9207060137 Oconee Nuclear Station 1991 rev to FSAR.W/920630 ltr.  
HAMPTON,J.W. Duke Power Co. 92/06/30. 2,500pp. 62315:001-62320:102.

9207150195 Forwards revised pages re App 13, "Chapter 13 Tables & Figures" inadvertently omitted from 1991 FSAR rev.  
TUCKER,H.B. Duke Power Co. 92/07/02. Document Control Branch (Document Control Desk). 7pp. 62409:296-62409:301.

#### P. Operating license stage documents & correspondence

9207200018 Summary of 920609 meeting w/util re schedule for NRC review of DPC topical repts planned to be submitted in next several years.List of attendees & DPC handouts encl.  
REED,T.A. Project Directorate II-3. 92/06/25. Project Directorate II-3. 13pp. 62183:333-62183:345.

9207140190 Forwards request for clarification of util changes for Topical Rept (Duke-1-A), "QA Program".  
JULIAN,C.A. Region 2 (Post 820201). 92/06/30. TUCKER,H.B. Duke Power Co. 6pp. 62311:230-62311:235.

9207220084 Discusses mgt meeting on 920624 at Region II ofc.Items discussed included shutdown risk mgt,conduct of operations & radiological controls to be implemented for unit 3 outage scheduled to begin 920721.  
JOHNSON,J.R. Region 2 (Post 820201). 92/06/30. HAMPTON,J.W. Duke Power Co. 27pp. 62432:217-62432:243.

9207090064 Forwards addl info re revised response to 10CFR50.63 requirements for SBO.  
HAMPTON,J.W. Duke Power Co. 92/07/01. Document Control Branch (Document Control Desk). 19pp. 62308:101-62308:202.

—9207090076 "Battery Load & Voltage Profile for SBO."  
\* Duke Power Co. OSC-4756. 92/06/24. 14pp. 62308:121-62308:134.

—9207090093 "Room Heat-up Calculation for SBO."  
HEMMINGS,J.O., HARRELSON,D.K., LYTTON,R.S. Duke Power Co. OSC-4747. 92/06/25. 69pp. 62308:135-62308:202.

9207080099 Responds to NRC GL 92-01 re compliance w/regulatory program to maintain structural integrity of reactor vessels.  
TUCKER,H.B. Duke Power Co. 92/07/03. Document Control Branch (Document Control Desk). 69pp. 62335:100-62335:169.

9207200223 Forwards listing & projected schedule for completion & submittal of new topical repts requiring NRC approval by util.Replacement SG design selected for McGuire Units 1 & 2 & Catawba Unit 1.  
TUCKER,H.B. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62450:360-62450:361.

9207210189 Forwards non-proprietary version B&W Rept 86-1202153-01, "MK-B9 Spectrum LOCA LHR Limit Analysis for 177-Fuel Assembly Lowered Loop Plants."  
HAMPTON,J.W. Duke Power Co. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62452:126-62452:205.

—9207210201 Nonproprietary "MK-B9 Spectrum LOCA LHR Limit Analysis for 177-Fuel Assembly Lowered Loop Plants."  
\* Babcock & Wilcox Co. 86-1202153-01. 92/06/27. 88pp. 62452:129-62452:205.

9207200051 Application for amends to licenses DPR-38,DPR-47 & DPR-55, proposing to relocate certain cycle-specific parameter limits from TS to COLR.  
HAMPTON,J.W. Duke Power Co. 92/07/13. Document Control Branch (Document Control Desk). 4pp. 62451:161-62451:209.

—9207200056 Proposed tech specs proposing to relocate certain cycle-specific parameter limits from TS to COLR.  
\* Duke Power Co. 92/07/13. 45pp. 62451:165-62451:209.

9207200199 Forwards corrected TS Page 4.20-3 to Amends 195,195 & 192 to Licenses DPR-38,DPR-47 & DPR-55,respectively.  
WIENS,L.A. Project Directorate II-3. 92/07/13. HAMPTON,J.W. Duke Power Co. 3pp. 62438:080-62438:084.

—9207210160 Corrected TS Page 4.20-3 for amends 195,195 & 192 to licenses DPR-38,DPR-47 & DPR-55,respectively.  
\* Project Directorate II-3. 92/07/13. 2pp. 62438:083-62438:084.

9207230200 Requests addl info in order to complete review of util generic ltr 88-20 IPE submittal of Dec 1990.Response requested within 30 days of ltr date.  
WIENS,L.A. Project Directorate II-3. 92/07/17. HAMPTON,J.W. Duke Power Co. 5pp. 62459:094-62459:098.

9207300085 Forwards rewrite of Amend 15 to Duke Power Co Topical Rept DUKE-1-A, "QA Program." Amend supercedes submittal transmitted on 920422.  
PRIORY,R.B. Duke Power Co. 92/07/20. Document Control Branch (Document Control Desk). 4pp. 62592:256-62592:315.

—9207300252 Rewrite of Amend 15 to Duke-1-A. "QA Program," Section 17.0 & 17.3,responding to 920630 request for clarification. Amend 15 supersedes submittal transmitted on 920422.  
\* Duke Power Co. 92/07/20. 55pp. 62592:260-62592:315.

9207300194 Forwards request for addl info re plant IPE submittal for generic issues 105, "Interfacing SYS LOCA at LWRs," 153, "Loss of essential Svc Water in LWRs" & 23, "RCP Seal Features."  
WIENS,L.A. Project Directorate II-3. 92/07/21. HAMPTON,J.W. Duke Power Co. 30pp. 62581:217-62581:246.

#### Q. Inspection reports, IE Bulletins & correspondence

9207020159 Forwards meeting summary,Duke Power comments on SALP.SALP slides,revision sheet & final SALP rept for period 900801-920229 re insp repts 50-269/92-01,50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
EBNETER,S.D. Region 2 (Post 820201). 92/06/04. HAMPTON,J.W. Duke Power Co. 29pp. 62224:240-62224:311.

—9207020181 Provides addl info & comments re operator training assessment to be considered for inclusion in final SALP rept in connection w/insp repts 50-269/92-01,50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
HAMPTON,J.W. Duke Power Co. 92/05/14. EBNETER,S.D. Region 2 (Post 820201). 14pp. 62224:269-62224:282.

—9207020281 Final SALP repts 50-269/92-01,50-270/92-01,50-287/92-01 & 72-0004/92-01 for Aug 1990-Feb 1992.  
\* Region 2 (Post 820201). 92/06/04. 29pp. 62224:283-62224:311.

9207270058 Forwards insp repts 50-269/92-11,50-270/92-11 & 50-287/92-11 on 920426-0523 & notice of violation.Violation involves lack of attention to detail on behalf of licensed personnel in performing activities associated w/reactivity mgt.  
HERDT,A.R. Region 2 (Post 820201). 92/06/12. HAMPTON,J.W. Duke Power Co. 4pp. 62475:254-62475:270.

—9207270077 Insp repts 50-269/92-11,50-270/92-11 & 50-287/92-11 on 920426-0523. Violation noted.Major areas inspected:operations & surveillance testing,maint activities & followup on previous insp findings.  
HARMON,P.E., DESAI,B.B., POERTNER,W.K. Region 2 (Post 820201). 92/06/11. 11pp. 62475:260-62475:270.

9207020014 Ack receipt of 920528 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/92-03, 50-270/92-03 & 50-287/92-03.Response meets requirements of 10CFR2.201.  
HERDT,A.R. Region 2 (Post 820201). 92/06/18. HAMPTON,J.W. Duke Power Co. 3pp. 62234:321-62234:323.

9207070341 Forwards supplement to 891229 response to NRC Bulletin 88-008 re thermal stresses in piping connected to RCS,per 920623 telcon w/NRC.  
HAMPTON,J.W. Duke Power Co. 92/06/24. Document Control Branch (Document Control Desk). 19pp. 62267:001-62267:019.

9207010037 Forwards insp repts 50-269/92-12,50-270/92-12 & 50-287/92-12 on 920526-29.No violations or deviations noted.  
COLLINS,D.M. Region 2 (Post 820201). 92/06/25. HAMPTON,J.W. Duke Power Co. 4pp. 62143:070-62143:074.

—9207010042 Partially withheld insp repts 50-269/92-12,50-270/92-12 & 50-287/92-12 on 920526-29 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:mgt support,security program plans,audits & protected area barriers.  
STANSBERRY,W.M., MCGUIRE,D.R. Region 2 (Post 820201). 92/06/24. 1p. 62143:074-62143:074.

9207170006 Notification of significant licensee meeting w/util on 920717 at Region II ofc to conduct enforcement conference re circumstances surrounding 920508 Unit 1 reactor trip & Unit 1 operation w/only one operable flow path on 920511-24.  
BELISLE,G.A. Region 2 (Post 820201). 92/06/27. Region 2 (Post 820201). 3pp. 62431:330-62431:332.

9207220137 Confirms 920618 arrangements concerning 920717 enforcement conference to discuss 920508 event re one of two Unit 1 emergency feedwater sys flow paths required by TS not operable.  
JOHNSON,J.R. Region 2 (Post 820201). 92/06/27. HAMPTON,J.W. Duke Power Co. pp. 62432:351-62432:354.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207270012 Forwards insp repts 50-269/92-14,50-270/92-14 & 50-287/92-14 on 920524-0619. One violation noted & being considered for escalated enforcement action.No notice of violation being issued at this time.  
JOHNSON,J.R. Region 2 (Post 820201). 92/06/29. HAMPTON,J.W. Duke Power Co. 4pp. 62475:004-62475:011.

## 64 DOCKETED ITEMS

—9207270019 Insp repts 50-269/92-14, 50-270/92-14 & 50-287/92-14 on 920524-0619. One violation re failure to maintain two emergency feedwater flow paths operable noted. Major areas inspected: plant operations.  
HARMON, P.E., DESAI, B.B., POERTNER, W.K. Region 2 (Post 820201). 92/06/24. 4pp. 62475:008-62475:011.

9207140152 Ack receipt of 920618 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/92-10, 50-270/92-10 & 50-287/92-10.  
HERDT, A.R. Region 2 (Post 820201). 92/07/01. HAMPTON, J.W. Duke Power Co. 3pp. 62311:026-62311:028.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207150112 Responds to NRC 920520 ltr re violations noted in Insp Repts 50-269/92-11, 50-270/92-11 & 50-287/92-11. Corrective actions: estimated critical position calculated & verified using Unit 1 reactivity curves & curves placed in unit-specific books.  
HAMPTON, J.W. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 3pp. 62409:359-62409:361.

9207200042 Revised response to 920325 ltr re violations noted in insp repts 50-269/92-08, 50-270/92-08 & 50-287/92-08 previously responded to on 920423. Corrective actions: add changes to TS will be submitted by 921001.  
HAMPTON, J.W. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 3pp. 62451:317-62451:318.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207200177 Forwards Second 10-yr insp interval Request for Relief 92-11 from 1980 Edition of ASME Section XI, including winter 1980 addenda to allow volumetric exam & operational pressure test to be used in lieu of required hydrostatic test.  
HAMPTON, J.W. Duke Power Co. 92/07/14. Document Control Branch (Document Control Desk). 7pp. 62447:297-62447:303.

9207200255 Forwards Rev 1 to "ISI Rept Unit 3 Oconee 1991 Refueling Outage 12."  
TUCKER, H.B. Duke Power Co. 92/07/14. Document Control Branch (Document Control Desk). 3pp. 62459:181-62459:305.

—9207200257 Rev 1 to "ISI Rept Unit 3 Oconee 1991 Refueling Outage 12."  
HOGGE, A.J. Duke Power Co. 92/07/01. 141pp. 62459:184-62459:305.

9207200196 Forwards second 10-yr insp interval Request for Relief 92-10 from 1980 Edition Section XI of ASME, including winter 1980 addenda to allow volumetric exam to be used for branch welds off main steam lines due to inaccessibility.  
HAMPTON, J.W. Duke Power Co. 92/07/15. Document Control Branch (Document Control Desk). 8pp. 62449:303-62449:310.

9207280010 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Neither Oconee nor Catawba uses Thermo-Lag matl. Bulletin inapplicable to units.  
TUCKER, H.B. Duke Power Co. 92/07/22. Document Control Branch (Document Control Desk). 2pp. 62562:110-62562:111.

### R. Periodic operating reports & related correspondence

9207210231 Forwards monthly operating repts for June 1992 for Oconee Nuclear Station Units 1, 2 & 3 & revised monthly rept for May 1992 for Oconee Nuclear Station Unit 1.  
MCCRAW, E.O. Duke Power Co. 92/07/15. Document Control Branch (Document Control Desk). 2pp. 62471:220-62471:239.

—9207210237 Monthly operating repts for June 1992 for Oconee Nuclear Station Units 1, 2 & 3.  
WILLIAMS, R.A., SIMMONS, N.C. Duke Power Co. 92/06/30. 15pp. 62471:222-62471:236.

### V. Operator Examinations

920720159 Forwards meeting summary, Duke Power comments on SALP, SALP slides, revision sheet & final SALP rept for period 900801-920229 re insp repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
EBNETER, S.D. Region 2 (Post 820201). 92/06/04. HAMPTON, J.W. Duke Power Co. 29pp. 62224:240-62224:311.

—9207020181 Provides addl info & comments re operator training assessment to be considered for inclusion in final SALP rept in connection w/ insp repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
HAMPTON, J.W. Duke Power Co. 92/05/14. EBNETER, S.D. Region 2 (Post 820201). 14pp. 62224:269-62224:282.

—9207202081 Final SALP repts 50-269/92-01, 50-270/92-01, 50-287/92-01 & 72-0004/92-01 for Aug 1990-Feb 1992.  
\* Region 2 (Post 820201). 92/06/04. 29pp. 62224:283-62224:311.

### Y. Dry Cask Independent Spent Fuel Storage Installations

9207210116 Forwards Nonpropriety volume 1 & propriety volume 2 of rev 1 to "Calvert Cliffs ISFSI Updated SAR." "Calvert Cliffs ISFSI Updated SAR Final Analysis & Evaluation..." also encl. Propriety volume 2 withheld. W/36 oversize drawings.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/16. Office of Nuclear Material Safety & Safeguards. 4pp. 62639:001-62640:099.

## DOCKET 50-288 REED COLLEGE RESEARCH REACTOR

### Q. Inspection reports, IE Bulletins & correspondence

9207150322 Forwards insp rept 50-288/92-01 on 920403-24. No violations noted.  
REESE, J.H. Region 5 (Post 820201). 92/06/09. HADEN, W. Reed College, Portland, OR. 1p. 62415:290-62415:294.

—9207150327 Insp rept 50-288/92-01 on 920403-24. No violations noted. Major areas inspected: univ test plan to locate fuel element leak.  
REESE, J.H., DUVALLS, P. Region 5 (Post 820201). 92/06/09. 4pp. 62415:291-62415:294.

## DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

9207010025 Forwards EP insp rept 50-289/92-10 on 920520-22. No exercise weaknesses or safety inadequacies identified.  
JOYNER, J.H. Region 1 (Post 820201). 92/06/19. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 4pp. 62234:110-62234:122.

—9207010033 EP insp rept 50-289/92-10 on 920520-22. No exercise weaknesses or safety inadequacies identified. Major areas inspected: observation of annual partial-participation exercise.  
ECKERT, L., MCCABE, E. Region 1 (Post 820201). 92/06/19. 9pp. 62234:114-62234:122.

9207230263 Forwards Rev 14 to Vols I & II of "TMI Unit 1 Fire Hazards Analysis Rept" & Update 11 to Vol 1 of "TMI Unit 1 Updated FSAR."  
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 92/07/14. Document Control Branch (Document Control Desk). 2pp. 62502:001-62502:345.

—9207230281 Rev 14 to Vols I & II of "TMI Unit 1 Fire Hazards Analysis Rept."  
\* General Public Utilities Corp. - GPU Service Corp. 990-1745 R14. 92/07/14. 65pp. 62502:003-62502:063.

9207220337 Forwards Insp Repts 50-289/92-13 & 50-320/92-08 on 920526-0629. Inspector observations indicated continued safe & conservative operation of facilities.  
BLOUGH, A.R. Region 1 (Post 820201). 92/07/16. BROUGHTON, T.G., LONG, R.L. General Public Utilities Corp. - GPU Service Corp. 3pp. 62496:300-62496:315.

—9207220341 Safety Insp Repts 50-289/92-13 & 50-320/92-08 on 920526-0629. Major areas inspected: plant operations, maint & surveillance, radiological controls, security & engineering & technical support activities re plant safety.  
ROGGE, J.F. Region 1 (Post 820201). 92/07/16. 13pp. 62496:303-62496:315.

9207240107 Rev 5 to EPIP-TMI-03, "Emergency Offsite Notifications," rev 4 to EPIP-TMI-04, "Contact/Callout of Emergency Personnel," & rev 7 to EPIP-TMI-06, "Additional Assistance & Notification."  
\* General Public Utilities Corp. - GPU Service Corp. 92/07/21. 81pp. 62482:090-62482:170.

9207300115 Forwards rept of investigation into alleged improprieties & deficiencies of CR logs as completed by nuclear equipment operators at plant. Rept withheld.  
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 92/07/24. Document Control Branch (Document Control Desk). 1p. 62638:220-62638:220.

9207310134 Rev 3 to Procedure 6610-PLN-4200.02, "TMI Emergency Dose Calculation Manual," incorporating Procedure Change Request 1-RC-92-0040.  
WILLIAMS, S.E. General Public Utilities Corp. - GPU Service Corp. 92/07/24. 100pp. 62618:074-62618:178.

9207310133 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Trays & Small Conduits Free From Fire Damage." List of fire zones at TMI Unit 1 w/ one & three h Thermo-Lag 330 matl encl.  
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 92/07/28. Document Control Branch (Document Control Desk). 44pp. 62613:275-62613:317.

### H. General correspondence

9207100309 Responds to 920609 ltr requesting info to help constituent re medical conditions attributed to radiation released from TMI after 790328 accident.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/07/02. WOFFORD, H. Senate. 4pp. 62366:177-62366:183.

—9207100314 Forwards correspondence from A Byles for NRC consideration & review.  
WOFFORD, H. Senate. 92/06/09. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 3pp. 62366:181-62366:183.

### K. Utility Final Safety Analysis Report (FSAR) & amends

9207230283 Forwards Rev 14 to Vols I & II of "TMI Unit 1 Fire Hazards Analysis Rept" & Update 11 to Vol 1 of "TMI Unit 1 Updated FSAR."  
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 92/07/14. Document Control Branch (Document Control Desk). 2pp. 62502:001-62502:345.

—9207230281 Rev 14 to Vols I & II of "TMI Unit 1 Fire Hazards Analysis Rept."  
\* General Public Utilities Corp. - GPU Service Corp. 990-1745 R14. 92/07/14. 65pp. 62502:003-62502:063.

—9207230283 Update 11 to Vol 1 of "TMI Unit 1 Updated FSAR."  
\* General Public Utilities Corp. - GPU Service Corp. 92/07/31. 1,000pp. 62502:064-62505:345.

**P. Operating license stage documents & correspondence**

**9207080120** Final response to FOIA request for documents.App A documents encl & being made available in PDR.Porions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA,T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-9207090248** Provides summary of discussions held at 910604-05 NRC senior mgt meeting & ltrs to be sent to licensees of plants on problem plant list that will be discussed at 910620 Commission meeting.Details withheld.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/06/14. CARR Commissioners (Post 750119). 42pp. 62324:254-62324:297.

**9207010081** Forwards Rev 1 to TS Change Request (TSCR) 67 & Recovery Operations Plan Change Request (ROPCR) 46 for amend to License DPR-73.Rev 2 of ODCM & Certificate of Svc for proposed TSCR 67 & ROPCR 46.Rev 1 encl also.  
LONG,R.L. Georgia Power Co. 92/06/18. Document Control Branch (Document Control Desk). 2pp. 62252:119-62252:334.

**-9207010106** Rev 2 to 6610-PLN-4200.01, "ODCM" for TMI,Units 1 & 2.  
WILLIAMS,S.E. General Public Utilities Corp. - GPU Service Corp. 92/05/18. 150pp. 62252:176-62252:334.

**9207020213** Informs that 911224 response to GL 88-20,suppl 4 re IPEEE at facility,acceptable.  
HERNAN,R.W. Project Directorate I-4. 92/06/29. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 62203:001-62203:003.

**9207080302** Confirms substance of 920521 telcon w/NRC re clarification of NRC SER for TS Amend 164 issued on 920427 re spent fuel pool rerack.Utl proceeding w/installation of new spent fuel storage racks based on listed clarifications.  
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 92/07/02. Document Control Branch (Document Control Desk). 2pp. 62271:354-62271:355.

**9207090176** Responds to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity.Submits info to support extension of submittal date for plant-specific analysis until 1993. Comparison of analytical inputs in BAW-2148 encl.  
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 92/07/02. Document Control Branch (Document Control Desk). 4pp. 62338:150-62338:153.

**9207280104** Forwards completed survey forms re deterioration & repair of concrete in nuclear plant facilities to assist NRC in development of concrete repair manual for concrete structures,per NRC 920311 ltr.  
DEVINE,J.C. General Public Utilities Corp. - GPU Service Corp. 92/07/20. Document Control Branch (Document Control Desk). 17pp. 62566:229-62566:245.

**9207280336** Forwards application for amend to license DPR-50,consisting of TS change request 218,changing administrative requirements for licensed operator requalification program.  
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 92/07/22. Document Control Branch (Document Control Desk). 1p. 62566:259-62566:265.

**-9207280347** Application for amend to license DPR-50,consisting of TS change request 218,changing administrative requirements for licensed operator eligibility & requalification.  
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 92/07/22. 5pp. 62566:260-62566:264.

**-9207280350** Proposed tech specs page 6-3 re administrative requirements for licensed operator requalification.  
\* General Public Utilities Corp. - GPU Service Corp. 92/07/22. 1p. 62566:265-62566:265.

**Q. Inspection reports, IE Bulletins & correspondence**

**9207010025** Forwards EP insp rept 50-289/92-10 on 920520-22.No exercise weaknesses or safety inadequacies identified.  
JOYNER,J.H. Region 1 (Post 820201). 92/06/19. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 4pp. 62234:110-62234:122.

**-9207010033** EP insp rept 50-289/92-10 on 920520-22.No exercise weaknesses or safety inadequacies identified.Major areas inspected:observation of annual partial-participation exercise.  
ECKERT,L., MCCABE,E. Region 1 (Post 820201). 92/06/19. 9pp. 62234:114-62234:122.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206280043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207220337** Forwards insp Repts 50-289/92-13 & 50-320/92-08 on 920526-0629.Inspector observations indicated continued safe & conservative operation of facilities.  
BLOUGH,A.R. Region 1 (Post 820201). 92/07/16. BROUGHTON,T.G., LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 3pp. 62496:300-62496:315.

**-9207220341** Safety Insp Repts 50-289/92-13 & 50-320/92-08 on 920526-0629.Major areas inspected:plant operations,maint & surveillance,radiological controls,security & engineering & technical support activities re plant safety.  
ROGGE,J.F. Region 1 (Post 820201). 92/07/16. 13pp. 62496:303-62496:315.

**9207310133** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Trays & Small Conduits Free From Fire Damage." List of fire zones at TMI Unit 1 w/one & three h Thermo-Lag 330 matl encl.  
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 92/07/28. Document Control Branch (Document Control Desk). 44pp. 62613:275-62613:317.

**V. Operator Examinations**

**9207280336** Forwards application for amend to license DPR-50,consisting of TS change request 218,changing administrative requirements for licensed operator requalification program.  
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 92/07/22. Document Control Branch (Document Control Desk). 1p. 62566:259-62566:265.

**-9207280347** Application for amend to license DPR-50,consisting of TS change request 218,changing administrative requirements for licensed operator eligibility & requalification.  
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 92/07/22. 5pp. 62566:260-62566:264.

**-9207280350** Proposed tech specs page 6-3 re administrative requirements for licensed operator requalification.  
\* General Public Utilities Corp. - GPU Service Corp. 92/07/22. 1p. 62566:265-62566:265.

**DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1****F. Security, medical, emergency & fire protection plans**

**9207070396** Forwards insp rept 50-293/92-08 on 920505-0615.No violations noted.  
LINVILLE,J. Region 1 (Post 820201). 92/06/26. ANDERSON,R.A. Boston Edison Co. 3pp. 62270:309-62270:355.

**-9207070405** Insp rept 50-293/92-08 on 920505-0615.No violations noted. Major areas inspected:radiological controls,maint,security, safety assessment & quality verification.  
KELLY,E. Region 1 (Post 820201). 92/06/25. 40pp. 62270:312-62270:355.

**9207150035** Forwards insp rept 50-293/92-07 on 920527-29.Weakness noted in EOF,specifically,emergency director erroneously announced to EOF & Commonwealth of MA personnel that there was apparent fuel damage & fission product release in progress.  
JOYNER,J.H. Region 1 (Post 820201). 92/07/06. ANDERSON,R.A. Boston Edison Co. 3pp. 62335:046-62335:056.

**-9207150038** Insp rept 50-293/92-07 on 920527-29.Weakness noted.Major areas inspected:EP insp & observation of annual partial-participation & annual emergency exercise.  
LUSHER,J., MCCABE,E. Region 1 (Post 820201). 92/07/02. 8pp. 62335:049-62335:056.

**9207240174** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Thermo-Lag matl not installed at facility.  
BOULETTE,E.T. Boston Edison Co. 92/07/10. Document Control Branch (Document Control Desk). 2pp. 62528:264-62528:265.

**9207280297** Notification of significant licensee meeting 92-119 w/uttl on 920721 in Region I ofc to discuss review of security dept activities.  
LEW,D.C. Region 1 (Post 820201). 92/07/10. Region 1 (Post 820201). 3pp. 62497:214-62497:216.

**9207200188** Advises that response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys," adequate & complete.  
EATON,R.B. Project Directorate I-3. 92/07/15. ANDERSON,R.A. Boston Edison Co. 2pp. 62418:355-62418:356.

**H. General correspondence**

**9207160070** Comment supporting proposed rule 10CFR50 re receipt of byproduct & SNM.  
ANDERSON,R.A. Boston Edison Co. 92/07/10. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62375:086-62375:086.

**9207210243** Comment opposing draft rev 3 to reg guide 01.009.  
ANDERSON,R.A. Boston Edison Co. 92/07/10. Regulatory Publications Branch. 1p. 62421:227-62421:227.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9207060279** Rev 14 to Pilgrim Nuclear Power Station FSAR.W/920623 ltr.  
ANDERSON,R.A. Boston Edison Co. 92/06/30. 750pp. 62294:001-62295:092.

**P. Operating license stage documents & correspondence**

**9207080120** Final response to FOIA request for documents.App A documents encl & being made available in PDR.Porions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA,T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-8605190330** Summary of 860423-24 mgt meeting at Region III ofc re licensee performance,evaluation of plant discussions & fitness for duty.Task assignments & list of attendees encl.  
SNIEZEK,J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 86/05/13. DAVIS,J.G. Office of Nuclear Material Safety & Safeguards. 11pp. 62324:005-62324:015.



## 66 DOCKETED ITEMS

- 9207080152 Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting.  
STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.
- 9207080265 Provides details of discussion re Pilgrim during 871117 & 18 NRC senior managers meeting.Facility was categorized as requiring substantial improvement.  
STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. SWEENEY,S.J. Boston Edison Co. 2pp. 62324:029-62324:030.
- 9207080291 Summary of 880628-29 NRC senior mgt meeting.Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.
- 9207090050 Provides summary NRC discussions re Pilgrim at 880628 & 29 senior managers meeting.Facility was categorized as requiring substantial improvement.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. SWEENEY,S.J. Boston Edison Co. 12pp. 62324:059-62324:071.
- 9207090086 Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting.  
STELLO,V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.
- 9207090114 Provides Commission w/summary of discussions held at 890517- 18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting.Details withheld.  
STELLO,V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.
- 9207090267 Partially withheld summary of 861021-22 NRC mgt meeting.  
\* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.
- 9207100371 Provides Commission w/summary of discussions held at 900122- 23 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900215 Commission meeting.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/02/02. CARR Commissioners (Post 750119). 38pp. 62324:144-62324:182.
- 9207070003 Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity,consisting of NRC-approved insp program governed by procedures & end TS.  
ANDERSON,R.A. Boston Edison Co. 92/07/01. Document Control Branch (Document Control Desk). 9pp. 62269:160-62269:180.
- 9207070004 Proposed TS 3.6 & 4.6 re primary sys boundary,4.6A re thermal & pressurization limitations & Table 4.6.3 re reactor vessel matl surveillance withdrawal schedule.  
\* Boston Edison Co. 92/07/01. 12pp. 62269:169-62269:180.
- 9207140260 Approves response to GL 91-06, "Resolution of Generic Issue A-30, "Adequacy of Safety-Related DC Power Supplies."" TAC M81480 closed out.  
EATON,R.B. Project Directorate I-3. 92/07/08. ANDERSON,R.A. Boston Edison Co. 2pp. 62378:241-62378:242.
- 9207200249 Summary of 920701 meeting w/util in Rockville,MD re licensee understanding & methodology to support submittal of proposed amends concerning GL 91-04 & adding addl spent fuel racks to spent fuel pool.  
EATON,R.B. Project Directorate I-3. 92/07/13. Project Directorate I-3. 5pp. 62427:307-62427:312.
- 9207220310 Documents 920710 telcon re rescheduling of implementation of mods to panel C-7 per DCDR.Mods required on panel C-7 will not be completed until mid-cycle outage for refueling outage 1.0 due to complexity of mods.  
EATON,R.B. Project Directorate I-3. 92/07/13. ANDERSON,R.A. Boston Edison Co. 2pp. 62442:355-62442:356.
- 9207210170 Forwards amend 142 to license DPR-35 & safety evaluation. Amend revises surveillance interval for local leak rate testing of main steam isolation valves & personnel airlock door seals.  
EATON,R.B. Project Directorate I-3. 92/07/15. ANDERSON,R.A. Boston Edison Co. 4pp. 62438:250-62438:259.
- 9207210174 Amend 142 to license DPR-35, revising surveillance interval for local leak rate testing of main steam isolation valves & personnel airlock door seals.  
NERSES,V. Project Directorate I-3. 92/07/15. 4pp. 62438:254-62438:257.
- 9207210177 Safety evaluation supporting amend 142 to license DPR-35.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/15. 2pp. 62438:258-62438:259.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9207010034 Forwards reg guide 1.97 safety insp rept 50-293/92-06 on 920504-08.Staff determined that licensee had established program to meet recommendations of reg guide 1.97. Understands that program will be fully implemented in 1993.  
ANDERSON,C.J. Region 1 (Post 820201). 92/06/23. ANDERSON,R.A. Boston Edison Co. 4pp. 62143:041-62143:059.
- 9207010036 Reg guide 1.97 safety insp rept 50-293/92-06 on 920504-08. No violations noted.Major areas inspected:licensee implementation of reg guide 1.97,Rev 3, re post-accident monitoring instrumentation.  
CHEUNG,L. RULAND,W.H. Region 1 (Post 820201). 92/06/22. 14pp. 62143:045-62143:059.
- 9207080027 Forwards insp rept 50-293/92-11 on 920601-04.No violations noted.One unresolved item re missing QA vendor audit rept, noted.  
JOYNER,J.H. Region 1 (Post 820201). 92/06/25. ANDERSON,R.A. Boston Edison Co. 4pp. 62218:274-62218:285.
- 9207080031 Insp rept 50-293/92-11 on 920601-04.No violations noted.One unresolved item identified.Major areas inspected: organization changes,nuclear QA audits & surveillances & QC control insp repts,training & solid radwaste processing.  
NOGGLE,J., PASCIAK,W. Region 1 (Post 820201). 92/06/19. 8pp. 62218:278-62218:285.
- 9207070396 Forwards insp rept 50-293/92-08 on 920505-0615.No violations noted.  
LINVILLE,J. Region 1 (Post 820201). 92/06/26. ANDERSON,R.A. Boston Edison Co. 3pp. 62270:309-62270:355.
- 9207070405 Insp rept 50-293/92-08 on 920505-0615.No violations noted. Major areas inspected:radiological controls,maint,security, safety assessment & quality verification.  
KELLY,E. Region 1 (Post 820201). 92/06/25. 40pp. 62270:312-62270:355.
- 9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.
- 9207070003 Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity,consisting of NRC-approved insp program governed by procedures & end TS.  
ANDERSON,R.A. Boston Edison Co. 92/07/01. Document Control Branch (Document Control Desk). 9pp. 62269:160-62269:180.
- 9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.
- 9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.
- 9207150035 Forwards insp rept 50-293/92-07 on 920527-29.Weakness noted in EOF,specifically,emergency director erroneously announced to EOF & Commonwealth of MA personnel that there was apparent fuel damage & fission product release in progress.  
JOYNER,J.H. Region 1 (Post 820201). 92/07/06. ANDERSON,R.A. Boston Edison Co. 3pp. 62335:046-62335:056.
- 9207150038 Insp rept 50-293/92-07 on 920527-29.Weakness noted.Major areas inspected:EP insp & observation of annual partial- participation & annual emergency exercise.  
LUSHER,J., MCCABE,E. Region 1 (Post 820201). 92/07/02. 8pp. 62335:049-62335:056.
- 9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.
- 9207240174 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Thermo-Lag matl not installed at facility.  
BOULETTE,E.T. Boston Edison Co. 92/07/10. Document Control Branch (Document Control Desk). 2pp. 62528:264-62528:265.
- 9207200188 Advises that response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys," adequate & complete.  
EATON,R.B. Project Directorate I-3. 92/07/15. ANDERSON,R.A. Boston Edison Co. 2pp. 62418:355-62418:356.
- 9207230060 Forwards Erosion/Corrosion Monitoring Program Insp Rept 50-293/92-12 on 920608-12,per licensee commitments & procedures to address Generic Ltr 89-08.Erosion/corrosion program & program implementation satisfactory & effective.  
ANDERSON,C.J. Region 1 (Post 820201). 92/07/17. ANDERSON,R.A. Boston Edison Co. 3pp. 62482:252-62482:261.
- 9207230064 Insp Rept 50-293/92-12 on 920608-12.Engineering staff responsible for erosion/corrosion program well qualified. Major areas inspected:erosion/corrosion (E/C) & long-term E/C monitoring program,per Generic Ltr 89-08.  
PATNAIK,P., MCBREARTY,R.A., GRAY,E.H. Region 1 (Post 820201). 92/07/17. 7pp. 62482:255-62482:261.
- 9207280028 Ack receipt of 920604 ltr informing NRC of steps taken to correct violations noted in insp rept 50-293/92-08.  
ANDERSON,C.J. Region 1 (Post 820201). 92/07/20. ANDERSON,R.A. Boston Edison Co. 3pp. 62488:013-62488:021.
- 9207300063 Forwards safety insp rept 50-293/92-13 on 920622-26.No violations noted.Mobile Lab was brought to site to make independent measures.  
JOYNER,J.H. Region 1 (Post 820201). 92/07/22. ANDERSON,R.A. Boston Edison Co. 4pp. 62528:065-62528:085.
- 9207300069 Safety insp rept 50-293/92-13 on 920622-26.No violations noted.Major areas inspected:confirmatory measurements- radiological,standards analyses-chemistry & Lab QA/QC.  
MCNAMARA,N. Region 1 (Post 820201). 92/07/22. 17pp. 62528:069-62528:085.
- 9207310219 Forwards Audit 92050S, "Scientific Ecology Group Supplier Implementation & Qualification," performed by utils under auspices of NRC Procurement Issues Committee,per NRC insp Rept 50-293/92-11.  
ANDERSON,R.A. Boston Edison Co. 92/07/24. Document Control Branch (Document Control Desk). 2pp. 62638:168-62638:180.
- 9207310221 Audit 92050S, "Scientific Ecology Group Supplier Implementation & Qualification," conducted on 920324-27.  
RYAN,J.C. Pacific Gas & Electric Co. GLIVINSKI,D.L. Portland General Electric Co. BARKER,A.R. American Electric Power Co., Inc. 92050S. 92/05/05. 11pp. 62638:170-62638:180.
- R. Periodic operating reports & related correspondence**
- 9207010319 "Rept of Changes,Tests & Experiments for Pilgrim Nuclear Power Station for 1991." W/920626 ltr.  
WAGNER,E.J. Boston Edison Co. 91/12/31. 7pp. 62234:091-62234:097.
- 9207150139 Monthly operating rept for June 1992 for Pilgrim 1.W/920714 ltr.  
MUNRO,W., BOULETTE,E.T. Boston Edison Co. 92/06/30. 8pp. 62409:335-62409:342.

9207220183 "NPDES Discharge Monitoring Rept for June 1992 for Pilgrim Nuclear Power Station," W/920716 ltr.  
WAGNER,E.J. Boston Edison Co. 92/06/30. 10pp. 62473:340-62473:349.

9207100266 Forwards annual rept of changes to QA program description for Jul 1991 to June 1992.  
ANDERSON,R.A. Boston Edison Co. 92/07/03. Document Control Branch (Document Control Desk). 11pp. 62365:004-62365:014.

#### S. Reportable occurrences, LERs & related correspondence

9207070146 Special rept on 920601, fire water supply sys diesel fire pump declared inoperable for maint. Caused by failure of manifold. Replacement manifold repaired & pump declared operable on 920616.  
ANDERSON,R.A. Boston Edison Co. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62267:355-62267:356.

9207210320 LER 91-014-01 on 910627, determined that one Dresser main steam relief valve not within TS 3.6.D.1 limits. Caused by setpoint drift. Valve refurbished, retested & verified to within TS limits. W/920716 ltr.  
GAY,R.A., ANDERSON,R.A. Boston Edison Co. 92/07/16. 7pp. 62481:001-62481:007.

9207240022 LER 92-007-00 on 920618, during quarterly functional test, RCIC sys made inoperable per TS due to loose temp switch terminal. Caused by repeated torquing of terminal screw. Circuitry to be changed for frequent calibr. W/920717 ltr.  
ELLIS,D.W., ANDERSON,R.A. Boston Edison Co. 92/07/17. 6pp. 62587:117-62587:122.

#### DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9207020119 Change request A-92-0812 to rev 2, EPIP 180-2, "TSC Environ Director."  
Commonwealth Edison Co. 92/06/13. 13pp. 62219:246-62219:258.

9207020125 Change request A-92-0813 to rev 1, EPIP 180-4, "TSC ODCS Specialist."  
Commonwealth Edison Co. 92/06/13. 15pp. 62219:259-62219:273.

9207020264 Forwards Rev 29 to security plan. Rev withheld (ref 10CFR73.21).  
KOVACH,T.J. Commonwealth Edison Co. 92/06/23. Document Control Branch (Document Control Desk). 1p. 62425:354-62425:354.

9207020174 Change request 0-92-060 to rev 1, EPIP 340-1, "Core Damage Assessment."  
Commonwealth Edison Co. 92/06/24. 28pp. 62219:274-62219:301.

9207060010 Forwards "Zion Station Updated FSAR, Vols 1-6."  
STIMAC,S.F. Commonwealth Edison Co. 92/06/25. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 300pp. 62345:001-62355:005.

9207060031 App 2E, "Site Airborne Effluent Diffusion & Record of Meteorological Monitoring for Period of May 1971 - Apr 1972," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 87pp. 62347:121-62347:209.

9207020166 Change request A-92-0811 to rev 1, EPIP 180-1, "Radiation Protection Director."  
Commonwealth Edison Co. 92/06/26. 17pp. 62224:312-62224:328.

9207150204 Rev 7A to "Nuclear Generating Station Emergency Plan."  
JOHNSON,I.M., REED,C. Commonwealth Edison Co. 92/07/01. 38pp. 62405:257-62405:294.

9207200027 Ack receipt of 920622 ltr re request to change date of Zion stations emergency preparedness exercise to 920630. Proposed date change acceptable.  
McCORMICK-BARGE Region 3 (Post 820201). 92/07/10. REED,C. Commonwealth Edison Co. 2pp. 62447:354-62447:355.

9207220359 Change Request A-92-0904 to EPIP 320-1, "Activation of GSEP Station Group," updating GSEP participants names & telephone numbers to reflect quarterly update to callout list.  
Commonwealth Edison Co. 92/07/13. 10pp. 62474:328-62474:337.

9207280013 Ack receipt of 920623 ltr transmitting Rev 29 to security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable except for listed conflicts in security plan, including retention of records re access authorization.  
PEDERSON,C.D. Region 3 (Post 820201). 92/07/15. KOVACH,T.J. Commonwealth Edison Co. 2pp. 62562:346-62562:347.

9207310171 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities. Compensatory measures implemented.  
JACKSON,M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

9207060010 Forwards "Zion Station Updated FSAR, Vols 1-6."  
STIMAC,S.F. Commonwealth Edison Co. 92/06/25. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 300pp. 62345:001-62355:005.

9207060013 "Zion Station FSAR, Vols 1-6."  
Commonwealth Edison Co. 92/06/30. 3,600pp. 62346:032-62346:200.

9207060015 Chapter 1, "Introduction & General Description of Plant," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 300pp. 62346:201-62346:310.

9207060016 App 1A, "Compliance to AEC Safety Guides," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 36pp. 62346:311-62346:346.

9207060019 Chapter 2, "Site Characteristics," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/25. 200pp. 62346:347-62347:105.

9207060022 App 2A, "Study of Probability of Aircraft Using Waukegan Memorial Airport Hitting Zion Station," to Zion Station Units 1 & 2 updated FSAR.  
PLG, Inc. (formerly Pickard, Lowe & Garrick, Inc.). 92/06/30. 1p. 62347:106-62347:106.

9207060024 App 2B, "Potential Effects of Aircraft Impact & Post-Crash Fires on Zion Station," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 1p. 62347:107-62347:107.

9207060028 App 2C, "Five-Year Stability Data (WINDIF) for Chicago & Milwaukee," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 9pp. 62347:108-62347:116.

9207060030 App 2D, "Six Month Stability Data for Zion Power Station," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 4pp. 62347:117-62347:120.

9207060031 App 2E, "Site Airborne Effluent Diffusion & Record of Meteorological Monitoring for Period of May 1971 - Apr 1972," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 87pp. 62347:121-62347:209.

9207060034 Chapter 3, "Design of Structures, Components, Equipment & Sys," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 450pp. 62347:210-62348:204.

9207060037 App 3A, "Analysis of Effects of Main Steam or Feedwater Pipe Break Outside Containment," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 68pp. 62348:205-62348:272.

9207060038 App 3B, "Analysis of Effects of Break in Other High Energy Fluid Piping Sys Outside Containment," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 38pp. 62348:273-62348:310.

9207060040 App 3C, "Sample Result of Simplified Seismic Analysis," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 8pp. 62348:311-62348:319.

9207060058 Chapter 4, "Reactor," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 200pp. 62348:320-62349:115.

9207060064 App 4A, "Fuel Densification - Zion Station Unit 1," to Zion Station Unit 1 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 67pp. 62349:116-62349:182.

9207060068 Chapter 5, "RCS & Connected Sys," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 200pp. 62349:183-62350:022.

9207060070 App 5A, "Criteria for Vessels & Piping Within RCS Pressure Boundary," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 15pp. 62350:023-62350:037.

9207060072 App 5B, "Determination of Reactor Pressure Vessel NDTT," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 10pp. 62350:038-62350:047.

9207060074 App 5C, "Investigation of Indications Revealed by Ultrasonic Base Line Insp of Zion 1 Reactor Vessel 610-0144-51," to Zion Station Unit 1 updated FSAR.  
BUSKEY,W.C., BARNES,I., WALTON,G.A. Commonwealth Edison Co. 92/06/30. 104pp. 62350:048-62350:152.

9207060084 Chapter 6, "ESF," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 200pp. 62350:153-62350:331.

9207060091 App 6A, "Thermal Recombiner Demonstration Test," to Zion Station Units 1 & 2 updated FSAR.  
HENRIE,J.O. Atomics International. 92/06/30. 14pp. 62350:332-62350:345.

9207060093 App 6B, "Iodine Removal Effectiveness Evaluation of Containment Spray Sys," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 12pp. 62350:346-62350:357.

9207060095 App 6C, "NRC Related Commitments & Regulations for Zion Auxiliary Feedwater Sys," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 3pp. 62350:358-62350:360.

9207060096 Chapter 7, "Instrumentation & Controls," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 200pp. 62351:001-62351:199.

9207060099 Chapter 8, "Electric Power," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 47pp. 62351:200-62351:248.

9207060104 Chapter 9, "Auxiliary Sys," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 400pp. 62351:249-62352:176.

9207060106 App 9A, "Swinging Spent Fuel Cask Accident Analysis," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 10pp. 62352:177-62352:186.

9207060108 Chapter 10, "Steam & Power Conversion Sys," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 45pp. 62352:187-62352:231.

9207060112 App 10A, "Rept Covering Effects of High Pressure Turbine Rotor Fracture & Low Pressure Turbine Disc Fractures at Design Overspeed," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 16pp. 62352:232-62352:247.

9207060113 App 10B, "SER SG Water Hammer Zion Generating Station Units 1 & 2 Sept 1979," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 5pp. 62352:248-62352:252.

9207060114 App 10C, "SG Water Hammer Technical Evaluation Zion Units 1 & 2 Mar 1979 EG&G Idaho, Inc. Revised 790515," to Zion Station Units 1 & 2 updated FSAR.  
Commonwealth Edison Co. 92/06/30. 17pp. 62352:253-62352:269.



## 68 DOCKETED ITEMS

- 9207060116 Chapter 11, "Radwaste Mgt." to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 175pp. 62352:270-62353:032.
- 9207060117 Chapter 12, "Radiation Protection," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 32pp. 62353:033-62353:064.
- 9207060119 Chapter 13, "Conduct of Operations," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 30pp. 62353:065-62353:094.
- 9207060124 Chapter 14, "Initial Test Program," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 43pp. 62353:095-62353:138.
- 9207060126 Chapter 15, "Safety Analysis," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 500pp. 62353:139-62354:221.
- 9207060129 App 15A, "Various Aspects of ECCS Performance," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 76pp. 62354:222-62354:297.
- 9207060130 App 15B, "Radiation Sources," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 20pp. 62354:298-62354:317.
- 9207060132 Chapter 16, "Tech Specs," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 46pp. 62354:318-62355:002.
- 9207060133 Chapter 17, "QA," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 3pp. 62355:003-62355:005.

### P. Operating license stage documents & correspondence

- 9207080120 Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.
- 9207090237 Provides Commission w/summary of discussions held at 910108-09 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 910124 Commission meeting. Details withheld.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/01/17. CARR Commissioners (Post 750119). 36pp. 62324:218-62324:253.
- 9207090248 Provides summary of discussions held at 910604-05 NRC senior mgt meeting & ltrs to be sent to licensees of plants on problem plant list that will be discussed at 910620 Commission meeting. Details withheld.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/06/14. CARR Commissioners (Post 750119). 42pp. 62324:254-62324:297.
- 9207020123 Advises that rept BAW-2148P, rev 1 "Low Upper-Shelf Toughness Fracture Analysis of Reactor Vessels of Zion Units 1 & 2 for Load Level A & B Conditions," will be withheld from public disclosure, per 920511 request.  
PATEL, C.P. Project Directorate III-2. 92/06/22. KOVACH, T.J. Commonwealth Edison Co. 4pp. 62183:355-62183:358.
- 9207020284 Responds to 920212 staff requirements memo re performance of util plants.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. SECY-92-228. 92/06/25. 18pp. 62465:207-62465:224.
- 9207070078 Forwards amends 139 & 128 to licenses DPR-39 & DPR-48, respectively & safety evaluation. Amends revise TS to support use of vantage 5 fuel, in combination w/OFA core.  
PATEL, C.P. Project Directorate III-2. 92/06/26. KOVACH, T.J. Commonwealth Energy System. 2pp. 62235:001-62235:117.
- 9207070093 Amends 139 & 128 to licenses DPR-39 & DPR-48, respectively. Amends revise TS to support use of vantage 5 fuel, in combination w/OFA core.  
BARRETT, R.J. Project Directorate III-2. 92/06/26. 98pp. 62235:003-62235:103.
- 9207070100 Safety evaluation supporting amends 139 & 128 to licenses DPR-39 & DPR-48, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/26. 14pp. 62235:104-62235:117.
- 9207090357 Discusses 920615-16 meeting re plants categorized as requiring close monitoring & have been identified as having weaknesses that warrant increased NRC attention from both Headquarters & Regional ofc until performance improves.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/30. O'CONNOR, J.J. Commonwealth Edison Co. 4pp. 62269:298-62269:299.
- 9207070068 Submits supplemental info for 920507 amend to licenses DPR-19, DPR-25, DPR-29, DPR-30, DPR-39, DPR-48, NPF-11, NPF-18, NPF-37, NPF-66, NPF-72 & NPF-77, per NRC request. Revised TS re rev of onsite review of procedures encl.  
SIMPSON, T.W. Commonwealth Edison Co. 92/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 62267:020-62267:089.
- 9207070089 Supplemental proposed tech specs proposing to change administrative controls sections of TS, submitted as supplement to original request w/info necessary to complete review.  
\* Commonwealth Edison Co. 92/07/01. 49pp. 62267:041-62267:089.
- 9207100263 Forwards B&W Rept BAW-2167, dtd June 1992 entitled, "Response to GL 92-01 for Commonwealth Edison Co Byron Units 1 & 2, Braidwood Units 1 & 2 & Zion Units 1 & 2," in response to GL 92-01, Rev 1 & GL 88-11.  
JACKSON, M.A. Commonwealth Edison Co. 92/07/02. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 62365:156-62365:240.
- 9207100291 "Response to GL 92-01 for Commonwealth Edison Co Byron Units 1 & 2, Braidwood Units 1 & 2 & Zion Units 1 & 2."  
\* Babcock & Wilcox Co. BAW-2167. 92/06/30. 78pp. 62365:159-62365:240.

9207170195 Application for amends to Licenses DPR-39 & DPR-48, revising Specs 3/4.3.1.F & 3/4.3.2.G to address concerns in Generic Ltr 90-06, "Resolution of Generic Issue 70, 'PORV & Block Valve Reliability & Generic Issue 94, 'Add Low...'"  
STIMAC, S.F. Commonwealth Edison Co. 92/07/08. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 62436:123-62436:172.

-9207170196 Proposed TS 3/4.3.1.F & 3/4.3.2.G re PORVs & block valves.  
\* Commonwealth Edison Co. 92/07/08. 37pp. 62436:136-62436:172.

9207220199 Notification of 920724 meeting w/util in Rockville, MD to discuss emergency diesels, radiation exposure & technical staff qualifications.  
PATEL, C.P. Project Directorate III-2. 92/07/14. BARRETT, R.J. Project Directorate III-2. 3pp. 62453:335-62453:337.

9207290144 Confirms plans to hold meeting on 920724 to discuss recent util organizational decisions.  
GREENMAN, E.G. Region 3 (Post 820201). 92/07/22. REED, C. Commonwealth Edison Co. 2pp. 62506:182-62506:183.

9207300136 Forwards SSE accepting licensee response to SBO subj to satisfactory resolution of listed deficiencies.  
PATEL, C.P. Project Directorate III-2. 92/07/22. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62580:336-62580:345.

-9207300141 Supplemental SE accepting licensee response to SBO.  
PATEL, C.P. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/22. 8pp. 62580:338-62580:345.

### Q. Inspection reports, IE Bulletins & correspondence

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/28. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207270303 Suppls 890411 response to violations noted in Insp Repts 50-295/89-04 & 50-304/89-04. Scheduled completion date for testing remaining Unit 1, Category 2 & Category 3 relay contacts extended until Apr 1994.  
KOVACH, T.J. Commonwealth Edison Co. 92/06/29. DAVIS, A.B. Region 3 (Post 820201). 2pp. 62528:154-62528:155.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207140199 Responds to NRC 920610 ltr re violations noted in insp repts 50-295/92-09 & 50-304/92-09. Corrective actions: problem identification form generated to investigate & provide trending data on failure of four kV breaker to close.  
KOVACH, T.J. Commonwealth Edison Co. 92/07/10. Document Control Branch (Document Control Desk). 8pp. 62385:315-62385:320.

9207310171 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities. Compensatory measures implemented.  
JACKSON, M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

### R. Periodic operating reports & related correspondence

9207170273 Monthly operating repts for June 1992 for Zion Generating Station, Units 1 & 2 w/920714 ltr.  
HERRON, R., JOYCE, T.P. Commonwealth Edison Co. 92/06/30. 13pp. 62440:309-62440:321.

### V. Operator Examinations

9207090280 Forwards exam answer key for forms A & B, grading results for facility & individual answer sheets for each applicant taking exams for facility, per 920610 generic fundamentals exam at facility. All candidates passed exam.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Commonwealth Edison Co. 48pp. 62268:001-62268:048.

9207310032 Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit list of names of candidates for exam to appropriate NRC regional administrator.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/26. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

### DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

### F. Security, medical, emergency & fire protection plans

9207010056 Forwards partially withheld insp repts 50-259/92-20, 50-260/92-20 & 50-296/92-20 on 920511-15. No violations or deviations noted.  
COLLINS, D.M. Region 2 (Post 820201). 92/06/24. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62143:149-62143:153.

—9207010065 Partially withheld insp repts 50-259/92-20,50-260/92-20 & 50-296/92-20.No violations noted.Details withheld ref 10CFR73.21.Major areas inspected:security plan & procedures, mgt effectiveness,security organization & program audit.  
STANSBERRY,W.W. Region 2 (Post 820201). 92/06/24. 1p. 62143:153-62143:153.

9207300245 Revised EIPs,including Rev 13 to EIP-1, "Emergency Plan Classification Logic," Rev 13 to EIP-3, "Alert," Rev 12 to EIP-4, "Site Area Emergency," Rev 13 to EIP-5, "General Emergency" & rev to EIP-17, "Emergency...." W/920717 ltr.  
BARON,R.R. Tennessee Valley Authority. 92/07/17. 68pp. 62593:223-62593:289.

9207210213 Forwards Revs 28 & 19 to physical security/contingency plans,respectively.Revs withheld (ref 10CFR73.21).  
BURZYNSKI,M.J. Tennessee Valley Authority. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62467:358-62467:359.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

9207240212 Forwards Amend 9 to updated FSAR for Browns Ferry Nuclear Plant.Committments completed in Amend 9 include,FSAR logic diagrams,Diagrams updated,as necessary.  
ZERINGUE,O.J. Tennessee Valley Authority. 92/07/22. Document Control Branch (Document Control Desk). 5pp. 62540:001-62543:312.

—9207240215 Amend 9 to updated FSAR for Browns Ferry Nuclear Plant.  
\* Tennessee Valley Authority. 92/07/22. 1,400pp. 62540:006-62543:312.

#### P. Operating license stage documents & correspondence

9207080120 Final response to FOIA request for documents.App A documents encl & being made available in PDR.Porions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA,T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

—9207080152 Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting.  
STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.

—9207080200 Provides details of discussions re Browns Ferry & Sequoyah during 871117 & 18 NRC senior managers meeting.Plants were categorized as requiring substantial improvement.  
STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. WHITE,S.A. Tennessee Valley Authority. 2pp. 62324:023-62324:024.

—9207080291 Summary of 880628-29 NRC senior mgt meeting.Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.

—9207080356 Provides summary of NRC discussions re Browns Ferry & Sequoyah during 880628 & 29 senior managers meeting.Browns Ferry & Sequoyah Unit 1 were categorized as requiring substantial improvement & Unit,close monitoring.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. WHITE,S.A. Tennessee Valley Authority. 2pp. 62324:055-62324:056.

—9207080086 Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting.  
STELLO,V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.

—9207090114 Provides Commission w/summary of discussions held at 890517- 18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting.Details withheld.  
STELLO,V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

—9207090146 Provides Commission w/summary of discussions held at 900612- 13 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900627 Commission meeting. Portions of discussion summary partially withheld.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/06/21. CARR Commissioners (Post 750119). 34pp. 62324:183-62324:217.

—9207090237 Provides Commission w/summary of discussions held at 910108- 09 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 910124 Commission meeting. Details withheld.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/01/17. CARR Commissioners (Post 750119). 36pp. 62324:218-62324:253.

—9207090248 Provides summary of discussions held at 910604-05 NRC senior mgt meeting & ltrs to be sent to licensees of plants on problem plant list that will be discussed at 910620 Commission meeting.Details withheld.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/06/14. CARR Commissioners (Post 750119). 42pp. 62324:254-62324:297.

—9207090267 Partially withheld summary of 861021-22 NRC mgt meeting.  
\* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.

—9207100371 Provides Commission w/summary of discussions held at 900122- 23 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900215 Commission meeting.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/02/02. CARR Commissioners (Post 750119). 38pp. 62324:144-62324:182.

9207020148 Summary of 920211 meeting w/util to discuss planned work activities in Units 1 & 2.  
WILSON,B.A. Region 2 (Post 820201). 92/06/15. MEDFORD,M.O. Region 2 (Post 820201). 10pp. 62249:029-62249:038.

9207060086 Discusses plant implementation schedule for generic ltr 89-10.  
ROSS,T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/06/30. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 62204:206-62204:208.

9207090339 Discusses 920615-16 meeting re BFNP as having weaknesses that warrant increased NRC attention until improvement demonstrated & remain in category of plants that require NRC authorization to operate.NRC meeting scheduled for 920702.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/30. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 62269:308-62269:311.

9207080128 Discusses review of response to generic ltr 88-20,suppl 4 re individual plant exams for external events.Until 911220 submittal did not identify methods for performing seismic portion of IPEEE.

ROSS,T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/02. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 62243:303-62243:306.

9207130075 Forwards TS 314 to Licenses DPR-33 & DPR-68,changing TS to support upgrade for switches used in RHR sys to prevent intersystem LOCA.Setpoint values based on Unit 2 calculations.  
BARON,R.R. Tennessee Valley Authority. 92/07/02. Document Control Branch (Document Control Desk). 3pp. 62366:191-62366:211.

—9207130077 Proposed TS Table 4.2.A, "Surveillance Requirements for Primary Containment & Reactor Bldg Isolation Instrumentation" & Table 4.2.B, "Surveillance Requirements for Instrumentation That Initiates or Controls CSCS."  
\* Tennessee Valley Authority. 92/07/02. 18pp. 62366:194-62366:211.

9207140296 Forwards operational readiness program & info re corrective action for tracking documents per employee concerns program & employee concerns special program.  
ZERINGUE,O.J. Tennessee Valley Authority. 92/07/06. Document Control Branch (Document Control Desk). 34pp. 62384:271-62384:304.

9207090177 Forwards response to Generic ltr 92-01, "Reactor Vessel Structural Integrity." NUMARC recommended response guidelines utilized to extent practical.  
SHELL,R.H. Tennessee Valley Authority. 92/07/07. Document Control Branch (Document Control Desk). 48pp. 62341:201-62341:248.

9207150279 Notification of 920715 meeting w/util in Rockville,MD re facility RPV exams.  
WILLIAMS,J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/08. MURLEY,T. MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 3pp. 62378:267-62378:269.

9207160304 Forwards SE accepting criteria for lower drywell steel platforms & miscellaneous steel,Requests listed addl info.  
WILLIAMS,J.F. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/13. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 62396:025-62396:032.

—9207160305 Safety evaluation accepting design criteria for lower drywell steel platforms & miscellaneous steel.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/13. 5pp. 62396:028-62396:032.

9207220275 Summary of 920528 meeting w/licensee in Rockville,MD re program initiative to upgrade current analog control sys w/digital control sys.  
ROSS,T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/16. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 12pp. 62501:346-62501:357.

9207220351 Summary of 920528 meeting w/util to discuss util plans for conducting expanded individual plant exam.Attendees listed in encl 1.  
ROSS,T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/16. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 16pp. 62445:237-62445:252.

9207230156 Forwards safety evaluation of seismic design criteria for heating ventilation & air conditioning.  
ROSS,T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/16. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 62479:013-62479:022.

—9207230163 Safety evaluation accepting proposed HVAC seismic design criteria.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/16. 7pp. 62479:016-62479:022.

9207230229 Accepts 920430 response to generic ltr 91-11, "Resolution of Generic Issues 48, 'LCOs for Class IE Vital Instrument Buses,' & 49, 'Interlocks & LCOs for Class IE Tie Breakers,' per 10CFR50.54(f)."  
ROSS,T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/16. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 62478:316-62478:318.

9207240165 Responds to NRC 920103 SER of inservice testing program relief requests.Advises that Relief Request PV-36 re increase in stroke time from ref value instead of stroke time of previous test implemented at facilities.  
BARON,R.R. Tennessee Valley Authority. 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62515:359-62515:360.

9207240138 Forwards plans for resolution of thermal growth issue in response to verbal agreements reached during meeting on 920430.  
ZERINGUE,O.J. Tennessee Valley Authority. 92/07/20. Document Control Branch (Document Control Desk). 5pp. 62515:285-62515:289.

9207270008 TS 310 to Licenses DPR-33,DPR-52 & DPR-68,changing TS to eliminate use of rod sequence control sys & decreasing power level setpoint above which rod worth minimizer no longer required.  
ZERINGUE,O.J. Tennessee Valley Authority. 92/07/20. Document Control Branch (Document Control Desk). 3pp. 62516:199-62516:266.

—9207270010 Proposed TS Table 3.2.C re instrumentation that initiates rod blocks,4.2.C re surveillance requirements for instrumentation that initiate rod blocks & LCO 4.3.A.2 re reactivity margin - inoperable control rods.  
\* Tennessee Valley Authority. 92/07/20. 65pp. 62516:202-62516:266.

9207300132 Forwards comments on util expanded approach to IPE process as described in 920207 submittal & subsequently discussed at 920528 meeting.Accepts util commitment to submit summary rept of expanded PRA results.  
ROSS,T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/22. MEDFORD,M.O. Tennessee Valley Authority. 6pp. 62580:330-62580:335.

## 70 DOCKETED ITEMS

**9207290133** Application for amends to licenses DPR-33,DPR-52 & DPR-68, consisting of TS Change TVA-BFN-TS-316, revising TS Section 3.2/4.2 by upgrading reactor & refuel zone radiation monitoring sys.  
ZERLINGUE, O.J. Tennessee Valley Authority. 92/07/23. Document Control Branch (Document Control Desk). 3pp. 62567:039-62567:098.

**-9207290145** Proposed tech specs re upgrade to Reactor and Refuel Zone Radiation Monitoring Sys.  
\* Tennessee Valley Authority. 92/07/23. 57pp. 62567:042-62567:098.

**9207310124** Concludes that technical rationale provided by util to justify operability of unit 2 brand rex cables for one more fuel cycle acceptable, per NUREG-1232, vol 3, suppl 2.  
ROSSI, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/24. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62585:354-62585:356.

### Q. Inspection reports, IE Bulletins & correspondence

**9207020061** Ack receipt of 920601 ltr informing NRC of steps taken to correct violations noted in insp rept 50-259/92-11, 50-260/92-11 & 50-296/92-11.  
WILSON, B.A. Region 2 (Post 820201). 92/06/12. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62234:273-62234:275.

**9207020173** Forwards Insp Repts 50-259/92-16, 50-260/92-16 & 50-296/92-16 on 920511-15. No violations or deviations noted.  
CLINE, W.E. Region 2 (Post 820201). 92/06/15. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62249:001-62249:015.

**-9207020182** Insp Repts 50-259/92-16, 50-260/92-16 & 50-296/92-16 on 920511-15. No violations or deviations noted. Major areas inspected: semi-annual radiological effluent repts, annual environ monitoring repts, solid radwaste & shipping.  
GLOERSEN, W.B., DECKER, T.R. Region 2 (Post 820201). 92/06/08. 10pp. 62249:004-62249:015.

**9207010328** Forwards insp repts 50-259/92-15, 50-260/92-15 & 50-296/92-15 on 920420-24, 0504-08 & 0518-22 & notice of violation.  
GIBSON, A.F. Region 2 (Post 820201). 92/06/18. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62202:218-62202:267.

**-9207010340** Notice of violation from insp on 920420-0522. Violation noted: licensee failed to adequately implement design requirements in switchyard operating procedure 6055 & general operating procedure 0-G01-3001.  
\* Region 2 (Post 820201). 92/06/17. 2pp. 62202:222-62202:223.

**-9207010346** Insp repts 50-259/92-15, 50-260/92-15 & 50-296/92-15 on 920420-24, 0504-08 & 0518-22. Violations noted. Major areas inspected: design of electrical sys & related engineering & maintenance activities.  
BRESLAU, B., JULIAN, C. Region 2 (Post 820201). 92/06/17. 44pp. 62202:224-62202:267.

**9207010056** Forwards partially withheld insp repts 50-259/92-20, 50-260/92-20 & 50-296/92-20 on 920511-15. No violations or deviations noted.  
COLLINS, D.M. Region 2 (Post 820201). 92/06/24. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62143:149-62143:153.

**-9207010065** Partially withheld insp repts 50-259/92-20, 50-260/92-20 & 50-296/92-20. No violations noted. Details withheld ref 10CFR73.21. Major areas inspected: security plan & procedures, mgt effectiveness, security organization & program audit.  
STANSBERRY, W.W., MCGUIRE, D.R. Region 2 (Post 820201). 92/06/24. 1p. 62143:153-62143:153.

**9208230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070319** Responds to violations noted in Insp Repts 50-259/92-12, 50-260/92-12 & 50-296/92-12. Corrective actions: design control of site telecommunications subcontractor initiated.  
BARON, R.R. Tennessee Valley Authority. 92/06/29. Document Control Branch (Document Control Desk). 2pp. 62273:353-62273:354.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140061** Ack receipt of 920518 & 0629 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-259/92-12, 50-260/92-12 & 20-296/92-12.  
JOHNSON, J.R. Region 2 (Post 820201). 92/07/02. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62299:254-62299:256.

**9207140064** Forwards insp repts 50-259/92-21, 50-260/92-21 & 50-296/92-21 on 920516-0616 & notice of violation.  
WILSON, B.A. Region 2 (Post 820201). 92/07/02. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62299:296-62299:323.

**-9207140100** Notice of violation from insp on 920516-0616. Violation noted: requirements were not met for dispositioning listed examples of measuring & testing equipment nonconformance packages.  
\* Region 2 (Post 820201). 92/07/02. 2pp. 62299:300-62299:301.

**-9207140102** Insp repts 50-259/92-21, 50-260/92-21 & 50-296/92-21 on 920516-0616. Violations noted. Major areas inspected: maint observation, operational safety verification, measuring & test equipment program & restart activities.  
PATTERSON, C.A., KELLOGG, P.J. Region 2 (Post 820201). 92/06/30. 20pp. 62299:302-62299:323.

**9207270117** Forwards insp repts 50-259/92-19, 50-260/92-19 & 50-296/92-19 on 920518-22. No violations or deviations noted.  
JULIAN, C.A. Region 2 (Post 820201). 92/07/06. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62476:054-62476:067.

**-9207270121** Insp repts 50-259/92-19, 50-260/92-19 & 50-296/92-19 on 920518-22. No violations or deviations noted. Major areas inspected: large/small bore piping, tube track steel, platform steel & pipe stress calculation.  
CHOU, R.C., BLAKE, J.J. Region 2 (Post 820201). 92/07/01. 10pp. 62476:058-62476:067.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207240149** Responds to NRC 920618 ltr re violations noted in Electrical Distribution Sys Functional Insp Repts 50-259/92-15, 50-260/92-15 & 50-296/92-15 on 920420-0522. Corrective actions: plant procedures revised.  
ZERLINGUE, O.J. Tennessee Valley Authority. 92/07/20. Document Control Branch (Document Control Desk). 16pp. 62505:346-62505:361.

### R. Periodic operating reports & related correspondence

**9207010035** "ADEM Discharge Monitoring Rept for May 1992."  
LOUDERMILK, A. Tennessee Valley Authority. 92/05/31. 9pp. 62234:041-62234:049.

**9207160157** Monthly operating repts for June 1992 for Browns Ferry Nuclear Plant/W/ 920713 ltr.  
RATLIFF, S.A., BARON, R.R. Tennessee Valley Authority. 92/06/30. 13pp. 62415:339-62415:351.

### DOCKET 50-297 NORTH CAROLINA STATE UNIV. PULSTAR REACTOR

#### F. Security, medical, emergency & fire protection plans

**9207010207** Confirms meeting arrangements w/util at facility on 920715 to discuss status of research reactor safety program & other items of mutual interest. Proposed meeting agenda encl.  
STOHR, J.P. Region 2 (Post 820201). 92/06/22. PEREZ, P.B. North Carolina State Univ., Raleigh, NC. 3pp. 62233:352-62233:355.

#### P. Operating license stage documents & correspondence

**9207010172** Notification of significant licensee meeting w/util on 920715 to discuss status of reactor safety program at facility & other items of mutual interest.  
COLLINS, D.M. Region 2 (Post 820201). 92/06/22. Region 2 (Post 820201). 2pp. 62233:360-62233:361.

**9207010207** Confirms meeting arrangements w/util at facility on 920715 to discuss status of research reactor safety program & other items of mutual interest. Proposed meeting agenda encl.  
STOHR, J.P. Region 2 (Post 820201). 92/06/22. PEREZ, P.B. North Carolina State Univ., Raleigh, NC. 3pp. 62233:352-62233:355.

**9207290015** Notification of significant licensee meeting w/licensee on 920903 to discuss status of reactor safety program at facility & other items of mutual interest.  
COLLINS, D.M. Region 2 (Post 820201). 92/07/17. Region 2 (Post 820201). 2pp. 62506:004-62506:005.

### DOCKET 50-298 COOPER NUCLEAR STATION

#### F. Security, medical, emergency & fire protection plans

**9207220373** Forwards PDR version of revised EPIPs including Rev 18 to EPIP 5.7.6, "Notifications" & Rev 13 to EPIP 5.7.22, "Communications." W/920715 release memo.  
HORN, G.R. Nebraska Public Power District. 92/06/22. Document Control Branch (Document Control Desk). 1p. 62454:001-62454:029.

**-9207220380** PDR version of revised EPIPs, including Rev 18 to EPIP 5.7.6, "Notifications" & Rev 13 to EPIP 5.7.22, "Communications."  
KRUMLAND, K.M., MACE, E.M. Nebraska Public Power District. 92/06/22. 27pp. 62454:004-62454:029.

**9207070129** Advises that 920427 rev 28 to plant safeguards plan is consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.  
BEACH, A.B. Region 4 (Post 820201). 92/07/02. HORN, G.R. Nebraska Public Power District. 3pp. 62205:282-62205:287.

**9207240038** Ack receipt of 920622 ltr transmitting objectives for upcoming EP exercise. Informes that objectives appear reasonable & staff has no significant comments.  
BEACH, A.B. Region 4 (Post 820201). 92/07/20. HORN, G.R. Nebraska Public Power District. 4pp. 62456:144-62456:148.

**9207310155** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl currently used as 1 h fire barrier to protect conduit in control bldg.  
HORN, G.R. Nebraska Public Power District. 92/07/29. Document Control Branch (Document Control Desk). 3pp. 62638:147-62638:149.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207280126** Rev 10 to Vols I-VI of Cooper Nuclear Station updated SAR. W/920701 ltr.  
HORN, G.R. Nebraska Public Power District. 92/07/22. 450pp. 62556:001-62557:086.

**P. Operating license stage documents & correspondence**

**9207060163** Forwards supplemental safety evaluation SBO rule for plant. BEVAN,R.B. Project Directorate IV-1. 92/06/30. HORN,G.R. Nebraska Public Power District. 3pp. 62243:283-62243:294.

**-9207060166** Supplemental safety evaluation re SBO(10CFR50.63) for plant. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/30. 9pp. 62243:286-62243:294.

**9207060197** Informs that 911219 response to GL 88-20,suppl 4 concerning IPEEE at facility acceptable. BEVAN,R.B. Project Directorate IV-1. 92/07/01. HORN,G.R. Nebraska Public Power District. 3pp. 62209:013-62209:015.

**9207080182** Forwards response to Generic Ltr 92-01,Rev 1, "Reactor Vessel Structural Integrity,10CFR50.54(f)." HORN,G.R. Nebraska Public Power District. 92/07/01. Document Control Branch (Document Control Desk). 21pp. 62277:018-62277:038.

**9207150233** Describes compensatory measures to address inoperability of alternate safe shutdown sys on 920611,following review of NRC Info Notice 92-018.Interim measures will remain in place until Spring 1993 refueling outage. HORN,G.R. Nebraska Public Power District. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62409:317-62409:318.

**9207160276** Forwards rept on NRC audit of erosion/corrosion program at plant on 920615-18,per generic ltr 89-08, "Erosion/Corrosion -Induced Pipe Wall Thinning." RICHARDSON,J.E. Division of Engineering Technology (Post 890827). 92/07/10. VIRGILIO,M.J. Assistant Director for Region IV/V Reactors (Post 901216). 8pp. 62396:001-62396:008.

**Q. Inspection reports, IE Bulletins & correspondence**

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207150233** Describes compensatory measures to address inoperability of alternate safe shutdown sys on 920611,following review of NRC Info Notice 92-018.Interim measures will remain in place until Spring 1993 refueling outage. HORN,G.R. Nebraska Public Power District. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62409:317-62409:318.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207160322** Ack receipt of 920612 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-298/92-06. BEACH,A.B. Region 4 (Post 820201). 92/07/10. HORN,G.R. Nebraska Public Power District. 4pp. 62404:315-62404:321.

**9207160328** Ack receipt of 920619 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-298/92-04. BEACH,A.B. Region 4 (Post 820201). 92/07/10. HORN,G.R. Nebraska Public Power District. 4pp. 62415:352-62415:360.

**9207300049** Forwards insp rept 50-298/92-10 on 920531-0711.No violations or deviations noted. BEACH,A.B. Region 4 (Post 820201). 92/07/24. HORN,G.R. Nebraska Public Power District. 4pp. 62528:051-62528:064.

**-9207300060** Insp rept 50-298/92-10 on 920531-0711.No violations noted. Major areas inspected:onsite followup of LER,followup of previously identified insp findings,operational safety verification,maint & surveillance observations. HARRELL,P.H. Region 4 (Post 820201). 92/07/24. 10pp. 62528:055-62528:064.

**9207310155** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl currently used as 1 h fire barrier to protect conduit in control bldg. HORN,G.R. Nebraska Public Power District. 92/07/29. Document Control Branch (Document Control Desk). 3pp. 62638:147-62638:149.

**R. Periodic operating reports & related correspondence**

**9207130065** Monthly operating rept for June 1992 for Cooper Nuclear Station.W/ 920702 ltr. KERNES,E.A., GARDNER,R.L. Nebraska Public Power District. 92/06/30. 5pp. 62366:228-62366:232.

**S. Reportable occurrences, LERs & related correspondence**

**9207210005** LER 92-008-00:on 920611,HPCI sys discovered inoperable due to stem nut wear of MOV.Worn stem nut replaced.Independent failure evaluation of stripped stem nut being performed.W/ 920710 ltr. REEVES,D.L., GARDNER,R.L. Nebraska Public Power District. 92/07/10. 6pp. 62480:337-62480:342.

**9207170233** LER 92-009-00:on 920611,review of alternate shutdown capability revealed electrical hot short.Caused by failure of ASD design.Temporary procedure change issued.W/920710 ltr. MYERS,J.R. Nebraska Public Power District. GARDNER,R.L. Omaha Public Power District. 92/07/12. 5pp. 62480:218-62480:222.

**9207200143** Forwards corrected LER 92-008-00,containing info re component failure inadvertently omitted from initial submittal dtd 920710. GARDNER,R.L. Nebraska Public Power District. 92/07/14. Document Control Branch (Document Control Desk). 1p. 62480:264-62480:269.

**-9207200144** LER 92-008-00:on 920611,HPCI sys determined inoperable when pump suction valve from torus would not stroke properly. Caused by worn bronze stem nut internal diameter threads. Nut replaced,operator reinstalled & settings adjusted. REEVES,D.L. Nebraska Public Power District. 92/07/10. 5pp. 62480:265-62480:269.

**9207280091** LER 92-010-00:on 920821,during performance of surveillance procedure CR HVAC emergency bypass inlet valve failed to actuate correctly.Caused by failure of pneumatic relay in control circuit.Temporary mod installed.W/920721 ltr. MYERS,J.R., GARDNER,R.L. Nebraska Public Power District. 92/07/21. 5pp. 62587:244-62587:248.

**9207300039** LER 92-011-00:on 920625,two installations of Thermo-Lag 330 fire barrier matl,used to provide 1 h protection,identified per review of NRC Bulletin 92-001.Caused by inadequate qualification testing.Restoration underway.W/920724 ltr. REEVES,D.L., GARDNER,R.L. Nebraska Public Power District. 92/07/24. 4pp. 62588:104-62588:107.

**V. Operator Examinations**

**9207140145** Forwards results of GFES of written operator licensing exam administered 920610 to nominated employees of facility. Requests that util training dept forward individual answer sheets & results to appropriate individuals. BEACH,A.B. Region 4 (Post 820201). 92/07/06. HORN,G.R. Nebraska Public Power District. 57pp. 62310:043-62310:147.

**DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2****F. Security, medical, emergency & fire protection plans**

**9207220140** Forwards safety insp repts 50-266/92-12 & 50-301/92-12 on 920504-0628.No violations noted. JACKIW,I.N. Region 3 (Post 820201). 92/07/16. LINK,R.E. Wisconsin Electric Power Co. 2pp. 62438:036-62438:059.

**-9207220145** Insp repts 50-266/92-12 & 50-301/92-12 on 920504-0628.No violations noted.Major areas inspected:plant operations, radiological controls,maint & surveillance,emergency preparedness,security & TI 2515/112 & 2515/113. JACKIW,I.N. Region 3 (Post 820201). 92/07/16. 22 pp. 62438:038-62438:059.

**9207280097** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj fire barrier sys not installed at facilities.Bulletin inapplicable. FRIELING,G.D. Wisconsin Electric Power Co. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62562:097-62562:098.

**9207270155** Forwards Rev 8 to security plan.Summary of changes listed. Rev withheld (ref 10CFR3.50,70 & 73). LINK,R.E. Wisconsin Electric Power Co. 92/07/23. Document Control Branch (Document Control Desk). 3pp. 62528:162-62528:164.

**9207280247** Ack receipt of Rev 7 to physical security plan,transmitted via 920313 ltr.Changes consistent w/provisions of 10CFR50.54(p) & acceptable.Understands that compensatory measures for intrusion alarms will be addressed. PEDERSON,C.D. Region 3 (Post 820201). 92/07/23. LINK,R.E. Wisconsin Electric Power Co. 2pp. 62566:279-62566:280.

**H. General correspondence**

**9207080286** Requests that listed ltrs be docketed under plant dockets. SAMWORTH,B. NRC - No Detailed Affiliation Given. 92/07/06. Document Control Branch (Document Control Desk). 1p. 62277:297-62277:300.

**-9207080287** Requests info re NRC review of TN-24 cask,whether cask being reviewed for storage & transport & when ruling for USC-24 will appear in FR. CAIN,F.S. Affiliation Not Assigned. 92/06/14. SAMWORTH NRC - No Detailed Affiliation Given. 2pp. 62277:298-62277:299.

**-9207080289** Requests SAR for ventilated storage cask sys & SER for USC-24 casks. CAIN,F.S. Affiliation Not Assigned. 92/06/15. SAMWORTH NRC - No Detailed Affiliation Given. 1p. 62277:300-62277:300.

**9207310215** Responds to 920615 ltr on behalf of constituent,requesting info about implementation of safety requirements at plant, including violations of regulations & penalties levied. Forwards SALP repts for period 890401-920131.W/o encl. TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/07/27. KOHL,L.H. Senate. 3pp. 62581:347-62581:354.

**-9207310218** Requests,on behalf of constituent,info re plant implementation of safety requirements,violations cited by NRC following insps & any penalties levied against plant operator. KOHL,L.H. Senate. 92/06/15. CARR,K.M. Commissioners (Post 750119). 1p. 62581:350-62581:354.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9207070017** "June 1992 Rev to Point Beach Nuclear Plant FSAR." W/920626 ltr. LINK,B. Wisconsin Electric Power Co. 92/06/26. 550pp. 62320:103-62322:355.

## 72 DOCKETED ITEMS

### P. Operating license stage documents & correspondence

**9207010243** Provides summary of data applicable to Point Beach, Units 1 & 2 from encl B&W Rept BAW-2166, "B&WOG Response to GL 92-01," in response to GL 92-01, "Reactor Vessel Structural Integrity," per commitments in response to GL 88-11 LINK.B. Wisconsin Electric Power Co. 92/06/25. Document Control Branch (Document Control Desk). 10pp. 62223:071-62223:356.

**9207280162** Advises that 920323 changes to QA program description meets requirements of 10CFR50.54(p) & acceptable. WRIGHT,G.C. Region 3 (Post 820201). 92/06/25. LINK.R. Wisconsin Electric Power Co. 1p. 62489:225-62489:225.

**9207080104** Confirms plans for 920709 mgt meeting at facility in Two Rivers,WI.Purpose of meeting to discuss plant activities & other items of mutual interest. GREENMAN,E.G. Region 3 (Post 820201). 92/06/29. LINK,R.E. Wisconsin Electric Power Co. 1p. 62218:225-62218:225.

**9207170253** Responds to NRC request for review of WCAP-13360, "Westinghouse Dynamic Rod Worth Measurement Technique." Util met w/Westinghouse on 920428 to discuss technique.Util requests to use technique to evaluate fuel rods. LINK.B. Wisconsin Electric Power Co. 92/07/10. Document Control Branch (Document Control Desk). 2pp. 62436:244-62436:245.

**9207230209** Requests that util update IPEEE plans to incorporate provisions of generic ltr 88-20,suppl 4 & forward plans to NRC within 60 days of ltr date.Util should provide sufficient info in support of any new approach. SAMWORTH,R.B. Project Directorate III-3. 92/07/14. LINK,R.E. Wisconsin Electric Power Co. 3pp. 62459:148-62459:150.

**9207230227** Notification of 920730 meeting w/counters in Oak Harbor, OH to discuss items of generic interest between NRR,Region III & licensees for plants in NRR Project Directorate III. Agenda encl. HOPKINS,J.B. Project Directorate III-3. 92/07/16. HANNON,J.N. Project Directorate III-3. 4pp. 62478:319-62478:322.

**9207310137** Proposes to redemonstrate gas turbine generator reliability after overhaul & upgrade of gas turbine by May 1993 by completing 20 countable starts & load-runs w/ two or fewer failures.Status update for SBO implementation encl. LINK.B. Wisconsin Electric Power Co. 92/07/23. Document Control Branch (Document Control Desk). 12pp. 62613:336-62613:347.

### Q. Inspection reports, IE Bulletins & correspondence

**9207010342** Responds to NRC 920528 ltr re deviations noted in insp rept 50-266/92-08 & 50-301/92-08 on 920420-24.Corrective actions: procedures in question will be revised to add immediate operability sign-off by 920918. LINK.B. Wisconsin Electric Power Co. 92/06/28. Document Control Branch (Document Control Desk). 2pp. 62234:089-62234:090.

**9207010345** Responds to NRC 920528 ltr re violations noted in insp rept 50-266/92-08 & 50-301/92-08.Corrective actions:rev to PBNP 3.2.10 issued by 920814 & evaluation of unresolved items will be complete by 920731. LINK.B. Wisconsin Electric Power Co. 92/06/26. Document Control Branch (Document Control Desk). 4pp. 62234:085-62234:088.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070232** Discusses arrangements for enforcement conference on 920707 at Region III ofc in Glen Elyn,IL.Purpose of conference to discuss findings of insp conducted on 920527-0614. GREENMAN,E.G. Region 3 (Post 820201). 92/06/29. LINK,R.E. Wisconsin Electric Power Co. 1p. 62206:186-62206:187.

**9207140084** Forwards insp repts 50-266/92-14 & 50-301/92-14 on 920527- 0614.Two apparent violations identified re crevice flushing activities are being considered for escalated enforcement action. GREENMAN,E.G. Region 3 (Post 820201). 92/06/30. LINK,R.E. Wisconsin Electric Power Co. 2pp. 62338:110-62338:118.

**-9207140111** Insp repts 50-266/92-14 & 50-301/92-14 on 920527-0614.Two apparent violations identified.Major areas inspected: circumstances surrounding excessive cool-down rate of unit 1 on 920527. JACKIW,I.N. Region 3 (Post 820201). 92/06/30. 7pp. 62338:112-62338:118.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140124** Ack receipt of 920626 ltr informing NRC of steps taken to correct violations noted in insp repts 50-266/92-04 & 50-301/92-04 on 920515. MILLER,H.J. Region 3 (Post 820201). 92/07/06. LINK,R.E. Wisconsin Electric Power Co. 2pp. 62338:047-62338:055.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207170189** Ack receipt of 920615 ltr informing NRC of steps taken to correct violations noted in insp repts 50-266/92-04 & 50-301/92-04 on 920515. GREGER,L.R. Region 3 (Post 820201). 92/07/13. LINK,R.E. Wisconsin Electric Power Co. 1p. 62453:242-62453:242.

**9207170223** Forwards insp repts 50-266/92-16 & 50-301/92-16.No violations noted. GREENMAN,E.G. Region 3 (Post 820201). 92/07/13. LINK,R.E. Wisconsin Electric Power Co. 2pp. 62436:091-62436:122.

**-9207170228** Insp repts 50-266/92-16 & 50-301/92-16 on 920527-0614.No violations noted.Major areas inspected:review of apparent violations & areas of concern identified during previous insp. JACKIW,I.N. Region 3 (Post 820201). 92/07/10. 29pp. 62436:093-62436:122.

**9207220140** Forwards safety insp repts 50-266/92-12 & 50-301/92-12 on 920504-0628.No violations noted. JACKIW,I.N. Region 3 (Post 820201). 92/07/16. LINK,R.E. Wisconsin Electric Power Co. 2pp. 62438:036-62438:059.

**-9207220145** Insp repts 50-266/92-12 & 50-301/92-12 on 920504-0628.No violations noted.Major areas inspected:plant operations, radiological controls,maint & surveillance,emergency preparedness,security & T1 2515/112 & 2515/113. JACKIW,I.N. Region 3 (Post 820201). 92/07/16. 22 pp. 62438:038-62438:059.

**9207280097** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj fire barrier sys not installed at facilities.Bulletin inapplicable. FRIELING,G.D. Wisconsin Electric Power Co. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62562:097-62562:098.

### R. Periodic operating reports & related correspondence

**9207140301** Monthly operating repts for June 1992 for Point Beach Nuclear Plant Units 1 & 2.W/920710 ltr. PETERSON,D.C., LINK.B. Wisconsin Electric Power Co. 92/06/30. 9pp. 62384:313-62384:321.

### S. Reportable occurrences, LERs & related correspondence

**9207220393** LER 91-007-00:on 911110,DHR requirement violated during SG crevice cleaning.Caused by inadequate procedural guidance. Need to continue performing SG crevice cleaning procedure will be assessed.W/920714 ltr. HOEFERT,N., LINK,B.E. Wisconsin Electric Power Co. 92/07/14. 8pp. 62481:208-62481:215.

### V. Operator Examinations

**9207090280** Forwards exam answer key for forms A & B,grading results for facility & individual answer sheets for each applicant taking exams for facility,per 920610 generic fundamentals exam at facility.All candidates passed exam. WRIGHT,G.C. Region 3 (Post 820201). 92/07/01. Commonwealth Edison Co. 48pp. 62266:001-62266:048.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007.Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT,G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

### DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

### F. Security, medical, emergency & fire protection plans

**9207010286** Forwards insp rept 50-302/92-10 on 920404-0501 & notice of violation.Violations considered for discretion under provisions of section VII.B of enforcement policy,but not exercised due to inappropriate corrective actions. SINKULE,M.V. Region 2 (Post 820201). 92/05/22. BEARD,P.M. Florida Power Corp. 3pp. 62254:082-62254:094.

**-9207010303** Insp rept 50-302/92-10 on 920404-0501.Violations noted.Major areas inspected:plant operations,security,radiological controls & licensee action on previous insp items. HOLMES-RAY,P., FREUDENBERGER, AIELLO,R. Region 2 (Post 820201). 92/05/22. 8pp. 62254:087-62254:094.

**9207020074** Forwards insp rept 50-302/92-12 on 920502-30 & notice of violation. SINKULE,M.V. Region 2 (Post 820201). 92/06/18. BEARD,P.M. Florida Power Corp. 3pp. 62234:234-62234:251.

**-9207020076** Notice of violation from insp on 920502-30.Violation noted: failure to prevent recurrence of posted high radiation boundary area door left full open & unmonitored. \* Region 2 (Post 820201). 92/06/18. 2pp. 62234:237-62234:238.

**-9207020084** Insp rept 50-302/92-12 on 920502-30.Violations noted.Major areas inspected:plant operations,security,radiological controls,quality verification & licensee action on previous inspection items. HOLMES-RAY,P., FREUDENBERGER, LANDIS,K. Region 2 (Post 820201). 92/06/18. 13pp. 62234:239-62234:251.

**9207020222** Forwards documentation of info received by Region II personnel from concerned individual.Encl summarizes Allegation RII-92-0083 re industry safety.Encl withheld (ref 10CFR2.790(a)(6) & (7)). REYES,L.A. Region 2 (Post 820201). 92/06/19. BEARD,P.M. Florida Power Corp. 3pp. 62219:334-62219:336.

**9207150265** Revised procedures,including Rev 13 to Annunciator Response (AR) AR-303, "ESC Annunciator Response," Rev 16 to AR-403, "PSA H Annunciator Response," Rev 10 to AR-504, "ICS L Annunciator Response" & Rev 11 to AR-602, "TGF N...." MARSHALL,W. Florida Power Corp. 92/06/22. 118pp. 62399:215-62399:330.

**9207150053** Rev 14 to Annunciator Response Procedure AR-503, "ICS K Annunciator Response." MILLER,T. Florida Power Corp. 92/07/01. 16pp. 62411:131-62411:146.

**9207150048** Rev 6 to AP-801, "FSA Annunciator Response." \* Florida Power Corp. 92/07/02. 16pp. 62409:280-62409:295.



**9207150043** Revised EIPs, including rev 4 to AP-581 & rev 3 to AP-582.  
\* Florida Power Corp. 92/07/03. 25pp. 62399:331-62399:355.

**9207150252** Revised procedures, including Rev 6 to AP-790, "Station Blackout" & Rev 20 to AP-380, "Engineered Safeguards Actuation."  
MILLER, T.A. Florida Power Corp. 92/07/03. 105pp. 62407:104-62407:208.

**9207150050** Revised EIPs, including rev 5 to AP-330 & rev 2 to AP-470.  
\* Florida Power Corp. 92/07/06. 36pp. 62399:172-62399:208.

**9207150067** Rev 8 to Annunciator Response Procedure AR-703, "SSF R Annunciator Response."  
MARSHALL, W. Florida Power Corp. 92/07/09. 11pp. 62411:147-62411:157.

**9207310256** Rev 39 to EIP EM-202, "Duties of Emergency Coordinator."  
\* Florida Power Corp. 92/07/24. 58pp. 62618:268-62618:326.

#### H. General correspondence

**9207090013** Informs of assignment of new postal zip for Crystal River Resident Site & Florida Power Corp. Records should be changed to reflect listed changes. Notice from postal svc encl.  
TITUS, A. NRC - No Detailed Affiliation Given. 92/07/02. SILVER, H. Project Directorate II-2. 3pp. 62305:359-62305:361.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207100196** Rev 17 to Crystal River Unit 3 FSAR.W/920701 ltr.  
BEARD, P.M. Florida Power Corp. 92/07/01. 900pp. 62376:001-62378:026.

#### P. Operating license stage documents & correspondence

**9207020045** Forwards amend 143 to license DPR-72 & safety evaluation. Amend revises assembly description in TS 5.3.1 to permit use of stainless steel rods to replace defective fuel rods.  
SILVER, H. Project Directorate II-2. 92/06/25. BEARD, P.M. Florida Power Corp. 2pp. 62194:037-62194:046.

**-9207020048** Amend 143 to license DPR-72, revising fuel assembly description in TS 5.3.1 to permit use of stainless steel rods to replace defective fuel rods.  
BERKOW, H.N. Project Directorate II-2. 92/06/25. 4pp. 62194:040-62194:043.

**-9207020049** Safety evaluation supporting amend 143 to license DPR-72.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/25. 4pp. 62194:044-62194:046.

**9207020060** Forwards amend 144 to license DPR-72 & safety evaluation. Amend revises TSs 3.1.3.3. & 4.1.3.3 in support of installation of dual channel control rod position indicator.  
SILVER, H. Project Directorate II-2. 92/06/25. BEARD, P.M. Florida Power Corp. 2pp. 62198:097-62198:111.

**-9207020063** Amend 144 to license DPR-72, revising TSs 3.1.3.3 & 4.1.3.3 in support of installation of dual channel control position indicator.  
BERKOW, H.W. Project Directorate II-2. 92/06/25. 7pp. 62198:100-62198:106.

**-9207020065** Safety evaluation supporting amend 144 to license DPR-72.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/25. 6pp. 62198:107-62198:111.

**9207150151** Rev 18 to Administrative Procedure AP 580, "Reactor Trip."  
\* Florida Power Corp. 92/06/29. 26pp. 62403:335-62403:360.

**9207060225** Grants relief per 10CFR50.55(a)(3)(i) for functional testing of hydraulic snubbers w/extension pieces similar to that of MSH-163 only during Refuel 8 outage.  
BERKOW, H.N. Project Directorate II-2. 92/06/30. BEARD, P.M. Florida Power Corp. 3pp. 62209:046-62209:048.

**9207060147** Forwards page 8, inadvertently omitted from TER, SAIC-92/674, "Supplemental TER, Crystal River Unit 3, SBO Evaluation," dtd 920317.  
SILVER, H. Project Directorate II-2. 92/07/01. BEARD, P.M. Florida Power Corp. 3pp. 62197:336-62197:338.

**9207240181** Forwards Rev 0 to "Crystal River Unit 3, Cycle 9 Core Operating Limits Rept."  
BEARD, P.M. Florida Power Corp. 92/07/16. Document Control Branch (Document Control Desk). 1p. 62499:348-62499:360.

**-9207240182** Rev 0 to "Crystal River Unit 3, Cycle 9 Core Operating Limits Rept."  
\* Florida Power Corp. 92/07/16. 12pp. 62499:349-62499:360.

**9207290168** Forwards amend 146 to license DPR-72 & safety evaluation. Amend changes upper limit for boron concentration in BWST from 2,450 to 3,000 ppm. Lower limit remains unchanged.  
SILVER, H. Project Directorate II-2. 92/07/23. BEARD, P.M. Florida Power Corp. 4pp. 62555:328-62555:345.

**-9207290172** Amend 146 to license DPR-72, changing upper limits for boron concentration in BWST from 2,450 to 3,000 ppm. Lower limit remains unchanged.  
BERKOW, H.N. Project Directorate II-2. 92/07/23. 7pp. 62555:332-62555:342.

**-9207290175** Safety evaluation supporting amend 146 to license DPR-72.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/23. 3pp. 62555:343-62555:345.

**9207290195** Forwards amend 145 to license DPR-72 & safety evaluation. Amend replaces TS 3.6.2.2 for spray additive sys w/new TS 3.6.2.2 for containment emergency sump ph control sys.  
SILVER, H. Project Directorate II-2. 92/07/23. BEARD, P.M. Florida Power Corp. 3pp. 62583:277-62583:292.

**-9207290200** Amend 142 to license DPR-72, replacing TS 3.6.2.2 for spray additive sys w/new TS 3.6.2.2 for containment emergency sump ph control sys.  
BERKOW, H.N. Project Directorate II-2. 92/07/23. 6pp. 62583:280-62583:288.

**-9207290202** Safety evaluation supporting amend 145 to license DPR-72.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/23. 4pp. 62583:289-62583:292.

**9207300112** Advises that until decided to delay replacement of three spool pieces to contain minor pin hole leak & resolve minor areas of contamination until mid-cycle Outage 9M. Inps indicated no evidence of increased corrosion.  
BEARD, P.M. Florida Power Corp. 92/07/23. Document Control Branch (Document Control Desk). 1p. 62638:219-62638:219.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207010286** Forwards insp rept 50-302/92-10 on 920404-0501 & notice of violation. Violations considered for discretion under provisions of section VII.B of enforcement policy, but not exercised due to inappropriate corrective actions.  
SINKULE, M.V. Region 2 (Post 820201). 92/05/22. BEARD, P.M. Florida Power Corp. 3pp. 62254:082-62254:094.

**-9207010293** Notice of violation from insp on 920404-0501. Violation noted: failure to perform required review & approval of work request instructions.  
\* Region 2 (Post 820201). 92/05/22. 2pp. 62254:085-62254:086.

**-9207010303** Insp rept 50-302/92-10 on 920404-0501. Violations noted. Major areas inspected: plant operations, security, radiological controls & licensee action on previous insp items.  
HOLMES-RAY, P., FREUDENBERGER, AIELLO, R. Region 2 (Post 820201). 92/05/22. 8pp. 62254:087-62254:094.

**9207020074** Forwards insp rept 50-302/92-12 on 920502-30 & notice of violation.  
SINKULE, M.V. Region 2 (Post 820201). 92/06/18. BEARD, P.M. Florida Power Corp. 6pp. 62234:234-62234:251.

**-9207020076** Notice of violation from insp on 920502-30. Violation noted: failure to prevent recurrence of posted high radiation boundary area door left full open & unmonitored.  
\* Region 2 (Post 820201). 92/06/18. 2pp. 62234:237-62234:238.

**-9207020084** Insp rept 50-302/92-12 on 920502-30. Violations noted. Major areas inspected: plant operations, security, radiological controls, quality verification & licensee action on previous inspection items.  
HOLMES-RAY, P., FREUDENBERGER, LANDIS, K. Region 2 (Post 820201). 92/06/18. 13pp. 62234:239-62234:251.

**9207140186** Forwards Exam Rept 50-302/92-300 of exam administered during wk of 920528.  
PEEBLES, T.A. Region 2 (Post 820201). 92/06/23. BEARD, M.P. Florida Power & Light Co. 2pp. 62311:114-62311:145.

**-9207140187** Exam rept 50-302/92-300 on 920526. Exam results: all applicants passed exams.  
BALDWIN, R.S., CASTO, C.A. Region 2 (Post 820201). 92/06/11. 30pp. 62311:116-62311:145.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207140101** Forwards insp rept 50-302/92-13 on 920601-05. No violations or deviations noted. Negative trend observed in aggressiveness of health physics technicians in identification & correction of housekeeping problems.  
CLINE, W.E. Region 2 (Post 820201). 92/06/30. BEARD, P.M. Florida Power Corp. 3pp. 62311:239-62311:254.

**-9207140107** Insp rept 50-302/92-13 on 920601-05. No violations noted. Major areas inspected: radiation protection program such as self assessments, changes to program, outage planning & preparation & training & qualifications.  
TESTA, E.D., POTTER, J.P. Region 2 (Post 820201). 92/06/29. 11pp. 62311:242-62311:254.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207140213** Responds to NRC 920603 ltr re violations noted in insp rept 50-302/92-11. Corrective actions: valve EFV-14 & associated motor operator replaced w/different design. Similar Valves EFV-11, 32 & 33 also modified.  
BEARD, P.M. Florida Power Corp. 92/07/09. Document Control Branch (Document Control Desk). 6pp. 62385:305-62385:310.

**9207170056** Forwards 15-day rept of eddy current insp of once-through SG tubes on 920629.  
BEARD, P.M. Florida Power Corp. 92/07/10. Document Control Branch (Document Control Desk). 11pp. 62456:290-62456:300.

**9207210329** Responds to NRC 920618 ltr re violations noted in insp rept 50-302/92-12. Corrective actions: permanent change was made to general employee training on 920707, strengthening individual awareness of responsibilities re high radiation barriers.  
BEARD, P.M. Florida Power Corp. 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62471:258-62471:259.

## 74 DOCKETED ITEMS

**9207300112** Advises that util decided to delay replacement of three spool pieces to contain minor pin hole leak & resolve minor areas of contamination until mid-cycle Outage 9M. Inspis indicated no evidence of increased corrosion.  
BEARD,P.M. Florida Power Corp. 92/07/23. Document Control Branch (Document Control Desk). 1p. 62638:219-62638:219.

### R. Periodic operating reports & related correspondence

**9207160152** Monthly operating rept for June 1992 for Crystal River Unit 3.W/920710 ltr. BINKOWSKI,J.A., BOLDT,G.L. Florida Power Corp. 92/06/30. 5pp. 62415:306-62415:310.

### S. Reportable occurrences, LERs & related correspondence

**9207090068** Initial Part 21 rept re non-segregated phase electrical bus duct mfg in 1972.Initially reported on 920427.Detailed calculations being done by FPC to evaluate momentary fault current against supplied ratings of all bus sections.  
METCALFE,W.A., Calvert Co., Inc. 92/06/30. NRC - No Detailed Affiliation Given. 3pp. 62308:341-62308:343.

**9207090181** LER 92-011-00:on 920605,failure to install electrical isolation device in interlock relay branch circuit results in potential loss of control power to containment isolation valve.Control power will be uninterrupted.W/920703 ltr.  
STEPHENSON,W.A., BOLDT,G.L. Florida Power & Light Co. 92/07/03. 4pp. 62437:030-62437:033.

**9207090184** LER 92-010-00:on 920604,determined that inadequate level of detail of initial plant design calculation causes operation outside design basis.Control transformers replaced w/larger control transformers.W/920703 ltr.  
STEPHENSON,W.A., BOLDT,G.L. Florida Power & Light Co. 92/07/03. 5pp. 62293:140-62293:144.

**9207300249** LER 92-012-00:on 920627, valve in RCS drop line closed, isolating suction of operating DHR pump from RCS & interrupting cooling water flow to reactor core.Caused by personnel error.Training enhanced.W/920727 ltr.  
STEPHENSON,W.A., BOLDT,G.L. Florida Power Corp. 92/07/27. 5pp. 62588:099-62588:103.

### V. Operator Examinations

**9207140186** Forwards Exam Rept 50-302/92-300 of exam administered during wk of 920526.  
PEEBLES,T.A. Region 2 (Post 820201). 92/06/23. BEARD,M.P. Florida Power & Light Co. 2pp. 62311:114-62311:145.

**-9207140187** Exam rept 50-302/92-300 on 920526.Exam results:all applicants passed exams.  
BALDWIN,R.S., CASTO,C.A. Region 2 (Post 820201). 92/06/11. 30pp. 62311:116-62311:145.

**9207170007** Advises that in accordance w/10CFR55.25,due to disability License SOP-20816 should now be terminated.  
BOLDT,G.L. Florida Power Corp. 92/07/10. Document Control Branch (Document Control Desk). 1p. 62431:333-62431:333.

### DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

### F. Security, medical, emergency & fire protection plans

**9207200119** Change request A-92-0812 to rev 2,EPIP 180-2, "TSC Environ Director."  
\* Commonwealth Edison Co. 92/06/13. 13pp. 62219:246-62219:258.

**9207200125** Change request A-92-0813 to rev 1,EPIP 180-4, "TSC ODCS Specialist."  
\* Commonwealth Edison Co. 92/06/13. 15pp. 62219:259-62219:273.

**9207200264** Forwards Rev 29 to security plan.Rev withheld (ref 10CFR73.21).  
KOVACH,T.J. Commonwealth Edison Co. 92/06/23. Document Control Branch (Document Control Desk). 1p. 62425:354-62425:354.

**9207200174** Change request 0-92-060 to rev 1,EPIP 340-1, "Core Damage Assessment."  
\* Commonwealth Edison Co. 92/06/24. 28pp. 62219:274-62219:301.

**9207060010** Forwards "Zion Station Updated FSAR,Vols 1-6."  
STIMAC,S.F. Commonwealth Edison Co. 92/06/25. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 300pp. 62345:001-62355:005.

**-9207060031** App 2E, "Site Airborne Effluent Diffusion & Record of Meteorological Monitoring for Period of May 1971 - Apr 1972," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 87pp. 62347:121-62347:209.

**9207200166** Change request A-92-0811 to rev 1,EPIP 180-1, "Radiation Protection Director."  
\* Commonwealth Edison Co. 92/06/26. 17pp. 62224:312-62224:328.

**9207150204** Rev 7A to "Nuclear Generating Station Emergency Plan."  
JOHNSON,I.M., REED,C. Commonwealth Edison Co. 92/07/01. 38pp. 62405:257-62405:294.

**9207200027** Ack receipt of 920622 ltr re request to change date of Zion stations emergency preparedness exercise to 920630.Proposed date change acceptable.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/10. REED,C. Commonwealth Edison Co. 2pp. 62447:354-62447:355.

**9207220359** Change Request A-92-0904 to EPIP 320-1, "Activation of GSEP Station Group," updating GSEP participants names & telephone numbers to reflect quarterly update to callout list.  
\* Commonwealth Edison Co. 92/07/13. 10pp. 62474:328-62474:337.

**9207260013** Ack receipt of 920623 ltr transmitting Rev 29 to security plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable except for listed conflicts in security plan, including retention of records re access authorization.  
PEDERSON,C.D. Region 3 (Post 820201). 92/07/15. KOVACH,T.J. Commonwealth Edison Co. 2pp. 62562:346-62562:347.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities.Compensatory measures implemented.  
JACKSON,M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207060010** Forwards "Zion Station Updated FSAR,Vols 1-6."  
STIMAC,S.F. Commonwealth Edison Co. 92/06/25. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 300pp. 62345:001-62355:005.

**-9207060013** "Zion Station FSAR,Vols 1-6."  
\* Commonwealth Edison Co. 92/06/30. 3,600pp. 62346:032-62346:200.

**-9207060015** Chapter 1, "Introduction & General Description of Plant," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 300pp. 62346:201-62346:310.

**-9207060016** App 1A, "Compliance to AEC Safety Guides," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 36pp. 62346:311-62346:346.

**-9207060019** Chapter 2, "Site Characteristics," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/25. 200pp. 62346:347-62347:105.

**-9207060022** App 2A, "Study of Probability of Aircraft Using Waukegan Memorial Airport Hitting Zion Station," to Zion Station Units 1 & 2 updated FSAR.  
\* PLG, Inc. (formerly Pickard, Lowe & Garrick, Inc.). 92/06/30. 1p. 62347:106-62347:106.

**-9207060024** App 2B, "Potential Effects of Aircraft Impact & Post-Crash Fires on Zion Station," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 1p. 62347:107-62347:107.

**-9207060028** App 2C, "Five-Year Stability Data (WINDIF) for Chicago & Milwaukee," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 9pp. 62347:108-62347:116.

**-9207060030** App 2D, "Six Month Stability Data for Zion Power Station," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 4pp. 62347:117-62347:120.

**-9207060031** App 2E, "Site Airborne Effluent Diffusion & Record of Meteorological Monitoring for Period of May 1971 - Apr 1972," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 87pp. 62347:121-62347:209.

**-9207060034** Chapter 3, "Design of Structures,Components,Equipment & Sys," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 450pp. 62347:210-62348:204.

**-9207060037** App 3A, "Analysis of Effects of Main Steam or Feedwater Pipe Break Outside Containment," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 68pp. 62348:205-62348:272.

**-9207060038** App 3B, "Analysis of Effects of Break in Other High Energy Fluid Piping Sys Outside Containment," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 38pp. 62348:273-62348:310.

**-9207060040** App 3C, "Sample Result of Simplified Seismic Analysis," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 8pp. 62348:311-62348:319.

**-9207060058** Chapter 4, "Reactor," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 200pp. 62348:320-62349:115.

**-9207060068** Chapter 5, "RCS & Connected Sys," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 200pp. 62349:183-62350:022.

**-9207060070** App 5A, "Criteria for Vessels & Piping Within RCS Pressure Boundary," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 15pp. 62350:023-62350:037.

**-9207060072** App 5B, "Determination of Reactor Pressure Vessel NDTT," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 10pp. 62350:038-62350:047.

**-9207060084** Chapter 6, "ESF," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 200pp. 62350:153-62350:331.

**-9207060091** App 6A, "Thermal Recombiner Demonstration Test," to Zion Station Units 1 & 2 updated FSAR.  
\* HENRIE,J.O. Atomics International. 92/06/30. 14pp. 62350:332-62350:345.

**-9207060093** App 6B, "Iodine Removal Effectiveness Evaluation of Containment Spray Sys," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 12pp. 62350:346-62350:357.

**-9207060095** App 6C, "NRC Related Commitments & Regulations for Zion Auxiliary Feedwater Sys," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 3pp. 62350:358-62350:360.

**-9207060096** Chapter 7, "Instrumentation & Controls," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 200pp. 62351:001-62351:199.



- 9207060099 Chapter 8, "Electric Power," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 47pp. 62351:200-62351:248.
- 9207060104 Chapter 9, "Auxiliary Sys," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 400pp. 62351:249-62352:176.
- 9207060106 App 9A, "Swinging Spent Fuel Cask Accident Analysis," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 10pp. 62352:177-62352:186.
- 9207060109 Chapter 10, "Steam & Power Conversion Sys," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 45pp. 62352:187-62352:231.
- 9207060112 App 10A, "Rept Covering Effects of High Pressure Turbine Rotor Fracture & Low Pressure Turbine Disc Fractures at Design Overspeed," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 16pp. 62352:232-62352:247.
- 9207060113 App 10B, "SER SG Water Hammer Zion Generating Station Units 1 & 2 Sept 1979," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 5pp. 62352:248-62352:252.
- 9207060114 App 10C, "SG Water Hammer Technical Evaluation Zion Units 1 & 2 Mar 1979 EG&G Idaho, Inc. Revised 790515," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 17pp. 62352:253-62352:269.
- 9207060116 Chapter 11, "Radwaste Mgt," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 175pp. 62352:270-62353:032.
- 9207060117 Chapter 12, "Radiation Protection," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 32pp. 62353:033-62353:064.
- 9207060119 Chapter 13, "Conduct of Operations," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 30pp. 62353:065-62353:094.
- 9207060124 Chapter 14, "Initial Test Program," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 43pp. 62353:095-62353:138.
- 9207060126 Chapter 15, "Safety Analysis," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 500pp. 62353:139-62354:221.
- 9207060129 App 15A, "Various Aspects of ECCS Performance," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 76pp. 62354:222-62354:297.
- 9207060130 App 15B, "Radiation Sources," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 20pp. 62354:298-62354:317.
- 9207060132 Chapter 16, "Tech Specs," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 46pp. 62354:318-62355:002.
- 9207060133 Chapter 17, "QA," to Zion Station Units 1 & 2 updated FSAR.  
\* Commonwealth Edison Co. 92/06/30. 3pp. 62355:003-62355:005.

#### P. Operating license stage documents & correspondence

- 9207060120 Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.
- 9207090237 Provides Commission w/summary of discussions held at 910108-09 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 910124 Commission meeting. Details withheld.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/01/17. CARR Commissioners (Post 750119). 36pp. 62324:218-62324:253.
- 9207090248 Provides summary of discussions held at 910604-05 NRC senior mgt meeting & ltrs to be sent to licensees of plants on problem plant list that will be discussed at 910620 Commission meeting. Details withheld.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/06/14. CARR Commissioners (Post 750119). 42pp. 62324:254-62324:297.
- 9207020123 Advises that rept BAW-2148P, rev 1 "Low Upper-Sheff Toughness Fracture Analysis of Reactor Vessels of Zion Units 1 & 2 for Load Level A & B Conditions," will be withheld from public disclosure, per 920511 request.  
PATEL, C.P. Project Directorate III-2. 92/06/22. KOVACH, T.J. Commonwealth Edison Co. 4pp. 62183:355-62183:358.
- 9207020284 Responds to 920212 staff requirements memo re performance of util plants.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. SECY-92-228. 92/06/25. 18pp. 62465:207-62465:224.
- 9207070078 Forwards amends 139 & 128 to licenses DPR-39 & DPR-48, respectively & safety evaluation. Amends revise TS to support use of vantage 5 fuel, in combination w/OFA core.  
PATEL, C.P. Project Directorate III-2. 92/06/26. KOVACH, T.J. Commonwealth Energy System. 2pp. 62235:001-62235:117.
- 9207070093 Amends 139 & 128 to licenses DPR-39 & DPR-48, respectively. Amends revise TS to support use of vantage 5 fuel, in combination w/OFA core.  
BARRETT, R.J. Project Directorate III-2. 92/06/26. 98pp. 62235:003-62235:103.
- 9207070100 Safety evaluation supporting amends 139 & 128 to licenses DPR-39 & DPR-48, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/26. 14pp. 62235:104-62235:117.

9207090357 Discusses 920615-16 meeting re plants categorized as requiring close monitoring & have been identified as having weaknesses that warrant increased NRC attention from both Headquarters & Regional ofc until performance improves.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/30. O'CONNOR, J.J. Commonwealth Edison Co. 4pp. 62269:296-62269:299.

9207070068 Submits supplemental info for 920507 amend to licenses DPR-19, DPR-25, DPR-29, DPR-30, DPR-39, DPR-48, NPF-11, NPF-18, NPF-37, NPF-66, NPF-72 & NPF-77, per NRC request. Revised TS re rev of onsite review of procedures encl.  
SIMPSON, T.W. Commonwealth Edison Co. 92/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 62267:020-62267:089.

--9207070089 Supplemental proposed tech specs proposing to change administrative controls sections of TS, submitted as supplement to original request w/info necessary to complete review.  
\* Commonwealth Edison Co. 92/07/01. 49pp. 62267:041-62267:089.

9207100283 Forwards B&W Rept BAW-2167, dtd June 1992 entitled, "Response to GL 92-01 for Commonwealth Edison Co Byron Units 1 & 2, Braidwood Units 1 & 2 & Zion Units 1 & 2," in response to GL 92-01, Rev 1 & GL 88-11.  
JACKSON, M.A. Commonwealth Edison Co. 92/07/02. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 62365:156-62365:240.

--9207100291 "Response to GL 92-01 for Commonwealth Edison Co Byron Units 1 & 2, Braidwood Units 1 & 2 & Zion Units 1 & 2."  
\* Babcock & Wilcox Co. BAW-2167. 92/06/30. 79pp. 62365:159-62365:240.

9207170195 Application for amends to Licenses DPR-39 & DPR-48, revising Specs 3/4.3.1.F & 3/4.3.2.G to address concerns in Generic Ltr 90-06, "Resolution of Generic Issue 70, 'PORV & Block Valve Reliability & Generic Issue 94, 'Add Low....'"  
STIMAC, S.F. Commonwealth Edison Co. 92/07/08. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 62436:123-62436:172.

--9207170196 Proposed TS 3/4.3.1.F & 3/4.3.2.G re PORVs & block valves.  
\* Commonwealth Edison Co. 92/07/08. 37pp. 62436:136-62436:172.

9207290144 Confirms plans to hold meeting on 920724 to discuss recent util organizational decisions.  
GREENMAN, E.G. Region 3 (Post 820201). 92/07/22. REED, C. Commonwealth Edison Co. 2pp. 62506:182-62506:183.

9207300136 Forwards SSE accepting licensee response to SBO subj to satisfactory resolution of listed deficiencies.  
PATEL, C.P. Project Directorate III-2. 92/07/22. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62580:336-62580:345.

--9207300141 Supplemental SE accepting licensee response to SBO.  
PATEL, C.P. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/22. 8pp. 62580:338-62580:345.

#### Q. Inspection reports, IE Bulletins & correspondence

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207270303 Suppls 890411 response to violations noted in Insp Repts 50-295/89-04 & 50-304/89-04. Scheduled completion date for testing remaining Unit 1, Category 2 & Category 3 relay contacts extended until Apr 1994.  
KOVACH, T.J. Commonwealth Edison Co. 92/06/29. DAVIS, A.B. Region 3 (Post 820201). 2pp. 62528:154-62528:155.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207140199 Responds to NRC 920610 ltr re violations noted in insp repts 50-295/92-09 & 50-304/92-09. Corrective actions: problem identification form generated to investigate & provide trending data on failure of four kv breaker to close.  
KOVACH, T.J. Commonwealth Edison Co. 92/07/10. Document Control Branch (Document Control Desk). 6pp. 62385:315-62385:320.

9207310171 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities. Compensatory measures implemented.  
JACKSON, M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

#### R. Periodic operating reports & related correspondence

9207170273 Monthly operating repts for June 1992 for Zion Generating Station, Units 1 & 2. W/920714 ltr.  
HERRON, R., JOYCE, T.P. Commonwealth Edison Co. 92/06/30. 13pp. 62440:309-62440:321.

#### S. Reportable occurrences, LERs & related correspondence

9207060017 LER 92-011-01: on 900822, 2W main power transformer experienced internal fault causing explosion. Caused by nitrogen breakout. Transformer & bus ducts & associated equipment were replaced & repaired. W/920629 ltr.  
BERGMANN, J.W., JOYCE, T.P. Commonwealth Edison Co. 92/06/29. 6pp. 62292:099-62292:104.

## 76 DOCKETED ITEMS

**9207060035** LER 89-006-01: on 890426, operators discovered that power mismatch switch, rod stop bypass switch & channel defeat switch were out of alignment. Caused by personnel error. Switch lineup properly restored. W/920609 ltr. ZECH, L.J., JOYCE, T.P. Commonwealth Edison Co. 92/06/29. 4pp. 62292:105-62292:108.

### V. Operator Examinations

**9207090280** Forwards exam answer key for forms A & B, grading results for facility & individual answer sheets for each applicant taking exams for facility, per 920610 generic fundamentals exam at facility. All candidates passed exam. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Commonwealth Edison Co. 48pp. 62266:001-62266:048.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

### DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

#### F. Security, medical, emergency & fire protection plans

**9207070224** Discusses FEMA Sept 1991 exercise of offsite radiological emergency response plans for plant. Approval of plans will remain in effect. Util should interact w/ offsite officials to resolve outstanding concerns identified by FEMA. W/o encl. MCCORMICK-BARGE Region 3 (Post 820201). 92/06/26. EVERS, K.H. Washington Public Power Supply System. 2pp. 62206:029-62206:030.

**9207070143** Informs that rev 13 to emergency plan consistent w/NRC provisions & acceptable. PEDERSON, C.D. Region 3 (Post 820201). 92/06/30. SCHROCK, C.A. Wisconsin Public Service Corp. 2pp. 62206:104-62206:105.

**9207070204** Forwards insp rept 50-305/92-16 on 920615-19. No violations noted. CREED, J.R. Region 3 (Post 820201). 92/06/30. SCHROCK, C.A. Wisconsin Public Service Corp. 2pp. 62206:007-62206:016.

**-9207070208** Insp rept 50-305/92-16 on 920615-19. No violations noted. Major areas inspected: protected & vital area barriers, detection & assessment aids, protection & vital areas access control of personnel & alarm stations. KNICELEY, J.R., CREED, J.R. Region 3 (Post 820201). 92/06/30. 8pp. 62206:009-62206:016.

**9207280246** Notification of 920901 meeting w/util in Rockville, MD to discuss util new approach to station blackout (10CFR50.65). HANSEN, A.G. Project Directorate III-3. 92/07/22. HANNON, J.N. Project Directorate III-3. 3pp. 62530:298-62530:300.

**9207310214** Responds to NRC Bulletin 92-001 re deficiencies associated w/Thermo-Lag 330 fire barriers. Subj fire barrier sys not installed at facility. STEINHARDT, C.R. Wisconsin Public Service Corp. 92/07/27. Document Control Branch (Document Control Desk). 2pp. 62618:350-62618:351.

#### I. Financial Information

**9207170173** Provides financial info re WPSC in accordance w/10CFR140.21. SCHROCK, C.A. Wisconsin Public Service Corp. 92/07/13. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62430:357-62430:358.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207230258** Rev 10 to updated SAR for Kewaunee Nuclear Power Plant. W/ 920719 ltr. SCHROCK, C.A. Wisconsin Public Service Corp. 92/07/19. 250pp. 62506:203-62506:130.

**9207270124** Forwards 1992 rev of updated FSAR, correcting duplication of several sheets in update. SCHROCK, C.A. Wisconsin Public Service Corp. 92/07/22. Document Control Branch (Document Control Desk). 2pp. 62527:332-62527:345.

**-9207270139** Corrected pages to updated FSAR for 1992. \* Wisconsin Public Service Corp. 92/07/22. 12pp. 62527:334-62527:345.

#### P. Operating license stage documents & correspondence

**9207070281** Ack receipt of 920610 changes to QA program description. Revs meet requirements of 10CFR50 & acceptable. WRIGHT, G.C. Region 3 (Post 820201). 92/06/28. SCHROCK, C.A. Wisconsin Public Service Corp. 1p. 62206:216-62206:216.

**9207060189** Advises that listed P&ID drawings sent to Region III for files. SCHROCK, C.A. Wisconsin Public Service Corp. 92/07/01. Document Control Branch (Document Control Desk). 5pp. 62254:349-62254:353.

**9207060230** Forwards response to Reg Guide 1.97, "Accident Monitoring Instrumentation," in response to NRC 920312 ltr forwarding results of Reg Guide 1.97 insp performed during wk of 920224-28. SCHROCK, C.A. Wisconsin Public Service Corp. 92/07/01. Document Control Branch (Document Control Desk). 23pp. 62247:331-62247:353.

**9207080012** Forwards response to GL 92-01, Rev 1, dtd 920306, "Reactor Vessel Structural Integrity." STEINHARDT, C.R. Public Service Co. of Colorado. 92/07/02. Document Control Branch (Document Control Desk). 26pp. 62307:103-62307:128.

**9207140236** Proposed Amend 108 to License DPR-43, changing Spec 3.4, "Steam & Power Conversion Sys" & 4.8, "Auxiliary Feedwater Sys" re min condensate storage tank inventory & operation of auxiliary feedwater sys. STEINHARDT, C.R. Wisconsin Public Service Corp. 92/07/08. Document Control Branch (Document Control Desk). 24pp. 62380:290-62380:320.

**-9207140237** Proposed TS 3.4 re steam & power conversion sys & 4.8 re auxiliary feedwater sys. \* Wisconsin Public Service Corp. 92/07/08. 7pp. 62380:314-62380:320.

**9207130240** Clarifies statement made in significant hazards determination for Figures TS 3.1-1 & 3.1-2 re heatup & cooldown limit curves, per Proposed Amend 107 to License DPR-43. STEINHARDT, C.R. Wisconsin Public Service Corp. 92/07/09. Document Control Branch (Document Control Desk). 22pp. 62374:312-62374:333.

**9207230151** Provides summary of 920708 meeting w/licensee at plant re plant performance, operation & maint costs, regulatory impact & current issues. Meeting participants listed in encl 1. HANSEN, A.G. Project Directorate III-3. 92/07/14. Project Directorate III-3. 3pp. 62459:038-62459:040.

**9207230227** Notification of 920730 meeting w/counters in Oak Harbor, OH to discuss items of generic interest between NRR, Region III & licensees for plants in NRR Project Directorate III. Agenda encl. HOPKINS, J.B. Project Directorate III-3. 92/07/16. HANNON, J.N. Project Directorate III-3. 4pp. 62478:319-62478:322.

**9207240116** Forwards Rev J to "Pumps & Valves Inservice Testing Plan." Relief requests submitted as result of sys mods & independent technical review performed by util also encl. STEINHARDT, C.R. Wisconsin Public Service Corp. 92/07/17. Document Control Branch (Document Control Desk). 4pp. 62516:142-62516:198.

**-9207240117** Rev J to "Pumps & Valves Inservice Testing Plan." \* Wisconsin Public Service Corp. 92/04/30. 53pp. 62518:148-62518:198.

**9207280074** Advises that installed instrumentation high quality commercial grade & existing range sufficient to ensure compliance w/Tech Specs during normal operating conditions, per 881024 ltr re Reg Guide 1.97. SCHROCK, C.A. Wisconsin Public Service Corp. 92/07/24. Document Control Branch (Document Control Desk). 1p. 62568:352-62568:352.

**9207290159** Proposed amend 101B to license DPR-43, adding TS 3.1.a.1.C to TSs to prohibit starting of RCP when RCS bulk temp less than or equal to 338 F & temp difference between SG & RCS greater than 100 F, per GL 90-06 re GIs 70 & 94. STEINHARDT, C.R. Wisconsin Public Service Corp. 92/07/24. Document Control Branch (Document Control Desk). 23pp. 62610:300-62610:350.

**-9207290190** Proposed tech spec 3.1.a.1.C re requirements for starting reactor coolant pump, in response to GL 90-06 concerning resolution of GIs 70 & 94. \* Wisconsin Public Service Corp. 92/07/24. 28pp. 62610:323-62610:350.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207070182** Forwards insp rept 50-305/92-13 on 920423-0615. No violations noted. HAGUE, R.L. Region 3 (Post 820201). 92/06/28. SCHROCK, C.A. Wisconsin Public Service Corp. 2pp. 62205:339-62205:352.

**-9207070184** Insp rept 50-305/92-13 on 920423-0615. No violations noted. Major areas inspected: operational safety, surveillance testing, maint, followup of previous insp findings & C/A for violations. HAGUE, R.L. Region 3 (Post 820201). 92/06/26. 12pp. 62205:341-62205:352.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207060195** Informs that licensee 910731 & 920306 responses satisfy requirements set forth in NRC Bulletin 89-001, Suppl 2, "Failure of Westinghouse Steam Generator Tube Mechanical Plugs." HANSEN, A.G. Project Directorate III-3. 92/06/29. SCHROCK, C.A. Wisconsin Public Service Corp. 2pp. 62209:038-62209:039.

**9207070204** Forwards insp rept 50-305/92-16 on 920615-19. No violations noted. CREED, J.R. Region 3 (Post 820201). 92/06/30. SCHROCK, C.A. Wisconsin Public Service Corp. 2pp. 62206:007-62206:016.

**-9207070208** Insp rept 50-305/92-16 on 920615-19. No violations noted. Major areas inspected: protected & vital area barriers, detection & assessment aids, protection & vital areas access control of personnel & alarm stations. KNICELEY, J.R., CREED, J.R. Region 3 (Post 820201). 92/06/30. 8pp. 62206:009-62206:016.

**9207060230** Forwards response to Reg Guide 1.97, "Accident Monitoring Instrumentation," in response to NRC 920312 ltr forwarding results of Reg Guide 1.97 insp performed during wk of 920224-28. SCHROCK, C.A. Wisconsin Public Service Corp. 92/07/01. Document Control Branch (Document Control Desk). 23pp. 62247:331-62247:353.

**9206290043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207070343** Responds to NRC 920602 ltr re violations noted in EDSFI Rept 50-305/92-06 on 920330-0501. Corrective actions: analysis will be performed to document acceptability of existing dc devices by end of Sept 1992. SCHROCK, C.A. Wisconsin Public Service Corp. 92/07/02. Document Control Branch (Document Control Desk). 12pp. 62269:269-62269:280.

**9207140039** Forwards insp rept 50-305/92-07 on 920309-13. No violations noted. Expresses concern that backlog of operational experience assessment items may prevent timely identification of potentially safety related info. GREGER, L.R. Region 3 (Post 820201). 92/07/02. SCHROCK, C.A. Wisconsin Public Service Corp. 2pp. 62299:121-62299:132.

-9207140050 Insp rept 50-305/92-07 on 920309-13. No violations noted. Major areas inspected: licensee practices to maintain reliable decay heat removal during outages & feedback of operational experience info. No SIMS items reviewed. HASSE, R.A. Region 3 (Post 820201). 92/07/02. 10pp. 62299:123-62299:132.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207240060 Forwards "Owners Data Rept for Inservice Inspns as Required by Provisions of ASME Code Class Rules." Rept contains details of various inservice exams performed during past refueling outage (920306-0418). STEINHARDT, C.R. Wisconsin Public Service Corp. 92/07/17. Document Control Branch (Document Control Desk). 5pp. 62515:313-62515:332.

-9207240256 "Owners Data Rept for Inservice Inspns as Required by Provisions of ASME Code Class Rules." \* Wisconsin Public Service Corp. 92/07/17. 15pp. 62515:318-62515:332.

9207310007 Forwards insp rept 50-305/92-18 on 920707-10. Noncited violation noted. SNELL, W.G. Region 3 (Post 820201). 92/07/27. SCHROCK, C.A. Wisconsin Public Service Corp. 2pp. 62549:026-62549:034.

-9207310008 Insp rept 50-305/92-18 on 920707-10. Noncited violations noted. Major areas inspected: radiation protection program & review of previously identified insp items. LOUDEN, P.L., SNELL, W. Region 3 (Post 820201). 92/07/27. 7pp. 62549:028-62549:034.

9207310214 Responds to NRC Bulletin 92-001 re deficiencies associated w/Thermo-Lag 330 fire barriers. Subj fire barrier sys not installed at facility. STEINHARDT, C.R. Wisconsin Public Service Corp. 92/07/27. Document Control Branch (Document Control Desk). 2pp. 62618:350-62618:351.

#### R. Periodic operating reports & related correspondence

9207150168 Monthly operating rept for June 1992 for Kewaunee Nuclear Power Plant. W/920709 ltr. RUITER, G.H., SCHROCK, C.A. Wisconsin Public Service Corp. 92/06/30. 4pp. 62398:351-62398:355.

#### S. Reportable occurrences, LERs & related correspondence

9207100270 LER 92-014-00: on 920607, discovered that steam exclusion door safeguards alley to TDAWP room, full open & unobstructed. Caused by misapplication of fire door design. Fusible links removed from doors & training provided. W/920707 ltr. ROZZELL, D.L., SCHROCK, C.A. Wisconsin Public Service Corp. 92/07/07. 8pp. 62437:064-62437:071.

#### V. Operator Examinations

9207090342 Discusses generic fundamentals exam section of operator licensing exam, administered on 920610. Master BWR/PWR subj exam w/answer key encl for info. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

9207300158 Advises that licensee response to Generic Ltr 88-20, Suppl 4 re IEEE submittal schedule & selected methods acceptable. HANSEN, A.G. Project Directorate III-3. 92/07/22. SCHROCK, C.A. Wisconsin Public Service Corp. 3pp. 62580:355-62580:357.

9207300332 Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

#### DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

9207070142 Discusses SALP Board results for plants. Informs that Board concludes that regulatory performance of licensee adequate. Also informs that concerns expressed by licensees will be commented on after completion of SALP program for reactors. KEPPLER, J.G. Region III, IE (720101-810228). 81/01/20. MOSELEY, N.C. Ofc of Inspection & Enforcement, Director (820201-870413). 22pp. 62248:002-62248:042.

9207070311 Revised EIPs, including rev 2 to F8, rev 1 to F8-1, F8-2, F8-3, F8-6, F8-8, F8-10 & F8-11. W/920630 ltr. FEY, F.L. Northern States Power Co. 92/06/30. 95pp. 62274:215-62274:318.

9207100148 Ack receipt of 920610 ltr transmitting proposed objectives & scope of participation for plant emergency preparedness exercise scheduled for 920915. Objectives & scope acceptable. MCCORMICK-BARGE Region 3 (Post 820201). 92/07/02. ELIASON, L.R. Northern States Power Co. 2pp. 62331:360-62331:361.

9207130178 Rev 13 to Prairie Island Nuclear Generating Plant ISFSI emergency plan. W/920706 ltr. FEY, F.L. Northern States Power Co. 92/07/06. 200pp. 62384:040-62384:257.

9207170044 Forwards rev to ERDS data point library to clarify problem areas identified by NRC during review of original data point libraries transmitted via util 911028 ltr. Data point library high & low point range readings created. PARKER, T.M. Northern States Power Co. 92/07/13. Document Control Branch (Document Control Desk). 17pp. 62436:200-62436:216.

9207300257 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Plants currently use Thermo-Lag 330 sys in six individual fire areas. PARKER, T.M. Northern States Power Co. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62595:309-62595:311.

#### P. Operating license stage documents & correspondence

9207080120 Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

-9207090248 Provides summary of discussions held at 910604-05 NRC senior mgt meeting & ltrs to be sent to licensees of plants on problem plant list that will be discussed at 910620 Commission meeting. Details withheld. TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/06/14. CARR Commissioners (Post 750119). 42pp. 62324:254-62324:297.

9207100290 Forwards application for amends to Licenses DPR-42 & DPR-60, changing TS re applicability of surveillance requirements per Generic Ltr 87-09 & incorporating STS, Section 4.0.3, per generic ltr, into TS. PARKER, T.M. Northern States Power Co. 92/06/15. Document Control Branch (Document Control Desk). 1p. 62366:115-62366:131.

-9207100293 Application for amends to Licenses DPR-42 & DPR-60, changing applicability of TS surveillance requirements per Generic Ltr 87-09 & incorporating STS, Section 4.0.3, per generic ltr, into TS. PARKER, T.M. Northern States Power Co. 92/06/15. 5pp. 62366:117-62366:121.

-9207100295 Proposed TS Section 4.0 re applicability of surveillance requirements. \* Northern States Power Co. 92/06/15. 8pp. 62366:122-62366:131.

9207100280 Responds to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity." Data & plots of Units 1 & 2 reactor vessel Charpy data & initial RTNDT for beltline mats encl. PARKER, T.M. Northern States Power Co. 92/07/06. Document Control Branch (Document Control Desk). 67pp. 62366:026-62366:092.

9207290120 Forwards amends 99 & 92 to licenses DPR-42 & DPR-60, respectively & safety evaluation. Amend revises TS 3.8.B to remove restriction re cask handling, adds section 4.19 & associated bases & revises section 5.6. MASCANTONIO, A. Project Directorate III-1. 92/07/09. PARKER, T.M. Northern States Power Co. 5pp. 62583:234-62583:276.

-9207290126 Amends 99 & 92 to licenses DPR-42 & DPR-60, respectively, revising TS 3.8.B to remove restriction re cask handling, adding 4.19 & associated bases & revising TS 5.6. MARSH, L.B. Project Directorate III-1. 92/07/09. 32pp. 62583:239-62583:270.

-9207290135 Safety evaluation supporting amends 99 & 92 to licenses DPR-42 & DPR-60, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/09. 6pp. 62583:271-62583:276.

9207170050 Forwards application for amends to Licenses DPR-42 & DPR-60, changing TS Section 3.8 to clarify applicability of requirements for containment closure during refueling. PARKER, T.M. Northern States Power Co. 92/07/13. Document Control Branch (Document Control Desk). 2pp. 62446:195-62446:226.

-9207170052 Application for amends to Licenses DPR-42 & DPR-60, changing TS Section 3.8 to clarify applicability of requirements for containment closure during refueling. PARKER, T.M. Northern States Power Co. 92/07/13. 12pp. 62446:197-62446:208.

-9207170054 Proposed TS Section 3.8 re core alterations during refueling & fuel handling. \* Northern States Power Co. 92/07/13. 18pp. 62446:209-62446:226.

#### Q. Inspection reports, IE Bulletins & correspondence

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207070152 Ack receipt of 920615 ltr & electronic transfer for \$12,500 in payment of civil penalty proposed by NRC in 920521 ltr. Corrective actions will be examined during future inspns. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 92/07/02. ELIASON, L.R. Northern States Power Co. 1p. 62206:107-62206:107.

9207140115 Forwards insp rept 50-282/92-12 & 50-306/92-12 on 920622-26. No violations noted. RING, M.A. Region 3 (Post 820201). 92/07/07. ELIASON, L.R. Northern States Power Co. 2pp. 62338:032-62338:037.

-9207140120 Insp repts 50-282/92-12 & 50-302/92-12 on 920622-26. No violations noted. Major areas inspected: to review & evaluate licensee ongoing & completed construction activities & preoperational testing of SBO/electrical sys upgrade mod. NEISLER, J.H., GARDNER, R.N. Region 3 (Post 820201). 92/07/07. 4pp. 62338:034-62338:037.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

## 78 DOCKETED ITEMS

**9207170010** Responds to NRC 920611 ltr re deviations noted in Insp Repts 50-282/92-08 & 50-306/92-08 on 920414-0526. Corrective actions: normal inservice insp program for welds in high energy piping in auxiliary bldg will be augmented.  
ELIASON, L.R. Northern States Power Co. 92/07/10. Document Control Branch (Document Control Desk). 4pp. 62440:331-62440:334.

**9207300257** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Plants currently use Thermo-Lag 330 sys in six individual fire areas.  
PARKER, T.M. Northern States Power Co. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62595:309-62595:311.

### R. Periodic operating reports & related correspondence

**9207130102** Monthly operating repts for June 1992 for Prairie Island Nuclear Generating Plant. W/920708 ltr.  
DUGSTAD, D., PARKER, T.M. Northern States Power Co. 92/06/30. 9pp. 62366:317-62366:325.

**9207200098** Forwards rev to 1991 annual radiological environ monitoring rept. Rev corrects summary page 2.  
FEY, F.L. Northern States Power Co. 92/07/07. Document Control Branch (Document Control Desk). 1p. 62447:339-62447:340.

**-9207200100** Rev to summary page 2 of 1991 annual radiological environ monitoring rept.  
\* Northern States Power Co. 91/12/31. 2pp. 62447:339-62447:340.

### V. Operator Examinations

**9207090342** Discusses generic fundamentals exam section of operator licensing exam, administered on 920610. Master BWR/PWR subj exam w/answer key encl for info.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

### Y. Dry Cask Independent Spent Fuel Storage Installations

**9207130178** Rev 13 to Prairie Island Nuclear Generating Plant ISFSI emergency plan. W/920706 ltr.  
FEY, F.L. Northern States Power Co. 92/07/06. 200pp. 62384:040-62384:257.

**9207140235** Forwards response to NRC & LLL questions on TN-40 cask thermal analysis & procedure for unloading cask.  
PARKER, T.M. Northern States Power Co. 92/07/10. Document Control Branch (Document Control Desk). 3pp. 62387:359-62387:361.

## DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

### F. Security, medical, emergency & fire protection plans

**9207020242** Informs NRC that util brought on site numerous ofc & supply trailers during 1992 refueling outage. Effectiveness of security program not decreased.  
HERBERT, J.R. Maine Yankee Atomic Power Co. 92/06/25. Document Control Branch (Document Control Desk). 2pp. 62219:359-62219:360.

**9207310196** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Damage." Table listing application of Thermo-Lag mats at facility encl.  
HERBERT, J.R. Maine Yankee Atomic Power Co. 92/07/24. Document Control Branch (Document Control Desk). 5pp. 62619:234-62619:238.

### H. General correspondence

**9207130020** Comment supporting proposed rule 10CFR50 re "Receipt of Byproduct & SNM."  
EDWARDS, D.W. Yankee Atomic Electric Co. 92/07/02. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:028-62285:028.

### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207280233** Rev 10 to updated FSAR for Maine Yankee Nuclear Plant. W/ 920722 ltr.  
FRIZZLE, C.D. Maine Yankee Atomic Power Co. 92/07/22. 270pp. 62533:001-62533:336.

### P. Operating license stage documents & correspondence

**9207010300** Responds to 920331 request for add info to complete review of util recent mods to off-site electrical distribution & transfer sys. Spec for 6,900 volt & 4,160 volt metal-clad switchgear & technical evaluation for mods encl.  
HERBERT, J.R. Maine Yankee Atomic Power Co. 92/06/22. Document Control Branch (Document Control Desk). 100pp. 62233:116-62233:201.

**9207070021** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity. Majority of info already transmitted in response to PTS rule (10CFR50.81) & Generic Ltr 88-01 on revised heatup & cooldown limits.  
FRIZZLE, C.D. Maine Yankee Atomic Power Co. 92/07/02. Document Control Branch (Document Control Desk). 12pp. 62246:348-62246:357.

**9207070247** Requests extension of interval for inservice insp hydrostatic tests on two lines of LPSI sys from 921212 to 931212. During 1990 & 1992 refueling outages, util attempted to hydro high pressure portions of LPSI lines.  
HERBERT, J.R. Maine Yankee Atomic Power Co. 92/07/02. Document Control Branch (Document Control Desk). 1p. 62268:356-62268:356.

**9207140292** Accepts 920103 response to generic ltr 88-20, suppl 4 re IPE for external event. Reassessment of schedule & results should be reported soon.  
TROTTER, E.H. Project Directorate I-3. 92/07/09. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 62375:356-62375:358.

**9207150242** Forwards environ assessment & finding of no significant impact re application to delete license condition 2.B.7(a) for plant.  
TROTTER, E.H. Project Directorate I-3. 92/07/10. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 62395:280-62395:287.

**-9207150244** Environ assessment & finding of no significant impact re license application to delete condition 2.B.7(a).  
NERSES, V. Project Directorate I-3. 92/07/10. 5pp. 62395:282-62395:287.

**9207280349** Forwards amend 131 to license DPR-36 & safety evaluation. Amend removes license condition 2.b.(7)(a) due to replacement by bridge & "740-acre" from section 2.a because site detail is not part of TS.  
TROTTER, E.H. Project Directorate I-3. 92/07/21. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 62528:340-62528:351.

**-9207280352** Amend 131 to license DPR-36, removing license condition 2.b.(7)(a) due to subject replacement of bridge & "740-acre" because site detail is not part of TS.  
NERSES, V. Project Directorate I-3. 92/07/21. 5pp. 62528:343-62528:347.

**-9207280354** Safety evaluation supporting amend 131 to license DPR-36.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/21. 4pp. 62528:348-62528:351.

### Q. Inspection reports, IE Bulletins & correspondence

**9207220329** FOIA request for results of INPO most recent insp of Maine Yankee Nuclear Power Plant.  
HALL, D.W. Affiliation Not Assigned. 91/11/01. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62462:335-62462:335.

**9207220334** Final response to FOIA request for results of INPO most recent insp of plant. No agency records subj to request located.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. HALL, D.W. Affiliation Not Assigned. 1p. 62462:336-62462:336.

**9207020289** Responds to NRC 920505 ltr re violations noted in insp rept 50-309/92-03. Corrective actions: personnel counseled & procedure 5-7-2 temporarily deleted.  
HERBERT, J.R. Maine Yankee Atomic Power Co. 92/06/23. Document Control Branch (Document Control Desk). 4pp. 62300:001-62300:004.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207070247** Requests extension of interval for inservice insp hydrostatic tests on two lines of LPSI sys from 921212 to 931212. During 1990 & 1992 refueling outages, util attempted to hydro high pressure portions of LPSI lines.  
HERBERT, J.R. Maine Yankee Atomic Power Co. 92/07/02. Document Control Branch (Document Control Desk). 1p. 62268:356-62268:356.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207130268** Informs that NRC planning to send contractor, J Bumgardner, to visit plant on 920715 to assist NRC in development of risk-based insp guide to be published as NUREG.  
TROTTER, E.H. Project Directorate I-3. 92/07/10. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 3pp. 62338:007-62338:009.

**9207200106** Responds to NRC 920612 ltr re violations noted in Safety Sys Functional Insp Rept 50-309/92-80. Corrective actions: corrective action processes to be revised to require assessment of generic implications where appropriate.  
HERBERT, J.R. Maine Yankee Atomic Power Co. 92/07/13. Document Control Branch (Document Control Desk). 7pp. 62447:328-62447:334.

**9207280078** Ack receipt of 920623 ltr informing NRC of steps taken to correct violation noted in insp rept 50-309/92-03.  
LINVILLE, J.C. Region 1 (Post 820201). 92/07/16. FRIZZLE, C.D. Maine Yankee Atomic Power Co. 2pp. 62488:128-62488:133.

**9207310196** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Damage." Table listing application of Thermo-Lag mats at facility encl.  
HERBERT, J.R. Maine Yankee Atomic Power Co. 92/07/24. Document Control Branch (Document Control Desk). 5pp. 62619:234-62619:238.

### R. Periodic operating reports & related correspondence

**9207140319** Monthly operating rept for June 1992 for Maine Yankee Atomic Power Station. W/920706 ltr.  
HALL, S.L., HERBERT, J.R. Maine Yankee Atomic Power Co. 92/06/30. 5pp. 62385:161-62385:165.

**S. Reportable occurrences, LERs & related correspondence**

**9207170155** LER 92-006-00: on 920612, error discovered in surveillance procedure for emergency feedwater automatic start circuit. Caused by unclear communication of design change info. Review of operational event data base conducted. W/920713 ltr. EBERT, P., HEBERT, J.R. Maine Yankee Atomic Power Co. 92/07/12. 3pp. 62480:215-62480:217.

**V. Operator Examinations**

**9207150051** Advises that months of Mar & Sept assigned for NRC operator license exams. Since until historically used Jul-June requalification cycle, implementing exams in Mar has limited effectiveness of exam process. HEBERT, J.R. Maine Yankee Atomic Power Co. 92/07/07. Document Control Branch (Document Control Desk). 1p. 62375:261-62375:261.

**DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2****F. Security, medical, emergency & fire protection plans**

**9207090243** Forwards Resident Safety Insp Repts 50-272/92-11, 50-311/92-07 & 50-354/92-07 on 920503-0613. Violations noted. WENZINGER, E.C. Region 1 (Post 820201). 92/07/02. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 62309:242-62309:305.

**-9207090259** Resident Safety Insp Repts 50-272/92-07, 50-311/92-07 & 50-354/92-07 on 920503-0613. Violations noted. Major areas inspected: operation, radiological controls, maint & surveillance testing, emergency preparedness & security. WHITE, J.R. Region 1 (Post 820201). 92/07/01. 5pp. 62309:247-62309:305.

**9207240155** Revised EIPs, including Rev 2 to EIP 405, Rev 6 to EIP 601 & Rev 18 to EIP table of contents emergency operations facility. \* Public Service Electric & Gas Co. of New Jersey. 92/07/09. 31pp. 62515:183-62515:214.

**9207240162** Revised EIPs, including Rev 7 to EIP 104S, Rev 1 to EIP 106S & Rev 31 to EIP table of contents. \* Public Service Electric & Gas Co. of New Jersey. 92/07/09. 32pp. 62524:217-62524:247.

**9207240217** Revised EIPs, including Rev 7 to EIP Attachment 1, Rev 4 to EIP Attachment 2, Rev 4 to EIP Attachment 3, Rev 19 to EIP Salem event classification guide table of contents & Rev 16 to EIP signature attachment page. \* Public Service Electric & Gas Co. of New Jersey. 92/07/09. 32pp. 62524:185-62524:216.

**9207240141** Revised EIPs, including Rev 6 to EIP 902, Rev 4 to EIP 903, Rev 2 to EIP 904 & Rev 10 to EIP table of contents security. \* Public Service Electric & Gas Co. of New Jersey. 92/07/10. 32pp. 62515:253-62515:284.

**9207160059** Requests corrections to SER and Approval Ltr dtd 890720 that granted until exemptions from requirements of 10CFR50 App R. Typographical errors & inconsistent info provide basis for request. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 92/07/14. Document Control Branch (Document Control Desk). 11pp. 62423:348-62423:358.

**9207230147** Advises of completion of engineering & installation milestones for balance of App R cable wrap project, per commitments contained in util 910404 ltr. Milestone completion listing for fire areas encl. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 92/07/14. Document Control Branch (Document Control Desk). 2pp. 62479:323-62479:324.

**9207280063** Notification of significant licensee meeting 92-120 w/util on 920717 to discuss security issues. WHITE, J.R. Region 1 (Post 820201). 92/07/15. Region 1 (Post 820201). 2pp. 62488:109-62488:110.

**9207280361** Revised EIPs, including Rev 5 to EIP 903, "Opening of EOF/ Emergency News Ctr" & revised EIP table of contents re security procedures. \* Public Service Electric & Gas Co. of New Jersey. 92/07/17. 17pp. 62566:283-62566:299.

**9207300173** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys." Thermo-Lag 330 fire barrier sys not installed at either facility. LABRUNA, S. Philadelphia Electric Co. 92/07/22. Document Control Branch (Document Control Desk). 3pp. 62593:014-62593:016.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9207280132** Rev 12 to updated FSAR for Salem Generating Station, units 1 & 2. W/ 920720 ltr. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 92/07/20. 325pp. 62554:001-62555:288.

**P. Operating license stage documents & correspondence**

**9207020236** Discusses review of plant emergency control air compressors. Exemption request currently being reviewed will be sub of separate correspondence. STONE, J.C. Project Directorate I-2. 92/06/29. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 62194:269-62194:271.

**9207060071** Notification of 920701 meeting w/PSE&G in Rockville, MD to discuss details of calculations of erosion/corrosion rate, min acceptable wall thickness & application of 1.2 factor in allowable stress calculations. STONE, J.C. Project Directorate I-2. 92/06/29. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 5pp. 62243:295-62243:299.

**9207070030** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity to enable NRC to assess compliance w/10CFR50.60 & 10CFR50.61 & fracture toughness & matl surveillance requirements for RCS. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 92/06/30. Document Control Branch (Document Control Desk). 3pp. 62269:107-62269:158.

**-9207070035** Rev 0 to "Salem Unit 2 Response to Generic Ltr 92-01, Rev 1, 'Reactor Vessel Structural Integrity.'" \* Public Service Electric & Gas Co. of New Jersey. 92/06/17. 19pp. 62269:135-62269:158.

**9207140280** License Change Request 92-07 to Licenses DPR-70 & DPR-75, changing TS 6.3 re unit staff qualifications & 6.4 re training to clarify current requirements for licensed operator qualifications & training. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 92/07/08. Document Control Branch (Document Control Desk). 7pp. 62385:049-62385:059.

**-9207140283** Proposed TS 6.3 re unit staff qualifications & 6.4 re training. \* Public Service Electric & Gas Co. of New Jersey. 92/07/08. 4pp. 62385:056-62385:059.

**9207200260** Summary of 920625 meeting w/util re erosion/corrosion program & results of feedwater sys exam at plants. Attendance list & viewgraphs encl. PINDALE, S.M. Project Directorate I-2. 92/07/10. Project Directorate I-2. 47pp. 62427:260-62427:306.

**9207200329** Summary of 920701 meeting w/util re resolution of open erosion/corrosion issues identified at 920625 meeting. PINDALE, S.M. Project Directorate I-2. 92/07/10. Project Directorate I-2. 17pp. 62438:191-62438:208.

**9207230147** Advises of completion of engineering & installation milestones for balance of App R cable wrap project, per commitments contained in util 910404 ltr. Milestone completion listing for fire areas encl. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 92/07/14. Document Control Branch (Document Control Desk). 2pp. 62482:171-62482:224.

**9207240099** Forwards supplemental info re request for amend to licenses DPR-70 & DPR-75 previously submitted on 920511. Encl marked up TS pages inadvertently omitted from previous submittal. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 92/07/16. Document Control Branch (Document Control Desk). 5pp. 62482:171-62482:224.

**-9207240103** Proposed tech specs extending surveillance test intervals & allowed outage times. \* Public Service Electric & Gas Co. of New Jersey. 92/07/16. 50pp. 62482:176-62482:224.

**9207310064** Advises that 901221 & 910620 response to Generic Ltr 90-06 do not meet 10CFR50.109 requirements & unacceptable. Requests that response be resubmitted. STONE, J.C. Project Directorate I-2. 92/07/24. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 62588:200-62588:203.

**Q. Inspection reports, IE Bulletins & correspondence**

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207090243** Forwards Resident Safety Insp Repts 50-272/92-11, 50-311/92-07 & 50-354/92-07 on 920503-0613. Violations noted. WENZINGER, E.C. Region 1 (Post 820201). 92/07/02. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 62309:242-62309:305.

**-9207090253** Notice of violation from insp on 920503-0613. Violation noted: licensee failed to satisfy requirement of NUREG 0737 Item III.D.3.4 re release of ammonium hydroxide. \* Region 1 (Post 820201). 92/07/02. 2pp. 62309:245-62309:246.

**-9207090259** Resident Safety Insp Repts 50-272/92-07, 50-311/92-07 & 50-354/92-07 on 920503-0613. Violations noted. Major areas inspected: operation, radiological controls, maint & surveillance testing, emergency preparedness & security. WHITE, J.R. Region 1 (Post 820201). 92/07/01. 59pp. 62309:247-62309:305.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:008.

**9207280100** Forwards insp repts 50-272/92-10 & 50-311/92-10 on 920623-25. No violations noted. ANDERSON, C.J. Region 1 (Post 820201). 92/07/20. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 62488:233-62488:238.

**-9207280105** Insp repts 50-272/92-10 & 50-311/92-10 on 920623-25. No violations noted. Major areas inspected: implementation of erosion/corrosion program, including records related to thickness measurements. HARRIS, R., PETERSON, F.M., MCBREARTY, R. Region 1 (Post 820201). 92/07/16. 3pp. 62488:235-62488:238.

**9207300173** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys." Thermo-Lag 330 fire barrier sys not installed at either facility. LABRUNA, S. Philadelphia Electric Co. 92/07/22. Document Control Branch (Document Control Desk). 3pp. 62593:014-62593:016.

**R. Periodic operating reports & related correspondence**

**9207200215** Monthly operating report for June 1992 for Salem Unit 2. W/ 920714 ltr. SHEDLOCK, M., FEST, J., VONDRA, C.A. Public Service Electric & Gas Co. of New Jersey. 92/06/30. 10pp. 62448:351-62448:360.



## 80 DOCKETED ITEMS

**9207300182** "NPDES Discharge Monitoring Rept for June 1992." W/920723 ltr. VONDRA, C.A. Public Service Electric & Gas Co. of New Jersey. 92/06/30. CAPORALE, G. New Jersey, State of. 23pp. 62593:180-62593:204.

### S. Reportable occurrences, LERs & related correspondence

**9207200113** LER 92-010-00: on 920606, RMS channel fluctuation occurred. Caused by 22 RM distribution panel inverter switching to alternate feed & back to inverter. RMS channels that spiked inspected & functionally tested. W/920702 ltr. POLLACK, M.J., VONDRA, C.A. Public Service Electric & Gas Co. of New Jersey. 92/07/02. Spp. 62480:251-62480:255.

**9207200059** LER 91-008-01: on 910603, sustained undervoltage relay min dropout trip setpoint voltage for three 4 KV vital bus 2A undervoltage relays found below TS min allowable value. Caused by setpoint drift. Procedure revised. W/920709 ltr. POLLACK, M.J., VONDRA, C.A. Public Service Electric & Gas Co. of New Jersey. 92/07/09. Spp. 62480:232-62480:236.

**9207200201** LER 92-005-01: on 920225, via bus 31.6% undervoltage relay setpoints for three busses found below min TS allowable value. Caused by relay design inadequacy & procedure inadequacy. Essay test: procedure enhanced. W/920739 ltr. POLLACK, M.J., VONDRA, C.A. Public Service Electric & Gas Co. of New Jersey. 92/07/09. Spp. 62480:303-62480:308.

**9207200291** NPDES noncompliance notification: on 920618, loggerhead sea turtle recovered from circulating water sys intake trash screens. Turtle placed in 800 gallon holding tank for observation. Turtle flipper-tagged & released. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 92/07/14. Document Control Branch (Document Control Desk). Spp. 62451:282-62451:286.

**9207290311** NPDES noncompliance notification: on 920619, until reported oil sheen on Delaware River in area between svc water intake structure & circulating water sys intake. Sheen did not result from plant operations. Discharge rept retracted. THOMSON, F.X. Public Service Electric & Gas Co. of New Jersey. 92/07/24. New Jersey, State of. 2pp. 62593:354-62593:355.

### V. Operator Examinations

**9207140280** License Change Request 92-07 to Licenses DPR-70 & DPR-75, changing TS 6.3 re unit staff qualifications & 6.4 re training to clarify current requirements for licensed operator qualifications & training. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 92/07/08. Document Control Branch (Document Control Desk). 7pp. 62385:049-62385:059.

**9207140283** Proposed TS 6.3 re unit staff qualifications & 6.4 re training. \* Public Service Electric & Gas Co. of New Jersey. 92/07/08. 4pp. 62385:056-62385:059.

## DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

### F. Security, medical, emergency & fire protection plans

**9207090270** Ack receipt of 920415 ltr transmitting Rev 4 to physical security plan. Changes consistent w/provisions of 10CFR50.54(p) except for Paragraph 5.1.2.2 on Page 5-1. Understands that contents will be revised in Rev 5. PATE, R.J. Region 5 (Post 820201). 92/06/30. KEUTER, D.R. Sacramento Municipal Utility District. 2pp. 62293:346-62293:347.

**9207090358** Advises that 920415 Rev 2 to security training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan. PATE, R.J. Region 5 (Post 820201). 92/06/30. KEUTER, D.R. Sacramento Municipal Utility District. 2pp. 62338:136-62338:137.

### G. Adjudicatory correspondence

**9207020096** Notice of prehearing conference. \* Prehearing conference scheduled for 920714 in Bethesda, MD concerning various issues presented on decommissioning proceeding. W/Certificate of Svc. Served on 920625. BECHHOEFER, C. Atomic Safety & Licensing Board Panel. #392 13038. 92/06/23. Atomic Safety & Licensing Board Panel. 3pp. 62182:019-62182:021.

**9207020191** Environ & Resources Conservation Organization amend & suppl to petition for leave to intervene & request for hearing. \* Urges finding that petitioner entitled to standing to intervene. MCGRANERY, J.P. Environmental & Resources Conservation Organization (formerly Environmental Cons. MCGRANERY, J.P. Dow, Lohnes & Albertson. #392 13053. 92/06/29. Atomic Safety & Licensing Board Panel. 32pp. 62182:057-62182:101.

**9207020198** Affidavit of organizational interest by AD Rossin, president of Environ & Resources Conservation Organization. \* ROSSIN, A.D. Environmental & Resources Conservation Organization (formerly Environmental Cons. 92/06/25. 6pp. 62182:089-62182:094.

**9207020206** Affidavit of DR Crespo. \* Affidavit re environ evaluation of plant. CRESPO, D.R. Environmental & Resources Conservation Organization (formerly Environmental Cons. 92/06/26. 7pp. 62182:095-62182:101.

**9207060026** Comment supporting consideration of issuance of exemption from Commission decommissioning funding regulations for plant. BAXTER, T.A. Shaw, Pittman, Potts & Trowbridge. 92/06/30. Division of Freedom of Information & Publications Services (Post 890205). 10pp. 62182:001-62182:010.

**9207100026** Licensee answer to ECO amend & suppl to petition for leave to intervene & request for hearing. ECO contentions & assertions of standing should be rejected & petition should be dismissed. W/Certificate of Svc. BAXTER, T.A. Sacramento Municipal Utility District. BAXTER, T.A. Shaw, Pittman, Potts & Trowbridge. #392 13084. 92/07/08. Atomic Safety & Licensing Board Panel. 39pp. 62270:009-62270:077.

**9207240017** Comment supporting consideration of issuance of exemption. MCGRANERY, J.P. McGranery, J.P., Jr. 92/07/08. Division of Freedom of Information & Publications Services (Post 890205). 9pp. 62458:098-62458:106.

**9207200036** NRC Staff response to Environ & Resources Conservation Organizations (ECOs) suppl to petition for leave to intervene & request for hearing. \* W/Certificate of Svc. BARTH, C.A., REISE, E.J. Office of the General Counsel (Post 860701). #392 13104. 92/07/10. Atomic Safety & Licensing Board Panel. 33pp. 62404:066-62404:098.

**9207270126** Forwards util response to request for addl info in support of decommissioning plan & associated environ rept. W/o encl. BAXTER, T.A. Sacramento Municipal Utility District. BAXTER, T.A. Shaw, Pittman, Potts & Trowbridge. #392 13108. 92/07/15. BECHHOEFER, C., MURPHY, T.D., COLE, R.F. Atomic Safety & Licensing Board Panel. 1p. 62476:228-62476:228.

**9207270107** Petitioner motion for order to compel service. \* Environ & Resources Conservation Organization urges board to order SMUD to serve counsel w/documents & for listed time. W/Certificate of Svc. MCGRANERY, J.P. Environmental & Resources Conservation Organization (formerly Environmental Cons. #392 13166. 92/07/17. BECHHOEFER, C., COLE, R.F., MURPHY, T.D. Atomic Safety & Licensing Board Panel. 6pp. 62476:197-62476:202.

**9207270116** Petitioner contingent motion to withhold any order wholly denying petition for leave to intervene &/or request for hearing. \* Urges Board to withhold any order wholly denying petition for leave to intervene. W/Certificate of Svc. MCGRANERY, J.P. Environmental & Resources Conservation Organization (formerly Environmental Cons. #392 13115. 92/07/17. Atomic Safety & Licensing Board Panel. 6pp. 62476:210-62476:217.

**9207300118** Advises that content of 920722 response to author 920617 ltr unresponsive to issues raised in ltr. NRC bound by rulings Murley made within scope of authority in Murley 891109 ltr re pending decommissioning of facility. MCGRANERY, J.P. Environmental & Resources Conservation Organization (formerly Environmental Cons. MCGRANERY, J.P. McGranery, J.P., Jr. 92/07/24. BOGER, B. Division of Reactor Projects - III, IV, V (Post 901216). 3pp. 62593:001-62593:003.

### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**9207080330** Summary of 860423-24 mgt meeting at Region III ofc re licensee performance, evaluation of plant discussions & fitness for duty. Task assignments & list of attendees encl. SNEIZEK, J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 86/05/13. DAVIS, J.G. Office of Nuclear Material Safety & Safeguards. 11pp. 62324:005-62324:015.

**9207080152** Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting. STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.

**9207080279** Provides details of discussions re Rancho Seco during NRC senior managers meeting on 871117 & 18. Facility was categorized as requiring substantial improvement. STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. WILCOX, C. Sacramento Municipal Utility District. 2pp. 62324:033-62324:034.

**9207080291** Summary of 880628-29 NRC senior mgt meeting. Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl. STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.

**9207080351** Provides summary of NRC discussions re Rancho Seco during 880628 & 29 senior managers meeting. Facility was categorized as requiring continued close monitoring. STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. WILCOX, C. Sacramento Municipal Utility District. 1p. 62324:054-62324:054.

**9207090086** Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting. STELLO, V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.

**9207090287** Partially withheld summary of 861021-22 NRC mgt meeting. \* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.

**9207010206** Responds to NRC 920416 ltr on behalf of AD Rosin of Environ & Resources Conservation Organization (ECO), in ref to commitment made to ECO to give FR notice for opportunity to participate in licensing actions re decommissioning plant. MCGRANERY, J.P. Environmental & Resources Conservation Organization (formerly Environmental Cons. MCGRANERY, J.P. Dow, Lohnes & Albertson. 92/06/17. CRUTCHFIELD, D. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 62293:342-62293:343.

**9207170061** Notification of 920715 meeting w/plant in Rockville, MD to discuss status of Rancho Seco Decommissioning Plan & ISFSI reviews. BROWN, S. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/09. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 6pp. 62403:061-62403:068.

**9207170082** Advises that staff has sufficient info to continue review of util 910520 proposed Custodial-SAFSTOR phase of decommissioning but unable to continue review of Hardened-SAFSTOR phase due to insufficient info. RAI encl. BROWN, S. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/09. SHETLER, J.R. Sacramento Municipal Utility District. 5pp. 62403:085-62403:089.

9207300056 Responds to 920617 ltr to DM Crutchfield on behalf of Environ Resources Conservation Organization re solicitation of public participation w/respect to licensing actions or other relief for plant. Advises that no exceptions made.  
BOGER, B. Division of Reactor Projects - III, IV, V (Post 901216). 92/07/22.  
MCGRANERY, J.P. Dow, Lohnes & Albertson. 3pp. 62555:350-62555:352.

#### Q. Inspection reports, IE Bulletins & correspondence

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29.  
Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02.  
Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02.  
Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09.  
Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

#### T. Hearing transcripts on non-antitrust matters

9207170146 Transcript of 920714 meeting in Bethesda, MD. Pp 1-180.  
\* Atomic Safety & Licensing Board Panel. 92/07/14. 180pp. 62431:001-62431:185.

#### Y. Dry Cask Independent Spent Fuel Storage Installations

9207170061 Notification of 920715 meeting w/plant in Rockville, MD to discuss status of Rancho Seco Decommissioning Plan & ISFSI reviews.  
BROWN, S. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/09. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 6pp. 62403:061-62403:066.

#### DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9207270279 Forwards REX - 92, "Arkansas Nuclear One Emergency Preparedness Exercise, Exercise Scenario." Exercise objectives listed on encl.  
FISICARO, J.J. Entergy Operations, Inc. 92/03/26. MARTIN, R.D. Region 4 (Post 820201). 23pp. 62531:001-62532:143.

9207270283 "Arkansas Nuclear One Emergency Preparedness Exercise, Exercise Scenario."  
\* Entergy Operations, Inc. REX - 92. 92/06/24. 300pp. 62531:025-62532:143.

9207080142 Update to plant manual, reflecting deletion of Rev 3 to Procedure/Form OP-1905.032, "Multichannel Analyzer Use."  
\* Entergy Operations, Inc. 92/06/24. 1p. 62277:358-62277:358.

9207070379 Ack receipt of 920423 ltr transmitting Rev 24 to industrial security plan. Confirms that title of Paragraph 1.3.1 from personnel reliability to access authorization will be revised. Remainder of Rev 24 acceptable.  
BEACH, A.B. Region 4 (Post 820201). 92/07/02. CARNES, N.S. Entergy Operations, Inc. 4pp. 62267:335-62267:340.

9207090027 Forwards insp rept 50-313/92-06 & 50-368/92-06 on 920218-21 & notice of violations. Rept details withheld per 10CFR73.21.  
BEACH, A.B. Region 4 (Post 820201). 92/07/06. CARNES, N.S. Entergy Corp. 6pp. 62309:328-62309:335.

9207090036 Notice of violation from insp on 920218-21. Violations noted: on or around 920220, licensee conducted testing of metal detector w/test shape not positioned as required by procedure. Details withheld per 10CFR73.21.  
\* Region 4 (Post 820201). 92/07/06. 2pp. 62309:334-62309:335.

9207170274 Forwards insp repts 50-313/92-19 & 50-368/92-19 on 920623-26. No violations or deviations noted.  
BEACH, A.B. Region 4 (Post 820201). 92/07/15. CARNES, N.S. Entergy Operations, Inc. 5pp. 62451:345-62451:359.

9207170277 Insp repts 50-313/92-19 & 50-368/92-19 on 920623-26. No violations or deviations noted. Major areas inspected: performance & capabilities during an annual exercise of emergency plan & procedures & activities in control room.  
MURRAY, B. Region 4 (Post 820201). 92/07/09. 10pp. 62451:350-62451:359.

9207280083 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj fire barrier mat not installed in Unit 1.  
FISICARO, J.J. Entergy Operations, Inc. 92/07/24. Document Control Branch (Document Control Desk). 4pp. 62562:106-62562:109.

#### K. Utility Final Safety Analysis Report (FSAR) & amendments

9207270136 Forwards Amend 10 to Arkansas Nuclear One Units 1 & 2 Updated SAR. Proprietary Rev 2 to Drawing M-2001, "In-Core Instrument Assembly" of Amend 10 to Arkansas Nuclear One Unit 2 Updated SAR also encl. Drawing withheld.  
FISICARO, J.J. Entergy Operations, Inc. 92/07/22. Document Control Branch (Document Control Desk). 30pp. 62620:001-62620:279.

9207270156 Amend 10 to "Arkansas Nuclear One Unit 1 Updated SAR."  
\* Entergy Operations, Inc. 92/07/22. 1,500pp. 62620:031-62620:081.

9207270160 Chapter 1, "Introduction & Summary," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 110pp. 62620:082-62620:187.

9207270162 Chapter 2, "Site & Environment," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 130pp. 62620:188-62620:318.

9207270166 Chapter 3, "Reactor," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 200pp. 62620:319-62621:145.

9207270173 Chapter 3A, "Arkansas Nuclear One-Unit 1, Cycle 11 Reload Rept," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 84pp. 62621:146-62621:200.

9207270177 Chapter 4, "Reactor Coolant Sys," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 215pp. 62621:201-62621:337.

9207270180 Chapter 5, "Structures," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 275pp. 62621:338-62622:144.

9207270182 Chapter 6, "Engineered Safeguards," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 78pp. 62622:145-62622:216.

9207270184 Chapter 7, "Instrumentation & Control," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 250pp. 62622:217-62622:362.

9207270186 Chapter 8, "Electric Power," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 84pp. 62623:001-62623:081.

9207270190 Chapter 9, "Auxiliary & Emergency Sys," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 350pp. 62623:082-62623:356.

9207270193 Chapter 10, "Steam & Power Conversion Sys," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 39pp. 62623:357-62624:033.

9207270202 Chapter 11, "Radwaste & Radiation Protection," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 144pp. 62624:034-62624:124.

9207270205 Chapter 12, "Conduct of Operations," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 19pp. 62624:125-62624:143.

9207270207 Chapter 13, "Initial Tests & Operation," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 59pp. 62624:144-62624:202.

9207270208 Chapter 14, "Safety Analysis," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 175pp. 62624:203-62625:011.

9207270211 Chapter 15, "Tech Specs," to Arkansas Nuclear One Unit 1 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 3pp. 62625:012-62625:014.

9207270213 App A, "Piping & Equipment Design," to Arkansas Nuclear One Unit 1 updated SAR Chapter 15.  
\* Entergy Operations, Inc. 92/07/22. 73pp. 62625:015-62625:085.

9207270222 Amend 10 to "Arkansas Nuclear One Unit 2 updated SAR."  
\* Entergy Operations, Inc. 92/07/22. 2,300pp. 62625:086-62625:165.

9207270226 Chapter 1, "Introduction & General Description of Plant," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 88pp. 62625:166-62625:247.

9207270228 Chapter 2, "Site Characteristics," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 175pp. 62625:248-62628:184.

9207270231 Chapter 3, "Design of Structures, Components, Equipment & Sys," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 400pp. 62626:185-62628:038.

9207270233 Chapter 4, "Reactor," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 226pp. 62628:039-62628:256.

9207270237 Chapter 4A, "Cycle 9 Reload Analysis Rept," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 66pp. 62628:257-62628:322.

9207270239 Chapter 5, "Reactor Coolant Sys," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 150pp. 62628:323-62629:152.

9207270241 Chapter 6, "Engineered Safety Features," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 250pp. 62629:153-62630:118.

9207270244 Chapter 7, "Instrumentation & Controls," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 600pp. 62630:119-62632:048.

9207270248 Chapter 8, "Electric Power," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 350pp. 62632:049-62632:328.

9207270250 Chapter 9, "Auxiliary Systems," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 750pp. 62632:329-62634:179.



## 82 DOCKETED ITEMS

- 9207270251 Chapter 10, "Steam & Power Conversion Sys.," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 300pp. 62634:180-62634:355.
- 9207270253 Chapter 11, "Radwaste Mgt.," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 210pp. 62634:356-62635:188.
- 9207270254 Chapter 12, "Radiation Protection," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 58pp. 62635:189-62635:245.
- 9207270256 Chapter 13, "Conduct of Operations," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 22pp. 62635:246-62635:267.
- 9207270259 Chapter 14, "Initial Tests & Operation," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 200pp. 62635:268-62636:059.
- 9207270261 Chapter 15, "Accident Analysis," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 175pp. 62636:060-62636:273.
- 9207270266 Chapter 16, "TS," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 3pp. 62636:274-62636:276.
- 9207270268 Chapter 17, "Quality Assurance," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 3pp. 62636:277-62636:279.

### P. Operating license stage documents & correspondence

- 9207150285 Notification of 920716 meeting w/util in Rockville, MD re engineering challenges & initiatives at facilities.  
ALEXION, T.W. Project Directorate IV-1. 92/07/07. LARKINS, J.T. Project Directorate IV-1. 7pp. 62378:260-62378:266.
- 9207160082 Forwards amend 161 to license DPR-51 & safety evaluation. Amend revises TS based on recommendations provided in GL 87-09 re applicability of LCO & surveillance requirements of TS 3.0 & 4.0.  
ALEXION, T.W. Project Directorate IV-1. 92/07/07. CARNS, N.S. Entergy Operations, Inc. 3pp. 62396:067-62396:122.
- 9207160084 Amend 161 to license DPR-51, revising TS based on recommendations provided in GL 87-09 re applicability of LCO & surveillance requirements of TS 3.0 & 4.0.  
LARKINS, J.T. Project Directorate IV-1. 92/07/07. 48pp. 62396:070-62396:117.
- 9207160085 Safety evaluation supporting amend 161 to license DPR-51.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/07. 5pp. 62396:118-62396:122.
- 9207160294 Ack granting temporary waiver of compliance from TS Section 3.1.6.9 LCO re leakage criteria for RCS pressure isolation valves, verbally requested on 920708. Request based on 920708 backleakage of RCS pressure isolation check valve.  
MILHOAN, J.L. Region 4 (Post 820201). 92/07/10. CARNS, N.S. Entergy Operations, Inc. 6pp. 62417:340-62417:355.
- 9207160312 Requests temporary waiver of compliance from TS LCO 3.1.6.9 re leakage criteria for RCS pressure isolation valves to allow corrective actions to be implemented to seat unseated check valve.  
FISICARO, J.J. Entergy Operations, Inc. 92/07/09. MILHOAN, J.L. Region 4 (Post 820201). 10pp. 62417:344-62417:355.
- 9207210218 Notification of 920723 meeting w/util in Rockville, MD to discuss status of current licensing actions & activities of plants.  
ALEXION, T.W. Project Directorate IV-1. 92/07/16. LARKINS, J.T. Project Directorate IV-1. 3pp. 62438:263-62438:266.
- 9207220404 Concurs bases of TS 3.3 should be changed to make peak clad temp limit consistent w/10CFR50.46 & revisions to Bases of TS 3.3 acceptable.  
ALEXION, T.W. Project Directorate IV-1. 92/07/16. CARNS, N.S. Entergy Operations, Inc. 5pp. 62453:354-62453:358.
- 9207280058 Informs that, per 10CFR50.71 & 10CFR50.59(a)(3), Amend 10 to Arkansas Nuclear One Units 1 & 2 & Rev 15 to QA Manual Operations shipped under cover ltr dtd 920722 (1CAN079204, 2CAN079210 & 0CAN079210).  
MILHOAN, J.L. Entergy Operations, Inc. 92/07/22. Document Control Branch (Document Control Desk). 3pp. 62568:353-62568:355.
- 9207280139 Forwards Rev 15 to Arkansas Nuclear One "QAM Operations," per 10CFR50.54(a)(3) & 10CFR50.71(e).  
FISICARO, J.J. Entergy Operations, Inc. 92/07/22. Document Control Branch (Document Control Desk). 5pp. 62535:022-62535:253.
- 9207280146 Rev 15 to Arkansas Nuclear One "QAM Operations."  
\* Entergy Operations, Inc. 92/07/22. 150pp. 62535:027-62535:253.
- 9207310075 Forwards dtd page 39 to licensee 920330 rev to TS bases re peak clad temp limit.  
ALEXION, T.W. Project Directorate IV-1. 92/07/24. CARNS, N.S. Entergy Operations, Inc. 3pp. 62588:186-62588:191.
- 9207310078 Corrected page 39 to amend 145, revising licensee TS bases re peak clad temp limit. Page 39 previously undated.  
\* Project Directorate IV-1. 92/07/16. 1p. 62588:191-62588:191.
- 9207300037 Responds to 920514 ltr providing supplemental response to 911121 ltr re alleged discrimination against former contract employee for having engaged in protected activities.  
MILHOAN, J.L. Region 4 (Post 820201). 92/07/27. CARNS, N.S. Entergy Operations, Inc. 4pp. 62528:022-62528:025.

### Q. Inspection reports, IE Bulletins & correspondence

- 9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuator Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.
- 9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.
- 9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Line of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.
- 9207080252 Forwards insp repts 50-313/92-16 & 50-368/92-16 on 920518-06051 notice of violation.  
BEACH, A.B. Region 4 (Post 820201). 92/07/02. CARNS, N.S. Entergy Operations, Inc. 5pp. 62276:048-62276:087.
- 9207080254 Notice of violation from insp on 920518-0605. Violation noted: certain test procedures were not properly maintained, including testing of undervoltage tripping relay.  
\* Region 4 (Post 820201). 92/07/02. 2pp. 62276:054-62276:055.
- 9207080255 Insp repts 50-313/92-16 & 50-368/92-16 on 920518-0605. No violations noted. Major areas inspected: electrical distribution sys., functional design & capabilities of electrical distribution sys.  
STETKA, T.F., WAGNER, P.C. Region 4 (Post 820201). 92/07/01. 32pp. 62276:087-62276:087.
- 9207090027 Forwards insp rept 50-313/92-06 & 50-368/92-06 on 920218-21 & notice of violations. Rept details withheld per 10CFR73.21.  
BEACH, A.B. Region 4 (Post 820201). 92/07/06. CARNS, N.S. Entergy Operations, Inc. 62309:328-62309:335.
- 9207090036 Notice of violation from insp on 920218-21. Violations noted: on or about 920220, licensee conducted testing of metal detector w/test shape not positioned as required by procedure. Details withheld per 10CFR73.21.  
\* Region 4 (Post 820201). 92/07/06. 2pp. 62309:334-62309:335.
- 9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Motor Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.
- 9207170274 Forwards insp repts 50-313/92-19 & 50-368/92-19 on 920623-26. No violations or deviations noted.  
BEACH, A.B. Region 4 (Post 820201). 92/07/15. CARNS, N.S. Entergy Operations, Inc. 5pp. 62451:345-62451:359.
- 9207170277 Insp repts 50-313/92-19 & 50-368/92-19 on 920623-26. No violations or deviations noted. Major areas inspected: performance & capabilities during an exercise of emergency plan & procedures & activities in control room.  
MURRAY, B. Region 4 (Post 820201). 92/07/09. 10pp. 62451:350-62451:359.
- 9207210059 Forwards insp rept 50-313/92-09 & 50-368/92-09 on 920510-06001 notice of violation.  
BEACH, A.B. Region 4 (Post 820201). 92/07/16. CARNS, N.S. Entergy Operations, Inc. 3pp. 62419:326-62419:350.
- 9207210069 Notice of violation from insp on 920510-0620. Violation noted: emergency feedwater actuation sys will likely not actuate during ATWS.  
\* Region 4 (Post 820201). 92/07/16. 1p. 62419:329-62419:329.
- 9207210076 Insp repts 50-313/92-09 & 50-368/92-09 on 920510-0620. No violations noted. Major areas inspected: monthly maint observation, bimonthly surveillance observation, operational safety verification & onsite followup of LERs.  
JOHNSON, W.D. Region 4 (Post 820201). 92/07/13. 20pp. 62419:330-62419:350.
- 9207220018 Advises that util & B&W Owners Group completed stress & fatigue tests to ensure compliance w/applicable code requirements, per NRC Bulletin 88-01 pressurizer surge line thermal stratification.  
FISICARO, J.J. Entergy Operations, Inc. 92/07/16. Document Control Branch (Document Control Desk). 4pp. 62473:264-62473:267.
- 9207280052 Forwards insp repts 50-313/92-20 & 50-368/92-20 on 920608-12 & notice of violation.  
BEACH, A.B. Region 4 (Post 820201). 92/07/22. CARNS, N.S. Entergy Operations, Inc. 5pp. 62497:011-62497:035.
- 9207280082 Notice of violation from insp on 920608-12. Violation noted: 920424, addl work not covered by original job order was performed.  
\* Region 4 (Post 820201). 92/07/22. 2pp. 62497:016-62497:017.
- 9207280072 Insp repts 50-313/92-20 & 50-368/92-20 on 920608-12. Violations noted. Major areas inspected: sys entry retest in areas of mods, temporary mods, maint activities.  
GAGLIARDO, J.E. Region 4 (Post 820201). 92/07/20. 15pp. 62497:018-62497:035.
- 9207280083 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Supp Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj fire barrier matl not installed in Unit 1.  
FISICARO, J.J. Entergy Operations, Inc. 92/07/24. Document Control Branch (Document Control Desk). 4pp. 62562:106-62562:109.

### R. Periodic operating reports & related correspondence

- 9207210102 Monthly operating rept for June 1992 for ANO, Unit 1. W/820715 ltr.  
HAYES, K.R., FISICARO, J.J. Entergy Operations, Inc. 92/06/30. 7pp. 62471:246-62471:246.

**DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1****F. Security, medical, emergency & fire protection plans**

**9207070299** Rev 3 to PMP 2081 EPP.105, "Initial Core Damage Assessment."  
ANDERT,T.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/01. 51pp. 62269:052-62269:106.

**9207080156** Change Sheet 7 to Rev 6 to PMP 1080 EPP.107, "Notification of Plant Personnel."  
\* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/25. 7pp. 62285:349-62285:355.

**9207280219** Forwards insp repts 50-315/91-20 & 50-316/91-20. Violations noted but not subj to enforcement action due to util efforts in identifying & correcting violation.  
CREED,J.R. Region 3 (Post 820201). 92/07/23. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 62489:347-62489:353.

**-9207280222** Insp repts 50-315/91-20 & 50-316/91-20 on 910917-920630. Violations noted but not cited. Major areas inspected: fitness-for-duty program & portions of personnel security access authorization program.  
PIRTLE,G.L., CREED,J.R. Region 3 (Post 820201). 92/07/23. 5pp. 62489:349-62489:353.

**9207300133** Provides response to NRC Bulletin 92-001, "Fire Endurance Test Failures of Thermo-Lag 330 Fire Barrier Matl." Plant does not utilize Thermo-Lag 330 to protect cables & conduits necessary for safe shutdown from fire damage.  
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/24. MURLEY,T.E. NRC - No Detailed Affiliation Given. 7pp. 62592:329-62592:335.

**H. General correspondence**

**9207130034** Comment supporting proposed rule 10CFR50 re receipt of byproduct & special nuclear matl.  
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/26. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62285:045-62285:046.

**K. Utility Final Safety Analysis Report (FSAR) & amends**

**9207280364** Forwards 1992 update to Vols I through XIII of DC Cook Nuclear Plant Units 1 & 2 FSAR, reflecting rearrangement of containment integrity analysis presented in Unit 1 Chapter 14.3.4 to provide more usable format.  
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/22. MURLEY,T.E. Document Control Branch (Document Control Desk). 7pp. 62551:001-62553:288.

**-9207280373** 1992 update to Vols I through XIII of DC Cook Nuclear Plant Units 1 & 2 FSAR.  
\* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/31. 1,000pp. 62551:008-62553:288.

**P. Operating license stage documents & correspondence**

**9207010009** Informs that 920421 submittal incorporating changes in QA program description meet requirements of 10CFR50, app B & acceptable.  
WRIGHT,G.C. Region 3 (Post 820201). 92/06/18. FITZPATRICK,E. Indiana Michigan Power Co. 2pp. 62143:005-62143:006.

**9207020292** Provides detailed info on how to operate, maintain & provide qualified replacement parts for existing RPS in short term, & long term plans re RPS upgrade.  
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/29. Document Control Branch (Document Control Desk). 2pp. 62234:329-62234:330.

**9207150292** Discusses withdrawal of amends to licenses DPR-58 & DPR-74. Confirmation re understanding of util proposed actions requested.  
STANG,J.F. Project Directorate III-1. 92/07/07. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 62378:257-62378:259.

**9207280249** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity, consisting of Westinghouse topical repts & SWRI repts. Proprietary WCAP-8047 withheld (ref 10CFR2.780).  
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/13. MURLEY,T.E. Document Control Branch (Document Control Desk). 12pp. 62565:002-62566:068.

**-9207280261** "American Electric Power Co DC Cook Unit 2 Reactor Vessel Radiation Surveillance Program."  
DAVIDSON,J.A., YANINCHKO,S.E., CHIRIGOS,J.N. Westinghouse Electric Corp. WCAP-8512. 75/11/30. 33pp. 62565:015-62566:048.

**-9207280271** "DC Cook Unit 1 Reactor Vessel RT PTS Evaluations."  
CHICOTTS,J.M., RAY,N.K., MEYER,T.A. Westinghouse Electric Corp. 90/03/31. 19pp. 62566:049-62566:068.

**Q. Inspection reports, IE Bulletins & correspondence**

**9207150024** Responds to NRC 920529 ltr re violations noted in Insp Repts 50-315/92-10 & 50-316/92-10 on 920421-24 & 0513-20. Corrective actions: waste container returned to licensee & radiation measurements performed on contents.  
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/26. DAVIS,A.B. Document Control Branch (Document Control Desk). 8pp. 62394:354-62394:361.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207170180** Forwards insp repts 50-315/92-12 & 50-316/92-12 on 920520-0630. No violations noted.  
JORGENSEN,B.L. Region 3 (Post 820201). 92/07/06. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 62431:306-62431:325.

**-9207170183** Insp repts 50-315/92-12 & 50-316/92-12 on 920520-0630. No violations noted. Major areas inspected: plant operations, reactor trip, electric flash accident, reportable events & temporary instructions.  
JORGENSEN,B.L. Region 3 (Post 820201). 92/07/13. 17pp. 62431:309-62431:325.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207150063** Ack receipt of 920629 ltr informing NRC of steps taken to correct violations noted in insp repts 50-315/92-10 & 50-316/92-10.  
PEDERSON,C.D. Region 3 (Post 820201). 92/07/09. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 62335:084-62335:084.

**9207280219** Forwards insp repts 50-315/91-20 & 50-316/91-20. Violations noted but not subj to enforcement action due to util efforts in identifying & correcting violation.  
CREED,J.R. Region 3 (Post 820201). 92/07/23. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 62489:347-62489:353.

**-9207280222** Insp repts 50-315/91-20 & 50-316/91-20 on 910917-920630. Violations noted but not cited. Major areas inspected: fitness-for-duty program & portions of personnel security access authorization program.  
PIRTLE,G.L., CREED,J.R. Region 3 (Post 820201). 92/07/23. 5pp. 62489:349-62489:353.

**9207300133** Provides response to NRC Bulletin 92-001, "Fire Endurance Test Failures of Thermo-Lag 330 Fire Barrier Matl." Plant does not utilize Thermo-Lag 330 to protect cables & conduits necessary for safe shutdown from fire damage.  
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/24. MURLEY,T.E. NRC - No Detailed Affiliation Given. 7pp. 62592:329-62592:335.

**9207310012** Forwards exam rept 50-315/OL-92-02 during wk of 920706.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/24. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 62549:041-62549:057.

**-9207310013** Exam rept 50-315/OL-92-02 on 920706-10. Exam results: all candidates passed operational exam. One reactor operator candidate & one senior reactor operator candidate failed written exam.  
BAILEY,R.M., BURDICK,T.M. Region 3 (Post 820201). 92/07/24. 15pp. 62549:043-62549:057.

**R. Periodic operating reports & related correspondence**

**9207170272** Monthly operating rept for June 1992 for DC Cook Nuclear Plant, Unit 1.W/ 920707 ltr.  
TURNER, MICHAELSON, BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/30. 6pp. 62446:340-62446:345.

**9207150125** Submits annual rept of LOCA evaluation model changes per 10CFR50.46(a)(3)(ii).  
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/10. MURLEY, Document Control Branch (Document Control Desk). 1p. 62370:347-62370:347.

**S. Reportable occurrences, LERs & related correspondence**

**9207070236** NPDES noncompliance notification: on 920624, grab sample of Outfall 002 circulating water discharge indicated TRC concentration of 0.33 mg/l. Caused by flow balance between plant sys. Unit 1 in shutdown condition.  
BAKER,D.L. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/29. MORLEY,F. Michigan, State of. 2pp. 62265:326-62265:327.

**9207070324** PNO-III-92-038: on 920626, licensee reported that NRC-licensed reactor operator tested positive for cocaine use. Operator removed from duty & subsequently resigned. State of MI informed.  
CREED,J., PEDERSON,C. Region 3 (Post 820201). 92/06/29. 1p. 62206:228-62206:228.

**9207140311** NPDES noncompliance notification: on 920630, minor inadvertent discharge of treatment chemical Clam-trol CT-1 may have occurred. Fire protection Clam-trol treatment was suspended immediately & will not be resumed until alterations made.  
BAKER,D.L. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/02. MORLEY,F. Michigan, State of. 3pp. 62384:347-62384:348.

**9207230287** LER 92-006-00: on 920618 & 19, 10 of 20 main steam safety valve lift settings found outside of TS tolerances. Caused by setpoint drift. Valves reset to acceptable values & retested satisfactorily. W/920717 ltr.  
WEBER,G.A., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/17. 5pp. 62587:063-62587:067.

**9207230290** LER 92-007-00: on 920705, accumulated leakage found while performing Type B & C leak rate tests on containment penetrations, exceeded LCO value of TS. Testing still in progress. Final rept to be submitted by 921020. W/920717 ltr.  
WEBER,G.A., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/17. 2pp. 62587:068-62587:069.

## 84 DOCKETED ITEMS

**9207290003** LER 92-005-00: on 920622, ESF actuation resulted from spurious high reading from one of two source-range neutron flux detectors. Cause unknown. Both detectors replaced, channels calibr & cables checked. W/920721 ltr. BEILMAN, T.P., BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/22. 4pp. 62587:272-62587:275.

### V. Operator Examinations

**9207090342** Discusses generic fundamentals exam section of operator licensing exam, administered on 920610. Master BWR/PWR subj exam w/answer key encl for info. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

**9207140302** Requests details re circumstances surrounding NRC licensed operator testing positive for cocaine following for-cause drug test on 920625. Licensed operator fitness-for-duty questionnaire encl. MILLER, H.J. Region 3 (Post 820201). 92/07/08. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 8pp. 62384:305-62384:312.

**9207310012** Forwards exam rept 50-315/OL-92-02 during wk of 920706. WRIGHT, G.C. Region 3 (Post 820201). 92/07/24. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 62549:041-62549:057.

**-9207310013** Exam rept 50-315/OL-92-02 on 920706-10. Exam results: all candidates passed operational exam. One reactor operator candidate & one senior reactor operator candidate failed written exam. BAILEY, R.M., BURDICK, T.M. Region 3 (Post 820201). 92/07/24. 15pp. 62549:043-62549:057.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

### DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207070299** Rev 3 to PMP 2081 EPP.105, "Initial Core Damage Assessment." ANDERT, T.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/01. 51pp. 62269:052-62269:106.

**9207080156** Change Sheet 7 to Rev 6 to PMP 1080 EPP.107, "Notification of Plant Personnel." \* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/25. 7pp. 62285:349-62285:355.

**9207280219** Forwards insp repts 50-315/91-20 & 50-316/91-20. Violations noted but not subj to enforcement action due to util efforts in identifying & correcting violation. CREED, J.R. Region 3 (Post 820201). 92/07/23. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 62489:347-62489:353.

**-9207280222** Insp repts 50-315/91-20 & 50-316/91-20 on 910917-920630. Violations noted but not cited. Major areas inspected: fitness-for-duty program & portions of personnel security access authorization program. PIRTLE, G.L. Region 3 (Post 820201). 92/07/23. 5pp. 62489:349-62489:353.

**9207300133** Provides response to NRC Bulletin 92-001, "Fire Endurance Test Failures of Thermo-Lag 330 Fire Barrier Matl." Plant does not utilize Thermo-Lag 330 to protect cables & conduits necessary for safe shutdown from fire damage. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/24. MURLEY, T.E. NRC - No Detailed Affiliation Given. 7pp. 62592:329-62592:335.

#### H. General correspondence

**9207130034** Comment supporting proposed rule 10CFR50 re receipt of byproduct & special nuclear matl. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/25. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62285:045-62285:046.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207280364** Forwards 1992 update to Vols I through XIII of DC Cook Nuclear Plant Units 1 & 2 FSAR, reflecting rearrangement of containment integrity analysis presented in Unit 1 Chapter 14.3.4 to provide more usable format. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/22. MURLEY, T.E. Document Control Branch (Document Control Desk). 7pp. 62551:001-62551:288.

**-9207280373** 1992 update to Vols I through XIII of DC Cook Nuclear Plant Units 1 & 2 FSAR. \* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/31. 1,000pp. 62551:008-62551:288.

#### P. Operating license stage documents & correspondence

**9207010009** Informs that 920421 submittal incorporating changes in QA program description meet requirements of 10CFR50, app B & acceptable. WRIGHT, G.C. Region 3 (Post 820201). 92/06/18. FITZPATRICK, E. Indiana Michigan Power Co. 2pp. 62143:005-62143:006.

**9207020292** Provides detailed info on how to operate, maintain & provide qualified replacement parts for existing RPS in short term, & long term plans re RPS upgrade. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/29. Document Control Branch (Document Control Desk). 2pp. 62234:329-62234:330.

**9207150292** Discusses withdrawal of amends to licenses DPR-58 & DPR-74. Confirmation re understanding of util proposed actions requested. STANG, J.F. Project Directorate III-1. 92/07/07. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 62378:257-62378:259.

**9207280249** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity, consisting of Westinghouse topical repts & SWRI repts. Proprietary WCAP-8047 withheld (ref 10CFR2.790). FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/13. MURLEY, T.E. Document Control Branch (Document Control Desk). 12pp. 62565:002-62566:068.

**-9207280261** "American Electric Power Co DC Cook Unit 2 Reactor Vessel Radiation Surveillance Program." DAVIDSON, J.A., YANINCHKO, S.E., CHIRIGOS, J.N. Westinghouse Electric Corp. WCAP-8512. 75/11/30. 33pp. 62565:015-62566:048.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207150024** Responds to NRC 920529 ltr re violations noted in Insp Repts 50-315/92-10 & 50-316/92-10 on 920421-24 & 0513-20. Corrective actions: waste container returned to licensee & radiation measurements performed on contents. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/28. DAVIS, A.B. Document Control Branch (Document Control Desk). 8pp. 62394:354-62394:361.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207170180** Forwards insp repts 50-315/92-12 & 50-316/92-12 on 920520-0630. No violations noted. JORGENSEN, B.L. Region 3 (Post 820201). 92/07/06. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 62431:306-62431:325.

**-9207170183** Insp repts 50-315/92-12 & 50-316/92-12 on 920520-0630. No violations noted. Major areas inspected: plant operations, reactor trip, electric flash accident, reportable events & temporary instructions. JORGENSEN, B.L. Region 3 (Post 820201). 92/07/13. 17pp. 62431:309-62431:325.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207150063** Ack receipt of 920629 ltr informing NRC of steps taken to correct violations noted in insp repts 50-315/92-10 & 50-316/92-10. PEDERSON, C.D. Region 3 (Post 820201). 92/07/09. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 62335:084-62335:084.

**9207280219** Forwards insp repts 50-315/91-20 & 50-316/91-20. Violations noted but not subj to enforcement action due to util efforts in identifying & correcting violation. CREED, J.R. Region 3 (Post 820201). 92/07/23. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 62489:347-62489:353.

**-9207280222** Insp repts 50-315/91-20 & 50-316/91-20 on 910917-920630. Violations noted but not cited. Major areas inspected: fitness-for-duty program & portions of personnel security access authorization program. PIRTLE, G.L., CREED, J.R. Region 3 (Post 820201). 92/07/23. 5pp. 62489:349-62489:353.

**9207300133** Provides response to NRC Bulletin 92-001, "Fire Endurance Test Failures of Thermo-Lag 330 Fire Barrier Matl." Plant does not utilize Thermo-Lag 330 to protect cables & conduits necessary for safe shutdown from fire damage. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/24. MURLEY, T.E. NRC - No Detailed Affiliation Given. 7pp. 62592:329-62592:335.

**9207310012** Forwards exam rept 50-315/OL-92-02 during wk of 920706. WRIGHT, G.C. Region 3 (Post 820201). 92/07/24. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 62549:041-62549:057.

#### R. Periodic operating reports & related correspondence

**9207170271** Monthly operating rept for June 1992 for DC Cook Nuclear Plant, Unit 2. W/920707 ltr. TURNER, MICHAELSON, BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/30. 6pp. 62440:303-62440:308.

**9207150125** Submits annual rept of LOCA evaluation model changes per 10CFR50.46(a)(3)(ii). FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/10. MURLEY, T.E. Document Control Branch (Document Control Desk). 1p. 62370:347-62370:347.

#### S. Reportable occurrences, LERs & related correspondence

**9207070236** NPDES noncompliance notification: on 920624, grab sample of Outfall 002 circulating water discharge indicated TRC concentration of 0.33 mg/l. Caused by flow balance between plant sys. Unit 1 in shutdown condition. BAKER, D.L. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/29. MORLEY, F. Michigan, State of. 2pp. 62265:326-62265:327.

**9207070324** PNO-III-92-038: on 920626, licensee reported that NRC-licensed reactor operator tested positive for cocaine use. Operator removed from duty & subsequently resigned. State of MI informed.  
CREED, J., PEDERSON, C. Region 3 (Post 820201). 92/06/29. 1p. 62206:228-62206:228.

**9207070325** LER 92-003-01: on 920219, 20 & 21.7 of 20 main steam safety valve lift setting found outside of TS established limits. Caused by setpoint drift. Setpoint ranges reset & maint procedure for valve repair revised. W/920630 ltr.  
WEBER, G.A., BLIND, A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/30. 5pp. 62334:351-62334:356.

**9207140311** NPDES noncompliance notification: on 920630, minor inadvertent discharge of treatment chemical Clam-trol CT-1 may have occurred. Fire protection Clam-trol treatment was suspended immediately & will not be resumed until alterations made.  
BAKER, D.L. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/07/02. MORLEY, F. Michigan, State of. 3pp. 62384:347-62384:349.

#### V. Operator Examinations

**9207090342** Discusses generic fundamentals exam section of operator licensing exam, administered on 920610. Master BWR/PWR subj exam w/answer key encl for info.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

**9207140302** Requests details re circumstances surrounding NRC licensed operator testing positive for cocaine following for-cause drug test on 920625. Licensed operator fitness-for-duty questionnaire encl.  
MILLER, H.J. Region 3 (Post 820201). 92/07/08. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 8pp. 62384:305-62384:312.

**9207310012** Forwards exam rept 50-315/OL-92-02 during wk of 920706.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/24. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 62549:041-62549:057.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

#### DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

##### F. Security, medical, emergency & fire protection plans

**9207010070** Revised ERIPs, including rev 47, change 2 to ERPIP A.1 & rev 4, change 13 to ERPIP A.2.  
\* Baltimore Gas & Electric Co. 92/06/19. 12pp. 62248:160-62248:171.

**9207010079** Forwards initial SALP repts 50-317/91-99 & 50-318/91-99 for period 910401-920328. Notes that licensee continued to operate facility safely & overall performance continued to improve.  
MARTIN, T.T. Region 1 (Post 820201). 92/06/22. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 62143:209-62143:239.

**9207010085** Initial SALP repts 50-317/91-99 & 50-318/91-99 for 910401-920328.  
\* Region 1 (Post 820201). 92/05/27. 28pp. 62143:212-62143:239.

**9207210221** Public version of rev 0, change 2 to ERPIP-823, "Dose Assessment Computer," rev 1 to ERPIP-900, "Preparation & Control of ERIPs" & rev 47, change 3 to ERPIP A.1. W/920715 release memo.  
\* Baltimore Gas & Electric Co. 92/06/24. 35pp. 62438:325-62438:359.

**9207070123** Forwards insp repts 50-317/92-15 & 50-318/92-15 on 920426-0606. No violations noted. Concludes that facility being operated in safe manner.  
COWGILL, C.J. Region 1 (Post 820201). 92/06/30. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 62205:260-62205:279.

**9207070130** Insp repts 50-317/92-15 & 50-318/92-15 on 920426-0606. No violations noted. Major areas inspected: plant operations, radiological protection, surveillance & maint, emergency preparedness & security.  
NICHOLSON, L.E. Region 1 (Post 820201). 92/06/24. 17pp. 62205:263-62205:279.

**9207280144** Notification of significant licensee meeting 92-112 w/util on 920716 to discuss status of emergency preparedness program.  
NICHOLSON, L.E. Region 1 (Post 820201). 92/07/02. Region 1 (Post 820201). 4pp. 62489:086-62489:089.

**9207230184** Ack receipt of 920602 ltr informing NRC of steps taken to correct violations noted in insp repts 50-317/92-06 & 50-318/92-06 & mgt meeting held on 920417 re emergency preparedness.  
JOYNER, J.H. Region 1 (Post 820201). 92/07/15. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 62482:231-62482:237.

**9207230230** Forwards response to NRC insp rept 50-317/92-06 & 50-318/92-02 in ref to mgt meeting held in King of Prussia, PA on 920417, re opportunities to improve Emergency preparedness program.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/06/02. Document Control Branch (Document Control Desk). 4pp. 62482:234-62482:237.

**9207290336** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj fire barrier sys not installed at facilities.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62588:150-62588:151.

#### J. Insurance & Indemnity Information

**9207010267** Forwards Endorsement 99 to NELIA Policy NF-0216 & Endorsement 84 to MAELU Policy MF-0076.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/06/26. Document Control Branch (Document Control Desk). 5pp. 62230:333-62230:337.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207210046** Rev 13 to "Updated Final Safety Analysis Rept for Calvert Cliffs Nuclear Power Plant." W/920717 ltr.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/17. 700pp. 62466:001-62467:349.

#### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**9207090086** Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting.  
STELLO, V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.

**9207090114** Provides Commission w/summary of discussions held at 890517-18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting. Details withheld.  
STELLO, V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

**9207090148** Provides Commission w/summary of discussions held at 900612-13 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900627 Commission meeting. Portions of discussion summary partially withheld.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/06/21. CARR Commissioners (Post 750119). 34pp. 62324:183-62324:217.

**9207090237** Provides Commission w/summary of discussions held at 910108-09 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 910124 Commission meeting. Details withheld.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/01/17. CARR Commissioners (Post 750119). 38pp. 62324:218-62324:253.

**9207090248** Provides summary of discussions held at 910604-05 NRC senior mgt meeting & ltrs to be sent to licensees of plants on problem plant list that will be discussed at 910620 Commission meeting. Details withheld.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/06/14. CARR Commissioners (Post 750119). 42pp. 62324:254-62324:297.

**9207100371** Provides Commission w/summary of discussions held at 900122-23 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900215 Commission meeting.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/02/02. CARR Commissioners (Post 750119). 38pp. 62324:144-62324:182.

**9207060107** Summary of 920415 meeting w/util at plant to discuss issues concerning interpretation & implementation of license renewal rule (10CFR54).  
WATKINS, R.L. License Renewal Project Directorate (901216-920516). 92/05/11. License Renewal Project Directorate (901216-920516). 86pp. 62203:239-62203:323.

**9207060003** Forwards addl info re plate mats in reactor vessels, per NRC 920331 request for addl info re PTS rule. Surveillance test results for reactor vessel plate mats listed on encl.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/06/24. Document Control Branch (Document Control Desk). 3pp. 62250:222-62250:224.

**9207060012** Forwards proposed change to QA policy, clarifying regulatory controls that apply to changes to licensing documents. Marked-up sections of QA policy, delineating changes, encl.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/06/24. Document Control Branch (Document Control Desk). 8pp. 62250:171-62250:178.

**9207020044** Advises that CE rept, "Response to USNRC Questions on Differences in Reported Nickel Content" will be withheld from public disclosure, per 10CFR2.790(b)(5).  
CAPRA, R.A. Project Directorate I-1. 92/06/25. CREEL, G.C. Baltimore Gas & Electric Co. 5pp. 62183:302-62183:306.

**9207070013** Forwards amend 172 to license DPR-53 & safety evaluation. Amend revises TS 4.6.1.b.1, 4.6.2.1.b.2, 4.6.2.2.b & 4.6.3.1.d.2 to change specific test signals to indicate appropriate ESFAS test signal be used.  
MCDONALD, D.G. Project Directorate I-1. 92/06/30. CREEL, G.C. Baltimore Gas & Electric Co. 2pp. 62235:347-62235:359.

**9207070016** Amend 172 to license DPR-53, amend revises TS 4.6.1.b.1, 4.6.2.1.b.2, 4.6.2.2.b & 4.6.3.1.d.2 to change specific test signals to indicate appropriate ESFAS test signals be used.  
CAPRA, R.A. Project Directorate I-1. 92/06/30. 6pp. 62235:350-62235:355.

**9207070019** Safety evaluation supporting amend 172 to license DPR-53.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/30. 4pp. 62235:356-62235:359.

**9207080151** Advises that util 911219 response to suppl 4 to generic ltr 88-20 re IPEEE acceptable. Submittal schedule unacceptable & util requested to reassess opportunities for submitting IPEEE results on more expeditious schedule.  
MCDONALD, D.G. Project Directorate I-1. 92/06/30. CREEL, G.C. Baltimore Gas & Electric Co. 4pp. 62259:352-62259:355.

**9207080204** Requests relief from 1968 ASME Boiler & Pressure Vessel Code Section III, Article 9 to allow stop valve to remain installed downstream of thermal overpressure relief device for regenerative HXs.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/06/30. Document Control Branch (Document Control Desk). 13pp. 62276:274-62276:286.

**9207080206** Forwards response to Generic Ltr 92-01 re reactor vessel structural integrity. Table listing upper shelf energy of Linde 124 welds encl.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/06/30. Document Control Branch (Document Control Desk). 15pp. 62278:255-62278:269.

## 86 DOCKETED ITEMS

**9207100259** Forwards correspondence from State of MD re review of util request to perform testing of Clamrol-CT-1 to control macrofouling in saltwater sys at facilities. Request approved, subj to listed conditions.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/02. Document Control Branch (Document Control Desk). 3pp. 62364:357-62364:359.

**9207100126** Advises that based on generic approval of C-E fuel & similarity between CEN-382(B)-P & CEN-386-P, CEN-382(B)-P acceptable ref for requesting single pin burnup to 60 MWD/Kg for plant, per 920207 request.  
MCDONALD, D.G. Project Directorate I-1. 92/07/06. CREEL, G.C. Baltimore Gas & Electric Co. 4pp. 62284:309-62284:341.

**-9207202135** Forwards SE supporting approval of C-E Topical Rept CEN-386-P, "Verification of Acceptability of 1-Pin Burnup Limit of 60 MWD/kg for C-E 16X16 PWR Fuel."  
THADANI, A.C. Division of Systems Technology (Post 890827). 92/06/22. SCHERER, A.E. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 29pp. 62284:312-62284:341.

**9207280026** Notification of significant licensee meeting 92-114 w/util on 920731 to discuss general topics.  
NICHOLSON, L.E. Region 1 (Post 820201). 92/07/08. Region 1 (Post 820201). 3pp. 62488:010-62488:012.

**9207200123** Forwards amends 173 & 150 to licenses DPR-53 & DPR-69, respectively & SE. Amends revise TS to provide conditions under which SG insp intervals may be extended to 30-months, per GL 91-04.  
MCDONALD, D.G. Project Directorate I-1. 92/07/13. CREEL, G.C. Baltimore Gas & Electric Co. 4pp. 62418:307-62418:345.

**-9207200127** Amends 173 & 150 to licenses DPR-53 & DPR-69, respectively, revising TS to provide conditions under which SG insp intervals may be extended to 30-months, per GL 91-04.  
CAPRA, R.A. Project Directorate I-1. 92/07/13. 27pp. 62418:311-62418:337.

**-9207200130** Safety evaluation supporting amends 173 & 150 to licenses DPR-53 & DPR-69, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/13. 8pp. 62418:338-62418:345.

**9207200154** Clarifies proposed change to QA program, contained in util 920624 ltr, per NRC 920702 request. Wording changed from "prior to further internal review" to "prior to implementation."  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/13. Document Control Branch (Document Control Desk). 2pp. 62464:326-62464:327.

**9207200213** Forwards SE accepting 911213 & 920522 responses to 1991 pressurized thermal shock rule, 10CFR50.61 & forwards RAI on reported weight percent of copper & nickel for weld seams in reactor vessel of unit 2.  
MCDONALD, D.G. Project Directorate I-1. 92/07/15. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 62418:346-62418:354.

**-9207200217** Safety evaluation accepting util responses to 1991 PTS rule, 10CFR50.61 RAI encl.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/15. 6pp. 62418:349-62418:354.

**9207220074** Submits rept of SG tube plugging completed during recent inservice insp. Based on eddy current exam results, 11 tubes plugged in SG 11 & 7 tubes plugged in SG 12. Tube in SG 12 erroneously plugged on cold leg side (ref LER 317/88-03).  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/17. Document Control Branch (Document Control Desk). 1p. 62476:312-62476:312.

**9207290345** Suppls 891031 response to Generic Ltr 88-20, "Individual Plant Exams for Severe Accident Vulnerabilities." Summary rept to address subj delayed from 920930 to 930531 due to delays in training individual plant exam staff.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62588:152-62588:153.

### Q. Inspection reports, IE Bulletins & correspondence

**9207100079** Forwards initial SALP repts 50-317/91-99 & 50-318/91-99 for period 910401-920328. Notes that licensee continued to operate facility safely & overall performance continued to improve.  
MARTIN, T.T. Region 1 (Post 820201). 92/06/22. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 62143:209-62143:239.

**-9207100085** Initial SALP repts 50-317/91-99 & 50-318/91-99 for 910401-920328.  
\* Region 1 (Post 820201). 92/05/27. 28pp. 62143:212-62143:239.

**9207210143** Notification of significant licensee meeting 92-108 w/util on 920714 to discuss SALP.  
NICHOLSON, L.W. Region 1 (Post 820201). 92/06/25. Region 1 (Post 820201). 3pp. 62421:095-62421:097.

**9206230183** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070123** Forwards insp repts 50-317/92-15 & 50-318/92-15 on 920426-0606. No violations noted. Concludes that facility being operated in safe manner.  
COWGILL, C.J. Region 1 (Post 820201). 92/06/30. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 62205:260-62205:279.

**-9207070130** Insp repts 50-317/92-15 & 50-318/92-15 on 920426-0606. No violations noted. Major areas inspected: plant operations, radiological protection, surveillance & maint, emergency preparedness & security.  
NICHOLSON, L.E. Region 1 (Post 820201). 92/06/24. 17pp. 62205:263-62205:279.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207150120** Responds to NRC 920605 ltr re violations & unresolved items noted in EDSFI Repts 50-317/92-80 & 50-318/92-80. Corrective actions: calculation re EDG accident loading will be revised to consider sys cable losses & required operator actions.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/08. Document Control Branch (Document Control Desk). 21pp. 62411:282-62411:302.

**9207202033** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207200123** Forwards amends 173 & 150 to licenses DPR-53 & DPR-69, respectively & SE. Amends revise TS to provide conditions under which SG insp intervals may be extended to 30-months, per GL 91-04.  
MCDONALD, D.G. Project Directorate I-1. 92/07/13. CREEL, G.C. Baltimore Gas & Electric Co. 4pp. 62418:307-62418:345.

**-9207200127** Amends 173 & 150 to licenses DPR-53 & DPR-69, respectively, revising TS to provide conditions under which SG insp intervals may be extended to 30-months, per GL 91-04.  
CAPRA, R.A. Project Directorate I-1. 92/07/13. 27pp. 62418:311-62418:337.

**9207230184** Ack receipt of 920602 ltr informing NRC of steps taken to correct violations noted in insp repts 50-317/92-06 & 50-318/92-06 & mgt meeting held on 920417 re emergency preparedness.  
JOYNER, J.H. Region 1 (Post 820201). 92/07/15. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 62482:231-62482:237.

**-9207230230** Forwards response to NRC insp rept 50-317/92-06 & 50-318/92-02 in ref to mgt meeting held in King of Prussia, PA on 920417, re opportunities to improve Emergency preparedness program.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/06/02. Document Control Branch (Document Control Desk). 4pp. 62482:234-62482:237.

**9207220074** Submits rept of SG tube plugging completed during recent inservice insp. Based on eddy current exam results, 11 tubes plugged in SG 11 & 7 tubes plugged in SG 12. Tube in SG 12 erroneously plugged on cold leg side (ref LER 317/88-03).  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/17. Document Control Branch (Document Control Desk). 1p. 62476:312-62476:312.

**9207290338** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj fire barrier sys not installed at facilities.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62588:150-62588:151.

### R. Periodic operating reports & related correspondence

**9207200137** Monthly operating repts for June 1992 for Calvert Cliffs Nuclear Power Plant. W/920714 ltr.  
SHANLEY, L., DENTON, R.E. Baltimore Gas & Electric Co. 92/06/30. 11pp. 62464:307-62464:317.

**9207100258** Submits 1992 annual rept on ECCS codes & methods, reporting number of tubes plugged in Unit 1 SGs during recently completed ISI, per 10CFR50.46 & TS 4.4.5.5.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/06. Document Control Branch (Document Control Desk). 1p. 62331:294-62331:294.

### S. Reportable occurrences, LERs & related correspondence

**9207100031** PNO-I-92-033: on 920621, Unit 2 reactor was manually tripped, due to loss of main condenser vacuum. Vacuum lost due to failure of 21 condenser expansion joint. Unit 2 will be cooled to cold shutdown (mode 5) to support repairs.  
HOWE, A., NICHOLSON, L. Region 1 (Post 820201). 92/06/25. 2pp. 62143:039-62143:040.

**9207200155** NPDES noncompliance notification: on 920608, sample analysis for fecal coliform indicated concentration of 900 MPN/100 ml greater than max NPDES limit of 400 MPN/100 ml. Cause not determined. Concentration of chlorine increased.  
DENTON, H.R. Baltimore Gas & Electric Co. 92/07/14. Document Control Branch (Document Control Desk). 3pp. 62464:322-62464:324.

**9207200179** LER 92-003-00: on 920701, discovered that 18-month surveillance test procedure did not inspect fire damper spring latch internals. Cause not determined. Damper latched shut & fire damper verified operable. W/920716 ltr.  
FRANKE, R.E., DENTON, H.R. Baltimore Gas & Electric Co. 92/07/16. 6pp. 62480:285-62480:290.

**9207200322** LER 92-003-00: on 920521, MSIV pipe tunnel fire damper found inoperable due to surveillance test procedure omission. Inoperable fire damper repaired. Findings re inoperable spring latch will be reported in rept suppl. W/920716 ltr.  
FRANKE, R.E., DENTON, R.E. Baltimore Gas & Electric Co. 92/07/16. 6pp. 62480:331-62480:336.

**9207230277** LER 92-006-00: on 920623, noticed that valve found in alert range not placed in supplemental test program for monthly testing. Caused by personnel error. New set of administrative procedures scheduled for implementation. W/920722 ltr.  
MUTH, D.W., DENTON, R.E. Baltimore Gas & Electric Co. 92/07/22. 5pp. 62587:001-62587:005.

**9207290111** LER 92-004-00: on 920518, three 45 foot SWGR fire dampers found inoperable. On 920629, determined that damper critical clearances not met during installation. Caused by conflicting design info. Design reviews to be performed. W/920723 ltr.  
FRANKE, R.E., DENTON, R.E. Baltimore Gas & Electric Co. 92/07/23. 6pp. 62587:295-62587:300.



**V. Operator Examinations**

**9207210205** Notification of significant licensee meeting 92-109 w/util on 920707 to discuss proposed licensed operator requalification exam scheduled for wk of 921019. NICHOLSON, L.E. Region 1 (Post 820201). 92/06/30. Region 1 (Post 820201). 3pp. 62421:195-62421:197.

**9207170166** Forwards exam forms A & B, answer key for A & B exams, summary & candidates individual answer sheets from 920610 generic fundamentals exam section. Results should be forwarded to applicants w/o encl. BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/08. HOLM, D. Baltimore Gas & Electric Co. 2pp. 62430:359-62430:360.

**Y. Dry Cask Independent Spent Fuel Storage Installations**

**9207210116** Forwards Nonproprietary volume 1 & proprietary volume 2 of rev 1 to "Calvert Cliffs ISFSI Updated SAR." "Calvert Cliffs ISFSI Updated SAR Final Analysis & Evaluation..." also encl. Proprietary volume 2 withheld. W/36 oversize drawings. CREEL, G.C. Baltimore Gas & Electric Co. 92/07/16. Office of Nuclear Material Safety & Safeguards. 4pp. 62639:001-62640:099.

**-9207210130** Rev 1 to "Calvert Cliffs ISFSI Updated Safety Analysis Rept Final Analysis & Evaluation (10CFR72.70(a))." ROSA, J.M., TAYLOR, M. Pacific Nuclear Fuel Services, Inc. BGE-01-126 R01. 92/07/31. 40pp. 62639:007-62639:046.

**-9207240156** Nonproprietary rev 1 to vol 1 "Calvert Cliffs ISFSI Updated Safety Analysis Rept." \* Baltimore Gas & Electric Co. 92/07/16. 400pp. 62639:047-62640:099.

**DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2****F. Security, medical, emergency & fire protection plans**

**9207010070** Revised ERPIPs, including rev 47, change 2 to ERPIP A.1 & rev 4, change 13 to ERPIP A.2. \* Baltimore Gas & Electric Co. 92/06/19. 12pp. 62248:160-62248:171.

**9207010079** Forwards initial SALP repts 50-317/91-99 & 50-318/91-99 for period 910401-920328. Notes that licensee continued to operate facility safely & overall performance continued to improve. MARTIN, T.T. Region 1 (Post 820201). 92/06/22. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 62143:209-62143:239.

**-9207010085** Initial SALP repts 50-317/91-99 & 50-318/91-99 for 910401-920328. \* Region 1 (Post 820201). 92/05/27. 28pp. 62143:212-62143:239.

**9207210221** Public version of rev 0, change 2 to ERPIP-823, "Dose Assessment Computer," rev 1 to ERPIP-900, "Preparation & Control of ERPIPs" & rev 47, change 3 to ERPIP A.1 w/920715 release memo. \* Baltimore Gas & Electric Co. 92/06/24. 35pp. 62438:325-62438:359.

**9207070123** Forwards insp repts 50-317/92-15 & 50-318/92-15 on 920426-0606. No violations noted. Concludes that facility being operated in safe manner. COWGILL, C.J. Region 1 (Post 820201). 92/06/30. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 62205:260-62205:279.

**-9207070130** Insp repts 50-317/92-15 & 50-318/92-15 on 920426-0606. No violations noted. Major areas inspected: plant operations, radiological protection, surveillance & maint, emergency preparedness & security. NICHOLSON, L.E. Region 1 (Post 820201). 92/06/24. 17pp. 62205:263-62205:279.

**9207280144** Notification of significant licensee meeting 92-112 w/util on 920716 to discuss status of emergency preparedness program. NICHOLSON, L.E. Region 1 (Post 820201). 92/07/02. Region 1 (Post 820201). 4pp. 62488:086-62488:089.

**9207230184** Ack receipt of 920602 ltr informing NRC of steps taken to correct violations noted in insp repts 50-317/92-06 & 50-318/92-06 & mgt meeting held on 920417 re emergency preparedness. JOYNER, J.H. Region 1 (Post 820201). 92/07/15. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 62482:231-62482:237.

**-9207230230** Forwards response to NRC insp rept 50-317/92-06 & 50-318/92-02 in ref to mgt meeting held in King of Prussia, PA on 920417, re opportunities to improve Emergency preparedness program. CREEL, G.C. Baltimore Gas & Electric Co. 92/06/02. Document Control Branch (Document Control Desk). 4pp. 62482:234-62482:237.

**9207290338** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj fire barrier sys not installed at facilities. CREEL, G.C. Baltimore Gas & Electric Co. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62588:150-62588:151.

**J. Insurance & Indemnity Information**

**9207010267** Forwards Endorsement 99 to NELIA Policy NF-0216 & Endorsement 84 to MAELU Policy MF-0076. CREEL, G.C. Baltimore Gas & Electric Co. 92/06/26. Document Control Branch (Document Control Desk). 5pp. 62230:333-62230:337.

**K. Utility Final Safety Analysis Report (FSAR) & amendments**

**9207210046** Rev 13 to "Updated Final Safety Analysis Rept for Calvert Cliffs Nuclear Power Plant." W/920717 ltr. CREEL, G.C. Baltimore Gas & Electric Co. 92/07/17. 700pp. 62466:001-62467:349.

**P. Operating license stage documents & correspondence**

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-9207090086** Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting. STELLO, V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.

**-9207090114** Provides Commission w/summary of discussions held at 890517-18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting. Details withheld. STELLO, V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

**-9207090146** Provides Commission w/summary of discussions held at 900612-13 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900627 Commission meeting. Portions of discussion summary partially withheld. TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/06/21. CARR Commissioners (Post 750119). 34pp. 62324:183-62324:217.

**-9207090237** Provides Commission w/summary of discussions held at 910108-09 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 910124 Commission meeting. Details withheld. TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/01/17. CARR Commissioners (Post 750119). 36pp. 62324:218-62324:253.

**-9207090248** Provides summary of discussions held at 910604-05 NRC senior mgt meeting & ltrs to be sent to licensees of plants on problem plant list that will be discussed at 910620 Commission meeting. Details withheld. TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/06/14. CARR Commissioners (Post 750119). 42pp. 62324:254-62324:287.

**-9207100371** Provides Commission w/summary of discussions held at 900122-23 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900215 Commission meeting. TAYLOR, J.M. Ofc of the Executive Director for Operations. 90/02/02. CARR Commissioners (Post 750119). 38pp. 62324:144-62324:182.

**9207060107** Summary of 920415 meeting w/util at plant to discuss issues concerning interpretation & implementation of license renewal rule (10CFR54). WATKINS, R.L. License Renewal Project Directorate (901216-920516). 92/05/11. License Renewal Project Directorate (901216-920516). 86pp. 62203:239-62203:323.

**9207060003** Forwards add info re plate mats in reactor vessels, per NRC 920331 request for add info re PTS rule. Surveillance test results for reactor vessel plate mats listed on encl. CREEL, G.C. Baltimore Gas & Electric Co. 92/06/24. Document Control Branch (Document Control Desk). 3pp. 62250:222-62250:224.

**9207060012** Forwards proposed change to QA policy, clarifying regulatory controls that apply to changes to licensing documents. Marked-up sections of QA policy, delineating changes, encl. CREEL, G.C. Baltimore Gas & Electric Co. 92/06/24. Document Control Branch (Document Control Desk). 8pp. 62250:171-62250:178.

**9207020044** Advises that CE rept, "Response to USNRC Questions on Differences in Reported Nickel Content" will be withheld from public disclosure, per 10CFR72.70(b)(5). CAPRA, R.A. Project Directorate I-1. 92/06/25. CREEL, G.C. Baltimore Gas & Electric Co. 5pp. 62183:302-62183:306.

**9207080151** Advises that util 911219 response to suppl 4 to generic ltr 88-20 re IPEEE acceptable. Submittal schedule unacceptable & util requested to reassess opportunities for submitting IPEEE results on more expeditious schedule. MCDONALD, D.G. Project Directorate I-1. 92/06/30. CREEL, G.C. Baltimore Gas & Electric Co. 4pp. 62259:352-62259:355.

**9207080204** Requests relief from 1968 ASME Boiler & Pressure Vessel Code Section III, Article 9 to allow stop valve to remain installed downstream of thermal overpressure relief device for regenerative HXs. CREEL, G.C. Baltimore Gas & Electric Co. 92/06/30. Document Control Branch (Document Control Desk). 13pp. 62276:274-62276:286.

**9207080206** Forwards response to Generic Ltr 92-01 re reactor vessel structural integrity. Table listing upper shelf energy of Linde 124 welds encl. CREEL, G.C. Baltimore Gas & Electric Co. 92/06/30. Document Control Branch (Document Control Desk). 15pp. 62276:255-62276:269.

**9207100259** Forwards correspondence from State of MD re review of util request to perform testing of Clamtril-CT-1 to control macrofouling in saltwater sys at facilities. Request approved, subj to listed conditions. CREEL, G.C. Baltimore Gas & Electric Co. 92/07/02. Document Control Branch (Document Control Desk). 3pp. 62364:357-62364:359.

**9207100126** Advises that based on generic approval of C-E fuel & similarity between CEN-382(B)-P & CEN-386-P, CEN-382(B)-P acceptable ref for requesting single pin burnup to 60 MWD/Kg for plant, per 920207 request. MCDONALD, D.G. Project Directorate I-1. 92/07/06. CREEL, G.C. Baltimore Gas & Electric Co. 4pp. 62284:309-62284:341.

**9207280026** Notification of significant licensee meeting 92-114 w/util on 920731 to discuss general topics. NICHOLSON, L.E. Region 1 (Post 820201). 92/07/08. Region 1 (Post 820201). 3pp. 62488:010-62488:012.

**9207200123** Forwards amendments 173 & 150 to licenses DPR-53 & DPR-69, respectively & SE. Amendments revise TS to provide conditions under which SG insp intervals may be extended to 30-months, per GL 91-04. MCDONALD, D.G. Project Directorate I-1. 92/07/13. CREEL, G.C. Baltimore Gas & Electric Co. 4pp. 62418:307-62418:345.

## 88 DOCKETED ITEMS

—9207200127 Amends 173 & 150 to licenses DPR-53 & DPR-69, respectively, revising TS to provide conditions under which SG insp intervals may be extended to 30-months, per GL 91-04. CAPRA, R.A. Project Directorate I-1. 92/07/13. 27pp. 62418:311-62418:337.

—9207200130 Safety evaluation supporting amends 173 & 150 to licenses DPR-53 & DPR-69, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/13. 8pp. 62418:338-62418:345.

9207200154 Clarifies proposed change to QA program, contained in util 920624 ltr, per NRC 920702 request. Worded changed from "prior to further internal review" to "prior to implementation."  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/13. Document Control Branch (Document Control Desk). 2pp. 62464:326-62464:327.

9207200213 Forwards SE accepting 911213 & 920522 responses to 1991 pressurized thermal shock rule, 10CFR50.61 & forwards RAI on reported weight percent of copper & nickel for weld seams in reactor vessel of unit 2.  
MCDONALD, D.G. Project Directorate I-1. 92/07/15. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 62418:346-62418:354.

—9207200217 Safety evaluation accepting util responses to 1991 PTS rule, 10CFR50.61 RAI end.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/15. 6pp. 62418:349-62418:354.

9207290345 Suppls 891031 response to Generic Ltr 88-20, "Individual Plant Exams for Severe Accident Vulnerabilities." Summary rept to address subj delayed from 920930 to 930531 due to delays in training individual plant exam staff.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62588:152-62588:153.

### G. Inspection reports, IE Bulletins & correspondence

9207010079 Forwards initial SALP repts 50-317/91-99 & 50-318/91-99 for period 910401-920328. Notes that licensee continued to operate facility safely & overall performance continued to improve.  
MARTIN, T.T. Region 1 (Post 820201). 92/06/22. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 62143:209-62143:239.

—9207010085 Initial SALP repts 50-317/91-99 & 50-318/91-99 for 910401-920328.  
\* Region 1 (Post 820201). 92/05/27. 28pp. 62143:212-62143:239.

9207210143 Notification of significant licensee meeting 92-108 w/util on 920714 to discuss SALP.  
NICHOLSON, L.W. Region 1 (Post 820201). 92/06/25. Region 1 (Post 820201). 3pp. 62421:095-62421:097.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207070123 Forwards insp repts 50-317/92-15 & 50-318/92-15 on 920426-0606. No violations noted. Concludes that facility being operated in safe manner.  
COWGILL, C.J. Region 1 (Post 820201). 92/06/30. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 62205:260-62205:279.

—9207070130 Insp repts 50-317/92-15 & 50-318/92-15 on 920426-0606. No violations noted. Major areas inspected: plant operations, radiological protection, surveillance & maint, emergency preparedness & security.  
NICHOLSON, L.E. Region 1 (Post 820201). 92/06/24. 17pp. 62205:263-62205:279.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207150120 Responds to NRC 920605 ltr re violations & unresolved items noted in EDSFI Repts 50-317/92-80 & 50-318/92-80. Corrective actions: calculation re EDG accident loading will be revised to consider sys cable losses & required operator actions.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/08. Document Control Branch (Document Control Desk). 21pp. 62411:282-62411:302.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207200123 Forwards amends 173 & 150 to licenses DPR-53 & DPR-69, respectively & SE. Amends revise TS to provide conditions under which SG insp intervals may be extended to 30-months, per GL 91-04.  
MCDONALD, D.G. Project Directorate I-1. 92/07/13. CREEL, G.C. Baltimore Gas & Electric Co. 4pp. 62418:307-62418:345.

—9207200127 Amends 173 & 150 to licenses DPR-53 & DPR-69, respectively, revising TS to provide conditions under which SG insp intervals may be extended to 30-months, per GL 91-04.  
CAPRA, R.A. Project Directorate I-1. 92/07/13. 27pp. 62418:311-62418:337.

9207230184 Ack receipt of 920602 ltr informing NRC of steps taken to correct violations noted in insp repts 50-317/92-06 & 50-318/92-06 & mgt meeting held on 920417 re emergency preparedness.  
JOYNER, J.H. Region 1 (Post 820201). 92/07/15. CREEL, G.C. Baltimore Gas & Electric Co. 3pp. 62482:231-62482:237.

—9207230230 Forwards response to NRC insp rept 50-317/92-06 & 50-318/92-02 in ref to mgt meeting held in King of Prussia, PA on 920417, re opportunities to improve Emergency preparedness program.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/06/02. Document Control Branch (Document Control Desk). 4pp. 62482:234-62482:237.

9207290338 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj fire barrier sys not installed at facilities.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62588:150-62588:151.

### R. Periodic operating reports & related correspondence

9207200137 Monthly operating repts for June 1992 for Calvert Cliffs Nuclear Power Plant. W/920714 ltr.  
SHANLEY, L., DENTON, R.E. Baltimore Gas & Electric Co. 92/06/30. 11pp. 62464:307-62464:317.

### S. Reportable occurrences, LERs & related correspondence

9207010031 PNO-I-92-033: on 920621, Unit 2 reactor was manually tripped, due to loss of main condenser vacuum. Vacuum lost due to failure of 21 condenser expansion joint. Unit 2 will be cooled to cold shutdown (mode 5) to support repairs.  
HOWE, A., NICHOLSON, L. Region 1 (Post 820201). 92/06/25. 2pp. 62143:039-62143:040.

9207200155 NPDES noncompliance notification: on 920608, sample analysis for fecal coliform indicated concentration of 900 MPN/100 ml greater than max NPDES limit of 400 MPN/100 ml. Cause not determined. Concentration of chlorine increased.  
DENTON, R.R. Baltimore Gas & Electric Co. 92/07/14. Document Control Branch (Document Control Desk). 3pp. 62464:322-62464:324.

9207230033 Special rept: on 920624, fire dampers for switchgear room HVAC found inoperable. Hourly fire watch established. Root cause & corrective actions for event will be discussed in upcoming LER.  
DENTON, R.E. Baltimore Gas & Electric Co. 92/07/20. Document Control Branch (Document Control Desk). 2pp. 62476:286-62476:287.

9207290094 LER 92-003-00: on 920624, reactor manually tripped due to rapid loss of main condenser vacuum. Expansion joint belt in Main Condenser 21 replaced w/improved design. Preventative maint procedure will also be implemented. W/920724 ltr.  
GRADLE, R.C., DENTON, R.E. Baltimore Gas & Electric Co. 92/07/24. 6pp. 62587:285-62587:290.

### V. Operator Examinations

9207210205 Notification of significant licensee meeting 92-109 w/util on 920707 to discuss proposed licensed operator requalification exam scheduled for wk of 921019.  
NICHOLSON, L.E. Region 1 (Post 820201). 92/06/30. Region 1 (Post 820201). 3pp. 62421:195-62421:197.

9207170166 Forwards exam forms A & B, answer key for A & B exams, summary & candidates individual answer sheets from 920610 generic fundamentals exam section. Results should be forwarded to applicants. W/o encl.  
BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/08. HOLM, D. Baltimore Gas & Electric Co. 2pp. 62430:359-62430:360.

### Y. Dry Cask Independent Spent Fuel Storage Installations

9207210116 Forwards Nonpropriety volume 1 & propriety volume 2 of rev 1 to "Calvert Cliffs ISFSI Updated SAR." "Calvert Cliffs ISFSI Updated SAR Final Analysis & Evaluation..." also encl. Propriety volume 2 withheld. W/38 oversize drawings.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/16. Office of Nuclear Material Safety & Safeguards. 4pp. 62639:001-62640:099.

—9207210130 Rev 1 to "Calvert Cliffs ISFSI Updated Safety Analysis Rept Final Analysis & Evaluation (10CFR72.70(a))."  
ROSA, J.M., TAYLOR, M. Pacific Nuclear Fuel Services, Inc. BGE-01-126 R01. 92/07/31. 40pp. 62639:007-62639:046.

—9207240156 Nonproprietary rev 1 to vol 1 "Calvert Cliffs (ISFSI) Updated Safety Analysis Rept."  
\* Baltimore Gas & Electric Co. 92/07/16. 400pp. 62639:047-62640:099.

## DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

### F. Security, medical, emergency & fire protection plans

9207220337 Forwards Insp Repts 50-289/92-13 & 50-320/92-08 on 920526-0629. Inspector observations indicated continued safe & conservative operation of facilities.  
BLOUGH, A.R. Region 1 (Post 820201). 92/07/16. BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 62496:300-62496:315.

—9207220341 Safety Insp Repts 50-289/92-13 & 50-320/92-08 on 920526-0629. Major areas inspected: plant operations, maint & surveillance, radiological controls, security & engineering & technical support activities re plant safety.  
ROGGE, J.F. Region 1 (Post 820201). 92/07/16. 13pp. 62496:303-62496:315.

9207310134 Rev 3 to Procedure 6610-PLN-4200.02, "TMI Emergency Dose Calculation Manual," incorporating Procedure Change Request 1-RC-92-0040.  
WILLIAMS, S.E. General Public Utilities Corp. - GPU Service Corp. 92/07/24. 100pp. 62618:074-62618:178.

### H. General correspondence

9207100309 Responds to 920609 ltr requesting info to help constituent re medical conditions attributed to radiation released from TMI after 790328 accident.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/07/02. WOFFORD, H. Senate. 4pp. 62366:177-62366:183.

—9207100314 Forwards correspondence from A Byles for NRC consideration & review.  
WOFFORD, H. Senate. 92/06/09. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 3pp. 62366:181-62366:183.



**P. Operating license stage documents & correspondence**

**9207010091** Forwards Rev 1 to TS Change Request (TSCR) 67 & Recovery Operations Plan Change Request (ROPCR) 46 for amend to License DPR-73.Rev 2 of ODCM & Certificate of Svc for proposed TSCR 67 & ROPCR 46,Rev 1 encl also. LONG,R.L. Georgia Power Co. 92/06/18. Document Control Branch (Document Control Desk). 2pp. 62252:119-62252:334.

—**9207010097** Rev 1 to TS Change Request 67 & Recovery Operations Plan Change Request 46 to License DPR-73,relocating TSs re radiological effluents to ODCM,per GL 89-01. LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 92/06/18. 10pp. 62252:121-62252:130.

—**9207010100** Proposed radiological effluents tech specs.  
\* General Public Utilities Corp. - GPU Service Corp. 92/06/18. 44pp. 62252:131-62252:175.

—**9207010106** Rev 2 to 6610-PLN-4200.01. "ODCM" for TMI,Units 1 & 2. WILLIAMS,S.E. General Public Utilities Corp. - GPU Service Corp. 92/05/18. 150pp. 62252:176-62252:344.

**9207150202** Forwards Rev 10 to Sys Description SD 3526-004, "Auxiliary Bldg Emergency Liquid Cleanup Sys (EPICOR II)." LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 92/07/08. Document Control Branch (Document Control Desk). 1p. 62415:012-62415:100.

—**9207150205** Rev 10 to Sys Description SD 3526-004, "Auxiliary Bldg Emergency Cleanup Sys (EPICOR II)." \* General Public Utilities Corp. - GPU Service Corp. SD 3526-004 R10. 92/06/30. 88pp. 62415:013-62415:100.

**Q. Inspection reports, IE Bulletins & correspondence**

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207220337** Forwards Insp Repts 50-289/92-13 & 50-320/92-08 on 920526-0629. Inspector observations indicated continued safe & conservative operation of facilities. BLOUGH,A.R. Region 1 (Post 820201). 92/07/16. BROUGHTON,T.G., LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 3pp. 62496:300-62496:315.

—**9207220341** Safety Insp Repts 50-289/92-13 & 50-320/92-08 on 920526-0629. Major areas inspected: plant operations, maint & surveillance, radiological controls, security & engineering & technical support activities re plant safety. ROGGE,J.F. Region 1 (Post 820201). 92/07/16. 13pp. 62496:303-62496:315.

**R. Periodic operating reports & related correspondence**

**9207150283** Monthly operating rept for June 1992 for TMI-2,W/920710 ltr. HEYSEK,W.G., BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 92/06/30. 7pp. 62411:324-62411:330.

**T. Hearing transcripts on non-antitrust matters**

**9207130216** Summary of 76th meeting of Advisory Panel for Decontamination of TMI-2 in Harrisburg,PA on 920609,Agenda & transcript encl. MASNIK,M.T. Advisory Panel for Decontamination of TMI Unit 2. 92/07/06. Advisory Panel for Decontamination of TMI Unit 2. 6pp. 62337:202-62337:336.

—**9207130220** Transcript of Advisory Panel for Decontamination of TMI-2 76th meeting on 920609 in Harrisburg,PA,Pp 1-110.Supporting documentation encl. \* Advisory Panel for Decontamination of TMI Unit 2. 92/06/09. 127pp. 62337:208-62337:336.

**DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1****F. Security, medical, emergency & fire protection plans**

**9207220071** Informs that corrections to Rev 12 to emergency plan meets planning stds of 10CFR50.47(b) & requirements of app E to 10CFR50. CLINE,W.E. Region 2 (Post 820201). 92/06/30. HAIRSTON,W.G. Georgia Power Co. 3pp. 62432:204-62432:206.

**9207140048** Revised EIPs,including rev 14 to 91204-C, "Emergency Response Communications" & Rev 10 to 91305-C, "Protective Action Guidelines." W/920707 ltr. SHIPMAN,W.B. Georgia Power Co. 92/07/07. 64pp. 62385:170-62385:233.

**9207240184** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Fire watch for drywell access room will be performed. BECKHAM,J.T. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 6pp. 62528:240-62528:245.

**H. General correspondence**

**9207130049** Comment supporting proposed rule 10CFR50.63 re "Loss of All Alternating Current Power." MCCOY,C.K. Georgia Power Co. 92/07/02. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62285:060-62285:061.

**9207290063** Comment supporting proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. MCCOY,C.K. Georgia Power Co. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62506:090-62506:090.

**9207290068** Comment supporting proposed rule 10CFR20 & 61, "Low-Level Waste Shipment Manifest Info & Reporting." MCCOY,C.K. Georgia Power Co. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62506:092-62506:093.

**P. Operating license stage documents & correspondence**

**9207200007** Forwards info to enable util to review info re Allegation RII-92-A-0016,per 920604 discussions,Info withheld (ref 10CFR2.790(a)(6)(7)). REYES,L.A. Region 2 (Post 820201). 92/06/15. HAIRSTON,W.G. Georgia Power Co. 3pp. 62453:231-62453:233.

**9207020255** Forwards amends 181 & 122 to licenses DPR-57 & NPF-5, respectively & safety evaluation.Amends revise Unit 1 TS 4.6.L & Unit 2 TS 4.7.4 re snubber surveillance to reflect guidance in generic ltr 90-09. JABBOUR,K.N. Project Directorate II-3. 92/06/19. HAIRSTON,W.G. Georgia Power Co. 3pp. 62194:307-62194:332.

—**9207020259** Amends 181 & 122 to licenses DPR-57 & NPF-5, respectively, revising unit 1 TS 4.6.L & unit 2 TS 4.7.4 re snubber surveillance. MATTHEWS,D.B. Project Directorate II-3. 92/06/19. 20pp. 62194:310-62194:329.

—**9207020261** Safety evaluation supporting amends 181 & 122 to licenses DPR-57 & NPF-5, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/19. 3pp. 62194:330-62194:332.

**9207080248** Advises that util 911223 response to 910628 suppl 4 to generic ltr 88-20 re IPEEE acceptable.Util requested to update IPEEE plans & provide projected milestones & schedules to NRC no later than 920928. JABBOUR,K.N. Project Directorate II-3. 92/07/01. HAIRSTON,W.G. Georgia Power Co. 4pp. 62260:004-62260:007.

**9207070011** Supple 920424 ltr containing commitments to comply w/Generic Ltr 89-10 re safety-related motor-operated valve testing & surveillance,per findings in Insp Repts 50-321/92-04 & 50-366/92-04.Exceptions for in situ testing discussed. BECKHAM,J.T. Georgia Power Co. 92/07/02. Document Control Branch (Document Control Desk). 3pp. 62262:339-62262:341.

**9207070402** Forwards response to GL 92-01,Rev 1 re reactor vessel structural integrity. BECKHAM,J.T. Georgia Power Co. 92/07/02. Document Control Branch (Document Control Desk). 36pp. 62267:155-62267:190.

**9207200078** Application for amends to licenses DPR-57 & NPF-5,proposing to revise several portions of TS involving shutdown & refueling operations. BECKHAM,J.T. Georgia Power Co. 92/07/17. Document Control Branch (Document Control Desk). 23pp. 62450:144-62450:214.

—**9207200082** Proposed tech specs revising several portions of plants shutdown & refueling operations. \* Georgia Power Co. 92/07/17. 48pp. 62450:167-62450:214.

**9207240128** Application for amends to licenses DPR-57 & NPF-5, revising TSs to add addl electrical sys requirements,per Generic Ltr 91-11, "Resolution of Generic Issues 48, 'LOCs for Class 1E' & 49, 'Interlocks & LOCs for Class 1E Tie Breakers.....'" BECKHAM,J.T. Georgia Power Co. 92/07/17. Document Control Branch (Document Control Desk). 16pp. 62516:001-62516:045.

—**9207240137** Proposed tech specs proposing addition of electrical sys requirements. \* Georgia Power Co. 92/07/17. 28pp. 62516:017-62516:045.

**Q. Inspection reports, IE Bulletins & correspondence**

**9207020216** Notification of 920630 SALP Board meeting in Atlanta,GA to discuss performance of plant during period of 910303-920530. SKINNER,P.H. Region 2 (Post 820201). 92/06/16. Region 2 (Post 820201). 2pp. 62221:331-62221:332.

**9207020011** Ack receipt of 920528 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/92-08 & 50-366/92-08. HERDT,A.R. Region 2 (Post 820201). 92/06/18. HAIRSTON,W.G. Georgia Power Co. 3pp. 62234:324-62234:326.

**9207160346** Forwards corrected cover ltr to insp repts 50-321/91-11 & 50-366/92-11. COLLINS,D.M. Region 2 (Post 820201). 92/06/22. HAIRSTON,W.G. Georgia Power Co. 9pp. 62429:346-62429:355.

—**9207170014** Corrected ltr forwarding insp repts 50-321/92-11 & 50-366/91-11 & notice of violation. COLLINS,D.M. Region 2 (Post 820201). 92/06/22. HAIRSTON,W.G. Georgia Power Co. 7pp. 62429:349-62429:355.

**9207270101** Forwards insp repts 50-321/92-12 & 50-366/92-12 on 920419-0530 & notice of violation. HERDT,A.R. Region 2 (Post 820201). 92/06/23. HAIRSTON,W.G. Georgia Power Co. 4pp. 62476:019-62476:053.

—**9207270104** Notice of violation from insp on 920419-0530.Violation noted:excess flow check valve 1B21-F051C inoperable & bypassed for approx 18 h. \* Region 2 (Post 820201). 92/06/23. 1p. 62476:023-62476:023.

## 90 DOCKETED ITEMS

—9207270110 Insp repts 50-321/92-12 & 50-366/92-12 on 920419-0530. Violations noted. Major areas inspected: surveillance testing including failure to obtain required stack sample & maint activities including recent solenoid valve failures.  
WERT, L.D., MUSSER, R.A., SKINNER, P.H. Region 2 (Post 820201). 92/06/23. 30pp. 62476:024-62476:053.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207080208 Ack receipt of 920624 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/92-11 & 50-366/92-11 on 920529.  
COLLINS, D.M. Region 2 (Post 820201). 92/07/01. HAIRSTON, W.G. Georgia Power Co. 3pp. 62272:358-62272:360.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207070011 Suppls 920424 ltr containing commitments to comply w/ Generic Ltr 89-10 re safety-related motor-operated valve testing & surveillance, per findings in Insp Repts 50-321/92-04 & 50-366/92-04. Exceptions for in situ testing discussed.  
BECKHAM, J.T. Georgia Power Co. 92/07/02. Document Control Branch (Document Control Desk). 3pp. 62262:339-62262:341.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207220019 Confirms 920807 mgt meeting for NRC presentation of SALP of facility during period between 910303 & 920530.  
JOHNSON, J.R. Region 2 (Post 820201). 92/07/13. HAIRSTON, W.G. Georgia Power Co. 3pp. 62432:031-62432:033.

9207280189 Notification of 920807 significant meeting w/ util in Baxley, GA to discuss SALP Board assessment.  
SKINNER, P.H. Region 2 (Post 820201). 92/07/13. Region 2 (Post 820201). 3pp. 62489:288-62489:290.

9207240252 Responds to NRC 920623 ltr re violations noted in insp rept 50-321/92-12. Corrective actions: on 920507 clearances 1-92-539 & 2-92-381 were issued on control switches for excess flow check valves 1B21-F051C & 2B21-F051C.  
BECKHAM, J.T. Georgia Power Co. 92/07/17. Document Control Branch (Document Control Desk). 3pp. 62497:359-62497:361.

9207240184 Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Fire watch for drywell access room will be performed.  
BECKHAM, J.T. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 6pp. 62528:240-62528:245.

### R. Periodic operating reports & related correspondence

9207160140 Monthly operating rept for June 1992 for El Hatch Nuclear Plant Units 1 & 2. W/920710 ltr.  
TIDWELL, T.W., BECKHAM, J.T. Georgia Power Co. 92/06/30. 12pp. 62416:294-62416:305.

### S. Reportable occurrences, LERs & related correspondence

9207140176 LER 92-015-00: on 920610, PCIS valve automatically closed, resulting in trip of operating RWCU sys pump. Caused by faulty temp switch. Cracked temp switch replaced. W/920709 ltr.  
TIPPS, S.B., BECKHAM, J.T. Georgia Power Co. 92/07/09. 7pp. 62437:217-62437:223.

9207160277 LER 92-016-00: on 920616, blown fuse resulted in unplanned engineered safety feature sys actuations. Fuse replaced. W/920710 ltr.  
TIPPS, S.B., BECKHAM, J.T. Georgia Power Co. 92/07/10. 5pp. 62480:156-62480:160.

9207240168 LER 92-017-00: on 920626, determined that requirements of Unit 1 TS Table 3.2-8, item 3 not being met. Caused by less than adequate procedures. Wiring changes will be implemented & Procedure 57SV-D11-007-2S will be revised. W/920717 ltr.  
TIPPS, S.B., BECKHAM, J.T. Georgia Power Co. 92/07/21. 7pp. 62520:309-62520:315.

9207310173 LER 92-020-00: on 920710, main CR environ control sys automatically transferred to pressurization mode when CR air intake radiation monitor tripped. Caused by instrument setpoint drift. Trip setpoint adjusted. W/920727 ltr.  
TIPPS, S.B., BECKHAM, J.T. Georgia Power Co. 92/07/27. 6pp. 62683:279-62683:284.

### V. Operator Examinations

9207020224 Forwards ref matl for requalification program evaluation scheduled for wk of 920914-18 & 21-25.  
PEEBLES, T.A. Region 2 (Post 820201). 92/06/15. HAIRSTON, W.G. Georgia Power Co. 9pp. 62219:337-62219:345.

### DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

#### F. Security, medical, emergency & fire protection plans

9207070031 Forwards insp rept 50-322/92-03 on stated date. No violations noted. Finds that housekeeping & matl condition of plant, generally good. Inform that NRC will review status of decommissioning plans following receipt of info.  
WENZINGER, E.C. Region 1 (Post 820201). 92/06/29. HILL, L.M. Long Island Power Authority. 7pp. 62205:047-62205:072.

—9207070037 Insp rept 50-322/92-03 on stated date. No violations noted. Major areas inspected: facility tours, radiological controls, surveillance & maint, physical plant security, housekeeping & pre-decommissioning & decommissioning plans.  
NORRIS, B.S., LYASH, J.J. Region 1 (Post 820201). 92/06/26. 19pp. 62205:054-62205:072.

#### G. Adjudicatory correspondence

9207070101 Order.\* Order granting petitioners motion to dismiss, w/ prejudice intervention petitions & hearing requests. Decommissioning order proceeding terminated. W/ Certificate of Svc. Served on 920618.  
MOORE, T.S., FERGUSON, G.A., KLINE, J.R. Atomic Safety & Licensing Board Panel. #392 13055. 92/06/17. Shoreham-Wading River Central School District, NY. 5pp. 62206:229-62206:233.

9207070115 Order.\* Order granting petitioners to dismiss w/ prejudice, pending intervention petitions & hearing requests.\* License transfer proceeding terminated. W/ Certificate of Svc. Served on 920618.  
MOORE, T.S., FERGUSON, G.A., KLINE, J.R. Atomic Safety & Licensing Board Panel. #392 13054. 92/06/17. Shoreham-Wading River Central School District, NY. 4pp. 62206:234-62206:237.

#### Q. Inspection reports, IE Bulletins & correspondence

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207070031 Forwards insp rept 50-322/92-03 on stated date. No violations noted. Finds that housekeeping & matl condition of plant, generally good. Inform that NRC will review status of decommissioning plans following receipt of info.  
WENZINGER, E.C. Region 1 (Post 820201). 92/06/29. HILL, L.M. Long Island Power Authority. 7pp. 62205:047-62205:072.

—9207070037 Insp rept 50-322/92-03 on stated date. No violations noted. Major areas inspected: facility tours, radiological controls, surveillance & maint, physical plant security, housekeeping & pre-decommissioning & decommissioning plans.  
NORRIS, B.S., LYASH, J.J. Region 1 (Post 820201). 92/06/26. 19pp. 62205:054-62205:072.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

#### W. Decommissioning Stage Documents & Correspondence

9207310237 Forwards Order approving licensee decommissioning plan & authorizing decommissioning of facility, per 910102 application. Safety evaluation supporting Order, encl.  
BROWN, S.W. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/06/11. HILL, L.M. Long Island Power Authority. 4pp. 62581:273-62581:314.

—9207310240 Order approving decommissioning plan & authorizing decommissioning of facility, license NPF-82.  
BOGER, B.A. Division of Reactor Projects - III, IV (Post 901216). 92/06/11. Long Island Power Authority. 6pp. 62581:277-62581:282.

—9207310247 Safety evaluation concluding that issuance of order to implement decommissioning plan will not be inimical to common defense & security or health & safety of public.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/11. 32pp. 62581:283-62581:314.

9207080140 Provides addl info re decommissioning plan changes covering component cutting/removal techniques, per NRC request. Items described include: in-core instrument tubes, dryer/separator guide rods & in-vessel core spray headers & elbows.  
HILL, L.M. Long Island Power Authority. 92/06/28. BERNERO, R. Office of Nuclear Material Safety & Safeguards. 6pp. 62250:133-62250:138.

9207070031 Forwards insp rept 50-322/92-03 on stated date. No violations noted. Finds that housekeeping & matl condition of plant, generally good. Inform that NRC will review status of decommissioning plans following receipt of info.  
WENZINGER, E.C. Region 1 (Post 820201). 92/06/29. HILL, L.M. Long Island Power Authority. 7pp. 62205:047-62205:072.

—9207070037 Insp rept 50-322/92-03 on stated date. No violations noted. Major areas inspected: facility tours, radiological controls, surveillance & maint, physical plant security, housekeeping & pre-decommissioning & decommissioning plans.  
NORRIS, B.S., LYASH, J.J. Region 1 (Post 820201). 92/06/26. 19pp. 62205:054-62205:072.

9207070251 Provides description of decommissioning equipment & activities in place/implemented at facility on or before 920611 which are inconsistent w/ descriptions provided in decommissioning plan, per NRC 920623 site visit.  
HILL, L.M. Long Island Power Authority. 92/07/01. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 6pp. 62269:261-62269:268.

**9207070254** Requests clarification & approval of change to decommissioning plan re control of heavy loads. Equipment associated w/disposal of radwaste burial liner meets requirements specified in NUREG-0612.  
HILL,L.M. Long Island Power Authority. 92/07/01. BERNERO,R. Office of Nuclear Material Safety & Safeguards. 2pp. 62260:353-62260:354.

**9207060020** Forwards "Long Island Power Authority Shoreham Decommissioning Project, Shoreham Nuclear Power Station, Technical Rept on Water Processing & Water Mgt Activities for Reactor Pressure Vessel & Wet Cutting Station."  
HILL,L.M. Long Island Power Authority. 92/07/06. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 7pp. 62250:100-62250:132.

**9207060021** "Long Island Power Authority Shoreham Decommissioning Project, Shoreham Nuclear Power Station, Technical Rept on Water Processing & Water Mgt Activities for Reactor Pressure Vessel & Wet Cutting Station."  
TUCKER,M.P. Long Island Power Authority. 92/06/25. 26pp. 62250:107-62250:132.

**9207090159** Identifies changes LIPA desires to implement in activities identified in Shoreham DP & supplements.  
HILL,L.M. Long Island Power Authority. 92/07/07. BERNERO,R. Document Control Branch (Document Control Desk). 3pp. 62341:293-62341:295.

**9207160389** Discusses review of commitment re heavy loads as provided in util 911206 ltr. Concludes that removal for disposal of components stored in spent fuel storage pool within scope of decommissioning plan.  
BROWN,S.W. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/09. HILL,L. Long Island Power Authority. 4pp. 62396:035-62396:038.

**9207170070** Concludes that Wet Cutting Station changes can be made & filtration units can be operated w/o having significant impact on public health & safety.  
BROWN,S.W. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/09. HILL,L. Long Island Power Authority. 4pp. 62403:057-62403:060.

**9207200133** Responds to Long Island Power Authority (LIPA) change request re decommissioning order. W/o encl.  
AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/09. WEISS,S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 2pp. 62448:348-62448:349.

**9207140222** Forwards erratum to prior ltr LSNRC-1969 dtd 920626. Last line of page 2 inadvertently omitted due to formatting error.  
HILL,L.M. Long Island Power Authority. 92/07/10. BERNERO,R. Office of Nuclear Material Safety & Safeguards. 1p. 62465:001-62465:002.

**9207220132** Erratum to author 920626 ltr (LSNRC-1929) re decommissioning plan changes for component cutting/removal techniques. Last line of Page 2 was inadvertently omitted due to formatting error.  
HILL,L.M. Long Island Power Authority. 92/06/26. BERNERO,R. Office of Nuclear Material Safety & Safeguards. 1p. 62465:002-62465:002.

**9207230083** Informs that 920707 request for changes in sequence of performing decommissioning activities & component cutting & removal locations for listed equipment acceptable.  
BROWN,S.W. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). 92/07/17. HILL,L.M. Long Island Power Authority. 3pp. 62459:020-62459:022.

## DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

### F. Security, medical, emergency & fire protection plans

**9207220022** Forwards "Field Exercise Scenario Jul 1992 Emergency Planning - 920708 Diablo Canyon Annual Exercise" manual.  
GISCLON,J.M. Pacific Gas & Electric Co. 92/04/08. MARTIN,J.B. Region 5 (Post 820201). 1p. 62490:001-62491:331.

**9207220050** "Field Exercise Scenario Jul 1992 Emergency Planning - 920708 Diablo Canyon Annual Exercise" manual.  
\* Pacific Gas & Electric Co. 92/07/08. 2,500pp. 62490:002-62491:331.

**9207170242** Forwards public version of revised EPIPs Vols 3A & 3B, including rev 21 to EP R-1, rev 21 to EP G-3, rev 2 to EP RB-10 & rev 11 to EP EF-4. W/920713 release memo.  
GISCLON,J.M. Pacific Gas & Electric Co. 92/06/11. Document Control Branch (Document Control Desk). 2pp. 62403:201-62403:306.

**9207170248** Public version of revised EPIPs vols 3A & 3B, including rev 21 to EP R-1, rev 21 to EP G-3, rev 2 to EP RB-10 & rev 11 to EP EF-4.  
\* Pacific Gas & Electric Co. 92/06/11. 103pp. 62403:204-62403:306.

**9207220180** Forwards public version of revised SOPs, including III.06 HP-7, "Evacuee Decontamination," III.06 HP-9, "Emergency Worker Decontamination," III.13, "County Air Pollution District" & III.40, W/920713 release memo.  
GISCLON,J.M. Pacific Gas & Electric Co. 92/06/11. Document Control Branch (Document Control Desk). 6pp. 62445:025-62445:236.

**9207220191** Public version of revised SOPs, including III.06 HP-7, "Evacuee Decontamination," III.06 HP-9, "Emergency Worker Decontamination," III.13, "County Air Pollution District" & III.40, "Avila Beach Fire Protection District."  
\* Pacific Gas & Electric Co. 92/06/11. 200pp. 62445:032-62445:236.

**9207210224** Forwards public version of rev 19 to EP M-6, "Fire." W/920715 release memo.  
GISCLON,J.M. Pacific Gas & Electric Co. 92/06/22. Document Control Branch (Document Control Desk). 8pp. 62439:001-62440:021.

**9207210227** Public version of rev 19 to EP M-6, "Fire."  
\* Pacific Gas & Electric Co. 92/05/27. 150pp. 62439:010-62440:021.

**9207170262** Forwards public version of rev 2, change 12 to "Emergency Plan." W/920714 release memo.  
GISCLON,J.M. Pacific Gas & Electric Co. 92/06/26. Document Control Branch (Document Control Desk). 5pp. 62400:001-62403:056.

**9207170265** Public version of rev 2, change 12 to "Emergency Plan."  
\* Pacific Gas & Electric Co. 92/05/27. 500pp. 62400:007-62403:056.

**9207300094** Forwards public version of revised Emergency Response Plan Std Operating Procedures, including III.06, "Environ Health" & III.06, HP-2, "Protective Action Guidelines" & III.06 HP-8, "Area & Equipment Decontamination." W/920722 release memo.  
GISCLON,J.M. Pacific Gas & Electric Co. 92/07/08. Document Control Branch (Document Control Desk). 6pp. 62605:001-62605:237.

**9207300205** Public version of revised San Luis Obispo County Nuclear Power Plant Emergency Response Plan Std Operating Procedures, including III.06, "Environ Health" & III.06, HP-2, "Protective Action Guidelines."  
\* San Luis Obispo, CA. 92/07/08. 150pp. 62605:006-62605:237.

### H. General correspondence

**9207130040** Comment supporting proposed rules 10CFR19 & 20 re extension of implementation date of stds for protection against radiation.  
MARTIN,J.B. Pacific Gas & Electric Co. 92/06/24. Docketing & Services Branch. 1p. 62285:052-62285:052.

**9207270093** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Endorses comments submitted by NUMARC.  
RUEGER,G.M. Pacific Gas & Electric Co. 92/07/09. CHILK,S.J. Office of the Secretary of the Commission. 4pp. 62475:339-62475:342.

### O. Advisory Committee on Reactor Safeguards reports & correspondence

**9207220182** Submits comments on ACRS 910916-17 meetings re safety of facilities. USGS interpretation, favoring oblique slip of Hosgri Fault, reasonable.  
PAGE,B.M. Stanford Univ., Stanford, CA. 91/09/22. SIESS,C.P. Affiliation Not Assigned. 3pp. 62473:350-62473:352.

**9207230012** Submits comments on ACRS Subcommittee on Diablo Canyon 910916 & 17 meetings. Concurs w/seismic-tectonic analysis prepared by util.  
THOMPSON,G.A. Stanford Univ., Stanford, CA. 91/09/22. SIESS,C. Affiliation Not Assigned. 2pp. 62476:346-62476:347.

**9207220194** Submits comments based on attendance at ACRS Subcommittee 910916 & 17 meeting on Diablo Canyon Long Term Seismic program at San Luis Obispo, CA.  
DAVIS,P.R. Affiliation Not Assigned. 91/09/29. IGNE,A. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62476:319-62476:319.

### P. Operating license stage documents & correspondence

**9207070303** Forwards response to Rev 1 to Generic Ltr 92-01, "Reactor Vessel Structural Integrity." Surveillance results evaluated to assure embrittlement levels bounded by prediction.  
RUEGER,G.M. Pacific Gas & Electric Co. 92/06/30. Document Control Branch (Document Control Desk). 18pp. 62262:320-62262:336.

**9207100103** Discusses 920615-16 senior managers meeting to evaluate nuclear safety performance of operating reactors, fuel facilities & other matls licensees. Plant is identified as good performer & is noteworthy accomplishment.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/30. CLARKE,R.A. Pacific Gas & Electric Co. 4pp. 62284:305-62284:308.

**9207160017** Forwards amends 71 & 70 to licenses DPR-80 & DPR-82, respectively & safety evaluation. Amend revises TS to relocate cycle-specific info to COLR per GL 88-16.  
HOOD,H. Project Directorate V. 92/07/01. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 62396:163-62396:198.

**9207160020** Amends 71 & 70 to licenses DPR-80 & DPR-82, respectively. Amend revises TS to relocate cycle-specific info to COLR per GL 88-16.  
QUAY,T.R. Project Directorate V. 92/07/01. 18pp. 62396:166-62396:194.

**9207160027** Safety evaluation supporting amends 71 & 70 to licenses DPR-80 & DPR-82, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/01. 4pp. 62396:195-62396:198.

**9207160139** Forwards License Amend Request 92-04 to Licenses DPR-80 & DPR-82, changing expiration dates of full-power licenses from 080423 to 210922 & 101209 to 250426, respectively.  
RUEGER,G.M. Pacific Gas & Electric Co. 92/07/09. Document Control Branch (Document Control Desk). 2pp. 62430:183-62430:228.

**9207160148** License Amend Request 92-04 to Licenses DPR-80 & DPR-82, changing term of licenses to permit 40-yr operation of units from date of issuance of OLS.  
RUEGER,G.M. Pacific Gas & Electric Co. 92/07/09. 44pp. 62430:185-62430:228.

**9207220344** Advises that util demonstrated that Diablo Canyon natural circulation tests applicable to Watts Bar, thus meeting guidelines of BTP RSB 5-1, per util 910711 submittal. Details of review will be published in suppl 10 to SER.  
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/14. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 62442:357-62442:359.

### Q. Inspection reports, IE Bulletins & correspondence

**9207090309** Forwards Meeting Repts 50-275/92-19 & 50-323/92-19 from enforcement conference on 920519.  
ZIMMERMAN,R.P. Region 5 (Post 820201). 92/06/18. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 62313:001-62313:080.

**9207090320** Enforcement Conference Repts 50-275/92-19 & 50-323/92-19 on 920519. Major area discussed: circumstances associated w/ apparent failure to comply w/TS action statements for inoperable fan cooler from 910327 to 920222.  
JOHNSON,P.H. Region 5 (Post 820201). 92/06/17. 77pp. 62313:004-62313:080.

## 92 DOCKETED ITEMS

**9207100188** Forwards notice of violation from insp on 920317-0427, as documented in Insp Repts 50-275/92-17 & 50-323/92-17. Violation re CFUC inoperability eliminated. ZIMMERMAN, R.P. Region 5 (Post 820201). 92/06/19. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 62382:261-62382:265.

**-9207100200** Notice of violation from insp on 920317-0427. Violation noted: work order instructions not implemented for maint of containment fan cooler units as listed. \* Region 5 (Post 820201). 92/06/19. 2pp. 62382:264-62382:265.

**9207060083** Responds to NRC ltr requesting licensee to submit addl info re molded-case circuit breakers that were either installed in operating plant or stored as spares, per NRC Bulletin 88-010. RUEGER, G.M. Pacific Gas & Electric Co. 92/06/25. Document Control Branch (Document Control Desk). 3pp. 62250:204-62250:206.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140001** Responds to NRC ltr re violations noted in insp rept 50-323/92-14 on 920605. Corrective actions: field change made to design package to move code piping break to include bellows. RUEGER, G.M. Pacific Gas & Electric Co. 92/07/02. Document Control Branch (Document Control Desk). 3pp. 62386:359-62386:361.

**9207270286** Forwards insp repts 50-275/92-16 & 50-323/92-16 on 920421-0601 & notice of violation. RICHARDS, S.A. Region 5 (Post 820201). 92/07/07. RUEGER, G.M. Pacific Gas & Electric Co. 3pp. 62501:090-62501:118.

**-9207270291** Notice of violation from insp on 920421-0601. Violations noted: licensee personnel incorrectly used two one-ton chainfalls for load leveling while lifting 10-142 primary & secondary lids w/ each chainfall loaded to approx 2400 lbs. \* Region 5 (Post 820201). 92/07/07. 2pp. 62501:093-62501:094.

**-9207270296** Insp repts 50-275/92-16 & 50-323/92-16 on 920421-0601. Violations noted: Major areas inspected: plant operations, maint & surveillance activities & follow-up of onsite events. JOHNSON, P.H. Region 5 (Post 820201). 92/07/07. 24pp. 62501:095-62501:118.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207240240** Responds to NRC 920619 ltr re violations noted in insp repts 50-275/92-17 & 50-323/92-17. Corrective actions: all containment fan cooler units (CFUC) thoroughly reinspected & CFUC test procedure for backdraft dampers revised. RUEGER, G.M. Pacific Gas & Electric Co. 92/07/20. Document Control Branch (Document Control Desk). 9pp. 62498:339-62498:347.

### R. Periodic operating reports & related correspondence

**9207220215** Monthly operating repts for June 1992 for DCNPP Units 1 & 2. W/920715 ltr. DAHAN, P., TOWNSEND, J.D. Pacific Gas & Electric Co. 92/06/30. 14pp. 62473:316-62473:329.

**9207240131** "Rept on Discharge Monitoring Diablo Canyon Power Plant Second Quarter of 1992." W/920720 ltr. TOWNSEND, J.D. Pacific Gas & Electric Co. 92/06/30. LEONARD, W. California, State of. 92pp. 62516:051-62516:141.

### S. Reportable occurrences, LERs & related correspondence

**9207010054** PNO-V-92-019: on 920620, notification of unusual event declared as result of spill of hazardous & noxious gases entering turbine bldg. Caused by exothermic reaction. Only small areas remain chemically contaminated. MILLER, M., JOHNSON, P. Region 5 (Post 820201). 92/06/22. 2pp. 62230:290-62230:291.

**9207100264** PNO-V-92-020: on 920628, two major earthquakes occurred in State of CA desert. Unusual event declared at San Onofre & Diablo Canyon. Tremors felt at Palo Verde & at two research reactors & fuel facility. Peak accelerations listed. GARCIA, E. Region 5 (Post 820201). 92/06/29. 3pp. 62365:001-62365:003.

**9207100363** LER 92-005-00: on 920604, determined that an environ qualification problem existed w/ABV sys dampers & fan motor control circuits. Root cause & corrective actions will be provided in supplement by 920721.W/920706 ltr. SOKOLSKY, D., RUEGER, G.M. Pacific Gas & Electric Co. 92/07/06. 2pp. 62437:077-62437:078.

**9207270360** LER 92-005-01: on 920604, determined that surge suppression diodes in ABV sys did not meet radiation qualification requirements. Caused by personnel error. EQ will be reviewed & procedures will be revised for future program. W/920721 ltr. SOKOLSKY, D., RUEGER, G.M. Pacific Gas & Electric Co. 92/07/21. 8pp. 62587:180-62587:187.

### DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207090007** Rev 32 to "Emergency Response Plan." Vol XIII, Book 1. FLOYD, S.D. Carolina Power & Light Co. 92/06/23. 100pp. 62308:001-62308:100.

**9207080191** Forwards Rev 14A to industrial security plan, incorporating changes associated w/access authorization program that implements requirements of 10CFR73.56. Rev withheld (ref 10CFR73.21). MCCARTHY, D.C. Carolina Power & Light Co. 92/06/29. Document Control Branch (Document Control Desk). 1p. 62451:344-62451:344.

**9207140109** Forwards insp repts 50-324/92-17 & 50-325/92-17. Violation identified but not subj to enforcement action. Concern noted re emergency response program for non-radioactive toxic mats. CLINE, W.E. Region 2 (Post 820201). 92/07/02. EURY, L.W. Carolina Power & Light Co. 3pp. 62311:267-62311:283.

**-9207140114** Insp repts 50-324/92-17 & 50-325/92-17 on 920526-28. Violation noted but not subj to enforcement action. Major areas inspected: emergency plan & plant emergency procedures & incident command & control. GOODEN, A., RANKIN, W. Region 2 (Post 820201). 92/07/02. 13pp. 62311:271-62311:283.

**9207220064** Discusses FEMA findings during plant exercise on 920602. Two deficiencies involving public alert & notification process noted. W/o encl. CLINE, W.E. Region 2 (Post 820201). 92/07/02. WATSON, R.A. Carolina Power & Light Co. 3pp. 62432:173-62432:175.

#### P. Operating license stage documents & correspondence

**9207170005** Notification of significant licensee meeting w/util on 920625 in Region II of discuss util plans to resolve structural steel issues at facility. CHRISTENSEN, H. Region 2 (Post 820201). 92/06/19. Region 2 (Post 820201). 2pp. 62431:328-62431:329.

**9207080178** Responds to allegation RII-92-A-0093 re incorrectly sized structural beam installed between 50 & 80 foot elevations. Beams in different location in reactor bldg self-identified & permanent fixes completed in 1991. MCCARTHY, D.C. Carolina Power & Light Co. 92/06/29. Document Control Branch (Document Control Desk). 2pp. 62285:304-62285:305.

**9207100038** Submits summary of NRC discussions re review of performance of operating nuclear power plants licensed by NRC for plant from 920615 & 16 meetings w/ senior managers. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/30. SMITH, S.H. Carolina Power & Light Co. 4pp. 62366:353-62366:356.

**9207140248** METALLURGICAL EVALUATION OF WELD OVERLAID PIPE SECTIONS FROM BRUNSWICK UNIT 2 NUCLEAR POWER STATION. CZAJKOWSKI, C.J., BOWERMAN, B., SCHUSTER, M. Brookhaven National Laboratory. FIN L-1438. NUREG/CR-5885. 92/06/30. Division of Engineering Technology (Post 890827). 113pp. 62372:098-62372:221.

**9207220087** Forwards summary of 920625 meeting w/util in Atlanta, GA re licensee plans in resolving structural steel issues at facility. List of attendees encl. JOHNSON, J.R. Region 2 (Post 820201). 92/07/01. WATSON, R.A. Carolina Power & Light Co. 28pp. 62432:249-62432:276.

**9207090278** Notification of 920708 meeting w/util in Southport, NC to discuss CP&L review plan for steel equipment supports. LO, R.H. Project Directorate II-1. 92/07/02. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 4pp. 62370:339-62370:342.

**9207100065** Summary of 920610 meeting w/util in Rockville, MD re initiatives on ISP. LO, R.H. Project Directorate II-1. 92/07/02. Project Directorate II-1. 14pp. 62284:214-62284:227.

**9207100204** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity. Table listing load factor vs days encl. STARKEY, R.B. Carolina Power & Light Co. 92/07/06. Document Control Branch (Document Control Desk). 14pp. 62365:142-62365:155.

**9207290020** Notification of significant licensee meeting w/util on 920716 to discuss re-start issues at facility. CHRISTENSEN, H. Region 2 (Post 820201). 92/07/07. Region 2 (Post 820201). 2pp. 62506:011-62506:012.

**9207150064** Notification of cancelled 920716 meeting w/util in Atlanta, GA to discuss status of licensing actions. LE, N.B. Project Directorate II-1. 92/07/09. MURLEY, T., MIRAGLIA, F., RUSSELL, W. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62395:240-62395:243.

**9207160001** Notification of 920716 meeting w/util in Atlanta, GA re status of licensing actions. LE, N.B. Project Directorate II-1. 92/07/09. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 4pp. 62398:258-62398:261.

**9207200233** Notification of 920721 meeting w/util in Rockville, MD to discuss status of licensing actions. LO, R.H. Project Directorate II-1. 92/07/14. ADENSAM, E.G. Project Directorate II-1. 3pp. 62438:088-62438:090.

**9207140099** Confirms 920615 telcon between WR Murray of util & HO Christensen of NRC re 920625 mgt meeting in Atlanta, GA to discuss licensee plans to resolve structural steel issues at plant. REYES, L.A. Region 2 (Post 820201). 92/07/19. WATSON, R.A. Carolina Power & Light Co. 2pp. 62311:237-62311:238.

**9207280157** Notification of 920723 meeting w/util in Rockville, MD to discuss topical repts. ORR, F.R. Reactor Systems Branch. 92/07/20. JONES, R.C. Reactor Systems Branch. 2pp. 62530:286-62530:287.

**9207280051** Confirms that \$149,591 electronically transferred to US Dept of Treasury, NRC on 920717 for payment of NRC Part 50 application fees for period 910830-1228, per 10CFR170. MCCARTHY, D.C. Carolina Power & Light Co. 92/07/22. Division of Accounting & Finance (Post 890205). 1p. 62568:356-62568:356.

**9207290388** Notification of 920729 meeting w/util in Rockville,MD to discuss CP&L integrated schedule program.  
LO,R.H. Project Directorate II-1. 92/07/24. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 3pp. 62555:358-62555:361.

**9207310048** Responds to 920706 ltr which transmitted resolution R-12-92 re plant.NRC placed plant on watch list as plant requiring increased NRC attention & will ensure that util act to correct problems.  
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 92/07/24. TURNAGE,F.E. North Carolina Municipal Power Agencies. 1p. 62588:192-62588:196.

**-9207310053** Provides Resolution R-12-92 of Board of Commissioners of facility re inadequate operation performance of Brunswick.  
TURNAGE,F.E. North Carolina Eastern Municipal Power Agency. 92/07/06. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 62588:193-62588:196.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207020195** Forwards attendees & copy of handout re enforcement conference summary meeting,per Insp Repts 50-325/92-10 & 50-324/92-10.  
REYES,L.A. Region 2 (Post 820201). 92/06/05. WATSON,R.A. Carolina Power & Light Co. 25pp. 62224:337-62224:362.

**9207010246** Advises that reactor operator & senior reactor operator licensing exams (Exam Rept 50-324/92-301) scheduled for wk of 921005 & written & operating exams scheduled for wk of 921019.Ref matts listed on encl requested by 920817.  
PEEBLES,R.A. Region 2 (Post 820201). 92/06/15. EURY,L.W. Carolina Power & Light Co. 11pp. 62224:181-62224:191.

**9207270016** Forwards insp repts 50-324/92-15 & 50-325/92-15 on 920502-0604 & notice of violation.Concern re omission of certain components from inservice insp program & failure to perform required engineering evaluation noted.  
REYES,L.A. Region 2 (Post 820201). 92/06/19. WATSON,R.A. Carolina Power & Light Co. 3pp. 62475:013-62475:044.

**-9207270024** Notice of violation from insp on 920502-0604.Violations noted:second 10-yr insp program did not include insp plan for pump bases,HX supports & pump turbines in unit 2 reactor vessel skirt & lateral supports.  
\* Region 2 (Post 820201). 92/06/19. 4pp. 62475:016-62475:019.

**-9207270030** Insp repts 50-324/92-15 & 50-325/92-15 on 920502-0604. Violations noted.Major areas inspected:maint observation, operational safety verification,engineering & technical support & inservice insp program review.  
PREVATTE,R.L., NELSON,D.J., BYRON,P.M. Region 2 (Post 820201). 92/06/19. 25pp. 62475:020-62475:044.

**9207140095** Requests review of encl info re concerns that should be addressed in performance improvement plan.Performance improvement plan complete w/proposed schedules should be submitted within 30 days of ltr date,per SALP.  
EBNETER,S.D. Region 2 (Post 820201). 92/06/23. SMITH,S.H. Carolina Power & Light Co. 6pp. 62299:324-62299:329.

**9207010222** Responds to NRC ltr re violations noted in insp repts 50-324/92-11 & 50-325/92-11.Corrective actions:training on ENP-12 revision will be provided to appropriate technical support & NED personnel.  
SPENCER,J.W. Carolina Power & Light Co. 92/06/24. Document Control Branch (Document Control Desk). 4pp. 62231:348-62231:351.

**9207140110** Ack receipt of 920619 & 24 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-324/92-11 & 50-325/92-11.Responses meet requirements of 10CFR2.201.  
JOHNSON,J.R. Region 2 (Post 820201). 92/06/26. WATSON,R.A. Carolina Power & Light Co. 2pp. 62311:359-62311:360.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207070042** Submits suppl to response to notice of violation re operability of RHR sys.Short term structural integrity engineering evaluation.  
SPENCER,J.W. Carolina Power & Light Co. 92/07/02. Document Control Branch (Document Control Desk). 1p. 62285:359-62285:359.

**9207140109** Forwards insp repts 50-324/92-17 & 50-325/92-17.Violation identified but not subj to enforcement action.Concern noted re emergency response program for non-radioactive toxic matts.  
CLINE,W.E. Region 2 (Post 820201). 92/07/02. EURY,L.W. Carolina Power & Light Co. 3pp. 62311:267-62311:283.

**-9207140114** Insp repts 50-324/92-17 & 50-325/92-17 on 920526-28. Violation noted but not subj to enforcement action.Major areas inspected:emergency plan & plant emergency procedures & incident command & control.  
GOODEN,A., RANKIN,W. Region 2 (Post 820201). 92/07/02. 13pp. 62311:271-62311:283.

**9207140246** Responds to NRC assessment of 920527 response to deviations noted in insp repts 50-324/92-04 & 50-325/92-04.Corrective actions:review of facility automated commitment tracking sys conducted & NRC docketed correspondence reviewed.  
SPENCER,J.W. Carolina Power & Light Co. 92/07/02. Document Control Branch (Document Control Desk). 2pp. 62385:094-62385:095.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207220129** Forwards study rept "Criteria for Evaluating & Performing Computerized Piping Analyses of Existing Sys w/Minor Modifications (Applicable for NRC Bulletins IE 79-07 & 79-14)," in response to NRC RAI re masonry block walls.  
STARKEY,R.B. Carolina Power & Light Co. 92/07/16. Document Control Branch (Document Control Desk). 21pp. 62501:160-62501:345.

**-9207220138** Study Rept "Criteria for Evaluating & Performing Computerized Piping Analyses of Existing Sys w/Minor Modifications (Applicable for NRC Bulletins IE 79-07 & 79-14)."  
\* Carolina Power & Light Co. 7865.007-S-M-020 R02. 89/07/28. 130pp. 62501:187-62501:345.

**9207310159** Forwards response to issues raised in Insp Repts 50-324/90-12 & 50-325/90-12.Encl outlines methodology & criteria for defining work that will be completed prior to startup & details corporate improvement program.  
WATSON,R.A. Carolina Power & Light Co. 92/07/23. EBNETER,S.D. Region 2 (Post 820201). 40pp. 62619:195-62619:233.

#### R. Periodic operating reports & related correspondence

**9207150009** Monthly operating repts for June 1992 for Brunswick Steam Electric Plant,Units 1 & 2.W/920702 ltr.  
RUMPLE,R., SPENCER,J.W. Carolina Power & Light Co. 92/06/30. 7pp. 62395:205-62395:211.

#### S. Reportable occurrences, LERs & related correspondence

**9207150260** Special Rept 2-SR-92-004:on 920603.05 & 06.LCOs initiated due to open fire barrier penetration seal,hole in east wall of reactor bldg & opening of Fire Door 102 respectively.Fire watches established & penetration seal restored.  
SPENCER,J.W. Carolina Power & Light Co. 92/07/10. Document Control Branch (Document Control Desk). 2pp. 62398:328-62398:329.

#### V. Operator Examinations

**9207010246** Advises that reactor operator & senior reactor operator licensing exams (Exam Rept 50-324/92-301) scheduled for wk of 921005 & written & operating exams scheduled for wk of 921019.Ref matts listed on encl requested by 920817.  
PEEBLES,R.A. Region 2 (Post 820201). 92/06/15. EURY,L.W. Carolina Power & Light Co. 11pp. 62224:181-62224:191.

**9207200131** Advises that licensed operator removed from licensed duties as result of 10CFR26 violation identified by licensed individual to supervisor prior to standing watch. Unauthorized access terminated.  
RICHEY,R.B. Carolina Power & Light Co. 92/07/15. Document Control Branch (Document Control Desk). 1p. 62447:273-62447:273.

#### Y. Dry Cask Independent Spent Fuel Storage Installations

**9207310091** Forwards payment of NRC review fees re ISFSI for NRC Part 170 license application for Invoice JR0554-92.  
MCCARTHY,D.C. Carolina Power & Light Co. 92/07/27. Document Control Branch (Document Control Desk). 1p. 62612:351-62612:351.

#### DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9207090007** Rev 32 to "Emergency Response Plan," Vol XIII,Book 1.  
FLOYD,S.D. Carolina Power & Light Co. 92/06/23. 100pp. 62308:001-62308:100.

**9207080191** Forwards Rev 14A to industrial security plan,incorporating changes associated w/access authorization program that implements requirements of 10CFR73.56.Rev withheld (ref 10CFR73.21).  
MCCARTHY,D.C. Carolina Power & Light Co. 92/06/29. Document Control Branch (Document Control Desk). 1p. 62451:344-62451:344.

**9207140109** Forwards insp repts 50-324/92-17 & 50-325/92-17.Violation identified but not subj to enforcement action.Concern noted re emergency response program for non-radioactive toxic matts.  
CLINE,W.E. Region 2 (Post 820201). 92/07/02. EURY,L.W. Carolina Power & Light Co. 3pp. 62311:267-62311:283.

**-9207140114** Insp repts 50-324/92-17 & 50-325/92-17 on 920526-28. Violation noted but not subj to enforcement action.Major areas inspected:emergency plan & plant emergency procedures & incident command & control.  
GOODEN,A. Region 2 (Post 820201). 92/07/02. 13pp. 62311:271-62311:283.

**9207220064** Discusses FEMA findings during plant exercise on 920602. Two deficiencies involving public alert & notification process noted.W/o encl.  
CLINE,W.E. Region 2 (Post 820201). 92/07/02. WATSON,R.A. Carolina Power & Light Co. 3pp. 62432:173-62432:175.

#### P. Operating license stage documents & correspondence

**9207170005** Notification of significant licensee meeting w/util on 920625 in Region II ofc to discuss util plans to resolve structural steel issues at facility.  
CHRISTENSEN,H. Region 2 (Post 820201). 92/06/19. Region 2 (Post 820201). 2pp. 62431:328-62431:329.

**9207080178** Responds to allegation RII-92-A-0093 re incorrectly sized structural beam installed between 50 & 80 foot elevations. Beams in different location in reactor bldg self-identified & permanent fixes completed in 1991.  
MCCARTHY,D.C. Carolina Power & Light Co. 92/06/29. Document Control Branch (Document Control Desk). 2pp. 62285:304-62285:305.

## 94 DOCKETED ITEMS

- 9207100038** Submits summary of NRC discussions re review of performance of operating nuclear power plants licensed by NRC for plant from 920615 & 16 meetings w/ senior managers.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/30. SMITH,S.H. Carolina Power & Light Co. 4pp. 62366:353-62366:356.
- 9207220087** Forwards summary of 920625 meeting w/util in Atlanta,GA re licensee plans in resolving structural steel issues at facility.List of attendees encl.  
JOHNSON,J.R. Region 2 (Post 820201). 92/07/01. WATSON,R.A. Carolina Power & Light Co. 28pp. 62432:249-62432:276.
- 9207090278** Notification of 920708 meeting w/util in Southport,NC to discuss CP&L review plan for steel equipment supports.  
LO,R.H. Project Directorate II-1. 92/07/02. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 4pp. 62370:339-62370:342.
- 9207100065** Summary of 920610 meeting w/util in Rockville,MD re initiatives on ISP.  
LO,R.H. Project Directorate II-1. 92/07/02. Project Directorate II-1. 14pp. 62284:214-62284:227.
- 9207100204** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity.Table listing load factor vs days encl.  
STARKEY,R.B. Carolina Power & Light Co. 92/07/06. Document Control Branch (Document Control Desk). 14pp. 62365:142-62365:155.
- 9207290020** Notification of significant licensee meeting w/util on 920716 to discuss re-start issues at facility.  
CHRISTENSEN,H. Region 2 (Post 820201). 92/07/07. Region 2 (Post 820201). 2pp. 62506:011-62506:012.
- 9207150064** Notification of cancelled 920716 meeting w/util in Atlanta, GA to discuss status of licensing actions.  
LE,N.B. Project Directorate II-1. 92/07/09. MURLEY,T., MIRAGLIA,F., RUSSELL,W. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62395:240-62395:243.
- 9207160001** Notification of 920716 meeting w/util in Atlanta,GA re status of licensing actions.  
LE,N.B. Project Directorate II-1. 92/07/09. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 4pp. 62396:258-62396:261.
- 9207200233** Notification of 920721 meeting w/util in Rockville,MD to discuss status of licensing actions.  
LO,R.H. Project Directorate II-1. 92/07/14. ADENSAM,E.G. Project Directorate II-1. 3pp. 62438:088-62438:090.
- 9207140099** Confirms 920615 telcon between WR Murray of util & HO Christensen of NRC re 920625 mgt meeting in Atlanta,GA to discuss licensee plans to resolve structural steel issues at plant.  
REYES,L.A. Region 2 (Post 820201). 92/07/19. WATSON,R.A. Carolina Power & Light Co. 2pp. 62311:237-62311:238.
- 9207280157** Notification of 920723 meeting w/util in Rockville,MD to discuss topical repts.  
ORR,F.R. Reactor Systems Branch. 92/07/20. JONES,R.C. Reactor Systems Branch. 2pp. 62530:286-62530:287.
- 9207280051** Confirms that \$149,591 electronically transferred to US Dept of Treasury,NRC on 920717 for payment of NRC Part 50 application fees for period 910630-1228,per 10CFR170.  
MCCARTHY,D.C. Carolina Power & Light Co. 92/07/22. Division of Accounting & Finance (Post 890205). 1p. 62568:356-62568:356.
- 9207310021** Forwards safety evaluation accepting licensee proposed alternative to ASME Code Section XI requirement re ISI program,MSRV pressure test.  
ADENSAM,E.G. Project Directorate II-1. 92/07/22. WATSON,R.A. Carolina Power & Light Co. 3pp. 62588:181-62588:187.
- 9207310026** Safety evaluation accepting licensee proposed alternative to examine subject welds to more stringent optional requirement of ASME Code,Section III,Class 3 (using radiograph exam),per 10CFR50.55(a)(3)(ii).  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/22. 4pp. 62588:184-62588:187.
- 9207290388** Notification of 920729 meeting w/util in Rockville,MD to discuss CP&L integrated schedule program.  
LO,R.H. Project Directorate II-1. 92/07/24. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 3pp. 62555:358-62555:361.
- 9207310048** Responds to 920706 ltr which transmitted resolution R-12-92 re plant.NRC placed plant on watch list as plant requiring increased NRC attention & will ensure that util act to correct problems.  
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 92/07/24. TURNAGE,F.E. North Carolina Municipal Power Agencies. 1p. 62588:192-62588:196.
- 9207310053** Provides Resolution R-12-92 of Board of Commissioners of facility re inadequate operation performance of Brunswick.  
TURNAGE,F.E. North Carolina Eastern Municipal Power Agency. 92/07/08. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 62588:193-62588:196.
- Q. Inspection reports, IE Bulletins & correspondence**
- 9207020195** Forwards attendees & copy of handout re enforcement conference summary meeting,per Insp Repts 50-325/92-10 & 50-324/92-10.  
REYES,L.A. Region 2 (Post 820201). 92/06/05. WATSON,R.A. Carolina Power & Light Co. 25pp. 62224:337-62224:362.
- 9207270016** Forwards insp repts 50-324/92-15 & 50-325/92-15 on 920502-0604 & notice of violation.Concern re omission of certain components from inservice insp program & failure to perform required engineering evaluation noted.  
REYES,L.A. Region 2 (Post 820201). 92/06/19. WATSON,R.A. Carolina Power & Light Co. 3pp. 62475:013-62475:044.
- 9207270024** Notice of violation from insp on 920502-0604.Violations noted:second 10-yr insp program did not include insp plan for pump bases,HX supports & pump turbines in unit 2 reactor vessel skirt & lateral supports.  
\* Region 2 (Post 820201). 92/06/19. 4pp. 62475:016-62475:019.
- 9207270030** Insp repts 50-324/92-15 & 50-325/92-15 on 920502-0604. Violations noted.Major areas inspected:maint observation, operational safety verification,engineering & technical support & inservice insp program review.  
PREVATTER,L., NELSON,D.J., BYRON,P.M. Region 2 (Post 820201). 92/06/19. 25pp. 62475:020-62475:044.
- 9207140095** Requests review of encl info re concerns that should be addressed in performance improvement plan.Performance improvement plan complete w/proposed schedules should be submitted within 30 days of ltr date,per SALP.  
EBNETER,S.D. Region 2 (Post 820201). 92/06/23. SMITH,S.H. Carolina Power & Light Co. 6pp. 62299:324-62299:329.
- 9207101022** Responds to NRC ltr re violations noted in insp repts 50-324/92-11 & 50-325/92-11.Corrective actions:training on ENP-12 revision will be provided to appropriate technical support & NED personnel.  
SPENCER,J.W. Carolina Power & Light Co. 92/06/24. Document Control Branch (Document Control Desk). 4pp. 62231:348-62231:351.
- 9207140110** Ack receipt of 920619 & 24 ltrs informing NRC of steps taken to correct violations noted in insp repts 50-324/92-11 & 50-325/92-11.Responses meet requirements of 10CFR2.201.  
JOHNSON,J.R. Region 2 (Post 820201). 92/06/26. WATSON,R.A. Carolina Power & Light Co. 2pp. 62311:359-62311:360.
- 9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.
- 9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.
- 9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.
- 9207070042** Submits suppl to response to notice of violation re operability of RHR sys.Short term structural integrity engineering evaluation.  
SPENCER,J.W. Carolina Power & Light Co. 92/07/02. Document Control Branch (Document Control Desk). 1p. 62265:359-62265:359.
- 9207140109** Forwards insp repts 50-324/92-17 & 50-325/92-17.Violation identified but not subj to enforcement action.Concern noted re emergency response program for non-radioactive toxic matls.  
CLINE,W.E. Region 2 (Post 820201). 92/07/02. EURY,L.W. Carolina Power & Light Co. 3pp. 62311:267-62311:283.
- 9207140114** Insp repts 50-324/92-17 & 50-325/92-17 on 920526-28. Violation noted but not subj to enforcement action.Major areas inspected:emergency plan & plant emergency procedures & incident command & control.  
GOODEN,A., RANKIN,W. Region 2 (Post 820201). 92/07/02. 13pp. 62311:271-62311:283.
- 9207140246** Responds to NRC assessment of 920527 response to deviations noted in insp repts 50-324/92-04 & 50-325/92-04.Corrective actions:review of facility automated commitment tracking sys conducted & NRC docketed correspondence reviewed.  
SPENCER,J.W. Carolina Power & Light Co. 92/07/02. Document Control Branch (Document Control Desk). 2pp. 62385:094-62385:095.
- 9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.
- 9207210129** Forwards study rept "Criteria for Evaluating & Performing Computerized Piping Analyses of Existing Sys w/Minor Modifications (Applicable for NRC Bulletins IE 79-07 & 79-14)." in response to NRC RAI re masonry block walls.  
STARKEY,R.B. Carolina Power & Light Co. 92/07/18. Document Control Branch (Document Control Desk). 21pp. 62501:160-62501:345.
- 9207220138** Study Rept "Criteria for Evaluating & Performing Computerized Piping Analyses of Existing Sys w/Minor Modifications (Applicable for NRC Bulletins IE 79-07 & 79-14)."  
\* Carolina Power & Light Co. 7865.007-S-M-020 R02. 89/07/28. 130pp. 62501:187-62501:345.
- 9207310021** Forwards safety evaluation accepting licensee proposed alternative to ASME Code Section XI requirement re ISI program,MSRV pressure test.  
ADENSAM,E.G. Project Directorate II-1. 92/07/22. WATSON,R.A. Carolina Power & Light Co. 3pp. 62588:181-62588:187.
- 9207310159** Forwards response to issues raised in Insp Repts 50-324/90-12 & 50-325/90-12.Encl outlines methodology & criteria for defining work that will be completed prior to startup & details corporate improvement program.  
WATSON,R.A. Carolina Power & Light Co. 92/07/23. EBNETER,S.D. Region 2 (Post 820201). 40pp. 62619:195-62619:233.
- R. Periodic operating reports & related correspondence**
- 9207150009** Monthly operating repts for June 1992 for Brunswick Steam Electric Plant.Units 1 & 2.W/920702 ltr.  
RUMPLE,R., SPENCER,J.W. Carolina Power & Light Co. 92/06/30. 7pp. 62395:205-62395:211.
- S. Reportable occurrences, LERs & related correspondence**
- 9207010225** Special rept 1-SR-92-003 on 920527.0615 & 0610.LCO exceeded 7.14 & 7 days,respectively.Caused by open fire door,blocked sprinklers & open fire barrier penetration seal.Appropriate fire watches remained in effect until LCO cancelled.  
SPENCER,J.W. Carolina Power & Light Co. 92/06/26. Document Control Branch (Document Control Desk). 2pp. 62234:083-62234:084.



9207070125 LER 92-017-00: on 920520, discovered that spring charge/ discharge indicator on 480 volt substation breaker E6 indicated "spring charged" after breaker closed due to breaker misdiagnosed. Prepare training courses. W/920701 ltr. JONES, T.M., SPENCER, J.W. Carolina Power & Light Co. 92/07/01. 8pp. 62292:202-62292:209.

#### V. Operator Examinations

9207200131 Advises that licensed operator removed from licensed duties as result of 10CFR26 violation identified by licensed individual to supervisor prior to standing watch. Unauthorized access terminated. RICHEY, R.B. Carolina Power & Light Co. 92/07/15. Document Control Branch (Document Control Desk). 1p. 62447:273-62447:273.

#### Y. Dry Cask Independent Spent Fuel Storage Installations

9207310091 Forwards payment of NRC review fees re ISFSI for NRC Part 170 license application for Invoice JR0554-92. MCCARTHY, D.C. Carolina Power & Light Co. 92/07/27. Document Control Branch (Document Control Desk). 1p. 62612:351-62612:351.

#### DOCKET 50-326 UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR

#### Q. Inspection reports, IE Bulletins & correspondence

9207230095 Forwards requalification exam rept 50-326/OL-92-01 administered on 920706-07. GALLO, R.M. Operator Licensing Branch. 92/07/17. SMITH, D. California, Univ. of, Irvine, CA. 2pp. 62479:035-62479:072.

-9207230100 Requalification exam rept 50-326/OL-92-01 on 920706-07. Exam results: both candidates passed written & operating sections of exam. CALDWELL, J.L. Operator Licensing Branch. 92/07/17. 36pp. 62479:037-62479:072.

#### S. Reportable occurrences, LERs & related correspondence

9207100264 PNO-V-92-020: on 920628, two major earthquakes occurred in State of CA desert. Unusual event declared at San Onofre & Diablo Canyon. Tremors felt at Palo Verde & at two research reactors & fuel facility. Peak accelerations listed. GARCIA, E. Region 5 (Post 820201). 92/06/29. 3pp. 62365:001-62365:003.

#### V. Operator Examinations

9207230095 Forwards requalification exam rept 50-326/OL-92-01 administered on 920706-07. GALLO, R.M. Operator Licensing Branch. 92/07/17. SMITH, D. California, Univ. of, Irvine, CA. 2pp. 62479:035-62479:072.

-9207230100 Requalification exam rept 50-326/OL-92-01 on 920706-07. Exam results: both candidates passed written & operating sections of exam. CALDWELL, J.L. Operator Licensing Branch. 92/07/17. 36pp. 62479:037-62479:072.

#### DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9207090345 Revised EIPs, including rev 6 to EIP-2, rev 6 to EIP-3, rev 6 to EIP-4, rev 6 to EIP-5, rev 6 to EIP-6, rev 7 to EIP-6 attachment 3, rev 5 to EIP-7, rev 1 to EIP-1 attachment 1 & rev 7 to EIP-7 attachment 2. W/920702 ltr. WILSON, J.L. Tennessee Valley Authority. 92/07/02. 95pp. 62340:249-62340:339.

9207210213 Forwards Revs 28 & 19 to physical security/contingency plans, respectively. Revs withheld (ref 10CFR73.21). BURZYNSKI, M.J. Tennessee Valley Authority. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62467:358-62467:359.

9207300253 Forwards updated emergency response data sys data point library, per NRC request. BURZYNSKI, M.J. Tennessee Valley Authority. 92/07/24. Document Control Branch (Document Control Desk). 131pp. 62593:024-62593:179.

#### P. Operating license stage documents & correspondence

9207080120 Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

-9207080152 Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting. STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.

-9207080200 Provides details of discussions re Browns Ferry & Sequoyah during 871117 & 18 NRC senior managers meeting. Plants were categorized as requiring substantial improvement. STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. WHITE, S.A. Tennessee Valley Authority. 2pp. 62324:023-62324:024.

-9207080291 Summary of 880628-29 NRC senior mgt meeting. Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl. STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.

-9207080356 Provides summary of NRC discussions re Browns Ferry & Sequoyah during 880628 & 29 senior managers meeting. Browns Ferry & Sequoyah Unit 1 were categorized as requiring substantial improvement & Unit, close monitoring. STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. WHITE, S.A. Tennessee Valley Authority. 2pp. 62324:055-62324:056.

-9207090086 Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting. STELLO, V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.

-9207090114 Provides Commission w/summary of discussions held at 890517- 18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting. Details withheld. STELLO, V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

-9207090267 Partially withheld summary of 861021-22 NRC mgt meeting. \* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.

9207060148 Application for amend to licenses DPR-77 & DPR-79, consisting of TS change 92-06, revising TS pages 6-5, section 6.2.3.4 to include position title change from manager of nuclear managers review group to manager of nuclear reviews. BURZYNSKI, M.J. Tennessee Valley Authority. 92/06/30. Document Control Branch (Document Control Desk). 4pp. 62243:345-62243:348.

-9207060220 Proposed tech specs, changing pages 6-5 section 6.2.3.4 to include change in position title from Manager of Nuclear Review Group to Manager of Nuclear Reviews for both units. \* Tennessee Valley Authority. 92/06/30. 2pp. 62243:347-62243:348.

9207220052 Forwards summary of 920701 meeting w/util in Region II ofc re util self-assessment of activities at plant. Meeting beneficial in aiding NRC understanding of ongoing programs & areas for future improvement. WILSON, B.A. Region 2 (Post 820201). 92/07/02. MEDFORD, M.O. Tennessee Valley Authority. 60pp. 62432:100-62432:160.

9207090177 Forwards response to Generic ltr 92-01, "Reactor Vessel Structural Integrity." NUMARC recommended response guidelines utilized to extent practical. SHELL, R.H. Tennessee Valley Authority. 92/07/07. Document Control Branch (Document Control Desk). 48pp. 62341:201-62341:248.

9207130237 Conveys appreciation for assistance rendered by util at plant on 920527 & 28 re Generic Issue 143, "Availability of Chilled Water Sys & Room Coolers." LABARGE, D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/08. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62338:010-62338:012.

9207160385 Forwards amends 159 & 149 to licenses DPR-77 & DPR-79, respectively & safety evaluation. Amends revise TS to incorporate balance of RG 1.97 instrumentation involving PAM & CI valves instrumentation. LABARGE, D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/09. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62397:188-62397:223.

-9207160387 Amends 149 & 159 to licenses DPR-79 & DPR-77, respectively, revising TS to incorporate balance of RG 1.97 instrumentation involving PAM & CI valves instrumentation. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/09. 28pp. 62397:191-62397:218.

-9207160388 Safety evaluation supporting amends 159 & 149 to licenses DPR-77 & DPR-79, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/09. 5pp. 62397:219-62397:223.

9207170275 Application for amends to licenses DPR-77 & DPR-79, revising TS to reflect administrative changes to section 6.0. SHELL, R.H. Tennessee Valley Authority. 92/07/14. Document Control Branch (Document Control Desk). 2pp. 62446:356-62446:359.

-9207170276 Proposed tech specs reflecting administrative changes to section 6.0. \* Tennessee Valley Authority. 92/07/14. 2pp. 62446:358-62446:359.

9207280223 Notification of 920810 meeting w/util in Rockville, MD to discuss general licensing issues re plant. LABARGE, D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/22. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 62530:295-62530:297.

#### Q. Inspection reports, IE Bulletins & correspondence

9207010245 Forwards insp rept 50-327/92-15 & 50-328/92-15 on 920506-30. Violations noted but not cited. WILSON, B.A. Region 2 (Post 820201). 92/06/12. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62234:001-62234:028.

-9207010253 Insp repts 50-327/92-15 & 50-328/92-15 on 920506-30. Violations noted but not cited. Major areas inspected: plant operations, plant maintenance & surveillance, evaluation of licensee self-assessment capability & LER closeout. HOLLAND, W.E., KELLOGG, P.J. Region 2 (Post 820201). 92/06/09. 24pp. 62234:005-62234:028.

9207010287 Discusses enforcement conference on 920602 re Insp Repts 50-327/92-17 & 50-328/92-17 on changing operational modes while containment spray pump suction valves closed. List of attendees & handouts encl. W/o encls. REYES, L.A. Region 2 (Post 820201). 92/06/16. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62252:335-62252:337.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

## 96 DOCKETED ITEMS

**9207090148** EN-92-050: on 920702, two notices of violation & proposed imposition of civil penalty in amount of \$150,000 will be issued, based on failure to take prompt corrective action re cable test program & maintain configuration control.  
LUEHMANN, J., LIEBERMAN, J., Ofc of Enforcement (Post 870413). 92/06/29. 2pp. 62338:154-62338:155.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140144** Ack receipt of 920612 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/92-11 & 50-328/92-11.  
WILSON, B.A. Region 2 (Post 820201). 92/07/02. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62310:040-62310:042.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207200153** Responds to NRC 920615 ltr re violations noted in Insp Repts 50-327/92-09 & 50-328/92-09. Corrective actions: service insp procedure revised to require that site personnel review all ASME Section XI work documents.  
WILSON, J.L. Tennessee Valley Authority. 92/07/15. Document Control Branch (Document Control Desk). 6pp. 62464:344-62464:349.

**9207220006** Forwards insp repts 50-327/92-21 & 50-328/92-21 on 920615-19. No violations or deviations noted.  
PEEBLES, T.A. Region 2 (Post 820201). 92/07/15. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62432:001-62432:014.

**9207220007** Insp repts 50-327/92-21 & 50-328/92-21 on 920615-19. No violations noted. Major areas inspected: engineering & technical support for operations, maint, outages, testing & surveillance.  
MELLEN, L., KING, L., PEEBLES, T.A. Region 2 (Post 820201). 92/07/15. 11pp. 62432:004-62432:014.

### R. Periodic operating reports & related correspondence

**9207210328** Monthly operating repts for June 1992 for Sequoyah Nuclear Plant, units 1 & 2. W/920715 ltr.  
HOLLOMON, T.J., WILSON, J.L. Tennessee Valley Authority. 92/06/30. 10pp. 62471:260-62471:269.

**9207290259** Informs that no addl margin or methodology changes to LOCA ECCS model occurred during period from 910729-920729, per 10CFR50.46.  
WILSON, J.L. Tennessee Valley Authority. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62593:346-62593:347.

### S. Reportable occurrences, LERs & related correspondence

**9207080222** Rev 3 to Special Rept 91-15: on 910801, recalculated generic beta radiation doses yielded higher free-field beta radiation doses for equipment than original calculation. Schedule for completing revs will be provided by 921101.  
WILSON, J.L. Tennessee Valley Authority. 92/07/01. Document Control Branch (Document Control Desk). 4pp. 62276:270-62276:273.

### V. Operator Examinations

**9207080354** Forwards proprietary requests for termination of CT Benton license SOP-3620-4, effective 920601. Requests withheld (ref 10CFR2.790(a)(6)).  
WILSON, J.L. Tennessee Valley Authority. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62275:356-62275:357.

**9207090172** Requests that candidates listed in encl be registered for reactor operator & senior reactor operator licensing exams scheduled to begin 920720. Certification that training completed also encl.  
WILSON, J.L. Tennessee Valley Authority. 92/07/02. EBNETER, S.D. Region 2 (Post 820201). 21pp. 62297:329-62297:349.

## DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

### F. Security, medical, emergency & fire protection plans

**9207090345** Revised EIPs, including rev 6 to EIP-2, rev 6 to EIP-3, rev 6 to EIP-4, rev 6 to EIP-5, rev 6 to EIP-6, rev 7 to EIP-6 attachment 3, rev 5 to EIP-7, rev 1 to EIP-1 attachment 1 & rev 7 to EIP-7 attachment 2. W/920702 ltr.  
WILSON, J.L. Tennessee Valley Authority. 92/07/02. 95pp. 62340:249-62340:339.

**9207210213** Forwards Revs 28 & 19 to physical security/contingency plans, respectively. Revs withheld (ref 10CFR73.21).  
BURZYNSKI, M.J. Tennessee Valley Authority. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62467:358-62467:359.

**9207300253** Forwards updated emergency response data sys data point library, per NRC request.  
BURZYNSKI, M.J. Tennessee Valley Authority. 92/07/24. Document Control Branch (Document Control Desk). 131pp. 62593:024-62593:179.

### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**9207080152** Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting.  
STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.

**9207080200** Provides details of discussions re Browns Ferry & Sequoyah during 871117 & 18 NRC senior managers meeting. Plants were categorized as requiring substantial improvement.  
STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. WHITE, S.A. Tennessee Valley Authority. 2pp. 62324:023-62324:024.

**9207080291** Summary of 880628-29 NRC senior mgt meeting. Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl.  
STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.

**9207080356** Provides summary of NRC discussions re Browns Ferry & Sequoyah during 880628 & 29 senior managers meeting. Browns Ferry & Sequoyah Unit 1 were categorized as requiring substantial improvement & Unit, close monitoring.  
STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. WHITE, S.A. Tennessee Valley Authority. 2pp. 62324:055-62324:056.

**9207090086** Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting.  
STELLO, V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.

**9207090114** Provides Commission w/summary of discussions held at 890517-18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting. Details withheld.  
STELLO, V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

**9207090267** Partially withheld summary of 861021-22 NRC mgt meeting.  
\* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.

**9207060148** Application for amend to licenses DPR-77 & DPR-79, consisting of TS change 92-06, revising TS pages 6-5, section 6.2.3.4 to include position title change from manager of nuclear managers review group to manager of nuclear reviews.  
BURZYNSKI, M.J. Tennessee Valley Authority. 92/06/30. Document Control Branch (Document Control Desk). 4pp. 62243:345-62243:348.

**9207060220** Proposed tech specs, changing pages 6-5 section 6.2.3.4 to include change in position title from Manager of Nuclear Review Group to Manager of Nuclear Reviews for both units.  
\* Tennessee Valley Authority. 92/06/30. 2pp. 62243:347-62243:348.

**9207220052** Forwards summary of 920701 meeting w/util in Region II ofc re util self-assessment of activities at plant. Meeting beneficial in aiding NRC understanding of ongoing programs & areas for future improvement.  
WILSON, B.A. Region 2 (Post 820201). 92/07/02. MEDFORD, M.O. Tennessee Valley Authority. 60pp. 62432:100-62432:160.

**9207090177** Forwards response to Generic ltr 92-01, "Reactor Vessel Structural Integrity." NUMARC recommended response guidelines utilized to extent practical.  
SHELL, R.H. Tennessee Valley Authority. 92/07/07. Document Control Branch (Document Control Desk). 48pp. 62341:201-62341:248.

**9207130237** Conveys appreciation for assistance rendered by util at plant on 920527 & 28 re Generic Issue 143, "Availability of Chilled Water Sys & Room Coolers."  
LABARGE, D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/08. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62338:010-62338:012.

**9207160341** Submits periodic repts at approx six-month intervals describing design hardware, design software & maint problems encountered w/Eagle 21 reactor protection sys during Unit 2 Cycle 5 operation.  
WILSON, J.L. Tennessee Valley Authority. 92/07/09. Document Control Branch (Document Control Desk). 9pp. 62423:264-62423:272.

**9207160385** Forwards amends 159 & 149 to licenses DPR-77 & DPR-79, respectively & safety evaluation. Amends revise TS to incorporate balance of RG 1.97 instrumentation involving PAM & CI valves instrumentation.  
LABARGE, D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/09. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62397:188-62397:223.

**9207160387** Amends 149 & 159 to licenses DPR-79 & DPR-77, respectively, revising TS to incorporate balance of RG 1.97 instrumentation involving PAM & CI valves instrumentation.  
HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/09. 28pp. 62397:191-62397:218.

**9207160388** Safety evaluation supporting amends 159 & 149 to licenses DPR-77 & DPR-79, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/09. 5pp. 62397:219-62397:223.

**9207170275** Application for amends to licenses DPR-77 & DPR-79, revising TS to reflect administrative changes to section 6.0.  
SHELL, R.H. Tennessee Valley Authority. 92/07/14. Document Control Branch (Document Control Desk). 2pp. 62446:356-62446:359.

**9207170276** Proposed tech specs reflecting administrative changes to section 6.0.  
\* Tennessee Valley Authority. 92/07/14. 2pp. 62446:358-62446:359.

**9207280223** Notification of 920810 meeting w/util in Rockville, MD to discuss general licensing issues re plant.  
LABARGE, D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/22. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 62530:295-62530:297.

**Q. Inspection reports, IE Bulletins & correspondence**

**9207010245** Forwards insp rept 50-327/92-15 & 50-328/92-15 on 920506-30. Violations noted but not cited.  
WILSON,B.A. Region 2 (Post 820201). 92/06/12. MEDFORD,M.O. Tennessee Valley Authority. 4pp. 62234:001-62234:028.

**-9207010253** Insp repts 50-327/92-15 & 50-328/92-15 on 920506-30. Violations noted but not cited. Major areas inspected: plant operations, plant maintenance & surveillance, evaluation of licensee self-assessment capability & LER closeout.  
HOLLAND,W.E., KELLOGG,P.J. Region 2 (Post 820201). 92/06/09. 24pp. 62234:005-62234:028.

**9207010287** Discusses enforcement conference on 920602 re Insp Repts 50-327/92-17 & 50-328/92-17 on changing operational modes while containment spray pump suction valves closed. List of attendees & handouts encl. W/o encls.  
REYES,L.A. Region 2 (Post 820201). 92/06/16. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 62252:335-62252:337.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207090148** EN-92-050: on 920702, two notices of violation & proposed imposition of civil penalty in amount of \$150,000 will be issued, based on failure to take prompt corrective action re cable test program & maintain configuration control.  
LUEHMAN,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 92/06/29. 2pp. 62338:154-62338:155.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140144** Ack receipt of 920612 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/92-11 & 50-328/92-11.  
WILSON,B.A. Region 2 (Post 820201). 92/07/02. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 62310:040-62310:042.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207200153** Responds to NRC 920615 ltr re violations noted in Insp Repts 50-327/92-09 & 50-328/92-09. Corrective actions: service insp procedure revised to require that site personnel review all ASME Section XI work documents.  
WILSON,J.L. Tennessee Valley Authority. 92/07/15. Document Control Branch (Document Control Desk). 6pp. 62464:344-62464:349.

**9207220006** Forwards insp repts 50-327/92-21 & 50-328/92-21 on 920615-19. No violations or deviations noted.  
PEEBLES,T.A. Region 2 (Post 820201). 92/07/15. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 62432:001-62432:014.

**-9207220007** Insp repts 50-327/92-21 & 50-328/92-21 on 920615-19. No violations noted. Major areas inspected: engineering & technical support for operations, maint, outages, testing & surveillance.  
MELLEN,J., KING,L., PEEBLES,T.A. Region 2 (Post 820201). 92/07/15. 11pp. 62432:004-62432:014.

**R. Periodic operating reports & related correspondence**

**9207210328** Monthly operating repts for June 1992 for Sequoyah Nuclear Plant, units 1 & 2. W/920715 ltr.  
HOLLOMON,T.J., WILSON,J.L. Tennessee Valley Authority. 92/06/30. 10pp. 62471:260-62471:269.

**9207290259** Informs that no addl margin or methodology changes to LOCA ECCS model occurred during period from 910729-920729, per 10CFR50.46.  
WILSON,J.L. Tennessee Valley Authority. 92/07/21. Document Control Branch (Document Control Desk). 2pp. 62593:346-62593:347.

**S. Reportable occurrences, LERs & related correspondence**

**9207080246** LER 92-003-01: on 920327, snubber observed disconnected from pipe clamp & various support attachment bolts found loose or missing. Caused by temporary worker failing to follow procedure. Work request initiated. W/920626 ltr.  
BAJRASZEWSKI,J., WILSON,J.L. Tennessee Valley Authority. 92/06/26. 6pp. 62293:096-62293:101.

**9207080222** Rev 3 to Special Rept 91-15: on 910801, recalculated generic beta radiation doses yielded higher free-field beta radiation doses for equipment than original calculation. Schedule for completing revs will be provided by 921101.  
WILSON,J.L. Tennessee Valley Authority. 92/07/01. Document Control Branch (Document Control Desk). 4pp. 62276:270-62276:273.

**9207150110** LER 92-006-00: on 920609, failure to perform surveillance instruction within required time frame identified. Caused by inadequate communication between personnel. SI performed. W/920709 ltr.  
BAJRASZEWSKI,J., WILSON,J.L. Tennessee Valley Authority. 92/07/09. 7pp. 62437:331-62437:337.

**9207310166** LER 92-008-00: on 920627, reactor tripped due to coincident logic of overtemp differential temp reactor protection. Caused by RCS RTD out of svc due to receipt of spurious alarm. RTD removed from scan. W/920724 ltr.  
BAJRASZEWSKI,J., WILSON,J.L. Tennessee Valley Authority. 92/07/24. 7pp. 62683:122-62683:128.

**V. Operator Examinations**

**9207080354** Forwards proprietary requests for termination of CT Benton license SOP-3620-4, effective 920601. Requests withheld (ref 10CFR2.790(a)(6)).  
WILSON,J.L. Tennessee Valley Authority. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62275:356-62275:357.

**9207090172** Requests that candidates listed in encl be registered for reactor operator & senior reactor operator licensing exams scheduled to begin 920720. Certification that training completed also encl.  
WILSON,J.L. Tennessee Valley Authority. 92/07/02. EBNETER,S.D. Region 2 (Post 820201). 21pp. 62297:329-62297:349.

**DOCKET 50-329 MIDLAND PLANT, UNIT 1****A. Application/construction stage documents & correspondence**

**9207140281** Partial response to FOIA request re investigation of Zack Co done by NRC App E records encl & are being made available in PDR App D records already available in PDR App F records withheld in entirety (ref FOIA Exemption 6 & 7).  
GRIMSLEY,D.H. Office of Information Resources Management (Post 890205). 91/10/30. ZACK,C. Zack Co. 26pp. 62383:190-62384:039.

**-9207150056** Forwards OI rept 3-82-025 re falsification of QA documents by Zack Co, which involves plant as well as other facilities. Anticipates release of second rept 3-82-061 re violation of ASLB order at plant in near future.  
HAYES,B.B. Office of Investigations (Pre 880201). 83/06/02. GILINSKY Commissioners (Post 750119). 1p. 62383:291-62383:291.

**-9207150072** Inquiry rept Q3-83-003 re CPC plant, allegations of QA & HVAC contractor questionable activity.  
FOSTER,W.E., PAWLIK,E.T. Region 3 (Post 820201). 83/06/13. 2pp. 62383:292-62383:295.

**-9207150079** Inquiry rept Q3-83-005 re CPC plant, allegations of QA programs & HVAC contractor questionable activity. Informs that allegations presented in Q3-83-005 under purview of Region III & not OI issues. Case Q3-83-005 closed.  
FROST,W.E., PAWLIK,E.T. Region 3 (Post 820201). 93/06/23. 5pp. 62383:296-62383:300.

**-9207150095** Forwards correspondence recently received by OI Region III indicating that US Attorney Ofc for Northern district of IL, has declined prosecution on NRC OI:RIII Case 3-82-025 (Zack Co). W/o encl.  
PAWLIK,E.T. Region 3 (Post 820201). 86/01/30. KEPPLER,J.G. Region 3 (Post 820201). 1p. 62383:301-62383:301.

**-9207150100** Forwards reformatted memo requesting OI to initiate investigation into alleged employment discrimination by Zack Co, per 870218 request.  
DAVIS,A.B. Region 3 (Post 820201). 87/03/10. STAROSTECKI,R. NRC - No Detailed Affiliation Given. 1p. 62383:302-62383:302.

**-9207150103** Requests investigation of info received by Region III in May 1982 that alleged employment w/Zack Co was involuntarily terminated after individual notified CPC of deficiencies involving Zack Co work at plants.  
DAVIS,A.B. Region 3 (Post 820201). 87/03/10. PAWLIK,E.T. Region 3 (Post 820201). 2pp. 62383:303-62383:304.

**9207270284** GRADIENT STUDY OF A LARGE WELD JOINING TWO FORGED A 508 SHELLS OF THE MIDLAND REACTOR VESSEL.  
IRWIN,G.R., ZHANG,X.J. Maryland, Univ. of, College Park, MD. \* Oak Ridge National Laboratory. FIN B-0119. NUREG/CR-5867. 92/06/30. Division of Engineering (Post 870413). 19pp. 62508:287-62508:307.

**Q. Inspection reports, IE Bulletins & correspondence**

**9207220323** Partial response to FOIA request. App G documents in PDR App H & I documents being made available in PDR App J documents withheld (ref FOIA exemptions 5-7). App I documents partially withheld (ref FOIA exemptions 5-7).  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. ZACK,C. Zack Co. 9pp. 62455:164-62456:023.

**-9207220332** Forwards stated 820607 decision finding that Zack Co improperly suspended employee for making allegation re plant.  
LIEBERMAN,J. Ofc of Inspection & Enforcement, Director (820201-870413). 82/07/19. WARNICK,R. Region 3 (Post 820201). 1p. 62455:174-62455:174.

**-9207220340** Forwards M Sinclair interrogatories on Contentions 6,8 & 16 re investigations on plant.  
SHAFER,W.D. Region 3 (Post 820201). 82/10/06. FOSTER,J.E. Region 3 (Post 820201). 1p. 62455:212-62455:223.

**-9207220346** Forwards statements of former plant employee re alleged harassment by Zack Co mgt. to be included in ongoing insp.  
SPESSARD,R.L. Region 3 (Post 820201). 83/11/03. PAWLIK,E.T. Region 3 (Post 820201). 1p. 62455:224-62455:224.

**-9207220348** Forwards Investigation Rept Q3-82-057 re alleged improper termination of employees by Zack Co for reporting deficiencies at plant.  
PAWLIK,E.T. Region 3 (Post 820201). 87/03/20. DAVIS,A.B. Region 3 (Post 820201). 1p. 62455:225-62455:225.

**-9207220352** Investigation rept Q3-82-057 re alleged improper termination of plant employees by Zack Co. Case closed due to lack of resources.  
PAUL,R.C., PAWLIK,E.T. Region 3 (Post 820201). 87/03/20. 2pp. 62455:226-62455:227.

**-9207220363** Partially deleted memo re investigation into discrimination complaint involving Zack Co at plant.  
FOSTER,J.E. Region 3 (Post 820201). 82/08/16. KEPPLER,J.G. Region 3 (Post 820201). 1p. 62455:231-62455:231.

## 98 DOCKETED ITEMS

-9207220385 Forwards affidavits of former Zack Co employees re insp at stated plants. Info deleted.  
KEPPLER, J.G. Region 3 (Post 820201). 83/08/09. CUMMINGS, J.J. Office of Inspector & Auditor (Pre 890417). 1p. 62455:254-62455:255.

-9207220391 Forwards deposition & exhibits re former Zack Co employee, for investigation of plant deficiencies. Info deleted.  
KEPPLER, J.G. Region 3 (Post 820201). 83/08/31. CUMMINGS, J.J. Office of Inspector & Auditor (Pre 890417). 1p. 62455:256-62455:256.

-9207220396 Forwards Insp Repts 50-329/83-08 & 50-330/83-08 re concerns w/const deficiencies involving Zack Co. W/o encl. Info withheld.  
WEIL, C.H. Region 3 (Post 820201). 84/06/29. Affiliation Not Assigned. 1p. 62455:330-62455:330.

-9207220399 Informs that investigation into Zack Co QA program (ref insp repts 50-329/83-08 & 50-330/83-08) closed due to lack of resources. Info deleted. Addl info encl.  
WEIL, C.H. Region 3 (Post 820201). 88/07/12. Affiliation Not Assigned. 5pp. 62455:331-62455:335.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

### DOCKET 50-330 MIDLAND PLANT, UNIT 2

#### A. Application/construction stage documents & correspondence

9207140281 Partial response to FOIA request re investigation of Zack Co done by NRC. App E records encl & are being made available in PDR. App D records already available in PDR. App F records withheld in entirety (ref FOIA Exemption 6 & 7).  
GRIMSLEY, D.H. Office of Information Resources Management (Post 890205). 91/10/30. ZACK, C. Zack Co. 26pp. 62383:190-62383:039.

-9207150056 Forwards OI rept 3-82-025 re falsification of QA documents by Zack Co, which involves plant as well as other facilities. Anticipates release of second rept 3-82-061 re violation of ASLB order at plant, in near future.  
HAYES, B.B. Office of Investigations (Pre 880201). 83/06/02. GILINSKY Commissioners (Post 750119). 1p. 62383:291-62383:291.

-9207150072 Inquiry rept Q3-83-003 re CPC plant, allegations of QA & HVAC contractor questionable activity.  
FOSTER, W.E., PAWLIK, E.T. Region 3 (Post 820201). 83/06/13. 2pp. 62383:292-62383:295.

-9207150079 Inquiry rept Q3-83-005 re CPC plant, allegations of QA programs & HVAC contractor questionable activity. Informs that allegations presented in Q3-83-005 under purview of Region III & not OI issues. Case Q3-83-005 closed.  
FROST, W.E., PAWLIK, E.T. Region 3 (Post 820201). 93/06/23. 5pp. 62383:296-62383:300.

-9207150095 Forwards correspondence recently received by OI Region III indicating that US Attorney Otc for Northern district of IL, has declined prosecution on NRC OI:RIII Case 3-82-025 (Zack Co.) W/o encl.  
PAWLIK, E.T. Region 3 (Post 820201). 86/01/30. KEPPLER, J.G. Region 3 (Post 820201). 1p. 62383:301-62383:301.

-9207150100 Forwards reformatted memo requesting OI to initiate investigation into alleged employment discrimination by Zack Co, per 870218 request.  
DAVIS, A.B. Region 3 (Post 820201). 87/03/10. STAROSTECKI, R. NRC - No Detailed Affiliation Given. 1p. 62383:302-62383:302.

-9207150103 Requests investigation of info received by Region III in May 1982 that alleged employment w/Zack Co was involuntarily terminated after individual notified CPC of deficiencies involving Zack Co work at plants.  
DAVIS, A.B. Region 3 (Post 820201). 87/03/10. PAWLIK, E.T. Region 3 (Post 820201). 2pp. 62383:303-62383:304.

9207270284 GRADIENT STUDY OF A LARGE WELD JOINING TWO FORGED A 508 SHELLS OF THE MIDLAND REACTOR VESSEL.  
IRWIN, G.R., ZHANG, X.J. Maryland, Univ. of, College Park, MD. \* Oak Ridge National Laboratory. FIN B-0119. NUREG/CR-5867. 92/06/30. Division of Engineering (Post 870413). 19pp. 62508:287-62508:307.

#### G. Inspection reports, IE Bulletins & correspondence

9207220323 Partial response to FOIA request. App G documents in PDR. App H & I documents being made available in PDR. App J documents withheld (ref FOIA exemptions 5-7). App I documents partially withheld (ref FOIA exemptions 5-7).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. ZACK, C. Zack Co. 9pp. 62455:164-62455:023.

-9207220332 Forwards stated 820807 decision finding that Zack Co improperly suspended employee for making allegation re plant.  
LIEBERMAN, J. Ofc of Inspection & Enforcement, Director (820201-870413). 82/07/19. WARNICK, R. Region 3 (Post 820201). 1p. 62455:174-62455:174.

-9207220340 Forwards M Sinclair interrogatories on Contentions 6, 8 & 16 re investigations on plant.  
SHAFFER, W.D. Region 3 (Post 820201). 82/10/06. FOSTER, J.E. Region 3 (Post 820201). 1p. 62455:212-62455:223.

-9207220346 Forwards statements of former plant employee re alleged harassment by Zack Co mgt, to be included in ongoing insp.  
SPESSARD, R.L. Region 3 (Post 820201). 83/11/03. PAWLIK, E.T. Region 3 (Post 820201). 1p. 62455:224-62455:224.

-9207220348 Forwards Investigation Rept Q3-82-057 re alleged improper termination of employees by Zack Co for reporting deficiencies at plant.  
PAWLIK, E.T. Region 3 (Post 820201). 87/03/20. DAVIS, A.B. Region 3 (Post 820201). 1p. 62455:225-62455:225.

-9207220352 Investigation rept Q3-82-057 re alleged improper termination of plant employees by Zack Co. Case closed due to lack of resources.  
PAUL, R.C., PAWLIK, E.T. Region 3 (Post 820201). 87/03/20. 2pp. 62455:226-62455:227.

-9207220363 Partially deleted memo re investigation into discrimination complaint involving Zack Co at plant.  
FOSTER, J.E. Region 3 (Post 820201). 82/08/16. KEPPLER, J.G. Region 3 (Post 820201). 1p. 62455:231-62455:231.

-9207220385 Forwards affidavits of former Zack Co employees re insp at stated plants. Info deleted.  
KEPPLER, J.G. Region 3 (Post 820201). 83/08/09. CUMMINGS, J.J. Office of Inspector & Auditor (Pre 890417). 1p. 62455:254-62455:255.

-9207220391 Forwards deposition & exhibits re former Zack Co employee, for investigation of plant deficiencies. Info deleted.  
KEPPLER, J.G. Region 3 (Post 820201). 83/08/31. CUMMINGS, J.J. Office of Inspector & Auditor (Pre 890417). 1p. 62455:256-62455:256.

-9207220398 Forwards Insp Repts 50-329/83-08 & 50-330/83-08 re concerns w/const deficiencies involving Zack Co. W/o encl. Info withheld.  
WEIL, C.H. Region 3 (Post 820201). 84/06/29. Affiliation Not Assigned. 1p. 62455:330-62455:330.

-9207220399 Informs that investigation into Zack Co QA program (ref insp repts 50-329/83-08 & 50-330/83-08) closed due to lack of resources. Info deleted. Addl info encl.  
WEIL, C.H. Region 3 (Post 820201). 88/07/12. Affiliation Not Assigned. 5pp. 62455:331-62455:335.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

### DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

#### F. Security, medical, emergency & fire protection plans

9207060218 Forwards public version of Rev 32 to emergency telephone book. W/ 920625 release memo.  
SERRA, P.L. Iowa Electric Light & Power Co. 92/05/06. Document Control Branch (Document Control Desk). 3pp. 62243:208-62243:246.

-9207060222 Public version of rev 32 to emergency telephone book.  
\* Iowa Electric Light & Power Co. 92/06/03. 36pp. 62243:211-62243:246.

9207010066 Forwards insp rept 50-331/92-12 on 920504-0608. Violation noted & being considered for further NRC enforcement action.  
NORELIUS, C.E. Region 3 (Post 820201). 92/06/23. LIU, L. Iowa Electric Light & Power Co. 2pp. 62143:173-62143:176.

-9207010073 Partially withheld insp rept 50-331/92-12 on 920504-0608 (ref 10CFR73.21(c)(2)). Major areas inspected: physical security insp involving mgt support, protected & vital area barriers & testing & maint.  
MADEA, T.J., CREED, J.R., PEDERSON, C.D. Region 3 (Post 820201). 92/06/19. 2pp. 62143:175-62143:176.

9207080174 Revised EIPs, including Rev 12 to EIP-1.1, "Determination of EAL," Rev 5 to EIP-2.6, "Activation & Operation of DAEC Offsite Radiological & Analytical Lab" & Rev 9 to EIP-3.2, "Field Radiological Monitoring." W/920629 ltr.  
SERRA, P.L. Iowa Electric Light & Power Co. 92/06/29. 106pp. 62277:133-62277:240.

9207100297 Forwards Safety Insp Rept 50-331/92-08 on 920413-17. No violations noted.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/02. LIU, L. Iowa Electric Light & Power Co. 2pp. 62331:276-62331:293.

-9207100305 Insp rept 50-331/92-08 on 920413-17. No violations or deviations noted. Major areas inspected: licensee actions on previously identified items, review of actual emergency plan activations & operational status of EP program.  
PLOSKE, T., MCCORMICK-BARGE Region 3 (Post 820201). 92/07/02. 16pp. 62331:278-62331:293.

**9207170226** Ack receipt of Rev 13 to emergency plan on 920526.Rev acceptable.Rev included refinements to number of emergency action levels utilized to classify emergency conditions.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/14. LIU,L. Iowa Electric Light & Power Co. 2pp. 62431:326-62431:327.

**9207280344** Forwards response to violations noted in Insp Rept 50-331/92-12.Response withheld.  
FRANZ,J.F. Iowa Electric Light & Power Co. 92/07/23. DAVIS,A.B. Region 3 (Post 820201). 1p. 62588:149-62588:149.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207100263** Rev 10 to updated FSAR for Duane Arnold Energy Ctr.W/920630 ltr.  
FRANZ,J.F. Iowa Electric Light & Power Co. 92/06/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 125pp. 62355:006-62355:309.

#### P. Operating license stage documents & correspondence

**9207070027** Forwards response to NRC 900817 questions re Rev 3 to ODCM, submitted via 870825 ltr.Proposed changes to ODCM, described in encl,will be implemented & forwarded within 90 days of issuance of Rev 4 to ODCM.  
FRANZ,J.F. Iowa Electric Light & Power Co. 92/06/26. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 54pp. 62267:090-62267:144.

**9207070306** Forwards info re status of Reg Guide 1.97 activities at facility,consisting of accident monitoring instrumentation program.Updated version of table of Reg Guide 1.97 variables,submitted on 850703,also encl.  
FRANZ,J.F. Iowa Electric Light & Power Co. 92/06/26. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 23pp. 62267:307-62267:329.

**9207080127** Forwards rev 13 of "QA Program Description for Duane Arnold Energy Ctr." per requirements of 10CFR50.54(a)(3) & 10CFR50.71(e).  
MCGAUGHY,R.W. Iowa Electric Light & Power Co. 92/06/26. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62312:001-62312:123.

**-9207080136** Rev 13 to "QA Program Description for Duane Arnold Energy Ctr."  
\* Iowa Electric Light & Power Co. 92/06/26. 142pp. 62312:003-62312:123.

**9207080218** Forwards corrected simulator test performance abstracts, initially submitted via 910325 ltr.Deviations noted that exceeded 10% tolerance for noncritical parameters.  
FRANZ,J.F. Iowa Electric Light & Power Co. 92/06/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 62272:318-62272:330.

**9207100303** Forwards Relief Request VR-017 re testing of fail-safe actuators in solenoid & air-operated valves by observing operation of valves upon loss of actuator power,per NRC SER re util response to Generic Ltr 89-04.  
FRANZ,J.F. Iowa Electric Light & Power Co. 92/06/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62366:173-62366:176.

**9207100147** Informs of plans to revise fuel oil testing program by replacing accelerated stability test w/particulate test.Revs & justifications listed.Comparison of DAEC fuel oil QA program to Reg Guide 1.137 encl.  
FRANZ,J.F. Iowa Electric Light & Power Co. 92/07/01. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 62334:259-62334:263.

**9207160080** Responds to concerns re DAEC containment isolation valves resulting from addl info submitted in response to GL 89-10, "Safety-Related Motor-Operated Valve Testing and Surveillance."  
FRANZ,J.F. Iowa Electric Light & Power Co. 92/07/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62416:360-62416:360.

**9207150351** Responds to GL 92-01, "Reactor Vessel Structural Integrity." Util is participant in BWR Owners Group supplemental surveillance program committee to develop addl info on effects of radiation on reactor vessel mats.  
FRANZ,J.F. Iowa Electric Light & Power Co. 92/07/06. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 19pp. 62415:127-62415:145.

**9207230227** Notification of 920730 meeting w/counters in Oak Harbor, OH to discuss items of generic interest between NRR,Region III & licensees for plants in NRR Project Directorate III. Agenda encl.  
HOPKINS,J.B. Project Directorate III-3. 92/07/16. HANNON,J.N. Project Directorate III-3. 4pp. 62478:319-62478:322.

**9207230109** Ack receipt of 911223 ltr in response to generic ltr 88-20, suppl 4 concerning individual plant exams for external events.Response acceptable.  
SHIRAKI,C.Y. Project Directorate III-3. 92/07/17. LIU,L. Iowa Electric Light & Power Co. 3pp. 62459:023-62459:025.

**9207290235** Forwards amend 184 to license DPR-49 & safety evaluation. Amend revises TS in accordance w/GL 89-01 by incorporating programmatic controls in AC section of TS.  
SHIRAKI,C.Y. Project Directorate III-3. 92/07/22. LIU,L. Iowa Electric Light & Power Co. 2pp. 62557:322-62557:355.

**-9207290237** Amend 184 to license DPR-49, revising TS in accordance w/requirements of GL 89-01 by incorporating programmatic controls in AC section of TS.  
SHIRAKI,C.Y. Project Directorate III-3. 92/07/22. 30pp. 62557:322-62557:352.

**-9207290239** Safety evaluation supporting amend 184 to license DPR-49.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/22. 3pp. 62557:353-62557:355.

**9207240234** Informs NRC that all necessary equipment & associated procedure modifications necessary for coping w/SBO have been completed as required by 10CFR50.63.  
FRANZ,J.F. Iowa Electric Light & Power Co. 92/07/23. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62498:350-62498:351.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207100066** Forwards insp rept 50-331/92-12 on 920504-0608.Violation noted & being considered for further NRC enforcement action.  
NORELIUS,C.E. Region 3 (Post 820201). 92/06/23. LIU,L. Iowa Electric Light & Power Co. 2pp. 62143:173-62143:176.

**-9207010073** Partially withheld insp rept 50-331/92-12 on 920504-0608 (ref 10CFR73.21(c)(2)).Major areas inspected:physical security insp involving mgt support,protected & vital area-barriers & testing & maint.  
MADEDA,T.J., CREED,J.R., PEDERSON,C.D. Region 3 (Post 820201). 92/06/19. 2pp. 62143:175-62143:176.

**9207010251** Forwards Safety Insp Rept 50-331/92-16 on 920622-25.No violations noted.  
SNELL,W.G. Region 3 (Post 820201). 92/06/26. LIU,L. Iowa Electric Light & Power Co. 2pp. 62254:063-62254:072.

**-9207010252** Insp Rept 50-331/92-16 on 920622-25.No violations noted. Major areas inspected:radiation protection program including organization & mgt controls,training & qualification of personnel,audits,surveillance & self-assessments.  
KOZAK,T.J., SNELL,W.G. Region 3 (Post 820201). 92/06/26. 8pp. 62254:065-62254:072.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207100297** Forwards Safety Insp Rept 50-331/92-08 on 920413-17.No violations noted.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/02. LIU,L. Iowa Electric Light & Power Co. 2pp. 62331:276-62331:293.

**-9207100305** Insp rept 50-331/92-08 on 920413-17.No violations or deviations noted.Major areas inspected:licensee actions on previously identified items,review of actual emergency plan activations & operational status of EP program.  
PLOSKE,T., MCCORMICK-BARGE Region 3 (Post 820201). 92/07/02. 16pp. 62331:278-62331:293.

**9207140130** Forwards exam rept 50-331/OL-92-01 on 920608-12.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/07. LIU,L. Iowa Electric Light & Power Co. 3pp. 62336:078-62336:089.

**-9207140136** Exam rept 50-331/OL-92-01 on 920608-12.Exam results:no individual failures on any portion of exam & all crews passed dynamic simulator portion of exam.Requalification program assigned overall rating of satisfactory.  
BIELEY,M.E., DOORNBOS,R.L., JORDAN,M.J. Region 3 (Post 820201). 92/07/07. 9pp. 62336:081-62336:089.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207150039** Forwards safety insp rept 50-331/92-11 on 920616-26 & notice of deviation.No violations noted.Deviation significant because of importance of assuring MOV capability under conditions of degraded voltage.  
RING,M.A. Region 3 (Post 820201). 92/07/10. LIU,L. Iowa Electric Light & Power Co. 2pp. 62335:059-62335:075.

**-9207150045** Notice of deviation from insp on 920616-26.Deviation noted: calculations of line voltage drops in worst case cables under conditions of degraded voltage showed that four MOVs motors would not be provided w/80% of rated motor voltage.  
RING,M.A. Region 3 (Post 820201). 92/07/10. 1p. 62335:061-62335:061.

**-9207150049** Insp rept 50-331/92-11 on 920616-26.No violations noted.One deviation noted.Major areas inspected:licensee response to generic ltr 89-10 & action on previous insp findings.  
GAINTY,C.A., ORSINI,C.N., SMITH,J.F. Region 3 (Post 820201). 92/07/09. 14pp. 62335:062-62335:075.

**9207170184** Forwards insp rept 50-331/92-13 on 920429-0630 & notice of violation.  
GREGER,L.R. Region 3 (Post 820201). 92/07/10. LIU,L. Iowa Electric Light & Power Co. 2pp. 62448:300-62448:316.

**-9207170186** Notice of violation from insp on 920429-0630.Violation noted:licensee failed to calibrate recorder used for scram time testing during performance of surveillance test procedure 43D002 "Scram Insertion Time Test."  
GREGER,L.R. Region 3 (Post 820201). 92/07/10. 1p. 62448:302-62448:302.

**-9207170188** Insp rept 50-331/92-13 on 920429-0630.No violations noted. Major areas inspected:license event repts followup, rept review, mgt meetings, maint & operational safety.  
HAQUE,R.L. Region 3 (Post 820201). 92/07/09. 14pp. 62448:303-62448:316.

**9207280344** Forwards response to violations noted in Insp Rept 50-331/92-12.Response withheld.  
FRANZ,J.F. Iowa Electric Light & Power Co. 92/07/23. DAVIS,A.B. Region 3 (Post 820201). 1p. 62588:149-62588:149.

**9207290099** Responds to NRC Bulletin 92-001 re ability of Thermo-Lag 330 fire barrier sys to adequately protect electrical cabling in certain sizes of cable trays & conduit.Compensatory measures for inoperable fire barriers implemented.  
FRANZ,J.F. Iowa Electric Light & Power Co. 92/07/23. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62506:150-62506:153.

#### R. Periodic operating reports & related correspondence

**9207220239** Monthly operating rept for June 1992 for DAEC.W/920715 ltr.  
TRAN,H., WILSON,D.L. Iowa Electric Light & Power Co. 92/06/30. 7pp. 62473:296-62473:302.



## 100 DOCKETED ITEMS

### S. Reportable occurrences, LERs & related correspondence

**9207240245** LER 92-010-00: on 920617, RW pump circuit failure caused fire to break out in 1B20 load center. Caused by inadequate review of breaker disconnect compatibility w/load ctr cubicle stabs in design. Procedural revisions re design made. W/920717 ltr. AXLINE, J.S., WILSON, D.L. Iowa Electric Light & Power Co. 92/07/17. DAVIS, A.B. Region 3 (Post 820201). 10pp. 62520:334-62520:343.

### V. Operator Examinations

**9207090342** Discusses generic fundamentals exam section of operator licensing exam, administered on 920610. Master BWR/PWR subj exam w/answer key encl for info. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

**9207140130** Forwards exam rept 50-331/OL-92-01 on 920608-12. WRIGHT, G.C. Region 3 (Post 820201). 92/07/07. LIU, L. Iowa Electric Light & Power Co. 3pp. 62338:078-62338:089.

**-9207140136** Exam rept 50-331/OL-92-01 on 920608-12. Exam results: no individual failures on any portion of exam & all crews passed dynamic simulator portion of exam. Requalification program assigned overall rating of satisfactory. BIELBY, M.E., DOORNBOOS, R.L., JORDAN, M.J. Region 3 (Post 820201). 92/07/07. 3pp. 62338:081-62338:089.

**9207150041** Responds to 920529 ltr requesting operator initial & requalification exam date changes in 1993. Informs that changes acceptable & NRC will work w/staff to establish specific exam dates. WRIGHT, G.C. Region 3 (Post 820201). 92/07/09. FRANZ, J.F. Iowa Electric Light & Power Co. 1p. 62335:076-62335:076.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

### DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

#### F. Security, medical, emergency & fire protection plans

**9207010024** Rev 23 to "Emergency Plan."  
\* Power Authority of the State of New York (New York Power Authority). 92/06/05. 57pp. 62202:099-62202:157.

**9207020295** Forwards "Evacuation Travel Time Estimates for JA FitzPatrick/Nine Mile Point Emergency Planning Zone."  
SALMON, H.P., FIRLIT, J.F. Power Authority of the State of New York (New York Power Authority). 92/06/17. Document Control Branch (Document Control Desk). 2pp. 62242:001-62242:162.

**-9207020297** "Evacuation Travel Time Estimates for JA FitzPatrick/Nine Mile Point Emergency Planning Zone."  
\* Parsons, Brinckerhoff, Quada & Douglas, Inc. 92/02/29. 200pp. 62242:002-62242:162.

**9207060128** Forwards revised, new & temporary exemptions from 10CFR50, app R, in ref to NRC ltr dtd 920608 re meeting on 920526, to discuss results of new app R analysis & potential exemptions needed as results of analysis.  
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 92/06/26. Document Control Branch (Document Control Desk). 50pp. 62250:001-62250:051.

**9207150107** Revised EIPs, including rev 8 to SAP-1, "Maint Emergency Preparedness," & rev 12 to SAP-2, "Emergency Equipment Inventory."  
\* Parsons, Brinckerhoff, Quada & Douglas, Inc. 92/07/09. 60pp. 62389:266-62389:328.

**9207170035** Summarizes 920624 enforcement conference w/util in Region I ofc re violations documented in insp repts 50-333/92-80 & 50-333/92-81 involving fire protection program & 10CFR50.9 concerns involving ESW. List of attendees encl.  
HODGES, M.W. Region 1 (Post 820201). 92/07/10. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 62pp. 62387:089-62387:150.

**9207160353** Ack receipt of 920612 ltr transmitting temporary addendum to physical security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan.  
JOYNER, J.H. Region 1 (Post 820201). 92/07/13. BEEDLE, R. Power Authority of the State of New York (New York Power Authority). 3pp. 62413:355-62413:357.

**9207280011** Forwards response to SALP Rept 50-333/91-99. Improvements planned for emergency preparedness program, including use of simulator, upgraded emergency action levels, add training & changes to joint news ctr.  
SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 92/07/20. Document Control Branch (Document Control Desk). 21pp. 62567:003-62567:023.

**9207300188** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Neither Thermo-Lag 330 fire barrier sys nor mats installed in either plant.  
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 92/07/24. Document Control Branch (Document Control Desk). 2pp. 62665:349-62665:350.

#### H. General correspondence

**9207170036** Responds to 920511 ltr re request from A Sweet for copies of plant diagnostic evaluation team rept & assessment panels review of licensee's results improvement program.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/01. BOEHLERT, S. House of Rep. 2pp. 62433:357-62433:361.

**-9206040233** Forwards constituent A Sweet 920327 request for diagnostic team evaluation rept & assessment panel detailed review of plant results improvement program.  
BOEHLERT, S. House of Rep. 92/05/11. RATHBUN, D. Office of Congressional Affairs (Post 911117). 3p. 62433:358-62433:361.

**9207200302** Responds to 920617 ltr to D Rathbun, requesting info for constituent, F Adelsperger, on requirements for small businesses supplying technical svcs to nuclear power facilities.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/07/02. WALSH, J.T. House of Rep. 6pp. 62421:238-62421:252.

**-9207200306** Forwards 920420 constituent ltr raising addl questions on requirements for small businesses supplying technical svcs to plants.  
WALSH, J.T. House of Rep. 92/06/17. RATHBUN, D. Office of Congressional Affairs (Post 911117). 5pp. 62421:244-62421:248.

**-9207200311** Requests, on behalf of constituent, F Adelsperger of Adelsperger Associates, info on policies affecting small businesses.  
WALSH, J.T. House of Rep. 92/05/07. RATHBUN, D. Office of Congressional Affairs (Post 911117). 3pp. 62421:249-62421:251.

**9207130013** Comment supporting proposed rule 10CFR50.54 re receipt of byproduct & special nuclear matl.  
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 92/07/06. Docketing & Services Branch. 2pp. 62285:010-62285:011.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207220187** Forwards "JA FitzPatrick Nuclear Power Plant 1992 FSAR Update," consisting of revs to Chapter 17, "QA Program" to reflect title changes & update of cross refs of implementing documents.  
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62457:001-62457:266.

**-9207220202** Revised "JA FitzPatrick Nuclear Power Plant 1992 FSAR Update."  
\* Power Authority of the State of New York (New York Power Authority). 92/07/31. 180pp. 62457:003-62457:266.

#### P. Operating license stage documents & correspondence

**9207020313** Forwards requested rept ORNL/NOAC-266, "Review of Operating Experience for FitzPatrick from Jan 1989 - Apr 1991."  
RUBIN, S.D. Diagnostic Evaluation & Incident Investigation Branch. 92/06/25. GILMARTIN, H. Power Authority of the State of New York (New York Power Authority). 1p. 62194:180-62194:226.

**-9207020317** "Review of Operating Experience for FitzPatrick from Jan 1989 - Apr 1991."  
\* Energy, Dept. of. FIN A-9135. ORNL/NOAC-266. 91/08/31. Office for Analysis & Evaluation of Operational Data, Director. 44pp. 62194:181-62194:226.

**9207020252** Advises that 911226 response to GL 88-20, suppl 4 re IEEE at facility, acceptable.  
PLASSE, R.A. Project Directorate I-1. 92/06/26. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 4pp. 62194:049-62194:052.

**9207070169** Summary of 920626 meeting w/util in Region I ofc in King of Prussia, PA to discuss current outage schedule at plant. W/list of attendees, viewgraphs & FitzPatrick Results Improvement Program info.  
COWGILL, C.J. Region 1 (Post 820201). 92/06/26. SALMON, H.P. Power Authority of the State of New York (New York Power Authority). 60pp. 62206:033-62206:092.

**9207090348** Discusses 920615-16 meeting re performance in operations, maint/surveillance, engineering/technical support & safety assessment/quality verification functional areas at plant to be weak & warrant continued strong NYPA mgt attention.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/30. BRONS, J.C. Power Authority of the State of New York (New York Power Authority). 4pp. 62269:304-62269:307.

**9207090284** Forwards request for addl info on hardened wetwell vent capability for plant, per util response to GL 89-16.  
PLASSE, R.A. Project Directorate I-1. 92/07/02. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 5pp. 62271:015-62271:019.

**9207150141** Responds to GL 89-10 re consideration of results of NRC sponsored tests of motor-operated valves. Mod proposed to remove bypass line & 12MOV-80.  
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 92/07/07. Document Control Branch (Document Control Desk). 6pp. 62399:209-62399:214.

**9207170089** Forwards response to GL 92-01, Rev 1 re reactor vessel integrity. Submittal delayed due to high workloads, since plants currently in outages.  
BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 92/07/09. Document Control Branch (Document Control Desk). 46pp. 62430:252-62430:297.

**9207170104** Requests addl info in order to complete review of amend dtd 920612 to increase authorized max power level to 2536 MWt from current limit of 2436 MWt.  
McCABE, B.C. Project Directorate I-1. 92/07/13. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 4pp. 62403:067-62403:070.

**9207210114** Forwards amend 182 to license DPR-59 & safety evaluation. Amend reflects removal of RV head spray portion of RHR sys.  
McCABE, B.C. Project Directorate I-1. 92/07/13. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 4pp. 62438:233-62438:243.

**-9207210120** Amend 182 to license DPR-59, removing RV head spray portion of RHR sys.  
CAPRA, R.A. Project Directorate I-1. 92/07/13. 4pp. 62438:237-62438:240.

**-9207210125** Safety evaluation supporting amend 182 to license DPR-59.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/13. 3pp. 62438:241-62438:243.



# Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207140290** Provides results of reactor vessel head weld insp conducted during 1992 refueling outage.  
BEEDLE,R.E. Power Authority of the State of New York (New York Power Authority). 92/07/09. Document Control Branch (Document Control Desk). 5pp. 62398:332-62398:336.

**9207170035** Summarizes 920624 enforcement conference w/util in Region I of re violations documented in insp repts 50-333/92-80 & 50-333/92-81 involving fire protection program & 10CFR50.9 concerns involving ESW.List of attendees encl.  
HODGES,M.W. Region 1 (Post 820201). 92/07/10. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 62pp. 62387:089-62387:150.

**9207210336** Responds to NRC 920611 ltr re violations noted in insp rept 50-333/92-81 on 920413-0501.Corrective actions:chiller condenser svcs water/ESW pressure boundary has been reclassified as safety related & MCM-6A will be revised.  
SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 92/07/13. Document Control Branch (Document Control Desk). 11pp. 62471:247-62471:257.

**9207270002** Forwards summary of IGSCC insp during 1992 refueling outage. Core spray piping B in primary containment replaced w/347 modified stainless steel.Electrochemical potential monitoring sys installed in reactor water recirculation sys.  
BEEDLE,R.E. Power Authority of the State of New York (New York Power Authority). 92/07/17. Document Control Branch (Document Control Desk). 5pp. 62516:274-62516:278.

**9207280011** Forwards response to SALP Rept 50-333/91-99.Improvements planned for emergency preparedness program,including use of simulator,upgraded emergency action levels,addl training & changes to joint news ctr.  
SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 92/07/20. Document Control Branch (Document Control Desk). 21pp. 62567:003-62567:023.

**9207300168** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Neither Thermo-Lag 330 fire barrier sys nor mats installed in either plant.  
BEEDLE,R.E. Power Authority of the State of New York (New York Power Authority). 92/07/24. Document Control Branch (Document Control Desk). 2pp. 62665:349-62665:350.

# R. Periodic operating reports & related correspondence

**9207140038** Final "SPDES Annual Biological Monitoring Rept JA FitzPatrick Nuclear Power Plant 1991." W/920709 ltr.  
SALMON,H.P., JINKS,S.M., KOENEKE,A. Power Authority of the State of New York (New York Power Authority). 92/06/30. COLQUHOUN,J. New York, State of. 79pp. 62395:103-62395:182.

**9207160170** Monthly operating rept for June 1992 for FitzPatrick Nuclear Power Plant.W/920713 ltr.  
FLAGG,R., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 92/06/30. 5pp. 62423:343-62423:347.

# S. Reportable occurrences, LERs & related correspondence

**9207020156** LER 92-028-00:on 920521,potential failure of both RHR/LPCI sys occurred due to injection valve operator motor pinion key failure.Replacement keys stored in warehouse.W/920622 ltr.  
CHILDS,W.V., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 92/06/22. 8pp. 62292:065-62292:073.

**9207020144** LER 92-008-01:on 920129,determined that primary containment isolation valve steam packing not subjected to LLRT following maint on valves.Caused by inadequacy of original LLRT program.Special LLRT performed.W/920624 ltr.  
CHILDS,W.V., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 92/06/24. 5pp. 62292:060-62292:064.

**9207020136** LER 92-029-00:on 920127,failure to submit 30-day special rept re carbon dioxide fire suppression dampers tagged out for maint.Caused by failure to track LCO.Procedure change implemented.W/920626 ltr.  
CHILDS,W.V., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 92/06/26. 4pp. 62292:056-62292:059.

**9207140159** LER 92-032-00:on 920605,determined that portion of primary containment isolation logic had not been tested due to procedural deficiency.Surveillance test procedure will be corrected.W/920706 ltr.  
CHILDS,W.V., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 92/07/06. 5pp. 62437:200-62437:204.

**9207140165** LER 92-031-00:on 920605,false high area temp signal caused automatic HPCI isolation logic signal.Caused by bowing of supports bars.Support bars straightened & printed circuit card fully inserted.W/920706 ltr.  
CHILDS,W.V., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 92/07/06. 5pp. 62437:205-62437:209.

**9207220060** LER 92-033-00:on 920617 & 25,determined that Type B local leak rate testing program per TS 4.7.A.2.b.1 for primary containment penetrations contained deficiency.Caused by personnel error.Procedures changed.W/920717 ltr.  
CHILDS,W.V., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 92/07/17. 7pp. 62481:129-62481:135.

**9207310109** LER 92-034-00:on 920623,circuit breaker supplying power to five non-safety load ctrs tripped.Caused by failure of transformer.Transformer will be replaced & operating procedures will be revised.W/920723 ltr.  
CHILDS,W.V., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 92/07/23. 15pp. 62683:094-62683:109.

**9207310102** LER 92-037-00:on 920626,determined that two RHR & two CR containment isolation valves would not allow remote control closure.Caused by design error.Design mods to identified valves in progress.W/920724 ltr.  
CHILDS,W.V., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 92/07/24. 5pp. 62683:089-62683:093.

**9207310129** LER 92-036-00:on 920626,determined that RCIC vacuum breaker line inadequately protected against HELB effects.Caused by erroneous design basis analysis.Restrictant will be installed on RCIC steam supply line.W/920724 ltr.  
CHILDS,W.V., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 92/07/24. 5pp. 62683:110-62683:114.

# V. Operator Examinations

**9207170049** Notifies that administration of RO & SRO licensing exams scheduled for wks of 921026 & 1102.Provides info re exams.  
CONTE,R.J. Region 1 (Post 820201). 92/07/10. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 13pp. 62387:164-62387:176.

# DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

# F. Security, medical, emergency & fire protection plans

**9207080036** Forwards emergency preparedness insp repts 50-334/92-14 & 50-412/92-13 on 920609-10.No safety inadequacies or violations noted.  
JOYNER,J.H. Region 1 (Post 820201). 92/06/24. SIEBER,J.D. Duquesne Light Co. 4pp. 62218:287-62218:301.

**-9207080044** Emergency preparedness insp repts 50-334/92-14 & 50-412/92-13 on 920609-10.No violations noted.Major areas insp:annual,full-participation exercise.  
ECKERT,L., MCCABE,E. Region 1 (Post 820201). 92/06/24. 11pp. 62218:291-62218:301.

**9207060301** Forwards Rev 15 to physical security plan.Rev withheld (ref 10CFR2.790(d) & 73.21).  
SIEBER,J.D. Duquesne Light Co. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62451:326-62451:327.

**9207100074** Advises that util 911213 request for authorization to use BioPak 240P respirator to provide respiratory protection during fire fighting activities within containment bldgs at plant acceptable.  
CALVO,J.A. Division of Reactor Projects - I/II (Post 870411). 92/07/06. SIEBER,J.D. Duquesne Light Co. 4pp. 62284:282-62284:289.

**-9207100087** Environ assessment & finding of no significant impact re authorization to use BioPak 240P respirator for respiratory protection during fire fighting activities at plant.EIS would not be prepared for proposed action.  
CALVO,J.A. Division of Reactor Projects - I/II (Post 870411). 92/06/25. 4pp. 62284:286-62284:289.

**9207220299** Forwards Resident Insp Repts 50-334/92-15 & 50-412/92-14 on 920526-0701.Two licensee-identified violations noted but not cited.Violations involve failure to maintain locked high radiation area barrier door & to perform post-maint testing.  
BLOUGH,A.R. Region 1 (Post 820201). 92/07/16. SIEBER,J.D. Duquesne Light Co. 3pp. 62474:204-62474:221.

**-9207220301** Safety Insp Repts 50-334/92-15 & 50-412/92-14 on 920526-0701.Violations noted but not cited.Major areas inspected:plant operations,radiological controls,emergency preparedness,security & engineering & technical support.  
ROGGE,J. Region 1 (Post 820201). 92/07/15. 15pp. 62474:207-62474:221.

**9207280093** Notification of significant licensee meeting 92-122 w/util on 920814 to discuss fire protection capabilities & technical support center habitability.  
ROGGE,J. Region 1 (Post 820201). 92/07/23. Region 1 (Post 820201). 3pp. 62488:216-62488:218.

# P. Operating license stage documents & correspondence

**9207080173** Advises that licensee selected IPEE methods as described in 911220 response to generic ltr 88-20,acceptable.  
DEAGAZIO,A. Project Directorate I-4. 92/06/30. SIEBER,J.D. Duquesne Light Co. 3pp. 62260:001-62260:003.

**9207150345** Responds to GL 92-01 re NRC verification of compliance w/licensing basis concerning reactor vessel fracture toughness & matl surveillance for RCPB.  
SIEBER,J.D. Duquesne Light Co. 92/07/08. Document Control Branch (Document Control Desk). 42pp. 62405:317-62405:358.

**9207240250** Forwards 10CFR50.46 rept of changes or errors in ECSS evaluation models.  
SIEBER,J.D. Duquesne Light Co. 92/07/20. Document Control Branch (Document Control Desk). 26pp. 62515:333-62515:358.

**9207280093** Notification of significant licensee meeting 92-122 w/util on 920814 to discuss fire protection capabilities & technical support center habitability.  
ROGGE,J. Region 1 (Post 820201). 92/07/23. Region 1 (Post 820201). 3pp. 62488:216-62488:218.

## 102 DOCKETED ITEMS

### Q. Inspection reports, IE Bulletins & correspondence

9207080036 Forwards emergency preparedness insp repts 50-334/92-14 & 50-412/92-13 on 920609-10. No safety inadequacies or violations noted. JOYNER, J.H. Region 1 (Post 820201). 92/06/24. SIEBER, J.D. Duquesne Light Co. 4pp. 62218:287-62218:301.

-9207080044 Emergency preparedness insp repts 50-334/92-14 & 50-412/92-13 on 920609-10. No violations noted. Major areas insp: annual, full-participation exercise. ECKERT, L., MCCABE, E. Region 1 (Post 820201). 92/06/24. 11pp. 62218:291-62218:301.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207220299 Forwards Resident Insp Repts 50-334/92-15 & 50-412/92-14 on 920526-0701. Two licensee-identified violations noted but not cited. Violations involve failure to maintain locked high radiation area barrier door & to perform post-maint testing. BLOUGH, A.R. Region 1 (Post 820201). 92/07/16. SIEBER, J.D. Duquesne Light Co. 3pp. 62474:204-62474:221.

-9207220301 Safety Insp Repts 50-334/92-15 & 50-412/92-14 on 920526-0701. Violations noted but not cited. Major areas inspected: plant operations, radiological controls, emergency preparedness, security & engineering & technical support. ROGGE, J. Region 1 (Post 820201). 92/07/15. 15pp. 62474:207-62474:221.

9207280099 Forwards supplement to 920612 response to Electrical Distribution Sys Functional Insp Repts 50-334/91-80 & 50-412/91-80. Corrective actions: degraded grid relay setpoints will be addressed via upgrade of calculations. SIEBER, J.D. Duquesne Light Co. 92/07/20. Document Control Branch (Document Control Desk). 3pp. 62568:345-62568:347.

### R. Periodic operating reports & related correspondence

9207020185 "NPDES Monthly Rept for Beaver Valley Power Station for May 1992." NOONAN, T.P. Duquesne Light Co. 92/05/31. 36pp. 62221:291-62221:326.

9207140322 Monthly operating repts for June 1992 for Beaver Valley Power Station Units 1 & 2. W/920710 ltr. JONES, D.T., SIEBER, J.D. Duquesne Light Co. 92/06/30. 9pp. 62385:152-62385:160.

### S. Reportable occurrences, LERs & related correspondence

9207150335 Final Part 21 rept re failure of Byron Jackson River water pump couplings. Initially reported on 911121. Couplings failed in svc due to lack of toughness. Couplings examined & suspect matl removed from svc. NOONAN, T.P. Duquesne Light Co. 92/07/07. Document Control Branch (Document Control Desk). 6pp. 62399:356-62399:361.

9207140226 LER 92-006-00: on 920613, discovered north barrier door to East Valve Trench Area unlocked. Caused by failure to properly verify that high radiation area barrier door locked upon exit. Door locking mechanism checked. W/920710 ltr. NOONAN, T.P. Duquesne Light Co. 92/07/10. 7pp. 62437:267-62437:273.

### V. Operator Examinations

9207170160 Forwards exam forms A & B, answer key for A & B exams, summary & candidates individual answer sheet from 920610 generic fundamentals exam section. Results should be forwarded to applicants. W/o encl. BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/08. BURNS, T.W. Duquesne Light Co. 2pp. 62431:360-62431:361.

### DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

### F. Security, medical, emergency & fire protection plans

9207270285 "St Lucie Nuclear Power Plant 1992 Emergency Preparedness Evaluated Exercise, 920212." Florida Power & Light Co. 92/02/12. 500pp. 62534:001-62535:017.

9207010288 Forwards SALP Repts 50-335/92-06 & 50-389/92-06 covering 901101-920502. Commends util for superior performance. EBNETER, S.D. Region 2 (Post 820201). 92/06/12. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 62230:295-62230:328.

-9207010289 SALP Repts 50-335/92-06 & 50-389/92-06 covering 901101 to 920502. Category 1 rating assigned in areas of plant operations, radiological controls, emergency preparedness, security & engineering/technical support. Region 2 (Post 820201). 92/06/12. 29pp. 62230:300-62230:328.

9207170066 Rev 7 to HP-203, "Personnel Access Control During Emergencies." SAGER, D.A. Florida Power & Light Co. 92/07/10. 33pp. 62430:298-62430:330.

9207300239 Responds to NRC Bulletin 92-001, "Thermo-Lag 330 Fire Barrier Sys." Compensatory measures implemented in areas containing subj fire barrier matl, including roving fire watch & verification of fire detector operability. SAGER, D.A. Florida Power & Light Co. 92/07/27. Document Control Branch (Document Control Desk). 5pp. 62665:352-62665:356.

### K. Utility Final Safety Analysis Report (FSAR) & amends

9207100191 Amend 11 to St Lucie Unit 1 updated FSAR. W/920706 ltr. SAGER, D.A. Florida Power & Light Co. 92/07/31. 1,200pp. 62368:001-62369:290.

### P. Operating license stage documents & correspondence

9207060054 Discusses review of response to generic ltr 88-20, suppl 4, re IEEE Alternate methods proposed in 911223 response acceptable. NORRIS, J.A., RAGHAVAN, L. Project Directorate II-2. 92/06/25. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 52204:209-62204:212.

9207100050 Discusses 920615-16 senior managers meeting to evaluate nuclear safety performance of operating reactors, fuel facilities & other matls licensees. Plant was noted w/high level of safety performance & met criteria for recognition. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/30. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 62367:198-62367:201.

9207080119 Forwards response to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity." BOHLKE, W.H. Florida Power & Light Co. 92/07/01. Document Control Branch (Document Control Desk). 18pp. 62276:287-62276:304.

9207080123 Forwards rept of unsatisfactory performance testing incident, per 10CFR26. Rept details investigative analysis of unsatisfactory blind specimen results, identification of cause & corrective actions. Rept withheld. BOHLKE, W.H. Florida Power & Light Co. 92/07/01. Document Control Branch (Document Control Desk). 1p. 62275:354-62275:354.

9207200203 Informs that util currently does not plan to replace or downgrade qualification of safety injection tank level & pressure instruments, in response to NRC 920401 ltr re Reg Guide 1.97. SAGER, D.A. Florida Power & Light Co. 92/07/14. Document Control Branch (Document Control Desk). 1p. 62451:323-62451:323.

### Q. Inspection reports, IE Bulletins & correspondence

9207010288 Forwards SALP Repts 50-335/92-06 & 50-389/92-06 covering 901101-920502. Commends util for superior performance. EBNETER, S.D. Region 2 (Post 820201). 92/06/12. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 62230:295-62230:328.

-9207010289 SALP Repts 50-335/92-06 & 50-389/92-06 covering 901101 to 920502. Category 1 rating assigned in areas of plant operations, radiological controls, emergency preparedness, security & engineering/technical support. Region 2 (Post 820201). 92/06/12. 29pp. 62230:300-62230:328.

9207020007 Forwards insp rept 50-335/92-09 & 50-389/92-09 on stated dates & forwards notice of violations. JULIAN, C.A. Region 2 (Post 820201). 92/06/18. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 62234:189-62234:209.

-9207020029 Notice of violation from insp on stated dates ending 920522. Violations noted: during inservice inspection of ASME code, determined that licensee failed to follow liquid penetrant exam procedures. Region 2 (Post 820201). 92/06/18. 2pp. 62234:193-62234:194.

-9207020040 Insp repts 50-335/92-09 & 50-389/92-09 on stated dates. Violations noted: Major areas inspected: ISI followup on Generic Ltr 89-08 & Info Notice 91-031. KLEINSORGE, W.P., BLAKE, J.J. Region 2 (Post 820201). 92/06/04. 15pp. 62234:195-62234:209.

9207220081 Discusses NRC 920630 SALP meeting. EBNETER, S.D. Region 2 (Post 820201). 92/06/18. KINDRED, T. St. Lucie County, FL. 5pp. 62432:212-62432:216.

9207010179 Notification of significant licensee meeting w/util on 920630 to discuss SALP presentation. LANDIS, K.D. Region 2 (Post 820201). 92/06/19. Region 2 (Post 820201). 3pp. 62234:306-62234:308.

9207020110 Ack receipt of 920518 ltr informing NRC of steps taken to correct violations noted in insp repts 50-335/92-05 & 50-389/92-05. Response meets requirements of 10CFR2.201. SINKULE, M.V. Region 2 (Post 820201). 92/06/19. GOLDBERG, J.H. Florida Power & Light Co. 2pp. 62219:355-62219:356.

9207010196 Forwards insp repts 50-335/92-12 & 50-389/92-12 on 920518-22. No violations noted. CLINE, W.E. Region 2 (Post 820201). 92/06/20. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 62234:063-62234:076.

-9207010200 Insp repts 50-335/92-12 & 50-389/92-12 on 920518-22. No violations noted. Major areas inspected: radiation protection program. POTTER, J.P., SHORTRIDGE, R.B. Region 2 (Post 820201). 92/06/18. 9pp. 62234:068-62234:076.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207140198 Expresses appreciation for review of SALP rept & participation in SALP meeting on 920630. No changes to SALP rept warranted due to lack of corrective comments. Meeting summary, SALP presentation slides & SALP response ltr encl. EBNETER, S.D. Region 2 (Post 820201). 92/07/01. GOLDBERG, J.H. Florida Power & Light Co. 32pp. 62311:185-62311:216.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207170198** Forwards Insp Repts 50-335/92-10 & 50-389/92-10 on 920503-0608.No violations or deviations noted. SINKULE,M.V. Region 2 (Post 820201). 92/07/07. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 62440:223-62440:236.

**-9207170201** Insp Repts 50-335/92-10 & 50-389/92-10 on 920503-0608.No violations or deviations noted.Major areas inspected:areas of plant operations review,maint observations,surveillance observations & Unit 2 outage activities. ELROD,S.A., SCOTT,M.A., LANDIS,K.A. Region 2 (Post 820201). 92/07/07. 11pp. 62440:225-62440:236.

**9207202233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207210324** Responds to violations noted in Insp Repts 50-335/92-09 & 50-389/92-09.Corrective actions:contractor orientation procedure will be developed w/emphasis on attention to detail & procedure compliance. GOLDBERG,J.H. Florida Power & Light Co. 92/07/16. Document Control Branch (Document Control Desk). 3pp. 62459:341-62459:343.

**9207300239** Responds to NRC Bulletin 92-001, "Thermo-Lag 330 Fire Barrier Sys." Compensatory measures implemented in areas containing subj fire barrier matl.including roving fire watch & verification of fire detector operability. SAGER,D.A. Florida Power & Light Co. 92/07/27. Document Control Branch (Document Control Desk). 5pp. 62665:352-62665:356.

#### R. Periodic operating reports & related correspondence

**9207160192** "Rept of 10CFR50.59 Plant Changes for 910123-920122." W/ 920710 ltr. SAGER,D.A. Florida Power & Light Co. 92/01/22. 109pp. 62430:001-62430:109.

**9207160165** Monthly operating repts for June 1992 for St Lucie Units 1 & 2.W/920709 ltr. BREEN,J.J., SAGER,D.A. Florida Power & Light Co. 92/06/30. 10pp. 62423:289-62423:298.

#### S. Reportable occurrences, LERs & related correspondence

**9207310207** Special repton 920630,DG 1A declared out of svc in order to perform pre-ventative maint on air start sys.Caused by spurious operation of trip which is bypassed in emergency operating mode.Temp switches repaired & reinstalled. SAGER,D.A. Florida Power & Light Co. 92/07/27. Document Control Branch (Document Control Desk). 2pp. 62618:345-62618:346.

**9207310222** LER 92-005-00:on 920629,discovered that EDG 1B declared out of svc on 920618 w/o two operable flow paths & w/o required vol in boric acid makeup tank.Caused by personnel error. Personnel counseled & pump returned to svc.W/ 920729 ltr. SMITH,G.D., SAGER,D.A. Florida Power & Light Co. 92/07/29. 5pp. 62683:290-62683:294.

#### V. Operator Examinations

**9207220066** Advises that arrangements made for evaluation of requalification program & licensed personnel during wks of 921026 & 1102.Encl ref matls should be furnished in order for examiners to adequately prepare for visit. PEEBLES,T.A. Region 2 (Post 820201). 92/07/15. GOLDBERG,J.H. Florida Power & Light Co. 9pp. 62432:188-62432:196.

#### DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207010235** Revised EIPs,including rev 16 to EPIP 4211, "On-Call Procedure" & Rev 10 to EPIP 4610, "Communications - Radiopaging & Callback Monthly Drill." \* Northeast Nuclear Energy Co. 92/06/24. 47pp. 62224:192-62224:239.

**9207150074** Forwards safety insp repts 50-245/92-17,50-336/92-19 & 50-423/92-17.No violations noted. ANDERSON,C. Region 1 (Post 820201). 92/07/06. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 62335:088-62335:097.

**-9207150078** Insp repts 50-245/92-17,50-336/92-19 & 50-423/92-17 on 920608-12.No violations noted.Major areas inspected:standby, starting,operating & shutdown & maint of emergency diesel generator units. WOODARD,C.H. Region 1 (Post 820201). 92/07/01. 7pp. 62335:091-62335:097.

**9207280204** Forwards draft exercise controller manual for onsite emergency preparedness partial participation exercise at facilities scheduled on 920915,for NRC review.Comments requested by 920814.W/o encl. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 92/07/17. MCCABE,E.C. Region 1 (Post 820201). 2pp. 62562:124-62562:125.

**9207280224** Forwards insp repts 50-245/92-13,50-336/92-14 & 50-423/92-13 on 920503-0613 & forwards notice of violation.Good performance noted for several activities,including actions to address static pressure effects of Veritak transmitters. BLOUGH,A.R. Region 1 (Post 820201). 92/07/22. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 62497:070-62497:107.

**-9207280256** Insp repts 50-245/92-13,50-336/92-14 & 50-423/92-13 on 920503-0613.Violations noted.Major areas inspected:plant operations,radiological controls,maint,surveillance, security,outage activities & licensee self-assessment. DOERFLEIN,L.T. Region 1 (Post 820201). 92/07/22. 33pp. 62497:075-62497:107.

**9207280234** Revised EIPs,including rev 21 to CONI 1.01,rev 41 to CONI 1.02,rev 10 to CONI 1.06,rev 2 to CONI 1.07,rev 17 to CONI 4.10,rev 21 to CONI 5.01,rev 3 to CONI 7.01,rev 25 to CONI 10.01 & rev 6 to CONI 13.01. \* Northeast Utilities. 92/07/24. 125pp. 62562:156-62562:316.

**9207310103** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Cable Trays & Small Conduits Free from Fire Damage." ROMBERG,W.D. Connecticut Yankee Atomic Power Co. 92/07/27. Document Control Branch (Document Control Desk). 13pp. 62612:330-62612:342.

#### G. Adjudicatory correspondence

**9207020087** Memorandum & order (requesting addl info). \* Addl listed info re leave to intervene & request for hearing in response to FR notice on 920428 requested.W/ Certificate of Svc.Served on 920625. SMITH,I.W. Atomic Safety & Licensing Board Panel. #392 13039. 92/06/23. MARUCCI,M.E. Earthvision, Inc. PRAY,M.J. Pray, M.J. 4pp. 62182:143-62182:146.

**9207020176** Motion to amend petition to intervene & motion for leave to file addl affidavit by Cooperative Citizens Monitoring Network. \* W/Certificate of Svc.Served on 920630. MARUCCI,M.E., KUSMIT,D., ZALESNY,P. Affiliation Not Assigned. #392 13048. 92/06/23. Commissioners (Post 750119). 6pp. 62182:051-62182:056.

**9207090097** Requests hearing & intervenor status on plant re proposed decision to rule that license amend requested by util for redesign of spent fuel pool does not involve subject to hazard risk.W/Certificate of Svc.Served on 920702. GRIFFITHS,R. Cooperative Citizens' Monitoring Network (CCMN). GRIFFITHS,R. Earthvision, Inc. #392 13072. 92/06/29. Docketing & Services Branch. 5pp. 62266:261-62266:265.

**9207020149** Memorandum & order. \* Forestalls filing of unnecessary & redundant pleadings in intervention phase of proceeding due to motions filed on behalf of Cooperative Citizens Monitoring Network.W/Certificate of Svc.Served on 920701. SMITH,I. Atomic Safety & Licensing Board Panel. #392 13049. 92/06/30. Cooperative Citizens' Monitoring Network (CCMN). 4pp. 62182:147-62182:150.

**9207090121** Forwards technical documents re spent fuel pool design change which is subj of requests filed by M Marucci, Earthvision & M Pray. HULL,J.T. Office of the General Counsel (Post 860701). #392 13058. 92/07/01. SMITH,I.W., KLINE,J.R., KELBER,C.N. Atomic Safety & Licensing Board Panel. 38pp. 62266:323-62266:361.

**9207200040** Forwards plant proposed rev to TS re spent fuel pool reactivity & FSAR section 14.7.4.3.1 & table 14.7.4-1 in response to 920823 order.Copy of 920604 SER & supp to 920416 amend request will be forwarded.W/Certificate of Svc. REYNOLDS,N.S. Northeast Nuclear Energy Co. REYNOLDS,N.S. Winston & Strawn. #392 13099. 92/07/01. Atomic Safety & Licensing Board Panel. 7pp. 62404:029-62404:065.

**9207100036** Responds to 920622 ltr re design change of spent fuel pool at facility.Comments on arguments presented in JT Hull & EJ Reis ltrs.W/Certificate of Svc.Served on 920708. PRAY,M.J. Affiliation Not Assigned. #392 13081. 92/07/02. Docketing & Services Branch. 3pp. 62270:078-62270:080.

**9207270098** Provides rev 0 to LER 92-003 re spent fuel pool criticality analysis error,in response to Board 920630 memorandum & order.Requests that RM Kacich be added to svc list for proceeding.W/Certificate of Svc. REYNOLDS,N.S. Northeast Nuclear Energy Co. REYNOLDS,N.S. Winston & Strawn. #392 13109. 92/07/08. SMITH,I.W., KELBER,C.N., KLINE,J.R. Atomic Safety & Licensing Board Panel. 4pp. 62476:177-62476:184.

**9207270103** Submits addl refs served on Board & participants in amend proceeding on 920701.Secretary of Commission added to svc list for proceeding.Related correspondence. MACEVOY,J.A. Northeast Nuclear Energy Co. MACEVOY,J.A. Winston & Strawn. #392 13110. 92/07/14. Office of the Secretary of the Commission. 1p. 62476:196-62476:196.

**9207270112** Memorandum & Order. \* Extends 920630 order to include answers to listed pleadings & to other intervention pleadings which may be filed until order issued providing general pleading schedule.W/Certificate of Svc.Served on 920716. SMITH,I.W. Atomic Safety & Licensing Board Panel. #392 13106. 92/07/15. 4pp. 62476:203-62476:206.

#### H. General correspondence

**9207160081** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9,task DG-1021.Opposes rule. OPEKA,J.F. Northeast Utilities. 92/07/06. CHILK,S.J. Office of the Secretary of the Commission. 5pp. 62375:091-62375:095.

**9207100086** Forwards licensee 920611 & NRC 920617 replies opposing 920601 request for hearing on Amend 158 to License DPR-65, changing TSs to modify existing two region configuration of spent fuel pool to consist of three regions. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/08. MARUCCI,M.E. Affiliation Not Assigned. 4pp. 62334:145-62334:258.

**-9207100096** Licensee Northeast Nuclear Energy Co reply to request for hearing & petitions to intervene by ME Marucci & Earthvision,Inc.Util requests subj request be denied. REYNOLDS,N.S. Northeast Nuclear Energy Co. REYNOLDS,N.S. Winston & Strawn. 92/06/11. 19pp. 62334:149-62334:167.

**-9207100101** NRC staff response to M Marucci request for hearing.Request denied. HULL,J.T. NRC - No Detailed Affiliation Given. 92/06/17. 11pp. 62334:168-62334:184.

**-9207100106** Forwards ME Marucci 920602 ltr expressing concerns re facility for review & response. WEICKER,L.P. Connecticut, State of. 92/06/12. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 7pp. 62334:185-62334:191.

## 104 DOCKETED ITEMS

- 9207100113 Requests that extension of time be granted for filing papers for hearing re proposed design/configuration change to facility on behalf of constituent ME Marucci. LIEBERMAN,J.I. Senate. 92/05/28. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 62334:192-62334:192.
- 9207100115 Requests public hearing on 920428 FR,requesting amend to license at Millstone Nuclear Power Station Unit 2. NOWICKI,P.R. Earthvision, Inc. 92/05/27. Docketing & Services Branch. 1p. 62334:193-62334:193.
- 9207100118 Requests hearing to express concerns re unacceptable hazards risk if Millstone Unit 2 spent fuel pool were to be utilized under planned conditions to occur on 920614. MARUCCI,M.E. Affiliation Not Assigned. 92/05/28. Docketing & Services Branch. 1p. 62334:194-62334:194.
- 9207100121 Responds to 920528 & 0610 ltrs re request for hearing filed by ME Marucci,in connection w/amend to license for Millstone Nuclear Power Plant,Unit 2. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 92/06/26. LIEBERMAN,J.I. Senate. 2pp. 62334:195-62334:227.
- 9207100131 Ack receipt of 920610 ltr,transmitting constituent ME Marucci ltr re facility.NRC working on response to ltr. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 92/06/12. LIEBERMAN,J.I. Senate. 1p. 62334:228-62334:228.
- 9207100134 Forwards ltr from constituent ME Marucci,informing that NRC denied request for hearing re proposed design/configuration change at facility.Requests investigation of issues related to mgt of spent fuel pools in proposed plan. LIEBERMAN,J.I. Senate. 92/06/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 62334:229-62334:255.
- 9207100141 Ack receipt of 920612 ltr from Selin,forwarding ME Marucci ltr re facility.NRC working on response & copy of reply will be forwarded as soon as possible. KAMMERER,C. Office of State Programs (Post 911117). 92/06/25. WEICKER,L.P. Connecticut, State of. 3pp. 62334:256-62334:258.

### I. Financial Information

- 9207060232 Forwards listing of nuclear engineering & operations & maint budgets & projections for 1993,1994 & 1995. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 92/06/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 62254:354-62254:358.

### P. Operating license stage documents & correspondence

- 9207080085 Summary of 920611 meeting w/util in King of Prussia,PA re util PEP.List of attendees & handout describing licensee presentation encl. HEHL,C.V. Region 1 (Post 820201). 92/06/22. OPEKA,J.F. Northeast Nuclear Energy Co. 55pp. 62218:011-62218:067.
- 9207080093 Submits Millstone Assessment Panel (MAP) responsibilities re charter.MAPs purpose to assist in coordination of NRC resources for performance monitoring & assessment of plant. MARTIN,T.T. Region 1 (Post 820201). 92/05/27. WIGGINS,J.T. Region 1 (Post 820201). 2pp. 62218:066-62218:067.
- 9207060043 Discusses review of response to generic ltr 88-20,suppl 4 re IEEE.Selected IEEE methods acceptable.Requests submittal schedule results be submitted in more timely manner. VISSING,G.S. Project Directorate I-4. 92/06/30. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62204:216-62204:218.
- 9207070022 Notification of 920708 meeting w/util in Rockville,MD to discuss PEP progress. JAFFE,D.H. Project Directorate I-4. 92/06/30. STOLZ,J.F. Project Directorate I-4. 4pp. 62237:340-62237:343.
- 9207070403 Forwards corrected TS page 3/4 7-32 to Amend 160 to License DPR-65. VISSING,G.S. Project Directorate I-4. 92/06/30. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 62236:353-62236:355.
- 9207070406 Corrected TS page 3/4 7-32 to Amend 160 to License DPR-65. \* Project Directorate I-4. 92/06/30. 1p. 62236:355-62236:355.
- 9207070365 Notification of 920708 meeting w/util in Rockville,MD to discuss PEP progress. JAFFE,D.H. Project Directorate I-4. 92/07/02. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 5pp. 62236:347-62236:351.
- 9207150236 Forwards proposed,supplemental changes to Rev 15 to QA program topical rept QAP-10.0 re oversight activities of quality svcs personnel. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 92/07/06. Document Control Branch (Document Control Desk). 8pp. 62415:295-62415:302.
- 9207180218 Responds to Rev 1 to GL 92-01, "Reactor Vessel Structural Integrity 10CFR50.54(h)." OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. OPEKA,J.F. Northeast Nuclear Energy Co. 92/07/06. Document Control Branch (Document Control Desk). 57pp. 62423:188-62423:242.
- 9207130122 Summary of 920618 meeting w/util in Berlin,CT re licensing issues of general interest.Attendees list & outline of topics discussed encl. JAFFE,D.H. Project Directorate I-4. 92/07/08. Project Directorate I-4. 150pp. 62374:121-62374:270.
- 9207170192 Discusses 10CFR50.54 QA program change review.Effectiveness of QA program & procedure implementation will continue to be subj of routine regional insps. BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/08. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62431:349-62431:351.

- 9207210071 Notification of significant licensee meeting 92-118 w/util on 920720 to discuss performance enhancement program. DOERFLEIN,L.T. Region 1 (Post 820201). 92/07/09. Region 1 (Post 820201). 3pp. 62419:355-62419:357.

- 9207220003 Clarifies info re spent fuel pool,per 920618 NRC/Northeast Utils counter-parts meeting.At present,only Millstone Unit 3 spent fuel pool not utilizing full complement of spent fuel storage racks. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 92/07/15. Document Control Branch (Document Control Desk). 2pp. 62473:268-62473:269.

- 9207220417 Summary of 920708 meeting w/util in Rockville,MD re util performance enhancement program.List of attendees & slides used during presentation encl. JAFFE,D.H. Project Directorate I-4. 92/07/15. Project Directorate I-4. 62pp. 62445:253-62445:313.

- 9207240150 Forwards rev to 911017 requests for relief from second 10-yr inservice insp testing program.Encl describes alternate testing for centrifugal charging pump measurements & vibration monitoring. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 92/07/15. Document Control Branch (Document Control Desk). 6pp. 62515:215-62515:220.

- 9207280274 Advises that util 920615 proposed rev 15 to QA program topical rept acceptable,per 10CFR50.54(a).Effectiveness of QA program & procedure implementation will continue to be subj of routine regional insps. BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/21. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62497:139-62497:141.

- 9207290216 Forwards amend 161 to license DPR-65 & safety evaluation. Amend deletes surveillance requirement associated w/SDCS ACI concurrent w/deletion of ACI circuitry. VISSING,G.S. Project Directorate I-4. 92/07/24. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 62557:300-62557:310.

- 9207290218 Amend 161 to license DPR-65,deleting surveillance requirement associated w/SDCS ACI concurrent w/deletion of ACI circuitry. STOLZ,J.F. Project Directorate I-4. 92/07/24. 4pp. 62557:302-62557:305.

- 9207290219 Safety evaluation supporting amend 161 to license DPR-65. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/24. 5pp. 62557:306-62557:310.

### Q. Inspection reports, IE Bulletins & correspondence

- 9207280265 FOIA request for documents re most recent INPO insp rept for plant & util. BOWLES,D.K. Affiliation Not Assigned. 91/11/07. GRIMSLEY,D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62514:159-62514:159.
- 9207280273 Final response to FOIA request for documents re most recent INPO insp results for plant & util.No records subj to request located. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/27. BOWLES,D. Affiliation Not Assigned. 1p. 62514:158-62514:158.
- 9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.
- 9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.
- 9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.
- 9207150074 Forwards safety insp repts 50-245/92-17,50-336/92-19 & 50-423/92-17.No violations noted. ANDERSON,C. Region 1 (Post 820201). 92/07/06. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 62335:088-62335:097.
- 9207150078 Insp repts 50-245/92-17,50-336/92-19 & 50-423/92-17 on 920608-12.No violations noted.Major areas inspected:standby, starting,operating & shutdown & maint of emergency diesel generator units. WOODARD,C.H., RULAND,W.H. Region 1 (Post 820201). 92/07/01. 7pp. 62335:091-62335:097.
- 9207160250 Ack receipt of 920228 response to violations noted in Insp Repts 50-245/92-03,50-336/92-03 & 50-423/92-03.Concerns raised that surveillance procedure for alternate testing approved w/o identification of conflict w/TS. COOPER,R.W. Region 1 (Post 820201). 92/07/06. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 62416:327-62416:338.
- 9207170192 Discusses 10CFR50.54 QA program change review.Effectiveness of QA program & procedure implementation will continue to be subj of routine regional insps. BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/08. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62431:349-62431:351.
- 9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:008.
- 9207170250 Forwards insp repts 50-245/92-14,50-336/92-15 & 50-423/92-14 on 920512-14.Violations noted but not cited. HODGES,M.W. Region 1 (Post 820201). 92/07/13. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62440:237-62440:250.

-9207170259 Insp repts 50-245/92-14,50-336/92-15 & 50-423/92-14 on 920512-14. Violations noted but not cited. Major areas inspected: insp round requirements, mgt response to falsified insp round sheets & gather info for followup. PRELL, J., BISSETT, P.H. Region 1 (Post 820201). 92/06/29. 9pp. 62440:240-62440:250.

9207210106 Forwards radiological controls insp repts 50-245/92-18, 50-336/92-20 & 50-423/92-18 on 920615-19. Review indicated very good radiological controls implemented at units 1 & 3 & efforts associated w/ generation of unit 3 ALARA rept noted. JOYNER, J.H. Region 1 (Post 820201). 92/07/13. OPEKA, J.F. Northeast Nuclear Energy Co. 4pp. 62420:311-62420:328.

-9207210115 Insp repts 50-245/92-18, 50-336/92-20 & 50-423/92-18 on 920615-19. Very good radiological controls implemented at units 1 & 3. Major areas inspected: licensee action on previous insp findings, organization & staffing & training. NIMITZ, R.L., PASCIAK, W.J. Region 1 (Post 820201). 92/07/08. 14pp. 62420:315-62420:328.

9207240150 Forwards rev to 911017 requests for relief from second 10-yr inservice insp testing program. Encl describes alternate testing for centrifugal charging pump measurements & vibration monitoring. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 92/07/15. Document Control Branch (Document Control Desk). 6pp. 62515:215-62515:220.

9207280224 Forwards insp repts 50-245/92-13, 50-336/92-14 & 50-423/92-13 on 920503-0613 & forwards notice of violation. Good performance noted for several activities, including actions to address static pressure effects of Veritrac transmitters. BLOUGH, A.R. Region 1 (Post 820201). 92/07/22. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 62497:070-62497:107.

-9207280254 Notice of violation from insp on 920503-0613. Violations noted: station procedures not properly implemented in that unit 2 feedwater heater 1B released for maint w/o proper venting & draining of feedwater sys. \* Region 1 (Post 820201). 92/07/22. 2pp. 62497:073-62497:074.

-9207280256 Insp repts 50-245/92-13, 50-336/92-14 & 50-423/92-13 on 920503-0613. Violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, security, outage activities & licensee self-assessment. DOERFLIN, L.T. Region 1 (Post 820201). 92/07/22. 33pp. 62497:075-62497:107.

9207310103 Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Cable Trays & Small Conduits Free from Fire Damage." ROMBERG, W.D. Connecticut Yankee Atomic Power Co. ROMBERG, W.D. Northeast Nuclear Energy Co. ROMBERG, W.D. Northeast Utilities. 92/07/27. Document Control Branch (Document Control Desk). 13pp. 62612:330-62612:342.

#### R. Periodic operating reports & related correspondence

9207140092 Monthly operating rept for June 1992 for Millstone Unit 2. W/920710 ltr. NERON, G., SCACE, S.E. Northeast Nuclear Energy Co. SCACE, S.E. Northeast Utilities. 92/06/30. 5pp. 62385:335-62385:339.

9207200128 Forwards draft "Effluent & Waste Disposal Annual Rept for 1990." As buried & as-generated values added together thereby resulting in overlap. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 92/07/13. TICHLER, J.L. Brookhaven National Laboratory. 2pp. 62450:001-62450:095.

-9207200138 Draft "Effluent & Waste Disposal Annual Rept for 1990." \* Northeast Utilities. 90/12/31. 94pp. 62450:003-62450:095.

9207200152 Forwards info requested in 920608 ltr re stack characteristics & climatology for plants, including joint frequency distribution of wind direction, wind speed & stability for 1990 & 1991 at sites. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 92/07/13. TICHLER, J.L. Brookhaven National Laboratory. 6pp. 62447:126-62447:221.

-9207200349 "CPRD MI Dose Data Requirements for 1990," including wind speed/wind direction/stability joint frequency distribution for Millstone Nuclear Power Station. \* Northeast Nuclear Energy Co. 90/12/31. 18pp. 62447:168-62447:194.

-9207200352 "CPRD MI Dose Data Requirements for 1991," including wind speed/wind direction/stability joint frequency distribution for Millstone Nuclear Power Station. \* Northeast Nuclear Energy Co. 91/12/31. 28pp. 62447:195-62447:221.

#### S. Reportable occurrences, LERs & related correspondence

9207020086 LER 92-003-01: on 920214, spent fuel criticality analysis error discovered. Caused by ABB/C-E using incorrect treatment of self-shielding. Proposed change to TS submitted. W/920625 ltr. BORCHERT, R.A., SCACE, S.E. Northeast Nuclear Energy Co. SCACE, S.E. Northeast Utilities. 92/06/25. 5pp. 62292:027-62292:031.

9207080244 LER 92-010-00: on 920530, discovered that main steam safety valve setpoint drifted. Cause unknown. Setpoint adjustments made & passed retest. W/920629 ltr. CRISCIONE, J., SCACE, S.E. Northeast Nuclear Energy Co. SCACE, S.E. Northeast Utilities. 92/06/29. 4pp. 62480:022-62480:025.

9207140258 Special rept on 920601, Millstone Unit 2 entered TS 3.3.3.3 when seismic monitoring sys removed from service to support SG replacement outage. Operations personnel instructed on appropriate actions re response to monitor alarm. SCACE, S.E., DACIMO, F.R. Northeast Nuclear Energy Co. SCACE, S.E. Northeast Utilities. 92/07/09. Document Control Branch (Document Control Desk). 2pp. 62385:091-62385:092.

9207140192 LER 92-009-00: on 920612, auxiliary bldg elevation sprinkler sys isolated for approx eight h due to personnel error. Hose stations & sprinkler sys restored to operable state & continuous fire watch stationed. W/920710 ltr. PERRY, R.A., SCACE, S.E. Northeast Nuclear Energy Co. SCACE, S.E. Northeast Utilities. 92/07/10. 3pp. 62437:246-62437:248.

#### U. Congressional/Executive Correspondence

9206170322 Forwards info re NRC investigations & inquiries of NEUT & plant in response to 920507 ltr to Chairman Selin. Provides assurance that NRC will conduct complete evaluation of concerns re mgt integrity & employee harassment. TAYLOR, J.M., Ofc of the Executive Director for Operations. 92/06/11. LIEBERMAN, J.I. Senate, Governmental Affairs. 7pp. 62427:179-62427:185.

-9206170324 Requests status rept on NRC investigations & inquiries into various matters re plant & NEUT. Lists specific matters on which info requested. LIEBERMAN, J.I. Senate. 92/05/07. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2pp. 62427:184-62427:185.

#### DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9207020111 Forwards Insp Repts 50-338/92-13 & 50-339/92-13 on 920419-0516 & notice of violation. SINKULE, M. Region 2 (Post 820201). 92/06/12. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 62221:333-62221:354.

-9207020124 Notice of violation from insp on 920419-0516. Violation noted: working hours & limitations failed to insure that NRC policy statement guideline followed in that personnel routinely exceeded 72 h day periods. \* Region 2 (Post 820201). 92/06/12. 2pp. 62221:337-62221:338.

-9207020157 Insp Repts 50-338/92-13 & 50-339/92-13 on 920419-0516. No violations noted. Major areas inspected: operations, maint, engineered safety feature walkdown, minor mocs, plans for coping w/ strikes & Generic Ltr 88-17 followup. LESSER, M.S., TAYLOR, M.S., FREDRICKSON, P. Region 2 (Post 820201). 92/06/12. 14pp. 62221:339-62221:354.

9207300012 Advises that settlement offer, described in 920410 ltr, acceptable to util. Item 3 of proposal re employee environ awareness video awarded to Echo Films, Inc. Site barriers constructed to cover entrances to security blockhouse. MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 92/07/23. METCALF, N.G. Justice, Dept. of. 2p. 62638:209-62638:210.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

9207230243 Rev 21 to updated FSAR for North Anna Power Station Units 1 & 2/W/920716 ltr. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/16. 150pp. 62498:116-62498:338.

#### P. Operating license stage documents & correspondence

9207060036 Discusses review of response to generic ltr 88-20, suppl 4, re IPEEE. Selected IPEEE methods acceptable. Requests projected milestones & schedules be provided no later than 920818. ENGLE, L.B. Project Directorate II-2. 92/06/26. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 62204:219-62204:221.

9207060202 Forwards BAW-2168, "Response to Generic Ltr 92-01 for North Anna Unit 1 & North Anna Unit 2" re reactor vessel integrity. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/06/29. Document Control Branch (Document Control Desk). 3pp. 62259:283-62259:330.

-9207060203 "Response to Generic Ltr 92-01 for North Anna Unit 1 & North Anna Unit 2" DEVAN, M.J., LOWE, A.L. Babcock & Wilcox Co. BAW-2168. 92/06/30. 45pp. 62259:286-62259:330.

9207060283 Informs that NRC has reviewed & approved revised schedule for completing IPE for plant proposed in 920318 ltr. ENGLE, L.B. Project Directorate II-2. 92/07/02. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62271:198-62271:199.

9207090291 Summary of 920624 meeting w/ util re discussions on current & top 9 licensing actions including TS 218 re rev of settlement monitoring, TS 227 re RHR auto-closure interlock removal & TS 262 re heatup & cooldown curves. ENGLE, L.B. Project Directorate II-2. 92/07/08. Project Directorate II-2. 3pp. 62293:333-62293:335.

9207200066 Application for amends to licenses NPF-4 & NPF-7, proposing to revise wording of reactor coolant sys volume in design features section & eliminate reference to exact volume in bases section. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/16. Document Control Branch (Document Control Desk). 6pp. 62451:253-62451:266.

-9207200066 Proposed tech specs revising wording of reactor coolant sys volume in design features section & eliminating ref to exact volume in bases section. \* Virginia Power (Virginia Electric & Power Co.). 92/07/16. 8pp. 62451:259-62451:266.

9207200226 Requests temporary exemption from requirements of 10CFR50, App A, Criterion 2 (GDC-2), "Design Basis for Protection Against Natural Phenomena" for Phase I of svc water sys restoration project, per 10CFR50.12(a). STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/16. Document Control Branch (Document Control Desk). 18pp. 62456:344-62456:361.

9207300012 Advises that settlement offer, described in 920410 ltr, acceptable to util. Item 3 of proposal re employee environ awareness video awarded to Echo Films, Inc. Site barriers constructed to cover entrances to security blockhouse. MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 92/07/23. METCALF, N.G. Justice, Dept. of. 2p. 62638:209-62638:210.



## 106 DOCKETED ITEMS

### Q. Inspection reports, IE Bulletins & correspondence

**9207020111** Forwards Insp Repts 50-338/92-13 & 50-339/92-13 on 920419-0516 & notice of violation.  
SINKULE,M. Region 2 (Post 820201). 92/06/12. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 62221:333-62221:354.

—**9207020124** Notice of violation from insp on 920419-0516. Violation noted: working hours & limitations failed to insure that NRC policy statement guideline followed in that personnel routinely exceeded 72 h day periods.  
\* Region 2 (Post 820201). 92/06/12. 2pp. 62221:337-62221:338.

—**9207020157** Insp Repts 50-338/92-13 & 50-339/92-13 on 920419-0516. No violations noted. Major areas inspected: operations, maint, engineered safety feature walkdown, minor mods, plans for coping w/ strikes & Generic Ltr 88-17 followup.  
LESSER, M.S., TAYLOR, M.S., FREDRICKSON, P. Region 2 (Post 820201). 92/06/12. 14pp. 62221:339-62221:354.

**9207020190** Ack receipt of 920409 ltr informing NRC of steps taken to correct violations noted in insp repts 50-338/92-03 & 50-339/92-03 on 920610.  
SINKULE, M.V. Region 2 (Post 820201). 92/06/18. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62219:357-62219:358.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140023** Ack receipt of 920514 ltr in response to NRC notice of violation issued on 920416 concerning activities conducted at facility.  
JOHNSON, J.R. Region 2 (Post 820201). 92/07/02. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62298:240-62298:241.

**9207140070** Ack receipt of 920609 ltr informing NRC of steps taken to correct violations noted in insp repts 50-338/92-10 & 50-339/92-10.  
SINKULE, M.V. Region 2 (Post 820201). 92/07/02. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62299:187-62299:188.

**9207150026** Responds to NRC 920612 ltr re violations noted in Insp Repts 50-338/92-13 & 50-339/92-13 on 920419-0516. Corrective actions: procedure re working hours & limitations revised to clarify station manager responsibility re overtime.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/08. Document Control Branch (Document Control Desk). 4pp. 62380:351-62380:354.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

### R. Periodic operating reports & related correspondence

**9207170243** Forwards "NPDES Discharge Monitoring Rept for June 1992 for North Anna Power Station." High pH problems in turbine bldg sumps may be due to residual effects of earlier hydrazine spill.  
MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 92/07/09. Virginia, Commonwealth of. 4pp. 62436:173-62436:199.

—**9207170244** "NPDES Discharge Monitoring Rept for June 1992 for North Anna Power Station."  
Virginia Power (Virginia Electric & Power Co.). 92/06/30. 23pp. 62436:177-62436:199.

**9207150133** Forwards monthly operating repts for June 1992 for NAPS units 1 & 2 & revised pages for May 1992 for NAPS units 1 & 2.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/10. Document Control Branch (Document Control Desk). 1p. 62409:302-62409:316.

—**9207160063** Monthly operating repts for June 1992 for NAPS units 1 & 2.  
KANE, G.E. Virginia Power (Virginia Electric & Power Co.). 92/06/30. 11pp. 62409:303-62409:313.

—**9207160078** Revised monthly operating repts pages for May 1992 for NAPS units 1 & 2.  
KANE, G.E. Virginia Power (Virginia Electric & Power Co.). 92/05/31. 3pp. 62409:314-62409:316.

### S. Reportable occurrences, LERs & related correspondence

**9207270290** FOIA request for documents re incident that occurred on 910827 concerning pump motor from facility & release of approx five gallons of low level radioactive water.  
GARDNER, M.J. Clark & Stant, P.C. 91/08/30. NRC - No Detailed Affiliation Given. 1p. 62546:069-62546:069.

**9207080003** Part 21 rept re discovery of Klockner-Moeller 480-volt breaker in tripped condition due to fracture of plastic arm within breaker. Two of three failed breakers sent to mfg for analysis. Results expected by end of Jul 1992.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/01. Document Control Branch (Document Control Desk). 3pp. 62276:355-62276:357.

**9207100385** LER 92-014-00: on 920608, noted that EDG response time test procedures did not include circuit between 27W relay & EDG CO2 trouble alarm due to personnel errors. Complex instrumentation SRs being reviewed. W/920703 ltr.  
KANE, G.E. Virginia Power (Virginia Electric & Power Co.). 92/07/03. 7pp. 62437:079-62437:085.

### V. Operator Examinations

**9207220127** Discusses requalification program evaluation visit scheduled for wk of 920906 for licensed personnel at plant & requests ref matts listed in encl.  
PEEBLES, T.A. Region 2 (Post 820201). 92/07/10. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 7pp. 62432:344-62432:350.

### DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207020111** Forwards Insp Repts 50-338/92-13 & 50-339/92-13 on 920419-0516 & notice of violation.  
SINKULE, M. Region 2 (Post 820201). 92/06/12. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 62221:333-62221:354.

—**9207020124** Notice of violation from insp on 920419-0516. Violation noted: working hours & limitations failed to insure that NRC policy statement guideline followed in that personnel routinely exceeded 72 h day periods.  
\* Region 2 (Post 820201). 92/06/12. 2pp. 62221:337-62221:338.

—**9207020157** Insp Repts 50-338/92-13 & 50-339/92-13 on 920419-0516. No violations noted. Major areas inspected: operations, maint, engineered safety feature walkdown, minor mods, plans for coping w/ strikes & Generic Ltr 88-17 followup.  
LESSER, M.S. Region 2 (Post 820201). 92/06/12. 14pp. 62221:339-62221:354.

**9207300012** Advises that settlement offer, described in 920410 ltr, acceptable to util. Item 3 of proposal re employee environ awareness video awarded to Echo Films, Inc. Site barriers constructed to cover entrances to security blockhouse.  
MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 92/07/23. METCALF, N.G. Justice, Dept. of. 2p. 62638:209-62638:210.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207230243** Rev 21 to updated FSAR for North Anna Power Station Units 1 & 2. W/ 920716 ltr.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/16. 150pp. 62498:116-62498:338.

#### P. Operating license stage documents & correspondence

**9207220274** Rev 0 to NE-895, "North Anna Unit 2, Cycle 9 Startup Physics Tests Rept." W/ 920716 ltr.  
HOFFMAN, E.A., BANNING, P.D., MAIN, A.P. Virginia Power (Virginia Electric & Power Co.). NE-895 R00. 92/06/24. 58pp. 62482:284-62482:341.

**9207010137** Forwards Rev 0 to Technical Rept NE-876, "North Anna Unit 2, Cycle 8 Core Performance Rept" for info.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/06/26. Document Control Branch (Document Control Desk). 1p. 62242:229-62242:282.

—**9207010148** Rev 0 to Technical Rept NE-876, "North Anna Unit 2, Cycle 8 Core Performance Rept."  
NGUYEN, T.T., PSUIK, T.S., DZIADOSZ, D. Virginia Power (Virginia Electric & Power Co.). NE-876 R00. 92/05/31. 53pp. 62242:230-62242:282.

**9207060036** Discusses review of response to generic ltr 88-20, suppl 4, re IPPEE. Selected IPPEE methods acceptable. Requests projected milestones & schedules be provided no later than 920918.  
ENGLE, L.B. Project Directorate II-2. 92/06/26. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 3pp. 62204:219-62204:221.

**9207060202** Forwards BAW-2168, "Response to Generic Ltr 92-01 for North Anna Unit 1 & North Anna Unit 2" re reactor vessel integrity.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/06/29. Document Control Branch (Document Control Desk). 3pp. 62259:283-62259:330.

—**9207060203** "Response to Generic Ltr 92-01 for North Anna Unit 1 & North Anna Unit 2"  
DEVAN, M.J., LOWE, A.L. Babcock & Wilcox Co. BAW-2168. 92/06/30. 45pp. 62259:286-62259:330.

**9207090283** Informs that NRC has reviewed & approved revised schedule for completing IPE for plant proposed in 920318 ltr.  
ENGLE, L.B. Project Directorate II-2. 92/07/02. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62271:198-62271:199.

**9207090291** Summary of 920624 meeting w/ util re discussions on current & top 9 licensing actions including TS 218 re rev of settlement monitoring, TS 227 re RHR auto-closure interlock removal & TS 262 re heatup & cooldown curves.  
ENGLE, L.B. Project Directorate II-2. 92/07/08. Project Directorate II-2. 3pp. 62293:333-62293:335.

**9207200066** Application for amends to licenses NPF-4 & NPF-7, proposing to revise wording of reactor coolant sys volume in design features section & eliminate reference to exact volume in bases section.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/16. Document Control Branch (Document Control Desk). 6pp. 62451:253-62451:266.

—**9207200068** Proposed tech specs revising wording of reactor coolant sys volume in design features section & eliminating ref to exact volume in bases section.  
\* Virginia Power (Virginia Electric & Power Co.). 92/07/16. 8pp. 62451:259-62451:266.

**9207200226** Requests temporary exemption from requirements of 10CFR50, App A, Criterion 2 (GDC-2), "Design Basis for Protection Against Natural Phenomena" for Phase I of svc water sys restoration project, per 10CFR50.12(a).  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/16. Document Control Branch (Document Control Desk). 18pp. 62458:344-62458:361.



**9207300012** Advises that settlement offer, described in 920410 ltr, acceptable to util. item 3 of proposal re employee environ awareness video awarded to Echo Films, Inc. Site barriers constructed to cover entrances to security blockhouse. MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 92/07/23. METCALF, N.G. Justice, Dept. of. 2p. 62638:209-62638:210.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207020111** Forwards Insp Repts 50-338/92-13 & 50-339/92-13 on 920419-0516 & notice of violation. SINKULE, M. Region 2 (Post 820201). 92/06/12. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 4pp. 62221:333-62221:354.

**-9207020124** Notice of violation from insp on 920419-0516. Violation noted: working hours & limitations failed to insure that NRC policy statement guideline followed in that personnel routinely exceeded 72 h day periods. \* Region 2 (Post 820201). 92/06/12. 2pp. 62221:337-62221:338.

**-9207020157** Insp Repts 50-338/92-13 & 50-339/92-13 on 920419-0516. No violations noted. Major areas inspected: operations, maint., engineered safety feature walkdown, minor mods, plans for coping w/ strikes & Generic Ltr 88-17 followup. LESSER, M.S., TAYLOR, M.S., FREDRICKSON, P. Region 2 (Post 820201). 92/06/12. 14pp. 62221:339-62221:354.

**9207020190** Ack receipt of 920409 ltr informing NRC of steps taken to correct violations noted in insp repts 50-338/92-03 & 50-339/92-03 on 920610. SINKULE, M.V. Region 2 (Post 820201). 92/06/18. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62219:357-62219:358.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206280043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140023** Ack receipt of 920514 ltr in response to NRC notice of violation issued on 920416 concerning activities conducted at facility. JOHNSON, J.R. Region 2 (Post 820201). 92/07/02. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62298:240-62298:241.

**9207140070** Ack receipt of 920609 ltr informing NRC of steps taken to correct violations noted in insp repts 50-338/92-10 & 50-339/92-10. SINKULE, M.V. Region 2 (Post 820201). 92/07/02. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62298:187-62298:188.

**9207150026** Responds to NRC 920612 ltr re violations noted in Insp Repts 50-338/92-13 & 50-339/92-13 on 920419-0516. Corrective actions: procedure re working hours & limitations revised to clarify station manager responsibility re overtime. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/08. Document Control Branch (Document Control Desk). 4pp. 62380:351-62380:354.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207200165** Forwards "1992 Unit 2 Refueling Outage Inservice Insp Summary Rept, Owners Rept for Inservice Insps, North Anna Unit 2" & "1992 Unit 2 Refueling Outage Inservice Insp Summary Rept, Owners Rept of Repairs & Replacements, North Anna...." STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/16. Document Control Branch (Document Control Desk). 2pp. 62451:001-62451:160.

**-9207200167** "1992 Unit 2 Refueling Outage Inservice Insp Summary Rept, Owners Rept of Repairs & Replacements, North Anna Power Station Unit 2." \* Virginia Power (Virginia Electric & Power Co.). 92/07/16. 52pp. 62451:003-62451:054.

**-9207200169** "1992 Unit 2 Refueling Outage Inservice Insp Summary Rept, Owners Rept of Repairs & Replacements, North Anna Power Station, Unit 2." \* Virginia Power (Virginia Electric & Power Co.). 92/07/16. 55pp. 62451:055-62451:158.

**-9207200170** "1992 Unit 2 Refueling Outage Inservice Insp Summary Rept, Evaluation Analysis of Exam & Results, North Anna Power Station, Unit 2." \* Virginia Power (Virginia Electric & Power Co.). 92/07/16. 4pp. 62451:157-62451:160.

#### R. Periodic operating reports & related correspondence

**9207170243** Forwards "NPDES Discharge Monitoring Rept for June 1992 for North Anna Power Station." High pH problems in turbine bldg sumps may be due to residual effects of earlier hydrazine spill. MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 92/07/09. Virginia, Commonwealth of. 4pp. 62436:173-62436:199.

**-9207170244** "NPDES Discharge Monitoring Rept for June 1992 for North Anna Power Station." \* Virginia Power (Virginia Electric & Power Co.). 92/06/30. 23pp. 62436:177-62436:199.

**9207150133** Forwards monthly operating repts for June 1992 for NAPS units 1 & 2 & revised pages for May 1992 for NAPS units 1 & 2. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/10. Document Control Branch (Document Control Desk). 1p. 62409:302-62409:316.

**-9207160063** Monthly operating repts for June 1992 for NAPS units 1 & 2. KANE, G.E. Virginia Power (Virginia Electric & Power Co.). 92/06/30. 11pp. 62409:303-62409:313.

**-9207160078** Revised monthly operating repts pages for May 1992 for NAPS units 1 & 2. KANE, G.E. Virginia Power (Virginia Electric & Power Co.). 92/05/31. 3pp. 62409:314-62409:316.

#### S. Reportable occurrences, LERs & related correspondence

**9207270290** FOIA request for documents re incident that occurred on 910827 concerning pump motor from facility & release of approx five gallons of low level radioactive water. GARDNER, M.J. Clark & Stant, P.C. 91/08/30. NRC - No Detailed Affiliation Given. 1p. 62546:069-62546:069.

**9207080003** Part 21 rept re discovery of Klockner-Moeller 480-volt breaker in tripped condition due to fracture of plastic arm within breaker. Two of three failed breakers sent to mfg for analysis. Results expected by end of Jul 1992. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92/07/01. Document Control Branch (Document Control Desk). 3pp. 62276:355-62276:357.

**9207230018** LER 92-015-00: on 920621, hi hydrogen main control room annunciator for containment analyzer discovered inoperable & local panel incorrectly wired. Caused by personnel error. Relay correctly wired & test results verified. W/920716 ltr. KANE, G.E. Virginia Power (Virginia Electric & Power Co.). 92/07/16. 4pp. 62481:216-62481:219.

#### DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207280303** Advises of error in insp rept 50-341/92-05. Page 3 of rept should state that exercise unannounced as players unaware of date or time of exercise. MCCORMICK-BARGE Region 3 (Post 820201). 92/07/23. ORSER, W.S. Detroit Edison Co. 1p. 62497:219-62497:219.

**9207300219** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Eleven areas in plant identified containing Thermo-Lag matl. ORSER, W.S. Detroit Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 3pp. 62638:136-62638:138.

#### H. General correspondence

**9207130023** Comment supporting proposed rule 10CFR50.54 re rulemaking to amend regulations governing "Conditions of Licenses" to allow reactor licensee to receive back of low-level radwaste. ORSER, W.S. Detroit Edison Co. 92/07/02. Docketing & Services Branch. 3pp. 62285:030-62285:032.

#### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-8605190330** Summary of 860423-24 mgt meeting at Region III ofc re licensee performance, evaluation of plant discussions & fitness for duty. Task assignments & list of attendees encl. SNIEZEK, J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 86/05/13. DAVIS, J.G. Office of Nuclear Material Safety & Safeguards. 11pp. 62324:005-62324:015.

**-9207080152** Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting. STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. ZECH Commissioners (Post 750119). 3pp. 62324:016-62324:018.

**-9207080180** Provides summary of NRC discussions re Fermi during 871117-18 senior mgt meeting. STELLO, V. Ofc of the Executive Director for Operations. 87/12/08. MCCARTHY, W.J. Detroit Edison Co. 2pp. 62324:019-62324:020.

**-9207080291** Summary of 880628-29 NRC senior mgt meeting. Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl. STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.

**-9207090073** Provides summary of NRC discussion re Fermi at 880628 & 29 senior managers meeting. Facility was categorized as requiring continued close monitoring. STELLO, V. Ofc of the Executive Director for Operations. 88/07/07. MCCARTHY, W.J. Detroit Edison Co. 2pp. 62324:079-62324:080.

**-9207090086** Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting. STELLO, V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.

**-9207090114** Provides Commission w/summary of discussions held at 890517-18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting. Details withheld. STELLO, V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

**-9207090267** Partially withheld summary of 861021-22 NRC mgt meeting. \* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.

## 108 DOCKETED ITEMS

**9207200313** Forwards amend 83 to license NPF-63 & safety evaluation. Amend revises TS 3.0.4 to define when provisions apply.  
COLBURN,T.G. Project Directorate III-1. 92/06/25. ORSER,W.S. Detroit Edison Co. 4pp. 62438:094-62438:153.

**-9207200318** Amend 83 to license NPF-43, revising TS 3.0.4 to define when provisions apply.  
MARSH,L.B. Project Directorate III-1. 92/06/25. 55pp. 62438:098-62438:150.

**-9207200324** Safety evaluation supporting amend 83 to license NPF-43.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/25. 3pp. 62438:151-62438:153.

**9207060141** Accepts 920430 revision of schedule for submission of facility rept in response to generic ltr 88-20, "Individual Plant Exam for Severe Accident Vulnerabilities."  
COLBURN,T.G. Project Directorate III-1. 92/06/26. ORSER,W.S. Detroit Edison Co. 3pp. 62204:004-62204:006.

**9207080168** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity. All reactor pressure vessel shell plates, used in fabrication of reactor pressure vessel, were ASME SA 533-65, Grade B.  
ORSER,W.S. Detroit Edison Co. 92/06/30. Document Control Branch (Document Control Desk). 22pp. 62277:061-62277:082.

**9207090194** Responds to issues raised by ACRS re power upgrade program submittal. Encl withheld (ref 10CFR2.790).  
ORSER,W.S. Detroit Edison Co. 92/07/06. Document Control Branch (Document Control Desk). 4pp. 62297:350-62297:353.

**9207150298** Notification of 920717 meeting w/util in Rockville, MD re regulatory issues on plant operations until end of current OL.  
STRANSKY,R.J. Project Directorate III-1. 92/07/06. MARSH,L.B. Project Directorate III-1. 2pp. 62378:255-62378:256.

**9207150037** Provides details of concern recently received re fitness-for-duty status of individual possibly employed at nuclear plant in State of IL. Withheld per 10CFR2.790(a).  
NOELIUS,C.E. Region 3 (Post 820201). 92/07/09. ORSER,W.S. Detroit Edison Co. 2pp. 62335:057-62335:058.

**9207300096** Notification of 920730 meeting w/util in Rockville, MD to discuss use of SHEX computer code in modelling response of containment to postulated LOCA.  
COLBURN,T. Division of Reactor Projects - III, IV, V (Post 901216). 92/07/27. MURLEY,T., MIRAGLIO,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 4pp. 62580:323-62580:326.

### Q. Inspection reports, IE Bulletins & correspondence

**9207060164** Accepts 900817, 0207 & 911010 submittals of results to three turbine disk insp for facility turbines. License condition 2.C(11) satisfactorily completed.  
COLBURN,T.G. Project Directorate III-1. 92/06/26. ORSER,W.S. Detroit Edison Co. 3pp. 62197:357-62197:359.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207170171** Forwards insp rept 50-341/92-10 on 920508-0630. No violations noted.  
PHILLIPS,M.P. Region 3 (Post 820201). 92/07/13. ORSER,W.S. Detroit Edison Co. 3pp. 62446:280-62446:289.

**-9207170176** Insp rept 50-341/92-10 on 920508-0630. No violations noted. Major areas inspected: operational safety, maint, followup events, surveillances & refueling preparation.  
PHILLIPS,M.P. Region 3 (Post 820201). 92/07/13. 16pp. 62446:283-62446:299.

**9207260303** Advises of error in insp rept 50-341/92-05. Page 3 of rept should state that exercise unannounced as players unaware of date or time of exercise.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/23. ORSER,W.S. Detroit Edison Co. 1p. 62487:219-62487:219.

**9207300219** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Eleven areas in plant identified containing Thermo-Lag matl.  
ORSER,W.S. Detroit Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 3pp. 62638:136-62638:138.

### R. Periodic operating reports & related correspondence

**9207200342** Monthly operating rept for June 1992 for Fermi Unit 1. W/ 920715 ltr.  
STONE,B.J., ORSER,W.S. Detroit Edison Co. 92/06/30. 4pp. 62451:291-62451:294.

### S. Reportable occurrences, LERs & related correspondence

**9207280257** Part 21 rept re cracking of stellite 21 hardfacing on guide nose of poppets supplied as part of MSIV leakage improvement mod. Initially reported by CLEI on 920522. Recommends that liquid penetrant exam be performed.  
SHIELDS,S.N. Atwood & Morrill Co., Inc. 92/06/24. BERLINGER NRC - No Detailed Affiliation Given. 4pp. 62568:340-62568:344.

**9207090151** LER 92-005-00: on 920603, determined that standby gas treatment sys division 1 & 2 inoperable. Caused by relay 111CR energized & sealed in hindering start of SGTS. Visual & physical insp of circuitry performed. W/920706 ltr.  
PENDERGAST,J., ORSER,W.S. Detroit Edison Co. 92/07/06. 6pp. 62437:001-62437:006.

**9207090158** LER 92-020-01: on 911120, HPCI sys start failure occurred during quarterly surveillance test. Caused by EGR not responding to signal from EG-M control unit. EGR replaced. W/920706 ltr.  
PENDERGAST,J., ORSER,W.S. Detroit Edison Co. 92/07/06. 6pp. 62437:018-62437:023.

**9207140018** LER 91-020-01: on 911120, HPCI sys failed to start during performance of HPCI pump time response & operability test. Caused by corrosion from water intrusion into HPCI oil sys. Turbine gland seals & vacuum pump changed out. W/920706 ltr.  
PENDERGAST,J., ORSER,W.S. Detroit Edison Co. 92/07/06. 6pp. 62437:183-62437:188.

**9207140224** LER 92-006-00: on 920611, EECW sys automatically initiated due to differential pressure. Caused by ineffective communication between site organizations. Sys operating procedure revised to only allow operation w/two HXs in svc. W/920709 ltr.  
SIEMASZ,B., ORSER,W.S. Detroit Edison Co. 92/07/09. 6pp. 62437:261-62437:266.

### V. Operator Examinations

**9207090342** Discusses generic fundamentals exam section of operator licensing exam, administered on 920610. Master BWR/PWR subj exam w/answer key encl for info.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

### DOCKET 50-344 TROJAN NUCLEAR PLANT

#### F. Security, medical, emergency & fire protection plans

**9207210123** Forwards SALP rept 50-344/92-14 for Apr 1991 - May 1992.  
MARTIN,J.B. Region 4 (Post 820201). 92/06/30. CROSS,J.E. Pacific Gas & Electric Co. 4pp. 62421:007-62421:033.

**-9207210126** SALP rept 50-344/92-14 for Apr 1991 - May 1992.  
\* Region 4 (Post 820201). 92/05/31. 24pp. 62421:011-62421:033.

**9207090109** Rev 1 to EPIP TPP 25-2, "Emergency Response Organization Retraining Matrix."  
\* Portland General Electric Co. 92/07/01. 3pp. 62308:263-62308:266.

**9207080159** Forwards insp rept 50-344/92-18 on 920608-12 & notice of violation. Violation pertained to failure of escort from Trojan visitor info ctr to carry portable radio while conducting tour of protected area. Repts withheld.  
PATE,R.J. Region 5 (Post 820201). 92/07/02. CROSS,J.E. Portland General Electric Co. 3pp. 62451:338-62451:340.

**9207160285** Responds to 920630 ltr forwarding Rev 15 to physical security plan. Rev consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.  
JOYNER,J.H. Region 1 (Post 820201). 92/07/09. SIEBER,J.D. Duquesne Light Co. 3pp. 62413:327-62413:329.

**9207210234** Revised RERP Implementing Procedures, including Rev 7 to EP 001, "Emergency Classification" & Rev 6 to EP 002, "Protective Action Recommendations" & revised table of content did 920713. W/nine oversize drawings.  
\* Portland General Electric Co. 92/07/13. 50pp. 62513:315-62514:007.

**9207290397** Revised Emergency Procedures, including rev 7 to EP-100, rev 6 to EP-101, rev 6 to EP-102, rev 8 to EP-103, rev 5 to EP-104, rev 2 to EP-201, rev 0 to EP-204 & rev 4 to EP-500.  
\* Portland General Electric Co. 92/07/22. 79pp. 62612:184-62612:263.

**9207290367** Amend 28 to Vol 1, Book 2 of PGE-1008, "Radiological Emergency Response Plan."  
\* Portland General Electric Co. 92/07/31. 150pp. 62612:050-62612:179.

**9207290376** Amend 28 to Vol 1, Book 1 of PGE-1008, "Radiological Emergency Response Plan."  
\* Portland General Electric Co. 92/07/31. 4pp. 62612:180-62612:183.

#### P. Operating license stage documents & correspondence

**9207060291** Forwards Amend 6 to PGE-1048, "Trojan Nuclear Plant IST Program for Pumps & Valves Second 10-Yr Interval."  
WALT,T.D., CROSS,J.E. Portland General Electric Co. 92/06/30. Document Control Branch (Document Control Desk). 25pp. 62249:120-62249:331.

**-9207060294** Amend 6 to PGE-1048, "Trojan Nuclear Plant IST Program for Pumps & Valves Second 10-Yr Interval."  
\* Portland General Electric Co. 92/06/30. 200pp. 62249:145-62249:331.

**9207150148** Remits payments for 1992-93 Energy Resource Supplier Assessment & 1991-92 Energy Resource Supplies Assessment Adjustment, in accordance w/OR Revised Statutes.  
WALT,T.D. Portland General Electric Co. 92/06/30. STEWART-SMITH, Oregon, State of. 3pp. 62403:096-62403:124.

**-9207150181** "11th Annual Rept of Pacific Northwest Electric Power & Conservation Planning Council," 901001-910930.  
\* Northwest Power Planning Council. 91/09/30. 26pp. 62403:099-62403:124.

**9207100396** Forwards response to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity." Westinghouse repts demonstrating that util has adequate program to monitor reactor vessel structural integrity also encl.  
WALT,T.D., CROSS,J.E. Portland General Electric Co. 92/07/06. Document Control Branch (Document Control Desk). 12pp. 62379:001-62380:037.

**-9207100401** "Portland General Electric Co Trojan Unit 1 Reactor Vessel Radiation Surveillance Program."  
DAVIDSON,J.A., PHILLIPS,J.H., CHIRIGOS,J.N. Westinghouse Electric Corp. WCAP-8426. 75/01/31. 44pp. 62379:013-62380:030.

**-8710190190** Forwards info re plant reactor vessel matl surveillance program,per 770523 request.  
BROEHL,D.J. Portland General Electric Co. 78/05/22. SCHWENCER,A. Operating Reactors Branch 1 (Pre 790625). 7pp. 62380:031-62380:037.

**9207220248** Forwards response to NRC 920515 RAI on leak-before-break analysis for various lines,per 910628 & 1231 ltrs requesting review & approval of leak-before-break methodology to justify elimination of pipe whip restraints on piping.  
WALT,T.D., CROSS,J.E. Portland General Electric Co. 92/07/17. Document Control Branch (Document Control Desk). 5pp. 62476:271-62476:275.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207220350** FOIA request for results of INPO most recent insp of Trojan plant.  
MARBET,L.K. Don't Waste Oregon Committee. 91/10/22. GRIMSLEY,D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62456:027-62456:027.

**9207220353** Final response to FOIA request for results of INPO most recent insp of plant.No agency records subj to request located.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. MARBET,L.K. Don't Waste Oregon Committee. 1p. 62456:028-62456:028.

**9207230224** Documents activities of OR DOE plant resident inspectors for period from 920228-0429 & discusses activities & observations & conclusions during subj period.  
BLESS,A., SARTE,W. Oregon, State of. 92/04/30. STEWART-SMITH Oregon, State of. 6pp. 62478:323-62478:328.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207210123** Forwards SALP rept 50-344/92-14 for Apr 1991 - May 1992.  
MARTIN,J.B. Region 4 (Post 820201). 92/06/30. CROSS,J.E. Pacific Gas & Electric Co. 4pp. 62421:007-62421:033.

**-9207210126** SALP rept 50-344/92-14 for Apr 1991 - May 1992.  
\* Region 4 (Post 820201). 92/05/31. 24pp. 62421:011-62421:033.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207080159** Forwards insp rept 50-344/92-18 on 920608-12 & notice of violation.Violation pertained to failure of escort from Trojan visitor info ctr to carry portable radio while conducting tour of protected area.Repts withheld.  
PATE,R.J. Region 5 (Post 820201). 92/07/02. CROSS,J.E. Portland General Electric Co. 3pp. 62451:338-62451:340.

**9207150350** Notification of significant licensee meeting on 920716 in Rainier,OR to discuss SALP rept for Apr 1991 to May 1992.  
ZIMMERMAN,R.P. Region 5 (Post 820201). 92/07/06. Region 5 (Post 820201). 3pp. 62396:360-62396:362.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:008.

**9207210094** Notification of 920716 meeting w/util to discuss results of most recent SALP for util.  
KUNIHIO,D.M. Region 5 (Post 820201). 92/07/10. SYKES,M.J. Oregon, State of. 1p. 62420:282-62420:282.

**9207210096** Notification of 920716 meeting w/util to discuss results of most recent SALP for plant.  
KUNIHIO,D.M. Region 5 (Post 820201). 92/07/10. LEMIEUX,J. Washington, State of. 1p. 62420:287-62420:287.

#### R. Periodic operating reports & related correspondence

**9207140323** Monthly operating rept for June 1992 for Trojan Nuclear Plant.W/920709 ltr.  
BAIR,G.G., ROBINSON,W.R. Pacific Gas & Electric Co. 92/06/30. 5pp. 62385:147-62385:151.

#### S. Reportable occurrences, LERs & related correspondence

**9207200173** Forwards LER 91-035-01 re missed TS surveillance & inadequate surveillance test procedure.Encl revises commitment indicates that util will implement several separate surveillance procedures.  
ROBINSON,W.R. Portland General Electric Co. 92/06/24. Document Control Branch (Document Control Desk). 1p. 62480:276-62480:284.

**-9207200178** LER 91-035-01:on 911115,discovered that periodic operations test for control bldg switchgear room smoke exhaust & detection sys not performed until 910725.Caused by use of inadequate procedure.Continuous fire watches posted.  
CLARIDGE,D.L. Portland General Electric Co. 92/06/24. 8pp., 62480:277-62480:284.

**9207090154** LER 92-013-00:on 920604, personnel error in design leads to installation of inappropriate instrument sensing line drain valves causing potentially inoperable post accident monitoring instruments.Plant design revised.W/920706 ltr.  
SHERMAN,R.N., ROBINSON,W.R. Portland General Electric Co. 92/07/06. 11pp. 62437:007-62437:017.

**9207090182** LER 92-014-00:on 920605,reactor trip experienced,resulting in increase in feedwater flow & feedwater regulating valve demand.Caused by failure of manual increase pushbutton station.Station replaced w/spare unit.W/920706 ltr.  
CLARIDGE,D.L., ROBINSON,W.R. Portland General Electric Co. 92/07/06. 6pp. 62437:034-62437:039.

**9207220157** LER 92-015-00:on 920617,determined that design change had been implemented w/o prior NRC approval or required license change.Caused by failure to follow established procedural requirements.Appropriate procedures revised.W/920717 ltr.  
CLARIDGE,D.L., ROBINSON,W.R. Portland General Electric Co. 92/07/17. 7pp. 62481:159-62481:165.

**9207240248** LER 92-016-00:on 920618,noted that RCS leak rate values for previous three days were unchanged.Caused by inadequate operations dept mgt program.Manager directed Control Operator to initiate RCS leak rate test.W/920720 ltr.  
SHERMAN,R.N., ROBINSON,W.R. Portland General Electric Co. 92/07/20. 6pp. 62520:303-62520:308.

**9207300091** LER 92-017-00:on 920623,Auxiliary bldg ventilation sys grab sample not performed as required due to inadequate mgt program to implement TS action statement.Chemistry Dept revised procedures to include term "daily." W/920724 ltr.  
SHERMAN,R.N., ROBINSON,W.R. Portland General Electric Co. 92/07/23. 8pp. 62588:013-62588:020.

#### DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9207080107** Forwards insp rept 50-346/92-08 on 920519-920622.No violations noted.  
JACKIW,I.N. Region 3 (Post 820201). 92/06/26. SHELTON,D. Centerior Service Co. SHELTON,D. Toledo Edison Co. 2pp. 62218:226-62218:237.

**-9207080114** Insp rept 50-346/92-08 on 920519-0622.No violations noted. Major areas inspected:previous insp findings,LER followup, plant operations,actions re info notice 92-030,radiological controls,maint/surveillance & emergency preparedness.  
JACKIW,I.N. Region 3 (Post 820201). 92/06/26. 10pp. 62216:228-62218:237.

#### H. General correspondence

**9207020208** Requests that name & address of D Burke,Esquire be replaced w/that of M O'Reilly.  
SHELTON,D.C. Centerior Energy. 92/06/26. Document Control Branch (Document Control Desk). 1p. 62219:165-62219:165.

**9207160038** Comment on draft reg guide DG-1021, "Selection,Design,Qualification,Testing & Reliability of Emergency Diesel Generator Units Used as Class IE Onsite Electric Power Sys & Nuclear Power Plants."Endorses NUMARC comments.  
SHELTON,D.C. Centerior Energy. 92/07/06. Regulatory Publications Branch. 2pp. 62375:020-62375:021.

**9207160040** Comment supporting proposed rule 10CFR50 re receipt of byproduct & special nuclear matl.  
SHELTON,D.C. Centerior Energy. 92/07/08. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62375:026-62375:026.

**9207290151** Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees.Supports rules.  
SHELTON,D.C. Centerior Energy. 92/07/17. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62506:184-62506:185.

#### M. Antitrust correspondence

**9207020059** NRC Staff statement concerning matters not to be considered by Licensing Board & request for leave to respond.\* Staff request should be granted.  
HOM,S.R. Office of the General Counsel (Post 860701). #392 13051. 92/06/29. Atomic Safety & Licensing Board Panel. 2pp. 62182:011-62182:012.

**9207020141** Applicants request that Licensing Board disregard factual issues discussed during oral argument.\* Foregoing issues represent factual issues which Board should disregard in disposition of phase one of case.W/Certificate of Svc.  
SINGLEY,M.A. Ohio Edison Co. SINGLEY,M.A. Cleveland Electric Illuminating Co. SINGLEY,M.A. Toledo Edison Co. #392 13047. 92/06/29. Atomic Safety & Licensing Board Panel. 11pp. 62182:022-62182:032.

**9207020164** Proposed corrections to 920612 transcript of 920610 oral argument on summary description.\* W/Certificate of Svc.  
HOM,S.R. Office of the General Counsel (Post 860701). #392 13052. 92/06/29. 5pp. 62182:040-62182:044.

**9207020170** City of Cleveland proposed corrections to oral argument transcript of 920610.\* W/Certificate of Svc & svc list.  
GOLDBERG,R. Cleveland, OH. GOLDBERG,R. Goldberg, Fieldman & Hjelmfelt. #392 13046. 92/06/29. Atomic Safety & Licensing Board Panel. 6pp. 62182:045-62182:050.

**9207090012** Applicant answer in opposition to amended petition of city of Brook Park,OH for leave to intervene out of time.\* City of Brook Park untimely intervention petition should be denied.W/Certificate of Svc.  
CHARNOFF,G. Ohio Edison Co. CHARNOFF,G. Shaw, Pittman, Potts & Trowbridge. #392 13062. 92/06/30. Atomic Safety & Licensing Board Panel. 21pp. 62266:117-62266:137.

## 110 DOCKETED ITEMS

**9207090111** Order (granting opportunity to respond to filings on significant factual assertions). \* Responses to proceeding filings should be submitted by 920708.W/Certificate of Svc. Served on 920702.  
MILLER,M.E. Atomic Safety & Licensing Board Panel. #392 13059. 92/07/01. Ohio Edison Co. 4pp. 62266:272-62266:275.

**9207100094** NRC Staff answer to amended petition of City of Brook Park, OH, for leave to intervene out of time. \* NRC does not oppose granting of amended petition.W/Certificate of Svc.  
HOM,S.R. Office of the General Counsel (Post 860701). #392 13079. 92/07/06. Atomic Safety & Licensing Board Panel. 11pp. 62270:107-62270:117.

**9207100012** Informs that NRC will not be filing any response to applicant 920629 request for Board to disregard "significant factual assertions" & objections to city of Cleveland 920629 proposed corrections to transcript of 920610 oral argument.  
HOM,S.R. Office of the General Counsel (Post 860701). #392 13083. 92/07/07. MILLER,M.E., BECHHOEFER,C., BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. 1p. 62270:008-62270:008.

**9207100084** Reply by American Municipal Power-Ohio, Inc to applicant request that Board disregard factual issues. \* Applicant requests Board disregard irrelevant assertions by all parties.W/Certificate of Svc.  
STRAUS,D.R. American Municipal Power-Ohio, Inc. STRAUS,D.R. Spiegel & McDiarmid. #392 13080. 92/07/07. Atomic Safety & Licensing Board Panel. 6pp. 62270:101-62270:106.

**9207100010** City of Cleveland opposition to applicant request that Licensing Board disregard certain arguments of city of Cleveland counsel in oral argument.Certificate of Svc & svc list encl.  
GOLDBERG,R., STROTHER,C.D. Cleveland, OH. GOLDBERG,R. Goldberg, Fieldman & Hjelmfelt. #392 13082. 92/07/08. Atomic Safety & Licensing Board Panel. 7pp. 62270:001-62270:007.

### N. Antitrust hearing transcripts

**9207200060** Transcript corrections (oral argument). \* Lists proposed changes to be adopted in transcript.W/Certificate of Svc. Served on 920710.  
MILLER,M.E. Atomic Safety & Licensing Board Panel. #392 13100. 92/07/10. 6pp. 62404:114-62404:119.

### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents.App A documents encl & being made available in PDR.Portion of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA,T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-9207090267** Partially withheld summary of 861021-22 NRC mgt meeting.  
\* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.

**9207080179** Forwards voluntary rept summarizing results of investigation of Health & Human Svcs certified lab.Rept withheld (ref 10CFR2.790).  
SHELTON,D.C. Centerior Energy. 92/06/25. Document Control Branch (Document Control Desk). 1p. 62275:355-62275:355.

**9207060011** Submits followup info to 910903 ltr re corrosion for INCO 82 welded steam generator tube plug installed at facility.Table listing comparison of Inconel 600 & INCO 82 elemental composition encl.  
SHELTON,D.C. Centerior Energy. 92/06/29. Document Control Branch (Document Control Desk). 4pp. 62250:179-62250:182.

**9207080262** Forwards Rev 1 to license NPF-3,requesting info to enable NRC to assess degree of compliance w/regulatory requirements re reactor vessel integrity,in response to generic ltr 92-01.  
SHELTON,D.C. Centerior Energy. 92/07/01. Document Control Branch (Document Control Desk). 32pp. 62277:301-62277:332.

**9207130204** Forwards SE accepting licensee initial response to SBO rule, per 920331 submittal.  
HOPKINS,J.B. Project Directorate III-3. 92/07/01. SHELTON,D.C. Toledo Edison Co. 2pp. 62338:023-62338:028.

**-9207130209** Safety evaluation accepting licensee initial response to SBO rule.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/01. 4pp. 62338:025-62338:028.

**9207150251** Forwards Rev 1 to Vol I of "Inservice Insp Plan,Second 10-Yr Nuclear Interval Pump & Valve Inservice Testing Program."  
SHELTON,D.C. Centerior Energy. 92/07/08. Document Control Branch (Document Control Desk). 19pp. 62416:001-62416:213.

**-9207150253** Rev 1 to Vol I of "Inservice Insp Plan,Second 10-Yr Nuclear Interval Pump & Valve Inservice Testing Program."  
\* Centerior Energy. 92/06/11. 300pp. 62416:020-62416:213.

**9207200139** Informs that work has been completed re enhancement of electrical components which support feed & bleed cooling capability functions following seismic event.  
SHELTON,D.C. Centerior Energy. 92/07/13. Document Control Branch (Document Control Desk). 2pp. 62464:305-62464:306.

**9207200261** Proposes that day-to-day,in-line quality review of spec & mod packages be eliminated in support of change in responsibilities of engineering assurance unit.Changes identified in encl USAF Chapter 17.2,QA program.  
SHELTON,D.C. Centerior Energy. 92/07/14. Document Control Branch (Document Control Desk). 7pp. 62447:222-62447:228.

**9207230227** Notification of 920730 meeting w/counters in Oak Harbor, OH to discuss items of generic interest between NRR,Region III & licensees for plants in NRR Project Directorate III. Agenda encl.  
HOPKINS,J.B. Project Directorate III-3. 92/07/16. HANNON,J.N. Project Directorate III-3. 4pp. 62478:319-62478:322.

**9207300129** Requests NRC approval of temporary non-code repair of through-wall leak discovered in svc water sys piping at Unit 1,per Generic Ltr 90-05.W/one oversize drawing.  
SHELTON,D.C. Entergy Operations, Inc. 92/07/20. Document Control Branch (Document Control Desk). 11pp. 62595:300-62595:307.

### Q. Inspection reports, IE Bulletins & correspondence

**9207220339** FOIA request for results of INPO most recent insp of Davis Besse Nuclear Power Plant.  
JOHNSTON,C.B. Toledo Coalition for Safe Energy. 91/10/31. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62462:337-62462:337.

**9207220343** Final response to FOIA request for results of INPO most recent insp of plant.No agency records subj to request located.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. JOHNSTON,C.B. Toledo Coalition for Safe Energy. 1p. 62462:338-62462:338.

**9207080107** Forwards insp rept 50-346/92-08 on 920519-920622.No violations noted.  
JOHNSTON,C.B. Toledo Edison Co. 2pp. 62218:226-62218:237.

**-9207080114** Insp rept 50-346/92-08 on 920519-0622.No violations noted. Major areas inspected:previous insp findings,LER followup, plant operations,actions re info notice 92-030,radiological controls,maint/surveillance & emergency preparedness.  
JOHNSTON,C.B. Toledo Edison Co. 2pp. 62218:228-62218:237.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140072** Forwards insp rept 50-346/92-07 on 920504-0605 & notice of violations.  
MILLER,H.J. Region 3 (Post 820201). 92/07/07. SHELTON,D. Centerior Energy. SHELTON,D. Toledo Edison Co. 2pp. 62299:208-62299:237.

**-9207140075** Notice of violation from insp on 920504-0605.Violations noted:strainers were not installed in fill lines of day tanks & high level alarms not installed on fuel oil storage tanks.  
MILLER,H.J. Region 3 (Post 820201). 92/07/07. 1p. 62299:210-62299:210.

**-9207140089** Insp rept 50-346/92-07 on 920504-0605.Violations noted.Major areas inspected:EDSF in accordance w/TI 2515/107.  
WESTBERG,R.A., GARDNER,R.N. Region 3 (Post 820201). 92/07/07. 23pp. 62299:211-62299:237.

**9207150251** Forwards Rev 1 to Vol I of "Inservice Insp Plan,Second 10-Yr Nuclear Interval Pump & Valve Inservice Testing Program."  
SHELTON,D.C. Centerior Energy. 92/07/08. Document Control Branch (Document Control Desk). 19pp. 62416:001-62416:213.

**-9207150253** Rev 1 to Vol I of "Inservice Insp Plan,Second 10-Yr Nuclear Interval Pump & Valve Inservice Testing Program."  
\* Centerior Energy. 92/06/11. 300pp. 62416:020-62416:213.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207280069** Forwards insp rept 50-346/92-09 on 920615-19 & notice of deviation.  
PEDERSON,C.D. Region 3 (Post 820201). 92/07/10. SHELTON,D. Toledo Edison Co. 2pp. 62488:113-62488:124.

**-9207280075** Notice of deviation from insp on 920615-19.Deviation noted: on 920128,geiger mueller detector,rather than prescribed beta scintillation detector,was installed in Oct 1989 to monitor effluent from waste sorting area.  
PEDERSON,C.D. Region 3 (Post 820201). 92/07/10. 1p. 62488:115-62488:115.

**-9207280080** Insp rept 50-346/92-09 on 920615-19.Deviations noted.Major areas inspected:licensee radiation protection & solid radwaste & transportation programs,including mgt controls & organization,audits & training & qualifications.  
PAUL,R.A., SHAH,N., SCHUMACHER,M.C. Region 3 (Post 820201). 92/07/10. 9pp. 62488:116-62488:124.

### R. Periodic operating reports & related correspondence

**9207160095** Monthly operating rept for June 1992 for Davis-Besse Nuclear Power Station Unit 1.W/920708 ltr.  
SARSOUB,B., STORZ,L.F. Toledo Edison Co. 92/06/30. 5pp. 62430:110-62430:114.

### S. Reportable occurrences, LERs & related correspondence

**9207270011** LER 92-005-00:on 920619,hourly fire watch of inoperable fire barriers exceeded allowable interval by five minutes.Caused by personnel error.Importance of fire watch patrol during surveillance or maint reiterated w/individual.W/920717 ltr.  
FILAR,K.A., STORZ,L.F. Toledo Edison Co. 92/07/17. 4pp. 62587:134-62587:137.

**T. Hearing transcripts on non-antitrust matters**

**9207020164** Proposed corrections to 920612 transcript of 920610 oral argument on summary description. \* W/Certificate of Svc.  
HOM,S.R. Office of the General Counsel (Post 860701). #392 13052. 92/06/29. 5pp. 62182:040-62182:044.

**9207020170** City of Cleveland proposed corrections to oral argument transcript of 920610. \* W/Certificate of Svc & svc list.  
GOLDBERG,R. Cleveland, OH. GOLDBERG,R. Goldberg, Fieldman & Hjelmeit. #392 13046. 92/06/29. Atomic Safety & Licensing Board Panel. 6pp. 62182:045-62182:050.

**V. Operator Examinations**

**9207220098** Forwards requalification requirements necessary for preparation for evaluation visit scheduled for wk of 921130.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/15. SHELTON,D. Centenor Energy. 10pp. 62432:283-62432:292.

**9207270238** Advises that on 920410,RS Smith (Operator License OP-30817) & on 920611,BA Randall (Senior Operator License SOP-31012) terminated employment w/ util.Individuals will no longer perform licensed duties at facility.  
SHELTON,D.C. Centenor Energy. 92/07/20. Document Control Branch (Document Control Desk). 1p. 62565:001-62565:001.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007.Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62548:081-62548:083.

**DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1****F. Security, medical, emergency & fire protection plans**

**9207060250** Responds to violations noted in Insp Repts 50-348/92-13 & 50-364/92-13.Corrective actions:security group examiners received training & security personnel training & qualification plan will be revised.  
WOODARD,J.D. Southern Nuclear Operating Co. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62254:311-62254:312.

**9207080062** Revised attachments to Emergency Implementing Plan Procedure FNP-0-EIP-8, "Plant Notification Roster." W/920630 ltr.  
HUDSPETH,J.B. Southern Nuclear Operating Co. 92/06/30. 213pp. 62305:120-62305:333.

**9207060289** Notification of 920724 meeting w/util in Rockville,MD to discuss EOF & TSC staffing times.  
HOFFMAN,S.T. Project Directorate II-1. 92/07/01. ADENSAM,E.G. Project Directorate II-1. 3pp. 62243:300-62243:302.

**9207140271** Forwards Rev 23 to security plan.Rev withheld.  
WOODARD,J.D. Southern California Edison Co. 92/07/02. Document Control Branch (Document Control Desk). 1p. 62385:354-62385:354.

**9207210291** Forwards public version of rev 24 to EIP GO-EIP-111, "Corporate Activation & Notification." W/920715 release memo.  
MOORE,B.L. Southern Nuclear Operating Co. 92/07/07. Document Control Branch (Document Control Desk). 3pp. 62440:086-62440:132.

**-9207210297** Public version of rev 24 to EIP GO-EIP-111, "Corporate Activation & Notification."  
\* Southern Nuclear Operating Co. 92/07/07. 44pp. 62440:089-62440:132.

**9207280299** Forwards public version of Rev 85 to EPIP FNP-0-EIP-8, "On-Call Schedule."  
HUDSPETH,J.B. Southern Nuclear Operating Co. 92/07/08. Document Control Branch (Document Control Desk). 1p. 62568:177-62568:189.

**-9207280306** Public version of Rev 85 to FNP-0-EIP-8, "On-Call Schedule."  
\* Southern Nuclear Operating Co. 92/07/08. 10pp. 62568:178-62568:189.

**9207300041** Revised EIPs,including Temporary Change (TCN) TCNs 85A & 85B to FNP-0-EIP-8, "Emergency Communications" & TCN 36A to FNP-0-EIP-26, "Offsite Notifications." W/920721 ltr.  
HUDSPETH,J.B. Southern Nuclear Operating Co. 92/07/21. 29pp. 62638:226-62638:255.

**9207290309** Ack receipt of 920702 ltr transmitting Rev 23 to physical security plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.  
COLLINS,D.M. Region 2 (Post 820201). 92/07/23. HAIRSTON,W.G. Southern Nuclear Operating Co. 2pp. 62610:360-62610:361.

**9207310157** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling & Wide Cable Trays & Small Conduits Free from Fire Damage." Thermo-Lag 330 matl not installed in either unit.  
WOODARD,J.D. Southern Nuclear Operating Co. 92/07/27. Document Control Branch (Document Control Desk). 1p. 62658:298-62658:298.

**G. Adjudicatory correspondence**

**9207020155** Provides info to assist Board in making final determination re purportedly proprietary info in APCO exhibits. \* W/ Certificate of Svc.  
HOELLER,E. Office of the General Counsel (Post 860701). #392 13050. 92/06/30. BOLLWERK,G.P., MORRIS,P.A., CARPENTER,J.H. Atomic Safety & Licensing Board Panel. 7pp. 62182:033-62182:039.

**9207090118** Responds to 920501 Board memo. \* Util requests that Board accord unconditional proprietary treatment to certain pages from TERs re to ASCO equipment.W/Certificate of Svc.  
REPKA,D.A. Alabama Power Co. REPKA,D.A. Winston & Strawn. #392 13061. 92/06/30. Atomic Safety & Licensing Board Panel. 43pp. 62266:280-62266:322.

**9207090082** Forwards copies of first generation facsimiles re util response to Board 920501 order concerning proprietary info.  
REPKA,D.A. Alabama Power Co. REPKA,D.A. Winston & Strawn. #392 13068. 92/07/01. BOLLWERK,G.P., MORRIS,P.A., CARPENTER,J.H. Atomic Safety & Licensing Board Panel. 7pp. 62266:241-62266:247.

**9207090010** Order (adopting transcript corrections for evidentiary hearing sessions conducted on 920518-21). \* Parties should advise Board of any objections to Board-designated corrections by 920713.W/Certificate of Svc.Served on 920702.  
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #392 13069. 92/07/02. Alabama Power Co. 17pp. 62266:100-62266:116.

**9207200070** Memorandum & order (granting parties joint request for extension of filing deadlines for proposed findings & conclusions). \* Parties should provide joint status rept by 920807.W/Certificate of Svc.Served on 920710.  
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #392 13092. 92/07/10. Alabama Power Co. 4pp. 62404:197-62404:200.

**H. General correspondence**

**9207130045** Comment supporting proposed rule 10CFR50.63 re proposed rev to "Loss of All Alternating Current Power."  
WOODARD,J.D. Southern Nuclear Operating Co. 92/07/02. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62285:057-62285:057.

**P. Operating license stage documents & correspondence**

**9207020196** Summary of 920206 meeting w/util in Rockville,MD re potential amend request for interim generator tube alternate plugging criteria & related APC amend requests.  
HOFFMAN,S.T. Project Directorate II-1. 92/06/19. Project Directorate II-1. 6pp. 62194:060-62194:135.

**9207060289** Notification of 920724 meeting w/util in Rockville,MD to discuss EOF & TSC staffing times.  
HOFFMAN,S.T. Project Directorate II-1. 92/07/01. ADENSAM,E.G. Project Directorate II-1. 3pp. 62243:300-62243:302.

**9207070153** Forwards response to GL 92-01 re compliance w/requirements & commitments of 10CFR50.60 & 50.61 re reactor vessel structural integrity.  
WOODWARD,J.B. Southern Nuclear Operating Co. 92/07/01. Document Control Branch (Document Control Desk). 38pp. 62262:224-62262:262.

**9207070345** Forwards response to NRC 920603 request for addl info on TS amend to reduce allowable SG primary-to-secondary leakage from 500 gpd to 140 gpd.  
WOODARD,J.D. Southern Nuclear Operating Co. 92/07/01. Document Control Branch (Document Control Desk). 6pp. 62267:344-62267:349.

**9207150190** Forwards nonproprietary & proprietary versions of RAI re SG alternate plugging criteria,per 910226,1113,920221,0410 & 0604 ltrs requesting amends to Tech Specs.Proprietary version of RAI withheld (ref 10CFR2.790).  
HOFFMAN,S.T. Project Directorate II-1. 92/07/10. HAIRSTON,W.G. Southern Nuclear Operating Co. 17pp. 62415:110-62415:126.

**9207170031** Suppls response to NRC supplemental safety evaluation re station blackout rule.Procedure for DG reliability program developed & issued which implements guidance in NUMARC 87-00,App D & incorporates Reg Guide 1.155,Section 1.2.  
WOODARD,J.D. Southern Nuclear Operating Co. 92/07/13. Document Control Branch (Document Control Desk). 3pp. 62440:214-62440:217.

**9207220004** Suppls 900123 ltr re implementation of program to address svc water sys problems affecting safety-related sys,per Generic Ltr 89-13.Initial Unit 2 HX tests for DG jacket water & control room air conditioner completed on 920629.  
WOODARD,J.D. Southern Nuclear Operating Co. 92/07/16. Document Control Branch (Document Control Desk). 1p. 62476:317-62476:317.

**9207240134** Notification of 920727 meeting w/util in Rockville,MD to discuss staff request for addl info re alternate SG tube plugging criteria.  
HOFFMAN,S.T. Project Directorate II-1. 92/07/21. MURLEY,T. NRC - No Detailed Affiliation Given. 4pp. 62479:230-62479:233.

**9207240109** Notification of 920731 meeting w/util in Rockville,MD to discuss rev of ac electrical sys TS.  
HOFFMAN,S.T. Project Directorate II-1. 92/07/22. ADENSAM,E.G. Project Directorate II-2. 3pp. 62479:214-62479:216.

**Q. Inspection reports, IE Bulletins & correspondence**

**9207140005** Forwards exam rept 50-348/92-301 administered during wk of 920427-30.Attention invited to comments on operator performance weaknesses & insp findings encountered during administration of exams.  
PEEBLES,T.A. Region 2 (Post 820201). 92/06/24. HAIRSTON,W.G. Southern Nuclear Operating Co. 2pp. 62298:001-62298:234.

**-9207140010** Exam rept 50-348/92-301 on 920427-30.Exam results:all reactor operator & senior reactor operator candidates passed exams.Strengths noted in area of training dept cooperation & assistance.  
HOPPER,G.T. Region 2 (Post 820201). 92/06/16. 250pp. 62298:003-62298:234.

**9207160016** Forwards insp repts 50-348/92-16 & 50-364/92-16 on 920518-22 & notice of violations.  
JULIAN,C.A. Region 2 (Post 820201). 92/06/26. HAIRSTON,W.G. Southern Nuclear Operating Co. 3pp. 62415:321-62415:336.

**-9207160022** Notice of violation from insp on 920518-22.Violations noted: pressure relief valves springs were replaced in Sept 1989 & Drawing B-175968 was never revised to include required setpoint tolerances.  
\* Region 2 (Post 820201). 92/06/26. 2pp. 62415:324-62415:325.

## 112 DOCKETED ITEMS

—9207160032 Insp repts 50-348/92-16 & 50-364/92-16 on 920518-22. Violations noted. Major areas inspected: design change & plant mod including engineering technical support.  
SMITH, C., THOMAS, M., JAPE, F. Region 2 (Post 820201). 92/06/25. 13pp. 62415:326-62415:338.

9207280043 Notification of significant licensee meeting w/util on 920715 in Atlanta, GA to discuss SALP of facility during period of 901231 through 920530.  
CANTRELL, F.S. Region 2 (Post 820201). 92/06/26. Region 2 (Post 820201). 2pp. 62488:076-62488:077.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207140091 Forwards insp repts 50-348/92-14 & 50-364/92-14 on stated dates. No violations noted.  
GIBSON, A.F. Region 2 (Post 820201). 92/06/29. HAIRSTON, W.G. Southern Nuclear Operating Co. 3pp. 62299:278-62299:294.

—9207140098 Insp repts 50-348/92-14 & 50-364/92-14 on stated dates. Noncited violation noted. Major areas inspected: review of completed reactor performance surveillance for both units.  
BURNETT, P.T., CRLENJAK, R.V. Region 2 (Post 820201). 92/06/29. 14pp. 62299:281-62299:294.

9207060250 Responds to violations noted in Insp Repts 50-348/92-13 & 50-364/92-13. Corrective actions: security group examiners received training & security personnel training & qualification plan will be revised.  
WOODARD, J.D. Southern Nuclear Operating Co. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62254:311-62254:312.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207060285 Informs that per 920702 telcon, required response date for Notice of Violation 92-12-01 extended until 920716.  
WOODARD, J.D. Southern Nuclear Operating Co. 92/07/02. Document Control Branch (Document Control Desk). 1p. 62247:302-62247:302.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207210321 Responds to violations noted in insp repts 50-348/92-12 & 50-364/92-12 on 920413-0518. Corrective actions: remedial training provided w/emphasis on wrong-unit, wrong/train & shift foreman temporarily removed from shift.  
WOODARD, J.D. Southern Nuclear Operating Co. 92/07/16. Document Control Branch (Document Control Desk). 8pp. 62459:333-62459:340.

9207270314 Ack receipt of 920630 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/92-13 & 50-364/92-13.  
COLLINS, D.M. Region 2 (Post 820201). 92/07/22. HAIRSTON, W.G. Southern Nuclear Operating Co. 2p. 62527:355-62527:356.

9207300282 Advises that required response date to violations noted in insp repts 50-348/92-16 & 50-364/92-16 extended until 920729, per 920724 telcon w/NRC.  
WOODARD, J.D. Southern Nuclear Operating Co. 92/07/24. Document Control Branch (Document Control Desk). 2pp. 62593:221-62593:222.

9207310157 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling & Wide Cable Trays & Small Conduits Free from Fire Damage." Thermo-Lag 330 matl not installed in either unit.  
WOODARD, J.D. Southern Nuclear Operating Co. 92/07/27. Document Control Branch (Document Control Desk). 1p. 62658:298-62658:298.

### R. Periodic operating reports & related correspondence

9207160161 Monthly operating rept for June 1992 for Joseph M Farley Nuclear Plant. W/920713 ltr.  
HILL, R.D., WOODARD, J.D. Southern Nuclear Operating Co. 92/06/30. 5pp. 62423:299-62423:303.

### S. Reportable occurrences, LERs & related correspondence

9207200126 Special rept on 920715, section of pipe in fire main yard loop ruptured, causing loss of fire main water pressure. Rupture isolated, fire pumps restored & fire water tank levels recovered to TS required levels.  
WOODARD, J.D. Southern Nuclear Operating Co. 92/07/16. Document Control Branch (Document Control Desk). 1p. 62447:346-62447:346.

### T. Hearing transcripts on non-antitrust matters

9207160336 Corrected transcript of 920521 meeting in Bethesda, MD. Pp 1,996-2,309.  
\* Atomic Safety & Licensing Board Panel. 92/05/21. 550pp. 62422:001-62423:187.

### V. Operator Examinations

9207140005 Forwards exam rept 50-348/92-301 administered during wk of 920427-30. Attention invited to comments on operator performance weaknesses & insp findings encountered during administration of exams.  
PEEBLES, T.A. Region 2 (Post 820201). 92/06/24. HAIRSTON, W.G. Southern Nuclear Operating Co. 2pp. 62298:001-62298:234.

—9207140010 Exam rept 50-348/92-301 on 920427-30. Exam results: all reactor operator & senior reactor operator candidates passed exams. Strengths noted in area of training dept cooperation & assistance.  
HOPPER, G.T. Region 2 (Post 820201). 92/06/16. 250pp. 62298:003-62298:234.

9207220151 Discusses exam preparation visit scheduled for wk of 920921, written exams for 921005 & operating exams for 921006-09 & requests reference mail listed, adequate space & accommodations & review of Rules & Guidelines.  
PEEBLES, T.A. Region 2 (Post 820201). 92/07/06. HAIRSTON, W.G. Southern Nuclear Operating Co. 11pp. 62438:069-62438:079.

### DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9207010041 Forwards initial SALP repts 50-352/90-99 & 50-353/90-99 for assessment period 901016-920314. Decline observed in maint/surveillance & safety assessment/quality verification. PECO exhibited strong performance.  
MARTIN, T.T. Region 1 (Post 820201). 92/06/19. SMITH, D.M. Philadelphia Electric Co. 4pp. 62143:075-62143:106.

—9207010044 SALP repts 50-352/90-99 & 50-353/90-99 for assessment period 901016-920314.  
\* Region 1 (Post 820201). 92/06/19. 28pp. 62143:079-62143:106.

9207080051 Forwards partially withheld safeguards insp repts 50-352/92-18 & 50-353/92-18 on 920608-12. No violations or safety concerns noted.  
JOYNER, J.H. Region 1 (Post 820201). 92/06/25. SMITH, D.M. Philadelphia Electric Co. 4pp. 62218:311-62218:321.

—9207080058 Partially withheld safeguards insp rept 50-352/92-18 & 50-353/92-18 (ref 10CFR73.21). No safety concerns or violations noted. Major areas inspected: protected & vital area physical barriers. Portions of paragraphs sanitized.  
RATTA, A.D., KEIMIG, R.R. Region 1 (Post 820201). 92/06/24. 7pp. 62218:315-62218:321.

9207090009 Requests approval for use of closed circuit television to satisfy Unit 1 TS requirements for hourly fire watch as compensatory measures for inoperable fire barrier, per NRC Bulletin 92-001.  
BECK, G.J. Philadelphia Electric Co. 92/07/01. Document Control Branch (Document Control Desk). 3pp. 62307:314-62307:316.

9207100202 Approves util use of CCTV to satisfy TS requirements for hourly fire watch in Fire Zone 45B at Unit 1 Room 406 & use of mirror to monitor Fire Zone in Unit 2 Room 368, as requested by 920701 ltr.  
CLARK, R.J. Project Directorate I-2. 92/07/02. BECK, G.J. Philadelphia Electric Co. 4pp. 62313:329-62313:331.

9207150263 Ack receipt of 920611 ltr informing NRC of steps taken to correct violations noted in insp repts 50-352/92-13, 50-353/92-13, 50-352/92-14 & 50-353/92-14.  
JOYNER, J.H. Region 1 (Post 820201). 92/07/08. SMITH, D.M. Philadelphia Electric Co. 2pp. 62411:340-62411:345.

9207170232 Forwards insp repts 50-352/92-19 & 50-353/92-19 on 920615-19. No violations noted.  
BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/10. SMITH, D.M. Philadelphia Electric Co. 2pp. 62431:275-62431:286.

—9207170236 Insp repts 50-352/92-19 & 50-353/92-19 on 920615-19. No violations noted. Major areas inspected: administrative controls, surveillance, training, audits, fire watches & inprocess insps.  
FINKEL, A.E., BLUMBERG, N.J. Region 1 (Post 820201). 92/07/07. 10pp. 62431:277-62431:286.

9207270143 Public version of rev 1 to emergency response procedure ERP-700, "Technical Support Team." W/920720 release memo.  
\* Philadelphia Electric Co. 92/07/20. 38pp. 62501:037-62501:075.

9207310183 Rev 3 to "Peach Bottom Units 2 & 3/Limerick Units 1 & 2 Emergency Communications Plan Implementing Procedure." W/ 920724 ltr.  
BECK, G.J. Philadelphia Electric Co. 92/07/24. 30pp. 62636:326-62636:355.

#### P. Operating licensee stage documents & correspondence

9207060257 Requests approval of encl revised changes to QA program descriptions, per 920608 discussions w/NRC. Procedure change tracking & trending process, specified in proposed change, being put into effect.  
BECK, G.J. Philadelphia Electric Co. 92/06/19. Document Control Branch (Document Control Desk). 12pp. 62254:265-62254:276.

9207210209 Notification of board meeting 92-106 w/util on 920625 on to discuss operability of RHHR HX 1A.  
LYASH, J.L. Region 1 (Post 820201). 92/06/22. Region 1 (Post 820201). 2pp. 62421:204-62421:205.

9207020108 Concurs w/discontinuation of crack advance verification sys monitoring on N2H recirculation riser nozzle to safe-end weld.  
CLARK, R.J. Project Directorate I-2. 92/06/25. BECK, G.J. Philadelphia Electric Co. 4pp. 62183:351-62183:354.

9207150124 Forwards util 920612 & 19 ltrs to State of PA requesting changes to NPDES permit re addition of chemical additives for use in secondary cooling water sys.  
BECK, G.J. Philadelphia Electric Co. 92/07/02. Document Control Branch (Document Control Desk). 16pp. 62411:308-62411:323.

9207200002 Forwards Rev 0 to PECO-COLR-L1R4, "Core Operating Limits Rept for Limerick Generating Station, Unit 1, Reload 4, Cycle 5" & Rev 3 to PECO-COLR-L2R1, "Core Operating Limits Rept for Limerick Generating Station Unit 2, Cycle 2."  
BECK, G.J. Philadelphia Electric Co. 92/07/02. Document Control Branch (Document Control Desk). 1p. 62450:096-62450:143.



-9207200003 Rev 0 to "Core Operating Limits Rept for Limerick Generating Station, Unit 1, Reload 4, Cycle 5."  
GASSMANN, W.P., CORRELL, W.E., CARMODY, J.M. Philadelphia Electric Co. PECO-COLR-L1R4 R00. 92/05/11. 25pp. 62450:097-62450:118.

-9207200004 Rev 3 to "Core Operating Limits Rept for Limerick Generating Station, Unit 2, Cycle 2."  
ANDRES, L.L., OLSON, A.M., CARMODY, J.M. Philadelphia Electric Co. PECO-COLR-L2R1 R03. 92/03/23. 25pp. 62450:119-62450:143.

9207200156 Forwards response to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity" & Rev 1 to GE Rept SASR 88-24, "PBAPS Unit 2 Vessel Surveillance Matrix Testing & Fracture Toughness Analysis," dtd Dec 1991.  
BECK, G.J. Philadelphia Electric Co. 92/07/10. Document Control Branch (Document Control Desk). 14pp. 62657:001-62657:282.

9207210136 Advises that changes to QA program description acceptable in that QA program continues to satisfy criteria of app B of 10CFR50.  
BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/14. SMITH, D.M. Philadelphia Electric Co. 3pp. 62421:070-62421:072.

9207230236 Discusses change to promote use of improved STS such as NUREG-1433 for GE BWR-4 reactors when proposed changes have potential generic applications. Encloses Section 3.1.7 & Bases 3.1.7 from STS as an alternative to changes.  
CLARK, R.J., Project Directorate I-2. 92/07/16. BECK, G.J. Philadelphia Electric Co. 16pp. 62459:099-62459:114.

#### Q. Inspection reports, IE Bulletins & correspondence

9207010041 Forwards initial SALP repts 50-352/90-99 & 50-353/90-99 for assessment period 901016-920314. Decline observed in maint/surveillance & safety assessment/quality verification. PECO exhibited strong performance.  
MARTIN, T.T. Region 1 (Post 820201). 92/06/19. SMITH, D.M. Philadelphia Electric Co. 4pp. 62143:075-62143:106.

-9207010044 SALP repts 50-352/90-99 & 50-353/90-99 for assessment period 901016-920314.  
\* Region 1 (Post 820201). 92/06/19. 28pp. 62143:079-62143:106.

9207210081 Notification of significant licensee meeting 92-93 w/Util on 920626 to discuss SALP mgt meeting for 901016-920314.  
LYASH, J.J. Region 1 (Post 820201). 92/06/22. Region 1 (Post 820201). 2pp. 62420:021-62420:022.

9207070144 Confirms dates of 920914-1002 for special electrical distribution sys functional insp at plant. Primary objective of insp to determine whether sys as designed, installed & configured will be capable of performing intended functions.  
ANDERSON, C.J. Region 1 (Post 820201). 92/06/23. SMITH, D.M. Philadelphia Electric Co. 4pp. 62205:312-62205:315.

9207080015 Forwards insp repts 50-352/92-01 & 50-353/92-01 on 920514. No violations or deviations noted.  
JOYNER, J.H. Region 1 (Post 820201). 92/06/25. SMITH, D.M. Philadelphia Electric Co. 3pp. 62218:238-62218:249.

-9207080021 Forwards insp repts 50-352/92-01 & 50-353/92-01 performed for LLRW shipment LGS-018-92 at facility. Insp conducted under provisions of MOU between Commonwealth of PA & NRC.  
DORNSIFE, W.P. Pennsylvania, Commonwealth of. 92/05/26. COOPER, R.W. Region 1 (Post 820201). 9pp. 62218:241-62218:249.

9207080051 Forwards partially withheld safeguards insp repts 50-352/92-18 & 50-353/92-18 on 920608-12. No violations or safety concerns noted.  
JOYNER, J.H. Region 1 (Post 820201). 92/06/25. SMITH, D.M. Philadelphia Electric Co. 4pp. 62218:311-62218:321.

-9207080058 Partially withheld safeguards insp rept 50-352/92-18 & 50-353/92-18 (ref 10CFR73.21). No safety concerns or violations noted. Major areas inspected: protected & vital area physical barriers. Portions of paragraphs sanitized.  
RATTA, A.D., KEIMIG, R.R. Region 1 (Post 820201). 92/06/24. 7pp. 62218:315-62218:321.

9207080061 Forwards insp rept 50-352/92-16 & 50-353/92-16 on 920518-29. No violations noted.  
ANDERSON, C.J. Region 1 (Post 820201). 92/06/26. SMITH, D.M. Philadelphia Electric Co. 3pp. 62218:332-62218:342.

-9207080065 Insp repts 50-352/92-16 & 50-353/92-16 on 920518-29. No violations noted. Major areas inspected: licensee inservice insp program & associated activities to ascertain program conformed to applicable requirements.  
MCBREARTY, R.A., GRAY, E.H. Region 1 (Post 820201). 92/06/19. 8pp. 62218:335-62218:342.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207090009 Requests approval for use of closed circuit television to satisfy Unit 1 TS requirements for hourly fire watch as compensatory measures for inoperable fire barrier, per NRC Bulletin 92-001.  
BECK, G.J. Philadelphia Electric Co. 92/07/01. Document Control Branch (Document Control Desk). 3pp. 62307:314-62307:316.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207090011 Responds to violations noted in Insp Repts 50-352/92-11 & 50-353/92-11 on 920315-0425. Corrective actions: job leader disciplined & counseled on procedural compliance & enhanced training program implemented for performance of LLRT.  
LEITCH, G.M. Philadelphia Electric Co. 92/07/02. Document Control Branch (Document Control Desk). 6pp. 62307:317-62307:322.

9207150283 Ack receipt of 920611 ltr informing NRC of steps taken to correct violations noted in insp repts 50-352/92-13, 50-353/92-13, 50-352/92-14 & 50-353/92-14.  
JOYNER, J.H. Region 1 (Post 820201). 92/07/08. SMITH, D.M. Philadelphia Electric Co. 2pp. 62411:340-62411:345.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207170232 Forwards insp repts 50-352/92-19 & 50-353/92-19 on 920615-19. No violations noted.  
BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/10. SMITH, D.M. Philadelphia Electric Co. 2pp. 62431:275-62431:286.

-9207170236 Insp repts 50-352/92-19 & 50-353/92-19 on 920615-19. No violations noted. Major areas inspected: administrative controls, surveillance, training, audits, fire watches & inprocess insps.  
FINKEL, A.E., BLUMBERG, N.J. Region 1 (Post 820201). 92/07/07. 10pp. 62431:277-62431:286.

9207210023 Ack receipt of 920702 ltr informing NRC of steps taken to correct violations noted in insp repts 50-352/92-11 & 50-353/92-11 on 920521.  
LYASH, J.J. Region 1 (Post 820201). 92/07/14. LEITCH, G.M. Philadelphia Electric Co. 2pp. 62419:234-62419:241.

9207200220 Provides comments on Initial SALP Repts 50-352/90-99 & 50-353/90-99 for period 901016-920314, per NRC 920619 request. Util currently in process of instituting verification program into EDG maint procedures.  
LEITCH, G.M. Philadelphia Electric Co. 92/07/16. Document Control Branch (Document Control Desk). 2pp. 62459:306-62459:307.

9207300224 Requests relief from current practice of auditing all major paragraphs of TS over four year period. Practice developed in response to NRC concerns documented in Insp Repts 50-352/84-21 & 50-352/84-56.  
BECK, G.J. Philadelphia Electric Co. 92/07/23. Document Control Branch (Document Control Desk). 2pp. 62593:205-62593:211.

#### R. Periodic operating reports & related correspondence

9207170076 Monthly operating repts for June 1992 for Limerick Units 1 & 2. W/920710 ltr.  
MECK, K., LEITCH, G.M. Philadelphia Electric Co. 92/06/30. 11pp. 62433:343-62433:353.

#### S. Reportable occurrences, LERs & related correspondence

9207090199 LER 92-010-00: on 920605, north stack wide-range accident monitor discovered inoperable & unable to perform design function since 920507. Caused by equipment malfunction & procedure deficiency. Procedure revised. W/920702 ltr.  
MADSEN, G.J., DOERING, J. Philadelphia Electric Co. 92/07/02. 6pp. 62437:040-62437:045.

9207170113 LER 92-012-00: on 920611, Thermo-Lag Fire-rated barriers found inoperable resulting in Tech Spec violation & condition outside plant design basis due to installation & design deficiencies. W/920710 ltr.  
MADSEN, G.J., DOERING, J. Philadelphia Electric Co. 92/07/10. 5pp. 62480:205-62480:209.

9207170119 LER 92-011-00: on 920605, inoperability of channel B of main steam line radiation monitoring sys occurred as result of inadequate electrical separation. Wiring sleeved on 920629. W/920710 ltr.  
MADSEN, G.J., DOERING, J. Philadelphia Electric Co. 92/07/10. 5pp. 62480:210-62480:214.

9207230166 LER 92-013-00: on 920624, determined that RHR HX failed heat transfer capacity test, per Generic Ltr 89-13. Caused by HX fouling & leaking RHR HX 1B bypass valve. Restricting orifice removed to allow increased flow. W/920720 ltr.  
MADSEN, G.J., DOERING, J. Philadelphia Electric Co. 92/07/20. 7pp. 62586:350-62586:356.

9207300052 LER 92-014-00: on 901116, continuous fire watch not implemented upon discovery of inoperable Thermo-Lag fire rated barriers. Caused by personnel error. Fire watch posted, on 920626, as result of NRC Bulletin 92-001. W/920724 ltr.  
MADSEN, G.J., DOERING, J. Philadelphia Electric Co. 92/07/24. 4pp. 62588:115-62588:118.

#### V. Operator Examinations

9207140326 Notification of contract execution, mod 1 to task order 152, "Reactor Operator Licensing Initial Exams, Limerick Nuclear Power Plant," to "Technical Assistance to Support Licensing Activities." Contractor: Sonalysts, Inc.  
HUGHES, A. Contract Administration Branch 2 (Post 900603). FIN L-1289. 92/07/06. SCHWINK, W.J. Office of Nuclear Reactor Regulation, Director (Post 870411). PULSIPHER, K. NRC - No Detailed Affiliation Given. 1p. 62378:226-62378:230.

-9207140327 Ltr contract NRC-03-89-031, mod 1 to task order 152, "Reactor Operator Licensing Initial Exams, Limerick Nuclear Power Plant," increasing reviews for walkthroughs, to "Technical Assistance to Support Licensing Activities."  
MATTIA, M.J. Contract Administration Branch 2 (Post 900603). FIN L-1289. 92/07/02. PETERSEN, L.R. Sonalysts, Inc. 4pp. 62378:227-62378:230.

## 114 DOCKETED ITEMS

### DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207010041** Forwards initial SALP repts 50-352/90-99 & 50-353/90-99 for assessment period 901016-920314. Decline observed in maint/surveillance & safety assessment/quality verification. PECO exhibited strong performance.  
MARTIN, T.T. Region 1 (Post 820201). 92/06/19. SMITH, D.M. Philadelphia Electric Co. 4pp. 62143:075-62143:106.

**-9207010044** SALP repts 50-352/90-99 & 50-353/90-99 for assessment period 901016-920314.  
\* Region 1 (Post 820201). 92/06/19. 28pp. 62143:079-62143:106.

**9207080051** Forwards partially withheld safeguards insp repts 50-352/92-18 & 50-353/92-18 on 920608-12. No violations or safety concerns noted.  
JOYNER, J.H. Region 1 (Post 820201). 92/06/25. SMITH, D.M. Philadelphia Electric Co. 4pp. 62218:311-62218:321.

**-9207080058** Partially withheld safeguards insp rept 50-352/92-18 & 50-353/92-18 (ref 10CFR73.21). No safety concerns or violations noted. Major areas inspected: protected & vital area physical barriers. Portions of paragraphs sanitized.  
RATTA, A.D. Region 1 (Post 820201). 92/06/24. 7pp. 62218:315-62218:321.

**9207090009** Requests approval for use of closed circuit television to satisfy Unit 1 TS requirements for hourly fire watch as compensatory measures for inoperable fire barrier, per NRC Bulletin 92-001.  
BECK, G.J. Philadelphia Electric Co. 92/07/01. Document Control Branch (Document Control Desk). 3pp. 62307:314-62307:316.

**9207100202** Approves util use of CCTV to satisfy TS requirements for hourly fire watch in Fire Zone 45B at Unit 1 Room 406 & use of mirror to monitor Fire Zone in Unit 2 Room 368, as requested by 920701 ltr.  
CLARK, R.J. Project Directorate I-2. 92/07/02. BECK, G.J. Philadelphia Electric Co. 4pp. 62313:329-62313:331.

**9207150263** Ack receipt of 920611 ltr informing NRC of steps taken to correct violations noted in insp repts 50-352/92-13, 50-353/92-13, 50-352/92-14 & 50-353/92-14.  
JOYNER, J.H. Region 1 (Post 820201). 92/07/08. SMITH, D.M. Philadelphia Electric Co. 2pp. 62411:340-62411:345.

**9207170232** Forwards insp repts 50-352/92-19 & 50-353/92-19 on 920615-19. No violations noted.  
BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/10. SMITH, D.M. Philadelphia Electric Co. 2pp. 62431:275-62431:286.

**-9207170238** Insp repts 50-352/92-19 & 50-353/92-19 on 920615-19. No violations noted. Major areas inspected: administrative controls, surveillance, training, audits, fire watches & inprocess insps.  
FINKEL, A.E. Region 1 (Post 820201). 92/07/07. 10pp. 62431:277-62431:286.

**9207270143** Public version of rev 1 to emergency response procedure ERP-700, "Technical Support Team." W/920720 release memo.  
\* Philadelphia Electric Co. 92/07/20. 38pp. 62501:037-62501:075.

**9207310183** Rev 3 to "Peach Bottom Units 2 & 3/Limerick Units 1 & 2 Emergency Communications Plan Implementing Procedure." W/920724 ltr.  
BECK, G.J. Philadelphia Electric Co. 92/07/24. 30pp. 62636:326-62636:355.

#### P. Operating license stage documents & correspondence

**9207060257** Requests approval of encl revised changes to QA program descriptions, per 920608 discussions w/NRC. Procedure change tracking & trending process, specified in proposed change, being put into effect.  
BECK, G.J. Philadelphia Electric Co. 92/06/19. Document Control Branch (Document Control Desk). 12pp. 62254:265-62254:276.

**9207150124** Forwards util 920612 & 19 ltrs to State of PA requesting changes to NPDES permit re addition of chemical additives for use in secondary cooling water sys.  
BECK, G.J. Philadelphia Electric Co. 92/07/02. Document Control Branch (Document Control Desk). 16pp. 62411:308-62411:323.

**9207200002** Forwards Rev 0 to PECO-COLR-L1R4, "Core Operating Limits Rept for Limerick Generating Station, Unit 1, Reload 4, Cycle 5" & Rev 3 to PECO-COLR-L2R1, "Core Operating Limits Rept for Limerick Generating Station Unit 2, Cycle 2."  
BECK, G.J. Philadelphia Electric Co. 92/07/02. Document Control Branch (Document Control Desk). 1p. 62450:096-62450:143.

**-9207200004** Rev 3 to "Core Operating Limits Rept for Limerick Generating Station, Unit 2, Cycle 2."  
ANDRES, L.L., OLSON, A.M., CARMODY, J.M. Philadelphia Electric Co. PECO-COLR-L2R1 R03. 92/03/23. 25pp. 62450:119-62450:143.

**9207150032** TS Change Request 92-07-2 to License NPF-85, changing TS 3.6.3 re primary containment isolation valves to relocate approx 1,300 individual hydraulic control unit isolation boundaries on common CRD headers.  
BECK, G.J. Philadelphia Electric Co. 92/07/07. Document Control Branch (Document Control Desk). 8pp. 62392:350-62392:361.

**-9207150033** Proposed TS Change 92-07-2 for Table 3.6.3-1 re primary containment isolation valves.  
\* Philadelphia Electric Co. 92/07/07. 4pp. 62392:358-62392:361.

**9207200158** Forwards response to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity" & Rev 1 to GE Rept SASR 88-24, "PBAPS Unit 2 Vessel Surveillance Mats Testing & Fracture Toughness Analysis," dtd Dec 1991.  
BECK, G.J. Philadelphia Electric Co. 92/07/10. Document Control Branch (Document Control Desk). 14pp. 62657:001-62657:282.

**9207210136** Advises that changes to QA program description acceptable in that QA program continues to satisfy criteria of app B of 10CFR50.  
BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/14. SMITH, D.M. Philadelphia Electric Co. 3pp. 62421:070-62421:072.

**9207230236** Discusses change to promote use of improved STS such as NUREG-1433 for GE BWR-4 reactors when proposed changes have potential generic applications. Encloses Section 3.1.7 & Bases 3.1.7 from STS as an alternative to changes.  
CLARK, R.J. Project Directorate I-2. 92/07/16. BECK, G.J. Philadelphia Electric Co. 16pp. 62459:099-62459:114.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207010041** Forwards initial SALP repts 50-352/90-99 & 50-353/90-99 for assessment period 901016-920314. Decline observed in maint/surveillance & safety assessment/quality verification. PECO exhibited strong performance.  
MARTIN, T.T. Region 1 (Post 820201). 92/06/19. SMITH, D.M. Philadelphia Electric Co. 4pp. 62143:075-62143:106.

**-9207010044** SALP repts 50-352/90-99 & 50-353/90-99 for assessment period 901016-920314.  
\* Region 1 (Post 820201). 92/06/19. 28pp. 62143:079-62143:106.

**9207210081** Notification of significant licensee meeting 92-93 w/util on 920626 to discuss SALP mgt meeting for 901016-920314.  
LYASH, J.J. Region 1 (Post 820201). 92/06/22. Region 1 (Post 820201). 2pp. 62420:021-62420:022.

**9207070144** Confirms dates of 920914-1002 for special electrical distribution sys functional insp at plant. Primary objective of insp to determine whether sys as designed, installed & configured will be capable of performing intended functions.  
ANDERSON, C.J. Region 1 (Post 820201). 92/06/23. SMITH, D.M. Philadelphia Electric Co. 4pp. 62205:312-62205:315.

**9207080015** Forwards insp repts 50-352/92-01 & 50-353/92-01 on 920514. No violations or deviations noted.  
JOYNER, J.H. Region 1 (Post 820201). 92/06/25. SMITH, D.M. Philadelphia Electric Co. 3pp. 62218:238-62218:249.

**-9207080021** Forwards insp repts 50-352/92-01 & 50-353/92-01 performed for LLRW shipment LGS-018-92 at facility. Insp conducted under provisions of MOU between Commonwealth of PA & NRC.  
DORNISFE, W.P. Pennsylvania, Commonwealth of. 92/05/26. COOPER, R.W. Region 1 (Post 820201). 9pp. 62218:241-62218:249.

**9207080051** Forwards partially withheld safeguards insp repts 50-352/92-18 & 50-353/92-18 on 920608-12. No violations or safety concerns noted.  
JOYNER, J.H. Region 1 (Post 820201). 92/06/25. SMITH, D.M. Philadelphia Electric Co. 4pp. 62218:311-62218:321.

**-9207080058** Partially withheld safeguards insp rept 50-352/92-18 & 50-353/92-18 (ref 10CFR73.21). No safety concerns or violations noted. Major areas inspected: protected & vital area physical barriers. Portions of paragraphs sanitized.  
RATTA, A.D., KEIMIG, R.R. Region 1 (Post 820201). 92/06/24. 7pp. 62218:315-62218:321.

**9207080061** Forwards insp rept 50-352/92-16 & 50-353/92-16 on 920518-29. No violations noted.  
ANDERSON, C.J. Region 1 (Post 820201). 92/06/26. SMITH, D.M. Philadelphia Electric Co. 3pp. 62218:332-62218:342.

**-9207080065** Insp repts 50-352/92-16 & 50-353/92-16 on 920518-29. No violations noted. Major areas inspected: licensee inservice insp program & associated activities to ascertain program conformed to applicable requirements.  
MCBREARTY, R.A., GRAY, E.H. Region 1 (Post 820201). 92/06/19. 8pp. 62218:335-62218:342.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207090009** Requests approval for use of closed circuit television to satisfy Unit 1 TS requirements for hourly fire watch as compensatory measures for inoperable fire barrier, per NRC Bulletin 92-001.  
BECK, G.J. Philadelphia Electric Co. 92/07/01. Document Control Branch (Document Control Desk). 3pp. 62307:314-62307:316.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207090011** Responds to violations noted in Insp Repts 50-352/92-11 & 50-353/92-11 on 920315-0425. Corrective actions: job leader disciplined & counseled on procedural compliance & enhanced training program implemented for performance of LLRT.  
LEITCH, G.M. Philadelphia Electric Co. 92/07/02. Document Control Branch (Document Control Desk). 6pp. 62307:317-62307:322.

**9207150263** Ack receipt of 920611 ltr informing NRC of steps taken to correct violations noted in insp repts 50-352/92-13, 50-353/92-13, 50-352/92-14 & 50-353/92-14.  
JOYNER, J.H. Region 1 (Post 820201). 92/07/08. SMITH, D.M. Philadelphia Electric Co. 2pp. 62411:340-62411:345.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207170232** Forwards insp repts 50-352/92-19 & 50-353/92-19 on 920615-19. No violations noted.  
BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/10. SMITH, D.M. Philadelphia Electric Co. 2pp. 62431:275-62431:286.

—9207170236 Insp repts 50-352/92-19 & 50-353/92-19 on 920615-19. No violations noted. Major areas inspected: administrative controls, surveillance, training, audits, fire watches & in-process insps. FINKEL, A.E., BLUMBERG, N.J. Region 1 (Post 820201). 92/07/07. 10pp. 62431:277-62431:286.

9207210023 Ack receipt of 920702 ltr informing NRC of steps taken to correct violations noted in insp repts 50-352/92-11 & 50-353/92-11 on 920521. LYASH, J.J. Region 1 (Post 820201). 92/07/14. LEITCH, G.M. Philadelphia Electric Co. 2pp. 62419:234-62419:241.

9207200220 Provides comments on Initial SALP Repts 50-352/90-99 & 50-353/90-99 for period 901016-920314, per NRC 920619 request. Until currently in process of instituting verification program into EDG maint procedures. LEITCH, G.M. Philadelphia Electric Co. 92/07/16. Document Control Branch (Document Control Desk). 2pp. 62459:306-62459:307.

9207300224 Requests relief from current practice of auditing all major paragraphs of TS over four year period. Practice developed in response to NRC concerns documented in Insp Repts 50-352/84-21 & 50-352/84-56. BECK, G.J. Philadelphia Electric Co. 92/07/23. Document Control Branch (Document Control Desk). 2pp. 62593:205-62593:211.

#### R. Periodic operating reports & related correspondence

9207170076 Monthly operating repts for June 1992 for Limerick Units 1 & 2. W/920710 ltr. MECK, K., LEITCH, G.M. Philadelphia Electric Co. 92/06/30. 11pp. 62433:343-62433:353.

#### S. Reportable occurrences, LERs & related correspondence

9207200093 LER 92-006-00: on 920621, operations personnel observed loss of reactor enclosure secondary containment causing blowout panel to actuate. Caused by design deficiency. Mod to raise unit 1 setpoint completed. W/920716 ltr. MADSEN, G.J., DOERING, J. Philadelphia Electric Co. 92/07/16. 5pp. 62480:237-62480:241.

9207230153 LER 92-005-01: on 920605, EDG D21 inadvertently started during performance of shutdown of DG operating procedure. Caused by personnel error. Operator counseled, operator aid applied to manual air start valves & chapter revised. W/920716 ltr. MADSEN, G.J., DOERING, J. Philadelphia Electric Co. 92/07/16. 5pp. 62479:318-62479:322.

9207230168 LER 92-007-00: on 920624, discovered that main control room operator failed to return reactor encl isolation valves A & B reset switches back to as-found auto position. Caused by design deficiency. Alarm annunciation installed. W/920717 ltr. MADSEN, G.J., DOERING, J. Philadelphia Electric Co. 92/07/17. 5pp. 62586:357-62586:361.

#### V. Operator Examinations

9207140326 Notification of contract execution, mod 1 to task order 152, "Reactor Operator Licensing Initial Exams, Limerick Nuclear Power Plant," to "Technical Assistance to Support Licensing Activities." Contractor: Sonalysts, Inc. HUGHES, A. Contract Administration Branch 2 (Post 900603). FIN L-1289. 92/07/06. SCHWINK, W.J. Office of Nuclear Reactor Regulation, Director (Post 870411). PULSIPHER, K. NRC - No Detailed Affiliation Given. 1p. 62378:226-62378:230.

—9207140327 Ltr contract NRC-03-89-031, mod 1 to task order 152, "Reactor Operator Licensing Initial Exams, Limerick Nuclear Power Plant," increasing reviews for walkthroughs, to "Technical Assistance to Support Licensing Activities." MATTIA, M.J. Contract Administration Branch 2 (Post 900603). FIN L-1289. 92/07/02. PETERSEN, L.R. Sonalysts, Inc. 4pp. 62378:227-62378:230.

#### DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9207060144 Rev 7 to EPIP 103H, "Site Area Emergency," including Rev 31 to EPIP table of contents. BANNER, C., JONES, S., HALL, B.E. Public Service Electric & Gas Co. of New Jersey. 92/05/20. 16pp. 62250:139-62250:154.

9207010060 Public version of Rev 18 to Event Classification Guide. \* Public Service Electric & Gas Co. of New Jersey. 92/06/15. 60pp. 62202:158-62202:217.

9207090243 Forwards Resident Safety Insp Repts 50-272/92-11, 50-311/92-07 & 50-354/92-07 on 920503-0613. Violations noted. WENZINGER, E.C. Region 1 (Post 820201). 92/07/02. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 62309:242-62309:305.

—9207090259 Resident Safety Insp Repts 50-272/92-07, 50-311/92-07 & 50-354/92-07 on 920503-0613. Violations noted. Major areas inspected: operation, radiological controls, maint & surveillance testing, emergency preparedness & security. WHITE, J.R. Region 1 (Post 820201). 92/07/01. 59pp. 62309:247-62309:305.

9207230299 Rev 1 to EPIP 106H, "Emergency Termination/Reduction/ Recovery," including Rev 32 to EPIP table of contents. \* Public Service Electric & Gas Co. of New Jersey. 92/07/09. 20pp. 62482:266-62482:283.

9207240155 Revised EPIPs, including Rev 2 to EPIP 405, Rev 6 to EPIP 601 & Rev 18 to EPIP table of contents emergency operations facility. \* Public Service Electric & Gas Co. of New Jersey. 92/07/09. 31pp. 62515:183-62515:214.

9207240160 Revised EPIPs, including Rev 7 to EPIP Attachment 1, Rev 4 to EPIP Attachment 2, Rev 4 to EPIP Attachment 3, Rev 19 to Hope Creek event classification guide & Rev 16 to signature attachment page. \* Public Service Electric & Gas Co. of New Jersey. 92/07/09. 32pp. 62497:327-62497:358.

9207240162 Revised EPIPs, including Rev 7 to EPIP 104S, Rev 1 to EPIP 106S & Rev 31 to EPIP table of contents. \* Public Service Electric & Gas Co. of New Jersey. 92/07/09. 32pp. 62524:217-62524:247.

9207240141 Revised EPIPs, including Rev 6 to EPIP 902, Rev 4 to EPIP 903, Rev 2 to EPIP 904 & Rev 10 to EPIP table of contents security. \* Public Service Electric & Gas Co. of New Jersey. 92/07/10. 32pp. 62515:253-62515:284.

9207280063 Notification of significant licensee meeting 92-120 w/util on 920717 to discuss security issues. WHITE, J.R. Region 1 (Post 820201). 92/07/15. Region 1 (Post 820201). 2pp. 62488:109-62488:110.

9207280361 Revised EPIPs, including Rev 5 to EPIP 903, "Opening of EOF/ Emergency News Ctr" & revised EPIP table of contents re security procedures. \* Public Service Electric & Gas Co. of New Jersey. 92/07/17. 17pp. 62566:283-62566:299.

9207300173 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys." Thermo-Lag 330 fire barrier sys not installed at either facility. LABRUNA, S. Philadelphia Electric Co. 92/07/22. Document Control Branch (Document Control Desk). 3pp. 62593:014-62593:016.

#### P. Operating license stage documents & correspondence

9207080005 Forwards response to Rev 1 to Generic Ltr 92-01, "Reactor Vessel Structural Integrity" to assess compliance w/fracture toughness & matl surveillance requirements for RCPB, per 10CFR50, App G & H. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 92/06/30. Document Control Branch (Document Control Desk). 35pp. 62307:068-62307:102.

9207210078 Notification of significant licensee meeting 92-110 w/util on 920715 to discuss generic operation licensing issues. CONTE, R.J. Region 1 (Post 820201). 92/06/30. Region 1 (Post 820201). 2pp. 62420:005-62420:006.

9207080135 Discusses proposed test schedule for drywell to suppression chamber vacuum breakers for plant, per util 920603 submittal. Agrees that schedule provides reasonable assurance that suppression chamber will remain operable. STONE, J.C. Project Directorate I-2. 92/07/02. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 62243:307-62243:309.

9207280036 Notification of significant licensee meeting 92-110 rev 1, w/util on 920715 to discuss generic operation licensing issues. CONTE, R.J. Region 1 (Post 820201). 92/07/07. Region 1 (Post 820201). 2pp. 62488:038-62488:039.

9207140297 License Change Request 92-05 to License NPF-57, changing TS 6.3 re unit staff qualifications & 6.4 re training to clarify current requirements for licensed operator training & qualification. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 92/07/08. Document Control Branch (Document Control Desk). 7pp. 62384:322-62384:331.

—9207140298 Proposed TS 6.3 re unit staff qualifications & 6.4 re training. \* Public Service Electric & Gas Co. of New Jersey. 92/07/08. 3pp. 62384:329-62384:331.

9207270227 Discusses 920519 License Change Request 92-02 to License NPF-57, allowing exception to Spec 4.0.4 for intermediate range & source range monitors when Operation Condition: 2 & 3 entered from Operation Condition 1. No comments offered. TOSCH, K. New Jersey, State of. 92/07/10. Document Control Branch (Document Control Desk). 2pp. 62528:179-62528:180.

#### Q. Inspection reports, IE Bulletins & correspondence

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207090243 Forwards Resident Safety Insp Repts 50-272/92-11, 50-311/92-07 & 50-354/92-07 on 920503-0613. Violations noted. WENZINGER, E.C. Region 1 (Post 820201). 92/07/02. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 62309:242-62309:305.

—9207090259 Resident Safety Insp Repts 50-272/92-07, 50-311/92-07 & 50-354/92-07 on 920503-0613. Violations noted. Major areas inspected: operation, radiological controls, maint & surveillance testing, emergency preparedness & security. WHITE, J.R. Region 1 (Post 820201). 92/07/01. 59pp. 62309:247-62309:305.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

## 116 DOCKETED ITEMS

**9207200094** Responds to deviations & unresolved items noted in Electrical Distribution Sys Functional Insp Rept 50-354/92-80 on 920127-0214. Corrective actions: appropriate preventive maint procedures revised. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 92/07/10. Document Control Branch (Document Control Desk). 8pp. 62451:267-62451:274.

**9207210086** Forwards initial exam rept 50-354/92-08OL administered wk of 920608. All applicants passed exam & were well prepared for exams. Commends staff for excellent cooperation & expertise during exam preparation & administration. BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/15. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 62420:049-62420:273.

**-9207210090** Exam rept 50-354/92-08OL on 920608-12. Exam results: initial exams administered to four SRO upgrade & two SRO instant candidates, operating exam administered to one RO & written to add RO applicant. All applicants passed exams. SISCO, C., CONTE, R.J. Region 1 (Post 820201). 92/07/06. 150pp. 62420:052-62420:273.

**9207240001** Responds to NRC 920610 ltr re violations & deviations noted in Insp Rept 50-354/92-03 on 920406-21. Corrective actions: ventilation Unit A placed in auto lead & Unit B placed in auto & RHR sys procedures reviewed & revised. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 92/07/17. Document Control Branch (Document Control Desk). 9pp. 62479:306-62479:314.

**9207300173** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys." Thermo-Lag 330 fire barrier sys not installed at either facility. LABRUNA, S. Philadelphia Electric Co. 92/07/22. Document Control Branch (Document Control Desk). 3pp. 62593:014-62593:016.

### R. Periodic operating reports & related correspondence

**9207060009** "NPDES Discharge Monitoring Rept for May 1992 for Hope Creek Generating Station." W/920625 ltr. HAGAN, J. Public Service Electric & Gas Co. of New Jersey. 92/05/31. CAPORALE, G. New Jersey, State of. 21pp. 62250:183-62250:203.

**9207200194** Monthly operating rept for June 1992 for Hope Creek Generating Station Unit 1. W/920715 ltr. ZABIELSKI, V., HOLLINGSWORTH, HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 92/06/30. 10pp. 62449:284-62449:293.

### S. Reportable occurrences, LERs & related correspondence

**9207280177** Part 21 rept re defect discovered in degraded grid trip/bus transfer scheme for Class IE vital bus equipment. Time delay of .7 s incorporated in loading scheme to allow loads to drop off of auto-swapped Class IE buses. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 92/05/08. SCARFO, G. Office for Analysis & Evaluation of Operational Data, Director. 1p. 62584:291-62584:291.

**9207280257** Part 21 rept re cracking of stellite 21 hardfacing on guide nose of poppets supplied as part of MSIV leakage improvement mod. Initially reported by CLEI on 920522. Recommends that liquid penetrant exam be performed. SHIELDS, S.N. Atwood & Morrill Co., Inc. 92/06/24. BERLINGER NRC - No Detailed Affiliation Given. 4pp. 62568:340-62568:344.

**9207060248** Final Part 21 rept re defect in assembly process for GH Bettis containment atmosphere control sys valve replacement actuators. Initially reported on 920529. Air filter installed in compressor main air line to prevent contamination. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 92/06/29. Document Control Branch (Document Control Desk). 5pp. 62254:306-62254:310.

**9207070309** LER 92-007-00: on 920605, SLCS declared inoperable due to low concentration of sodium pentaborate. Caused by procedural deficiency. Chemistry dept procedures revised to add sodium pentaborate when needed. W/920701 ltr. AVERSA, L., HAGAN, J.J. Public Service Electric & Gas Co. of New Jersey. 92/07/01. 5pp. 62292:224-62292:228.

**920710207** NPDES noncompliance notification: on 920608, 10 gallons of hydraulic oil discharged to access road west of cooling tower. Caused by failure of hydraulic sys on 20-ton mobile crane. Broken hydraulic lines replaced. SWANSON, R.N. Public Service Electric & Gas Co. of New Jersey. 92/07/08. New Jersey, State of. 9pp. 62458:247-62458:255.

### V. Operator Examinations

**9207140297** License Change Request 92-05 to License NPF-57, changing TS 6.3 re unit staff qualifications & 6.4 re training to clarify current requirements for licensed operator training & qualification. LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 92/07/08. Document Control Branch (Document Control Desk). 7pp. 62384:322-62384:331.

**-9207140298** Proposed TS 6.3 re unit staff qualifications & 6.4 re training. \* Public Service Electric & Gas Co. of New Jersey. 92/07/08. 3pp. 62384:329-62384:331.

**9207210086** Forwards initial exam rept 50-354/92-08OL administered wk of 920608. All applicants passed exam & were well prepared for exams. Commends staff for excellent cooperation & expertise during exam preparation & administration. BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/15. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 62420:049-62420:273.

**-9207210090** Exam rept 50-354/92-08OL on 920608-12. Exam results: initial exams administered to four SRO upgrade & two SRO instant candidates, operating exam administered to one RO & written to add RO applicant. All applicants passed exams. SISCO, C., CONTE, R.J. Region 1 (Post 820201). 92/07/06. 150pp. 62420:052-62420:273.

## DOCKET 50-356 UNIV. OF ILLINOIS RESEARCH REACTOR

### Q. Inspection reports, IE Bulletins & correspondence

**9207060082** Forwards initial exam rept 50-356/OL-92-01, administered on 920602 to facility employee that applied for license to operate licensee LOPRA reactor. GALLO, R.M. Operator Licensing Branch. 92/06/30. JONES, B.G. Illinois, Univ. of, Urbana, IL. 2pp. 62204:199-62204:202.

**-9207060086** Exam rept 50-356/OL-92-01 on 920602. Exam results: operating exam administered to one SRO. Applicant passed exam. ERESIAN, W., CALDWELL, J.L. Operator Licensing Branch. 92/06/30. 2pp. 62204:201-62204:202.

### V. Operator Examinations

**9207020298** Forwards revised "Univ of IL Nuclear Reactor Lab Operator Requalification Program." HOLM, R.L. Illinois, Univ. of, Urbana, IL. 92/06/24. ADAMS, A. NRC - No Detailed Affiliation Given. 5pp. 62234:331-62234:344.

**-9207020303** "Univ of IL Nuclear Reactor Lab Operator Requalification Program." \* Illinois, Univ. of, Urbana, IL. 92/06/30. 9pp. 62234:336-62234:344.

**9207060082** Forwards initial exam rept 50-356/OL-92-01, administered on 920602 to facility employee that applied for license to operate licensee LOPRA reactor. GALLO, R.M. Operator Licensing Branch. 92/06/30. JONES, B.G. Illinois, Univ. of, Urbana, IL. 2pp. 62204:199-62204:202.

**-9207060086** Exam rept 50-356/OL-92-01 on 920602. Exam results: operating exam administered to one SRO. Applicant passed exam. ERESIAN, W., CALDWELL, J.L. Operator Licensing Branch. 92/06/30. 2pp. 62204:201-62204:202.

## DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

### F. Security, medical, emergency & fire protection plans

**9207020010** Forwards FEMA final "Exercise Evaluation Rept for Off-Site Radiological Emergency Plans & Preparedness Ingestion Pathway Exercise at SONGS on 911120." PATE, R.J. Region 5 (Post 820201). 92/06/23. RAY, H.B. Southern California Edison Co. 2pp. 62247:001-62247:066.

**-9206160419** Forwards D Kwiatkowski 920528 ltr transmitting FEMA final exercise rept for 911120 ingestion pathway exercise at facility. No deficiencies noted. ERICKSON, R.A. Emergency Preparedness Branch. 92/06/04. PATE, R. Region 5 (Post 820201). 1p. 62247:003-62247:004.

**-9206160422** Forwards final rept for 911120 ingestion pathway exercise of radiological emergency response plans site-specific to facility. No deficiencies observed. KWIATKOWSKI, D. Federal Emergency Management Agency. 92/05/28. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 62247:004-62247:004.

**-9206170097** Final "Exercise Evaluation Rept of Off-site Radiological Emergency Plans & Preparedness, Ingestion Pathway Exercise on 911120." SCOTT, E. Federal Emergency Management Agency. 92/04/24. 57pp. 62247:005-62247:066.

**9207220255** Revised "Dept of CA Highway Patrol, Border Division Nuclear Response Plan for the San Onofre Nuclear Generating Station." \* Southern California Edison Co. 92/06/30. 53pp. 62471:301-62471:353.

**9207210103** Forwards insp repts 50-206/92-16, 50-361/92-16 & 50-362/92-16 on 920424-0603. No violations noted. RICHARDS, S.A. Region 5 (Post 820201). 92/07/02. RAY, H.B. Southern California Edison Co. 3pp. 62420:288-62420:306.

**-9207210105** Insp repts 50-206/92-16, 50-361/92-16 & 50-362/92-16 on 920424-0603. No violations noted. Major areas inspected: operational safety verification, radiological protection, security, evaluation of plant trips & events. WONG, H. Region 5 (Post 820201). 92/07/01. 14pp. 62420:291-62420:306.

**9207310153** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used in four applications at facilities. ROSENBLUM, R.M. Southern California Edison Co. 92/07/30. Document Control Branch (Document Control Desk). 7pp. 62638:150-62638:156.

### P. Operating license stage documents & correspondence

**9207090162** Forwards nonproprietary & proprietary repts, in response to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity" in ref to NUREG-0712 & NRC 890919 ltr re closeout of GL 88-11 & License Condition 2.C.7. Proprietary repts withheld. ROSENBLUM, R.M. Southern California Edison Co. 92/07/06. Document Control Branch (Document Control Desk). 13pp. 62339:035-62339:232.

**-9207090168** Nonproprietary "SCE SONGS, Unit 2 Response to GL 92-01" final rept. \* ATI Consulting. \* Sartrex Corp. 92/06/24. 91pp. 62339:048-62339:138.

**-9207090170** Nonproprietary "SCE SONGS, Unit 3 Response to GL 92-01" final rept. \* ATI Consulting. \* Sartrex Corp. 92/06/23. 94pp. 62339:139-62339:232.

**9207100408** Informs NRC of delay in completing mod to CR training simulator. Core Protection Calculator computer model upgrade rescheduled to 930320. ROSENBLUM, R.M. Southern California Edison Co. 92/07/07. Document Control Branch (Document Control Desk). 2pp. 62364:360-62364:361.

**9207300200** Documents completion of installation of DEFAS in compliance w/ATWS rule & commitment to redefine final Diverse Scram Sys actuation device for interruption of power to control rods to be MG set output contactor.  
ROSENBLUM,R.M. Southern California Edison Co. 92/07/27. Document Control Branch (Document Control Desk). 2pp. 62593:012-62593:013.

**9207310199** Forwards amend 15 to Topical Rept SCE-1-A, "QA Program," updating organizational structure, titles & responsibilities as result of senior mgt realignments.  
ROSENBLUM,R.M. Southern California Edison Co. 92/07/27. Document Control Branch (Document Control Desk). 3pp. 62615:226-62615:324.

**-9207310211** Amend 15 to Topical Rept SCE-1-A, "QA Program," updating organizational structure, titles & responsibilities as result of senior mgt realignments.  
KATZ,B., RAY,H.B. Southern California Edison Co. 92/07/31. 95pp. 62615:229-62615:324.

#### Q. Inspection reports, IE Bulletins & correspondence

**920710059** Ack receipt of 920612 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-206/92-12, 50-361/92-12 & 50-362/92-12.  
RICHARDS,S.A. Region 5 (Post 820201). 92/06/22. RAY,H.B. Southern California Edison Co. 2pp. 62230:284-62230:289.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207210103** Forwards insp repts 50-206/92-16, 50-361/92-16 & 50-362/92-16 on 920424-0603. No violations noted.  
RICHARDS,S.A. Region 5 (Post 820201). 92/07/02. RAY,H.B. Southern California Edison Co. 3pp. 62420:288-62420:306.

**-9207210105** Insp repts 50-206/92-16, 50-361/92-16 & 50-362/92-16 on 920424-0603. No violations noted. Major areas inspected: operational safety verification, radiological protection, security, evaluation of plant trips & events.  
WONG,H. Region 5 (Post 820201). 92/07/01. 14pp. 62420:291-62420:306.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207310153** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used in four applications at facilities.  
ROSENBLUM,R.M. Southern California Edison Co. 92/07/30. Document Control Branch (Document Control Desk). 7pp. 62638:150-62638:156.

#### R. Periodic operating reports & related correspondence

**9207220222** Monthly operating repts for June 1992 for SONGS, Units 1 & 2. W/920715 ltr.  
FARR,M.M., RAINSBERRY,J.L. Southern California Edison Co. 92/06/30. 13pp. 62473:303-62473:315.

#### S. Reportable occurrences, LERs & related correspondence

**9207100264** PNO-V-92-020: on 920628, two major earthquakes occurred in State of CA desert. Unusual event declared at San Onofre & Diablo Canyon. Tremors felt at Palo Verde & at two research reactors & fuel facility. Peak accelerations listed.  
GARCIA,E. Region 5 (Post 820201). 92/06/29. 3pp. 62365:001-62365:003.

**9207200218** LER 92-009-00: on 920614, discovered that saltwater cooling pump P112 emergency seal water isolation valve in closed rather than open position. Caused by misalignment of valve. Valve opened & engineering procedure enhanced. W/920714 ltr.  
KRIEGER,R.W. Southern California Edison Co. 92/07/14. 10pp. 62480:309-62480:318.

**9207280332** LER 88-015-01: on 880614 & 23, fuel handling isolation sys inadvertently actuated while technician attempting to realign key-lock bypass switch. Caused by lack of attention to detail. Technicians counseled. W/920723 ltr.  
KRIEGER,R.W. Southern California Edison Co. 92/07/23. 6pp. 62587:266-62587:271.

#### DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

#### F. Security, medical, emergency & fire protection plans

**9207020010** Forwards FEMA final "Exercise Evaluation Rept for Off-Site Radiological Emergency Plans & Preparedness Ingestion Pathway Exercise at SONGS on 911120."  
PATE,R.J. Region 5 (Post 820201). 92/06/23. RAY,H.B. Southern California Edison Co. 2pp. 62247:001-62247:066.

**-9206180419** Forwards D Kwiatkowski 920528 ltr transmitting FEMA final exercise rept for 911120 ingestion pathway exercise at facility. No deficiencies noted.  
ERICKSON,R.A. Emergency Preparedness Branch. 92/06/04. PATE,R. Region 5 (Post 820201). 1p. 62247:003-62247:004.

**-9206180422** Forwards final rept for 911120 ingestion pathway exercise of radiological emergency response plans site-specific to facility. No deficiencies observed.  
KWIAKOWSKI,D. Federal Emergency Management Agency. 92/05/28. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 62247:004-62247:004.

**-9206170097** Final "Exercise Evaluation Rept of Off-site Radiological Emergency Plans & Preparedness, Ingestion Pathway Exercise on 911120."  
SCOTT,E. Federal Emergency Management Agency. 92/04/24. 57pp. 62247:005-62247:066.

**9207220255** Revised "Dept of CA Highway Patrol, Border Division Nuclear Response Plan for the San Onofre Nuclear Generating Station."  
\* Southern California Edison Co. 92/06/30. 53pp. 62471:301-62471:353.

**9207210103** Forwards insp repts 50-206/92-16, 50-361/92-16 & 50-362/92-16 on 920424-0603. No violations noted.  
RICHARDS,S.A. Region 5 (Post 820201). 92/07/02. RAY,H.B. Southern California Edison Co. 3pp. 62420:288-62420:306.

**-9207210105** Insp repts 50-206/92-16, 50-361/92-16 & 50-362/92-16 on 920424-0603. No violations noted. Major areas inspected: operational safety verification, radiological protection, security, evaluation of plant trips & events.  
WONG,H. Region 5 (Post 820201). 92/07/01. 14pp. 62420:291-62420:306.

**9207310153** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used in four applications at facilities.  
ROSENBLUM,R.M. Southern California Edison Co. 92/07/30. Document Control Branch (Document Control Desk). 7pp. 62638:150-62638:156.

#### P. Operating license stage documents & correspondence

**9207090162** Forwards nonproprietary & proprietary repts, in response to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity," in ref to NUREG-0712 & NRC 890919 ltr re closeout of GL 88-11 & License Condition 2.C.7. Proprietary repts withheld.  
ROSENBLUM,R.M. Southern California Edison Co. 92/07/06. Document Control Branch (Document Control Desk). 13pp. 62339:035-62339:232.

**-9207090170** Nonproprietary "SCE SONGS, Unit 3 Response to GL 92-01" final rept.  
\* ATI Consulting. \* Sartex Corp. 92/06/23. 94pp. 62339:139-62339:232.

**9207100408** Informs NRC of delay in completing mod to CR training simulator. Core Protection Calculator computer model upgrade rescheduled to 930320.  
ROSENBLUM,R.M. Southern California Edison Co. 92/07/07. Document Control Branch (Document Control Desk). 2pp. 62364:360-62364:361.

**9207300200** Documents completion of installation of DEFAS in compliance w/ATWS rule & commitment to redefine final Diverse Scram Sys actuation device for interruption of power to control rods to be MG set output contactor.  
ROSENBLUM,R.M. Southern California Edison Co. 92/07/27. Document Control Branch (Document Control Desk). 2pp. 62593:012-62593:013.

**9207310199** Forwards amend 15 to Topical Rept SCE-1-A, "QA Program," updating organizational structure, titles & responsibilities as result of senior mgt realignments.  
ROSENBLUM,R.M. Southern California Edison Co. 92/07/27. Document Control Branch (Document Control Desk). 3pp. 62615:226-62615:324.

**-9207310211** Amend 15 to Topical Rept SCE-1-A, "QA Program," updating organizational structure, titles & responsibilities as result of senior mgt realignments.  
KATZ,B., RAY,H.B. Southern California Edison Co. 92/07/31. 95pp. 62615:229-62615:324.

#### Q. Inspection reports, IE Bulletins & correspondence

**920710059** Ack receipt of 920612 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-206/92-12, 50-361/92-12 & 50-362/92-12.  
RICHARDS,S.A. Region 5 (Post 820201). 92/06/22. RAY,H.B. Southern California Edison Co. 2pp. 62230:284-62230:289.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207210103** Forwards insp repts 50-206/92-16, 50-361/92-16 & 50-362/92-16 on 920424-0603. No violations noted.  
RICHARDS,S.A. Region 5 (Post 820201). 92/07/02. RAY,H.B. Southern California Edison Co. 3pp. 62420:288-62420:306.

**-9207210105** Insp repts 50-206/92-16, 50-361/92-16 & 50-362/92-16 on 920424-0603. No violations noted. Major areas inspected: operational safety verification, radiological protection, security, evaluation of plant trips & events.  
WONG,H. Region 5 (Post 820201). 92/07/01. 14pp. 62420:291-62420:306.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207310153** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used in four applications at facilities.  
ROSENBLUM,R.M. Southern California Edison Co. 92/07/30. Document Control Branch (Document Control Desk). 7pp. 62638:150-62638:156.

## 118 DOCKETED ITEMS

### R. Periodic operating reports & related correspondence

**9207220222** Monthly operating reports for June 1992 for SONGS, Units 1 & 2. W/920715 ltr. FARR, M.M., RAINSBERRY, J.L. Southern California Edison Co. 92/06/30. 13pp. 62473:303-62473:315.

### S. Reportable occurrences, LERs & related correspondence

**9207100264** PNO-V-92-020 on 920628, two major earthquakes occurred in State of CA desert. Unusual event declared at San Onofre & Diablo Canyon. Tremors felt at Palo Verde & at two research reactors & fuel facility. Peak accelerations listed. GARCIA, E. Region 5 (Post 820201). 92/06/29. 3pp. 62365:001-62365:003.

### DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

### F. Security, medical, emergency & fire protection plans

**9207060250** Responds to violations noted in Insp Repts 50-348/92-13 & 50-364/92-13. Corrective actions: security group examiners received training & security personnel training & qualification plan will be revised. WOODARD, J.D. Southern Nuclear Operating Co. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62254:311-62254:312.

**9207080062** Revised attachments to Emergency Implementing Plan Procedure FNP-0-EIP-8, "Plant Notification Roster." W/920630 ltr. HUDSPETH, J.B. Southern Nuclear Operating Co. 92/06/30. 213pp. 62305:120-62305:333.

**9207060289** Notification of 920724 meeting w/util in Rockville, MD to discuss EOF & TSC staffing times. HOFFMAN, S.T. Project Directorate II-1. 92/07/01. ADENSAM, E.G. Project Directorate II-1. 3pp. 62243:300-62243:302.

**9207140271** Forwards Rev 23 to security plan. Rev withheld. WOODARD, J.D. Southern California Edison Co. 92/07/02. Document Control Branch (Document Control Desk). 1p. 62385:354-62385:354.

**9207210291** Forwards public version of rev 24 to EIP GO-EIP-111, "Corporate Activation & Notification." W/920715 release memo. MOORE, B.L. Southern Nuclear Operating Co. 92/07/07. Document Control Branch (Document Control Desk). 3pp. 62440:086-62440:132.

**-9207210297** Public version of rev 24 to EIP GO-EIP-111, "Corporate Activation & Notification." \* Southern Nuclear Operating Co. 92/07/07. 44pp. 62440:089-62440:132.

**9207280299** Forwards public version of Rev 85 to EIP FNP-0-EIP-8, "On-Call Schedule." HUDSPETH, J.B. Southern Nuclear Operating Co. 92/07/08. Document Control Branch (Document Control Desk). 1p. 62566:177-62566:189.

**-9207280306** Public version of Rev 85 to FNP-0-EIP-8, "On-Call Schedule." \* Southern Nuclear Operating Co. 92/07/06. 10pp. 62566:178-62566:189.

**9207300041** Revised EIPs, including Temporary Change (TCN) TCNs 85A & 85B to FNP-0-EIP-8, "Emergency Communications" & TCN 36A to FNP-0-EIP-26, "Offsite Notifications." W/920721 ltr. HUDSPETH, J.B. Southern Nuclear Operating Co. 92/07/21. 29pp. 62638:226-62638:255.

**9207290309** Ack receipt of 920702 ltr transmitting Rev 23 to physical security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan. COLLINS, D.M. Region 2 (Post 820201). 92/07/23. HAIRSTON, W.G. Southern Nuclear Operating Co. 2pp. 62610:360-62610:361.

**9207310157** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling & Wide Cable Trays & Small Conduits Free from Fire Damage." Thermo-Lag 330 matl not installed in either unit. WOODARD, J.D. Southern Nuclear Operating Co. 92/07/27. Document Control Branch (Document Control Desk). 1p. 62658:298-62658:298.

### G. Adjudicatory correspondence

**9207020155** Provides info to assist Board in making final determination re purportedly proprietary info in APCO exhibits. \* W/ Certificate of Svc. HOELLER, E. Office of the General Counsel (Post 860701). #392 13050. 92/06/30. BOLLWERK, G.P., MORRIS, P.A., CARPENTER, J.H. Atomic Safety & Licensing Board Panel. 7pp. 62182:033-62182:039.

**9207090082** Forwards copies of first generation facsimiles re util response to Board 920501 order concerning proprietary info. REPKA, D.A. Alabama Power Co. REPKA, D.A. Winston & Strawn. #392 13068. 92/07/01. BOLLWERK, G.P., MORRIS, P.A., CARPENTER, J.H. Atomic Safety & Licensing Board Panel. 7pp. 62266:241-62266:247.

**9207090010** Order (adopting transcript corrections for evidentiary hearing sessions conducted on 920518-21). \* Parties should advise Board of any objections to Board-designated corrections by 920713. W/Certificate of Svc. Served on 920702. BOLLWERK, G.P. Atomic Safety & Licensing Board Panel. #392 13069. 92/07/02. Alabama Power Co. 17pp. 62266:100-62266:116.

**9207200070** Memorandum & order (granting parties joint request for extension of filing deadlines for proposed findings & conclusions). \* Parties should provide joint status report by 920807. W/Certificate of Svc. Served on 920710. BOLLWERK, G.P. Atomic Safety & Licensing Board Panel. #392 13092. 92/07/10. Alabama Power Co. 4pp. 62404:197-62404:200.

### H. General correspondence

**9207130045** Comment supporting proposed rule 10CFR50.63 re proposed rev to "Loss of All Alternating Current Power." WOODARD, J.D. Southern Nuclear Operating Co. 92/07/02. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:057-62285:057.

### P. Operating license stage documents & correspondence

**9207020196** Summary of 920206 meeting w/util in Rockville, MD re potential amend request for interim generator tube alternate plugging criteria & related APC amend requests. HOFFMAN, S.T. Project Directorate II-1. 92/06/19. Project Directorate II-1. 6pp. 62194:060-62194:135.

**9207060289** Notification of 920724 meeting w/util in Rockville, MD to discuss EOF & TSC staffing times. HOFFMAN, S.T. Project Directorate II-1. 92/07/01. ADENSAM, E.G. Project Directorate II-1. 3pp. 62243:300-62243:302.

**9207070153** Forwards response to GL 92-01 re compliance w/requirements & commitments of 10CFR50.60 & 50.61 re reactor vessel structural integrity. WOODWARD, J.B. Southern Nuclear Operating Co. 92/07/01. Document Control Branch (Document Control Desk). 38pp. 62262:224-62262:262.

**9207150190** Forwards nonproprietary & proprietary versions of RAI re SG alternate plugging criteria, per 910226, 1113, 920221, 0410 & 0604 ltrs requesting amends to Tech Specs. Proprietary version of RAI withheld (ref 10CFR2.790). HOFFMAN, S.T. Project Directorate II-1. 92/07/10. HAIRSTON, W.G. Southern Nuclear Operating Co. 17pp. 62415:110-62415:126.

**9207170031** Suppl response to NRC supplemental safety evaluation re station blackout rule. Procedure for DG reliability program developed & issued which implements guidance in NUMARC 87-00, App D & incorporates Reg Guide 1.155, Section 1.2. WOODARD, J.D. Southern Nuclear Operating Co. 92/07/13. Document Control Branch (Document Control Desk). 3pp. 62440:214-62440:217.

**9207220004** Suppl 900123 ltr re implementation of program to address svc water sys problems affecting safety-related sys, per Generic Ltr 89-13. Initial Unit 2 HX tests for DG jacket water & control room air conditioner completed on 920629. WOODARD, J.D. Southern Nuclear Operating Co. 92/07/16. Document Control Branch (Document Control Desk). 1p. 62476:317-62476:317.

**9207240134** Notification of 920727 meeting w/util in Rockville, MD to discuss staff request for addl info re alternate SG tube plugging criteria. HOFFMAN, S.T. Project Directorate II-1. 92/07/21. MURLEY, T. NRC - No Detailed Affiliation Given. 4pp. 62479:230-62479:233.

**9207240109** Notification of 920731 meeting w/util in Rockville, MD to discuss rev of ac electrical sys TS. HOFFMAN, S.T. Project Directorate II-1. 92/07/22. ADENSAM, E.G. Project Directorate II-2. 3pp. 62479:214-62479:216.

### Q. Inspection reports, IE Bulletins & correspondence

**9207160016** Forwards insp repts 50-348/92-16 & 50-364/92-16 on 920518-22 & notice of violations. JULIAN, C.A. Region 2 (Post 820201). 92/06/26. HAIRSTON, W.G. Southern Nuclear Operating Co. 3pp. 62415:321-62415:338.

**-9207160022** Notice of violation from insp on 920518-22. Violations noted: pressure relief valves springs were replaced in Sept 1989 & Drawing B-175968 was never revised to include required setpoint tolerances. \* Region 2 (Post 820201). 92/06/26. 2pp. 62415:324-62415:325.

**-9207160032** Insp repts 50-348/92-16 & 50-364/92-16 on 920518-22. Violations noted. Major areas inspected: design change & plant mod including engineering technical support. SMITH, C., THOMAS, M., JAPE, F. Region 2 (Post 820201). 92/06/25. 13pp. 62415:326-62415:338.

**9207280043** Notification of significant licensee meeting w/util on 920715 in Atlanta, GA to discuss SALP of facility during period of 901231 through 920530. CANTRELL, F.S. Region 2 (Post 820201). 92/06/26. Region 2 (Post 820201). 2pp. 62488:076-62488:077.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207140091** Forwards insp repts 50-348/92-14 & 50-364/92-14 on stated dates. No violations noted. GIBSON, A.F. Region 2 (Post 820201). 92/06/29. HAIRSTON, W.G. Southern Nuclear Operating Co. 3pp. 62299:278-62299:294.

**-9207140098** Insp repts 50-348/92-14 & 50-364/92-14 on stated dates. Noncited violation noted. Major areas inspected: review of completed reactor performance surveillance for both units. BURNETT, P.T., CRENJAK, R.V. Region 2 (Post 820201). 92/06/29. 14pp. 62299:281-62299:294.

**9207060250** Responds to violations noted in Insp Repts 50-348/92-13 & 50-364/92-13. Corrective actions: security group examiners received training & security personnel training & qualification plan will be revised. WOODARD, J.D. Southern Nuclear Operating Co. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62254:311-62254:312.

**9207090118** Responds to 920501 Board memo. \* Util requests that Board accord unconditional proprietary treatment to certain pages from TERs re to ASCO equipment. W/Certificate of Svc. REPKA, D.A. Alabama Power Co. REPKA, D.A. Winston & Strawn. #392 13061. 92/06/30. Atomic Safety & Licensing Board Panel. 43pp. 62266:280-62266:322.



**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02.  
Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02.  
Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207060285** Informs that per 920702 telcon, required response date for Notice of Violation 92-12-01 extended until 920716.  
WOODARD,J.D. Southern Nuclear Operating Co. 92/07/02. Document Control Branch (Document Control Desk). 1p. 62247:302-62247:302.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09.  
Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207210321** Responds to violations noted in insp repts 50-348/92-12 & 50-364/92-12 on 920413-0518. Corrective actions: remedial training provided w/emphasis on wrong-unit, wrong/train & shift foreman temporarily removed from shift.  
WOODARD,J.D. Southern Nuclear Operating Co. 92/07/16. Document Control Branch (Document Control Desk). 8pp. 62459:333-62459:340.

**9207270314** Ack receipt of 920630 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/92-13 & 50-364/92-13.  
COLLINS,D.M. Region 2 (Post 820201). 92/07/22. HAIRSTON,W.G. Southern Nuclear Operating Co. 2p. 62527:355-62527:356.

**9207300282** Advises that required response date to violations noted in insp repts 50-348/92-16 & 50-364/92-16 extended until 920729, per 920724 telcon w/NRC.  
WOODARD,J.D. Southern Nuclear Operating Co. 92/07/24. Document Control Branch (Document Control Desk). 2pp. 62593:221-62593:222.

**9207310157** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling & Wide Cable Trays & Small Conduits Free from Fire Damage." Thermo-Lag 330 matl not installed in either unit.  
WOODARD,J.D. Southern Nuclear Operating Co. 92/07/27. Document Control Branch (Document Control Desk). 1p. 62658:298-62658:298.

#### R. Periodic operating reports & related correspondence

**9207160149** Monthly operating rept for June 1992 for Joseph M Farley Unit 2.W/  
920713 ltr.  
HILL,R.D., WOODARD,J.D. Southern Nuclear Operating Co. 92/06/30. 6pp.  
62404:355-62404:360.

#### S. Reportable occurrences, LERs & related correspondence

**9207200126** Special rept on 920715, section of pipe in fire main yard loop ruptured, causing loss of fire main water pressure. Rupture isolated, fire pumps restored & fire water tank levels recovered to TS required levels.  
WOODARD,J.D. Southern Nuclear Operating Co. 92/07/16. Document Control Branch (Document Control Desk). 1p. 62447:346-62447:346.

**9207220168** LER 92-009-00 on 920617, agastat timers on diesel generator sequencers failed to meet acceptance criteria. Caused by inadequate calibration procedures. Timer replaced & Rev 6 to Calibr Procedure FNP-0-EMP-1549.01 issued. W/920717 ltr.  
HILL,R.D., WOODARD,J.D. Southern Nuclear Operating Co. 92/07/17. 6pp.  
62481:166-62481:171.

#### T. Hearing transcripts on non-antitrust matters

**9207160338** Corrected transcript of 920521 meeting in Bethesda, MD. Pp 1,996-2,309.  
\* Atomic Safety & Licensing Board Panel. 92/05/21. 550pp. 62422:001-62423:187.

#### DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207220071** Informs that corrections to Rev 12 to emergency plan meets planning stds of 10CFR50.47(b) & requirements of app E to 10CFR50.  
CLINE,W.E. Region 2 (Post 820201). 92/06/30. HAIRSTON,W.G. Georgia Power Co. 3pp. 62432:204-62432:206.

**9207240184** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Fire watch for drywell access room will be performed.  
BECKHAM,J.T. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 6pp. 62528:240-62528:245.

#### H. General correspondence

**9207130049** Comment supporting proposed rule 10CFR50.63 re "Loss of All Alternating Current Power."  
MCCOY,C.K. Georgia Power Co. 92/07/02. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62285:060-62285:061.

**9207290063** Comment supporting proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees.  
MCCOY,C.K. Georgia Power Co. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62506:090-62506:090.

**9207290068** Comment supporting proposed rule 10CFR20 & 61, "Low-Level Waste Shipment Manifest Info & Reporting."  
MCCOY,C.K. Georgia Power Co. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62506:092-62506:093.

#### P. Operating license stage documents & correspondence

**9207200007** Forwards info to enable util to review info re Allegation RII-92-A-0016, per 920604 discussions. Info withheld (ref 10CFR2.790(a)(6)(7)).  
REYES,L.A. Region 2 (Post 820201). 92/06/15. HAIRSTON,W.G. Georgia Power Co. 3pp. 62453:231-62453:233.

**9207020255** Forwards amends 181 & 122 to licenses DPR-57 & NPF-5, respectively & safety evaluation. Amends revise Unit 1 TS 4.6.L & Unit 2 TS 4.7.4 re snubber surveillance to reflect guidance in generic ltr 90-08.  
JABBOUR,K.N. Project Directorate II-3. 92/06/19. HAIRSTON,W.G. Georgia Power Co. 3pp. 62194:307-62194:332.

**-9207020259** Amends 181 & 122 to licenses DPR-57 & NPF-5, respectively, revising unit 1 TS 4.6.L & unit 2 TS 4.7.4 re snubber surveillance.  
MATTHEWS,D.B. Project Directorate II-3. 92/06/19. 20pp. 62194:310-62194:329.

**-9207020261** Safety evaluation supporting amends 181 & 122 to licenses DPR-57 & NPF-5, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/19. 3pp. 62194:330-62194:332.

**9207020230** Notices of 920708 meeting w/util in Baxley, Georgia to discuss control room human engineering deficiencies for facility.  
JABBOUR,K.N. Project Directorate II-3. 92/06/25. MATTHEWS,D.B. Project Directorate II-3. 4pp. 62203:337-62203:340.

**9207080248** Advises that util 911223 response to 910628 suppl 4 to generic ltr 88-20 re IPEEE acceptable. Util requested to update IPEEE plans & provide projected milestones & schedules to NRC no later than 920928.  
JABBOUR,K.N. Project Directorate II-3. 92/07/01. HAIRSTON,W.G. Georgia Power Co. 4pp. 62260:004-62260:007.

**9207070011** Suppls 920424 ltr containing commitments to comply w/Generic Ltr 89-10 re safety-related motor-operated valve testing & surveillance, per findings in insp Repts 50-321/92-04 & 50-366/92-04. Exceptions for in situ testing discussed.  
BECKHAM,J.T. Georgia Power Co. 92/07/02. Document Control Branch (Document Control Desk). 3pp. 62262:339-62262:341.

**9207070402** Forwards response to GL 92-01, Rev 1 re reactor vessel structural integrity.  
BECKHAM,J.T. Georgia Power Co. 92/07/02. Document Control Branch (Document Control Desk). 36pp. 62267:155-62267:190.

**9207200076** Application for amends to licenses DPR-57 & NPF-5, proposing to revise several portions of TS involving shutdown & refueling operations.  
BECKHAM,J.T. Georgia Power Co. 92/07/17. Document Control Branch (Document Control Desk). 23pp. 62450:144-62450:214.

**-9207200082** Proposed tech specs revising several portions of plants shutdown & refueling operations.  
\* Georgia Power Co. 92/07/17. 48pp. 62450:167-62450:214.

**9207240128** Application for amends to licenses DPR-57 & NPF-5, revising TSs to add addl electrical sys requirements, per Generic Ltr 91-11, "Resolution of Generic Issues 48, 'LCOs for Class 1E' & 49, 'Interlocks & LCOs for Class 1E Tie Breakers.'"  
BECKHAM,J.T. Georgia Power Co. 92/07/17. Document Control Branch (Document Control Desk). 16pp. 62516:001-62516:045.

**-9207240137** Proposed tech specs proposing addition of electrical sys requirements.  
\* Georgia Power Co. 92/07/17. 28pp. 62516:017-62516:045.

**9207200244** Suppls 920714 request for waiver of compliance from TS 3.8.2.3 re station battery specific gravity in response to inoperability of station battery 2A on 920714. Waiver of compliance no longer required since battery restored.  
BECKHAM,J.T. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 7pp. 62451:275-62451:281.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207020216** Notification of 920630 SALP Board meeting in Atlanta, GA to discuss performance of plant during period of 910303-920530.  
SKINNER,P.H. Region 2 (Post 820201). 92/06/16. Region 2 (Post 820201). 2pp. 62221:331-62221:332.

**9207020011** Ack receipt of 920528 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/92-08 & 50-366/92-08.  
HERDT,A.R. Region 2 (Post 820201). 92/06/18. HAIRSTON,W.G. Georgia Power Co. 3pp. 62234:324-62234:326.

**9207160346** Forwards corrected cover ltr to insp repts 50-321/91-11 & 50-366/92-11.  
COLLINS,D.M. Region 2 (Post 820201). 92/06/22. HAIRSTON,W.G. Georgia Power Co. 9pp. 62429:346-62429:355.

**-9207170014** Corrected ltr forwarding insp repts 50-321/92-11 & 50-366/91-11 & notice of violation.  
COLLINS,D.M. Region 2 (Post 820201). 92/06/22. HAIRSTON,W.G. Georgia Power Co. 7pp. 62429:349-62429:355.

**9207270101** Forwards insp repts 50-321/92-12 & 50-366/92-12 on 920419-0530 & notice of violation.  
HERDT,A.R. Region 2 (Post 820201). 92/06/23. HAIRSTON,W.G. Georgia Power Co. 4pp. 62476:019-62476:053.

**-9207270110** Insp repts 50-321/92-12 & 50-366/92-12 on 920419-0530. Violations noted. Major areas inspected: surveillance testing including failure to obtain required stack sample & maint activities including recent solenoid valve failures.  
WERT,L.D., MUSSER,R.A., SKINNER,P.H. Region 2 (Post 820201). 92/06/23. 30pp. 62476:024-62476:053.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29.  
Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

## 120 DOCKETED ITEMS

**9207080208** Ack receipt of 920624 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/92-11 & 50-366/92-11 on 920529.  
COLLINS,D.M. Region 2 (Post 820201). 92/07/01. HAIRSTON,W.G. Georgia Power Co. 3pp. 62272:358-62272:360.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207070011** Suppls 920424 ltr containing commitments to comply w/Generic Ltr 89-10 re safety-related motor-operated valve testing & surveillance, per findings in Insp Repts 50-321/92-04 & 50-366/92-04. Exceptions for in situ testing discussed.  
BECKHAM,J.T. Georgia Power Co. 92/07/02. Document Control Branch (Document Control Desk). 3pp. 62262:339-62262:341.

**9207202033** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207280189** Notification of 920807 significant meeting w/util in Baxley, GA to discuss SALP Board assessment.  
SKINNER,P.H. Region 2 (Post 820201). 92/07/13. Region 2 (Post 820201). 3pp. 62489:288-62489:290.

**9207240184** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Fire watch for drywell access room will be performed.  
BECKHAM,J.T. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 6pp. 62528:240-62528:245.

### R. Periodic operating reports & related correspondence

**9207160140** Monthly operating rept for June 1992 for El Hatch Nuclear Plant Units 1 & 2.W/920710 ltr.  
TIDWELL,T.W., BECKHAM,J.T. Georgia Power Co. 92/06/30. 12pp. 62416:294-62416:305.

### S. Reportable occurrences, LERs & related correspondence

**9207160274** LER 92-007-00: on 920612, discovered reactor water cleanup sys leak which resulted in engineered safety actuation. Caused by failed gasket. Leak repaired & gasket replaced.W/920710 ltr.  
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 92/07/10. 5pp. 62480:151-62480:155.

**9207240192** LER 92-008-01: on 920620, RWCU isolation signal was received resulting in Group 5 primary containment isolation sys actuation. Caused by component failure. Components replaced & controller was calibrated satisfactorily.W/920717 ltr.  
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 92/07/17. 5pp. 62520:323-62520:327.

**9207300044** LER 92-009-00: on 920625, personnel inadvertent manipulation of wrong breaker control resulted in automatic reactor scram. Personnel counseled & IRMs will be tested during next refueling outage scheduled for 920916.W/920724 ltr.  
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 92/07/24. 7pp. 62588:108-62588:114.

## DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

### F. Security, medical, emergency & fire protection plans

**9207270279** Forwards REX - 92, "Arkansas Nuclear One Emergency Preparedness Exercise/Exercise Scenario." Exercise objectives listed on encl.  
FISICARO,J.J. Entergy Operations, Inc. 92/03/26. MARTIN,R.D. Region 4 (Post 820201). 23pp. 62531:001-62532:143.

**-9207270283** "Arkansas Nuclear One Emergency Preparedness Exercise, Exercise Scenario."  
\* Entergy Operations, Inc. REX - 92. 92/06/24. 300pp. 62531:025-62532:143.

**9207080142** Update to plant manual, reflecting deletion of Rev 3 to Procedure/Form OP-1905.032, "Multichannel Analyzer Use."  
\* Entergy Operations, Inc. 92/06/24. 1p. 62277:358-62277:358.

**9207070379** Ack receipt of 920423 ltr transmitting Rev 24 to industrial security plan. Confirms that title of Paragraph 1.3.1 from personnel reliability to access authorization will be revised. Remainder of Rev 24 acceptable.  
BEACH,A.B. Region 4 (Post 820201). 92/07/02. CARNS,N.S. Entergy Operations, Inc. 4pp. 62267:335-62267:340.

**9207090027** Forwards insp rept 50-313/92-06 & 50-368/92-06 on 920218-21 & notice of violations. Rept details withheld per 10CFR73.21.  
BEACH,A.B. Region 4 (Post 820201). 92/07/06. CARNS,N.S. Entergy Corp. 6pp. 62309:328-62309:335.

**-9207090036** Notice of violation from insp on 920218-21. Violations noted: on or around 920220, licensee conducted testing of metal detector w/test shape not positioned as required by procedure. Details withheld per 10CFR73.21.  
\* Region 4 (Post 820201). 92/07/06. 2pp. 62309:334-62309:335.

**9207170274** Forwards insp repts 50-313/92-19 & 50-368/92-19 on 920623-26. No violations or deviations noted.  
BEACH,A.B. Region 4 (Post 820201). 92/07/15. CARNS,N.S. Entergy Operations, Inc. 5pp. 62451:345-62451:358.

**-9207170277** Insp repts 50-313/92-19 & 50-368/92-19 on 920623-26. No violations or deviations noted. Major areas inspected: performance & capabilities during an annual exercise of emergency plan & procedures & activities in control room.  
MURRAY,B. Region 4 (Post 820201). 92/07/09. 10pp. 62451:350-62451:359.

**9207280083** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj fire barrier matl not installed in Unit 1.  
FISICARO,J.J. Entergy Operations, Inc. 92/07/24. Document Control Branch (Document Control Desk). 4pp. 62562:106-62562:109.

### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207270136** Forwards Amend 10 to Arkansas Nuclear One Units 1 & 2 Updated SAR. Proprietary Rev 2 to Drawing M-2001, "In-Core Instrument Assembly" of Amend 10 to Arkansas Nuclear One Unit 2 Updated SAR also encl. Drawing withheld.  
FISICARO,J.J. Entergy Operations, Inc. 92/07/22. Document Control Branch (Document Control Desk). 30pp. 62620:001-62636:279.

**-9207270222** Amend 10 to "Arkansas Nuclear One Unit 2 updated SAR."  
\* Entergy Operations, Inc. 92/07/22. 2,300pp. 62625:086-62625:165.

**-9207270226** Chapter 1, "Introduction & General Description of Plant," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 88pp. 62625:166-62625:247.

**-9207270228** Chapter 2, "Site Characteristics," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 175pp. 62625:248-62626:184.

**-9207270231** Chapter 3, "Design of Structures, Components, Equipment & Sys," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 400pp. 62626:185-62628:038.

**-9207270233** Chapter 4, "Reactor," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 226pp. 62628:039-62628:256.

**-9207270237** Chapter 4A, "Cycle 9 Reload Analysis Rept," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 66pp. 62628:257-62628:322.

**-9207270239** Chapter 5, "Reactor Coolant Sys," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 150pp. 62628:323-62629:152.

**-9207270241** Chapter 6, "Engineered Safety Features," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 250pp. 62629:153-62630:118.

**-9207270244** Chapter 7, "Instrumentation & Controls," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 600pp. 62630:119-62632:048.

**-9207270248** Chapter 8, "Electric Power," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 350pp. 62632:049-62632:328.

**-9207270250** Chapter 9, "Auxiliary Systems," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 750pp. 62632:329-62634:179.

**-9207270251** Chapter 10, "Steam & Power Conversion Sys," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 300pp. 62634:180-62634:355.

**-9207270253** Chapter 11, "Radwaste Mgt," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 210pp. 62634:356-62635:188.

**-9207270254** Chapter 12, "Radiation Protection," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 58pp. 62635:189-62635:245.

**-9207270256** Chapter 13, "Conduct of Operations," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 22pp. 62635:246-62635:267.

**-9207270259** Chapter 14, "Initial Tests & Operation," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 200pp. 62635:268-62636:059.

**-9207270261** Chapter 15, "Accident Analysis," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 175pp. 62636:060-62636:273.

**-9207270266** Chapter 16, "TS," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 3pp. 62636:274-62636:276.

**-9207270268** Chapter 17, "Quality Assurance," to Arkansas Nuclear One unit 2 updated SAR.  
\* Entergy Operations, Inc. 92/07/22. 3pp. 62636:277-62636:279.

### P. Operating license stage documents & correspondence

**9207080007** Requests deferral of 911220 application for amend to License NPF-6, changing TS 3.4.2 re Mode 4 overpressure protection until NRC approves low power overprotection spec.  
FISICARO,J.J. Entergy Operations, Inc. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62277:059-62277:060.

**9207060186** Forwards Rev 0 to A-MECH-ER-005, "Response to NRC Generic Ltr 92-01 for Arkansas Nuclear One - Unit 2," prepared by C-E.  
FISICARO,J.J. Entergy Operations, Inc. 92/07/01. Document Control Branch (Document Control Desk). 13pp. 62251:061-62251:073.

**-9207060187** "Response to NRC Generic Ltr 92-01 for Arkansas Nuclear One - Unit 2."  
\* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). A-MECH-ER-005 R00. 92/06/23. 10pp. 62251:064-62251:073.

**9207150285** Notification of 920716 meeting w/util in Rockville, MD re engineering challenges & initiatives at facilities.  
ALEXION, T.W. Project Directorate IV-1. 92/07/07. LARKINS, J.T. Project Directorate IV-1. 7pp. 62378:260-62378:266.

**9207140240** Application for amend to License NPF-6, changing TS Table 2.2-1 re reactor protective instrumentation trip setpoint limits & 3.3-4 re ESFAS instrumentation trip values.  
CARNS, N.S. Entergy Operations, Inc. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62380:276-62380:289.

**-9207140241** Proposed TS Tables 2.2-1 re reactor protective instrumentation trip setpoint limits & 3.3-4 re ESFAS instrumentation trip values.  
\* Entergy Operations, Inc. 92/07/09. 11pp. 62380:279-62380:289.

**9207150020** Application for amend to License NPF-6, changing TS to revise containment internal pressure, average air temp & relative humidity limits in TS Figure 3.6-1 & bases & reduce linear heat rate limit in TS Figure 3.2-1.  
CARNS, N.S. Entergy Operations, Inc. 92/07/09. Document Control Branch (Document Control Desk). 9pp. 62395:212-62395:224.

**-9207150022** Proposed TS Figure 3.6-1 re containment internal pressure, average air temp & relative humidity limits & TS Figure 3.2-1 re linear heat rate limit.  
\* Entergy Operations, Inc. 92/07/09. 4pp. 62395:221-62395:224.

**9207210218** Notification of 920723 meeting w/util in Rockville, MD to discuss status of current licensing actions & activities of plants.  
ALEXION, T.W. Project Directorate IV-1. 92/07/16. LARKINS, J.T. Project Directorate IV-1. 3pp. 62438:263-62438:265.

**9207280058** Informs that, per 10CFR50.71 & 10CFR50.59(a)(3), Amend 10 to Arkansas Nuclear One Units 1 & 2 & Rev 15 to QA Manual Operations shipped under cover ltr dtd 920722 (1CAN079204, 2CAN079210 & 0CAN079210).  
MILHOAN, J.L. Entergy Operations, Inc. 92/07/22. Document Control Branch (Document Control Desk). 3pp. 62568:353-62568:355.

**9207280139** Forwards Rev 15 to Arkansas Nuclear One "QAM Operations," per 10CFR50.54(a)(3) & 10CFR50.71(e).  
FISICARO, J.J. Entergy Operations, Inc. 92/07/22. Document Control Branch (Document Control Desk). 5pp. 62535:022-62535:253.

**-9207280146** Rev 15 to Arkansas Nuclear One "QAM Operations."  
\* Entergy Operations, Inc. 92/07/22. 150pp. 62535:027-62535:253.

**9207280262** Application for amend to License NPF-6, revising TS 2.1.1 bases, Section 3.2.8 & bases & Tables 2.2-1 & 3.3-4 to increase allowable pressurizer pressure range & lower low pressurizer setpoint for reactor trip & SI.  
CARNS, N.S. Entergy Operations, Inc. 92/07/22. Document Control Branch (Document Control Desk). 21pp. 62566:300-62566:329.

**-9207280266** Proposed TS Table 2.2-1 re reactor protective instrumentation trip setpoint limits, 2.1 bases re safety limits & limiting safety settings & Table 3.3-4 re ESFAS instrumentation trip values.  
\* Entergy Operations, Inc. 92/07/22. 9pp. 62566:321-62566:329.

**9207300228** Application for amend to License NPF-6, revising surveillance requirements for SG tubing, Tech Spec 4.4.5. Details of sleeve qualification discussed in encl Rept CEN-601-P, Rev 01-P, "ANO Unit 2..." Rept withheld (ref 10CFR2.790).  
CARNS, N.S. Entergy Operations, Inc. 92/07/22. Document Control Branch (Document Control Desk). 15pp. 62584:235-62584:253.

**-9207300231** Proposed tech specs re steam generator tube sleeving.  
\* Entergy Operations, Inc. 92/07/22. 4pp. 62584:250-62584:253.

**9207300246** Forwards Rev 0 to Calculation 92-E-0065-01, "ANO Unit 2 Degraded Voltage Study for Startup 2," per NRC 920505 RAI re acceptability of 161 kV sys, per GDC 17 & 5 requirements.  
FISICARO, J.J. Entergy Operations, Inc. 92/07/24. Document Control Branch (Document Control Desk). 2pp. 62591:001-62592:064.

**-9207300254** "ANO Unit 2 Degraded Voltage Study for Startup 2."  
WILLIAMS, B., HOTZ, J. Entergy Operations, Inc. 92-E-0065-01 R00. 92/07/24. 300pp. 62591:003-62592:064.

**9207300337** Responds to 920514 ltr providing supplemental response to 911121 ltr re alleged discrimination against former contract employee for having engaged in protected activities.  
MILHOAN, J.L. Region 4 (Post 820201). 92/07/27. CARNS, N.S. Entergy Operations, Inc. 4pp. 62528:022-62528:025.

#### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207080252** Forwards insp repts 50-313/92-16 & 50-368/92-16 on 920518-0605 & notice of violation.  
BEACH, A.B. Region 4 (Post 820201). 92/07/02. CARNS, N.S. Entergy Operations, Inc. 5pp. 62276:048-62276:087.

**-9207080254** Notice of violation from insp on 920518-0605. Violation noted: certain relay test procedures were not properly maintained, including testing of undervoltage blocking relay.  
\* Region 4 (Post 820201). 92/07/02. 2pp. 62276:054-62276:055.

**-9207080255** Insp repts 50-313/92-16 & 50-368/92-16 on 920518-0605. No violations noted. Major areas inspected: electrical distribution sys, functional design & capabilities of electrical distribution sys.  
STETKA, T.F., WAGNER, P.C. Region 4 (Post 820201). 92/07/01. 32pp. 62276:056-62276:087.

**9207090027** Forwards insp rept 50-313/92-06 & 50-368/92-06 on 920218-21 & notice of violations. Rept details withheld per 10CFR73.21.  
BEACH, A.B. Region 4 (Post 820201). 92/07/06. CARNS, N.S. Entergy Corp. 6pp. 62309:328-62309:335.

**-9207090036** Notice of violation from insp on 920218-21. Violations noted: on or around 920220, licensee conducted testing of metal detector w/test shape not positioned as required by procedure. Details withheld per 10CFR73.21.  
\* Region 4 (Post 820201). 92/07/06. 2pp. 62309:334-62309:335.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207200017** Forwards Operator Licensing Requalification Exam Rept 50-368/OL-92-01 administered during wks of 920601 & 08.  
BEACH, A.B. Region 4 (Post 820201). 92/07/14. CARNS, N.S. Entergy Operations, Inc. 3pp. 62447:274-62447:284.

**-9207200019** Operator Licensing Requalification Exam Rept 50-368/OL-92-01 administered during wks of 920601 & 08. Exam results: 9 of 10 senior reactor operators & all 6 reactor operators passed exam. Operator actions synergistic.  
PELLETT, J.L. Region 4 (Post 820201). 92/07/10. 8pp. 62447:277-62447:284.

**9207220268** "Arkansas Nuclear One, Unit 2 SG Tubing Inservice Insp Rept, Mar 1992 Forced Outage (2F92-1)."  
FISICARO, J.J. Entergy Operations, Inc. 92/07/14. Document Control Branch (Document Control Desk). 17pp. 62457:317-62457:333.

**9207170274** Forwards insp repts 50-313/92-19 & 50-368/92-19 on 920623-26. No violations or deviations noted.  
BEACH, A.B. Region 4 (Post 820201). 92/07/15. CARNS, N.S. Entergy Operations, Inc. 5pp. 62451:345-62451:359.

**-9207170277** Insp repts 50-313/92-19 & 50-368/92-19 on 920623-26. No violations or deviations noted. Major areas inspected: performance & capabilities during an annual exercise of emergency plan & procedures & activities in control room.  
MURRAY, B. Region 4 (Post 820201). 92/07/09. 10pp. 62451:350-62451:359.

**9207210059** Forwards insp rept 50-313/92-09 & 50-368/92-09 on 920510-0620 & notice of violation.  
BEACH, A.B. Region 4 (Post 820201). 92/07/16. CARNS, N.S. Entergy Operations, Inc. 3pp. 62419:326-62419:350.

**-9207210069** Notice of violation from insp on 920510-0620. Violation noted: diverse emergency feedwater actuation sys will likely not actuate during ATWS.  
\* Region 4 (Post 820201). 92/07/16. 1p. 62419:329-62419:329.

**-9207210076** Insp repts 50-313/92-09 & 50-368/92-09 on 920510-0620. No violations noted. Major areas inspected: monthly maint observation, bimonthly surveillance observation, operational safety verification & onsite followup of LERs.  
JOHNSON, W.D. Region 4 (Post 820201). 92/07/13. 20pp. 62419:330-62419:350.

**9207260052** Forwards insp repts 50-313/92-20 & 50-368/92-20 on 920608-12 & notice of violation.  
BEACH, A.B. Region 4 (Post 820201). 92/07/22. CARNS, N.S. Entergy Operations, Inc. 5pp. 62497:011-62497:035.

**-9207280072** Insp repts 50-313/92-20 & 50-368/92-20 on 920608-12. Violations noted. Major areas inspected: sys entry retest in areas of mods, temporary mods & maint activities.  
GAGLIARDO, J.E. Region 4 (Post 820201). 92/07/20. 15pp. 62497:018-62497:035.

**9207280083** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj fire barrier matl not installed in Unit 1.  
FISICARO, J.J. Entergy Operations, Inc. 92/07/24. Document Control Branch (Document Control Desk). 4pp. 62562:106-62562:109.

#### R. Periodic operating reports & related correspondence

**9207210092** Monthly operating rept for June 1992 for ANO, Unit 2.W/920715 ltr.  
WHITT, M.S., FISICARO, J.J. Entergy Operations, Inc. 92/06/30. 7pp. 62471:283-62471:289.

#### V. Operator Examinations

**9207200017** Forwards Operator Licensing Requalification Exam Rept 50-368/OL-92-01 administered during wks of 920601 & 08.  
BEACH, A.B. Region 4 (Post 820201). 92/07/14. CARNS, N.S. Entergy Operations, Inc. 3pp. 62447:274-62447:284.

**-9207200019** Operator Licensing Requalification Exam Rept 50-368/OL-92-01 administered during wks of 920601 & 08. Exam results: 9 of 10 senior reactor operators & all 6 reactor operators passed exam. Operator actions synergistic.  
PELLETT, J.L. Region 4 (Post 820201). 92/07/10. 8pp. 62447:277-62447:284.

#### DOCKET 50-368 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9207010339** Forwards public version of EIP RP/0/A/5700/02, "Alert." W/920625 release memo.  
MCMEKIN, T.C. Duke Power Co. 92/06/02. Document Control Branch (Document Control Desk). 3pp. 62183:043-62183:059.

## 122 DOCKETED ITEMS

-9207010344 Public version of EPIP RP/O/A/5700/02, "Alert."  
MICHAEL,R.P. Duke Power Co. 92/06/02. 15pp. 62183:046-62183:059.

92071010292 Forwards Rev 46 to physical security plan, reflecting replacement of offsite LLEA communications equipment & implementation of containment access area for Unit 2. Rev withheld (ref 10CFR73.21).  
MCMEEKIN,T.C. Duke Power Co. 92/06/26. Document Control Branch (Document Control Desk). 2pp. 62425:351-62425:352.

9207140132 Forwards insp repts 50-369/92-16 & 50-370/92-16 on 920608-12.No violations or deviations noted.  
CLINE,W.E. Region 2 (Post 820201). 92/06/29. MCMEEKIN,T.C. Duke Power Co. 3pp. 62338:091-62338:109.

-9207140139 Insp repts 50-369/92-16 & 50-370/92-16 on 920608-12.No violations noted.Major areas inspected:environ monitoring, radiological effluents,meteorological instrumentation & confirmatory measurements.  
JONES,D.W., MCNEILL,N.G., DECKER,T.R. Region 2 (Post 820201). 92/06/26. 16pp. 62338:094-62338:109.

9207310034 Forwards public version of EPIP Station Directive 3.8.1, Rev 24, "Site Assembly/Accountability & Evacuation/ Containment Evacuation."  
MCMEEKIN,T.C. Duke Power Co. 92/07/07. Document Control Branch (Document Control Desk). 2pp. 62580:261-62580:284.

-9207310037 Public version of EPIP Station Directive 3.8.1,Rev 24, "Site Assembly/Accountability & Evaluation/Containment Evacuation."  
GILBERT,G. Duke Power Co. 92/07/07. 21pp. 62580:264-62580:284.

9207270157 Forwards Rev 14 to training & qualification plan,changing retention period for screening records,consolidating commitments re background investigations & adding ref to util access program.Rev withheld.  
MCMEEKIN,T.C. Duke Power Co. 92/07/20. Document Control Branch (Document Control Desk). 2pp. 62528:160-62528:161.

9207270234 Ack receipt of 920626 ltr transmitting Rev 46 to physical security plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.  
COLLINS,D.M. Region 2 (Post 820201). 92/07/21. MCMEEKIN,T.C. Duke Power Co. 3pp. 62528:189-62528:191.

### H. General correspondence

9207160093 Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.8,task DG-1021.Opposes rule.  
TUCKER,H.B. Duke Power Co. 92/07/06. Docketing & Services Branch. 4pp. 62375:112-62375:115.

### P. Operating license stage documents & correspondence

9207020018 Summary of 920609 meeting w/util re schedule for NRC review of DPC topical repts planned to be submitted in next several years.List of attendees & DPC handouts encl.  
REED,T.A. Project Directorate II-3. 92/06/25. Project Directorate II-3. 13pp. 62183:333-62183:345.

9207080050 Forwards response to NRC 920421 request for addl info re proposed resolution of Generic Issue 130, "Essential Svc Water Sys Failures at Multi-Unit Sites," as part of response to Generic Ltr 88-20 re individual plant exams.  
MCMEEKIN,T.C. Duke Power Co. 92/06/30. Document Control Branch (Document Control Desk). 12pp. 62269:186-62269:197.

9207140190 Forwards request for clarification of util changes for Topical Rept (Duke-1-A), "QA Program".  
JULIAN,C.A. Region 2 (Post 820201). 92/06/30. TUCKER,H.B. Duke Power Co. 6pp. 62311:230-62311:235.

9207080099 Responds to NRC GL 92-01 re compliance w/regulatory program to maintain structural integrity of reactor vessels.  
TUCKER,H.B. Duke Power Co. 92/07/03. Document Control Branch (Document Control Desk). 69pp. 62335:100-62335:169.

9207130132 Notification of 920728 meeting w/util in Huntersville,NC to discuss questions & concerns w/util TS submittal re surveillance testing of EDG.  
REED,T.A. Project Directorate II-3. 92/07/07. MATTHEWS,D.B. Project Directorate II-3. 4pp. 62313:344-62313:347.

9207200340 Summary of 920618 meeting w/util re seismic stops pilot program.Attendance list & handouts encl.  
REED,T.A. Project Directorate II-3. 92/07/07. Project Directorate II-3. 44pp. 62427:215-62427:259.

9207200223 Forwards listing & projected schedule for completion & submittal of new topical repts requiring NRC approval by util.Replacement SG design selected for McGuire Units 1 & 2 & Catawba Unit 1.  
TUCKER,H.B. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62450:360-62450:361.

9207270320 Forwards request for relief from ASME Code for recording stroke test data requirements for Category A & B valves located on control air headers for DG.Valves will be removed during planned mod.  
MCMEEKIN,T.C. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 5pp. 62527:357-62527:361.

9207220398 Informs that 920227 response meets recommendations of Generic Ltr 91-13, "Request for Info re Resolution of Generic Issue 130,Essential Svc Water Sys Failures at Multi-Unit Sites."  
REED,T.A. Project Directorate II-3. 92/07/15. MCMEEKIN,T.C. Duke Power Co. 4pp. 62443:318-62443:322.

9207300085 Forwards rewrite of Amend 15 to Duke Power Co Topical Rept DUKE-1-A, "QA Program." Amend supersedes submittal transmitted on 920422.  
PRIORY,R.B. Duke Power Co. 92/07/20. Document Control Branch (Document Control Desk). 4pp. 62592:256-62592:315.

-9207300252 Rewrite of Amend 15 to Duke-1-A. "QA Program," Section 17.0 & 17.3,responding to 920630 request for clarification. Amend 15 supersedes submittal transmitted on 920422.  
\* Duke Power Co. 92/07/20. 55pp. 62592:260-62592:315.

### Q. Inspection reports, IE Bulletins & correspondence

9207270025 Discusses insp repts 50-369/92-13 & 50-370/92-13 on 920419- 0516 & forwards notice of violation.NRC concerned about implementation of design control process that permitted violation to occur.W/920608 enforcement conference handouts.  
REYES,L.A. Region 2 (Post 820201). 92/06/12. MCMEEKIN,T.C. Duke Power Co. 4pp. 62475:066-62475:094.

-9207270032 Notice of violation from insp on 920419-0516.Violation noted:measures not effective to assure that applicable regulatory requirements & design basis for structures,sys & components correctly translated into specs & drawings.  
\* Region 2 (Post 820201). 92/06/12. 25pp. 62475:070-62475:094.

9207010277 Ack receipt of 920601 response to violations noted in Insp Repts 50-369/92-05 & 50-370/92-05.Response acceptable.  
JULIAN,C.A. Region 2 (Post 820201). 92/06/18. TUCKMAN,M.S. Duke Power Co. 3pp. 62230:277-62230:279.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207140071 Discusses insp repts 50-369/92-02 & 50-370/92-02 on 920224- 0306 & forwards notice of violation.  
GIBSON,A.F. Region 1 (Post 820201). 92/06/29. MCMEEKIN,T.C. Duke Power Co. 4pp. 62299:189-62299:206.

-9207140079 Notice of violation from insp on 920224-0306.Violation noted:ultrasonic indication in item B02.011.001 was evaluated to acceptance stds of code edition w/o approval of NRC.  
\* Region 1 (Post 820201). 92/06/29. 1p. 62299:193-62299:193.

-9207140085 Insp repts 50-369/92-02 & 50-370/92-02 on 920224-0306. Violations noted.Major areas inspected:areas from main steam,chemical vol control,safety injection,main steam vent & auxiliary steam sys.  
HARRIS,R.H., PETERSON,P.M., MODES,M.C. Region 1 (Post 820201). 92/06/02. 13pp. 62299:194-62299:206.

9207140132 Forwards insp repts 50-369/92-16 & 50-370/92-16 on 920608-12.No violations or deviations noted.  
CLINE,W.E. Region 2 (Post 820201). 92/06/29. MCMEEKIN,T.C. Duke Power Co. 3pp. 62338:091-62338:109.

-9207140139 Insp repts 50-369/92-16 & 50-370/92-16 on 920608-12.No violations noted.Major areas inspected:environ monitoring, radiological effluents,meteorological instrumentation & confirmatory measurements.  
JONES,D.W., MCNEILL,N.G., DECKER,T.R. Region 2 (Post 820201). 92/06/26. 16pp. 62338:094-62338:109.

9207140027 Ack receipt of 920617 ltr informing NRC of steps taken to correct violations noted in insp repts 50-369/92-08 & 50-370/92-08.  
HERDT,A.R. Region 2 (Post 820201). 92/07/01. MCMEEKIN,T.C. Duke Power Co. 2pp. 62298:242-62298:243.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207270100 Forwards insp repts 50-369/92-14 & 50-370/92-14 on 920511-15,26-29 & 0609-12.No violations or deviations noted.  
JULIAN,C.A. Region 2 (Post 820201). 92/07/02. MCMEEKIN,T.C. Duke Power Co. 3pp. 62478:001-62478:018.

-9207270106 Insp repts 50-369/92-14 & 50-370/92-14 on 920511-15,26-29 & 0609-12.No violations or deviations noted.Major areas inspected:EC exam of Unit 1 SG tubes & assure that data analysis & resolution guidelines have adequate conservatism.  
ECONOMOS,N., BLAKE,J.J. Region 2 (Post 820201). 92/07/01. 15pp. 62476:004-62476:018.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207200298 Responds to NRC ltr re violations noted in insp repts 50-369/92-13 & 50-370/92-13.Corrective actions:periodic venting was established at affected locations & 1CA-161C was conservatively closed to assure unit 1 CA operability.  
MCMEEKIN,T.C. Duke Power Co. 92/07/10. Document Control Branch (Document Control Desk). 3pp. 62451:301-62451:303.

9207280372 Notification of 920923 meeting w/util in Rockville,MD to discuss results of recent steam generator insps,pulled tube exams,crack growth rate prediction & future plans for steam generators.  
REED,T.A. Project Directorate II-3. 92/07/21. MATTHEWS,D.B. Project Directorate II-3. 5pp. 62530:305-62530:308.

**R. Periodic operating reports & related correspondence**

**9207210093** Forwards monthly operating reports for June 1992 for McGuire Nuclear Station Units 1 & 2 & monthly operating status report for May 1992. MCCRAW, E.O. Duke Power Co. 92/07/15. Document Control Branch (Document Control Desk). 2pp. 62471:270-62471:282.

—**9207210097** Monthly operating reports for June 1992 for McGuire Nuclear Station Units 1 & 2. WILLIAMS, R.A., SIMMONS, N.C. Duke Power Co. 92/06/30. 10pp. 62471:272-62471:281.

—**9207210107** Revised monthly operating reports for May 1992 for McGuire Nuclear Station Units 1 & 2.  
\* Duke Power Co. 92/05/31. 1p. 62471:282-62471:282.

**S. Reportable occurrences, LERs & related correspondence**

**9207200189** LER 91-070-01: on 910520, discovered that Train B of RHR sys had been inoperable for more than 72 h w/o knowledge of Operations CR personnel due to inappropriate actions. Station Directive 3.1.5 to be revised. W/920713 ltr. PEDERSEN, T.L., MCMECKIN, T.C. Duke Power Co. 91/06/18. 12pp. 62480:291-62480:302.

**9207070006** LER 92-007-01: on 920506, ESF actuation occurred while control room personnel performing wet layout evolution on SG 1D. Caused by defective procedure & inappropriate personnel action. Procedure revised. W/920724 ltr. PEDERSEN, T.L., MCMECKIN, T.C. Duke Power Co. 92/06/05. 9pp. 62292:143-62292:151.

**9207130121** In-Plant Review Rept 92-09: on 920619, setpoint problems noted w/TS & selected licensee commitment values for listed field data. Caused by discrepancies w/ groundwater level monitoring portion of WZ sys. TS monitor logged in Unit 2 logbook. MCMECKIN, T.C. Duke Power Co. 92/07/03. Document Control Branch (Document Control Desk). 9pp. 62366:326-62366:334.

**9207220118** Special report for Inplant Review 92-10: on 920610 no mention made on work list of vent path through SG 1B for incoming SG crews. Caused by deficient communication. Turnover sheet established to document existing vent path status. MCMECKIN, T.C. Duke Power Co. 92/07/13. Document Control Branch (Document Control Desk). 10pp. 62473:330-62473:339.

**9207310108** LER 92-008-00: on 920625, reactor trip occurred, due to removal of solid state protection sys fuse. Caused by inappropriate action & mgt deficiency. Frequency of preventive maint increased. W/920725 ltr. PEDERSEN, T.L., MCMECKIN, T.C. Duke Power Co. 92/07/25. 9pp. 62683:182-62683:190.

**DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2****F. Security, medical, emergency & fire protection plans**

**9207010339** Forwards public version of EPIP RP/O/A/5700/02, "Alert." W/920625 release memo. MCMECKIN, T.C. Duke Power Co. 92/06/02. Document Control Branch (Document Control Desk). 3pp. 62183:043-62183:059.

—**9207010344** Public version of EPIP RP/O/A/5700/02, "Alert."  
MICHAEL, R.P. Duke Power Co. 92/06/02. 15pp. 62183:046-62183:059.

**9207010292** Forwards Rev 46 to physical security plan, reflecting replacement of offsite LLEA communications equipment & implementation of containment access area for Unit 2. Rev withheld (ref 10CFR73.21). MCMECKIN, T.C. Duke Power Co. 92/06/26. Document Control Branch (Document Control Desk). 2pp. 62425:351-62425:352.

**9207140132** Forwards insp reports 50-369/92-16 & 50-370/92-16 on 920608-12. No violations or deviations noted. CLINE, W.E. Region 2 (Post 820201). 92/06/29. MCMECKIN, T.C. Duke Power Co. 3pp. 62338:091-62338:109.

—**9207140139** Insp reports 50-369/92-16 & 50-370/92-16 on 920608-12. No violations noted. Major areas inspected: environ monitoring, radiological effluents, meteorological instrumentation & confirmatory measurements. JONES, D.W. Region 2 (Post 820201). 92/06/26. 16pp. 62338:094-62338:109.

**9207310034** Forwards public version of EPIP Station Directive 3.8.1, Rev 24, "Site Assembly/Accountability & Evacuation/ Containment Evacuation." W/920724 release memo. MCMECKIN, T.C. Duke Power Co. 92/07/07. Document Control Branch (Document Control Desk). 2pp. 62580:261-62580:284.

—**9207310037** Public version of EPIP Station Directive 3.8.1, Rev 24, "Site Assembly/Accountability & Evaluation/Containment Evacuation."  
GILBERT, G. Duke Power Co. 92/07/07. 21pp. 62580:264-62580:284.

**9207270157** Forwards Rev 14 to training & qualification plan, changing retention period for screening records, consolidating commitments re background investigations & adding ref to util access program. Rev withheld. MCMECKIN, T.C. Duke Power Co. 92/07/20. Document Control Branch (Document Control Desk). 2pp. 62528:160-62528:161.

**9207270234** Ack receipt of 920626 ltr transmitting Rev 46 to physical security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan. COLLINS, D.M. Region 2 (Post 820201). 92/07/21. MCMECKIN, T.C. Duke Power Co. 3pp. 62528:189-62528:191.

**H. General correspondence**

**9207160093** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule. TUCKER, H.B. Duke Power Co. 92/07/06. Docketing & Services Branch. 4pp. 62375:112-62375:115.

**P. Operating license stage documents & correspondence**

**9207020018** Summary of 920609 meeting w/util re schedule for NRC review of DPC topical reports planned to be submitted in next several years. List of attendees & DPC handouts encl. REED, T.A. Project Directorate II-3. 92/06/25. Project Directorate II-3. 13pp. 62183:333-62183:345.

**9207080050** Forwards response to NRC 920421 request for addl info re proposed resolution of Generic Issue 130, "Essential Svc Water Sys Failures at Multi-Unit Sites," as part of response to Generic Ltr 88-20 re individual plant exams. MCMECKIN, T.C. Duke Power Co. 92/06/30. Document Control Branch (Document Control Desk). 12pp. 62269:186-62269:197.

**9207140190** Forwards request for clarification of util changes for Topical Rept (Duke-1-A), "QA Program". JULIAN, C.A. Region 2 (Post 820201). 92/06/30. TUCKER, H.B. Duke Power Co. 6pp. 62311:230-62311:235.

**9207080099** Responds to NRC GL 92-01 re compliance w/regulatory program to maintain structural integrity of reactor vessels. TUCKER, H.B. Duke Power Co. 92/07/03. Document Control Branch (Document Control Desk). 6pp. 62335:100-62335:169.

**9207130132** Notification of 920728 meeting w/util in Huntersville, NC to discuss questions & concerns w/util TS submittal re surveillance testing of EDG. REED, T.A. Project Directorate II-3. 92/07/07. MATTHEWS, D.B. Project Directorate II-3. 4pp. 62313:344-62313:347.

**9207200340** Summary of 920618 meeting w/util re seismic stops pilot program. Attendance list & handouts encl. REED, T.A. Project Directorate II-3. 92/07/07. Project Directorate II-3. 44pp. 62427:215-62427:259.

**9207200223** Forwards listing & projected schedule for completion & submittal of new topical reports requiring NRC approval by util. Replacement SG design selected for McGuire Units 1 & 2 & Catawba Unit 1. TUCKER, H.B. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62450:360-62450:361.

**9207270320** Forwards request for relief from ASME Code for recording stroke test data requirements for Category A & B valves located on control air headers for DG Valves will be removed during planned mod. MCMECKIN, T.C. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 5pp. 62527:357-62527:361.

**9207220396** Informs that 920227 response meets recommendations of Generic Ltr 91-13, "Request for Info re Resolution of Generic Issue 130, Essential Svc Water Sys Failures at Multi-Unit Sites." REED, T.A. Project Directorate II-3. 92/07/15. MCMECKIN, T.C. Duke Power Co. 4pp. 62443:319-62443:322.

**9207300085** Forwards rewrite of Amend 15 to Duke Power Co Topical Rept DUKE-1-A, "QA Program." Amend supercedes submittal transmitted on 920422. PRIORY, R.B. Duke Power Co. 92/07/20. Document Control Branch (Document Control Desk). 4pp. 62592:256-62592:315.

—**9207300252** Rewrite of Amend 15 to Duke-1-A, "QA Program," Section 17.0 & 17.3, responding to 920630 request for clarification. Amend 15 supercedes submittal transmitted on 920422.  
\* Duke Power Co. 92/07/20. 55pp. 62592:260-62592:315.

**Q. Inspection reports, IE Bulletins & correspondence**

**9207270025** Discusses insp reports 50-369/92-13 & 50-370/92-13 on 920419-0516 & forwards notice of violation. NRC concerned about implementation of design control process that permitted violation to occur. W/920608 enforcement conference handouts. REYES, L.A. Region 2 (Post 820201). 92/06/12. MCMECKIN, T.C. Duke Power Co. 4pp. 62475:066-62475:094.

—**9207270032** Notice of violation from insp on 920419-0516. Violation noted: measures not effective to assure that applicable regulatory requirements & design basis for structures, sys & components correctly translated into specs & drawings.  
\* Region 2 (Post 820201). 92/06/12. 25pp. 62475:070-62475:094.

**9207010277** Ack receipt of 920601 response to violations noted in Insp Repts 50-369/92-05 & 50-370/92-05. Response acceptable. JULIAN, C.A. Region 2 (Post 820201). 92/06/18. TUCKMAN, M.S. Duke Power Co. 3pp. 62230:277-62230:279.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207140071** Discusses insp reports 50-369/92-02 & 50-370/92-02 on 920224-0306 & forwards notice of violation. GIBSON, A.F. Region 1 (Post 820201). 92/06/29. MCMECKIN, T.C. Duke Power Co. 4pp. 62299:189-62299:206.

—**9207140079** Notice of violation from insp on 920224-0306. Violation noted: ultrasonic indication in item B02.011.001 was evaluated to acceptance stds of code edition w/o approval of NRC.  
\* Region 1 (Post 820201). 92/06/29. 1p. 62299:193-62299:193.

—**9207140085** Insp reports 50-369/92-02 & 50-370/92-02 on 920224-0306. Violations noted. Major areas inspected: areas from main steam, chemical vol control, safety injection, main steam vent & auxiliary steam sys. HARRIS, R.H., PETERSON, P.M., MODES, M.C. Region 1 (Post 820201). 92/06/02. 13pp. 62299:194-62299:206.

## 124 DOCKETED ITEMS

**9207140132** Forwards insp repts 50-369/92-16 & 50-370/92-16 on 920608-12. No violations or deviations noted.  
CLINE, W.E. Region 2 (Post 820201). 92/06/29. MCMEKIN, T.C. Duke Power Co. 3pp. 62338:091-62338:109.

**-9207140139** Insp repts 50-369/92-16 & 50-370/92-16 on 920608-12. No violations noted. Major areas inspected: environ monitoring, radiological effluents, meteorological instrumentation & confirmatory measurements.  
JONES, D.W., MCNEILL, N.G., DECKER, T.R. Region 2 (Post 820201). 92/06/26. 16pp. 62338:094-62338:109.

**9207140027** Ack receipt of 920617 ltr informing NRC of steps taken to correct violations noted. Major areas inspected: environ monitoring, radiological effluents, meteorological instrumentation & confirmatory measurements.  
HERDT, A.R. Region 2 (Post 820201). 92/07/01. MCMEKIN, T.C. Duke Power Co. 2pp. 62298:242-62298:243.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207270100** Forwards insp repts 50-369/92-14 & 50-370/92-14 on 920511-15, 26-29 & 0609-12. No violations or deviations noted.  
JULIAN, C.A. Region 2 (Post 820201). 92/07/02. MCMEKIN, T.C. Duke Power Co. 3pp. 62476:001-62476:018.

**-9207270106** Insp repts 50-369/92-14 & 50-370/92-14 on 920511-15, 26-29 & 0609-12. No violations or deviations noted. Major areas inspected: EC exam of Unit 1 SG tubes & assure that data analysis & resolution guidelines have adequate conservatism.  
ECONOMOS, N., BLAKE, J.J. Region 2 (Post 820201). 92/07/01. 15pp. 62476:004-62476:018.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207200296** Responds to NRC ltr re violations noted in insp repts 50-369/92-13 & 50-370/92-13. Corrective actions: periodic venting was established at affected locations & 1CA-161C was conservatively closed to assure unit 1 CA operability.  
MCMEKIN, T.C. Duke Power Co. 92/07/10. Document Control Branch (Document Control Desk). 3pp. 62451:301-62451:303.

**9207280372** Notification of 920923 meeting w/util in Rockville, MD to discuss results of recent steam generator insps, pulled tube exams, crack growth rate prediction & future plans for steam generators.  
REED, T.A. Project Directorate II-3. 92/07/21. MATTHEWS, D.B. Project Directorate II-3. 5pp. 62530:305-62530:309.

### R. Periodic operating reports & related correspondence

**9207210093** Forwards monthly operating repts for June 1992 for McGuire Nuclear Station Units 1 & 2 & monthly operating status rpt for May 1992.  
MCCRAW, E.O. Duke Power Co. 92/07/15. Document Control Branch (Document Control Desk). 2pp. 62471:270-62471:282.

**-9207210097** Monthly operating repts for June 1992 for McGuire Nuclear Station Units 1 & 2.  
WILLIAMS, R.A., SIMMONS, N.C. Duke Power Co. 92/06/30. 10pp. 62471:272-62471:281.

**-9207210107** Revised monthly operating repts for May 1992 for McGuire Nuclear Station Units 1 & 2.  
\* Duke Power Co. 92/05/31. 1p. 62471:282-62471:282.

### S. Reportable occurrences, LERs & related correspondence

**9207080055** LER 92-008-00: on 920622, valve 2NC-36 (pressurizer PORV) failed to stroke during valve stroke timing test. Caused by valve mispositioned in closed position. Subj will be covered in operations requalification classes. W/920703 ltr.  
PEDERSEN, T.L., MCMEKIN, T.C. Duke Power Co. 92/07/03. 2pp. 62293:045-62293:046.

**9207130121** In-Plant Review Rept 92-09: on 920619, setpoint problems noted w/TS & selected licensee commitment values for listed field data. Caused by discrepancies w/ groundwater level monitoring portion of WZ sys. TS monitor logged in Unit 2 logbook.  
MCMEKIN, T.C. Duke Power Co. 92/07/03. Document Control Branch (Document Control Desk). 9pp. 62366:326-62366:334.

**9207220118** Special rpt for Inplant Review 92-10: on 920610 no mention made on work list of vent path through SG 1B for incoming SG crews. Caused by deficient communication. Turnover sheet established to document existing vent path status.  
MCMEKIN, T.C. Duke Power Co. 92/07/13. Document Control Branch (Document Control Desk). 10pp. 62473:330-62473:339.

**9207280081** LER 92-008-01: on 920522, Valve 2NC-36 declared inoperable because valve failed surveillance test. On 920603, discovered that valve 2V1-1753 closed due to unknown cause. Valve 2V1-1753 opened. W/920717 ltr.  
PEDERSEN, T.L., MCMEKIN, T.C. Duke Power Co. 92/07/17. 9pp. 62562:324-62562:332.

### DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9207020258** Forwards Rev 42 to security plan. Rev withheld (ref 10CFR73.21).  
KOVACH, T.J. Commonwealth Edison Co. 92/06/23. Document Control Branch (Document Control Desk). 1p. 62425:358-62425:358.

**9207080201** Offsite procedures, including Rev 16 to LZF-1110-01, Rev 2 to LZF-1110-2, Rev 4 to LZF-1120-2, Rev 4 to LZF-1210, Rev 0 to LZF-1210-3 & Rev 0 to LZF-1210-4.  
\* Commonwealth Edison Co. 92/06/25. 58pp. 62276:198-62276:254.

**9207140146** Forwards insp repts 50-373/92-09 & 50-374/92-09 on 920623-26. No violations noted.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/02. REED, C. Commonwealth Edison Co. 2pp. 62311:001-62311:025.

**-9207140150** Insp repts 50-373/92-09 & 50-374/92-09 on 920623-26. No violations noted. Major areas inspected: annual EP exercise, including exercise objectives & scenario & evaluation of exercise performance.  
SIMONS, H., LOUDEN, P., MCCORMICK-BARGE Region 3 (Post 820201). 92/07/02. 23pp. 62311:003-62311:025.

**9207170103** Rev 20 to LZF-1310-1, "Notifications."  
\* Commonwealth Edison Co. 92/07/08. 30pp. 62440:273-62440:302.

**9207270311** Ack receipt of 920623 ltr transmitting Rev 42 to security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable except for security plan conflicts re records of access authorization & employment history.  
PEDERSON, C.D. Region 3 (Post 820201). 92/07/15. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62528:193-62528:194.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities. Compensatory measures implemented.  
JACKSON, M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-8805190330** Summary of 860423-24 mgt meeting at Region III ofc re licensee performance, evaluation of plant discussions & fitness for duty. Task assignments & list of attendees encl.  
SNIEZEK, J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 86/05/13. DAVIS, J.G. Office of Nuclear Material Safety & Safeguards. 11pp. 62324:005-62324:015.

**-9207090267** Partially withheld summary of 861021-22 NRC mgt meeting.  
\* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.

**9207140281** Partial response to FOIA request re investigation of Zack Co done by NRC. App E records encl & are being made available in PDR. App D records already available in PDR. App F records withheld in entirety (ref FOIA Exemption 6 & 7).  
GRIMSLEY, D.H. Office of Information Resources Management (Post 890205). 91/10/30. ZACK, C. Zack Co. 26pp. 62383:190-62384:039.

**-9207150100** Forwards reformatted memo requesting OI to initiate investigation into alleged employment discrimination by Zack Co. per 870218 request.  
DAVIS, A.B. Region 3 (Post 820201). 87/03/10. STAROSTECKI, R. NRC - No Detailed Affiliation Given. 1p. 62383:302-62383:302.

**-9207150103** Requests investigation of info received by Region III in May 1982 that alleged employment w/Zack Co was involuntarily terminated after individual notified CPC of deficiencies involving Zack Co work at plants.  
DAVIS, A.B. Region 3 (Post 820201). 87/03/10. PAWLICK, E.T. Region 3 (Post 820201). 2pp. 62383:303-62383:304.

**9207220323** Partial response to FOIA request. App G documents in PDR. App H & I documents being made available in PDR. App J documents withheld (ref FOIA exemptions 5-7). App I documents partially withheld (ref FOIA exemptions 5-7).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. ZACK, C. Zack Co. 9pp. 62455:164-62456:023.

**-9208190047** Forwards NRR rpt re allegations concerning LaSalle HVAC rpt. Results of Region 3 matl test program & Part 21 notification re welder qualification need to be reconciled to declare sys structurally acceptable.  
BOSNAK, R.J. Mechanical Engineering Branch. 82/07/31. NOVAK, T.H. Assistant Director for Licensing. 34pp. 62455:175-62455:211.

**9207020284** Responds to 920212 staff requirements memo re performance of util plants.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. SECY-92-228. 92/06/25. 18pp. 62485:207-62485:224.

**9207070068** Submits supplemental info for 920507 amend to licenses DPR-19, DPR-25, DPR-29, DPR-30, DPR-39, DPR-48, NPF-11, NPF-18, NPF-37, NPF-66, NPF-72 & NPF-77, per NRC request. Revised TS re rev of onsite review of procedures encl.  
SIMPSON, T.W. Commonwealth Edison Co. 92/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 62287:020-62287:089.

**-9207070089** Supplemental proposed tech specs proposing to change administrative controls sections of TS, submitted as supplement to original request w/info necessary to complete review.  
\* Commonwealth Edison Co. 92/07/01. 49pp. 62267:041-62267:089.

**9207090112** Responds to request for addl info to ensure that licensee complies w/10CFR50.60 & 10CFR50.61 regulatory requirements & that they fulfill commitments made in response to generic ltr 88-11.  
JACKSON, M.A. Commonwealth Edison Co. 92/07/01. Document Control Branch (Document Control Desk). 67pp. 62308:267-62308:333.



**9207100124** Forwards FR notice of withdrawal of 890601 application for amends to Licenses NPF-11 & NPF-18, modifying TS re VQ valves. Application withdrawn via 920513 ltr. SIEGEL, B.L. Project Directorate III-2. 92/07/01. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62334:341-62334:344.

**-9207100129** Notice of withdrawal of application for amends to Licenses NPF-11 & NPF-18, modifying TS re VQ valves. SIEGEL, B.L. Project Directorate III-2. 92/07/01. 2pp. 62334:343-62334:344.

**9207150176** Forwards revised TS Figure 4.6.1 re reactivities in storage rack w/4.4% & 4.6% enriched fuel, inadvertently omitted from 920605 application for amend to License NPF-11. SHIELDS, J. Commonwealth Edison Co. 92/07/07. PHILLIPS, C., SIEGEL, B. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 62409:355-62409:356.

**-9207150179** Revised TS Figure 4.6.1 re reactivities in storage rack w/ 4.4% & 4.6% enriched fuel. \* Commonwealth Edison Co. 92/07/07. 1p. 62409:356-62409:356.

**9207300149** Forwards SE accepting until proposed method of coping w/SBO for plant contingent upon satisfactory resolution of recommendations presented. SIEGEL, B.L. Project Directorate III-2. 92/07/17. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62580:349-62580:354.

**-9207300153** Safety evaluation accepting proposed method of coping w/SBO for plant contingent upon satisfactory resolution of recommendations presented. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/17. 4pp. 62580:351-62580:354.

**9207270224** Forwards response to NRC 920713 telcon questions re amend to License NPF-11, changing TS re residual gadolinium, evaluation of reactor bldg crane for compliance w/NUREG-0612 & estimated total expected exposure re rereading mod. SHIELDS, J. Commonwealth Edison Co. 92/07/20. SIEGEL, B., PHILLIPS, C. NRC - No Detailed Affiliation Given. 3pp. 62528:176-62528:178.

**9207290144** Confirms plans to hold meeting on 920724 to discuss recent util organizational decisions. GREENMAN, E.G. Region 3 (Post 820201). 92/07/22. REED, C. Commonwealth Edison Co. 2pp. 62506:182-62506:183.

#### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207090277** Forwards Insp Repts 50-373/92-14 & 50-374/92-14 on 920615-18. No violations noted. SNELL, W. Region 3 (Post 820201). 92/07/02. REED, C. Commonwealth Edison Co. 2pp. 62335:336-62335:346.

**-9207090279** Insp Repts 50-373/92-14 & 50-374/92-14 on 920615-18. No violations noted. Major areas inspected: radiological confirmatory measurements & radiochemistry QA programs. HOUSE, J.E., SNELL, W. Region 3 (Post 820201). 92/07/02. 9pp. 62335:338-62335:346.

**9207140146** Forwards insp repts 50-373/92-09 & 50-374/92-09 on 920623-26. No violations noted. MCCORMICK-BARGE Region 3 (Post 820201). 92/07/02. REED, C. Commonwealth Edison Co. 2pp. 62311:001-62311:025.

**-9207140150** Insp repts 50-373/92-09 & 50-374/92-09 on 920623-26. No violations noted. Major areas inspected: annual EP exercise, including exercise objectives & scenario & evaluation of exercise performance. SIMONS, H., LOUDEN, P., MCCORMICK-BARGE Region 3 (Post 820201). 92/07/02. 23pp. 62311:003-62311:025.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities. Compensatory measures implemented. JACKSON, M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

**9207310005** Forwards insp repts 50-373/92-15 & 50-374/92-15 on 920615-0709. No violations noted. RING, M.A. Region 3 (Post 820201). 92/07/27. REED, C. Commonwealth Edison Co. 2pp. 62549:011-62549:025.

**-9207310006** Insp repts 50-373/92-15 & 50-374/92-15 on 920615-0709. No violations or deviations noted. Major areas inspected: licensee inservice testing program, program on check valves & self-assessment in inspected areas. HUBER, M.P., DUNLOP, A., JACOBSON, J.M. Region 3 (Post 820201). 92/07/27. 13pp. 62549:013-62549:025.

#### R. Periodic operating reports & related correspondence

**9207150052** Monthly operating rept for June 1992 for LaSalle County Nuclear Power Station, unit 1. W/920710 ltr. CIALKOWSKI, M.J., DIEDERICH, G.J. Commonwealth Edison Co. 92/06/30. 25pp. 62407:305-62407:329.

#### S. Reportable occurrences, LERs & related correspondence

**9207270356** LER 92-008-00: on 920622, RCIC sys initiated resulting in vessel injection due to pressure perturbation. Instrument Surveillance LIS-LC-303/403 to be revised. W/920722 ltr. TENNYSON, M., DIEDERICH, G.J. Commonwealth Edison Co. 92/07/22. 6pp. 62587:174-62587:179.

#### V. Operator Examinations

**9207010141** Forwards approved ref matl to meet scheduled written & operating exams for wk of 921026. WRIGHT, G.C. Region 3 (Post 820201). 92/06/22. REED, C. Commonwealth Edison Co. 13pp. 62143:329-62143:341.

**9207090280** Forwards exam answer key for forms A & B, grading results for facility & individual answer sheets for each applicant taking exams for facility, per 920610 generic fundamentals exam at facility. All candidates passed exam. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Commonwealth Edison Co. 48pp. 62266:001-62266:048.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

#### DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207020258** Forwards Rev 42 to security plan. Rev withheld (ref 10CFR73.21). KOVACH, T.J. Commonwealth Edison Co. 92/06/23. Document Control Branch (Document Control Desk). 1p. 62425:358-62425:358.

**9207080201** Offsite procedures, including Rev 16 to LZP-1110-01, Rev 2 to LZP-1110-2, Rev 4 to LZP-1120-2, Rev 4 to LZP-1210, Rev 0 to LZP-1210-3 & Rev 0 to LZP-1210-4. \* Commonwealth Edison Co. 92/06/25. 58pp. 62276:198-62276:254.

**9207140146** Forwards insp repts 50-373/92-09 & 50-374/92-09 on 920623-26. No violations noted. MCCORMICK-BARGE Region 3 (Post 820201). 92/07/02. REED, C. Commonwealth Edison Co. 2pp. 62311:001-62311:025.

**-9207140150** Insp repts 50-373/92-09 & 50-374/92-09 on 920623-26. No violations noted. Major areas inspected: annual EP exercise, including exercise objectives & scenario & evaluation of exercise performance. SIMONS, H. Region 3 (Post 820201). 92/07/02. 23pp. 62311:003-62311:025.

**9207170103** Rev 20 to LZP-1310-1, "Notifications." \* Commonwealth Edison Co. 92/07/08. 30pp. 62440:273-62440:302.

**9207270311** Ack receipt of 920623 ltr transmitting Rev 42 to security plan. Changes consistent w/provisions of 10CFR50.54(n) & acceptable except for security plan conflicts re records of access authorization & employment history. PEDERSON, C.D. Region 3 (Post 820201). 92/07/15. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62528:193-62528:194.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities. Compensatory measures implemented. JACKSON, M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

#### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**-8605190330** Summary of 860423-24 mgt meeting at Region III of re licensee performance, evaluation of plant discussions & fitness for duty. Task assignments & list of attendees encl. SNIEZEK, J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 86/05/13. DAVIS, J.G. Office of Nuclear Material Safety & Safeguards. 11pp. 62324:005-62324:015.

**9207140281** Partial response to FOIA request re investigation of Zack Co done by NRC. App E records encl & are being made available in PDR. App D records already available in PDR. App F records withheld in entirety (ref FOIA Exemption 6 & 7). GRIMSLEY, D.H. Office of Information Resources Management (Post 890205). 91/10/30. ZACK, C. Zack Co. 26pp. 62383:190-62383:039.

**-9207150100** Forwards reformatted memo requesting OI to initiate investigation into alleged employment discrimination by Zack Co, per 870218 request. DAVIS, A.B. Region 3 (Post 820201). 87/03/10. STAROSTECKI, R. NRC - No Detailed Affiliation Given. 1p. 62383:302-62383:302.

**-9207150103** Requests investigation of info received by Region III in May 1982 that alleged employment w/Zack Co was involuntarily terminated after individual notified CPC of deficiencies involving Zack Co work at plants. DAVIS, A.B. Region 3 (Post 820201). 87/03/10. PAWLICK, E.T. Region 3 (Post 820201). 2pp. 62383:303-62383:304.

## 126 DOCKETED ITEMS

**9207220323** Partial response to FOIA request.App G documents in PDR.App H & I documents being made available in PDR.App J documents withheld (ref FOIA exemptions 5-7).App I documents partially withheld (ref FOIA exemptions 5-7). GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. ZACK,C. Zack Co. 9pp. 62455:164-62456:023.

**-9208190047** Forwards NRR rept re allegations concerning LaSalle HVAC rept.Results of Region 3 matl test program & Part 21 notification re welder qualification need to be reconciled to declare sys structurally acceptable. BOSNAK,R.J. Mechanical Engineering Branch. 82/07/31. NOVAK,T.H. Assistant Director for Licensing. 34pp. 62455:175-62455:211.

**9207020284** Responds to 920212 staff requirements memo re performance of util plants. TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-92-228. 92/06/25. 18pp. 62465:207-62465:224.

**9207070068** Submits supplemental info for 920507 amend to licenses DPR-19,DPR-25,DPR-29,DPR-30,DPR-39,DPR-48,NPF-11,NPF-18, NPF-37,NPF-66,NPF-72 & NPF-77,per NRC request.Revised TS re rev of onsite review of procedures encl. SIMPKIN,T.W. Commonwealth Edison Co. 92/07/01. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 62267:020-62267:089.

**-9207070069** Supplemental proposed tech specs proposing to change administrative controls sections of TS,submitted as supplement to original request w/info necessary to complete review. \* Commonwealth Edison Co. 92/07/01. 49pp. 62267:041-62267:089.

**9207090112** Responds to request for addl info to ensure that licensee complies w/ 10CFR50.60 & 10CFR50.61 regulatory requirements & that they fulfill commitments made in response to generic ltr 88-11. JACKSON,M.A. Commonwealth Edison Co. 92/07/01. Document Control Branch (Document Control Desk). 67pp. 62308:267-62308:333.

**9207100124** Forwards FR notice of withdrawal of 890601 application for amends to Licenses NPF-11 & NPF-18,modifying TS re VQ valves.Application withdrawn via 920513 ltr. SIEGEL,B.L. Project Directorate III-2. 92/07/01. KOVACH,T.J. Commonwealth Edison Co. 2pp. 62334:341-62334:344.

**-9207100129** Notice of withdrawal of application for amends to Licenses NPF-11 & NPF-18,modifying TS re VQ valves. SIEGEL,B.L. Project Directorate III-2. 92/07/01. 2pp. 62334:343-62334:344.

**9207150198** Forwards "Reactor Containment Bldg Integrated Leak Rate Test,LaSalle County Nuclear Power Station,Unit 2." DIEDERICH,G.J. Commonwealth Edison Co. 92/07/02. Document Control Branch (Document Control Desk). 1p. 62411:196-62411:281.

**-9207150200** "Reactor Containment Integrated Leak Rate Test,LaSalle County Nuclear Power Station,Unit 2." \* Commonwealth Edison Co. 92/03/27. 83pp. 62411:197-62411:281.

**9207140227** Forwards "LaSalle County Station Unit 2,Cycle 5 Startup Test Rept Summary." CHIELDS,J.M. Commonwealth Edison Co. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62385:101-62385:120.

**-9207140228** "LaSalle County Station Unit 2,Cycle 5 Startup Test Rept Summary." \* Commonwealth Edison Co. 92/07/08. 18pp. 62385:103-62385:120.

**9207300149** Forwards SE accepting util proposed method of coping w/SBO for plant contingent upon satisfactory resolution of recommendations presented. SIEGEL,B.L. Project Directorate III-2. 92/07/17. KOVACH,T.J. Commonwealth Edison Co. 2pp. 62580:349-62580:354.

**-9207300153** Safety evaluation accepting proposed method of coping w/SBO for plant contingent upon satisfactory resolution of recommendations presented. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/17. 4pp. 62580:351-62580:354.

**9207290144** Confirms plans to hold meeting on 920724 to discuss recent util organizational decisions. GREENMAN,E.G. Region 3 (Post 820201). 92/07/22. REED,C. Commonwealth Edison Co. 2pp. 62506:182-62506:183.

### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070274** Responds to NRC 920601 ltr re violations noted in insp rept 50-374/92-11.Corrective actions:operating mgt has retracted informal policy. KOVACH,T.J. Commonwealth Edison Co. 92/06/29. Document Control Branch (Document Control Desk). 6pp. 62273:347-62273:352.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207090277** Forwards Insp Repts 50-373/92-14 & 50-374/92-14 on 920615-18.No violations noted. SNELL,W. Region 3 (Post 820201). 92/07/02. REED,C. Commonwealth Edison Co. 2pp. 62335:336-62335:346.

**-9207090279** Insp Repts 50-373/92-14 & 50-374/92-14 on 920615-18.No violations noted.Major areas inspected:radiological confirmatory measurements & radiochemistry QA programs. HOUSE,J.E., SNELL,W. Region 3 (Post 820201). 92/07/02. 9pp. 62335:338-62335:346.

**9207140146** Forwards insp repts 50-373/92-09 & 50-374/92-09 on 920623-26.No violations noted. MCCORMICK-BARGE Region 3 (Post 820201). 92/07/02. REED,C. Commonwealth Edison Co. 2pp. 62311:001-62311:025.

**-9207140150** Insp repts 50-373/92-09 & 50-374/92-09 on 920623-26.No violations noted.Major areas inspected:annual EP exercise, including exercise objectives & scenario & evaluation of exercise performance. SIMONS,H., LOUDEN,F., MCCORMICK-BARGE Region 3 (Post 820201). 92/07/02. 23pp. 62311:003-62311:025.

**9207140153** Forwards "LaSalle County Station Unit 2 Fourth Refueling Outage ASME Section XI Summary Rept," of inservice insp. SHIELDS,J. Commonwealth Edison Co. 92/07/08. Document Control Branch (Document Control Desk). 1p. 62399:034-62399:171.

**-9207150021** "LaSalle County Station Unit 2 Fourth Refueling Outage ASME Section XI Summary Rept," inservice insp. \* Commonwealth Edison Co. 92/07/08. 109pp. 62399:035-62399:171.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207220263** Ack receipt of 920629 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-374/92-11. GREENMAN,E.G. Region 3 (Post 820201). 92/07/17. REED,C. Commonwealth Edison Co. 2pp. 62457:356-62457:357.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities.Compensatory measures implemented. JACKSON,M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

**9207310005** Forwards insp repts 50-373/92-15 & 50-374/92-15 on 920615- 0709.No violations noted. RING,M.A. Region 3 (Post 820201). 92/07/27. REED,C. Commonwealth Edison Co. 2pp. 62549:011-62549:025.

**-9207310006** Insp repts 50-373/92-15 & 50-374/92-15 on 920615-0709.No violations or deviations noted.Major areas inspected: licensee inservice testing program,program on check valves & self-assessment in inspected areas. HUBER,M.P., DUNLOP,A., JACOBSON,J.M. Region 3 (Post 820201). 92/07/27. 13pp. 62549:013-62549:025.

### S. Reportable occurrences, LERs & related correspondence

**9207160182** LER 92-007-00:on 920613,high radiation spike was received from CR ventilation process monitor.Caused by failure of seal-in logic.Troubleshooting will continue until correction to problem found.W/920713 ltr. SPARACINO,J., DIEDERICH,G.J. Commonwealth Edison Co. 92/07/13. 5pp. 62480:136-62480:140.

**9207160030** LER 92-008-00:on 920615,thermal overload trip of RCIC vacuum breaker upstream valve 2E51-F086 occurred.Cause unknown.Work request issued to inspect & repair RCIC sys & to have valve lubricated.W/920715 ltr. TENNYSON,M., DIEDERICH,G.J. Commonwealth Edison Co. 92/07/15. 6pp. 62426:352-62426:357.

### V. Operator Examinations

**9207010141** Forwards approved ref matl to meet scheduled written & operating exams for wk of 921026. WRIGHT,G.C. Region 3 (Post 820201). 92/06/22. REED,C. Commonwealth Edison Co. 13pp. 62143:329-62143:341.

**9207090280** Forwards exam answer key for forms A & B,grading results for facility & individual answer sheets for each applicant taking exams for facility,per 920610 generic fundamentals exam at facility.All candidates passed exam. WRIGHT,G.C. Region 3 (Post 820201). 92/07/01. Commonwealth Edison Co. 48pp. 62266:001-62266:048.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007.Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT,G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

### DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

#### F. Security, medical, emergency & fire protection plans

**9207010099** Ack receipt of 920529 ltr transmitting scenario for annual exercise & forwards list of specific issues noted in NRC observation of 1992 emergency exercise scenario. BEACH,A.B. Region 4 (Post 820201). 92/06/26. BARKHURST,R.P. Entergy Operations, Inc. 6pp. 62143:301-62143:306.

**9207070118** Ack receipt of 920822 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/92-07 dtd 920518. BEACH,A.B. Region 4 (Post 820201). 92/07/02. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 62205:249-62205:257.

**-9207070122** Responds to emergency preparedness weakness identified during walk-throughs of simulated accident scenarios w/ control room operating crews.Corrective actions:lesson plans for CR emergency personnel will be revised. BURSKI,R.F. Entergy Operations, Inc. 92/06/22. Document Control Branch (Document Control Desk). 4pp. 62205:253-62205:257.

**9207240157** Revised EIPs, including rev 5 to EP-002-081, rev 17 to EP-002-101, rev 16 to EP-002-102, rev 13 to EP-002-130, rev 14 to EP-003-040 & rev 12 to EP-003-070.W/ 920716 ltr. BURSKEI, R.F. Entergy Operations, Inc. 92/07/16. 250pp. 62520:001-62520:286.

**9207210011** Forwards summary of 920714 plant security meeting concerning security plan changes & changes to security organization structure. Attendees listed in attachment 1 & copy of presentation provided in attachment 2. BEACH, A.B. Region 4 (Post 820201). 92/07/17. BARKHURST, R.P. Entergy Operations, Inc. 14pp. 62419:023-62419:036.

**9207280311** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Thermo-Lag 330 not used on small conduit or wide cable trays at facility. BURSKEI, R.F. Entergy Operations, Inc. 92/07/23. Document Control Branch (Document Control Desk). 2pp. 62562:099-62562:100.

#### P. Operating license stage documents & correspondence

**9207010018** Advises that util intends to continue MSIV insps of guide rails, on as needed basis, during future outages utilizing fiber optic camera & recorder. BURSKEI, R.F. Entergy Operations, Inc. 92/06/25. Document Control Branch (Document Control Desk). 1p. 62230:237-62230:237.

**9207090002** Forwards response to Rev 1 to Generic Ltr 92-01, "Reactor Vessel Structural Integrity." Reactor has not been operated w/cold leg temp less than 525 F for significant period of time. BURSKEI, R.F. Entergy Operations, Inc. 92/07/06. Document Control Branch (Document Control Desk). 10pp. 62307:290-62307:299.

**9207150285** Notification of 920716 meeting w/util in Rockville, MD re engineering challenges & initiatives at facilities. ALEXION, T.W. Project Directorate IV-1. 92/07/07. LARKINS, J.T. Project Directorate IV-1. 7pp. 62378:260-62378:266.

**9207280333** Submits addl info re TS Change Request NPF-38-122, per Generic Ltr 91-08 re removal of component lists from TS, in response to NRC request. Lower voltage circuit breakers subj to functional test per GE recommendations. BURSKEI, R.F. Entergy Operations, Inc. 92/07/23. Document Control Branch (Document Control Desk). 2pp. 62566:266-62566:267.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207010110** Advises that NRC insp rept 50-382/92-15 has been cancelled & no rept will be issued for this rept number. BEACH, A.B. Region 4 (Post 820201). 92/06/23. BARKHURST, R.P. Entergy Corp. 4pp. 62233:356-62233:359.

**9207010018** Advises that util intends to continue MSIV insps of guide rails, on as needed basis, during future outages utilizing fiber optic camera & recorder. BURSKEI, R.F. Entergy Operations, Inc. 92/06/25. Document Control Branch (Document Control Desk). 1p. 62230:237-62230:237.

**9207010262** Responds to violations noted in Insp Rept 50-382/92-08. Corrective actions: supervisor counseled re completing signoff on holdpoint & training for rad waste dept personnel will be completed by 920818. BURSKEI, R.F. Entergy Operations, Inc. 92/06/26. Document Control Branch (Document Control Desk). 6pp. 62233:330-62233:335.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206280043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207070105** Ack receipt of 920612 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/92-10 dtd 920515. BEACH, A.B. Region 4 (Post 820201). 92/07/02. BARKHURST, R.P. Entergy Operations, Inc. 4pp. 62205:224-62205:230.

**9207070118** Ack receipt of 920622 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/92-07 dtd 920519. BEACH, A.B. Region 4 (Post 820201). 92/07/02. BARKHURST, R.P. Entergy Operations, Inc. 4pp. 62205:249-62205:257.

**-9207070122** Responds to emergency preparedness weakness identified during walk-throughs of simulated accident scenarios w/ control room operating crews. Corrective actions: lesson plans for CR emergency personnel will be revised. BURSKEI, R.F. Entergy Operations, Inc. 92/06/22. Document Control Branch (Document Control Desk). 4pp. 62205:253-62205:257.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207180291** Forwards insp rept 50-382/92-14 on 920608-12. No violations or deviations noted. BEACH, A.B. Region 4 (Post 820201). 92/07/10. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 62404:334-62404:354.

**-9207180296** Insp rept 50-382/92-14 on 920608-12. No violations noted. Major areas inspected: organization & mgt controls, training & qualifications, quality assurance, radioactive liquid & gaseous effluent sys & repts of radioactive effluents. MURRAY, B. Region 4 (Post 820201). 92/07/09. 16pp. 62404:339-62404:354.

**9207170182** Ack receipt of 920626 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/92-08 on 920528. BEACH, A.B. Region 4 (Post 820201). 92/07/14. BARKHURST, R.P. Entergy Operations, Inc. 3pp. 62440:183-62440:192.

**9207280037** Forwards insp rept 50-382/92-12 on 920503-0620. Three violations identified by util. Due to manner in which util handled violations, corrective actions will not be taken.

BEACH, A.B. Region 4 (Post 820201). 92/07/22. BARKHURST, R.P. Entergy Operations, Inc. 5pp. 62488:040-62488:069.

**-9207280045** Insp rept 50-382/92-12 on 920503-0620. Three violations identified by util. No action taken. Major areas inspected: plant status, followup, onsite response to events, monthly maint observation & licensee evaluations of environ changes. JOHNSON, W.D. Region 4 (Post 820201). 92/07/13. 25pp. 62488:045-62488:069.

**9207280311** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Thermo-Lag 330 not used on small conduit or wide cable trays at facility. BURSKEI, R.F. Entergy Operations, Inc. 92/07/23. Document Control Branch (Document Control Desk). 2pp. 62562:099-62562:100.

**9207290081** Forwards insp rept 50-382/92-18 on 920629-0702. No violations noted. BEACH, A.B. Region 4 (Post 820201). 92/07/23. BARKHURST, R.P. Entergy Operations, Inc. 4pp. 62506:116-62506:125.

**-9207290087** Insp rept 50-382/92-18 on 920629-0702. No violations noted. Major areas inspected: licensee mod testing program & followup of actions taken on previous insp findings. GAGLIARDO, J.E. Region 4 (Post 820201). 92/07/21. 6pp. 62506:121-62506:125.

#### R. Periodic operating reports & related correspondence

**9207150014** Monthly operating rept for June 1992 for Waterford 3 Steam Electric Station. W/920710 ltr. CENTOLANZI, P.M., BURSKEI, R.F. Entergy Operations, Inc. 92/06/30. 7pp. 62389:351-62389:357.

#### S. Reportable occurrences, LERs & related correspondence

**9207070328** LER 91-009-01: on 910521, discovered that safety injection Tank 1A & 1B inoperable due to relief valve malfunction. Precaution will be added to NOCP-207, cautioning scaffolders to exercise caution in safety injection area. W/920625 ltr. HOFFPAUIR, J.G., PACKER, D.F. Entergy Operations, Inc. 92/06/25. 11pp. 62293:021-62293:030.

**9207150068** LER 92-003-01: on 920427, control room emergency filtration sys started automatically. Cause of event determined to be electric spike. New resistor-capacitor filters have been installed. W/920708 ltr. HOFFPAUIR, J.G., PACKER, D.F. Entergy Operations, Inc. 92/07/08. 6pp. 62480:047-62480:052.

**9207150084** LER 92-005-00: on 920608, control room emergency filtration sys started automatically. Cause of event was indeterminate. Technicians will continue to monitor radiation monitor performance during operations. W/920708 ltr. HOFFPAUIR, J.G., PACKER, D.F. Commonwealth Edison Co. 92/07/08. 9pp. 62480:053-62480:061.

**9207150165** Part 21 rept re failure to comply w/1 minute rating of NCX-17 cells mfg by GNB Battery Co (formally Gould). Addl testing of cell sizes & end voltages scheduled to begin on 920713 & be completed on 920815. SEIKEN, A. Nuclear Logistics, Inc. (NL). 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62409:357-62409:358.

#### DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9207010048** Forwards insp repts 50-387/92-15 & 50-388/92-15 on 920419-0513. No violations noted. WENZINGER, E.C. Region 1 (Post 820201). 92/06/19. KEISER, H.W. Pennsylvania Power & Light Co. 3pp. 62143:111-62143:137.

**-9207010051** Insp repts 50-387/92-15 & 50-388/92-15 on 920419-0531. No violations noted. Major areas inspected: operations, radiological controls, maint/surveillance testing, emergency preparedness, security, engineering/technical support. WHITE, J. Region 1 (Post 820201). 92/06/18. 20pp. 62143:114-62143:137.

**9207070024** Forwards Initial SALP Repts 50-387/90-99 & 50-388/90-99 on 920603, for period of 901201-920408. Informs that licensee performance rated superior in all functional areas, excepting radiological controls which was rated good. MARTIN, T.T. Region 1 (Post 820201). 92/07/01. KEISER, H.W. Pennsylvania Power & Light Co. 4pp. 62205:004-62205:034.

**-9207070028** Initial SALP Repts 50-387/90-99 & 50-388/90-99 for 901201-920408. \* Region 1 (Post 820201). 92/06/03. 27pp. 62205:008-62205:034.

**9207200141** Discusses heat capacity temp limit during ATWS as applicable to deviation to EPG, Rev 3, in response to NRC RAI re plant EOPs. KEISER, H.W. Pennsylvania Power & Light Co. 92/07/14. MILLER, C.L. Project Directorate I-2. 3pp. 62429:358-62429:360.

**9207300229** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Precautionary fire watches established & 1 h rept submitted to NRC. BYRAM, R.G. Pennsylvania Power & Light Co. 92/07/24. Document Control Branch (Document Control Desk). 4pp. 62593:212-62593:215.

## 128 DOCKETED ITEMS

### J. Insurance & Indemnity Information

**9207090169** Forwards Endorsement 67 to NELIA Policy NF-262 & Endorsement 49 to MAELU Policy MF-107.  
KEISER,H.W. Pennsylvania Power & Light Co. 92/07/06. SALTZMAN,J. Assistant Director for State & Licensee Relations. 3pp. 62342:001-62342:003.

### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207070371** Rev 45 to FSAR for Susquehanna Steam Electric Station.W/ 920630 ltr. KEISER,H.W. Pennsylvania Power & Light Co. 92/06/30. MILLER,C.L. Project Directorate I-2. 7pp. 62260:355-62260:361.

**9207230092** Rev 45 to FSAR for Susquehanna Steam Electric Station Units 1 & 2.  
\* Pennsylvania Power & Light Co. 92/06/30. 900pp. 62492:001-62496:045.

### P. Operating license stage documents & correspondence

**9207020080** Forwards exemption from certain requirements of App J to 10CFR50 for facilities per 910816 request.  
MAXWELL,G.F. Project Directorate I-2. 92/06/23. KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 62184:296-62184:304.

**-9207020092** Exemption from requirement of 10CFR50,App J,Section III.D.1 re integrated leakage tests during each 10-yr svc period.  
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 92/06/23. Pennsylvania Power & Light Co. 6pp. 62184:299-62184:304.

**9207060033** Forwards safety evaluation granting relief,per 10CFR50.55(a)(3)(ii) to exercise RHR,Core Spray,HPCI & ESW keepfill check valves in accordance w/frequency requested, provided licensee repairs valves if criteria not met.  
MILLER,C.L. Project Directorate I-2. 92/06/23. KEISER,H.W. Pennsylvania Power & Light Co. 5pp. 62204:151-62204:181.

**-9207060044** SER granting relief per 10CFR50.55(a)(3)(ii) to exercise RHR,Core Spray,HPCI & ESW keepfill check valves in accordance w/frequency requested,provided that licensee repair valves if acceptance criteria not met.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/23. 26pp. 62204:156-62204:181.

**9207020249** Forwards amends 121 & 89 to license NPF-14 & NPF-22,safety evaluation & notice of partial withdrawal.Amends revise TS 4.6.1.2.a & associated bases to incorporate exemption to App J of 10CFR50.  
MAXWELL,G.F. Project Directorate I-2. 92/06/24. KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 62194:285-62194:306.

**-9207020253** Amends 121 & 89 to licenses NPF-14 & NPF-22,respectively, revising Tech Spec 4.6.1.2.a & associated bases to incorporate exemption to app J of 10CFR50.  
MILLER,C.L. Project Directorate I-2. 92/06/24. 15pp. 62194:288-62194:301.

**-9207020257** Safety evaluation supporting amends 121 & 89 to licenses NPF-14 & NPF-22,respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/24. 2pp. 62194:302-62194:304.

**-9207020285** Notice of partial withdrawal of application for amend to licenses NPF-14 & NPF-22.Util requested that TS 4.6.1.2a testing frequency remain 40 + 10 months.  
MAXWELL,G.F. Project Directorate I-2. 92/06/24. 2pp. 62194:305-62194:306.

**9207080133** Withdraws proposed Amends 127 & 79 to Licenses NPF-14 & NPF-22,respectively,submitted via 900126 ltr,eliminating delta-T instrumentation from TS.  
KEISER,H.W. Pennsylvania Power & Light Co. 92/06/30. MILLER,C.L. Project Directorate I-2. 2pp. 62277:039-62277:040.

**9207090310** Advises that plant was identified as having achieved high level of safety performance,per June 1992 senior mgt meeting.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/30. KEISER,H.W. Pennsylvania Power & Light Co. 4pp. 62271:040-62271:043.

**9207140181** Informs of plan to test & evaluate use of hydrogen peroxide in liquid radwaste sys for removal of organics.No NPDES permit noncompliances expected if discharge into Cooling Tower Blowdown necessary.  
FIELDS,J.S. Pennsylvania Power & Light Co. 92/07/07. LEHMAN,S.J. Pennsylvania, Commonwealth of. 2pp. 62385:312-62385:313.

**9207130223** Forwards response to Generic Ltr 92-01, "Reactor Vessel Structural Integrity," requesting info re App H to 10CFR50, App G to 10CFR50 & commitment made per Generic Ltr 88-11. Table listing belline plate toughness data encl.  
KEISER,H.W. Pennsylvania Power & Light Co. 92/07/08. MILLER,C.L. Project Directorate I-2. 49pp. 62387:310-62387:358.

**9207280077** Notification of significant licensee meeting 92-116 w/util on 920730 to discuss electrical distribution issues.  
WHITE,J.R. Region 1 (Post 820201). 92/07/13. Region 1 (Post 820201). 2pp. 62488:126-62488:127.

**9207220212** Forwards notice correcting licenses DPR-14 & DPR-22, published in 920702 FR re partial withdrawal of application for amends to licenses,to NPF-14 & NPF-22.  
MILLER,C.L. Project Directorate I-2. 92/07/14. KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 62453:338-62453:341.

**-9207220298** Notice of correction correcting 920702 application for amend to licenses DPR-14 & DPR-22 which should read NPF-14 & NPF-22.  
MILLER,C.L. Project Directorate I-2. 92/07/14. 1p. 62453:341-62453:341.

**9207220284** Forwards notice of withdrawal of application for amend to licenses NPF-14 & NPF-22.Proposed amends would have modified facility TS re elimination of Delta-T instrumentation.  
MAXWELL,G.F. Project Directorate I-2. 92/07/14. KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 62443:354-62443:358.

**-9207220288** Notice of withdrawal of application for amend to licenses NPF-14 & NPF-22.Proposed amend would have revised plant TS re elimination of Delta-T instrumentation.  
MAXWELL,G.F. Project Directorate I-2. 92/07/14. 2pp. 62443:357-62443:358.

**9207230094** Forwards amend 122 to license NPF-14 & safety evaluation. Amend changes TS to correct flow dependent MCPR operating limits to be consistent w/licensee NRC-approved methodology.  
MAXWELL,G.F. Project Directorate I-2. 92/07/14. KEISER,H.W. Pennsylvania Power & Light Co. 4pp. 62459:171-62459:180.

**-9207230097** Amend 122 to license NPF-14,changing TS to correct flow dependent MCPR operating limits to be consistent w/licensee NRC-approved methodology.  
MILLER,C.L. Project Directorate I-2. 92/07/14. 5pp. 62459:175-62459:178.

**-9207230099** Safety evaluation supporting amend 122 to license NPF-14.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/14. 2pp. 62459:179-62459:180.

**9207230011** Advises that annual maint of diffuser pipe for facilities completed on 920619.Activity did not interfere w/tree discharge of Susquehanna River.  
FIELDS,J.S. Pennsylvania Power & Light Co. 92/07/16. COUNSIL,E.E. Pennsylvania, Commonwealth of. 1p. 62476:285-62476:285.

**9207280096** Provides results of Susquehanna SES site specific Control Room Cabinet temp measurements undertaken as part of SBO close-out effort,per 920513 ltr.  
KEISER,H.W. Pennsylvania Power & Light Co. 92/07/21. MILLER,C.L. Project Directorate I-2. 2pp. 62530:336-62530:337.

**9207310113** Forwards responses to questions asked during 920710 telcon re licensing topical rept on power uprate w/increased core flow submittal,dtd 920615.Responses withheld (ref 10CFR2.750).  
KEISER,H.W. Pennsylvania Power & Light Co. 92/07/24. MILLER,C.L. Project Directorate I-2. 5pp. 62618:185-62618:190.

**9207290379** Notification of 920805 meeting w/util in Rockville,MD to discuss review of plant power uprate.  
RALEIGH,J.J. Project Directorate I-2. 92/07/27. MILLER,C.L. Project Directorate I-2. 4pp. 62529:354-62529:357.

### Q. Inspection reports, IE Bulletins & correspondence

**9207010048** Forwards insp repts 50-387/92-15 & 50-388/92-15 on 920419-0513.No violations noted.  
WENZINGER,E.C. Region 1 (Post 820201). 92/06/19. KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 62143:111-62143:137.

**-9207010051** Insp repts 50-387/92-15 & 50-388/92-15 on 920419-0531.No violations noted.Major areas inspected:operations, radiological controls,maint/surveillance testing,emergency preparedness,security,engineering/technical support.  
WHITE,J. Region 1 (Post 820201). 92/06/18. 20pp. 62143:114-62143:137.

**9207010040** Ack receipt of 920522 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/92-12 & 50-388/92-12.  
JOYNER,J.H. Region 1 (Post 820201). 92/06/20. KEISER,H.W. Pennsylvania Power & Light Co. 4pp. 62143:061-62143:069.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070024** Forwards Initial SALP Repts 50-387/90-99 & 50-388/90-99 on 920603,for period of 901201-920408.Informs that licensee performance rated superior in all functional areas,excepting radiological controls which was rated good.  
MARTIN,T.T. Region 1 (Post 820201). 92/07/01. KEISER,H.W. Pennsylvania Power & Light Co. 4pp. 62205:004-62205:034.

**-9207070028** Initial SALP Repts 50-387/90-99 & 50-388/90-99 for 901201-920408.  
\* Region 1 (Post 820201). 92/06/03. 27pp. 62205:008-62205:034.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207090167** Responds to violations noted in Insp Repts 50-387/92-06 & 50-388/92-06.Corrective actions:electrical protection assembly breaker encls modified by installing louvers to enhance & redirect ventilation cooling air.  
KEISER,H.W. Pennsylvania Power & Light Co. 92/07/02. WENZINGER,E.C. Region 1 (Post 820201). 5pp. 62338:138-62338:142.

**9207100120** Forwards insp repts 50-387/92-05 & 50-388/92-05 on 920504-07.Weaknesses noted re lack of QA & procedure control over analytical computer program.  
ANDERSON,C.J. Region 1 (Post 820201). 92/07/02. KEISER,H.W. Pennsylvania Power & Light Co. 3pp. 62334:326-62334:340.

**-9207100125** Insp repts 50-387/92-05 & 50-388/92-05 on 920504-07. Weaknesses noted.Major areas inspected:licensee erosion/ corrosion insp program,licensee commitments & procedures & long-term monitoring program,per Generic Ltr 89-08.  
MCBREARTY,R.A., MEDOFF,J., GRAY,E.H. Region 1 (Post 820201). 92/06/29. 11pp. 62334:329-62334:340.

**9207280084** Notification of significant licensee meeting 92-115 w/util on 920716 to discuss SALP for period between 901201-920418.  
WHITE,J.R. Region 1 (Post 820201). 92/07/08. Region 1 (Post 820201). 3pp. 62488:208-62488:210.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207280192** Forwards instrumentation surveillance test & setpoint change control program insp repts 50-387/92-17 & 50-388/92-17. No violations noted. One previously identified unresolved item was closed.  
ANDERSON, C.J. Region 1 (Post 820201). 92/07/20. KEISER, H.W. Pennsylvania Power & Light Co. 2pp. 62489:323-62489:335.

**-9207280195** Insp repts 50-387/92-17 & 50-388/92-17 on 920622-26. No violations noted. Major areas inspected: surveillance test activities of safety-related instruments, instrument setpoint change control program & corrective actions.  
CHEUNG, L., CALVERT, J., NGUYEN, D. Region 1 (Post 820201). 92/07/15. 11pp. 62489:325-62489:335.

**9207300229** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Precautionary fire watches established & 1 h rept submitted to NRC.  
BYRAM, R.G. Pennsylvania Power & Light Co. 92/07/24. Document Control Branch (Document Control Desk). 4pp. 62593:212-62593:215.

**9207310176** Forwards presentation matl from 920717 SALP meeting discussing most recent NRC assessment of util performance.  
KEISER, H.W. Pennsylvania Power & Light Co. 92/07/27. MARTIN, T.T. Region 1 (Post 820201). 16pp. 62618:327-62618:342.

#### R. Periodic operating reports & related correspondence

**9207200134** "Generator Quarterly Hazardous Waste Rept" for June 1992 for Susquehanna Steam Electric Station. W/920713 ltr.  
STANLEY, H.G., BELLES, T.D. Pennsylvania Power & Light Co. 92/06/30. 4pp. 62464:318-62464:321.

**9207220245** "NPDES Discharge Monitoring Rept for June 1992 for Susquehanna Steam Electric Station, Units 1 & 2." W/920715 ltr.  
FIELDS, J.S. Pennsylvania Power & Light Co. 92/06/30. WILKES, J.J. Pennsylvania, Commonwealth of. 12pp. 62473:273-62473:284.

**9207220314** Monthly operating repts for June 1992 for SSES units 1 & 2. W/920715 ltr.  
FULLER, L.L., KEISER, H.W. Pennsylvania Power & Light Co. 92/06/30. 10pp. 62482:343-62482:352.

#### S. Reportable occurrences, LERs & related correspondence

**9207160268** LER 92-007-01: on 920407, discovered ESF actuations due to EPA breakers tripping. RPS bus B placed on alternate power supply & all isolations were reset within 1 h of primary supply EPA breakers tripping. W/920710 ltr.  
METER, J.J., STANLEY, H.G. Pennsylvania Power & Light Co. 92/07/10. 5pp. 62480:141-62480:145.

**9207220382** LER 92-010-00: on 920613, offgas sys guard bed B experienced elevated temps. Caused by less than adequate procedural guidance for guard bed purging. Procedural guidance developed for operation of offgas beds. W/920710 ltr.  
METER, J.J., STANLEY, H.G. Pennsylvania Power & Light Co. 92/07/17. 12pp. 62481:196-62481:207.

#### DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207010048** Forwards insp repts 50-387/92-15 & 50-388/92-15 on 920419-0513. No violations noted.  
WENZINGER, E.C. Region 1 (Post 820201). 92/06/19. KEISER, H.W. Pennsylvania Power & Light Co. 3pp. 62143:111-62143:137.

**-9207010051** Insp repts 50-387/92-15 & 50-388/92-15 on 920419-0531. No violations noted. Major areas inspected: operations, radiological controls, maint/surveillance testing, emergency preparedness, security, engineering/technical support.  
WHITE, J. Region 1 (Post 820201). 92/06/18. 20pp. 62143:114-62143:137.

**9207070024** Forwards Initial SALP Repts 50-387/90-99 & 50-388/90-99 on 920603, for period of 901201-920408. Informs that licensee performance rated superior in all functional areas, excepting radiological controls which was rated good.  
MARTIN, T.T. Region 1 (Post 820201). 92/07/01. KEISER, H.W. Pennsylvania Power & Light Co. 4pp. 62205:004-62205:034.

**-9207070028** Initial SALP Repts 50-387/90-99 & 50-388/90-99 for 901201-920408.  
\* Region 1 (Post 820201). 92/06/03. 27pp. 62205:008-62205:034.

**9207200141** Discusses heat capacity temp limit during ATWS as applicable to deviation to EPG Rev 3, in response to NRC RAI re plant EOPs.  
KEISER, H.W. Pennsylvania Power & Light Co. 92/07/14. MILLER, C.L. Project Directorate I-2. 3pp. 62429:358-62429:360.

**9207300229** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Precautionary fire watches established & 1 h rept submitted to NRC.  
BYRAM, R.G. Pennsylvania Power & Light Co. 92/07/24. Document Control Branch (Document Control Desk). 4pp. 62593:212-62593:215.

#### J. Insurance & Indemnity Information

**9207090169** Forwards Endorsement 67 to NELIA Policy NF-262 & Endorsement 49 to MAELU Policy MF-107.  
KEISER, H.W. Pennsylvania Power & Light Co. 92/07/06. SALTZMAN, J. Assistant Director for State & Licensee Relations. 3pp. 62342:001-62342:003.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207070371** Rev 45 to FSAR for Susquehanna Steam Electric Station. W/ 920630 ltr.  
KEISER, H.W. Pennsylvania Power & Light Co. 92/06/30. MILLER, C.L. Project Directorate I-2. 7pp. 62260:355-62260:361.

**9207230092** Rev 45 to FSAR for Susquehanna Steam Electric Station Units 1 & 2.  
\* Pennsylvania Power & Light Co. 92/08/30. 900pp. 62492:001-62496:045.

#### P. Operating license stage documents & correspondence

**9207020080** Forwards exemption from certain requirements of App J to 10CFR50 for facilities per 910816 request.  
MAXWELL, G.F. Project Directorate I-2. 92/06/23. KEISER, H.W. Pennsylvania Power & Light Co. 3pp. 62184:296-62184:304.

**-9207020092** Exemption from requirement of 10CFR50, App J, Section III.D.1 re integrated leakage tests during each 10-yr svc period.  
VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 92/06/23. Pennsylvania Power & Light Co. 6pp. 62184:299-62184:304.

**9207060033** Forwards safety evaluation granting relief, per 10CFR50.55(a)(3)(ii) to exercise RHR, Core Spray, HPCI & ESW keepfill check valves in accordance w/frequency requested, provided licensee repairs valves if criteria not met.  
MILLER, C.L. Project Directorate I-2. 92/06/23. KEISER, H.W. Pennsylvania Power & Light Co. 5pp. 62204:151-62204:181.

**-9207060044** SER granting relief per 10CFR50.55(a)(3)(ii) to exercise RHR, Core Spray, HPCI & ESW keepfill check valves in accordance w/frequency requested, provided that licensee repair valves if acceptance criteria not met.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/23. 26pp. 62204:156-62204:181.

**9207020249** Forwards amends 121 & 89 to license NPF-14 & NPF-22, safety evaluation & notice of partial withdrawal. Amends revise TS 4.6.1.2.a & associated bases to incorporate exemption to App J of 10CFR50.  
MAXWELL, G.F. Project Directorate I-2. 92/06/24. KEISER, H.W. Pennsylvania Power & Light Co. 3pp. 62194:285-62194:306.

**-9207020253** Amends 121 & 89 to licenses NPF-14 & NPF-22, respectively, revising Tech Spec 4.6.1.2.a & associated bases to incorporate exemption to app J of 10CFR50.  
MILLER, C.L. Project Directorate I-2. 92/06/24. 15pp. 62164:288-62194:301.

**-9207020257** Safety evaluation supporting amends 121 & 89 to licenses NPF-14 & NPF-22, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/24. 2pp. 62194:302-62194:304.

**-9207020265** Notice of partial withdrawal of application for amend to licenses NPF-14 & NPF-22. Util requested that TS 4.6.1.2.a testing frequency remain 40 + 10 months.  
MAXWELL, G.F. Project Directorate I-2. 92/06/24. 2pp. 62194:305-62194:306.

**9207080133** Withdraws proposed Amends 127 & 79 to Licenses NPF-14 & NPF-22, respectively, submitted via 900126 ltr, eliminating delta-T instrumentation from TS.  
KEISER, H.W. Pennsylvania Power & Light Co. 92/06/30. MILLER, C.L. Project Directorate I-2. 2pp. 62277:039-62277:040.

**9207080161** Forwards proposed amend 105 to license NPF-22 revising TS to support Unit 2 cycle 6 reload, proposed startup physics test summary description & reload summary rept.  
KEISER, H.W. Pennsylvania Power & Light Co. 92/06/30. MILLER, C.L. Project Directorate I-2. 3pp. 62276:088-62276:197.

**-9207080166** Application for amend to license NPF-22 consisting of TS revised changes to include safety limits, minimum critical power ratio, power distribution limits, recirculation sys, fuel assemblies, APRM setpoints & reactivity control sys.  
KEISER, H.W. Pennsylvania Power & Light Co. 92/06/30. 1p. 62276:091-62276:091.

**-9207080170** Proposed tech specs in support of cycle 6 reload.  
\* Pennsylvania Power & Light Co. 92/06/30. 48pp. 62276:092-62276:139.

**-9207080172** "Proposed Startup Physics Test Summary Description."  
\* Pennsylvania Power & Light Co. 92/06/30. 5pp. 62276:140-62276:144.

**-9207080176** "Susquehanna SES Unit 2 Cycle 6 Reload Summary Rept."  
STEFANKO, J.S. Pennsylvania Power & Light Co. 92/06/30. 51pp. 62276:145-62276:197.

**9207090310** Advises that plant was identified as having achieved high level of safety performance, per June 1992 senior mgt meeting.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/30. KEISER, H.W. Pennsylvania Power & Light Co. 4pp. 62271:040-62271:043.

**9207140181** Informs of plan to test & evaluate use of hydrogen peroxide in liquid rad-waste sys for removal of organics. No NPDES permit noncompliances expected if discharge into Cooling Tower Blowdown necessary.  
FIELDS, J.S. Pennsylvania Power & Light Co. 92/07/07. LEHMAN, S.J. Pennsylvania, Commonwealth of. 2pp. 62385:312-62385:313.

**9207130223** Forwards response to Generic Ltr 92-01, "Reactor Vessel Structural Integrity," requesting info re App H to 10CFR50, App G to 10CFR50 & commitment made per Generic Ltr 88-11. Table listing beltline plate toughness data encl.  
KEISER, H.W. Pennsylvania Power & Light Co. 92/07/08. MILLER, C.L. Project Directorate I-2. 49pp. 62387:310-62387:358.

**9207280077** Notification of significant licensee meeting 92-116 w/util on 920730 to discuss electrical distribution issues.  
WHITE, J.R. Region 1 (Post 820201). 92/07/13. Region 1 (Post 820201). 2pp. 62488:126-62488:127.

**9207220212** Forwards notice correcting licenses DPR-14 & DPR-22, published in 920702 FR re partial withdrawal of application for amends to licenses, to NPF-14 & NPF-22.  
MILLER, C.L. Project Directorate I-2. 92/07/14. KEISER, H.W. Pennsylvania Power & Light Co. 3pp. 62453:338-62453:341.

**-9207220298** Notice of correction correcting 920702 application for amend to licenses DPR-14 & DPR-22 which should read NPF-14 & NPF-22.  
MILLER, C.L. Project Directorate I-2. 92/07/14. 1p. 62453:341-62453:341.



## 130 DOCKETED ITEMS

**9207220264** Forwards notice of withdrawal of application for amend to licenses NPF-14 & NPF-22. Proposed amends would have modified facility TS re elimination of Delta-T instrumentation.  
MAXWELL, G.F. Project Directorate I-2. 92/07/14. KEISER, H.W. Pennsylvania Power & Light Co. 3pp. 62443:354-62443:358.

**-9207220269** Notice of withdrawal of application for amend to licenses NPF-14 & NPF-22. Proposed amend would have revised plant TS re elimination of Delta-T instrumentation.  
MAXWELL, G.F. Project Directorate I-2. 92/07/14. 2pp. 62443:357-62443:358.

**9207230011** Advises that annual maint of diffuser pipe for facilities completed on 920619. Activity did not interfere w/free discharge of Susquehanna River.  
FIELDS, J.S. Pennsylvania Power & Light Co. 92/07/16. COUNSIL, E.E. Pennsylvania, Commonwealth of. 1p. 62476:285-62476:285.

**9207280016** Clarifies proposed Amend 105 to License NPF-22, transmitted via 920630 ltr, changing TS to support ensuing Cycle 6 reload, per discussions w/NRC. Encl TS Figure 3.2.1-1 revised to include note re average bundle exposure for 9x9 fuel.  
KEISER, H.W. Pennsylvania Power & Light Co. 92/07/21. MILLER, C.L. Project Directorate I-2. 1p. 62562:101-62562:102.

**-9207280017** Proposed TS Figure 3.2.1-1 re MAPLHGR vs average bundle exposure for 9x9 fuel.  
\* Pennsylvania Power & Light Co. 92/07/21. 1p. 62562:102-62562:102.

**9207280096** Provides results of Susquehanna SES site specific Control Room Cabinet temp measurements undertaken as part of SBO close-out effort, per 920513 ltr.  
KEISER, H.W. Pennsylvania Power & Light Co. 92/07/21. MILLER, C.L. Project Directorate I-2. 2pp. 62530:336-62530:337.

**9207310113** Forwards responses to questions asked during 920710 telcon re licensing topical rept on power uprate w/increased core flow submittal, dtd 920615. Responses withheld (ref 10CFR2.790).  
KEISER, H.W. Pennsylvania Power & Light Co. 92/07/24. MILLER, C.L. Project Directorate I-2. 5pp. 62618:185-62618:190.

**9207290379** Notification of 920805 meeting w/util in Rockville, MD to discuss review of plant power uprate.  
RALEIGH, J.J. Project Directorate I-2. 92/07/27. MILLER, C.L. Project Directorate I-2. 4pp. 62529:354-62529:357.

### Q. Inspection reports, IE Bulletins & correspondence

**9207010048** Forwards insp repts 50-387/92-15 & 50-388/92-15 on 920419-0513. No violations noted.  
WENZINGER, E.C. Region 1 (Post 820201). 92/06/19. KEISER, H.W. Pennsylvania Power & Light Co. 3pp. 62143:111-62143:137.

**-9207010051** Insp repts 50-387/92-15 & 50-388/92-15 on 920419-0531. No violations noted. Major areas inspected: operations, radiological controls, maint/surveillance testing, emergency preparedness, security, engineering/technical support.  
WHITE, J. Region 1 (Post 820201). 92/06/18. 20pp. 62143:114-62143:137.

**9207010040** Ack receipt of 920522 ltr informing NRC of steps taken to correct violations noted in insp repts 50-387/92-12 & 50-388/92-12.  
JOYNER, J.H. Region 1 (Post 820201). 92/06/20. KEISER, H.W. Pennsylvania Power & Light Co. 4pp. 62143:061-62143:069.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070024** Forwards Initial SALP Repts 50-387/90-99 & 50-388/90-99 on 920603, for period of 901201-920408. Informs that licensee performance rated superior in all functional areas, excepting radiological controls which was rated good.  
MARTIN, T.T. Region 1 (Post 820201). 92/07/01. KEISER, H.W. Pennsylvania Power & Light Co. 4pp. 62205:004-62205:034.

**-9207070028** Initial SALP Repts 50-387/90-99 & 50-388/90-99 for 901201-920408.  
\* Region 1 (Post 820201). 92/06/03. 27pp. 62205:008-62205:034.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207090187** Responds to violations noted in Insp Repts 50-387/92-06 & 50-388/92-06. Corrective actions: electrical protection assembly breaker encs modified by installing louvers to enhance & redirect ventilation cooling air.  
KEISER, H.W. Pennsylvania Power & Light Co. 92/07/02. WENZINGER, E.C. Region 1 (Post 820201). 5pp. 62338:138-62338:142.

**9207100120** Forwards insp repts 50-387/92-05 & 50-388/92-05 on 920504-07. Weaknesses noted re lack of QA & procedure control over analytical computer program.  
ANDERSON, C.J. Region 1 (Post 820201). 92/07/02. KEISER, H.W. Pennsylvania Power & Light Co. 3pp. 62334:326-62334:340.

**-9207100125** Insp repts 50-387/92-05 & 50-388/92-05 on 920504-07. Weaknesses noted. Major areas inspected: licensee erosion/corrosion insp program, licensee commitments & procedures & long-term monitoring program, per Generic Ltr 89-08.  
MCBREARTY, R.A., MEDOFF, J., GRAY, E.H. Region 1 (Post 820201). 92/06/29. 11pp. 62334:329-62334:340.

**9207280084** Notification of significant licensee meeting 92-115 w/util on 920716 to discuss SALP for period between 901201-920418.  
WHITE, J.R. Region 1 (Post 820201). 92/07/08. Region 1 (Post 820201). 3pp. 62488:208-62488:210.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207280192** Forwards instrumentation surveillance test & setpoint change control program insp repts 50-387/92-17 & 50-388/92-17. No violations noted. One previously identified unresolved item was closed.  
ANDERSON, C.J. Region 1 (Post 820201). 92/07/20. KEISER, H.W. Pennsylvania Power & Light Co. 2pp. 62489:323-62489:335.

**-9207280195** Insp repts 50-387/92-17 & 50-388/92-17 on 920622-26. No violations noted. Major areas inspected: surveillance test activities of safety-related instruments, instrument setpoint change control program & corrective actions.  
CHEUNG, L., CALVERT, J., NGUYEN, D. Region 1 (Post 820201). 92/07/15. 11pp. 62489:325-62489:335.

**9207300229** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Precautionary fire watches established & 1 h rept submitted to NRC.  
BYRAM, R.G. Pennsylvania Power & Light Co. 92/07/24. Document Control Branch (Document Control Desk). 4pp. 62593:212-62593:215.

**9207310176** Forwards presentation matl from 920717 SALP meeting discussing most recent NRC assessment of util performance.  
KEISER, H.W. Pennsylvania Power & Light Co. 92/07/27. MARTIN, T.T. Region 1 (Post 820201). 16pp. 62618:327-62618:342.

### R. Periodic operating reports & related correspondence

**9207200134** "Generator Quarterly Hazardous Waste Rept" for June 1992 for Susquehanna Steam Electric Station, W/920713 ltr.  
STANLEY, H.G., BELLES, T.D. Pennsylvania Power & Light Co. 92/06/30. 4pp. 62464:318-62464:321.

**9207220245** "NPDES Discharge Monitoring Rept for June 1992 for Susquehanna Steam Electric Station, Units 1 & 2." W/920715 ltr.  
FIELDS, J.S. Pennsylvania Power & Light Co. 92/06/30. WILKES, J.J. Pennsylvania, Commonwealth of. 12pp. 62473:273-62473:284.

**9207220314** Monthly operating repts for June 1992 for SSES units 1 & 2. W/920715 ltr.  
FULLER, L.L., KEISER, H.W. Pennsylvania Power & Light Co. 92/06/30. 10pp. 62482:343-62482:352.

### DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207270285** "St Lucie Nuclear Power Plant 1992 Emergency Preparedness Evaluated Exercise, 920212."  
\* Florida Power & Light Co. 92/02/12. 500pp. 62534:001-62535:017.

**9207010288** Forwards SALP Repts 50-335/92-06 & 50-389/92-06 covering 901101-920502. Commends util for superior performance.  
EBNETER, S.D. Region 2 (Post 820201). 92/06/12. GOLDBERG, J.H. Florida Power & Light Co. 5pp. 62230:295-62230:328.

**-9207010289** SALP Repts 50-335/92-06 & 50-389/92-06 covering 901101 to 920502. Category 1 rating assigned in areas of plant operations, radiological controls, emergency preparedness, security & engineering/technical support.  
\* Region 2 (Post 820201). 92/06/12. 29pp. 62230:300-62230:328.

**9207170066** Rev 7 to HP-203, "Personnel Access Control During Emergencies."  
SAGER, D.A. Florida Power & Light Co. 92/07/10. 33pp. 62430:298-62430:330.

**9207300239** Responds to NRC Bulletin 92-001, "Thermo-Lag 330 Fire Barrier Sys." Compensatory measures implemented in areas containing subj fire barrier matl, including roving fire watch & verification of fire detector operability.  
SAGER, D.A. Florida Power & Light Co. 92/07/27. Document Control Branch (Document Control Desk). 5pp. 62665:352-62665:356.

#### P. Operating license stage documents & correspondence

**9207060054** Discusses review of response to generic ltr 88-20, suppl 4, re IEEE Alternate methods proposed in 911223 response acceptable.  
NORRIS, J.A. Project Directorate II-2. 92/06/25. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 62204:209-62204:212.

**9207100050** Discusses 920615-16 senior managers meeting to evaluate nuclear safety performance of operating reactors, fuel facilities & other matls licensees. Plant was noted w/high level of safety performance & met criteria for recognition.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/30. GOLDBERG, J.H. Florida Power & Light Co. 4pp. 62367:198-62367:201.

**9207080119** Forwards response to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity."  
BOHLKE, W.H. Florida Power & Light Co. 92/07/01. Document Control Branch (Document Control Desk). 18pp. 62276:287-62276:304.

**9207080123** Forwards rept of unsatisfactory performance testing incident, per 10CFR28. Rept details investigative analysis of unsatisfactory blind specimen results, identification of cause & corrective actions. Rept withheld.  
BOHLKE, W.H. Florida Power & Light Co. 92/07/01. Document Control Branch (Document Control Desk). 1p. 62275:354-62275:354.

**9207200203** Informs that util currently does not plan to replace or downgrade qualification of safety injection tank level & pressure instruments, in response to NRC 920401 ltr re Reg Guide 1.97.  
SAGER, D.A. Florida Power & Light Co. 92/07/14. Document Control Branch (Document Control Desk). 1p. 62451:323-62451:323.

**9207230132** Forwards amend 56 to license NPF-16 & safety evaluation. Amend revises TS 3.1.1.4.c by changing MTC value from -27pcm/f to -30pcm/f.  
NORRIS, J.A. Project Directorate II-2. 92/07/15. GOLDBERG, J.H. Florida Power & Light Co. 3pp. 62479:023-62479:034.



-9207230135 Amend 56 to license NPF-16, revising TS 3.1.1.4.c by changing MTC value from -27pcm/f to -30pcm/f.  
BERKOW,H.N. Project Directorate II-2. 92/07/15. 5pp. 62479:026-62479:030.

-9207230137 Safety evaluation supporting amend 56 to license NPF-16.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/15. 4pp. 62479:031-62479:034.

#### Q. Inspection reports, IE Bulletins & correspondence

9207010288 Forwards SALP Repts 50-335/92-06 & 50-389/92-06 covering 901101-920502. Commends util for superior performance.  
EBNETER,S.D. Region 2 (Post 820201). 92/06/12. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 62230:295-62230:328.

-9207010289 SALP Repts 50-335/92-06 & 50-389/92-06 covering 901101 to 920502. Category 1 rating assigned in areas of plant operations, radiological controls, emergency preparedness, security & engineering/technical support.  
\* Region 2 (Post 820201). 92/06/12. 29pp. 62230:300-62230:328.

9207020007 Forwards insp rept 50-335/92-09 & 50-389/92-09 on stated dates & forwards notice of violations.  
JULIAN,C.A. Region 2 (Post 820201). 92/06/18. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 62234:189-62234:209.

-9207020029 Notice of violation from insp on stated dates ending 920522. Violations noted: during inservice inspection of ASME code, determined that licensee failed to follow liquid penetrant exam procedures.  
\* Region 2 (Post 820201). 92/06/18. 2pp. 62234:193-62234:194.

-9207020040 Insp repts 50-335/92-09 & 50-389/92-09 on stated dates. Violations noted: Major areas inspected: ISI followup on Generic Ltr 89-08 & Info Notice 91-031.  
KLEINSORGE,W.P., BLAKE,J.J. Region 2 (Post 820201). 92/06/04. 15pp. 62234:195-62234:209.

9207220081 Discusses NRC 920630 SALP meeting.  
EBNETER,S.D. Region 2 (Post 820201). 92/06/18. KINDRED,T. St. Lucie County, FL. 5pp. 62432:212-62432:216.

9207010179 Notification of significant licensee meeting w/util on 920630 to discuss SALP presentation.  
LANDIS,K.D. Region 2 (Post 820201). 92/06/19. Region 2 (Post 820201). 3pp. 62234:306-62234:308.

9207020110 Ack receipt of 920518 ltr informing NRC of steps taken to correct violations noted in insp repts 50-335/92-05 & 50-389/92-05. Response meets requirements of 10CFR2.201.  
SINKULE,M.V. Region 2 (Post 820201). 92/06/19. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 62219:355-62219:356.

9207010196 Forwards insp repts 50-335/92-12 & 50-389/92-12 on 920518-22. No violations noted.  
CLINE,W.E. Region 2 (Post 820201). 92/06/20. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 62234:063-62234:076.

-9207010200 Insp repts 50-335/92-12 & 50-389/92-12 on 920518-22. No violations noted. Major areas inspected: radiation protection program.  
POTTER,J.P., SHORTHIDGE,R.B. Region 2 (Post 820201). 92/06/18. 9pp. 62234:068-62234:076.

9207060170 Responds to violations noted in Insp Rept 50-389/92-07. Corrective actions: on 920421, main steam safety valve testing stopped & gauge calibr data sheets reviewed & containment pressure sensing lines will be labeled.  
GOLDBERG,J.H. Florida Power & Light Co. 92/06/26. Document Control Branch (Document Control Desk). 6pp. 62243:356-62243:361.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207140198 Expresses appreciation for review of SALP rept & participation in SALP meeting on 920630. No changes to SALP rept warranted due to lack of corrective comments. Meeting summary, SALP presentation slides & SALP response ltr encl.  
EBNETER,S.D. Region 2 (Post 820201). 92/07/01. GOLDBERG,J.H. Florida Power & Light Co. 32pp. 62311:165-62311:216.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207170198 Forwards Insp Repts 50-335/92-10 & 50-389/92-10 on 920503-0608. No violations or deviations noted.  
SINKULE,M.V. Region 2 (Post 820201). 92/07/07. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 62440:223-62440:236.

-9207170201 Insp Repts 50-335/92-10 & 50-389/92-10 on 920503-0608. No violations or deviations noted. Major areas inspected: areas of plant operations review, maint observations, surveillance observations & Unit 2 outage activities.  
ELROD,S.A., SCOTT,M.A., LANDIS,K.A. Region 2 (Post 820201). 92/07/07. 11pp. 62440:225-62440:236.

920720233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:008.

9207210324 Responds to violations noted in Insp Repts 50-335/92-09 & 50-389/92-09. Corrective actions: contractor orientation procedure will be developed w/emphasis on attention to detail & procedure compliance.  
GOLDBERG,J.H. Florida Power & Light Co. 92/07/16. Document Control Branch (Document Control Desk). 3pp. 62459:341-62459:343.

9207300239 Responds to NRC Bulletin 92-001, "Thermo-Lag 330 Fire Barrier Sys." Compensatory measures implemented in areas containing subj fire barrier matl, including roving fire watch & verification of fire detector operability.  
SAGER,D.A. Florida Power & Light Co. 92/07/27. Document Control Branch (Document Control Desk). 5pp. 62665:352-62665:356.

#### R. Periodic operating reports & related correspondence

9207160165 Monthly operating repts for June 1992 for St Lucie Units 1 & 2. W/920709 ltr.  
BREEN,J.J., SAGER,D.A. Florida Power & Light Co. 92/06/30. 10pp. 62423:289-62423:298.

#### S. Reportable occurrences, LERs & related correspondence

9207060235 LER 92-001-01: on 920421, three of four local power density pre-trips in RPS alarmed & turbine remained tied to sys grid. Caused by inadequate core axial shape index mgt guidelines. Procedures changed. W/920629 ltr.  
YOUNG,R.J., SAGER,D.A. Florida Power & Light Co. 92/06/29. 5pp. 62292:132-62292:136.

9207270230 NPDES noncompliance notification: on 920714, discovered loss of pump suction on hydrazine chemical feed sys tanks, resulting in discharge of 72 lbs of hydrazine to storm drain sys. Caused by open drain valve. Investigation underway.  
SAGER,D.A. Florida Power & Light Co. 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62528:181-62528:182.

#### DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

#### A. Application/construction stage documents & correspondence

9207060059 Notification of 920717 meeting w/TVA in Rockville, MD to discuss licensing status of plant & licensing issues that warrant mgt attention.  
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/06/30. HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 62204:196-62204:198.

9207070059 Forwards proposed FSAR changes for MELB flooding special program w/ example of program implementation for one area/ room in Unit 1, per commitment during 920226 telcon. Supporting calculations also encl.  
MUSELER,W.J. Tennessee Valley Authority. 92/06/30. Document Control Branch (Document Control Desk). 22pp. 62269:198-62269:257.

-9207070063 "Sys Isolation for MELB Flooding" for Watts Bar Units 1 & 2.  
\* Sargent & Lundy, Inc. 3C38-0387-001 R01. 88/05/02. 5pp. 62269:217-62269:220.

-9207070070 "MELB Flooding Study" for Watts Bar Units 1 & 2.  
\* Sargent & Lundy, Inc. 3C38-1086-001 R01. 88/05/02. 18pp. 62269:221-62269:236.

-9207070074 "MELB Safe Shutdown Logic Diagram & Equipment List" for Watts Bar Units 1 & 2.  
\* Sargent & Lundy, Inc. 3C38-1086-002 001. 88/04/29. 5pp. 62269:237-62269:240.

-9207070076 "MELB Safe Shutdown Analysis" for Watts Bar Units 1 & 2.  
\* Sargent & Lundy, Inc. 3C38-0387-002 R01. 88/05/02. 5pp. 62269:241-62269:244.

-9207070082 "MELB Flood Study - Structural Flood Load Assessment" for Watts Bar Units 1 & 2.  
\* Sargent & Lundy, Inc. SF-OP-01.1 R00. 87/08/27. 3pp. 62269:245-62269:247.

-9207070088 "MELB Flooding Study Refined Structural Flood Load Assessment" for Watts Bar Units 1 & 2.  
\* Sargent & Lundy, Inc. SF-OP-02.1 R00. 87/08/27. 8pp. 62269:248-62269:255.

-9207070094 Calculation for allowable flood heights vs postulated flood heights per zone for Watts Bar Units 1 & 2.  
\* Sargent & Lundy, Inc. SF-OP-01.7 R01. 87/03/20. 2pp. 62269:256-62269:257.

9207060278 Submits clarification to Rev 4 to CAP plan for replacement items program.  
MUSELER,W.J. Tennessee Valley Authority. 92/07/01. Document Control Branch (Document Control Desk). 3pp. 62254:210-62254:212.

9207100060 Summary of 920629 meeting w/util by telephone re status, needed actions, priorities & schedules of various licensing issues.  
TAM,P.S. Project Directorate II-1. 92/07/02. Project Directorate II-1. 13pp. 62367:202-62367:214.

9207090177 Forwards response to Generic Ltr 92-01, "Reactor Vessel Structural Integrity." NUMARC recommended response guidelines utilized to extent practical.  
SHELL,R.H. Tennessee Valley Authority. 92/07/07. Document Control Branch (Document Control Desk). 48pp. 62341:201-62341:248.

9207290032 Discusses 920528 meeting w/util in Atlanta, GA re engineering records generated to support analysis to cable trays & tray supports, HVAC duct & duct supports & conduits supports. List of attendees encl.  
JOHNSON,B.A. Region 2 (Post 820201). 92/07/10. MEDFORD,M.O. Tennessee Valley Authority. 34pp. 62506:018-62506:051.

9207160297 Forwards SE requesting addl info on amend 69 to FSAR, chapter 14 re initial test program.  
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/14. MEDFORD,M.O. Tennessee Valley Authority. 2pp. 62395:339-62395:356.

-9207160300 Safety evaluation requesting addl info on amend 69 to FSAR, chapter 14 re initial test program.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/14. 15pp. 62395:343-62395:356.

9207220300 Confirms FSAR Chapter 12 Review Site Visit to be conducted on 920826.  
TAM,P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/14. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 62443:351-62443:353.

## 132 DOCKETED ITEMS

**9207220344** Advises that util demonstrated that Diablo Canyon natural circulation tests applicable to Watts Bar, thus meeting guidelines of BTP RSB 5-1, per util 910711 submittal. Details of review will be published in suppl 10 to SER.  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/14. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62442:357-62442:359.

**9207170068** Submits info to satisfy annual requirement for reporting of changes to ECCS evaluation model, per 10CFR50.46. On 920626, Westinghouse informed util that there have been no changes to ECCS evaluation model during last yr.  
MUSELER, W.J. Tennessee Valley Authority. 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62430:340-62430:341.

**9207170071** Forwards preliminary FSAR page markups reflecting latest PTS analysis & Westinghouse Topical Repts WCAP-13300 & WCAP-13301 which provides technical bases for FSAR changes.  
MUSELER, W.J. Tennessee Valley Authority. 92/07/17. Document Control Branch (Document Control Desk). 12pp. 62471:178-62471:219.

**-9207170079** "Evaluation of PTS for Watts Bar Unit 1."  
CHICOTS, J.M., STRAUCH, P.L., MEYER, T.A. Westinghouse Electric Corp. WCAP-13300. 92/04/30. 15pp. 62471:190-62471:204.

**-9207170083** "Evaluation of PTS for Watts Bar Unit 2."  
CHICOTS, J.M., STRAUCH, P.L., MEYER, T.A. Westinghouse Electric Corp. WCAP-13301. 92/04/30. 15pp. 62471:205-62471:219.

**9207230255** Ack receipt of 920430 ltr transmitting document that described program for assurance of completion & assurance of quality.  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/21. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62459:115-62459:117.

**9207240143** Summary of 920717 meeting w/util at NRC headquarters re TVA perspective of plant overall schedule.  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/21. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 5pp. 62479:234-62479:238.

**9207270197** Advises that util 920622 submittal of WCAP-12774, "Technical Justification for Eliminating Pressurizer Surge Line Rupture as Structural Design Basis for Watts Bar Units 1 & 2" will be withheld from public disclosure (ref 10CFR2.790).  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/21. LIPARULO, N.J. Westinghouse Electric Corp. 4pp. 62583:214-62583:217.

**9207310217** Ack receipt of 910211 ltr stating Rev 3 of plant corrective action program for replacement items acceptable.  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/27. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62593:340-62593:343.

### E. NRC Safety Evaluation Report (SER), supple & correspondence

**9207140239** SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF WATTS BAR NUCLEAR PLANT, UNITS 1 AND 2. Docket Nos. 50-390 And 50-391. (Tennessee Valley Authority)  
TAM, P.S. Division of Reactor Projects - I/II (Post 870411). NUREG-0847 S09. 92/06/30. 200pp. 62372:327-62373:119.

**9207200284** Notification of 920730 meeting w/util in Spring City, TN to discuss status, needed actions & priorities of various licensing issues ref in NUREG-0847, suppl 9.  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/14. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 62438:091-62438:093.

### Q. Inspection reports, IE Bulletins & correspondence

**9207010318** Forwards insp rept 50-390/92-08 & 50-391/92-08 on 920320-0416. No violations or deviations noted.  
REYES, L.A. Region 2 (Post 820201). 92/05/15. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62202:268-62202:285.

**-9207010323** Insp repts 50-390/92-08 & 50-391/92-08 on 920320-0416. No violations or deviations noted. Major areas inspected: construction work activities, heating, ventilating & air conditioning supports & restraint sys & closed item reviews.  
WALTON, G.A., BARR, K.P. Region 2 (Post 820201). 92/05/14. 13pp. 62202:271-62202:285.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207140014** Discusses insp repts 50-390/92-09 & 50-391/92-09 on 920417-0603. No violations or deviations identified.  
JOHNSON, J.R. Region 2 (Post 820201). 92/06/29. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62298:237-62298:239.

**9207140106** Forwards insp repts 50-390/92-09 & 50-391/92-09 on 920417-0603. No violations or deviations noted.  
JOHNSON, J.R. Region 2 (Post 820201). 92/06/29. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62299:330-62299:354.

**-9207140112** Insp repts 50-390/92-09 & 50-391/92-09 on 920417-0603. No violations noted. Major areas inspected: const work activities, workplan reviews, corrective action program, preoperational test program & fuel handling.  
WALTON, G.A., BARR, K.P. Region 2 (Post 820201). 92/06/25. 22pp. 62298:333-62298:354.

**9207140141** Ack receipt of 920514 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/92-05 & 50-391/92-05.  
JOHNSON, J.R. Region 2 (Post 820201). 92/06/29. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62310:033-62310:036.

**9206290043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140168** Discusses insp repts 50-390/92-03 & 50-391/92-03 & forwards notice of violation. Violations addressed do not constitute program breakdown in mall control area.  
JOHNSON, J.R. Region 2 (Post 820201). 92/07/02. MEDFORD, M.O. Tennessee Valley Authority. 5pp. 62311:046-62311:093.

**-9207140172** Notice of violation from insp on 920210-14 & 17-20. Violation noted: licensee failed to establish adequate measures to assure that malis subject to review to verify conformance to requirements met requirements prior to inventory.  
\* Region 2 (Post 820201). 92/07/02. 42pp. 62311:052-62311:093.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207170206** Discusses corrective action plan for design baseline & verification program, submitted on 911108 & clarifies response to violations noted in insp Repts 50-390/87-05, 50-391/87-05, 50-390/89-20 & 50-391/89-20.  
MUSELER, W.J. Tennessee Valley Authority. 92/07/09. Document Control Branch (Document Control Desk). 2pp. 62436:296-62436:297.

**9207140083** Forwards insp repts 50-390/92-11 & 50-391/92-11 on 920511-14. No violations or deviations identified.  
REYES, L.A. Region 2 (Post 820201). 92/07/12. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62299:257-62299:268.

**-9207140087** Insp repts 50-390/92-11 & 50-391/92-11 on 920511-14. No violations or deviations identified. Major areas inspected: follow up to apparent violations re implementation of malis improvement project identified in previous insp repts.  
GIBBS, R., IVEY, K.D., BARR, K.P. Region 2 (Post 820201). 92/06/12. 9pp. 62299:260-62299:268.

### S. Reportable occurrences, LERs & related correspondence

**9207060188** Final deficiency rept & Part 21 rept re inadequacies in motor-operated diagnostic equipment supplied by ITI Movats Corp. Initially reported on 920403. Closing torque switch settings for motor-operated valves will be recalled.  
MUSELER, W.J. Tennessee Valley Authority. WBRD-50-390/92-06. 92/07/01. Document Control Branch (Document Control Desk). 4pp. 62254:345-62254:348.

### DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

#### A. Application/construction stage documents & correspondence

**9207060059** Notification of 920717 meeting w/TVA in Rockville, MD to discuss licensing status of plant & licensing issues that warrant mgt attention.  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/06/30. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 62204:198-62204:198.

**9207070059** Forwards proposed FSAR changes for MELB flooding special program w/ example of program implementation for one area/ room in Unit 1, per commitment during 920226 telcon. Supporting calculations also encl.  
MUSELER, W.J. Tennessee Valley Authority. 92/06/30. Document Control Branch (Document Control Desk). 22pp. 62269:198-62269:257.

**-9207070063** "Sys Isolation for MELB Flooding" for Watts Bar Units 1 & 2.  
\* Sargent & Lundy, Inc. 3C38-0387-001 R01. 88/05/02. 5pp. 62269:217-62269:220.

**-9207070070** "MELB Flooding Study" for Watts Bar Units 1 & 2.  
\* Sargent & Lundy, Inc. 3C38-1086-001 R01. 88/05/02. 18pp. 62269:221-62269:236.

**-9207070074** "MELB Safe Shutdown Logic Diagram & Equipment List" for Watts Bar Units 1 & 2.  
\* Sargent & Lundy, Inc. 3C38-1086-002 001. 88/04/29. 5pp. 62269:237-62269:240.

**-9207070076** "MELB Safe Shutdown Analysis" for Watts Bar Units 1 & 2.  
\* Sargent & Lundy, Inc. 3C38-0387-002 R01. 88/05/02. 5pp. 62269:241-62269:244.

**-9207070082** "MELB Flood Study - Structural Flood Load Assessment" for Watts Bar Units 1 & 2.  
\* Sargent & Lundy, Inc. SF-OP-01.1 R00. 87/08/27. 3pp. 62269:245-62269:247.

**-9207070088** "MELB Flooding Study Refined Structural Flood Load Assessment" for Watts Bar Units 1 & 2.  
\* Sargent & Lundy, Inc. SF-OP-02.1 R00. 87/08/27. 8pp. 62269:248-62269:255.

**-9207070094** Calculation for allowable flood heights vs postulated flood heights per zone for Watts Bar Units 1 & 2.  
\* Sargent & Lundy, Inc. SF-OP-01.7 R01. 87/03/20. 2pp. 62269:256-62269:257.

**9207060278** Submits clarification to Rev 4 to CAP plan for replacement items program.  
MUSELER, W.J. Tennessee Valley Authority. 92/07/01. Document Control Branch (Document Control Desk). 3pp. 62254:210-62254:212.

**9207100060** Summary of 920629 meeting w/util by telephone re status, needed actions, priorities & schedules of various licensing issues.  
TAM, P.S. Project Directorate II-1. 92/07/02. Project Directorate II-1. 13pp. 62367:202-62367:214.

**9207090177** Forwards response to Generic ltr 92-01, "Reactor Vessel Structural Integrity." NUMARC recommended response guidelines utilized to extent practical.  
SHELL, R.H. Tennessee Valley Authority. 92/07/07. Document Control Branch (Document Control Desk). 48pp. 62341:201-62341:248.

**9207290032** Discusses 920528 meeting w/util in Atlanta, GA re engineering records generated to support analysis to cable trays & tray supports, HVAC duct & duct supports & conduits supports. List of attendees encl.  
JOHNSON, B.A. Region 2 (Post 820201). 92/07/10. MEDFORD, M.O. Tennessee Valley Authority. 34pp. 62506:018-62506:051.

**9207160297** Forwards SE requesting addl info on amend 69 to FSAR, chapter 14 re initial test program.  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/14. MEDFORD, M.O. Tennessee Valley Authority. 2pp. 62395:339-62395:356.

**-9207160300** Safety evaluation requesting addl info on amend 69 to FSAR, chapter 14 re initial test program.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/14. 15pp. 62395:343-62395:356.

**9207220300** Confirms FSAR Chapter 12 Review Site Visit to be conducted on 920826.  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/14. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62443:351-62443:353.

**9207220344** Advises that util demonstrated that Diablo Canyon natural circulation tests applicable to Watts Bar, thus meeting guidelines of BTP RSB 5-1, per util 910711 submittal. Details of review will be published in suppl 10 to SER.  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/14. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62442:357-62442:359.

**9207170068** Submits info to satisfy annual requirement for reporting of changes to ECCS evaluation model, per 10CFR50.46. On 920626, Westinghouse informed util that there have been no changes to ECCS evaluation model during last yr.  
MUSELER, W.J. Tennessee Valley Authority. 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62430:340-62430:341.

**9207170071** Forwards preliminary FSAR page markings reflecting latest PTS analysis & Westinghouse Topical Repts WCAP-13300 & WCAP-13301 which provides technical bases for FSAR changes.  
MUSELER, W.J. Tennessee Valley Authority. 92/07/17. Document Control Branch (Document Control Desk). 12pp. 62471:178-62471:219.

**-9207170083** "Evaluation of PTS for Watts Bar Unit 2."  
CHICOTS, J.M., STRAUCH, P.L., MEYER, T.A. Westinghouse Electric Corp. WCAP-13301. 92/04/30. 15pp. 62471:205-62471:219.

**9207230255** Ack receipt of 920430 ltr transmitting document that described program for assurance of completion & assurance of quality.  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/21. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62459:115-62459:117.

**9207270197** Advises that util 920622 submittal of WCAP-12774, "Technical Justification for Eliminating Pressurizer Surge Line Rupture as Structural Design Basis for Watts Bar Units 1 & 2" will be withheld from public disclosure (ref 10CFR2.790).  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/21. LIPARULO, N.J. Westinghouse Electric Corp. 4pp. 62583:214-62583:217.

**9207310217** Ack receipt of 910211 ltr stating Rev 3 of plant corrective action program for replacement items acceptable.  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/27. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62593:340-62593:343.

#### E. NRC Safety Evaluation Report (SER), suppl & correspondence

**9207140239** SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF WATTS BAR NUCLEAR PLANT, UNITS 1 AND 2. Docket Nos. 50-390 And 50-391. (Tennessee Valley Authority)  
TAM, P.S. Division of Reactor Projects - I/II (Post 870411). NUREG-0847 S09. 92/06/30. 200pp. 62372:327-62372:119.

**9207200284** Notification of 920730 meeting w/util in Spring City, TN to discuss status, needed actions & priorities of various licensing issues ref in NUREG-0847, suppl 9.  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/14. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 62438:091-62438:093.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207010318** Forwards insp rept 50-390/92-08 & 50-391/92-08 on 920320-0416. No violations or deviations noted.  
REYES, L.A. Region 2 (Post 820201). 92/05/15. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62202:268-62202:285.

**-9207010323** Insp repts 50-390/92-08 & 50-391/92-08 on 920320-0416. No violations or deviations noted. Major areas inspected: construction work activities, heating, ventilating & air conditioning supports & restraint sys & closed item reviews.  
WALTON, G.A., BARR, K.P. Region 2 (Post 820201). 92/05/14. 13pp. 62202:271-62202:285.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207140014** Discusses insp repts 50-390/92-09 & 50-391/92-09 on 920417-0603. No violations or deviations identified.  
JOHNSON, J.R. Region 2 (Post 820201). 92/06/29. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62298:237-62298:239.

**9207140106** Forwards insp repts 50-390/92-09 & 50-391/92-09 on 920417-0603. No violations or deviations noted.  
JOHNSON, J.R. Region 2 (Post 820201). 92/06/29. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62299:330-62299:354.

**-9207140112** Insp repts 50-390/92-09 & 50-391/92-09 on 920417-0603. No violations noted. Major areas inspected: const work activities, workplan reviews, corrective action program, preoperational test program & fuel handling.  
WALTON, G.A., BARR, K.P. Region 2 (Post 820201). 92/06/25. 22pp. 62299:333-62299:354.

**9207140141** Ack receipt of 920514 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/92-05 & 50-391/92-05.  
JOHNSON, J.R. Region 2 (Post 820201). 92/06/29. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62310:033-62310:036.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140168** Discusses insp repts 50-390/92-03 & 50-391/92-03 & forwards notice of violation. Violations addressed do not constitute program breakdown in matl control area.  
JOHNSON, J.R. Region 2 (Post 820201). 92/07/02. MEDFORD, M.O. Tennessee Valley Authority. 5pp. 62311:046-62311:093.

**-9207140172** Notice of violation from insp on 920210-14 & 17-20. Violation noted: licensee failed to establish adequate measures to assure that mats subject to review to verify conformance to requirements met requirements prior to inventory.  
\* Region 2 (Post 820201). 92/07/02. 42pp. 62311:052-62311:093.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207170208** Discusses corrective action plan for design baseline & verification program, submitted on 911108 & clarifies response to violations noted in Insp Repts 50-390/87-05, 50-391/87-05, 50-390/89-20 & 50-391/89-20.  
MUSELER, W.J. Tennessee Valley Authority. 92/07/09. Document Control Branch (Document Control Desk). 2pp. 62436:296-62436:297.

**9207140083** Forwards insp repts 50-390/92-11 & 50-391/92-11 on 920511-14. No violations or deviations identified.  
REYES, L.A. Region 2 (Post 820201). 92/07/12. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62299:257-62299:268.

**-9207140087** Insp repts 50-390/92-11 & 50-391/92-11 on 920511-14. No violations or deviations identified. Major areas inspected: follow up to apparent violations re implementation of mats improvement project identified in previous insp repts.  
GIBBS, R., IVEY, K.D., BARR, K.P. Region 2 (Post 820201). 92/06/12. 9pp. 62299:260-62299:268.

#### S. Reportable occurrences, LERs & related correspondence

**9207060188** Final deficiency rept & Part 21 rept re inadequacies in motor-operated diagnostic equipment supplied by ITI Movats Corp. Initially reported on 920403. Closing torque switch settings for motor-operated valves will be recalled.  
MUSELER, W.J. Tennessee Valley Authority. WBRD-50-390/92-06. 92/07/01. Document Control Branch (Document Control Desk). 4pp. 62254:345-62254:348.

#### DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9207270006** Advises that rev 31 to plant emergency plan consistent w/provisions of 10CFR50.47(b) & app 1 of NUREG-0654.  
CLINE, W.E. Region 2 (Post 820201). 92/06/30. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 62475:001-62475:003.

**9207140204** Forwards amend 31 to physical security plan. Amend withheld (ref 10CFR73.21).  
SKOLDS, J.L. South Carolina Electric & Gas Co. 92/07/09. Document Control Branch (Document Control Desk). 1p. 62380:329-62380:329.

**9207150330** Forwards insp rept 50-395/92-12 on 920622-26. No violations or deviations noted. Details withheld (ref 10CFR73.21).  
COLLINS, D.M. Region 2 (Post 820201). 92/07/09. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 62412:350-62412:353.

**-9207150334** Partially withheld Insp Rept 50-395/92-12 on 920622-26 (ref 10CFR73.21). No violations or deviations noted. Major areas inspected: physical security program, including mgt support, detection & assessment aids.  
STANSBERRY, W.W., MCGUIRE, D.R. Region 2 (Post 820201). 92/07/07. 1p. 62412:353-62412:353.

**9207170129** Forwards Amend 10 to security training & qualification plan. Amend withheld.  
NETTLES, K.W. South Carolina Electric & Gas Co. 92/07/13. Document Control Branch (Document Control Desk). 1p. 62451:360-62451:360.

**9207240178** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduit Free from Fire Damage." Thermo-Lag fire barriers may be replaced w/tested sys.  
SKOLDS, J.L. South Carolina Electric & Gas Co. 92/07/20. Document Control Branch (Document Control Desk). 5pp. 62528:235-62528:239.

**9207270243** Responds to violations noted in Insp Rept 50-395/92-10. Corrective actions: electrical elementary drawings for degraded voltage protection relay revised & Health Physics Procedure HPP-904 revised to designate responsible groups.  
SKOLDS, J.L. South Carolina Electric & Gas Co. 92/07/22. Document Control Branch (Document Control Desk). 6pp. 62528:165-62528:170.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207060171** Amend 92-07 to FSAR for VC Summer Nuclear Station. W/920630 ltr.  
SKOLDS, J.L. South Carolina Electric & Gas Co. 92/06/30. 6pp. 62271:356-62271:361.

## 134 DOCKETED ITEMS

### P. Operating license stage documents & correspondence

- 9207010296** Summarizes 920505 meeting in Region II of re Generic Ltr 89-10 program at facility & concerns identified in Insp Rept 50-395/92-02 dtd 920305. Attendees listed.  
GIBSON, A.F. Region 2 (Post 820201). 92/06/15. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 62230:274-62230:276.
- 9207020054** Informs that response to Generic Ltr 88-20, Suppl 4, IEEE methods acceptable & submittal schedule not acceptable. Requests that licensee reassess schedule & rept results no later than 920918.  
WUNDER, G. Project Directorate II-1. 92/06/26. SKOLDS, J.L. South Carolina Electric & Gas Co. 4pp. 62183:298-62183:301.
- 9207070385** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity, consisting of table listing effects of 550 F irradiation on notch toughness properties of reactor vessel surveillance capsule matl.  
SKOLDS, J.F. South Carolina Electric & Gas Co. 92/06/30. Document Control Branch (Document Control Desk). 15pp. 62267:292-62267:306.
- 9207090354** Commends plant for achieving high level of safety performance as demonstrated by VC Summer nuclear power plant recognizing mgt involvement in all phases of plant operation & dedicated staff supporting plant activities.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/30. KENYON, B.D. South Carolina Electric & Gas Co. 4pp. 62269:300-62269:303.
- 9207270322** Application for amend to License NPF-12, consisting of TS Change TSP 890005, revising accident monitoring instrumentation in TS 3/4.3.3.8, Tables 3.3-10 & 4.3-7 for consistency w/accepted program, per Rev 3 to Reg Guide 1.97.  
SKOLDS, J.F. South Carolina Electric & Gas Co. 92/07/22. WUNDER, G.F. Document Control Branch (Document Control Desk). 3pp. 62528:131-62528:153.
- 9207270324** Proposed TS 3/4.3.3.6 & Tables 3.3-10 & 4.3-7 re accident monitoring instrumentation.  
\* South Carolina Electric & Gas Co. 92/07/22. 20pp. 62528:134-62528:153.

### Q. Inspection reports, IE Bulletins & correspondence

- 9207010296** Summarizes 920505 meeting in Region II of re Generic Ltr 89-10 program at facility & concerns identified in Insp Rept 50-395/92-02 dtd 920305. Attendees listed.  
GIBSON, A.F. Region 2 (Post 820201). 92/06/15. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 62230:274-62230:276.
- 9207270078** Forwards insp rept 50-395/92-10 on 920501-31 & notice of violation, NRC concerned that technical manual not referred to during maint activity on nuclear instrumentation for which detailed maint procedures did not exist.  
VERRELLI, D.M. Region 2 (Post 820201). 92/06/22. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 62475:299-62475:322.
- 9207270089** Notice of violation from insp on 920501-31. Violation noted: procedure HPP 904 determined to be inadequate due to insufficient instructions or guidance for making adjustments to radiation monitor setpoints.  
\* Region 2 (Post 820201). 92/06/22. 2pp. 62475:302-62475:303.
- 9207270092** Insp rept 50-395/92-10 on 920501-31. Violations noted. Major areas inspected: monthly surveillance observations, monthly maint observations & operational safety verification.  
HAAG, R.C., KELLER, L.A., CANTRELL, F.S. Region 2 (Post 820201). 92/06/22. 19pp. 62475:304-62475:322.
- 9207140028** Forwards Exam Rept 50-395/92-300 of exam administered during wk of 920518.  
PEEBLES, T.A. Region 2 (Post 820201). 92/06/23. SKOLDS, J.L. South Carolina Electric & Gas Co. 2pp. 62298:244-62298:100.
- 9207140035** Exam rept 50-395/92-300 on 920518. Exam results: all five RO applicants passed exams. SRO applicant failed operations portion of exam.  
AIELLO, R.F., LAWYER, L.L. Region 2 (Post 820201). 92/06/22. 200pp. 62298:246-62298:100.
- 9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.
- 9207070215** Forwards auxiliary feedwater sys risk-based insp guide for plant, to be published as NUREG.  
WUNDER, G.F. Project Directorate II-1. 92/06/29. SKOLDS, J.L. South Carolina Electric & Gas Co. 6pp. 62241:314-62241:348.
- 9207070372** "Auxiliary Feedwater System Risk-Based Insp Guide for Virgil Summer Nuclear Power Plant."  
LLOYD, R.C., MOFFITT, N.E., GORE, B.F. Battelle Memorial Institute, Pacific Northwest Laboratory, FIN L-1310. 91/11/30. Division of Radiation Protection & Emergency Preparedness (Post 870411). 28pp. 62241:317-62241:348.
- 9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.
- 9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.
- 9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.
- 9207150330** Forwards insp rept 50-395/92-12 on 920622-26. No violations or deviations noted. Details withheld (ref 10CFR73.21).  
COLLINS, D.M. Region 2 (Post 820201). 92/07/09. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 62412:350-62412:353.

- 9207150334** Partially withheld Insp Rept 50-395/92-12 on 920622-26 (ref 10CFR73.21). No violations or deviations noted. Major areas inspected: physical security program, including mgt support, detection & assessment aids.  
STANSBERRY, W.W., MCGUIRE, D.R. Region 2 (Post 820201). 92/07/07. 1p. 62412:353-62412:353.
- 9207210273** Responds to inspector followup items noted in insp rept 50-395/92-04. Corrective actions: guidance for inspections of bus bar connections & insulation will be added to procedures to be completed by 921231.  
SKOLDS, J.L. South Carolina Electric & Gas Co. 92/07/14. Document Control Branch (Document Control Desk). 2pp. 62459:349-62459:350.
- 9207240178** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduit Free from Fire Damage." Thermo-Lag fire barriers may be replaced w/tested sys.  
SKOLDS, J.L. South Carolina Electric & Gas Co. 92/07/20. Document Control Branch (Document Control Desk). 5pp. 62528:235-62528:239.
- 9207270243** Responds to violations noted in Insp Rept 50-395/92-10. Corrective actions: electrical elementary drawings for degraded voltage protection relay revised & Health Physics Procedure HPP-904 revised to designate responsible groups.  
SKOLDS, J.L. South Carolina Electric & Gas Co. 92/07/22. Document Control Branch (Document Control Desk). 6pp. 62528:165-62528:170.
- 9207270287** Advises that licensee 880324 response to Bulletin 88-002, "Rapidly Propagating Fatigue Cracks in Steam Generator Tube" acceptable. Util proposed long-term corrective action as required in WCAP-12592 also acceptable.  
WUNDER, G.F. Project Directorate II-1. 92/07/22. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 62496:316-62496:318.

### R. Periodic operating reports & related correspondence

- 9207070428** Forwards Technical Rept 92-1, "Seismic Activity Near VC Summer Nuclear Station," for period Jan-Mar 1992.  
QUINTON, M.D. South Carolina Electric & Gas Co. 92/06/30. Document Control Branch (Document Control Desk). 1p. 62274:319-62274:336.
- 9207070429** Technical Rept 92-1, "Seismic Activity Near VC Summer Nuclear Station," for period Jan-Mar 1992.  
TALWANI, P., RAJENDRAN, K. South Carolina, Univ. of, Columbia, SC. 92-1. 92/03/31. 17pp. 62274:320-62274:336.
- 9207140066** Monthly operating rept for June 1992 for VC Summer Nuclear Station. W/ 920708 ltr.  
HALTIWANGER, J., SKOLDS, J.L. South Carolina Electric & Gas Co. 92/06/30. 5pp. 62380:330-62380:334.

### S. Reportable occurrences, LERs & related correspondence

- 920720312** LER 92-005-00: on 920602, second sample of explosive gases was not taken within 24 hour period as required. Caused by personnel error. Importance of complying with TS related sampling requirements emphasized. W/920620 ltr.  
HIGGINS, W.R., SKOLDS, J.L. South Carolina Electric & Gas Co. 92/06/29. 4pp. 62292:088-62292:091.
- 9207070001** Special Rept SPR 92-004: on 920617, main plant vent high-range radiation monitor RMA-13 declared inoperable due to spiking & spurious alarms. Caused by noise induced from high amplifier circuit board. New board installed.  
SKOLDS, J.L. South Carolina Electric & Gas Co. 92/07/02. EBNETER, S.D. Region 2 (Post 820201). 2pp. 62268:360-62268:361.
- 9207070264** LER 92-004-01: on 920521, reactor tripped from 9% power on low-low SG water level in C SG. Caused by condenser steam dump valves not fully opening on demand. Transducers were replaced w/lower impedance transducers. W/920702 ltr.  
HIGGINS, W.R., SKOLDS, J.L. South Carolina Electric & Gas Co. 92/07/02. 7pp. 62292:346-62292:352.
- 9207280186** Part 21 rept re 911107 C feedwater isolation valve actuator failure due to defect in poppet seal. Seal replaced & testing by independent lab being performed to determine physical properties of original poppet seals.  
HAILE, D. South Carolina Electric & Gas Co. 92/07/10. SCARFO, G. Office for Analysis & Evaluation of Operational Data, Director. 2pp. 62584:292-62584:293.
- 9207200279** NPDES noncompliance notification: on 920708, fish kill discovered in plant circulating water discharge. Caused by thermal shock from increasing circulating water discharge temps. Addl info will be included in 1992 fish kill summary.  
SKOLDS, J.L. South Carolina Electric & Gas Co. 92/07/14. KRECKER, W.R. South Carolina, State of. 9pp. 62450:338-62450:346.

### V. Operator Examinations

- 9207140028** Forwards Exam Rept 50-395/92-300 of exam administered during wk of 920518.  
PEEBLES, T.A. Region 2 (Post 820201). 92/06/23. SKOLDS, J.L. South Carolina Electric & Gas Co. 2pp. 62298:244-62298:100.
- 9207140035** Exam rept 50-395/92-300 on 920518. Exam results: all five RO applicants passed exams. SRO applicant failed operations portion of exam.  
AIELLO, R.F., LAWYER, L.L. Region 2 (Post 820201). 92/06/22. 200pp. 62298:246-62298:100.

### DOCKET 50-396 UNIV. OF VIRGINIA CAVALIER REACTOR

### H. General correspondence

- 9207220333** Advises that on 920701, Dept of Nuclear Engineering merged w/ Mechanical & Aerospace Engineering. New title of department is Mechanical, Aerospace & Nuclear Engineering. Chair of combined department is PE Allaire.  
MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 92/07/17. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 62482:342-62482:342.

**S. Reportable occurrences, LERs & related correspondence**

**9207100061** Special rept on 920615, briefly unidentified high radiation area noted during reactor startup. Caused by human error. Self-critical evaluation conducted & controls in place to prevent recurrence.  
MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 92/07/01. Region 2 (Post 820201). 9pp. 62331:295-62331:303.

**DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2****F. Security, medical, emergency & fire protection plans**

**9207010075** Revised EIPs, including Rev 15 to 13.1.1, "Classifying Emergency," Rev 10 to 13.1.2, "Plant Emergency Director Duties," Rev 6 to 13.9.3, "Portable Air Sampling" & Rev 6 to 13.9.4, "TLD & Fixed Air Sampling Retrieval."  
\* Washington Public Power Supply System. 92/06/22. 200pp. 62224:001-62224:180.

**9207100228** Forwards results of review of Rev 11 to emergency preparedness plan & Revs 13 & 14 to EIP 13.1.1. Emergency action level scheme in EIP 13.1.1 less conservative than guidance established in NUREG-0654.  
SCARANO, R.A. Region 5 (Post 820201). 92/06/30. SORESEN, G.C. Washington Public Power Supply System. 21pp. 62364:285-62364:305.

**9207150025** Discusses review of 920601 ltr re util concerns on impact of training requirements for emergency operating procedures phase two upgrade.  
MILLER, L.F. Region 5 (Post 820201). 92/07/09. SORESEN, G.C. Washington Public Power Supply System. 3pp. 62335:031-62335:033.

**9207170163** Forwards util 920630 ltr to State of WA, Div of Emergency Mgt in preparation for annual review of emergency action levels, consisting of Rev 15 to EIP 13.1.1, "Classifying Emergency." W/o EIP.  
SORESEN, G.C. Washington Public Power Supply System. 92/07/13. Document Control Branch (Document Control Desk). 4pp. 62426:358-62426:361.

**H. General correspondence**

**9207270075** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Supports detailed comments submitted by NUMARC as representing licensee views.  
SORESEN, G.C. Washington Public Power Supply System. 92/07/10. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62475:292-62475:292.

**I. Financial Information**

**9207150321** "Institutional Custody Fiduciary Svcs."  
SANER, D. Seafirst Bank. 92/06/30. 6pp. 62429:275-62429:280.

**9207150336** "Institutional Custody Fiduciary Svcs."  
SANER, D. Seafirst Bank. 92/06/30. 48pp. 62407:257-62407:304.

**P. Operating license stage documents & correspondence**

**9207100154** Requests withdrawal of request for waiver of compliance from TS 3.6.5.1.a to facilitate testing of MOVs, per Generic Ltr 89-10, per 920527 ltr. Problems w/test equipment cannot be resolved within time frame to support testing.  
SORESEN, G.C. Washington Public Power Supply System. 92/06/23. MARTIN, J.B. Region 5 (Post 820201). 1p. 62331:320-62331:320.

**9207020280** Discusses review of updated rept on reactor recirculation piping flaw at plant. Results of flaw reexamination provides reasonable assurance that structural integrity of affected piping will be maintained & plant can be safely operated.  
ASSA, R.R. Project Directorate V. 92/06/25. SORESEN, G.C. Washington Public Power Supply System. 3pp. 62194:336-62194:338.

**9207060118** Forwards amend 108 to license NPF-21 & safety evaluation. Amend deletes reference to footnote w/TS Table 3.3.6-1, "Control Rod Block Instrumentation."  
DEAN, W.M. Project Directorate V. 92/06/26. SORESEN, G.C. Washington Public Power Supply System. 3pp. 62204:032-62204:041.

**-9207060123** Amend 108 to license NPF-21, deleting reference to footnote w/TS Table 3.3.6-1, "Control Rod Block Instrumentation."  
QUAY, T.R. Project Directorate V. 92/06/26. 4pp. 62204:035-62204:039.

**-9207060125** Safety evaluation supporting amend 108 to license NPF-21.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/26. 2pp. 62204:040-62204:041.

**9207060127** Forwards supplemental safety evaluation accepting util responses to SBO, contingent upon verification of adequacy of Class 1E batteries.  
ASSA, R.R. Project Directorate V. 92/06/26. SORESEN, G.C. Washington Public Power Supply System. 4pp. 62204:016-62204:031.

**-9207060131** Supplemental safety evaluation accepting util responses to SBO, contingent upon verification of adequacy of Class 1E batteries.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/26. 12pp. 62204:020-62204:031.

**9207100029** Forwards amend 109 to license NPF-21 & safety evaluation. Amend revises TS 2.1.2.B.2.0 & 6.9.3.2 to reflect characteristics of Cycle 8 reload core.  
ASSA, R.R. Project Directorate V. 92/06/29. SORESEN, G.C. Washington Public Power Supply System. 3pp. 62366:335-62366:352.

**-9207100037** Amend 109 to license NPF-21. Amend revises TS 2.1.2.B.2.0 & 6.9.3.2 to reflect characteristics of Cycle 8 reload core.  
QUAY, T.R. Project Directorate V. 92/06/29. 12pp. 62366:338-62366:349.

**-9207100040** Safety evaluation supporting amend 109 to license DPR-21.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/29. 3pp. 62366:350-62366:352.

**9207060151** Forwards safety evaluation accepting licensee proposed fuel burnup extension to 37 GWD/MTU, for Cycle 8, w/plant commitment to monitor & resolve differential rod growth issue.  
ASSA, R.R. Project Directorate V. 92/07/01. SORESEN, G.C. Washington Public Power Supply System. 3pp. 62197:339-62197:344.

**-9207060153** SER accepting licensee proposed fuel burnup extension to 37 GWD/MTU, w/plant commitment to monitor & resolve differential fuel rod growth issue.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/01. 3pp. 62197:342-62197:344.

**9207090178** Requests change in reactor vessel capsule withdrawal schedule. Since capsule missed some early-in-life exposure, placing capsule in standby mode rather than being withdrawn at 24 EFPY appropriate.  
SORESEN, G.C. Washington Public Power Supply System. 92/07/02. Document Control Branch (Document Control Desk). 1p. 62380:149-62380:149.

**9207150065** Forwards response to NRC SE of inservice testing program for pumps & valves, transmitted via 920507 ltr, which identified 18 program anomalies. Relief Request RV-22 for emergency chilled water valves encl.  
SORESEN, G.C. Washington Public Power Supply System. 92/07/06. Document Control Branch (Document Control Desk). 6pp. 62380:355-62380:360.

**9207150115** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity. Util participated in all BWR Owners Group activities re reactor vessel matl embrittlement issues.  
SORESEN, G.C. Washington Public Power Supply System. 92/07/06. Document Control Branch (Document Control Desk). 31pp. 62411:100-62411:130.

**9207150304** Forwards Rev 0 to COLR 92-8, "Washington Nuclear Plant 2 Cycle 8 Core Operating Limits Rept." Siemens Power Corp completed reanalysis of feedwater controller failure transient for Cycle 8 & MCPR operating limits.  
SORESEN, G.C. Washington Public Power Supply System. 92/07/06. Document Control Branch (Document Control Desk). 2pp. 62409:240-62409:279.

**-9207150308** Rev 0 to "Washington Nuclear Plant 2 Cycle 8, Core Operating Limits Rept."  
\* Washington Public Power Supply System. COLR 92-8 R00. 92/06/30. 38pp. 62409:242-62409:279.

**9207200083** Application for amend to License NPF-21 revising Tech Specs 3/4.6.5.3 re SBT & 3/4.7.2 concerning CREFS, in ref to NRC Info Notice 87-032, "Deficiencies in Testing of Nuclear-Grade Activated Charcoal," dtd 870710.  
SORESEN, G.C. Washington Public Power Supply System. 92/07/13. Document Control Branch (Document Control Desk). 7pp. 62451:210-62451:232.

**-9207200090** Proposed Tech Specs 3/4.6.5.3 re standby gas treatment & 3/4.7.2 concerning control room emergency filtration sys.  
\* Washington Public Power Supply System. 92/07/13. 16pp. 62451:217-62451:232.

**9207200147** Revises 910404, 920406 & 0625 applications for amend to License NPF-21, changing TS 4.8.2.1 re battery load profiles, per discussions w/NRC.  
SORESEN, G.C. Washington Public Power Supply System. 92/07/16. Document Control Branch (Document Control Desk). 3pp. 62464:352-62464:356.

**-9207200148** Proposed TS 4.8.2.1 re battery load profiles.  
\* Washington Public Power Supply System. 92/07/16. 2pp. 62464:355-62464:356.

**9207300164** Notification of 920730 meeting w/util in Rockville, MD to discuss licensing issues.  
ASSA, R.R. Project Directorate V. 92/07/23. QUAY, T.R. Project Directorate V. 2pp. 62580:359-62580:360.

**Q. Inspection reports, IE Bulletins & correspondence**

**9207090322** Forwards Enforcement Conference Rept 50-397/92-21 on 920527 & notice of violation. Concerns raised re large number of findings dealing w/lack of procedure compliance which indicates mgt weakness to define expectations.  
ZIMMERMAN, R.P. Region 5 (Post 820201). 92/06/10. MAZUR, D.W. Washington Public Power Supply System. 2pp. 62340:221-62340:234.

**-9207090325** Notice of violation from insp on 920113-0214. Violation noted: listed controlled top tier drawings not promptly revised to show up-to-date as-built configuration through red-lining process.  
\* Region 5 (Post 820201). 92/06/10. 7pp. 62340:223-62340:229.

**-9207090330** Enforcement Conference Rept 50-397/92-21 on 920527. Major areas discussed: violations noted in EDSFI Rept 50-397/92-01 re failure to comply w/surveillance procedures.  
MILLER, L.F. Region 5 (Post 820201). 92/06/05. 5pp. 62340:230-62340:234.

**9207150225** Forwards insp rept 50-397/92-13 on 920427-0501, 10-15 & 18-22 & notice of violation.  
REESE, J.H. Region 5 (Post 820201). 92/06/25. SORESEN, G.C. Washington Public Power Supply System. 3pp. 62415:219-62415:240.

**-9207150226** Notice of violation from insp on 920427-0501, 10-15 & 18-22. Violations noted: failure to establish procedures for callb installed personnel contamination monitors.  
\* Region 5 (Post 820201). 92/06/25. 2pp. 62415:222-62415:223.

**-9207150228** Insp rept 50-397/92-13 on 920427-0501, 10-15 & 18-22. Violation noted. Major areas inspected: mgt controls, ALARA planning, occupational exposure control, respiratory protection, training & chemical decontamination.  
CARSON, L.C., CHANEY, H.D., MAMISH, N.L. Region 5 (Post 820201). 92/06/25. 17pp. 62415:224-62415:240.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207150217** Forwards insp rept 50-397/92-14 on 920420-0531 & notice of violation.  
RICHARDS, S.A. Region 5 (Post 820201). 92/06/30. SORESEN, G.C. Washington Public Power Supply System. 3pp. 62405:295-62405:316.



## 136 DOCKETED ITEMS

- 9207150219** Notice of violation from insp on 920420-0531. Violation noted: two rolls of tape & radiation survey instrument on refueling bridge had not been logged into Foreign Matis Accountability Log.  
\* Region 5 (Post 820201). 92/06/30. 2pp. 62405:298-62405:299.
- 9207150222** Insp rept 50-397/92-14 on 920420-0531. Violations noted. Major areas inspected: operational safety verification, surveillance program, maint program, refueling operations, licensee event repts & special insp topics.  
JOHNSON, P.H. Region 5 (Post 820201). 92/06/30. 17pp. 62405:300-62405:316.
- 9207100173** Responds to 920415 request that licensed operator requalification program be returned to provisionally satisfactory status. All short & intermediate term actions completed. Insp Rept 50-397/92-14 will document closure.  
ZIMMERMAN, R.P. Region 5 (Post 820201). 92/07/01. PARRISH, J.V. Washington Public Power Supply System. 3pp. 62331:356-62331:358.
- 9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.
- 9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.
- 9207270149** Forwards insp rept 50-397/92-26 on 920615-19. No violations noted. Deficiencies in some procedures noted. Field change notices were not always incorporated in timely manner, which made determination of as-built status cumbersome.  
MILLER, L.F. Region 5 (Post 820201). 92/07/07. SORESENSEN, G.C. Washington Public Power Supply System. 3pp. 62476:111-62476:121.
- 9207270153** Insp rept 50-397/92-26 on 920615-19. No violations noted. Major areas inspected: licensee mode program w/emphasis on snubber program.  
GODY, A. Region 5 (Post 820201). 92/07/07. 8pp. 62476:114-62476:121.
- 9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.
- 9207270118** Forwards insp rept 50-397/92-16 on 920615-19. No violations noted.  
REESE, J.H. Region 5 (Post 820201). 92/07/09. SORESENSEN, G.C. Washington Public Power Supply System. 3pp. 62476:068-62476:077.
- 9207270125** Insp rept 50-397/92-16 on 920615-19. No violations noted. Major areas inspected: radiation protection activities during seventh refueling outage in areas of radwaste mgt, including solid radwaste mgt & liquid radwaste mgt.  
CARSON, L.C., REESE, J.H. Region 5 (Post 820201). 92/07/09. 7pp. 62476:071-62476:077.
- 9207170009** Responds to NRC 920610 ltr re violations noted in insp rept 50-397/92-01. Corrective actions: util analyzed each FSAR deficiency in rept.  
GRUMME, L.L. Washington Public Power Supply System. 92/07/10. Document Control Branch (Document Control Desk). 19pp. 62431:287-62431:305.
- 9207200083** Application for amend to License NPF-21 revising Tech Specs 3/4.6.5.3 re SBTG & 3/4.7.2 concerning CREFS, in ref to NRC Info Notice 87-032, "Deficiencies in Testing of Nuclear-Grade Activated Charcoal," dtd 870710.  
SORESENSEN, G.C. Washington Public Power Supply System. 92/07/13. Document Control Branch (Document Control Desk). 7pp. 62451:210-62451:232.
- 9207310164** Responds to NRC 920625 ltr re violations noted in insp rept 50-397/92-13 on 920427-920501, 10-15 & 18-22. Corrective actions: procedure re personnel monitor calibr & test under development & personnel contamination monitor installed.  
GRUMME, L.L. Washington Public Power Supply System. 92/07/24. Document Control Branch (Document Control Desk). 4pp. 62811:357-62811:360.
- R. Periodic operating reports & related correspondence**
- 9207020274** Monthly operating rept for May 1992 for WNP Unit 2. W/920610 ltr.  
HUTCHISON, L.B., BAKER, J.W. Washington Public Power Supply System. 92/05/31. 4pp. 62221:327-62221:330.
- 9207200184** Forwards revs to Sept 1991 & Apr 1992 monthly operating repts for WNP-2.  
BAKER, J.W. Washington Public Power Supply System. 92/06/10. Document Control Branch (Document Control Desk). 1p. 62451:287-62451:290.
- 9207200171** Rev 1 to monthly operating rept for Apr 1992 for WNP-2, revising net electrical energy originally reported as 430411.  
HUTCHISON, L. Washington Public Power Supply System. 92/04/30. 1p. 62451:288-62451:288.
- 9207200176** Rev 1 to monthly operating rept for Sept 1991 for WNP-2, revising yearly & cumulative forced outage time.  
HUTCHISON, L. Washington Public Power Supply System. 91/09/30. 2pp. 62451:289-

- 9207080018** Amend 1 to Part 21 Rept 158 re gear-wear induced failures in engine-driven jacket water pump in DSRV-16-4 standby DG sys. Initially reported on 911029. Grand Gulf station observed wear characteristics in as little as 500 operating hours.  
GUNTRUM, B.C. Cooper Industries, Inc. 92/06/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62305:344-62305:347.
- 9207080280** LER 92-026-00: on 920605, determined that MO of RHR train "A" may have prevented full closure of drywell spray supply valve. Caused by inadequate testing of plant equipment. MO repaired & tested to perform design function. W/920701 ltr.  
FULLER, R.E., BAKER, J.W. Washington Public Power Supply System. 92/07/01. 6pp. 62293:110-62293:115.
- 9207130017** PNO-V-92-099: on 920708, while testing SRVs from alternate remote shutdown panel, SRV 3B opened & failed to close. Ongoing investigation to determine cause in progress.  
JOHNSON, P.H. Region 5 (Post 820201). 92/07/06. 2pp. 62366:299-62366:300.
- 9207280255** Part 21 rept re discrepancy in procedure used to analyze feedwater controller failure event using COTRANS2 code. Initially reported by Siemens Nuclear Power Corp on 920617. Caused by transient analysis error.  
FIES, C., WHITCOMB, D.L., REIS, M.P. Washington Public Power Supply System. 92/07/09. ANDREWS, T. NRC - No Detailed Affiliation Given. 4pp. 62562:119-62562:123.
- 9207160381** LER 92-027-00: on 920613, lack of breaker coordination due to instantaneous trip circuitry. Amptector discriminator circuit for each of six feeder breakers disabled. W/920710 ltr.  
FIES, C.L., BAKER, J.W. Washington Public Power Supply System. 92/07/10. 6pp. 62480:199-62480:204.
- 9207220209** LER 92-019-01: on 920430, determined that automatic depressurization sys potentially inoperable due to inadequate installation instructions of solenoid pilot valve power cables. Design change implemented. W/920715 ltr.  
ARBUCKLE, J.D., BAKER, J.W. Washington Public Power Supply System. 92/07/15. 6pp. 62481:172-62481:177.
- 9207240201** LER 92-029-00: on 920624, RHR shutdown cooling isolation occurred & shutdown cooling supply line inboard isolation valve automatically closed. Caused by inadequate personnel work practices. Shutdown cooling reestablished. W/920717 ltr.  
FULLER, R.E., BAKER, J.W. Washington Public Power Supply System. 92/07/15. 6pp. 62520:328-62520:333.
- 9207220242** LER 92-028-00: on 920617, diesel room normal air handling fans precluded performance of required design function. Caused by equipment design deficiency. Loop test procedure will be revised. W/920717 ltr.  
POWELL, P.L., BAKER, J.W. Washington Public Power Supply System. 92/07/17. 9pp. 62481:187-62481:195.

### V. Operator Examinations

- 9207100173** Responds to 920415 request that licensed operator requalification program be returned to provisionally satisfactory status. All short & intermediate term actions completed. Insp Rept 50-397/92-14 will document closure.  
ZIMMERMAN, R.P. Region 5 (Post 820201). 92/07/01. PARRISH, J.V. Washington Public Power Supply System. 3pp. 62331:356-62331:358.
- 9207210188** Forwards guidelines & ref mat requirements necessary in preparing for evaluation visit scheduled for period of 921116-25. Requalification exams will be performed per sections 601 & 604 of NUREG-1021.  
MILLER, L.F. Region 5 (Post 820201). 92/07/13. SORESENSEN, G.C. Washington Public Power Supply System. 10pp. 62421:170-62421:179.

### DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

### F. Security, medical, emergency & fire protection plans

- 9207060023** Forwards summary of 920609 meeting in Region II ofc to enable util to present self-assessment in areas of plant operations, maint/surveillance, radiological controls & emergency preparedness. List of attendees & viewgraphs encl.  
REYES, L.A. Region 2 (Post 820201). 92/06/16. WATSON, R.A. Carolina Power & Light Co. 69pp. 62238:223-62238:291.
- 9207270035** Forwards insp rept 50-400/92-10 on 920523-0619. No violations noted.  
VERRELLI, D.M. Region 2 (Post 820201). 92/06/24. WATSON, R.A. Carolina Power & Light Co. 2pp. 62475:109-62475:119.
- 9207270041** Insp rept 50-400/92-10 on 920523-0619. No violations noted. Major areas inspected: plant operations, radiological control, security, fire protection, surveillance observation, maint observation, design changes & modifications.  
TEDROW, J., SHANNON, M., CHRISTENSEN, H. Region 2 (Post 820201). 92/06/24. 9pp. 62475:111-62475:119.
- 9207080189** Forwards amended Rev 6 to security plan, incorporating changes associated w/access authorization program that implements requirements of 10CFR73.56. Rev withheld (ref 10CFR73.21).  
MCCARTHY, D.C. Carolina Power & Light Co. 92/06/29. Document Control Branch (Document Control Desk). 2pp. 62451:341-62451:342.
- 9207100185** Revised Plant Emergency Procedures (PEP), including Rev 0 to PEP-370, "Radiological Controls for TSC" & Rev 0 to PEP-320, "Notification of SHNPP Emergency Response Personnel." W/ 920706 ltr.  
VAUGHN, G.E. Carolina Power & Light Co. 92/07/06. 22pp. 62364:250-62364:271.
- 9207140253** Forwards emergency preparedness exercise scenario, "Plan for Shearon Harris Nuclear Power Plant Emergency Exercise - 920825." W/o encl.  
MCCARTHY, D.C. Carolina Power & Light Co. 92/07/08. Document Control Branch (Document Control Desk). 1p. 62385:093-62385:093.
- 9207290348** Ack receipt of 920629 ltr transmitting Rev 6 to physical security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.  
COLLINS, D.M. Region 2 (Post 820201). 92/07/23. WATSON, R.A. Carolina Power & Light Co. 3pp. 62611:261-62611:263.



**9207300075** Forwards insp rept 50-400/92-14 on 920706-10. Violations identified will not be subj to enforcement action due to licensee efforts in identifying & correcting violation.  
COLLINS, D.M. Region 2 (Post 820201). 92/07/23. WATSON, R.A. Carolina Power & Light Co. 3pp. 62528:090-62528:093.

—**9207300081** Partially withheld insp rept 50-400/92-14 on 920706-10 (ref 10CFR73.21). No violations noted. Major areas inspected: physical security program for reactors.  
STANSBERRY, W., MCGUIRE, D.R. Region 2 (Post 820201). 92/07/24. 1p. 62528:093-62528:093.

**9207310083** Provides data point library for plant. Data point library submittal completes emergency response data sys info requirements for plant contained in NUREG-1394, Rev 1.  
MCCARTHY, D.C. Carolina Power & Light Co. 92/07/27. Document Control Branch (Document Control Desk). 57pp. 62612:264-62612:320.

#### P. Operating license stage documents & correspondence

**9207060023** Forwards summary of 920609 meeting in Region II ofc to enable util to present self-assessment in areas of plant operations, maint/surveillance, radiological controls & emergency preparedness. List of attendees & viewgraphs encl.  
REYES, L.A. Region 2 (Post 820201). 92/06/16. WATSON, R.A. Carolina Power & Light Co. 6pp. 62236:223-62236:291.

**9207020041** Advises that responses to Generic Ltr 88-20, Suppl 4 re IEEE methods acceptable & submittal schedule not acceptable. Requests that schedule be reassessed for closure of severe accident issues.  
LE, N.B. Project Directorate II-1. 92/06/26. WATSON, R.A. Carolina Power & Light Co. 4pp. 62183:329-62183:332.

**9207080158** Application for amend to License NPF-63, revising TSs 3.8.2.1, 3.8.2.2, 3.8.3.1 & 3.8.3.2 re dc electrical power sys battery chargers.  
STARKEY, R.B. Carolina Power & Light Co. 92/06/29. Document Control Branch (Document Control Desk). 9pp. 62277:041-62277:058.

—**9207080160** Proposed tech specs 3.8.2.1, 3.8.2.2, 3.8.3.1 & 3.8.3.2 re dc electrical power sys battery chargers.  
\* Carolina Power & Light Co. 92/06/29. 9pp. 62277:050-62277:058.

**9207070270** Advises that licensee 911025 response to generic ltr 91-06, "Adequacy of Safety-Related DC Power Supplies," satisfies reporting requirements of generic ltr.  
LE, N.B. Project Directorate II-1. 92/06/30. WATSON, R.A. Carolina Power & Light Co. 3pp. 62236:338-62236:340.

**9207100201** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity. No data from surveillance program have exceeded mean-plus-two std deviation bound predicted by Reg Guide 1.99, Rev 2.  
STARKEY, R.B. Carolina Power & Light Co. 92/07/06. Document Control Branch (Document Control Desk). 4pp. 62334:264-62334:267.

**9207160260** Summary of 920529 meeting w/util re status of & progress on open licensing actions & other upcoming activities for plants. List of attendees encl.  
LE, N.B., MOZAFARI, B.L. Project Directorate II-1. 92/07/08. Project Directorate II-1. 38pp. 62396:277-62396:314.

**9207140279** Discusses amend request on limiting condition for operation action requirements for plant.  
LE, N.B. Project Directorate II-1. 92/07/09. WATSON, R.A. Carolina Power & Light Co. 3pp. 62378:235-62378:237.

**9207150316** Submits supplemental info to 920310 application for amend to License NPF-63, revising TS re RWST & safety injection accumulator boron concentrations & spray additive tank & boric acid tank levels, per NRC request.  
STARKEY, R.B. Carolina Power & Light Co. 92/07/10. Document Control Branch (Document Control Desk). 5pp. 62398:358-62398:362.

**9207210210** Notification of 920814 meeting w/util in Rockville, MD to discuss status of licensing actions.  
LE, N.B. Project Directorate II-1. 92/07/15. ADENSAM, E.G. Project Directorate II-1. 3pp. 62438:260-62438:262.

**9207230251** Forwards correction ltr for 920630 ltr re generic ltr 91-06, generic issue A-30, "Adequacy of Safety-Related DC Power Supplies."  
LE, N.B. Project Directorate II-1. 92/07/17. WATSON, R.A. Carolina Power & Light Co. 2pp. 62459:008-62459:009.

—**9207230264** Submits corrected 920630 ltr re generic ltr 91-06, generic issue A-30, "Adequacy of Safety-Related DC Power Supplies."  
LE, N.B. Project Directorate II-1. 92/06/30. WATSON, R.A. Carolina Power & Light Co. 2pp. 62459:008-62459:009.

**9207290101** Application for amend to License NPF-63, consisting of line-item improvement to TS per guidance contained in Generic Ltr 89-01 re radiological effluent TS & incorporating programmatic controls for solid radwastes.  
STARKEY, R.B. Carolina Power & Light Co. 92/07/21. Document Control Branch (Document Control Desk). 13pp. 62611:001-62611:230.

—**9207290107** Proposed radiological effluent TS, per Generic Ltr 89-01, deleting Section 1.34 re solidification & Table 3.3.12 re radioactive liquid effluent monitoring instrumentation.  
\* Carolina Power & Light Co. 92/07/21. 350pp. 62611:014-62611:230.

**9207280051** Confirms that \$149,591 electronically transferred to US Dept of Treasury, NRC on 920717 for payment of NRC Part 50 application fees for period 910630-1228, per 10CFR170.  
MCCARTHY, D.C. Carolina Power & Light Co. 92/07/22. Division of Accounting & Finance (Post 890205). 1p. 62568:356-62568:356.

**9207290388** Notification of 920729 meeting w/util in Rockville, MD to discuss CP&L integrated schedule program.  
LO, R.H. Project Directorate II-1. 92/07/24. MURLEY, T. NRC - No Detailed Affiliation Given. 3pp. 62555:358-62555:361.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207020115** Ack receipt of 910624 ltr informing NRC of steps taken to correct violations noted in insp rept 50-400/91-09. Response meets requirements of 10CFR2.201.  
VERRELLI, D.M. Region 2 (Post 820201). 91/07/10. EURY, L.W. Carolina Power & Light Co. 2pp. 62221:360-62221:361.

**9207270035** Forwards insp rept 50-400/92-10 on 920523-0619. No violations noted.  
VERRELLI, D.M. Region 2 (Post 820201). 92/06/24. WATSON, R.A. Carolina Power & Light Co. 2pp. 62475:109-62475:119.

—**9207270041** Insp rept 50-400/92-10 on 920523-0619. No violations noted. Major areas inspected: plant operations, radiological control, security, fire protection, surveillance observation, maint observation, design changes & modifications.  
TEDROW, J., SHANNON, M., CHRISTENSEN, H. Region 2 (Post 820201). 92/06/24. 9pp. 62475:111-62475:119.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207140078** Forwards insp rept 50-400/92-11 on stated date. No violations or deviations noted.  
PEEBLES, T.A. Region 2 (Post 820201). 92/06/30. WATSON, R.A. Carolina Power & Light Co. 2pp. 62299:241-62299:253.

—**9207140088** Insp rept 50-400/92-11 on stated date. No violations noted. Major areas inspected: engineering & technical support for operations, maint, outages, testing & surveillances.  
MELLEN, L., SHACKELFORD, J., KING, L. Region 2 (Post 820201). 92/06/30. 11pp. 62299:243-62299:253.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140121** Forwards insp rept 50-400/92-09 on 920601-05. Violation noted but not subj to enforcement actions due to licensee efforts in identifying & correcting violation.  
CLINE, W.E. Region 2 (Post 820201). 92/07/02. WATSON, R.A. Carolina Power & Light Co. 4pp. 62311:306-62311:332.

—**9207140125** Insp rept 50-400/92-09 on 920601-05. Violation noted but not subj to enforcement action. Major areas inspected: health physics activities program organization & staffing, self-assessment programs & internal & external exposure.  
BOLAND, A.T., PARKER, B.A., POTTER, J.P. Region 2 (Post 820201). 92/06/30. 23pp. 62311:310-62311:332.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207300075** Forwards insp rept 50-400/92-14 on 920706-10. Violations identified will not be subj to enforcement action due to licensee efforts in identifying & correcting violation.  
COLLINS, D.M. Region 2 (Post 820201). 92/07/23. WATSON, R.A. Carolina Power & Light Co. 3pp. 62528:090-62528:093.

—**9207300081** Partially withheld insp rept 50-400/92-14 on 920706-10 (ref 10CFR73.21). No violations noted. Major areas inspected: physical security program for reactors.  
STANSBERRY, W., MCGUIRE, D.R. Region 2 (Post 820201). 92/07/24. 1p. 62528:093-62528:093.

#### R. Periodic operating reports & related correspondence

**9207130090** Monthly operating rept for May 1992 for Harris Unit 1. W/ 920615 ltr.  
CRENSHAW, A., VAUGHN, G.E. Carolina Power & Light Co. 92/05/31. 5pp. 62368:236-62368:240.

**9207170128** Monthly operating rept for June 1992 for Harris Nuclear Power Plant Unit 1. W/ 920715 ltr.  
CRENSHAW, A., VAUGHN, G.E. Carolina Power & Light Co. 92/06/30. 5pp. 62440:218-62440:222.

**9207300175** "Annual Rept of ECCS Evaluation Model Changes," covering June 1991 to May 1992. Marginal utilization tables, indicating effects of permanent assessment of peak clad temp margin of large & small break LOCA encl.  
MCCARTHY, D.C. Carolina Power & Light Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62638:256-62638:260.

#### S. Reportable occurrences, LERs & related correspondence

**9207080018** Amend 1 to Part 21 Rept 158 re gear-wear induced failures in engine-driven jacket water pump in DSRV-16-4 standby DG sys. Initially reported on 911029. Grand Gulf station observed wear characteristics in as little as 500 operating hours.  
GUNTROM, B.C. Cooper Industries, Inc. 92/06/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62305:344-62305:347.

**9207230065** LER 92-006-00: on 920619, determined that since 1987 until May 1992 excess flow check valves was mispositioned. Caused by personnel error. Valves properly aligned w/internal manual bypass shut & procedures revised. W/ 920720 ltr.  
HAMBY, M.R., HINNANT, C.S. Carolina Power & Light Co. 92/07/20. 7pp. 62481:224-62481:230.

## 138 DOCKETED ITEMS

### DOCKET 50-407 UNIV. OF UTAH RESEARCH REACTOR

#### Q. Inspection reports, IE Bulletins & correspondence

- 9207230105** Forwards requalification exam rept 50-407/OL-92-01 administered during wk of 920629.  
GALLO,R.M. Operator Licensing Branch. 92/07/17. GEHMLICH,D.K. Utah, Univ. of, Salt Lake City, UT. 2pp. 62459:151-62459:170.
- 9207230107** Requalification exam rept 50-407/OL-92-01 on 920630-0702. Audit results:two SROs passed all portions of exam.  
CALDWELL,J.L. Operator Licensing Branch. 92/07/17. 17pp. 62459:153-62459:170.

**9207240036** Forwards initial exam rept 50-407/OL-92-02 on stated date.  
GALLO,R.M. Operator Licensing Branch. 92/07/22. GEHMLICH,D.K. Utah, Univ. of, Salt Lake City, UT. 2pp. 62479:135-62479:187.

—**9207240043** Exam rept 50-407/OL-92-02 on stated date.Exam results:all candidates passed first test (disregarded),four passed second exam & one candidate withdrew,constituting failure.  
CALDWELL,J.L., DOYLE,P.W. Operator Licensing Branch. 92/07/22. 49pp. 62479:137-62479:187.

#### V. Operator Examinations

**9207230105** Forwards requalification exam rept 50-407/OL-92-01 administered during wk of 920629.  
GALLO,R.M. Operator Licensing Branch. 92/07/17. GEHMLICH,D.K. Utah, Univ. of, Salt Lake City, UT. 2pp. 62459:151-62459:170.

—**9207230107** Requalification exam rept 50-407/OL-92-01 on 920630-0702. Audit results:two SROs passed all portions of exam.  
CALDWELL,J.L. Operator Licensing Branch. 92/07/17. 17pp. 62459:153-62459:170.

**9207240036** Forwards initial exam rept 50-407/OL-92-02 on stated date.  
GALLO,R.M. Operator Licensing Branch. 92/07/22. GEHMLICH,D.K. Utah, Univ. of, Salt Lake City, UT. 2pp. 62479:135-62479:187.

—**9207240043** Exam rept 50-407/OL-92-02 on stated date.Exam results:all candidates passed first test (disregarded),four passed second exam & one candidate withdrew,constituting failure.  
CALDWELL,J.L., DOYLE,P.W. Operator Licensing Branch. 92/07/22. 49pp. 62479:137-62479:187.

### DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

#### I. Financial information

**9207240254** "Dairyland Power Cooperative 1991 Annual Rept."  
BERG,B., WILLINK,W. Dairyland Power Cooperative. 91/12/31. 36pp. 62555:290-62555:325.

#### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

### DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207020295** Forwards "Evacuation Travel Time Estimates for JA FitzPatrick/Nine Mile Point Emergency Planning Zone."  
SALMON,H.P., FIRLIT,J.F. Power Authority of the State of New York (New York Power Authority). 92/06/17. Document Control Branch (Document Control Desk). 2pp. 62242:001-62242:182.

—**9207020297** "Evacuation Travel Time Estimates for JA FitzPatrick/Nine Mile Point Emergency Planning Zone."  
\* Parsons, Brinckerhoff, Quada & Douglas, Inc. 92/02/29. 200pp. 62242:002-62242:182.

**9207010088** Forwards insp repts 50-220/92-12 & 50-410/92-14 on stated date.No violations noted.  
COWGILL,C.J. Region 1 (Post 820201). 92/06/19. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 62143:267-62143:295.

—**9207010090** Insp repts 50-220/92-12 & 50-410/92-14 on stated date.No violations noted.Major areas inspected:plant operations, radiological controls,maint,surveillance,emergency planning, security & safety assessment/quality verification.  
NICHOLSON,L.E. Region 1 (Post 820201). 92/06/19. 26pp. 62143:270-62143:295.

**9207210147** Notification of significant licensee meeting 92-111 w/util on 920708 to discuss physical security plan changes during const work.  
NICHOLSON,L.E. Region 1 (Post 820201). 92/06/30. Region 1 (Post 820201). 3pp. 62421:098-62421:100.

**9207300263** Rev 9 to Site Emergency Procedure S-EAP-3, "Emergency Personnel Action Procedures." W/920717 ltr.  
FIRLIT,J.F., DAHLBERG,K.S., MCCORMICK,M.J. Niagara Mohawk Power Corp. 92/07/17. 191pp. 62592:065-62592:255.

**9207300179** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys." Thermo-Lag 330 not installed at cable trays at either facility.Subj fire barrier sys installed in listed conduits in missile barrier encl in DG Room 103.  
TERRY,C.D. Niagara Mohawk Power Corp. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62593:017-62593:019.

#### H. General correspondence

**9207200302** Responds to 920617 ltr to D Rathbun,requesting info for constituent,F Adelsperger,on requirements for small businesses supplying technical svcs to nuclear power facilities.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/07/02. WALSH,J.T. House of Rep. 6pp. 62421:238-62421:252.

—**9207200306** Forwards 920420 constituent ltr raising addl questions on requirements for small businesses supplying technical svcs to plants.  
WALSH,J.T. House of Rep. 92/06/17. RATHBUN,D. Office of Congressional Affairs (Post 911117). 5pp. 62421:244-62421:248.

—**9207200311** Requests,on behalf of constituent,F Adelsperger of Adelsperger Associates,info on policies affecting small businesses.  
WALSH,J.T. House of Rep. 92/05/07. RATHBUN,D. Office of Congressional Affairs (Post 911117). 3pp. 62421:249-62421:251.

#### J. Insurance & Indemnity Information

**9207080124** Forwards Amend 18 to Indemnity Agreement B-36.  
WILSON,G.D. Niagara Mohawk Power Corp. 92/06/30. DINITZ,I. Document Control Branch (Document Control Desk). 4pp. 62276:351-62276:354.

**9207280086** Corrects apparent clerical error in either Amend 12 or Amend 18 to Indemnity Agreement B-36.Amend 12 did not comport w/ form of indemnity agreement per 10CFR140.92,App B prior to 1989 amends to regulation.  
WILSON,G.D. Niagara Mohawk Power Corp. 92/07/23. Document Control Branch (Document Control Desk). 2pp. 62567:037-62567:038.

#### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents.App A documents encl & being made available in PDR.Porions of app A records withheld (ref FOIA exemption 5).  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA,T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

—**9207080291** Summary of 880628-29 NRC senior mgt meeting.Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. ZECH Commissioners (Post 750119). 2pp. 62324:052-62324:053.

—**9207090086** Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting.  
STELLO,V. Ofc of the Executive Director for Operations. 88/12/13. ZECH Commissioners (Post 750119). 30pp. 62324:081-62324:110.

—**9207090114** Provides Commission w/summary of discussions held at 890517-18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting.Details withheld.  
STELLO,V. Ofc of the Executive Director for Operations. 89/05/24. ZECH Commissioners (Post 750119). 72pp. 62324:111-62324:143.

—**9207090146** Provides Commission w/summary of discussions held at 900612-13 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900627 Commission meeting. Portions of discussion summary partially withheld.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/06/21. CARR, ROBERTS, ROGERS Commissioners (Post 750119). 34pp. 62324:183-62324:217.

—**9207090237** Provides Commission w/summary of discussions held at 910108-09 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 910124 Commission meeting. Details withheld.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/01/17. CARR, ROGERS, CURTISS Commissioners (Post 750119). 36pp. 62324:218-62324:253.

—**9207090248** Provides summary of discussions held at 910604-05 NRC senior mgt meeting & ltrs to be sent to licensees of plants on problem plant list that will be discussed at 910620 Commission meeting.Details withheld.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/06/14. CARR, ROGERS, CURTISS Commissioners (Post 750119). 42pp. 62324:254-62324:297.

**9207020323** Advises that licensee response to Generic Ltr 88-20,Suppl 4 re IEEE submittal schedule & selected methods acceptable.  
CAPRA,R.A. Project Directorate I-1. 92/06/29. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 62194:056-62194:059.

**9207100044** Forwards response to Rev 1 to Generic Ltr 92-01, "Reactor Vessel Structural Integrity." Encl rept documents compliance w/10CFR50 & guidance provided in Reg Guide 1.99, Rev 2.  
TERRY,C.D. Niagara Mohawk Power Corp. 92/07/02. Document Control Branch (Document Control Desk). 2pp. 62366:132-62366:158.

—**9207100047** "Response to NRC Generic Ltr 92-01 for Nine Mile Point Unit 2."  
MANAHAN,M.P., SOONG,Y. Niagara Mohawk Power Corp. MPM-GL-692714. 92/06/12. 25pp. 62366:134-62366:158.

**9207220001** Advises that Generic Ltr 89-13 required svc water sys tests or activities implemented & continuing programs established as indicated in util 901210 ltr. TERRY,C.D. Niagara Mohawk Power Corp. 92/07/17. Document Control Branch (Document Control Desk). 1p. 62476:318-62476:318.

**9207290267** Advises that util presently undertaking actions to streamline & simplify process & procedures which implement work control monitoring program, as followup to 920311 & 0522 ltrs. SYLVIA,B.R. Niagara Mohawk Power Corp. 92/07/23. Document Control Branch (Document Control Desk). 1p. 62590:349-62590:349.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207010088** Forwards insp repts 50-220/92-12 & 50-410/92-14 on stated date. No violations noted. COWGILL,C.J. Region 1 (Post 820201). 92/06/19. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 62143:267-62143:295.

**-9207010090** Insp repts 50-220/92-12 & 50-410/92-14 on stated date. No violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, emergency planning, security & safety assessment/quality verification. NICHOLSON,L.E. Region 1 (Post 820201). 92/06/19. 26pp. 62143:270-62143:295.

**9207080064** Forwards insp repts 50-220/92-17 & 50-410/92-19 on 920615-19. Radiological controls in use at unit 1 during maint outage determined to be very good. Violation noted. JOYNER,J.H. Region 1 (Post 820201). 92/06/25. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 62218:347-62218:352.

**-9207080067** Notice of violation from insp on 920615-19. Violation noted: workers performed wire brushing in reactor cavity at direction of contractor supervisor w/o first informing radiation protection. \* Region 1 (Post 820201). 92/06/25. 1p. 62218:346-62218:346.

**-9207080075** Insp repts 50-220/92-17 & 50-410/92-19 on 920615-19. Violations noted. Major areas inspected: licensee radiological protection programs during outage & normal operations including mgt organization, ALARA & radiological controls. FURIA,J., PASCIAK,W. Region 1 (Post 820201). 92/06/22. 6pp. 62218:347-62218:352.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207170043** Forwards insp rept 50-410/92-15 on 920512-14 & 26-29. Insp led to major EDG engine overhauls to replace distressed pistons & cylinder liners. ANDERSON,C. Region 1 (Post 820201). 92/07/02. ENDRIES,J. Niagara Mohawk Power Corp. 3pp. 62387:177-62387:189.

**-9207170074** Insp rept 50-410/92-15 on 920512-14 & 26-29. Major areas inspected: response to insp findings re engine cylinder liner & piston distress in Cooper KSV-16 EDG. WOODARD,C.H., RULAND,W. Region 1 (Post 820201). 92/07/01. 3pp. 62387:180-62387:189.

**9207140142** Forwards Exam Rept 50-410/92-06(OL) administered during wks of 920511 & 18. BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/07. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 62394:007-62394:293.

**-9207140267** Exam rept 50-410/92-06(OL) on 920511-21. Exam results: reactor operator passed requalification retake exam & twelve of fourteen candidates passed all portions of initial exam. WILLIAMS,J.H., CONTE,R.J. Region 1 (Post 820201). 92/07/07. 148pp. 62394:010-62394:293.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207280141** Forwards insp rept 50-220/92-82 & 50-410/92-82 on 920622-26 & notice of violations. HODGES,M.W. Region 1 (Post 820201). 92/07/20. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 62489:056-62489:082.

**-9207280155** Insp repts 50-220/92-82 & 50-410/92-82 on 920622-26. Violations noted. Insp summary: final scope of valves to be included in program not completed at time of insp. TRAPP,J.M., ANDERSON,C.J. Region 1 (Post 820201). 92/07/21. 23pp. 62489:060-62489:082.

**9207300179** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys." Thermo-Lag 330 not installed at cable trays at either facility. Subj fire barrier sys installed in duct conduits in missile barrier encl in DG Room 103. TERRY,C.D. Niagara Mohawk Power Corp. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62593:017-62593:019.

#### R. Periodic operating reports & related correspondence

**9207270189** Monthly operating rept for June 1992 for NMPNS unit 2. W/920715 ltr. SAUNDERSON,R., MCCORMICK,M.J. Niagara Mohawk Power Corp. 92/06/30. 5pp. 62584:278-62584:280.

#### S. Reportable occurrences, LERs & related correspondence

**9207020163** Special rept on 920606, Reactor Bldg Ventilation declared inoperable due to loose connections & loose terminal board. Work request issued. MCCORMICK,M.J. Niagara Mohawk Power Corp. 92/06/23. Document Control Branch (Document Control Desk). 2pp. 62235:360-62235:361.

**9207080198** LER 92-013-00: on 920527, determined that two SRVs lifted in automatic depressurization mode. Caused by personnel error. Operators will verify correct sys response, personnel counseled & nitrogen lines corrected. W/920626 ltr. COATES,K., MCCORMICK,M.J. Niagara Mohawk Power Corp. 92/06/26. 7pp. 62293:087-62293:093.

**9207140171** LER 92-014-00: on 920607, reactor scram signal plus numerous ESF actuations occurred due to tripping of Div I electrical protection assemblies. Cause of ESF actuations identified & plant status verified normal. W/920707 ltr. CONWAY,J.T., SYLVIA,B.R. Niagara Mohawk Power Corp. 92/07/07. 7pp. 62437:210-62437:216.

**9207200237** Special rept on 920608, Div II standby EDG mechanical governor had initial slow response time of 63.342 hertz. Caused by governor out of fine tuned adjustment due to maint. Governor replaced w/newer style w/quicker response. MCCORMICK,M.J. Niagara Mohawk Power Corp. 92/07/07. Document Control Branch (Document Control Desk). 2pp. 62451:309-62451:310.

**9207280065** PNO-I-92-044: on 920721, eight operators at unit 1 & three non-licensed operators at unit 2 falsified operator rounds records. Operators suspended from site access w/pay. Issue generated media interest & region I responded to inquiries. SCHMIDT,W., NICHOLSON,L. Region 1 (Post 820201). 92/07/21. 2p. 62488:111-62488:112.

#### V. Operator Examinations

**9207140142** Forwards Exam Rept 50-410/92-06(OL) administered during wks of 920511 & 18. BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/07. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 62394:007-62394:293.

**-9207140267** Exam rept 50-410/92-06(OL) on 920511-21. Exam results: reactor operator passed requalification retake exam & twelve of fourteen candidates passed all portions of initial exam. WILLIAMS,J.H., CONTE,R.J. Region 1 (Post 820201). 92/07/07. 148pp. 62394:010-62394:293.

**9207170160** Forwards exam forms A & B, answer key for A & B exams, summary & candidates individual answer sheet from 920610 generic fundamentals exam section. Results should be forwarded to applicants. W/o encl. BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/08. BURNS,T.W. Duquesne Light Co. 2pp. 62431:360-62431:361.

#### DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207080036** Forwards emergency preparedness insp repts 50-334/92-14 & 50-412/92-13 on 920609-10. No safety inadequacies or violations noted. JOYNER,J.H. Region 1 (Post 820201). 92/06/24. SIEBER,J.D. Duquesne Light Co. 4pp. 62218:287-62218:301.

**-9207080044** Emergency preparedness insp repts 50-334/92-14 & 50-412/92-13 on 920609-10. No violations noted. Major areas insp: annual full-participation exercise. ECKERT,L. Region 1 (Post 820201). 92/06/24. 11pp. 62218:291-62218:301.

**9207060301** Forwards Rev 15 to physical security plan. Rev withheld (ref 10CFR2.790(d) & 73.21). SIEBER,J.D. Duquesne Light Co. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62451:326-62451:327.

**9207100074** Advises that util 911213 request for authorization to use BioPak 240P respirator to provide respiratory protection during fire fighting activities within containment bldgs at plant, acceptable. CALVO,J.A. Division of Reactor Projects - I/II (Post 870411). 92/07/06. SIEBER,J.D. Duquesne Light Co. 4pp. 62284:282-62284:289.

**-9207100087** Environ assessment & finding of no significant impact re authorization to use BioPak 240P respirator for respiratory protection during fire fighting activities at plant. EIS would not be prepared for proposed action. CALVO,J.A. Division of Reactor Projects - I/II (Post 870411). 92/06/25. 4pp. 62284:286-62284:289.

**9207160285** Responds to 920630 ltr forwarding Rev 15 to physical security plan. Rev consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan. JOYNER,J.H. Region 1 (Post 820201). 92/07/09. SIEBER,J.D. Duquesne Light Co. 3pp. 62413:327-62413:329.

**9207220299** Forwards Resident Insp Repts 50-334/92-15 & 50-412/92-14 on 920526-0701. Two licensee-identified violations noted but not cited. Violations involve failure to maintain locked high radiation area barrier door & to perform post-maint testing. BLOUGH,A.R. Region 1 (Post 820201). 92/07/16. SIEBER,J.D. Duquesne Light Co. 3pp. 62474:204-62474:221.

**-9207220301** Safety Insp Repts 50-334/92-15 & 50-412/92-14 on 920526-0701. Violations noted but not cited. Major areas inspected: plant operations, radiological controls, emergency preparedness, security & engineering & technical support. ROGGE,J. Region 1 (Post 820201). 92/07/15. 15pp. 62474:207-62474:221.

**9207280093** Notification of significant licensee meeting 92-122 w/util on 920814 to discuss fire protection capabilities & technical support center habitability. ROGGE,J. Region 1 (Post 820201). 92/07/23. Region 1 (Post 820201). 3pp. 62488:216-62488:218.

## 140 DOCKETED ITEMS

### H. General correspondence

**9207210245** Comment supporting proposed rule 10CFR50 re receipt of byproduct & SNM.  
SIEBER,J.D. Duquesne Light Co. 92/07/10. Docketing & Services Branch. 2pp. 62421:228-62421:229.

### P. Operating license stage documents & correspondence

**9207080173** Advises that licensee selected IPEEE methods as described in 911220 response to generic ltr 88-20, acceptable.  
DEAGAZIO,A. Project Directorate I-4. 92/06/30. SIEBER,J.D. Duquesne Light Co. 3pp. 62260:001-62260:003.

**9207150345** Responds to GL 92-01 re NRC verification of compliance w/licensing basis concerning reactor vessel fracture toughness & matl surveillance for RCPB.  
SIEBER,J.D. Duquesne Light Co. 92/07/08. Document Control Branch (Document Control Desk). 42pp. 62405:317-62405:358.

**9207240227** Forwards RAI re Generic Ltr 88-20, "Beaver Valley Power Station Unit 2 PRA,IPE,Summary Rept."  
DE AGAZIO,A.W. Project Directorate I-4. 92/07/15. SIEBER,J.D. Duquesne Light Co. 10pp. 62479:124-62479:133.

**9207240250** Forwards 10CFR50.46 rept of changes or errors in ECCS evaluation models.  
SIEBER,J.D. Duquesne Light Co. 92/07/20. Document Control Branch (Document Control Desk). 26pp. 62515:333-62515:358.

**9207280093** Notification of significant licensee meeting 92-122 w/util on 920814 to discuss fire protection capabilities & technical support center habitability.  
ROGGE,J. Region 1 (Post 820201). 92/07/23. Region 1 (Post 820201). 3pp. 62488:216-62488:218.

### Q. Inspection reports, IE Bulletins & correspondence

**9207080036** Forwards emergency preparedness insp repts 50-334/92-14 & 50-412/92-13 on 920609-10.No safety inadequacies or violations noted.  
JOYNER,J.H. Region 1 (Post 820201). 92/06/24. SIEBER,J.D. Duquesne Light Co. 4pp. 62218:287-62218:301.

**-9207080044** Emergency preparedness insp repts 50-334/92-14 & 50-412/92-13 on 920609-10.No violations noted.Major areas insp:annual,full-participation exercise.  
ECKERT,L., MCCABE,E. Region 1 (Post 820201). 92/06/24. 11pp. 62218:291-62218:301.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207220305** Forwards State of PA Low Level Radwaste Shipment Insp Rept 50-412/PA-92-01/NRC-92-16 on 920504.No violations or deviations noted.  
JOYNER,J.H. Region 1 (Post 820201). 92/07/10. SIEBER,J.D. Duquesne Light Co. 3pp. 62474:192-62474:203.

**-9207220306** Forwards State of PA Low Level Radwaste Shipment Insp Rept 50-412/PA-92-01 on 920504.No violations or deviations noted. Major areas inspected:radwaste shipment to burial site including shipping documentation & package insp.  
DORNSIFE,W.P. Pennsylvania, Commonwealth of. 92/05/11. COOPER,R.W. Region 1 (Post 820201). 9pp. 62474:195-62474:203.

**9207220299** Forwards Resident Insp Repts 50-334/92-15 & 50-412/92-14 on 920526-0701.Two licensee-identified violations noted but not cited.Violations involve failure to maintain locked high radiation area barrier door & to perform post-maint testing.  
BLOUGH,A.R. Region 1 (Post 820201). 92/07/16. SIEBER,J.D. Duquesne Light Co. 3pp. 62474:204-62474:221.

**-9207220301** Safety Insp Repts 50-334/92-15 & 50-412/92-14 on 920526-0701.Violations noted but not cited.Major areas inspected:plant operations,radiological controls,emergency preparedness,security & engineering & technical support.  
ROGGE,J. Region 1 (Post 820201). 92/07/15. 15pp. 62474:207-62474:221.

**9207230193** Responds to NRC 920617 ltr transmitting notice of violation from Insp Rept 50-412/92-07 & forwards payment of civil penalty in amount of \$75,000.Corrective actions:relays replaced & rewired per qualified configuration.Fee paid.  
SIEBER,J.D. Duquesne Light Co. 92/07/16. Ofc of Enforcement (Post 870413). 8pp. 62479:331-62479:338.

**9207280099** Forwards supplement to 920612 response to Electrical Distribution Sys Functional Insp Repts 50-334/91-80 & 50-412/91-80.Corrective actions:degraded grid relay setpoints will be addressed via upgrade of calculations.  
SIEBER,J.D. Duquesne Light Co. 92/07/20. Document Control Branch (Document Control Desk). 3pp. 62568:345-62568:347.

### R. Periodic operating reports & related correspondence

**9207020185** "NPDES Monthly Rept for Beaver Valley Power Station for May 1992."  
NOONAN,T.P. Duquesne Light Co. 92/05/31. 36pp. 62221:291-62221:326.

**9207140322** Monthly operating repts for June 1992 for Beaver Valley Power Station Units 1 & 2.W/920710 ltr.  
JONES,D.T., SIEBER,J.D. Duquesne Light Co. 92/06/30. 9pp. 62385:152-62385:160.

### S. Reportable occurrences, LERs & related correspondence

**9207090173** LER 92-009-00:on 920605,auxiliary feedwater pump started, causing automatic isolation of SG blowdown & trip of main feedwater pump B.Caused by faulty latch mechanism in MG-6 relay.Latch mechanism adjusted.W/920706 ltr.  
NOONAN,T.P. Duquesne Light Co. 92/07/06. 6pp. 62437:024-62437:029.

### DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

**9207170143** Forwards Public version of Rev 30 to plant Directive 3.8.4. W/920714 release memo.  
TUCKMAN,M.S. Duke Power Co. 92/06/21. Document Control Branch (Document Control Desk). 4pp. 62413:205-62413:249.

**-9207170152** Public version of Rev 30 to plant Directive 3.8.4, "Onsite Emergency Organization."  
Duke Power Co. 92/06/21. 50pp. 62413:208-62413:249.

**9207100358** Rev 92-2 & Vols 1 & 2 to emergency plan.W/920630 ltr.  
TUCKMAN,M.S. Duke Power Co. 92/06/30. 1,000pp. 62390:001-62392:342.

**9207220121** Forwards SALP Rept 50-413/92-10 & 50-414/92-10 for Feb 1991 - May 1992.  
EBNETER,S.D. Region 2 (Post 820201). 92/07/01. TUCKMAN,M.S. Duke Power Co. 4pp. 62432:309-62432:339.

**-9207220126** Initial SALP repts 50-413/92-10 & 50-414/92-10 for period Feb 1991 - May 1992.  
\* Region 2 (Post 820201). 92/07/01. 27pp. 62432:313-62432:339.

**9207140305** Forwards Rev 31 to physical security plan,including description of protection afforded alarm sensors & transmission lines & synopsis of details of specific text changes.Rev withheld (ref 10CFR73.21).  
TUCKMAN,M.S. Duke Power Co. 92/07/10. Document Control Branch (Document Control Desk). 2pp. 62385:352-62385:353.

**9207240034** Rev 14 to Emergency Plan Implementing Procedure OP/0/A/6200/21, "Operating Procedure for the Post Accident Liquid Sampling System II-," incorporating Change 5.W/ 920717 ltr.  
TUCKMAN,M.S. Duke Power Co. 92/07/17. 85pp. 62482:005-62482:089.

**9207280010** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Neither Oconee nor Catawba uses Thermo-Lag matl.Bulletin inapplicable to units.  
TUCKER,H.B. Duke Power Co. 92/07/22. Document Control Branch (Document Control Desk). 2pp. 62562:110-62562:111.

### H. General correspondence

**9207160093** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9,task DG-1021.Opposes rule.  
TUCKER,H.B. Duke Power Co. 92/07/06. Docketing & Services Branch. 4pp. 62375:112-62375:115.

### I. Financial information

**9207080259** Forwards "Piedmont Municipal Power Agency," "NC Carolina Electric Membership Corp," including Saluda River Electric Cooperative,Inc financial statements, & "NC Municipal Power Agency Number 1."  
TUCKER,H.B. Duke Power Co. 92/06/30. Document Control Branch (Document Control Desk). 1p. 62293:155-62293:274.

**-9207080263** "Piedmont Municipal Power Agency,Annual 1991 Rept."  
\* Piedmont Municipal Power Agency. 91/12/31. 27pp. 62293:156-62293:183.

**-9207080266** "NC Electric Membership Corp,1991 Annual Rept," including Saluda River Electric Cooperative,Inc financial statements.  
CLAYBORNE,H.E., BROWN,E.W., JOHNSON,R.H. North Carolina Electric Membership Corp. 91/12/31. 34pp. 62293:184-62293:239.

**-9207080272** "NC Municipal Power Agency Number 1,1991 Annual Rept."  
CLAY,G.W., BOBO,J.T. North Carolina Municipal Power Agencies. 91/12/31. 34pp. 62293:240-62293:274.

### P. Operating license stage documents & correspondence

**9207020018** Summary of 920609 meeting w/util re schedule for NRC review of DPC typical repts planned to be submitted in next several years.List of attendees & DPC handouts encl.  
REED,T.A. Project Directorate II-3. 92/06/25. Project Directorate II-3. 13pp. 62183:333-62183:345.

**9207020034** Requests FR publication of notice of issuance of amends 98 & 92 to licenses NPF-35 & NPF-52 respectively.Amends revise TS 3.6.5.5 to allow pressurizer encl hatch between upper & lower containment vol to be open up to six h.  
MARTIN,R.E. Project Directorate II-3. 92/06/26. NRC - No Detailed Affiliation Given. 3pp. 62183:326-62183:328.

**9207060277** Forwards amends 98 & 92 to licenses NPF-35 & NPF-52, respectively & safety evaluation. Amends revise TS 3.6.5.5 to allow pressurizer encl hatch between upper & lower containment vols to be open for up to 6 h.  
MARTIN, R.E. Project Directorate II-3. 92/06/26. TUCKMAN, M.S. Duke Power Co. 4pp. 62242:343-62242:360.

**-9207060281** Amends 98 & 92 to licenses NPF-35 & NPF-52, respectively, revising TS 3.6.5.5 to allow pressurizer encl hatch between upper & lower containment vols to be open for up to 6 h.  
MATTHEWS, D.B. Project Directorate II-3. 92/06/26. 7pp. 62242:347-62242:353.

**-9207060284** Safety evaluation supporting amends 98 & 92 to licenses NPF-35 & NPF-52, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/26. 7pp. 62242:354-62242:360.

**9207140190** Forwards request for clarification of util changes for Topical Rept (Duke-1-A), "QA Program".  
JULIAN, C.A. Region 2 (Post 820201). 92/06/30. TUCKER, H.B. Duke Power Co. 6pp. 62311:230-62311:235.

**9207080099** Responds to NRC GL 92-01 re compliance w/regulatory program to maintain structural integrity of reactor vessels.  
TUCKER, H.B. Duke Power Co. 92/07/03. Document Control Branch (Document Control Desk). 69pp. 62335:100-62335:169.

**9207160238** Forwards supplemental info to application for amends to Licenses NPF-35 & NPF-52, changing TS re Cycle 7 reload, per discussions w/NRC. Info covers rod ejection pin failure.  
TUCKMAN, M.S. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 5pp. 62423:304-62423:308.

**9207200223** Forwards listing & projected schedule for completion & submittal of new topical repts requiring NRC approval by util. Replacement SG design selected for McGuire Units 1 & 2 & Catawba Unit 1.  
TUCKER, H.B. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62450:360-62450:361.

**9207290132** Discusses 920605 meeting re 10CFR73.71 criteria, dept directive 3.7.1(S) & unresolved item 92-12-03.  
STOHR, J.P. Region 2 (Post 820201). 92/07/10. TUCKMAN, M.S. Duke Power Co. 4pp. 62506:160-62506:163.

**9207220281** Forwards notice of consideration of issuance of amends to facility OL, proposed NSHC determination & opportunity for hearing, for publication.  
MARTIN, R.E. Project Directorate II-3. 92/07/14. TUCKMAN, M.S. Duke Power Co. 3pp. 62443:323-62443:340.

**-9207220284** Notice of consideration of issuance of amend to licenses, proposed NSHC determination & opportunity for hearing re amend to revise TS for unit 1 cycle 7 reload.  
WIENS, L.A. Project Directorate II-3. 92/07/14. 15pp. 62443:326-62443:340.

**9207230082** Forwards four yr rept for Catawba Nuclear Station Unit 1 simulator, per 10CFR50.45 b.5.ii & b.5.vi. Rept consists of list of failed test procedures, description of tests completed (1988-1991) & next four yr test schedule.  
WYLLIE, J.D. Duke Power Co. 92/07/14. HUNEMULLER, N.K. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 62476:298-62476:307.

**9207300085** Forwards rewrite of Amend 15 to Duke Power Co Topical Rept DUKE-1-A, "QA Program." Amend supercedes submittal transmitted on 920422.  
PRIORY, R.B. Duke Power Co. 92/07/20. Document Control Branch (Document Control Desk). 4pp. 62592:256-62592:315.

**-9207300252** Rewrite of Amend 15 to Duke-1-A. "QA Program," Section 17.0 & 17.3, responding to 920630 request for clarification. Amend 15 supercedes submittal transmitted on 920422.  
\* Duke Power Co. 92/07/20. 55pp. 62592:260-62592:315.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207010283** Notification of significant licensee meeting on 920611 in Atlanta, GA to conduct SALP Board meeting to discuss performance of facility during 910203-920502.  
BELISLE, G.A. Region 2 (Post 820201). 92/06/03. Region 2 (Post 820201). 2pp. 62254:080-62254:081.

**9207010320** Forwards insp repts 50-413/92-15 & 50-414/92-15 on stated dates. No violations noted.  
JULIAN, C.A. Region 2 (Post 820201). 92/06/17. TUCKMAN, M.S. Duke Power Co. 4pp. 62202:286-62202:312.

**-9207010331** Insp repts 50-413/92-15 & 50-414/92-15 on stated date. No violations noted. Major areas inspected: program developed in response to Generic Ltr 89-10.  
JAPEF, HUNT, M., SMITH, C. Region 2 (Post 820201). 92/06/17. 18pp. 62202:290-62202:312.

**9207020307** Informs NRC that util will continue to maintain set of interim as-built vital to operation drawings, per Insp Repts 50-413/89-13 & 50-414/89-13.  
TUCKMAN, M.S. Duke Power Co. 92/06/18. Document Control Branch (Document Control Desk). 3pp. 62221:356-62221:358.

**9207010193** Confirms meeting arrangements w/util to be conducted at CNS on 920714, to present SALP of facility during period between 920203-0502.  
REYES, L.A. Region 2 (Post 820201). 92/06/19. TUCKMAN, M.S. Duke Power Co. 3pp. 62233:339-62233:341.

**9207010228** Notification of significant licensee meeting w/util on 920714 to discuss SALP assessment for Catawba Units 1 & 2 during periods from 920203-0502.  
BELISLE, G.A. Region 2 (Post 820201). 92/06/19. Region 2 (Post 820201). 3pp. 62199:355-62199:357.

**9207080162** Ack receipt of 920402 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/92-04 & 50-414/92-04 on 920306.  
STOHR, J.P. Region 2 (Post 820201). 92/06/26. TUCKMAN, M.S. Duke Power Co. 3pp. 62250:082-62250:084.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207140059** Forwards insp repts 50-413/92-16 & 50-414/92-16 on 920503-0606. Violations noted that will not be subj of enforcement action due to licensee effort in identifying &/or correcting violations.  
HERDT, A.R. Region 2 (Post 820201). 92/06/29. TUCKMAN, M.S. Duke Power Co. 3pp. 62299:147-62299:161.

**-9207140065** Insp repts 50-413/92-16 & 50-414/92-16 on 920503-0606. One noncited violation identified. Major areas inspected: review of plant operations, surveillance observations, maint observations & LERS.  
ORDERS, W.T., HOPKINS, P.C., ZEILER, J. Region 2 (Post 820201). 92/06/26. 12pp. 62299:150-62299:161.

**9207070296** Requests extension until 920720 to respond to deficiencies noted in Requalification Exam Rept 50-413/92-300 in consideration of meeting on 920713 at Region II ofc.  
TUCKMAN, M.S. Duke Power Co. 92/06/30. Document Control Branch (Document Control Desk). 1p. 62260:351-62260:352.

**9207140087** Ack receipt of 920601 response to notice of violation issued on 920504 re plant activities. Response meets requirements of 10CFR2.201.  
HERDT, A.R. Region 2 (Post 820201). 92/07/01. TUCKMAN, M.S. Duke Power Co. 3pp. 62299:183-62299:185.

**9207220121** Forwards SALP Rept 50-413/92-10 & 50-414/92-10 for Feb 1991 - May 1992.  
EBNETER, S.D. Region 2 (Post 820201). 92/07/01. TUCKMAN, M.S. Duke Power Co. 4pp. 62432:309-62432:339.

**-9207220126** Initial SALP repts 50-413/92-10 & 50-414/92-10 for period Feb 1991 - May 1992.  
\* Region 2 (Post 820201). 92/07/01. 27pp. 62432:313-62432:339.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207240223** Responds to deficiencies noted in requalification exam rept 50-413/92-300. Corrective actions: station mgt developed revised policy clearly delineating authority of shift mgt & stating requirements for use of procedures.  
TUCKMAN, M.S. Duke Power Co. 92/07/16. Document Control Branch (Document Control Desk). 7pp. 62498:354-62498:360.

**9207280010** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Neither Oconee nor Catawba uses Thermo-Lag matl. Bulletin inapplicable to units.  
TUCKER, H.B. Duke Power Co. 92/07/22. Document Control Branch (Document Control Desk). 2pp. 62562:110-62562:111.

#### R. Periodic operating reports & related correspondence

**9207210049** Forwards monthly operating repts for June 1992 for Catawba Nuclear Station Units 1 & 2 & monthly operating status rept for May 1992.  
MCCRAW, E.O. Duke Power Co. 92/07/15. Document Control Branch (Document Control Desk). 2pp. 62459:320-62459:332.

**-9207210063** Monthly operating repts for June 1992 for Catawba Nuclear Station, Units 1 & 2.  
WILLIAMS, R.A., SIMMONS, N.C. Duke Power Co. 92/06/30. 10pp. 62459:322-62459:331.

**-9207210075** Revised monthly operating repts for May 1992 for Catawba Nuclear Station Units 1 & 2.  
\* Duke Power Co. 92/05/31. 1p. 62459:332-62459:332.

#### V. Operator Examinations

**9207070296** Requests extension until 920720 to respond to deficiencies noted in Requalification Exam Rept 50-413/92-300 in consideration of meeting on 920713 at Region II ofc.  
TUCKMAN, M.S. Duke Power Co. 92/06/30. Document Control Branch (Document Control Desk). 1p. 62260:351-62260:352.

**9207240223** Responds to deficiencies noted in requalification exam rept 50-413/92-300. Corrective actions: station mgt developed revised policy clearly delineating authority of shift mgt & stating requirements for use of procedures.  
TUCKMAN, M.S. Duke Power Co. 92/07/16. Document Control Branch (Document Control Desk). 7pp. 62498:354-62498:360.

#### DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207170143** Forwards Public version of Rev 30 to plant Directive 3.8.4. W/920714 release memo.  
TUCKMAN, M.S. Duke Power Co. 92/06/21. Document Control Branch (Document Control Desk). 4pp. 62413:205-62413:249.

## 142 DOCKETED ITEMS

—9207170152 Public version of Rev 30 to plant Directive 3.8.4, "Onsite Emergency Organization."  
Duke Power Co. 92/06/21. 50pp. 62413:208-62413:249.

9207100358 Rev 92-2 & Vols 1 & 2 to emergency plan.W/920630 ltr.  
TUCKMAN,M.S. Duke Power Co. 92/06/30. 1,000pp. 62390:001-62392:342.

9207220121 Forwards SALP Rept 50-413/92-10 & 50-414/92-10 for Feb 1991 - May 1992.  
EBNETER,S.D. Region 2 (Post 820201). 92/07/01. TUCKMAN,M.S. Duke Power Co. 4pp. 62432:309-62432:339.

—9207220126 Initial SALP repts 50-413/92-10 & 50-414/92-10 for period Feb 1991 - May 1992.  
\* Region 2 (Post 820201). 92/07/01. 27pp. 62432:313-62432:339.

9207140305 Forwards Rev 31 to physical security plan,including description of protection afforded alarm sensors & transmission lines & synopsis of details of specific text changes.Rev withheld (ref 10CFR73.21).  
TUCKMAN,M.S. Duke Power Co. 92/07/10. Document Control Branch (Document Control Desk). 2pp. 62385:352-62385:353.

9207240034 Rev 14 to Emergency Plan Implementing Procedure OP/0/A/6200/21, "Operating Procedure for the Post Accident Liquid Sampling System II+," incorporating Change 5/W/ 920717 ltr.  
TUCKMAN,M.S. Duke Power Co. 92/07/17. 85pp. 62482:005-62482:089.

9207280010 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Neither Oconee nor Catawba uses Thermo-Lag matl.Bulletin inapplicable to units.  
TUCKER,H.B. Duke Power Co. 92/07/22. Document Control Branch (Document Control Desk). 2pp. 62562:110-62562:111.

### H. General correspondence

9207160093 Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9,task DG-1021.Opposes rule.  
TUCKER,H.B. Duke Power Co. 92/07/06. Docketing & Services Branch. 4pp. 62375:112-62375:115.

### I. Financial information

9207080259 Forwards "Piedmont Municipal Power Agency," "NC Carolina Electric Membership Corp.," including Saluda River Electric Cooperative,Inc financial statements, & "NC Municipal Power Agency Number 1."  
TUCKER,H.B. Duke Power Co. 92/06/30. Document Control Branch (Document Control Desk). 1p. 62293:155-62293:274.

—9207080263 "Piedmont Municipal Power Agency,Annual 1991 Rept."  
\* Piedmont Municipal Power Agency. 91/12/31. 27pp. 62293:156-62293:183.

—9207080268 "NC Electric Membership Corp,1991 Annual Rept," including Saluda River Electric Cooperative,Inc financial statements.  
CLAYBORNE,H.E., BROWN,E.W., JOHNSON,R.H. North Carolina Electric Membership Corp. 91/12/31. 34pp. 62293:184-62293:239.

—9207080272 "NC Municipal Power Agency Number 1,1991 Annual Rept."  
BOBO,J.T. North Carolina Municipal Power Agencies. 91/12/31. 34pp. 62293:240-62293:274.

### P. Operating license stage documents & correspondence

9207020018 Summary of 920609 meeting w/util re schedule for NRC review of DPC topical repts planned to be submitted in next several years.List of attendees & DPC handouts encl.  
REED,T.A. Project Directorate II-3. 92/06/25. Project Directorate II-3. 13pp. 62183:333-62183:345.

9207020034 Requests FR publication of notice of issuance of amends 98 & 92 to licenses NPF-35 & NPF-52 respectively.Amends revise TS 3.6.5.5 to allow pressurizer encl hatch between upper & lower containment vol to be open up to six h.  
MARTIN,R.E. Project Directorate II-3. 92/06/26. NRC - No Detailed Affiliation Given. 3pp. 62183:326-62183:328.

9207060277 Forwards amends 98 & 92 to licenses NPF-35 & NPF-52, respectively & safety evaluation.Amends revise TS 3.6.5.5 to allow pressurizer encl hatch between upper & lower containment vols to be open for up to 6 h.  
MARTIN,R.E. Project Directorate II-3. 92/06/26. TUCKMAN,M.S. Duke Power Co. 4pp. 62242:343-62242:360.

—9207060281 Amends 98 & 92 to licenses NPF-35 & NPF-52, respectively, revising TS 3.6.5.5 to allow pressurizer encl hatch between upper & lower containment vols to be open for up to 6 h.  
MATTHEWS,D.B. Project Directorate II-3. 92/06/26. 7pp. 62242:347-62242:353.

—9207060284 Safety evaluation supporting amends 98 & 92 to licenses NPF-35 & NPF-52, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/26. 7pp. 62242:354-62242:360.

9207140190 Forwards request for clarification of util changes for Topical Rept (Duke-1-A), "QA Program".  
JULIAN,C.A. Region 2 (Post 820201). 92/06/30. TUCKER,H.B. Duke Power Co. 6pp. 62311:230-62311:235.

9207080099 Responds to NRC GL 92-01 re compliance w/regulatory program to maintain structural integrity of reactor vessels.  
TUCKER,H.B. Duke Power Co. 92/07/03. Document Control Branch (Document Control Desk). 69pp. 62335:100-62335:169.

9207180238 Forwards supplemental info to application for amends to Licenses NPF-35 & NPF-52,changing TS re Cycle 7 reload,per discussions w/NRC.Info covers rod ejection pin failure.  
TUCKMAN,M.S. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 5pp. 62423:304-62423:308.

9207200223 Forwards listing & projected schedule for completion & submittal of new topical repts requiring NRC approval by util.Replacement SG design selected for McGuire Units 1 & 2 & Catawba Unit 1.  
TUCKER,H.B. Duke Power Co. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62450:360-62450:361.

9207290132 Discusses 920605 meeting re 10CFR73.71 criteria,dept directive 3.7.1(S) & unresolved item 92-12-03.  
STOHR,J.P. Region 2 (Post 820201). 92/07/10. TUCKMAN,M.S. Duke Power Co. 4pp. 62506:160-62506:163.

9207220281 Forwards notice of consideration of issuance of amends to facility OL,proposed NSHC determination & opportunity for hearing,for publication.  
MARTIN,R.E. Project Directorate II-3. 92/07/14. TUCKMAN,M.S. Duke Power Co. 3pp. 62443:323-62443:340.

—9207220284 Notice of consideration of issuance of amend to licenses, proposed NSHC determination & opportunity for hearing re amend to revise TS for unit 1 cycle 7 reload.  
WIENS,L.A. Project Directorate II-3. 92/07/14. 15pp. 62443:326-62443:340.

9207300085 Forwards rewrite of Amend 15 to Duke Power Co Topical Rept DUKE-1-A, "QA Program." Amend supercedes submittal transmitted on 920422.  
PRIORY,R.B. Duke Power Co. 92/07/20. Document Control Branch (Document Control Desk). 4pp. 62592:256-62592:315.

—9207300252 Rewrite of Amend 15 to Duke-1-A. "QA Program," Section 17.0 & 17.3,responding to 920630 request for clarification. Amend 15 supersedes submittal transmitted on 920422.  
\* Duke Power Co. 92/07/20. 55pp. 62592:260-62592:315.

### Q. Inspection reports, IE Bulletins & correspondence

9207010283 Notification of significant licensee meeting on 920611 in Atlanta,GA to conduct SALP Board meeting to discuss performance of facility during 910203-920502.  
BELISLE,G.A. Region 2 (Post 820201). 92/06/03. Region 2 (Post 820201). 2pp. 62254:080-62254:081.

9207010320 Forwards insp repts 50-413/92-15 & 50-414/92-15 on stated dates.No violations noted.  
JULIAN,C.A. Region 2 (Post 820201). 92/06/17. TUCKMAN,M.S. Duke Power Co. 4pp. 62202:286-62202:312.

—9207010331 Insp repts 50-413/92-15 & 50-414/92-15 on stated date.No violations noted.Major areas inspected:program developed in response to Generic Ltr 89-10.  
JAPE,F., HUNT,M., SMITH,C. Region 2 (Post 820201). 92/06/17. 18pp. 62202:290-62202:312.

9207020307 Informs NRC that util will continue to maintain set of interim as-built vital to operation drawings,per Insp Repts 50-413/89-13 & 50-414/89-13.  
TUCKMAN,M.S. Duke Power Co. 92/06/18. Document Control Branch (Document Control Desk). 3pp. 62221:356-62221:358.

9207010193 Confirms meeting arrangements w/util to be conducted at CNS on 920714,to present SALP of facility during period between 920203-0502.  
REYES,L.A. Region 2 (Post 820201). 92/06/19. TUCKMAN,M.S. Duke Power Co. 3pp. 62233:339-62233:341.

9207010228 Notification of significant licensee meeting w/util on 920714 to discuss SALP assessment for Catawba Units 1 & 2 during periods from 920203-0502.  
BELISLE,G.A. Region 2 (Post 820201). 92/06/19. Region 2 (Post 820201). 3pp. 62199:355-62199:357.

9207060162 Ack receipt of 920402 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/92-04 & 50-414/92-04 on 920308.  
STOHR,J.P. Region 2 (Post 820201). 92/06/26. TUCKMAN,M.S. Duke Power Co. 3pp. 62250:082-62250:084.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207140059 Forwards insp repts 50-413/92-16 & 50-414/92-16 on 920503-0606.Violations noted that will not be subj of enforcement action due to licensee effort in identifying &/or correcting violations.  
HERDT,A.R. Region 2 (Post 820201). 92/06/29. TUCKMAN,M.S. Duke Power Co. 3pp. 62299:147-62299:161.

—9207140065 Insp repts 50-413/92-16 & 50-414/92-16 on 920503-0606.One noncited violation identified.Major areas inspected:review of plant operations,surveillance observations,maint observations & LERS.  
ORDERS,W.T., HOPKINS,P.C., ZEILER,J. Region 2 (Post 820201). 92/06/26. 12pp. 62299:150-62299:161.

9207140067 Ack receipt of 920601 response to notice of violation issued on 920504 re plant activities.Response meets requirements of 10CFR2.201.  
HERDT,A.R. Region 2 (Post 820201). 92/07/01. TUCKMAN,M.S. Duke Power Co. 3pp. 62299:183-62299:185.

9207220121 Forwards SALP Rept 50-413/92-10 & 50-414/92-10 for Feb 1991 - May 1992.  
EBNETER,S.D. Region 2 (Post 820201). 92/07/01. TUCKMAN,M.S. Duke Power Co. 4pp. 62432:309-62432:339.

—9207220126 Initial SALP repts 50-413/92-10 & 50-414/92-10 for period Feb 1991 - May 1992.  
\* Region 2 (Post 820201). 92/07/01. 27pp. 62432:313-62432:339.

9206280043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.



**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207280010** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Neither Oconee nor Catawba uses Thermo-Lag matl. Bulletin inapplicable to units. TUCKER,H.B. Duke Power Co. 92/07/22. Document Control Branch (Document Control Desk). 2pp. 62562:110-62562:111.

#### R. Periodic operating reports & related correspondence

**9207210049** Forwards monthly operating repts for June 1992 for Catawba Nuclear Station Units 1 & 2 & monthly operating status rept for May 1992. MCCRAW,E.O. Duke Power Co. 92/07/15. Document Control Branch (Document Control Desk). 2pp. 62459:320-62459:332.

**-9207210063** Monthly operating repts for June 1992 for Catawba Nuclear Station, Units 1 & 2. WILLIAMS,R.A., SIMMONS,N.C. Duke Power Co. 92/06/30. 10pp. 62459:322-62459:331.

**-9207210075** Revised monthly operating repts for May 1992 for Catawba Nuclear Station Units 1 & 2. \* Duke Power Co. 92/05/31. 1p. 62459:332-62459:332.

#### DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9207020227** Responds to 920507 ltr discussing actions until taking re emergency action levels, rev 22. STOHR,J.P. Region 2 (Post 820201). 92/06/20. COTTLE,W.T. Entergy Operations, Inc. 4pp. 62249:345-62249:348.

**9207140133** Rev 23 to "Grand Gulf Nuclear Station Emergency Plan." W/920708 ltr. COTTLE,W.T. Entergy Operations, Inc. 92/06/29. 150pp. 62389:001-62389:265.

**9207270095** Forwards Page 3-2 of Rev 23 of emergency plan. Page omitted from original submittal of Rev 23 to emergency plan dtd June 1992. COTTLE,W.T. Entergy Operations, Inc. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62528:128-62528:130.

**-9207270350** Page 3-2 of Rev 23 of emergency plan dtd June 1992. \* Entergy Operations, Inc. 92/06/30. 1p. 62528:130-62528:130.

**9207310200** Forwards 1992 plant emergency preparedness exercise objectives. Graded exercise scheduled on 921021.W/o encl. COTTLE,W.T. Entergy Operations, Inc. 92/07/23. RANKIN,W.H. NRC - No Detailed Affiliation Given. 2pp. 62618:356-62618:357.

**9207300119** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." Roving fire watches established for areas listed in Table 1. COTTLE,W.T. Entergy Operations, Inc. 92/07/24. Document Control Branch (Document Control Desk). 8pp. 62638:211-62638:218.

#### P. Operating license stage documents & correspondence

**9207080271** Forwards response to license NPF-29, requesting licensee to submit info re service water sys, to assure compliance to regulatory requirements & to confirm that safety functions met per generic ltr 89-13. COTTLE,W.T. Entergy Operations, Inc. 92/07/02. Document Control Branch (Document Control Desk). 5pp. 62277:288-62277:292.

**9207100151** Forwards status summary of topical repts submitted by util in support of development of inhouse nuclear design capability. Repts likely to be subj for discussion when util visits Commissioners & possibly EDO on 920615. BLACK,S.C. Project Directorate IV-2. 92/07/02. SHANKMAN,S.F. Ofc of the Executive Director for Operations. 3pp. 62334:279-62334:281.

**9207140288** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity. End-of-life upper shelf energy not below 50-ft pounds for any beltline region matls. COTTLE,W.T. Entergy Operations, Inc. 92/07/06. Document Control Branch (Document Control Desk). 8pp. 62385:082-62385:090.

**9207140285** Comments on concerns re Generic Issue 143, "Availability of Chilled Water Sys and Room Cooling." that impact of failures on proper functioning of air cooling sys have not been generally reflected in final PRAs. COTTLE,W.T. Entergy Operations, Inc. 92/07/07. Document Control Branch (Document Control Desk). 2pp. 62384:350-62384:351.

**9207150285** Notification of 920716 meeting w/util in Rockville, MD re engineering challenges & initiatives at facilities. ALEXION,T.W. Project Directorate IV-1. 92/07/07. LARKINS,J.T. Project Directorate IV-1. 7pp. 62378:260-62378:266.

**9207140250** Forwards "Grand Gulf Nuclear Station Unit 1 Cycle 6, Startup Physics Test Summary." Startup physics testing completed on 920616. COTTLE,W.T. Entergy Operations, Inc. 92/07/09. Document Control Branch (Document Control Desk). 2pp. 62386:347-62386:358.

**-9207140251** "Grand Gulf Nuclear Station Unit 1 Cycle 6 Startup Physics Test Summary." \* Entergy Operations, Inc. 92/07/09. 10pp. 62386:349-62386:358.

**9207170123** Requests addl info due to concerns about possibility that components may not receive mfg min operating voltage re proposed tech spec to delete battery load profiles & min voltage in TS 4.8.2.1.d.2. O'CONNOR,P.W. Project Directorate IV-1. 92/07/13. COTTLE,W.T. Entergy Operations, Inc. 4pp. 62413:194-62413:197.

**9207310212** Requests for addl info re groundwater level control & monitoring at plant. O'CONNOR,P.W. Project Directorate IV-1. 92/07/27. COTTLE,W.T. Entergy Operations, Inc. 4pp. 62581:269-62581:272.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207020070** Forwards insp rept 50-416/92-13 on 920427-0508. No violations noted. JULIAN,C.A. Region 2 (Post 820201). 92/06/10. COTTLE,W.T. Entergy Operations, Inc. 4pp. 62234:252-62234:272.

**-9207020075** Insp rept 50-416/92-13 on 920427-0508. No violations noted. Major areas inspected: review of ISI program & plan for current outage & overall programmatic controls. BLAKE,J.J., CROWLEY,B.R. Region 2 (Post 820201). 92/06/10. 17pp. 62234:256-62234:272.

**9207020205** Forwards Insp Rept 50-416/92-15 on 920520-22. No violations or deviations noted. JULIAN,C.A. Region 2 (Post 820201). 92/06/11. COTTLE,W.T. Entergy Operations, Inc. 4pp. 62224:329-62224:336.

**-9207020210** Insp Rept 50-416/92-15 on 920520-22. No violations or deviations noted. Major areas inspected: review of licensee actions re thermal overload discrepancies. HUNT,M.D., SHYMLOCK,M. Region 2 (Post 820201). 92/06/11. 4pp. 62224:333-62224:336.

**9207150348** Ack receipt of 920605 ltr informing NRC of steps taken to correct violations noted in insp rept 50-416/92-09 on 920506. VERRELLI,D.M. Region 2 (Post 820201). 92/06/24. COTTLE,W.T. Entergy Operations, Inc. 3pp. 62413:301-62413:303.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207170034** Responds to NRC 920611 ltr re violations noted in Insp Rept 50-416/92-12. Corrective actions: stenciling removed from uncontrolled painting program & initial operator training program will be revised to emphasize component labeling. COTTLE,W.T. Entergy Operations, Inc. 92/07/10. Document Control Branch (Document Control Desk). 6pp. 62436:253-62436:258.

**9207300119** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." Roving fire watches established for areas listed in Table 1. COTTLE,W.T. Entergy Operations, Inc. 92/07/24. Document Control Branch (Document Control Desk). 8pp. 62638:211-62638:218.

#### R. Periodic operating reports & related correspondence

**9207200315** Monthly operating rept for June 1992 for Grand Gulf Nuclear Station Unit 1.W/920715 ltr. DAUGHTERY,L.F., COTTLE,W.T. Entergy Operations, Inc. 92/06/30. 6pp. 62451:241-62451:246.

#### S. Reportable occurrences, LERs & related correspondence

**9207080018** Amend 1 to Part 21 Rept 158 re gear-wear induced failures in engine-driven jacket water pump in DSHV-18-4 standby DG sys. Initially reported on 911029. Grand Gulf station observed wear characteristics in as little as 500 operating hours. GUNTROM,B.C. Cooper Industries, Inc. 92/06/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62305:344-62305:347.

**9207140051** LER 92-011-01: on 920608, discovered possibility of potential secondary containment bypass leakage paths & control room boundary leakage paths. On 911009, temporary shaft seal installed in SGTS. Also reported per Part 21.W/920706 ltr. ZINKE,G.A., COTTLE,W.T. Entergy Operations, Inc. 92/07/06. 8pp. 62437:234-62437:241.

**9207140255** LER 92-010-00: on 920606, reactor scrammed due to RPS actuation signal from APRM sys. Caused by lightning strike due to electrical storm in plant vicinity. Task force assembled & ferrite beads installed in APRM.W/920706 ltr. RUFFIN,R., COTTLE,W.T. Entergy Operations, Inc. 92/07/06. 6pp. 62437:274-62437:279.

**9207140175** LER 92-012-00: on 920610, determined that previously identified deficiency re potential secondary containment bypass leakage affected operability of SGTS. SGTS leakage paths repaired.W/920710 ltr. ZINKE,G.A., COTTLE,W.T. Entergy Operations, Inc. 92/07/10. 5pp. 62437:224-62437:228.

## 144 DOCKETED ITEMS

**9207140183** LER 92-001-00: on 920108, RHR sys pump suction valve failed to open during alignment. Caused by valve phenomenon known as pressure locking. Interim procedural controls implemented for problem until sys mods implemented. W/920710 ltr.  
BURKE, B., COTTLE, W.T. Entergy Operations, Inc. 92/07/10. 5pp. 62437:229-62437:233.

**9207240040** LER 92-013-00: on 920618, reactor scram occurred due to turbine control fluid filter maint. Caused by lack of/poor communication. Preventative maint program will be established. W/920717 ltr.  
RUFFIN, R., COTTLE, W.T. Entergy Operations, Inc. 92/07/17. 8pp. 62587:123-62587:130.

**9207300082** Special Rept 92-004: on 920623, SDG 11 tripped due to high vibration signal. Caused by loose screw due to inadequate procedure. Maint procedure governing calibr of vibration sensors will be revised.  
COTTLE, W.T. Entergy Operations, Inc. 92/07/23. Document Control Branch (Document Control Desk). 2pp. 62592:347-62592:348.

**9207300019** LER 92-014-00: on 920625, automatic actuation of RWCU sys outboard containment isolation valves occurred & main steam line tunnel high temp annunciator alarmed. Caused by receipt of LDS trip signal. Temp switches calibr. W/920724 ltr.  
BURKE, B., COTTLE, W.T. Entergy Operations, Inc. 92/07/24. 4pp. 62587:344-62587:347.

### V. Operator Examinations

**9207170034** Responds to NRC 920611 ltr re violations noted in Insp Rept 50-416/92-12. Corrective actions: stenciling removed from uncontrolled painting program & initial operator training program will be revised to emphasize component labeling.  
COTTLE, W.T. Entergy Operations, Inc. 92/07/10. Document Control Branch (Document Control Desk). 6pp. 62436:253-62436:258.

## DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

### F. Security, medical, emergency & fire protection plans

**9207010235** Revised EIPs, including rev 16 to EIP 4211, "On-Call Procedure" & Rev 10 to EIP 4610, "Communications - Radiopaging & Callback Monthly Drill."  
\* Northeast Nuclear Energy Co. 92/06/24. 47pp. 62224:192-62224:239.

**9207150074** Forwards safety insp repts 50-245/92-17, 50-336/92-19 & 50-423/92-17. No violations noted.  
ANDERSON, C. Region 1 (Post 820201). 92/07/06. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 62335:088-62335:097.

**-9207150078** Insp repts 50-245/92-17, 50-336/92-19 & 50-423/92-17 on 920608-12. No violations noted. Major areas inspected: standby, starting, operating & shutdown & maint of emergency diesel generator units.  
WOODARD, C.H. Region 1 (Post 820201). 92/07/01. 7pp. 62335:091-62335:097.

**9207240173** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Containment temp monitored for sudden temp increases.  
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62555:326-62555:327.

**9207280204** Forwards draft exercise controller manual for onsite emergency preparedness partial participation exercise at facilities scheduled on 920915, for NRC review. Comments requested by 920814. W/o encl.  
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 92/07/17. MCCABE, E.C. Region 1 (Post 820201). 2pp. 62562:124-62562:125.

**9207280224** Forwards insp repts 50-245/92-13, 50-336/92-14 & 50-423/92-13 on 920503-0613 & forwards notice of violation. Good performance noted for several activities, including actions to address static pressure effects of Veritrac transmitters.  
BLOUGH, A.R. Region 1 (Post 820201). 92/07/22. OPEKA, J.F. Northeast Nuclear Energy Co. 3pp. 62497:070-62497:107.

**-9207280256** Insp repts 50-245/92-13, 50-336/92-14 & 50-423/92-13 on 920503-0613. Violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, security, outage activities & licensee self-assessment.  
DOERFLEIN, L.T. Region 1 (Post 820201). 92/07/22. 33pp. 62497:075-62497:107.

**9207280234** Revised EIPs, including rev 21 to CONI 1.01, rev 41 to CONI 1.02, rev 10 to CONI 1.06, rev 2 to CONI 1.07, rev 17 to CONI 4.10, rev 21 to CONI 5.01, rev 3 to CONI 7.01, rev 25 to CONI 10.01 & rev 6 to CONI 13.01.  
\* Northeast Utilities. 92/07/24. 125pp. 62562:156-62562:316.

**9207310103** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Cable Trays & Small Conduits Free from Fire Damage."  
ROMBERG, W.D. Connecticut Yankee Atomic Power Co. 92/07/27. Document Control Branch (Document Control Desk). 13pp. 62612:330-62612:342.

### H. General correspondence

**9207160081** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule.  
OPEKA, J.F. Northeast Utilities. 92/07/06. CHILK, S.J. Office of the Secretary of the Commission. 5pp. 62375:091-62375:095.

### I. Financial information

**9207060232** Forwards listing of nuclear engineering & operations & maint budgets & projections for 1993, 1994 & 1995.  
OPEKA, J.F. Connecticut Yankee Atomic Power Co. 92/06/30. TAYLOR, J.M. Ofc of the Executive Director for Operations. 5pp. 62254:354-62254:358.

### K. Utility Final Safety Analysis Report (FSAR) & amends

**9207070191** Rev 5 to updated FSAR. W/920630 ltr.  
OPEKA, J.F. Northeast Nuclear Energy Co. OPEKA, J.F. Northeast Utilities. 92/06/30. 1,500pp. 62255:001-62255:042.

### P. Operating license stage documents & correspondence

**9207080065** Summary of 920611 meeting w/util in King of Prussia, PA re util PEP. List of attendees & handout describing licensee presentation encl.  
HEHL, C.W. Region 1 (Post 820201). 92/06/22. OPEKA, J.F. Northeast Nuclear Energy Co. 55pp. 62218:011-62218:067.

**-9207080093** Submits Millstone Assessment Panel (MAP) responsibilities re charter. MAPs purpose to assist in coordination of NRC resources for performance monitoring & assessment of plant.  
MARTIN, T.T. Region 1 (Post 820201). 92/05/27. WIGGINS, J.T. Region 1 (Post 820201). 2pp. 62218:066-62218:067.

**9207010325** Forwards amend 67 to license NPF-49 & safety evaluation. Amend revises TS Figure 3.1-2 to correct drafting inaccuracy & make curve consistent w/data points. Notice of denial for proposed change to TS Section 3/4.7.7 encl.  
STOLZ, J.F. Project Directorate I-4. 92/06/23. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Utilities. 2pp. 62178:106-62178:119.

**-9207010327** Amend 67 to license NPF-49, revising TS Figure 3.1-2 to correct drafting inaccuracy & make curve consistent w/data points.  
STOLZ, J.F. Project Directorate I-4. 92/06/23. 7pp. 62178:108-62178:114.

**-9207010329** Safety evaluation supporting amend 67 to license NPF-49.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/23. 3pp. 62178:115-62178:117.

**-9207010335** Notice of denial of amend to license NPF-49 & opportunity for hearing. Amend would have revised TS 3/4.7.7 re action required during Modes 5 & 6 when one CR emergency air filtration sys inoperable.  
STOLZ, J.F. Project Directorate I-4. 92/06/23. 2pp. 62178:118-62178:119.

**9207060032** Informs that licensee 900831 IPEEE submittal schedule & selected methods, in response to GL 88-20, Suppl 4, acceptable.  
ROONEY, V.L. Project Directorate I-4. 92/06/30. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 2pp. 62209:031-62209:032.

**9207060062** Ack receipt of 920327 ltr in which licensee informed NRC of change in initial test program that had not been reported within one month of change. Reporting requirement for change considered to be satisfied.  
ROONEY, V.L. Project Directorate I-4. 92/06/30. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 2pp. 62209:026-62209:027.

**9207060210** Forwards notice of consideration of issuance of amend to license NPF-49 & opportunity for hearing. Proposed amend would revise TS to increase surveillance test interval.  
ROONEY, V.L. Project Directorate I-4. 92/06/30. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 2pp. 62209:016-62209:022.

**-9207060214** Notice of consideration of issuance of amend to license NPF-49 & opportunity for hearing. Proposed amend would revise TS to increase surveillance test interval.  
HERNAN, R.W. Project Directorate I-4. 92/06/30. 5pp. 62209:018-62209:022.

**9207070022** Notification of 920708 meeting w/util in Rockville, MD to discuss PEP progress.  
JAFEE, D.H. Project Directorate I-4. 92/06/30. STOLZ, J.F. Project Directorate I-4. 4pp. 62237:340-62237:343.

**9207070267** Requests that Amend 67, issued 920623 be corrected by removing TS page 3/4 7-15. Proposed page 3/4 7-15 denied.  
ROONEY, V.L. Project Directorate I-4. 92/06/30. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 2pp. 62238:360-62238:361.

**9207070365** Notification of 920708 meeting w/util in Rockville, MD to discuss PEP progress.  
JAFEE, D.H. Project Directorate I-4. 92/07/02. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 5pp. 62236:347-62236:351.

**9207150236** Forwards proposed, supplemental changes to Rev 15 to QA program topical rept QAP-10.0 re oversight activities of quality svcs personnel.  
OPEKA, J.F. Northeast Nuclear Energy Co. 92/07/06. Document Control Branch (Document Control Desk). 8pp. 62415:295-62415:302.

**9207160218** Responds to Rev 1 to GL 92-01, "Reactor Vessel Structural Integrity 10CFR50.54(f)."  
OPEKA, J.F. Connecticut Yankee Atomic Power Co. 92/07/06. Document Control Branch (Document Control Desk). 57pp. 62423:188-62423:242.

**9207130122** Summary of 920618 meeting w/util in Berlin, CT re licensing issues of general interest. Attendees list & outline of topics discussed encl.  
JAFEE, D.H. Project Directorate I-4. 92/07/08. Project Directorate I-4. 150pp. 62374:121-62374:270.

**9207170192** Discusses 10CFR50.54 QA program change review. Effectiveness of QA program & procedure implementation will continue to be subj of routine regional insps.  
BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/08. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 3pp. 62431:349-62431:351.

**9207210071** Notification of significant licensee meeting 92-118 w/util on 920720 to discuss performance enhancement program.  
DOERFLEIN, L.T. Region 1 (Post 820201). 92/07/09. Region 1 (Post 820201). 3pp. 62419:355-62419:357.

**9207170118** Determines that submitted info sought to be withheld contains trade secrets/proprietary commercial info & will be withheld from public disclosure pursuant to 10CFR2.790(b)(5) & Section 103(b).  
ROONEY,V.L. Project Directorate I-4. 92/07/13. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 62413:191-62413:193.

**9207170131** Determines that submitted info sought to be withheld contains trade secrets/proprietary commercial info & will be withheld from public disclosure pursuant to 10CFR2.790(b)(5) of Atomic Energy Act of 1954 as amended.  
STOLZ,J.F. Project Directorate I-4. 92/07/13. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 62413:200-62413:204.

**9207240002** Documents commitment in 920303 application for amend to License NPF-49, revising TS re surveillance requirements for reactor trip sys & ESFAS, per 920624 telcon w/NRC. Review will be performed of plant past 1 yr surveillance records.  
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 92/07/13. Document Control Branch (Document Control Desk). 2pp. 62479:315-62479:316.

**9207220003** Clarifies info re spent fuel pool, per 920618 NRC/Northeast Utilis counter-parts meeting. At present, only Millstone Unit 3 spent fuel pool not utilizing full complement of spent fuel storage racks.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. 92/07/15. Document Control Branch (Document Control Desk). 2pp. 62473:268-62473:269.

**9207220417** Summary of 920708 meeting w/util in Rockville, MD re util performance enhancement program. List of attendees & slides used during presentation encl.  
JAFFE,D.H. Project Directorate I-4. 92/07/15. Project Directorate I-4. 62pp. 62445:253-62445:313.

**9207280274** Advises that util 920615 proposed rev 15 to QA program topical rept acceptable, per 10CFR50.54(a). Effectiveness of QA program & procedure implementation will continue to be subj of routine regional insps.  
BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/21. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62497:139-62497:141.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207280265** FOIA request for documents re most recent INPO insp rept for plant & util.  
BOWLES,D.K. Affiliation Not Assigned. 91/11/07. GRIMSLEY,D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62514:159-62514:159.

**9207280273** Final response to FOIA request for documents re most recent INPO insp results for plant & util. No records subj to request located.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/27. BOWLES,D. Affiliation Not Assigned. 1p. 62514:158-62514:158.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207150074** Forwards safety insp repts 50-245/92-17, 50-336/92-19 & 50-423/92-17. No violations noted.  
ANDERSON,C. Region 1 (Post 820201). 92/07/06. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 62335:088-62335:097.

**-9207150078** Insp repts 50-245/92-17, 50-336/92-19 & 50-423/92-17 on 920608-12. No violations noted. Major areas inspected: standby, starting, operating & shutdown & maint of emergency diesel generator units.  
WOODARD,C.H., RULAND,W.H. Region 1 (Post 820201). 92/07/01. 7pp. 62335:091-62335:097.

**9207160250** Ack receipt of 920228 response to violations noted in Insp Repts 50-245/92-03, 50-336/92-03 & 50-423/92-03. Concerns raised that surveillance procedure for alternate testing approved w/o identification of conflict w/TS.  
COOPER,R.W. Region 1 (Post 820201). 92/07/06. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 62416:327-62416:338.

**9207170192** Discusses 10CFR50.54 QA program change review. Effectiveness of QA program & procedure implementation will continue to be subj of routine regional insps.  
BETTENHAUSEN,L. Region 1 (Post 820201). 92/07/08. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62431:349-62431:351.

**9207202233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207140207** Accepts 890228 response to NRC Bulletin 88-11, "Pressurizer Surge Line Thermal Stratification." TAC M72136 closed.  
STOLZ,J.F. Project Directorate I-4. 92/07/09. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62375:353-62375:355.

**9207170250** Forwards insp repts 50-245/92-14, 50-336/92-15 & 50-423/92-14 on 920512-14. Violations noted but not cited.  
HODGES,M.W. Region 1 (Post 820201). 92/07/13. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 62440:237-62440:250.

**-9207170259** Insp repts 50-245/92-14, 50-336/92-15 & 50-423/92-14 on 920512-14. Violations noted but not cited. Major areas inspected: insp round requirements, mgt response to falsified insp round sheets & gather info for followup.  
PRELL,J., BISSETT,P.H. Region 1 (Post 820201). 92/06/29. 9pp. 62440:240-62440:250.

**9207210106** Forwards radiological controls insp repts 50-245/92-18, 50-336/92-20 & 50-423/92-18 on 920615-19. Review indicated very good radiological controls implemented at units 1 & 3 & efforts associated w/generation of unit 3 ALARA rept noted.  
JOYNER,J.L. Region 1 (Post 820201). 92/07/13. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 62420:311-62420:328.

**-9207210115** Insp repts 50-245/92-18, 50-336/92-20 & 50-423/92-18 on 920615-19. Very good radiological controls implemented at units 1 & 3. Major areas inspected: licensee action on previous insp findings, organization & staffing & training.  
NIMITZ,R.L., PASCIAK,W.J. Region 1 (Post 820201). 92/07/08. 14pp. 62420:315-62420:328.

**9207240173** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Containment temp monitored for sudden temp increases.  
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 92/07/17. Document Control Branch (Document Control Desk). 2pp. 62555:326-62555:327.

**9207280224** Forwards insp repts 50-245/92-13, 50-336/92-14 & 50-423/92-13 on 920503-0613 & forwards notice of violation. Good performance noted for several activities, including actions to address static pressure effects of Veritrac transmitters.  
BLOUGH,A.R. Region 1 (Post 820201). 92/07/22. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 62497:070-62497:107.

**-9207280254** Notice of violation from insp on 920503-0613. Violations noted: station procedures not properly implemented in that unit 2 feedwater heater 1B released for maint w/o proper venting & draining of feedwater sys.  
\* Region 1 (Post 820201). 92/07/22. 2pp. 62497:073-62497:074.

**-9207280256** Insp repts 50-245/92-13, 50-336/92-14 & 50-423/92-13 on 920503-0613. Violations noted. Major areas inspected: plant operations, radiological controls, maint, surveillance, security, outage activities & licensee self-assessment.  
DOERFLEIN,L.T. Region 1 (Post 820201). 92/07/22. 33pp. 62497:075-62497:107.

**9207310103** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Cable Trays & Small Conduits Free from Fire Damage."  
ROMBERG,W.D. Connecticut Yankee Atomic Power Co. 92/07/27. Document Control Branch (Document Control Desk). 13pp. 62612:330-62612:342.

#### R. Periodic operating reports & related correspondence

**9207150174** Monthly operating rept for June 1992 for Millstone Nuclear Power Station Unit 3. W/920710 ltr.  
ELMS,A.L., SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities. 92/06/30. 5pp. 62398:346-62398:350.

**9207200128** Forwards draft "Effluent & Waste Disposal Annual Rept for 1990." As-buried & as-generated values added together thereby resulting in overlap.  
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 92/07/13. TICHLER,J.L. Brookhaven National Laboratory. 2pp. 62450:001-62450:095.

**-9207200136** Draft "Effluent & Waste Disposal Annual Rept for 1990."  
\* Northeast Utilities. 90/12/31. 94pp. 62450:003-62450:095.

**9207200152** Forwards info requested in 920608 ltr re stack characteristics & climatology for plants, including joint frequency distribution of wind direction, wind speed & stability for 1990 & 1991 at sites.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. 92/07/13. TICHLER,J. Brookhaven National Laboratory. 6pp. 62447:126-62447:221.

**-9207200349** "CPRD MI Dose Data Requirements for 1990," including wind speed/wind direction/stability joint frequency distribution for Millstone Nuclear Power Station.  
\* Northeast Nuclear Energy Co. 90/12/31. 18pp. 62447:168-62447:194.

**-9207200352** "CPRD MI Dose Data Requirements for 1991," including wind speed/wind direction/stability joint frequency distribution for Millstone Nuclear Power Station.  
\* Northeast Nuclear Energy Co. 91/12/31. 26pp. 62447:195-62447:221.

#### U. Congressional/Executive Correspondence

**9206170322** Forwards info re NRC investigations & inquiries of NEUT & plant, in response to 920507 ltr to Chairman Selin. Provides assurance that NRC will conduct complete evaluation of concerns re mgt integrity & employee harassment.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/11. LIEBERMAN,J.I. Senate, Governmental Affairs. 7pp. 62427:179-62427:185.

**-9206170324** Requests status rept on NRC investigations & inquiries into various matters re plant & NEUT. Lists specific matters on which info requested.  
LIEBERMAN,J.I. Senate. 92/05/07. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 62427:184-62427:185.

#### DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9207020025** Forwards insp repts 50-424/92-11 & 50-425/92-11 on 920426-0523 & notice of violation.  
HERDT,A.R. Region 2 (Post 820201). 92/06/17. HAIRSTON,W.G. Georgia Power Co. 4pp. 62234:210-62234:233.

**-9207020038** Notice of violation from insp on 920426-0523. Violation noted: security officers not trained in use of site issued security equipment, in that officers were equipped with ammunition that was different from that used in training.  
\* Region 2 (Post 820201). 92/06/17. 2pp. 62234:214-62234:215.

**-9207020056** Insp repts 50-424/92-11 & 50-425/92-11 on 920426-0523. Violations noted. Major areas inspected: plant operations, surveillance, maintenance & followup. Violation noted re security personnel.  
BONSER,B.R., STARKEY,R.D., BALMAIN,P.A. Region 2 (Post 820201). 92/06/17. 18pp. 62234:216-62234:233.

## 146 DOCKETED ITEMS

**9207070020** Provides info describing deviations from approved fire protection program resulting from plant review in response to NRC Bulletin 92-001, per 920626 conversation w/NRC. Transient combustibles limited inside containment. MCCOY, C.K. Georgia Power Co. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62243:351-62243:352.

**9207140179** Responds to NRC ltr re violations noted in insp repts 50-424/92-11 & 50-425/92-11 on 920308-12. Corrective actions: security mgt will ensure in future that armed officers are equipped w/same ammunition used in training & qualification. MCCOY, C.K. Georgia Power Co. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62385:137-62385:139.

**9207150221** Revised EIPs, including rev 4 to VNS-EP-05, "Duties of the Director of Corporate Response," rev 5 to VNS-EP-04, "Duties of the On-call Project Manager" & rev 5 to VNS-EP-06, "Duties of the General Office Operations Center Manager." \* Southern Nuclear Operating Co. 92/07/09. 20pp. 62407:209-62407:228.

**9207150248** Rev 16 to emergency plan, incorporating organizational changes, editorial changes & updating facilities, procedures & documentation. W/920709 ltr. MCCOY, C.K. Georgia Power Co. 92/07/09. 110pp. 62405:145-62405:226.

**9207270335** Forwards Rev 8 to security training & qualification plan, reflecting changes to handgun, shotgun & rifle-typical qualification courses to be implemented during 1993 recertification training. Rev withheld. MCCOY, C.K. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 2pp. 62528:156-62528:157.

**9207280252** Forwards corrected data point library for ERDS, initially submitted in 920317 ltr. Encl corrects Section 3.6 re administrative implementation requirements, per Rev 1 to NUREG-1394. MCCOY, C.K. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 4pp. 62535:018-62535:021.

**9207280265** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Hourly monitoring of air temp inside containment terminated. MCCOY, C.K. Georgia Power Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62593:348-62593:352.

### H. General correspondence

**9207130049** Comment supporting proposed rule 10CFR50.63 re "Loss of All Alternating Current Power." MCCOY, C.K. Georgia Power Co. 92/07/02. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62285:060-62285:061.

**9207290063** Comment supporting proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. MCCOY, C.K. Georgia Power Co. 92/07/20. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62506:090-62506:090.

**9207290068** Comment supporting proposed rule 10CFR20 & 61, "Low-Level Waste Shipment Manifest Info & Reporting." MCCOY, C.K. Georgia Power Co. 92/07/20. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62506:092-62506:093.

### O. Advisory Committee on Reactor Safeguards reports & correspondence

**9207280210** Partial response to FOIA request for documents re NRC TIA review of 900320 loss of off-site power event at plant. Forwards documents listed in App C which are being made available for PDR. App B documents also available in PDR. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/12/09. LAMBERSKI, J. Troutman, Sanders, Lockerman & Ashmore. 3pp. 62519:256-62519:290.

**-9207280218** Discusses AIT investigation of 900320 event at plant, involving loss of off-site power & failure of onsite power on demand at Unit 1. ALDERMAN, H. ACRS - Advisory Committee on Reactor Safeguards. 90/03/28. LEWIS, H.W. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 62519:259-62519:260.

**-9207280225** Summarizes NRC IIT Rept. NUREG-1410, "Loss of Vital AC Power & RHR During Mid-Loop Operations At Vogtle Unit 1." Excerpts from NUREG-1410 encl. BOEHNERT, P. ACRS - Advisory Committee on Reactor Safeguards. 90/06/08. CARROLL, J. ACRS - Advisory Committee on Reactor Safeguards. 27pp. 62519:261-62519:287.

**-9207280232** Discusses ACRS briefing on status of NRC staff actions resulting from IIT investigation of plant loss of power/loss of decay heat removal event of 900320. AEOD memo providing status rept encl. W/o encl. BOEHNERT, P. ACRS - Advisory Committee on Reactor Safeguards. 91/03/26. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62519:290-62519:290.

### P. Operating license stage documents & correspondence

**9206300215** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity. Heat number of each beltline plate located on C-E mat certification repts maintained by Westinghouse. Nonproprietary WCAP-11011 & WCAP-11381 encl. MCCOY, C.K. Georgia Power Co. 92/06/25. Document Control Branch (Document Control Desk). 9pp. 62369:291-62370:033.

**-9207080273** "GAP AW Vogtle Unit 1 Reactor Vessel Radiation Surveillance Program." MEYER, T.A. Georgia Power Co. WCAP-11011. 92/02/28. 27pp. 62369:300-62369:347.

**-9207080276** "GAP AW Vogtle Unit 2 Reactor Vessel Radiation Surveillance Program." MEYERS, T.A. Georgia Power Co. WCAP-11381. 92/04/30. 27pp. 62369:348-62370:033.

**9207170172** Requests FR publication of notice of issuance of amends 52 & 31 to licenses NPF-68 & NPF-81, respectively. Amends change surveillance requirements in TSs 3/4.7.6, 3/4.7.7, 3/4.9.12 & Bases to revise min heater capacity & RH testing. HOOD, D.S. Project Directorate II-3. 92/07/09. NRC - No Detailed Affiliation Given. 3pp. 62403:071-62403:073.

**9207200345** Forwards amends 52 & 31 to licenses NPF-68 & NPF-81, respectively & safety evaluation. Amends revise TS 3/4.7.6, 3/4.7.7, 3/4.9.12 & bases to change min heater capacity & relative humidity testing requirements. HOOD, D.S. Project Directorate II-3. 92/07/09. HAIRSTON, W.G. Georgia Power Co. 4pp. 62438:209-62438:232.

**-9207200348** Amends 52 & 31 to licenses NPF-68 & NPF-81, respectively, revising TS 3/4.7.6, 3/4.7.7, 3/4.9.12 & bases to change min heater capacity & relative humidity testing requirements. MATTHEWS, D.B. Project Directorate II-3. 92/07/09. 14pp. 62438:213-62438:226.

**-9207200350** Safety evaluation supporting amends 52 & 21 to licenses NPF-68 & NPF-81, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/09. 6pp. 62438:227-62438:232.

**9207220388** Forwards correction to TS pages 3/4 7-16 & 3/4 9-16 of amend 31 to license NPF-81. HOOD, D.S. Project Directorate II-3. 92/07/15. HAIRSTON, W.G. Georgia Power Co. 7pp. 62453:318-62453:324.

**-9207230131** Corrected Tech Spec pages to amend 31 to license NPF-81, consisting of pages 3/4 7-16 & 3/4 9-16. \* NRC - No Detailed Affiliation Given. 92/07/15. 4pp. 62453:321-62453:324.

**9207280076** Responds to NRC 920609 request for addl info re 920428 application for amends to Licenses NPF-68 & NPF-81, changing TS 4.3.3.2.d re turbine overspeed protection & revising schedule for insp of stop valves & turbine intercept valves. MCCOY, C.K. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 3pp. 62562:338-62562:340.

**9207280279** Responds to request for addl info re proposed amend to TS 3.6.3 re containment isolation valves for containment hydrogen monitors. Isolation valves will be closed in event that containment isolation required. MCCOY, C.K. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 2pp. 62566:281-62566:282.

### Q. Inspection reports, IE Bulletins & correspondence

**9207020025** Forwards insp repts 50-424/92-11 & 50-425/92-11 on 920426-0523 & notice of violation. HERDT, A.R. Region 2 (Post 820201). 92/06/17. HAIRSTON, W.G. Georgia Power Co. 4pp. 62234:210-62234:233.

**-9207020038** Notice of violation from insp on 920426-0523. Violation noted: security officers not trained in use of site issued security equipment, in that officers were equipped with ammunition that was different from that used in training. \* Region 2 (Post 820201). 92/06/17. 2pp. 62234:214-62234:215.

**-9207020056** Insp repts 50-424/92-11 & 50-425/92-11 on 920426-0523. Violations noted. Major areas inspected: plant operations, surveillance, maintenance & followup. Violation noted re security personnel. BONSER, B.R., STARKEY, R.D., BALMAIN, P.A. Region 2 (Post 820201). 92/06/17. 18pp. 62234:216-62234:233.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070020** Provides info describing deviations from approved fire protection program resulting from plant review in response to NRC Bulletin 92-001, per 920626 conversation w/NRC. Transient combustibles limited inside containment. MCCOY, C.K. Georgia Power Co. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62243:351-62243:352.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207140179** Responds to NRC ltr re violations noted in insp repts 50-424/92-11 & 50-425/92-11 on 920308-12. Corrective actions: security mgt will ensure in future that armed officers are equipped w/same ammunition used in training & qualification. MCCOY, C.K. Georgia Power Co. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62385:137-62385:139.

**9207150023** Responds to concerns noted in Insp Repts 50-424/92-01 & 50-425/92-01 re implementation of two-stage approach, performance of in-situ differential pressure testing & compliance w/Generic Ltr 89-10 schedule. MCCOY, C.K. Georgia Power Co. 92/07/09. Document Control Branch (Document Control Desk). 15pp. 62395:225-62395:239.

**9207150060** Forwards payment of civil penalty in amount of \$100,000 in response to 920612 order imposing civil monetary penalty. Position taken by NRC at odds w/wide-spread practice re reporting requirements. MCCOY, C.K. Georgia Power Co. 92/07/09. Ofc of Enforcement (Post 870413). 2pp. 62413:299-62413:300.

**9207280076** Responds to NRC 920609 request for addl info re 920428 application for amends to Licenses NPF-68 & NPF-81, changing TS 4.3.3.2.d re turbine overspeed protection & revising schedule for insp of stop valves & turbine intercept valves. MCCOY, C.K. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 3pp. 62562:338-62562:340.

**9207280110** Ack receipt of 920709 response to notice of violation issued on 920402. Response meets requirements of 10CFR2.201.  
COLLINS,D.M. Region 2 (Post 820201). 92/07/22. HAIRSTON,W.G. Georgia Power Co. 3pp. 62488:329-62488:331.

**9207290265** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Hourly monitoring of air temp inside containment terminated.  
MCCOY,C.K. Georgia Power Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62593:348-62593:352.

#### R. Periodic operating reports & related correspondence

**9207140303** Monthly operating repts for June 1992 for Vogtle Units 1 & 2.W/920710 ltr. HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 92/06/30. 13pp. 62384:258-62384:270.

#### S. Reportable occurrences, LERs & related correspondence

**9207280201** FOIA request for documents that formed basis of NRC 900412 ltr from SD Ebner to WG Hairston entitled, "Completion of Confirmation of Action Ltr Commitments" & any internal NRC TIA review of 900320 loss of off-site power at plant.  
LAMBERSKI,J. Troutman, Sanders, Lockerman & Ashmore. 91/10/22. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62519:246-62519:255.

**9207280210** Partial response to FOIA request for documents re NRC TIA review of 900320 loss of off-site power event at plant. Forwards documents listed in App C which are being made available for PDR.App B documents also available in PDR.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/12/09. LAMBERSKI,J. Troutman, Sanders, Lockerman & Ashmore. 3pp. 62519:256-62519:290.

**-9008100157** Responds to 900712 memo re telecommunications problems during plant event.Commercial portion of problem due to power source for telephone sys being damaged.Recommendation made to Incident Response Branch that test be conducted.  
KELLAM,T.B. Telecommunications Branch. 90/07/27. WEISS,E.W. Incident Response Branch. 2pp. 62519:288-62519:289.

**9207080018** Amend 1 to Part 21 Rept 158 re gear-wear induced failures in engine-driven jacket water pump in DSRV-16-4 standby DG sys. Initially reported on 911029.Grand Gulf station observed wear characteristics in as little as 500 operating hours.  
GUNTROM,B.C. Cooper Industries, Inc. 92/06/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62305:344-62305:347.

**9207280053** LER 92-006-00:on 920624, personnel observed that turbine-driven auxiliary feedwater pump opened & AFW flowing to all four SG.Caused by error in vendor manual.Manual corrected re actuation of relays.W/920720 ltr.  
SHEIBANI,M., MCCOY,C.K. Georgia Power Co. 92/07/20. 4pp. 62562:334-62562:337.

#### DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207020025** Forwards insp repts 50-424/92-11 & 50-425/92-11 on 920426-0523 & notice of violation.  
HERDT,A.R. Region 2 (Post 820201). 92/06/17. HAIRSTON,W.G. Georgia Power Co. 4pp. 62234:210-62234:233.

**-9207020038** Notice of violation from insp on 920426-0523. Violation noted: security officers not trained in use of site issued security equipment, in that officers were equipped with ammunition that was different from that used in training.  
\* Region 2 (Post 820201). 92/06/17. 2pp. 62234:214-62234:215.

**-9207020056** Insp repts 50-424/92-11 & 50-425/92-11 on 920426-0523. Violations noted. Major areas inspected: plant operations, surveillance, maintenance & followup. Violation noted re security personnel.  
BONSER,B.R. Region 2 (Post 820201). 92/06/17. 18pp. 62234:216-62234:233.

**9207070020** Provides info describing deviations from approved fire protection program resulting from plant review in response to NRC Bulletin 92-001, per 920626 conversation w/NRC. Transient combustibles limited inside containment.  
MCCOY,C.K. Georgia Power Co. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62243:351-62243:352.

**9207140179** Responds to NRC ltr re violations noted in insp repts 50-424/92-11 & 50-425/92-11 on 920308-12. Corrective actions: security mgt will ensure in future that armed officers are equipped w/same ammunition used in training & qualification.  
MCCOY,C.K. Georgia Power Co. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62385:137-62385:139.

**9207150221** Revised EIPs, including rev 4 to VNS-EP-05, "Duties of the Director of Corporate Response," rev 5 to VNS-EP-04, "Duties of the On-call Project Manager" & rev 5 to VNS-EP-06, "Duties of the General Office Operations Center Manager."  
\* Southern Nuclear Operating Co. 92/07/09. 20pp. 62407:209-62407:228.

**9207150248** Rev 16 to emergency plan, incorporating organizational changes, editorial changes & updating facilities, procedures & documentation.W/920709 ltr.  
MCCOY,C.K. Georgia Power Co. 92/07/09. 110pp. 62405:145-62405:226.

**9207270335** Forwards Rev 8 to security training & qualification plan, reflecting changes to handgun, shotgun & rifle-typical qualification courses to be implemented during 1993 recertification training. Rev withheld.  
MCCOY,C.K. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 2pp. 62528:156-62528:157.

**9207280252** Forwards corrected data point library for ERDS, initially submitted in 920317 ltr. Encl corrects Section 3.6 re administrative implementation requirements, per Rev 1 to NUREG-1394.  
MCCOY,C.K. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 4pp. 62535:018-62535:021.

**9207290265** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Hourly monitoring of air temp inside containment terminated.  
MCCOY,C.K. Georgia Power Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62593:348-62593:352.

#### H. General correspondence

**9207130049** Comment supporting proposed rule 10CFR50.63 re "Loss of All Alternating Current Power."  
MCCOY,C.K. Georgia Power Co. 92/07/02. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62285:060-62285:061.

**9207290063** Comment supporting proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees.  
MCCOY,C.K. Georgia Power Co. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62506:090-62506:090.

**9207290068** Comment supporting proposed rule 10CFR20 & 61, "Low-Level Waste Shipment Manifest Info & Reporting."  
MCCOY,C.K. Georgia Power Co. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62506:092-62506:093.

#### O. Advisory Committee on Reactor Safeguards reports & correspondence

**9207280210** Partial response to FOIA request for documents re NRC TIA review of 900320 loss of off-site power event at plant. Forwards documents listed in App C which are being made available for PDR.App B documents also available in PDR.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/12/09. LAMBERSKI,J. Troutman, Sanders, Lockerman & Ashmore. 3pp. 62519:256-62519:290.

**-9207280218** Discusses AIT investigation of 900320 event at plant, involving loss of off-site power & failure of onsite power on demand at Unit 1.  
ALDERMAN,H. ACRS - Advisory Committee on Reactor Safeguards. 90/03/28. LEWIS,H.W. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 62519:259-62519:260.

**-9207280232** Discusses ACRS briefing on status of NRC staff actions resulting from IIT investigation of plant loss of power/loss of decay heat removal event of 900320.AEOD memo providing status rept encl.W/o encl.  
BOEHNER,P. ACRS - Advisory Committee on Reactor Safeguards. 91/03/26. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62519:290-62519:290.

#### P. Operating license stage documents & correspondence

**9206300215** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity. Heat number of each beltline plate located on C-E matl certification repts maintained by Westinghouse. Nonproprietary WCAP-11011 & WCAP-11381 encl.  
MCCOY,C.K. Georgia Power Co. 92/06/25. Document Control Branch (Document Control Desk). 9pp. 62369:291-62370:033.

**-9207080276** "GAP AW Vogtle Unit 2 Reactor Vessel Radiation Surveillance Program."  
MEYERS,T.A. Georgia Power Co. WCAP-11381. 92/04/30. 27pp. 62369:348-62370:033.

**9207170172** Requests FR publication of notice of issuance of amendments 52 & 31 to licenses NPF-68 & NPF-81, respectively. Amends change surveillance requirements in TSs 3/4.7.6, 3/4.7.7, 3/4.9.12 & Bases to revise min heater capacity & RH testing.  
HOOD,D.S. Project Directorate II-3. 92/07/09. NRC - No Detailed Affiliation Given. 3pp. 62403:071-62403:073.

**9207200345** Forwards amends 52 & 31 to licenses NPF-68 & NPF-81, respectively & safety evaluation. Amends revise TS 3/4.7.6, 3/4.7.7, 3/4.9.12 & bases to change min heater capacity & relative humidity testing requirements.  
HOOD,D.S. Project Directorate II-3. 92/07/09. HAIRSTON,W.G. Georgia Power Co. 4pp. 62438:209-62438:232.

**-9207200348** Amends 52 & 31 to licenses NPF-68 & NPF-81, respectively, revising TS 3/4.7.6, 3/4.7.7, 3/4.9.12 & bases to change min heater capacity & relative humidity testing requirements.  
MATTHEWS,D.B. Project Directorate II-3. 92/07/09. 14pp. 62438:213-62438:226.

**-9207200350** Safety evaluation supporting amends 52 & 21 to licenses NPF-68 & NPF-81, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/09. 6pp. 62438:227-62438:232.

**9207220388** Forwards correction to TS pages 3/4 7-16 & 3/4 9-16 of amend 31 to license NPF-81.  
HOOD,D.S. Project Directorate II-3. 92/07/15. HAIRSTON,W.G. Georgia Power Co. 7pp. 62453:318-62453:324.

**-9207230131** Corrected Tech Spec pages to amend 31 to license NPF-81, consisting of pages 3/4 7-16 & 3/4 9-16.  
\* NRC - No Detailed Affiliation Given. 92/07/15. 4pp. 62453:321-62453:324.

**9207280076** Responds to NRC 920609 request for addl info re 920428 application for amends to Licenses NPF-68 & NPF-81, changing TS 4.3.3.2.d re turbine overspeed protection & revising schedule for insp of stop valves & turbine intercept valves.  
MCCOY,C.K. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 3pp. 62562:338-62562:340.

**9207280270** Forwards "First Periodic Reactor Containment Bldg Integrated Leakage Rate Test, June 1992."  
MCCOY,C.K. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 1p. 62566:069-62566:176.

**-9207280278** "First Periodic Reactor Containment Bldg Integrated Leakage Rate Test, June 1992."  
\* Georgia Power Co. 92/06/30. 108pp. 62566:070-62566:176.

## 148 DOCKETED ITEMS

**9207280279** Responds to request for addl info re proposed amend to TS 3.6.3 re containment isolation valves for containment hydrogen monitors. Isolation valves will be closed in event that containment isolation required.  
MCCOY, C.K. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 2pp. 62566:281-62566:282.

### Q. Inspection reports, IE Bulletins & correspondence

**9207020025** Forwards insp repts 50-424/92-11 & 50-425/92-11 on 920426-0523 & notice of violation.  
HERDT, A.R. Region 2 (Post 820201). 92/06/17. HAIRSTON, W.G. Georgia Power Co. 4pp. 62234:210-62234:233.

**-9207020038** Notice of violation from insp on 920426-0523. Violation noted: security officers not trained in use of site issued security equipment in that officers were equipped with ammunition that was different from that used in training.  
\* Region 2 (Post 820201). 92/06/17. 2pp. 62234:214-62234:215.

**-9207020056** Insp repts 50-424/92-11 & 50-425/92-11 on 920426-0523. Violations noted: Major areas inspected: plant operations, surveillance, maintenance & follow-up. Violation noted re security personnel.  
BONSER, B.R., STARKEY, R.D., BALMAIN, P.A. Region 2 (Post 820201). 92/06/17. 18pp. 62234:216-62234:233.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070020** Provides info describing deviations from approved fire protection program resulting from plant review in response to NRC Bulletin 92-001, per 920626 conversation w/NRC. Transient combustibles limited inside containment.  
MCCOY, C.K. Georgia Power Co. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62243:351-62243:352.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207140179** Responds to NRC ltr re violations noted in insp repts 50-424/92-11 & 50-425/92-11 on 920308-12. Corrective actions: security mgt will ensure in future that armed officers are equipped w/same ammunition used in training & qualification.  
MCCOY, C.K. Georgia Power Co. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62385:137-62385:139.

**9207150023** Responds to concerns noted in Insp Repts 50-424/92-01 & 50-425/92-01 re implementation of two-stage approach, performance of in-situ differential pressure testing & compliance w/Generic Ltr 89-10 schedule.  
MCCOY, C.K. Georgia Power Co. 92/07/09. Document Control Branch (Document Control Desk). 15pp. 62395:225-62395:239.

**9207280076** Responds to NRC 920609 request for addl info re 920428 application for amends to Licenses NPF-68 & NPF-81, changing TS 4.3.3.2.d re turbine overspeed protection & revising schedule for insp of stop valves & turbine intercept valves.  
MCCOY, C.K. Georgia Power Co. 92/07/20. Document Control Branch (Document Control Desk). 3pp. 62562:338-62562:340.

**9207280110** Ack receipt of 920709 response to notice of violation issued on 920402. Response meets requirements of 10CFR2.201.  
COLLINS, D.M. Region 2 (Post 820201). 92/07/22. HAIRSTON, W.G. Georgia Power Co. 3pp. 62488:329-62488:331.

**9207290265** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Hourly monitoring of air temp inside containment terminated.  
MCCOY, C.K. Georgia Power Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62593:348-62593:352.

### R. Periodic operating reports & related correspondence

**9207140303** Monthly operating repts for June 1992 for Vogtle Units 1 & 2. W/920710 ltr.  
HOOPER, G.L., MCCOY, C.K. Georgia Power Co. 92/06/30. 13pp. 62384:258-62384:270.

### S. Reportable occurrences, LERs & related correspondence

**9207080018** Amend 1 to Part 21 Rept 158 re gear-wear induced failures in engine-driven jacket water pump in DSRV-16-4 standby DG sys. Initially reported on 911029. Grand Gulf station observed wear characteristics in as little as 500 operating hours.  
GUNTROM, B.C. Cooper Industries, Inc. 92/06/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62305:344-62305:347.

### DOCKET STN-50-437 FLOATING NUCLEAR PLANT

#### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

### DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

#### A. Application/construction stage documents & correspondence

**9207070029** Notification of 920715 meeting w/util in Rockville, MD to discuss status of facilities.  
THADANI, M.C. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/06/30. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 62238:333-62238:335.

**9207200151** Submits info re corrective maint program during plant deferral, per 920624 meeting w/NRC. Util will not perform any work which will advance plant const. Maint activities will include repair of damaged installed equipment.  
GARRITY, J.H. Tennessee Valley Authority. 92/07/16. Document Control Branch (Document Control Desk). 2pp. 62464:350-62464:351.

**9207310058** Discusses 920715 meeting w/util to describe status of & activities continuing at deferred Bellefonte Nuclear Plant.  
THADANI, M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/24. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62588:197-62588:199.

#### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

### DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

#### A. Application/construction stage documents & correspondence

**9207070029** Notification of 920715 meeting w/util in Rockville, MD to discuss status of facilities.  
THADANI, M.C. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/06/30. HEBDON, F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 62238:333-62238:335.

**9207200151** Submits info re corrective maint program during plant deferral, per 920624 meeting w/NRC. Util will not perform any work which will advance plant const. Maint activities will include repair of damaged installed equipment.  
GARRITY, J.H. Tennessee Valley Authority. 92/07/16. Document Control Branch (Document Control Desk). 2pp. 62464:350-62464:351.

**9207310058** Discusses 920715 meeting w/util to describe status of & activities continuing at deferred Bellefonte Nuclear Plant.  
THADANI, M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/24. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62588:197-62588:199.



# Q. Inspection reports, IE Bulletins & correspondence

- 9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.
- 9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.
- 9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.
- 9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

# DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

# F. Security, medical, emergency & fire protection plans

- 9207200335** Revised Emergency Plan Implementing Instructions (EPI), including Rev 5 to EPI-A2, Rev 4 to EPI-A3, Rev 5 to EPI-A4, Rev 5 to EPI-A5, Rev 8 to EPI-A6, Rev 6 to EPI-A7, Rev 7 to EPI-A8, Rev 8 to EPI-B1 & Rev 3 to EPI-B9.W/920716 ltr.  
LYSTER,M.D. Centor Energy. 92/07/16. 189pp. 62449:001-62449:187.
- 9207300222** Advises that proposed Rev 16 to plant physical security plan is consistent w/provisions of 10CFR50.54 & acceptable.  
HALL,J.R. Project Directorate III-3. 92/07/22. LYSTER,M.D. Cleveland Electric Illuminating Co. 2pp. 62581:247-62581:248.
- 9207300127** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Actions to restore fire barrier operability coordinated by NUMARC.  
LYSTER,M.D. Centor Energy. 92/07/24. Document Control Branch (Document Control Desk). 4pp. 62593:020-62593:023.

# H. General correspondence

- 9207280115** Comment on proposed suppl 1 to NRC bulletin 90-01, "Loss of Fill Oil in Transmitters Mfg by Rosemount." Endorses NUMARC & BWR Owners Group comments.Enhanced surveillance programs appropriate & effective in resolving transmitter concerns.  
LYSTER,M.D. Centor Energy. 92/07/20. MEYER,D.L. NRC - No Detailed Affiliation Given. 6pp. 62488:345-62488:350.

# M. Antitrust correspondence

- 9207020059** NRC Staff statement concerning matters not to be considered by Licensing Board & request for leave to respond.\* Staff request should be granted.  
HOM,S.R. Office of the General Counsel (Post 860701). #392 13051. 92/06/29. Atomic Safety & Licensing Board Panel. 2pp. 62182:011-62182:012.
- 9207020141** Applicants request that Licensing Board disregard factual issues discussed during oral argument.\* Foregoing issues represent factual issues which Board should disregard in disposition of phase one of case.W/Certificate of Svc.  
SINGLEY,M.A. Ohio Edison Co. SINGLEY,M.A. Cleveland Electric Illuminating Co. SINGLEY,M.A. Toledo Edison Co. #392 13047. 92/06/29. Atomic Safety & Licensing Board Panel. 11pp. 62182:022-62182:032.
- 9207020164** Proposed corrections to 920612 transcript of 920610 oral argument on summary description.\* W/Certificate of Svc.  
HOM,S.R. Office of the General Counsel (Post 860701). #392 13052. 92/06/29. 5pp. 62182:040-62182:044.
- 9207020170** City of Cleveland proposed corrections to oral argument transcript of 920610.\* W/Certificate of Svc & svc list.  
GOLDBERG,R. Cleveland, OH. GOLDBERG,R. Goldberg, Fieldman & Hjelmfelt. #392 13046. 92/06/29. Atomic Safety & Licensing Board Panel. 6pp. 62182:045-62182:050.
- 9207090012** Applicant answer in opposition to amended petition of city of Brook Park,OH for leave to intervene out of time.\* City of Brook Park untimely intervention petition should be denied.W/Certificate of Svc.  
CHARNOFF,G. Ohio Edison Co. CHARNOFF,G. Shaw, Pittman, Potts & Trowbridge. #392 13062. 92/06/30. Atomic Safety & Licensing Board Panel. 21pp. 62266:117-62266:137.
- 9207090111** Order (granting opportunity to respond to filings on significant factual assertions). Responses to proceeding filings should be submitted by 920708.W/Certificate of Svc. Served on 920702.  
MILLER,M.E. Atomic Safety & Licensing Board Panel. #392 13059. 92/07/01. Ohio Edison Co. 4pp. 62266:272-62266:275.
- 9207100094** NRC Staff answer to amended petition of City of Brook Park, OH,for leave to intervene out of time.\* NRC does not oppose granting of amended petition.W/Certificate of Svc.  
HOM,S.R. Office of the General Counsel (Post 860701). #392 13079. 92/07/06. Atomic Safety & Licensing Board Panel. 11pp. 62270:107-62270:117.
- 9207100012** Informs that NRC will not be filing any response to applicant 920629 request for Board to disregard "significant factual assertions" & objections to city of Cleveland 920629 proposed corrections to transcript of 920610 oral argument.  
HOM,S.R. Office of the General Counsel (Post 860701). #392 13083. 92/07/07. MILLER,M.E., BECHHOEFER,C., BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. 1p. 62270:008-62270:008.

- 9207100084** Reply by American Municipal Power-Ohio,Inc to applicant request that Board disregard factual issues.\* Applicant requests Board disregard irrelevant assertions by all parties.W/Certificate of Svc.  
STRAUS,D.R. American Municipal Power-Ohio, Inc. STRAUS,D.R. Spiegel & McDiarmid. #392 13080. 92/07/07. Atomic Safety & Licensing Board Panel. 6pp. 62270:101-62270:106.

- 9207100010** City of Cleveland opposition to applicant request that Licensing Board disregard certain arguments of city of Cleveland counsel in oral argument.Certificate of Svc & svc list encl.  
GOLDBERG,R., STROTHER,C.D. Cleveland, OH. GOLDBERG,R. Goldberg, Fieldman & Hjelmfelt. #392 13082. 92/07/08. Atomic Safety & Licensing Board Panel. 7pp. 62270:001-62270:007.

# N. Antitrust hearing transcripts

- 9207200060** Transcript corrections (oral argumt). Lists proposed changes to be adopted in transcript.W/Certificate of Svc. Served on 920710.  
MILLER,M.E. Atomic Safety & Licensing Board Panel. #392 13100. 92/07/10. 6pp. 62404:114-62404:119.

# P. Operating license stage documents & correspondence

- 9207100371** Provides Commission w/summary of discussions held at 900122- 23 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900215 Commission meeting.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/02/02. CARR, ROBERTS, ROGERS Commissioners (Post 750119). 38pp. 62324:144-62324:182.
- 9207010337** Summary of 920403 meeting w/util in Rockville,MD re facility 5-yr plan.  
HALL,J.R. Project Directorate III-3. 92/06/19. Project Directorate III-3. 5pp. 62183:063-62183:115.
- 9207010343** "Five-Yr Plan."  
\* Cleveland Electric Illuminating Co. 92/06/19. 46pp. 62183:068-62183:115.
- 9207070175** Application for amend to license NPF-58,consisting of TS change request to relocate component lists from sections 3.6.4 & 3.8.4.1 of PNPP unit 1 TS,per generic ltr 91-08.  
LYSTER,M.A. Centor Energy. 92/06/19. Document Control Branch (Document Control Desk). 9pp. 62262:277-62262:319.
- 9207070188** Proposed tech specs relocating component lists from sections 3.6.4 & 3.8.4.1 of PNPP unit 1 TS per generic ltr 91-08, "Removal of Component lists from TS."  
\* Commonwealth Edison Co. 92/06/19. 33pp. 62262:286-62262:319.
- 9207010129** Application for amend to license NPF-58,consisting of TS change request on 3.5.3,3.6.1.1.1,3.6.1.2,3.6.1.3,3.6.1.7, 3.6.3.1,3.6.3.4,3.6.4,3.9.8,3.9.11.1 & 3.9.11.2 re containment response analysis improvements.  
LYSTER,M.D. Centor Energy. 92/06/24. Document Control Branch (Document Control Desk). 43pp. 62233:202-62233:329.
- 9207010138** Proposed tech specs including sections 3.5.3,3.6.1.1.1, 3.6.1.2,3.6.1.3,3.6.1.7,3.6.4,3.6.3.4,3.9.8,3.9.11.1 & 3.9.11.2 re ambient air & lake temp.  
\* Centor Energy. 92/06/24. 84pp. 62233:246-62233:329.
- 9207160091** Forwards notice of consideration of issuance of amend to license NPF-58 & opportunity for hearing.  
HALL,J.R. Project Directorate III-3. 92/06/25. LYSTER,M.D. Cleveland Electric Illuminating Co. 2pp. 62396:060-62396:066.
- 9207160097** Notice of consideration of issuance of amend to license NPF-58 & proposed NSHC determination & opportunity for hearing.Amend revises TS to increase limits on containment max average air temp & normal max average SP water temp.  
HALL,J.R. Project Directorate III-3. 92/06/25. 5pp. 62396:062-62396:066.
- 9207070409** Application for amend to License NPF-58, revising TSs to increase surveillance test intervals & allowable outage times for instrumentation.GE proprietary documents supporting request encl.GE documents withheld.  
LYSTER,J.D. Centor Energy. 92/06/29. Document Control Branch (Document Control Desk). 42pp. 62309:109-62309:241.
- 9207070411** Proposed tech specs re surveillance test intervals & allowable outage times for instrumentation increase.  
\* Centor Energy. 92/06/29. 84pp. 62309:151-62309:241.
- 9207060172** Application for amend to license NPF-58,consisting of TS change request, revising TS 3.3.1 & 6.9.1.9 to transfer specific value of simulated thermal power time constant from TS to COLR.  
LYSTER,M.D. Centor Energy. 92/06/30. Document Control Branch (Document Control Desk). 6pp. 62254:248-62254:264.
- 9207060176** Proposed tech specs revising table 3.3.1-2, "Reactor Protection Sys instrumentation."  
\* Centor Energy. 92/06/30. 11pp. 62254:255-62254:264.
- 9207070040** Forwards response to Rev 1 to Generic Ltr 92-01, "Reactor Vessel Structural Integrity." Util utilized assistance of GE to performed technical analysis to predict effects of neutron irradiation on reactor vessel walls.  
LYSTER,M.D. Centor Energy. 92/07/02. Document Control Branch (Document Control Desk). 5pp. 62265:341-62265:345.
- 9207210137** Forwards corrected amend 42 to license NPF-58,consisting of TS page 3/4 3-82 w/correct backup page.  
HALL,J.R. Project Directorate III-3. 92/07/07. LYSTER,M.D. Cleveland Electric Illuminating Co. 4pp. 62453:244-62453:247.
- 9207220355** Corrected Tech Spec page 3/4 3-82 w/correct backup page to amend 42 to license NPF-58,reflecting recent organizational changes.  
\* Project Directorate III-3. 92/07/07. 2pp. 62453:246-62453:247.

## 150 DOCKETED ITEMS

**9207150132** Discusses review of response to generic ltr 88-20, suppl 4 re IPE for external events for plant.  
HALL, J.R. Project Directorate III-3. 92/07/09. Lyster, M.D. Cleveland Electric Illuminating Co. 4pp. 62395:276-62395:279.

**9207200097** Forwards four relief requests for Unit 1 inservice exam program generated upon completion of facility third refueling outage.  
LYSTER, M.D. Centorior Energy. 92/07/13. Document Control Branch (Document Control Desk). 26pp. 62447:229-62447:254.

**9207240153** Forwards "Perry Nuclear Power Plant Individual Plant Exam," per Generic Ltr 88-20. Plant improvements made due to individual plan exam insights listed on encl.  
LYSTER, M.D. Centorior Energy. 92/07/15. Document Control Branch (Document Control Desk). 6pp. 62536:001-62539:030.

**-9207240154** "Perry Nuclear Power Plant Individual Plant Exam."  
\* Cleveland Electric Illuminating Co. 92/07/31. 600pp. 62536:007-62539:030.

**9207230227** Notification of 920730 meeting w/counters in Oak Harbor, OH to discuss items of generic interest between NRR, Region III & licensees for plants in NRR Project Directorate III. Agenda encl.  
HOPKINS, J.B. Project Directorate III-3. 92/07/16. HANNON, J.N. Project Directorate III-3. 4pp. 62478:319-62478:322.

**9207300160** Forwards SE supporting licensee proposed method of coping w/SBO at plant, contingent on satisfactory resolution of recommendations.  
HALL, J.R. Project Directorate III-3. 92/07/22. Lyster, M.D. Cleveland Electric Illuminating Co. 3pp. 62581:198-62581:206.

**-9207300163** Safety evaluation supporting licensee proposed method of coping w/SBO at plant contingent on satisfactory resolution of recommendations.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/22. 6pp. 62581:201-62581:206.

### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070034** Ack receipt of 920617 ltr in response to NRC 920508 ltr transmitting insp rept 50-440/92-08. Actions will be examined during future insps.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/06/30. Lyster, M.D. Cleveland Electric Illuminating Co. 1p. 62205:073-62205:073.

**9207070229** Ack receipt of 920617 ltr informing NRC of steps taken to correct unresolved item noted in insp rept 50-440/92-08.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/06/30. Lyster, M.D. Centronic, Inc. 1p. 62206:031-62206:031.

**9207100175** Advises that special ALARA appraisal scheduled from 920913-18. Info, described on encl, should be provided by 920805.  
NOELIUS, C.E. Region 3 (Post 820201). 92/06/30. Lyster, M.D. Centorior Energy. 8pp. 62334:282-62334:289.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207140129** Discusses insp rept 50-440/92-11 on 920527-0615 & forwards notice of violation. Violation directly led to unexpected loss of water inventory from reactor vessel & is of concern to agency.  
GREGER, L.R. Region 3 (Post 820201). 92/07/02. Lyster, M. Centorior Service Co. 3pp. 62338:056-62338:077.

**-9207140148** Notice of violation from insp on 920527-0615. Violation noted: I&C instrument valve lineup/fill-vent sheet for nine flow transmitter instruments associated w/ RHR sys was authorized by unit supervisor w/o documentation.  
GREGER, L.R. Region 3 (Post 820201). 92/07/02. 2pp. 62338:059-62338:060.

**-9207140151** Insp rept 50-440/92-11 on 920527-0615. Violations noted. Major areas inspected: root causes for three loss of water inventory events & failure of licensee core verification to identify misaligned fuel bundle.  
LANKBURY, R.D. Region 3 (Post 820201). 92/07/02. 17pp. 62338:061-62338:077.

**9207202033** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207140138** Forwards insp rept 50-440/92-04 on 920326-0623 & notice of violation.  
MILLER, H.J. Region 3 (Post 820201). 92/07/09. Lyster, M.D. Cleveland Electric Illuminating Co. 3pp. 62310:001-62310:032.

**-9207140143** Notice of violation from insp on 920326-0623. Violation noted: as of 920331, licensee corrective measures had not been adequate to assure that causes of excessively leaking main steam line penetrations boundary valves has been determined.  
MILLER, H.J. Region 3 (Post 820201). 92/07/09. 2pp. 62310:004-62310:005.

**-9207140149** Insp rept 50-440/92-04 on 920326-0623. No violations noted. Major areas inspected: main steam lines local leak rate testing procedures, witnessing portions of LLRT & trouble shoot testing to identify source of excessive leakage.  
MAURA, F., BURGESS, B. Region 3 (Post 820201). 92/07/09. 25pp. 62310:006-62310:032.

**9207300127** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Actions to restore fire barrier operability coordinated by NUMARC.  
LYSTER, M.D. Centorior Energy. 92/07/24. Document Control Branch (Document Control Desk). 4pp. 62593:020-62593:023.

### R. Periodic operating reports & related correspondence

**9207170269** Monthly operating rept for June 1992 for Perry Nuclear Power Plant, Unit 1. W/920715 ltr.  
HEGRAT, H.L., Lyster, M.D. Centorior Energy. 92/06/30. 6pp. 62436:354-62436:359.

### S. Reportable occurrences, LERs & related correspondence

**9207280257** Part 21 rept re cracking of stellite 21 hardfacing on guide nose of poppets supplied as part of MSIV leakage improvement mod. Initially reported by CLEI on 920522. Recommends that liquid penetrant exam be performed.  
SHIELDS, S.N. Atwood & Morrill Co., Inc. 92/06/24. BERLINGER NRC - No Detailed Affiliation Given. 4pp. 62568:340-62568:344.

**9207080018** Amend 1 to Part 21 Rept 158 re gear-wear induced failures in engine-driven jacket water pump in DSRV-16-4 standby DG sys. Initially reported on 911029. Grand Gulf station observed wear characteristics in as little as 500 operating hours.  
GUNTROM, B.C. Cooper Industries, Inc. 92/06/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62305:344-62305:347.

**9207070221** Corrected Part 21 rept re defects in MSIV poppets supplied by Atwood & Morrill Co., Inc. originally submitted via 920619 ltr. Corrects info in corrective action section to indicate that poppet S/N 4 not S/N 3 installed at facility.  
LYSTER, M.D. Centorior Energy. 92/07/01. Document Control Branch (Document Control Desk). 1p. 62451:330-62451:330.

**9207070280** LER 92-014-00: on 920603, steam supply pressure low isolation signal & associated RCIC sys isolation were initiated. Caused by procedure deficiency. Surveillance instruction ISI-B21-T1300-1 revised. W/920702 ltr.  
HEGRAT, H.L., Lyster, M.D. Centorior Energy. 92/07/03. 4pp. 62292:353-62292:356.

**9207200022** Confirms plans to conduct 920731 mgt meeting at plant site to discuss current operational topics including loss of reactor vessel inventory, loss of suppression pool level & circulating water sys drainage & misaligned fuel bundle.  
GREENMAN, E.G. Region 3 (Post 820201). 92/07/10. Lyster, M.D. Centorior Energy. 2pp. 62453:220-62453:221.

### T. Hearing transcripts on non-antitrust matters

**9207020164** Proposed corrections to 920612 transcript of 920610 oral argument on summary description. W/Certificate of Svc.  
HOM, S.R. Office of the General Counsel (Post 860701). #392 13052. 92/06/29. 5pp. 62182:040-62182:044.

**9207020170** City of Cleveland proposed corrections to oral argument transcript of 920610. W/Certificate of Svc & svc list.  
GOLDBERG, R. Cleveland, OH. #392 13046. 92/06/29. Atomic Safety & Licensing Board Panel. 6pp. 62182:045-62182:050.

### V. Operator Examinations

**9207090342** Discusses generic fundamentals exam section of operator licensing exam, administered on 920610. Master BWR/PWR subj exam w/answer key encl for info.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

## DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

### A. Application/construction stage documents & correspondence

**9207010337** Summary of 920403 meeting w/util in Rockville, MD re facility 5-yr plan.  
HALL, J.R. Project Directorate III-3. 92/06/19. Project Directorate III-3. 5pp. 62183:063-62183:115.

**-9207010343** "Five-Yr Plan."  
\* Cleveland Electric Illuminating Co. 92/06/19. 46pp. 62183:068-62183:115.

**9207070409** Application for amend to License NPF-58, revising TSs to increase surveillance test intervals & allowable outage times for instrumentation. GE proprietary documents supporting request encl. GE documents withheld.  
LYSTER, J.D. Centorior Energy. 92/06/29. Document Control Branch (Document Control Desk). 42pp. 62309:109-62309:241.

### F. Security, medical, emergency & fire protection plans

**9207200335** Revised Emergency Plan Implementing Instructions (EPI), including Rev 5 to EPI-A2, Rev 4 to EPI-A3, Rev 5 to EPI-A4, Rev 5 to EPI-A5, Rev 8 to EPI-A6, Rev 6 to EPI-A7, Rev 7 to EPI-A8, Rev 8 to EPI-B1 & Rev 3 to EPI-B9. W/920716 ltr.  
LYSTER, M.D. Centorior Energy. 92/07/16. 189pp. 62449:001-62449:187.

### H. General correspondence

**9207280115** Comment on proposed suppl 1 to NRC bulletin 90-01, "Loss of Fill Oil in Transmitters Mfg by Rosemount." Endorses NUMARC & BWR Owners Group comments. Enhanced surveillance programs appropriate & effective in resolving transmitter concerns.  
LYSTER, M.D. Centorior Energy. 92/07/20. MEYER, D.L. NRC - No Detailed Affiliation Given. 6pp. 62488:345-62488:350.

# Q. Inspection reports, IE Bulletins & correspondence

- 9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.
- 9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.
- 9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.
- 9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

# DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

# F. Security, medical, emergency & fire protection plans

- 9207100245** "New Hampshire Yankee,State of NH & Commonwealth of Massachusetts,Seabrook Station 1992 Graded Exercise on 920604."  
\* Public Service Co. of New Hampshire. \* New Hampshire, State of. \* Massachusetts, Commonwealth of. 92/06/04. 1,000pp. 62598:001-62600:355.
- 9207070139** Rev 3C to "Seabrook Plan for MA Communities App H, 'NH Yankee Offsite Response Communications Directory.'" W/920623 ltr.  
FEIGENBAUM,T.C. Power Authority of the State of New York (New York Power Authority). 92/06/23. 120pp. 62274:005-62274:122.
- 9207070425** Forwards "New Hampshire Yankee Seabrook Station 1992 Graded Exercise,Vols I & II," conducted on 920605.  
FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 92/06/30. MARTIN,T.T. Region 1 (Post 820201). 3pp. 62286:001-62291:079.
- 9207070426** "New Hampshire Yankee Seabrook Station 1992 Graded Exercise, Vols I & II," conducted on 920605.  
\* Public Service Co. of New Hampshire. 92/06/04. 950pp. 62286:005-62291:079.
- 9207090235** Forwards Safety Insp Rept 50-443/92-11 on 920512-0615.No violations noted.  
LINVILLE,J.C. Region 1 (Post 820201). 92/07/01. FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 5pp. 62339:340-62339:357.
- 9207090240** Insp Rept 50-443/92-11 on 920512-0615.No violations noted. Major areas inspected:operation,radiological controls, emergency preparedness,security,engineering/technical support & safety assesment/quality verification.  
LAZARUS,W.J. Region 1 (Post 820201). 92/07/01. 13pp. 62339:345-62339:357.
- 9207170088** Forwards final SALP Rept 50-443/90-99 for Nov 1990 - Feb 1992.  
MARTIN,T.T. Region 1 (Post 820201). 92/07/02. FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 5pp. 62387:190-62387:237.
- 9207170096** Final SALP Rept 50-443/90-99 for Nov 1990 - Feb 1992.  
\* Region 1 (Post 820201). 92/06/08. 42pp. 62387:195-62387:237.
- 9207100245** "New Hampshire Yankee,State of NH & Commonwealth of Massachusetts,Seabrook Station 1992 Graded Exercise on 920604."  
\* Public Service Co. of New Hampshire. 92/06/04. 1,000pp. 62598:001-62600:355.
- 9207280008** Ack receipt of 920522 ltr transmitting Rev 15 to physical security plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan.  
JOYNER,J.H. Region 1 (Post 820201). 92/07/09. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 5pp. 62562:319-62562:323.
- 9207280095** Forwards full-participation emergency preparedness exercise insp rept 50-443/92-10 on 920603-05.No exercise weaknesses identified.  
JOYNER,J.H. Region 1 (Post 820201). 92/07/18. FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 7pp. 62488:219-62488:232.
- 9207280098** Insp rept 50-443/92-10 on 920603-05.No exercise weaknesses noted.Major areas inspected:emergency preparedness full- participation exercise.  
HAUGHLIN,J., MCCABE,E. Region 1 (Post 820201). 92/07/15. 7pp. 62488:226-62488:232.
- 9207240170** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Thermo-Lag fire barrier not utilized at facility.  
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 92/07/20. Document Control Branch (Document Control Desk). 2pp. 62528:226-62528:227.

# H. General correspondence

- 9207220002** Lists changes to svc list for facility to reflect that managing agent for plant transferred from New Hampshire Yankee to North Atlantic Energy Svc Corp,effective 920629.  
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 92/07/10. Document Control Branch (Document Control Desk). 3pp. 62473:270-62473:272.

# I. Financial Information

- 9207170012** Forwards summary of State of NH PUC 920602 meeting re New England Telephone Co motion to postpone hearings on docket, order establishing hearing date on increases in decommissioning costs & revs to second rate tariff.  
ARNOLD,W.E. New Hampshire, State of. 92/06/22. Affiliation Not Assigned. 8pp. 62440:323-62440:330.

- 9207080024** Forwards United Illuminating Co,Northeast Utils, New England Electric Sys & Taunton Municipal Lighting Plant annual repts for 1991.  
FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 92/06/29. Document Control Branch (Document Control Desk). 2pp. 62306:001-62307:035.

- 9207080028** "UI 1991 Annual Rept." W/Securities & Exchange Commission 1991 Form 10-K annual rept for Eastern Utils Assoc.  
GROSSI,R.J. United Illuminating Co. 91/12/31. 122pp. 62306:003-62306:127.

- 9207080032** "Northeast Utils 1991 Annual Rept." W/Securities & Exchange Commission 1991 Form-K for Commonwealth Energy Sys.  
ELLIS,W.B., FOX,B.M. Northeast Utilities. 91/12/31. 123pp. 62306:128-62306:250.

- 9207080033** "New England Electric Sys 1991 Annual Rept."  
BOK,J.T., ROWE,J.W. New England Electric System. 91/12/31. 43pp. 62306:251-62306:293.

- 9207080042** "Taunton Municipal Lighting Plant Annual Rept 1991." W/ Massachusetts Municipal Wholesale Electric Co 1991 financial statements & financial & statistical rept for NH Electric Cooperative,Inc for period end Jan 1992.  
MARLYNIAK,J., MEDEIROS,J., BLAIN,J.M. Taunton Municipal Lighting Plant. 91/12/31. 100pp. 62306:294-62307:035.

- 9207130071** Forwards Securities & Exchange Commission (SEC) MOU, authorizing formation of North Atlantic Energy Svc Corp & denying Hudson request for hearing & ordering that no matl changes in agreement become effective w/o notice to SEC.  
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 92/07/06. Document Control Branch (Document Control Desk). 30pp. 62366:269-62366:298.

# M. Antitrust correspondence

- 9207130071** Forwards Securities & Exchange Commission (SEC) MOU, authorizing formation of North Atlantic Energy Svc Corp & denying Hudson request for hearing & ordering that no matl changes in agreement become effective w/o notice to SEC.  
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 92/07/06. Document Control Branch (Document Control Desk). 30pp. 62366:269-62366:298.

# P. Operating license stage documents & correspondence

- 9207020039** Discusses review of response to generic ltr 88-20,suppl 4,re IPEEE & informs that IPEEE submittal schedule & selected methods acceptable.  
EDISON,G.E. Project Directorate I-3. 92/06/22. FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 4pp. 62194:033-62194:036.

- 9207170012** Forwards summary of State of NH PUC 920602 meeting re New England Telephone Co motion to postpone hearings on docket, order establishing hearing date on increases in decommissioning costs & revs to second rate tariff.  
ARNOLD,W.E. New Hampshire, State of. 92/06/22. Affiliation Not Assigned. 8pp. 62440:323-62440:330.

- 9207060249** Forwards notice of withdrawal of application for amend to license NPF-86.Amend would have modified TS re TS SR 4.6.1.2.a to maintain 40 plus or minus month testing interval for type A CILRT.  
EDISON,G.E. Project Directorate I-3. 92/06/30. FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 3pp. 62209:033-62209:037.

- 9207060259** Notice of withdrawal of application for amend to license NPF-86.Amend would have revised TS SR 4.6.1.2.a to maintain 40 plus or minus 10 month testing interval for type A CILRT.  
EDISON,G. Project Directorate I-3. 92/06/30. 2pp. 62209:037-62209:037.

- 9207100397** Advises that on 920629,regulatory approvals received & responsibility for mgt,operation & maint of facility transferred from New Hampshire Yankee Div of PSNH to North Atlantic Energy Svc Corp.  
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 92/06/30. Document Control Branch (Document Control Desk). 1p. 62365:360-62365:360.

- 9207070252** Forwards supplemental SE accepting licensee proposed method of coping w/SBO contingent upon satisfactory resolution of recommendations in SE.  
EDISON,G.E. Project Directorate I-3. 92/07/01. FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 3pp. 62236:329-62236:337.

- 9207070260** Safety evaluation accepting licensee proposed method of coping w/SBO contingent upon satisfactory resolution of listed recommendations.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/01. 6pp. 62236:332-62236:337.

- 9207080140** Clarifies Suppl 1 to License Amend Request 91-10 re testing performed to rezero test failure count following certain overhauls of DG.Ref to 184-day testing requirement should be deleted from note on bottom of Page 3/4 8-10.  
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 92/07/01. Document Control Branch (Document Control Desk). 2pp. 62274:352-62274:354.

- 9207080234** Proposed TS Table 4.8-1, "DG Test Schedule."  
\* North Atlantic Energy Service Corp. (NAESCO). 92/07/01. 1p. 62274:354-62274:354.

- 9207170013** Responds to rev 1 to GL 92-01, "Reactor Vessel Structural Integrity 10CFR50.54(f)."  
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 92/07/02. Document Control Branch (Document Control Desk). 31pp. 62436:300-62436:330.

- 9207170136** Forwards "Seabrook Station Probabilistic Safety Study Shutdown Modes 4.5 & 6 Vol 1."  
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 92/07/10. Document Control Branch (Document Control Desk). 3pp. 62434:001-62436:090.

- 9207170138** "Seabrook Station Probabilistic Safety Study Shutdown Modes 4.5 & 6 Vol 1."  
KIPER,K.L., DOSKOCIL,W., CASEY,T.J. Public Service Co. of New Hampshire. 88/05/31. 1,000pp. 62434:004-62436:090.

## 152 DOCKETED ITEMS

**9207300292** Requests addl info re 910416 & 920221 submittals on steam generator tube rupture analysis.  
EDISON, G.E. Project Directorate I-3. 92/07/24. FEIGENBAUM, T.C. Public Service Co. of New Hampshire. 5pp. 62580:289-62580:293.

### Q. Inspection reports, IE Bulletins & correspondence

**9207080293** Responds to SALP Rept 50-443/90-99 for Nov 1990 through Feb 1992. Paragraph re approval of tagging order restoration by work control coordinator should be revised to clarify that coordinator responsible for demineralized water sys. FEIGENBAUM, T.C. Public Service Co. of New Hampshire. 92/06/24. MARTIN, T.T. Region 1 (Post 820201). 2pp. 62305:118-62305:119.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207080011** Ack receipt of 920604 ltr informing NRC of steps taken to correct violations noted in insp rept 50-443/92-05.  
LINVILLE, J.C. Region 1 (Post 820201). 92/06/29. FEIGENBAUM, T.C. Public Service Co. of New Hampshire. 4pp. 62218:001-62218:010.

**9207090235** Forwards Safety Insp Rept 50-443/92-11 on 920512-0615. No violations noted.  
LINVILLE, J.C. Region 1 (Post 820201). 92/07/01. FEIGENBAUM, T.C. Public Service Co. of New Hampshire. 5pp. 62339:340-62339:357.

**-9207090240** Insp Rept 50-443/92-11 on 920512-0615. No violations noted. Major areas inspected: operation, radiological controls, emergency preparedness, security, engineering/technical support & safety assessment/quality verification.  
LAZARUS, W.J. Region 1 (Post 820201). 92/07/01. 13pp. 62339:345-62339:357.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207170088** Forwards final SALP Rept 50-443/90-99 for Nov 1990 - Feb 1992.  
MARTIN, T.T. Region 1 (Post 820201). 92/07/02. FEIGENBAUM, T.C. Public Service Co. of New Hampshire. 5pp. 62387:190-62387:237.

**-9207170096** Final SALP Rept 50-443/90-99 for Nov 1990 - Feb 1992.  
\* Region 1 (Post 820201). 92/06/08. 42pp. 62387:195-62387:237.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207160029** Forwards insp rept 50-443/92-12 on 920615-19. No violations noted. Corrective actions taken were adequate to address deficiencies & program weaknesses identified during special Maint Team insp conducted at Seabrook in early 1991.  
BETTENHAUSEN, L. Region 1 (Post 820201). 92/07/09. FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. 62375:143-62375:158.

**-9207160042** Insp rept 50-443/92-12 on 920615-19. No violations noted. Major areas inspected: licensee actions re maint program deficiencies & weaknesses identified during special Maint Team insp conducted during Jan & Feb of 1991.  
DRYSDALE, P.D., BLUMBERG, N.J. Region 1 (Post 820201). 92/07/09. 12pp. 62375:147-62375:158.

**9207280044** Forwards insp rept 50-443/92-14 on 920615-19. No violations noted.  
JOYNER, J.H. Region 1 (Post 820201). 92/07/15. FEIGENBAUM, T.C. Public Service Co. of New Hampshire. 5pp. 62488:078-62488:090.

**-9207280049** Insp rept 50-443/92-14 on 920615-19. No violations noted. Major areas inspected: calibration, QA & records of counting laboratory & survey instruments, whole body counting facility & personnel dosimetry sys.  
SHERBINI, S., PASCIAK, W. Region 1 (Post 820201). 92/07/07. 8pp. 62488:083-62488:090.

**9207280095** Forwards full-participation emergency preparedness exercise insp rept 50-443/92-10 on 920603-05. No exercise weaknesses identified.  
JOYNER, J.H. Region 1 (Post 820201). 92/07/18. FEIGENBAUM, T.C. Public Service Co. of New Hampshire. 7pp. 62488:219-62488:232.

**-9207280098** Insp rept 50-443/92-10 on 920603-05. No exercise weaknesses noted. Major areas inspected: emergency preparedness full-participation exercise.  
HAUGHLIN, J., MCCABE, E. Region 1 (Post 820201). 92/07/15. 7pp. 62488:228-62488:232.

**9207240170** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Thermo-Lag fire barrier not utilized at facility.  
FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 92/07/20. Document Control Branch (Document Control Desk). 2pp. 62528:226-62528:227.

### R. Periodic operating reports & related correspondence

**9207150027** Monthly operating rept for June 1992 for Seabrook Station, unit 1.W/ 920710 ltr.  
NARDONE, P., FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 92/06/30. 5pp. 62396:337-62396:341.

**9207080139** "10CFR50.46 Annual Rept."  
FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 92/07/01. Document Control Branch (Document Control Desk). 5pp. 62274:355-62274:360.

### S. Reportable occurrences, LERs & related correspondence

**9207010174** LER 92-005-00: on 920529, two out of three pressure code safety valves actuated high smoke concentration alarm. Caused by leakage in 1 valve & cause unknown in other valve. Valves retested & reworked as needed. W/920629 ltr.  
PESCHEL, J.M., FEIGENBAUM, T.C. Public Service Co. of New Hampshire. 92/06/29. 5pp. 62292:022-62292:026.

**9207150018** LER 92-006-00: on 920612, smoke detector in control room east air intake actuated high smoke concentration alarm. Caused by spurious alarm signal due to adverse environ conditions. Work request initiated to recalibr detector. W/920713 ltr.  
LEGENDRE, A.L., FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 92/07/13. 4pp. 62437:327-62437:330.

**9207210009** LER 92-007-00: on 920617, A train containment encl emergency air cleanup sys discovered inoperable due to personnel error. Appropriate TS statement entered & inoperable equipment returned to operable status. W/920717 ltr.  
PESCHEL, J.M., FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 92/07/17. 6pp. 62481:008-62481:013.

**9207280059** LER 92-008-00: on 920626, determined that 18-month surveillance test program for EDG inadequately tested undervoltage circuitry. per NRC Info Notice 92-040. Caused by misinterpretation of testing requirements. W/920724 ltr.  
PESCHEL, J.M., FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 92/07/24. 6pp. 62587:236-62587:243.

### U. Congressional/Executive Correspondence

**9207060169** Discusses Congress ltr to Commission re Inspector General rept & concerns about inaccurate info associated w/licensing of plant. Forwards Commission response to Congress inquiries, Inspector General rept & staff response to OIG rept. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/22. NRC - No Detailed Affiliation Given. 2pp. 62243:126-62243:207.

**-9207060206** Responds to 920129 ltr in which Commission was sent several questions re ltrs from Senator Kennedy & Representative Kostmayer & answers provided by Commission on 900315.  
THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 92/02/14. KERRY, J.F. Senate. 50pp. 62243:128-62243:175.

**-9207060209** Expresses concern re conduct of NRC staff in handling of Congressional inquiries into welding program at plant.  
MARKEY, E.J., MAVROULES, N., KERRY, J.F. House of Rep. 92/01/29. SELIN, I., THE CHAIRMAN Commissioners (Post 750119). 2pp. 62243:176-62243:177.

**-9207060219** Forwards staff response to OIG rept 90-31H, "Review of NRC Staff Responses to Congressional Inquiries re J Wampler & Welding Program at Plant."  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/03/27. THE CHAIRMAN, SELIN, I., ROGERS Commissioners (Post 750119). 30pp. 62243:178-62243:207.

### V. Operator Examinations

**9207070002** Advises that listed reactor operators & senior reactor operators are now employees of North Atlantic Energy Svc Corp. Change of employer should be noted on each license.  
FEIGENBAUM, T.C. North Atlantic Energy Service Corp. (NAESCO). 92/06/30. Document Control Branch (Document Control Desk). 4pp. 62274:348-62274:351.

### DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

### F. Security, medical, emergency & fire protection plans

**9207100245** "New Hampshire Yankee, State of NH & Commonwealth of Massachusetts, Seabrook Station 1992 Graded Exercise on 920604."  
\* Public Service Co. of New Hampshire. \* New Hampshire, State of. \* Massachusetts, Commonwealth of. 92/06/04. 1,000pp. 62598:001-62600:355.

### I. Financial Information

**9207170012** Forwards summary of State of NH PUC 920602 meeting re New England Telephone Co motion to postpone hearings on docket, order establishing hearing date on increases in decommissioning costs & revs to second rate tariff.  
ARNOLD, W.E. New Hampshire, State of. 92/06/22. Affiliation Not Assigned. 8pp. 62440:323-62440:330.

### P. Operating license stage documents & correspondence

**9207170012** Forwards summary of State of NH PUC 920602 meeting re New England Telephone Co motion to postpone hearings on docket, order establishing hearing date on increases in decommissioning costs & revs to second rate tariff.  
ARNOLD, W.E. New Hampshire, State of. 92/06/22. Affiliation Not Assigned. 8pp. 62440:323-62440:330.

### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

#### U. Congressional/Executive Correspondence

**9207060169** Discusses Congress ltr to Commission re Inspector General rept & concerns about inaccurate info associated w/licensing of plant. Forwards Commission response to Congress inquiries, Inspector General rept & staff response to OIG rept. TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/22. NRC - No Detailed Affiliation Given. 2pp. 62243:126-62243:207.

**-9207060206** Responds to 920129 ltr, in which Commission was sent several questions re ltrs from Senator Kennedy & Representative Kostmayer & answers provided by Commission on 900315. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 92/02/14. KERRY,J.F. Senate. 50pp. 62243:128-62243:175.

**-9207060209** Expresses concern re conduct of NRC staff in handling of Congressional inquiries into welding program at plant. MARKEY,E.J., MAVROULES,N., KERRY,J.F. House of Rep. 92/01/29. SELIN,I., THE CHAIRMAN Commissioners (Post 750119). 2pp. 62243:176-62243:177.

**-9207060219** Forwards staff response to OIG rept 90-31H, "Review of NRC Staff Responses to Congressional Inquiries re J Wampler & Welding Program at Plant." TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/03/27. THE CHAIRMAN, SELIN,I., ROGERS Commissioners (Post 750119). 30pp. 62243:178-62243:207.

#### DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9207020184** Discusses issuance of NRC Bulletin 92-001, "Failure of THERMO-LAG 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." PARTLOW,J.G. Associate Director for Projects (Post 870411). 92/06/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62194:241-62194:255.

**9207070113** Advises that revs 13 & 14 to plant emergency response plan do not degrade effectiveness of plan & acceptable. BEACH,A.B. Region 4 (Post 820201). 92/07/02. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 62451:331-62451:335.

**9207160177** Revised Emergency Plan Procedures (EPP), including Procedure Change EPP-205-R7-7 to Rev 7 to EPP-205, Procedure Change EPP-214-R1-2 to Rev 1 to EPP-214 & Procedure Change EPP-300-R4-1 to Rev 4 to EPP-300.W/920708 ltr. CAHILL,W.J., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 92/07/08. 63pp.

**9207150343** Provides requested actions specified in NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62415:259-62415:268.

**9207230276** Forwards Rev 13 to physical security plan. Rev withheld (ref 10CFR73.21). MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 92/07/21. Document Control Branch (Document Control Desk). 1pp. 62497:320-62497:320.

#### M. Antitrust correspondence

**9207130136** Forwards "Response to Texas Utils Electric to Comments of Cap Rock Electric Cooperative, Inc." SAMPELS,M.D. Texas Utilities Electric Co. (TU Electric). SAMPELS,M.D. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). 92/06/30. GODY,A.T. Policy Development & Technical Support Branch (Post 870411). 2pp. 62367:001-62367:197.

**-9207130137** "Response of Texas Utils Electric to Comments of Cap Rock Electric Cooperative, Inc." Dispute strictly contractual issue involving Cap Rock efforts to annul reasonable notice provisions of 1990 power supply agreement. SAMPELS,M.D., GREEN,D.G. Texas Utilities Electric Co. (TU Electric). SAMPELS,M.D. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). 92/06/30. Commissioners (Post 750119). 250pp. 62367:003-62367:197.

**9207150317** Forwards "Response of TUEC to Comments of Cajun Electric Power Cooperative, Inc. in ref to 920325 proceeding re TUEC CPSES Units 1 & 2." SAMPELS,M.D. Texas Utilities Electric Co. (TU Electric). SAMPELS,M.D. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). 92/07/13. GODY,A.T. Policy Development & Technical Support Branch (Post 870411). 2pp. 62409:117-62409:239.

**-9207150323** "Response to TUEC to Comments of Cajun Electric Power Cooperative, Inc." SAMPELS,M.D., GREEN,D.G. Texas Utilities Electric Co. (TU Electric). SAMPELS,M.D. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). 92/07/13. 100pp. 62409:119-62409:239.

#### P. Operating license stage documents & correspondence

**9207090321** Forwards amend 11 to license NPF-87 & safety evaluation. Amend revises plant TS by including addl provisions for PORV & block valve reliability & low temp overpressure protection. BERGMAN,T.A. Project Directorate IV-2. 92/06/29. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 62271:177-62271:197.

**-9207090324** Amend 11 to license NPF-87, revising plant TS by including addl provisions for PORV & block valve reliability & low temp overpressure protection. BLACK,S.C. Project Directorate IV-2. 92/06/29. 13pp. 62271:179-62271:193.

**-9207090328** Safety evaluation supporting amend 11 to license NPF-87. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/29. 4pp. 62271:194-62271:197.

**9207020248** Summary of 920604 meeting w/util re several licensing actions of plant. Two major issues discussed: proposed license amend revising N-16 instrument setpoints & licensee SBLOCA analysis methodologies. List of attendees & agenda encl. BERGMAN,T.A. Project Directorate IV-2. 92/06/30. Project Directorate IV-2. 16pp. 62184:339-62184:354.

**9207100208** Forwards Rev 8 to "Technical Requirements Manual" (TRM), per 920204 ltr stating that Rev 8 dual unit TRM & that Unit 2 requirements becomes effective upon issuance of Unit OL. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/06/30. Document Control Branch (Document Control Desk). 14pp. 62329:220-62329:359.

**-9207100210** Rev 8 to "Technical Requirements Manual." \* Texas Utilities Electric Co. (TU Electric). 92/06/30. 10pp. 62329:234-62329:359.

**9207060168** Informs that licensee 920316 response meets reporting requirements set forth in GL 91-13, "Request For Info Re Resolution Of GI 13, 'Essential Svc Water Sys Failures At Multi-Unit Sites,' per 10CFR50.54(f)." BERGMAN,T.A. Project Directorate IV-2. 92/07/01. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 62197:345-62197:346.

**9207100249** Forwards proof & review version of Comanche Peak units 1 & 2 combined TS. Written comments requested by 920717 for consideration in developing final draft version. W/o encl. HOLIAN,B.E. Project Directorate IV-2. 92/07/01. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 62364:344-62364:345.

**9207070383** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity, to verify compliance w/ commitments made in response to Generic Ltr 88-11. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/07/02. Document Control Branch (Document Control Desk). 5pp. 62267:350-62267:354.

**9207070399** Forwards internal evaluation of 10CFR2.206 petition submitted by Kohn, Kohn & Colapinto, alleging that util made false statements re design of pipe supports in OL proceeding for plant. WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 92/07/02. Document Control Branch (Document Control Desk). 100p. 62267:191-62267:291.

**9207080113** Forwards Rev 0 to "Comanche Peak Steam Electric Station Units 1 & 2 Inservice Testing Plan for Pumps & Valves First Interval." CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/07/02. Document Control Branch (Document Control Desk). 2pp. 62275:180-62275:353.

**-9207080116** Rev 0 to "Comanche Peak Steam Electric Station Units 1 & 2 Inservice Testing Plan for Pumps & Valves First Interval." \* Texas Utilities Electric Co. (TU Electric). 92/07/02. 135pp. 62275:182-62275:353.

**9207080138** Advises that util 911028 response to 910429 generic ltr 91-06, "Request for Action Related to Resolution of Generic Issue A-30, 'Adequacy of Safety-Related DC Power Supplies,'" acceptable. BERGMAN,T.A. Project Directorate IV-2. 92/07/02. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 62259:350-62259:351.

**9207150182** Responds to NRC 920622 request for addl info re startup testing program. Draft sections of startup testing program encl. CAHILL,W.J., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 92/07/10. Document Control Branch (Document Control Desk). 15pp. 62407:330-62407:344.

**9207230134** Forwards request for addl info to complete review of chapters 4 & 15 of FSAR submittals through amend 84, per NUREG-0800, "Std Review Plan." Response requested within 30 days of receipt of ltr. HOLIAN,B. Project Directorate IV-2. 92/07/20. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 62459:032-62459:035.

**9207230140** Forwards request for addl info to complete review of plant RETRAN model qualification. Requests that meeting be held at NRC headquarters to discuss results prior to submittal of response to questions. BLACK,S.C. Project Directorate IV-2. 92/07/20. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 6pp. 62459:026-62459:031.

**9207270060** Forwards "Proof & Review" copy of CPSES Units 1 & 2 combined TS. CAHILL,W.J., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 92/07/20. Document Control Branch (Document Control Desk). 6pp. 62517:214-62517:270.

**-9207270068** Proposed tech specs including corrections to validated Unit 2 values, corrections reflecting previously transmitted changes & revised testing frequency for turbine overspeed protection. \* Texas Utilities Electric Co. (TU Electric). 92/07/20. 51pp. 62517:220-62517:270.

**9207300042** Ack granting of temporary waiver of compliance to facility from provision of TS LCO Section 3.3.2, Table 3.3-2 functional units 4b & 6a. MILHOAN,J.L. Region 4 (Post 820201). 92/07/24. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 62528:036-62528:041.

**9207310225** Discusses SE re util response to facility SBO rule 10CFR50.63, transmitted by 920227 ltr. BERGMAN,T.A. Project Directorate IV-2. 92/07/28. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 3pp. 62581:355-62581:357.

#### Q. Inspection reports, IE Bulletins & correspondence

## 154 DOCKETED ITEMS

**9207020184** Discusses issuance of NRC Bulletin 92-001, "Failure of THERMO-LAG 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage."  
PARTLOW,J.G. Associate Director for Projects (Post 870411). 92/06/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62194:241-62194:255.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207010284** Forwards Insp Repts 50-445/92-18 & 50-446/92-18 on 920518-22.No violations or deviations noted.  
BEACH,A.B. Region 4 (Post 820201). 92/06/29. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 62254:095-62254:120.

**-9207010290** Insp Repts 50-445/92-18 & 50-446/92-18 on 920518-22.No violations or deviations noted.Major areas inspected:Unit 1 programs for liquid & gaseous radwaste mgt,air cleaning sys testing,reactor coolant & secondary chemistry controls.  
MURRAY,B. Region 4 (Post 820201). 92/06/26. 21pp. 62254:100-62254:120.

**9207070219** Summarizes enforcement conference held in region IV ofc on 920622 re interruption of spent fuel pool cooling & subsequent application of unapproved Unit 2 component cooling water as cooling medium,which occurred on 920511-12.  
BEACH,A.B. Region 4 (Post 820201). 92/06/29. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 28pp. 62206:158-62206:185.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207100143** Forwards insp repts 50-445/92-14 & 50-446/92-14 on 920426-0606 & notice of violation.Violations should be addressed as part of response to insp repts 50-445/92-20 & 50-446/92-20.  
BEACH,A.B. Region 4 (Post 820201). 92/07/07. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 62334:290-62334:324.

**-9207100161** Notice of violation from insp on 920426-0606.Violation noted:on 920508,reactor operator marked prerequisite step to solid state protection Train B actuation procedure as inapplicable w/o obtaining shift supervisor permission.  
\* Region 4 (Post 820201). 92/07/07. 3pp. 62334:295-62334:297.

**-9207100169** Insp repts 50-445/92-14 & 50-446/92-14 on 920426-0606. Violations noted.Major areas inspected:plant status,followup on previously identified items,LER followup,operational safety verification & maintenance observation.  
YANDELL,L.A. Region 4 (Post 820201). 92/07/01. 27pp. 62334:298-62334:324.

**9207130214** Suppls 900718 & 910805 responses to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." All subj models,mfg prior to 890711,returned to Rosemount.No Model 1154 transmitters,mfg prior to 890711,found in Unit 2.  
CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62375:225-62375:226.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207150343** Provides requested actions specified in NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage."  
CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62415:259-62415:268.

**9207150005** Responds to NRC 920127 ltr re deficiency/unresolved items noted in Configuration Mgt Insp Repts 50-445/91-202 & 50-446/91-202 on 911118-1213.Scheduled walkdowns will include identification of cable tray hangers.  
CAHILL,W.J., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 92/07/10. Document Control Branch (Document Control Desk). 2pp. 62380:349-62380:350.

**9207200028** Forwards Insp Repts 50-445/92-16 & 50-446/92-16 on 920503-0613 & notice of violation.Weakness also noted re technical justification for closure of industry operating rept followup assessment (WTB/89-06).  
BEACH,A.B. Region 4 (Post 820201). 92/07/14. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 62447:304-62447:327.

**-9207200030** Notice of violation from insp on 920503-0611.Violation noted:on 920609,unsecured licensee designated vehicle within protective area discovered,unattended,w/motor running while not in use.  
\* Region 4 (Post 820201). 92/07/14. 2pp. 62447:309-62447:310.

**9207290055** Advises that based on info in insp rept 50-445/92-20 & info obtained during 920622 enforcement conference re 920512 & 13 loss of spent fuel pool cooling,no enforcement action will be taken against licensed individuals involved in event.  
MILHOAN,J.L. Region 4 (Post 820201). 92/07/23. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 6pp. 62506:073-62506:079.

**9207290070** Discusses insp repts 50-445/92-20 & 50-446/92-20 on 920515- 19 & 920622 enforcement conference re 920512 loss of spent fuel pool cooling & forwards notice of violation & proposed imposition of civil penalty in amount of \$125,000.  
MILHOAN,J.L. Region 4 (Post 820201). 92/07/23. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 6pp. 62506:095-62506:108.

**-9207290074** Notice of violation & proposed imposition of civil penalty in amount of \$125,000.Noncompliances noted:on 920512, auxiliary bldg operator failed to stop task in progress & notify supervisor of apparent procedure error or inadequacy.  
\* Region 4 (Post 820201). 92/07/23. 8pp. 62506:101-62506:108.

### R. Periodic operating reports & related correspondence

**9207220345** Monthly operating rept for June 1992 for Comanche Peak Unit 1.W/920715 ltr.  
DAVIS,G., CAHILL,W.J. Texas Utilities Co. 92/06/30. 5pp. 62472:345-62472:349.

**9207270057** Forwards fitness-for-duty performance data for Jan-June 1992 & summary of mgt actions for 6-months ending 920630.  
CAHILL,W.J., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 92/07/21. Document Control Branch (Document Control Desk). 5pp. 62524:337-62524:341.

### S. Reportable occurrences, LERs & related correspondence

**9207080018** Amend 1 to Part 21 Rept 158 re gear-wear induced failures in engine-driven jacket water pump in DSRV-16-4 standby DG sys. Initially reported on 911029.Grand Gulf station observed wear characteristics in as little as 500 operating hours.  
GUNTNUM,B.C. Cooper Industries, Inc. 92/06/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62305:344-62305:347.

**9207070056** LER 92-012-00:on 920603,reactor shutdown initiated per procedure.Caused by less than adequate procedure control of oil return valve.Repositioned valve,procedure change stating required position of valve & controls applied.W/ 920629 ltr.  
BUSCHBAUM,D.E., CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/06/29. 8pp. 62292:162-62292:169.

**9207070061** Special rept 1-SR-92-001-00:on 920528,engine trip occurred due to apparent high vibration at engine rear vibration sensor.Caused by low lube oil pressure.Sensor & related components replaced.  
CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/06/29. Document Control Branch (Document Control Desk). 4pp. 62262:357-62262:360.

**9207090081** Part 21 rept re replacement swing arm not being completely interchangeable w/original part.Initially reported on 920116.Vendor will inform customers of potential for stated interference between stud & valve body.  
GODWIN,G.C. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 92/06/30. Region 5 (Post 820201). 7pp. 62308:354-62308:360.

**9207070194** LER 92-013-00:on 920511,loss of cooling water flow to fuel pool heat exchanger occurred after realignment.Caused by personnel error.Personnel retrained & reevaluated & heat exchanger X-02 has restricted use.W/920702 ltr.  
BUSCHBAUM,D.E., CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/07/02. 12pp. 62292:210-62292:221.

**9207070235** LER 92-011-00:on 920618,failure of thermo-lag fire barrier endurance tests results in some raceways declared inoperable.Caused by inadequate vendor installation specs.Fire watch routes adjusted.W/920702 ltr.  
BUSCHBAUM,D.E., CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/07/02. 7pp. 62292:291-62292:297.

**9207140275** LER 92-014-00:on 920611,loss of main feedwater resulted in manual reactor trip due to rapidly lowering steam generator levels.Replaced circuit cards were sent to SSPS vendor for further testing.W/920710 ltr.  
BUSCHBAUM,D.E., CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/07/10. 7pp. 62437:280-62437:286.

**9207270046** Part 21 rept re blown fuse in Elgar inverters,high inrush current to inverter & missing resistor on R14.Caused by improper timing circuit,lack of retrievable records & workmanship error.Resistor changed & sites notified.  
\* Elgar Corp. 92/07/15. TOMLINSON,R. Texas Utilities Electric Co. (TU Electric). 10pp. 62516:345-62516:354.

**9207200109** LER 92-015-00:on 920610,time delay relay associated w/ blackout sequencing circuit inoperable.Caused by faulty design to allow plant to transfer offsite electrical power to alternate source.Mod process revised.W/920716 ltr.  
BUSCHBAUM,D.E., CAHILL,W.J., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 92/07/16. 8pp. 62480:242-62480:250.

**9207280106** LER 92-016-00:on 920623,phase B line between unit 1 station transformer (1ST) & 1ST MOD switch broke causing ESF actuation.Caused by design deficiency in lines between 1ST & 1ST MOD switch.1ST phase B connector repaired.W/920723 ltr.  
BUSCHBAUM,D.E., CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/07/23. 7pp. 62587:253-62587:258.

**9207310104** LER 92-017-00:on 920626,main steam supply valves to AFW turbine not quarterly close stroke-time tested.Caused by procedure error.Review of Inservice Test valve data will be conducted.W/920727 ltr.  
BUSCHBAUM,D.E., CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/07/27. 7pp. 62683:175-62683:181.



## V. Operator Examinations

**9207210020** Forwards exam repts 50-445/OL-92-01 & 50-445/OL-92-01 on stated date. All 20 applicants passed all parts of exam & issued appropriate licenses. BEACH, A.B. Region 4 (Post 820201). 92/07/17. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 3pp. 62419:057-62419:172.

**-9207210027** Exam repts 50-445/OL-92-01 & 50-446/OL-92-01 on stated date. Exam results: all applicants passed all portions of exam & have been issued appropriate license. PELLET, J.L. Region 4 (Post 820201). 92/07/09. 110pp. 62419:061-62419:172.

## DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

## A. Application/construction stage documents &amp; correspondence

**9207020248** Summary of 920604 meeting w/util re several licensing actions of plant. Two major issues discussed: proposed license amend revising N-16 instrument setpoints & licensee SBLOCA analysis methodologies. List of attendees & agenda encl. BERGMAN, T.A. Project Directorate IV-2. 92/06/30. Project Directorate IV-2. 16pp. 62184:339-62184:354.

**9207100208** Forwards Rev 8 to "Technical Requirements Manual" (TRM), per 920204 ltr stating that Rev 8 dual unit TRM & that Unit 2 requirements becomes effective upon issuance of Unit OL. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 92/06/30. Document Control Branch (Document Control Desk). 14pp. 62329:220-62329:359.

**-9207100210** Rev 8 to "Technical Requirements Manual."  
\* Texas Utilities Electric Co. (TU Electric). 92/06/30. 100pp. 62329:234-62329:359.

**9207080317** Informs of status of CPSES DG action items re DR/QR phase I programs. WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 92/07/01. Document Control Branch (Document Control Desk). 4pp. 62277:101-62277:104.

**9207100249** Forwards proof & review version of Comanche Peak, units 1 & 2 combined TS. Written comments requested by 920717 for consideration in developing final draft version. W/o encl. HOLIAN, B.E. Project Directorate IV-2. 92/07/01. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 62364:344-62364:345.

**9207070383** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity, to verify compliance w/ commitments made in response to Generic Ltr 88-11. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 92/07/02. Document Control Branch (Document Control Desk). 5pp. 62267:350-62267:354.

**9207070399** Forwards internal evaluation of 10CFR2.206 petition submitted by Kohn, Kohn & Colapinto, alleging that util made false statements re design of pipe supports in OL proceeding for plant. WALKER, R.D. Texas Utilities Electric Co. (TU Electric). 92/07/02. Document Control Branch (Document Control Desk). 100p. 62267:191-62267:291.

**9207080113** Forwards Rev 0 to "Comanche Peak Steam Electric Station Units 1 & 2 Inservice Testing Plan for Pumps & Valves First Interval." CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 92/07/02. Document Control Branch (Document Control Desk). 2pp. 62275:180-62275:353.

**-9207080116** Rev 0 to "Comanche Peak Steam Electric Station Units 1 & 2 Inservice Testing Plan for Pumps & Valves First Interval."  
\* Texas Utilities Electric Co. (TU Electric). 92/07/02. 135pp. 62275:182-62275:353.

**9207080138** Advises that util 911028 response to 910429 generic ltr 91-06, "Request for Action Related to Resolution of Generic Issue A-30, 'Adequacy of Safety-Related DC Power Supplies,'" acceptable. BERGMAN, T.A. Project Directorate IV-2. 92/07/02. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 62259:350-62259:351.

**9207150328** Notification of 920713 meeting w/util in Rockville, MD re Thermo-Log rev test configurations for facility. HOLIAN, B.E. Project Directorate IV-2. 92/07/07. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 3pp. 62378:252-62378:254.

**9207150182** Responds to NRC 920622 request for addl info re startup testing program. Draft sections of startup testing program encl. CAHILL, W.J., WALKER, R.D. Texas Utilities Electric Co. (TU Electric). 92/07/10. Document Control Branch (Document Control Desk). 15pp. 62407:330-62407:344.

**9207170087** Requests that response to encl request for addl info re util 920214 request for review & approval of Westinghouse topical rept WCAP-13100, "Technical Justification for Eliminating..." be submitted within 30 days of ltr receipt. HOLIAN, B.E. Project Directorate IV-2. 92/07/10. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 3pp. 62403:090-62403:092.

**9207210142** Notification of 920723 meeting w/util in Rockville, MD to discuss results of plant blackout study. HOLIAN, B.E. Project Directorate IV-2. 92/07/15. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 3pp. 62438:244-62438:246.

**9207230134** Forwards request for addl info to complete review of chapters 4 & 15 of FSAR submittals through amend 84, per NUREG-0800, "Std Review Plan." Response requested within 30 days of receipt of ltr. HOLIAN, B.E. Project Directorate IV-2. 92/07/20. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 62458:032-62458:035.

**9207230140** Forwards request for addl info to complete review of plant RETRAN model qualification. Requests that meeting be held at NRC headquarters to discuss results prior to submittal of responses to questions. BLACK, S.C. Project Directorate IV-2. 92/07/20. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 6pp. 62458:026-62458:031.

**9207270080** Forwards "Proof & Review" copy of CPSES Units 1 & 2 combined TS. CAHILL, W.J., WOODLAN, D.R. Texas Utilities Electric Co. (TU Electric). 92/07/20. Document Control Branch (Document Control Desk). 6pp. 62517:214-62517:270.

**-9207270068** Proposed tech specs including corrections to validated Unit 2 values, corrections reflecting previously transmitted changes & revised testing frequency for turbine overspeed protection.  
\* Texas Utilities Electric Co. (TU Electric). 92/07/20. 51pp. 62517:220-62517:270.

## F. Security, medical, emergency &amp; fire protection plans

**9207020184** Discusses issuance of NRC Bulletin 92-001, "Failure of THERMO-LAG 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." PARTLOW, J.G. Associate Director for Projects (Post 870411). 92/06/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62194:241-62194:255.

**9207070113** Advises that revs 13 & 14 to plant emergency response plan do not degrade effectiveness of plan & acceptable. BEACH, A.B. Region 4 (Post 820201). 92/07/02. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 62451:331-62451:335.

**9207150343** Provides requested actions specified in NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62415:259-62415:268.

**9207200026** Forwards Insp Repts 50-445/92-16 & 50-446/92-16 on 920503-0613 & notice of violation. Weakness also noted re technical justification for closure of industry operating rept followup assessment (WTB/89-06). BEACH, A.B. Region 4 (Post 820201). 92/07/14. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 62447:304-62447:327.

**-9207200030** Notice of violation from insp on 920503-0611. Violation noted: on 920609, unsecured licensee designated vehicle within protective area discovered, unattended, w/motor running while not in use.  
\* Region 4 (Post 820201). 92/07/14. 2pp. 62447:309-62447:310.

**9207230276** Forwards Rev 13 to physical security plan. Rev withheld (ref 10CFR73.21). MARSHALL, J.S. Texas Utilities Electric Co. (TU Electric). 92/07/21. Document Control Branch (Document Control Desk). 1pp. 62497:320-62497:320.

**9207160177** Revised Emergency Plan Procedures (EPP), including Procedure Change EPP-205-R7-7 to Rev 7 to EPP-205, Procedure Change EPP-214-R1-2 to Rev 1 to EPP-214 & Procedure Change EPP-300-R4-1 to Rev 4 to EPP-300, W/920708 ltr. CAHILL, W.J., WALKER, R.D. Texas Utilities Electric Co. (TU Electric). 92/07/08. 63pp.

## M. Antitrust correspondence

**9207130136** Forwards "Response to Texas Utils Electric to Comments of Cap Rock Electric Cooperative, Inc." SAMPELS, M.D. Texas Utilities Electric Co. (TU Electric). SAMPELS, M.D. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). 92/06/30. GODY, A.T. Policy Development & Technical Support Branch (Post 870411). 2pp. 62367:001-62367:197.

**-9207130137** "Response of Texas Utils Electric to Comments of Cap Rock Electric Cooperative, Inc." Dispute strictly contractual issue involving Cap Rock efforts to annul reasonable notice provisions of 1990 power supply agreement. SAMPELS, M.D., GREEN, D.G. Texas Utilities Electric Co. (TU Electric). SAMPELS, M.D. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). 92/06/30. Commissioners (Post 750119). 25pp. 62367:003-62367:197.

**9207150317** Forwards "Response of TUEC to Comments of Cajun Electric Power Cooperative, Inc. in ref to 920325 proceeding re TUEC CPSES, Units 1 & 2." SAMPELS, M.D. Texas Utilities Electric Co. (TU Electric). SAMPELS, M.D. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). 92/07/13. GODY, A.T. Policy Development & Technical Support Branch (Post 870411). 2pp. 62409:117-62409:239.

**-9207150323** "Response to TUEC to Comments of Cajun Electric Power Cooperative, Inc." SAMPELS, M.D., GREEN, D.G. Texas Utilities Electric Co. (TU Electric). SAMPELS, M.D. Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels). 92/07/13. 100pp. 62409:119-62409:239.

## Q. Inspection reports, IE Bulletins &amp; correspondence

**9207020184** Discusses issuance of NRC Bulletin 92-001, "Failure of THERMO-LAG 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free From Fire Damage." PARTLOW, J.G. Associate Director for Projects (Post 870411). 92/06/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62194:241-62194:255.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207010284** Forwards Insp Repts 50-445/92-18 & 50-446/92-18 on 920518-22. No violations or deviations noted. BEACH, A.B. Region 4 (Post 820201). 92/06/29. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 62254:095-62254:120.

**-9207010290** Insp Repts 50-445/92-18 & 50-446/92-18 on 920518-22. No violations or deviations noted. Major areas inspected: Unit 1 programs for liquid & gaseous radwaste mgt, air cleaning sys testing, reactor coolant & secondary chemistry controls. MURRAY, B. Region 4 (Post 820201). 92/06/26. 21pp. 62254:100-62254:120.

**9207070219** Summarizes enforcement conference held in region IV ofc on 920622 re interruption of spent fuel pool cooling & subsequent application of unapproved Unit 2 component cooling water as cooling medium, which occurred on 920511-12. BEACH, A.B. Region 4 (Post 820201). 92/06/29. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 28pp. 62206:158-62206:185.

## 156 DOCKETED ITEMS

### 9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."

ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

### 9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."

ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

### 9207100143 Forwards insp repts 50-445/92-14 & 50-446/92-14 on 920426-0606 & notice of violation. Violations should be addressed as part of response to insp repts 50-445/92-20 & 50-446/92-20.

BEACH,A.B. Region 4 (Post 820201). 92/07/07. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 5pp. 62334:290-62334:324.

### -9207100169 Insp repts 50-445/92-14 & 50-446/92-14 on 920426-0606. Violations noted. Major areas inspected: plant status, followup on previously identified items, LER followup, operational safety verification & maintenance observation.

YANDELL,L.A. Region 4 (Post 820201). 92/07/01. 27pp. 62334:298-62334:324.

### 9207130214 Suppls 900718 & 910805 responses to NRC Bulletin 90-001, "Loss of Fill-Oil in Transmitters Mfg by Rosemount." All subj models, mfg prior to 890711, returned to Rosemount. No Model 1154 transmitters, mfg prior to 890711, found in Unit 2.

CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62375:225-62375:226.

### 9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."

ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

### 9207150343 Provides requested actions specified in NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage."

CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62415:259-62415:268.

### 9207150005 Responds to NRC 920127 ltr re deficiency/unresolved items noted in Configuration Mgt Insp Repts 50-445/91-202 & 50-446/91-202 on 911118-1213. Scheduled walkdowns will include identification of cable tray hangers.

CAHILL,W.J., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 92/07/10. Document Control Branch (Document Control Desk). 2pp. 62380:349-62380:350.

### 9207200028 Forwards Insp Repts 50-445/92-16 & 50-446/92-16 on 920503-0613 & notice of violation. Weakness also noted re technical justification for closure of industry operating rept followup assessment (WTB/89-06).

BEACH,A.B. Region 4 (Post 820201). 92/07/14. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 62447:304-62447:327.

### -9207200030 Notice of violation from insp on 920503-0611. Violation noted: on 920609, unsecured licensee designated vehicle within protective area discovered, unattended, w/ motor running while not in use.

\* Region 4 (Post 820201). 92/07/14. 2pp. 62447:309-62447:310.

### -9207200034 Safety Insp Repts 50-445/92-16 & 50-446/92-16 on 920503-0613. Violations noted. Major areas inspected: Unit 2 plant status, followup on previously identified items, routine plant tours & preoperational test program.

YANDELL,L.A. Region 4 (Post 820201). 92/07/10. 18pp. 62447:311-62447:327.

### 9207210020 Forwards exam repts 50-445/OL-92-01 & 50-446/OL-92-01 on stated date. All 20 applicants passed all parts of exam & issued appropriate licenses.

BEACH,A.B. Region 4 (Post 820201). 92/07/17. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 3pp. 62419:057-62419:172.

### -9207210027 Exam repts 50-445/OL-92-01 & 50-446/OL-92-01 on stated date. Exam results: all applicants passed all portions of exam & have been issued appropriate license.

PELLET,J.L. Region 4 (Post 820201). 92/07/09. 110pp. 62419:061-62419:172.

### 9207280166 Forwards insp repts 50-445/92-21 & 50-446/92-21 on 920520-0708. No violations or deviations noted.

BEACH,A.B. Region 4 (Post 820201). 92/07/21. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 62489:226-62489:240.

### -9207280172 Insp repts 50-445/92-21 & 50-446/92-21 on 920520-0708. No violations noted. Major areas inspected: followup on corrective actions, preoperational test program requirements & preoperational test program procedures.

GAGLIARDO,J.E. Region 4 (Post 820201). 92/07/17. 10pp. 62489:231-62489:240.

### 9207290055 Advises that based on info in insp rept 50-445/92-20 & info obtained during 920622 enforcement conference re 920512 & 13 loss of spent fuel pool cooling, no enforcement action will be taken against licensed individuals involved in event.

MILHOAN,J.L. Region 4 (Post 820201). 92/07/23. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 6pp. 62506:073-62506:079.

### 9207290070 Discusses insp repts 50-445/92-20 & 50-446/92-20 on 920515- 19 & 920622 enforcement conference re 920512 loss of spent fuel pool cooling & forwards notice of violation & proposed imposition of civil penalty in amount of \$125,000.

MILHOAN,J.L. Region 4 (Post 820201). 92/07/23. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 6pp. 62506:095-62506:108.

### -9207290074 Notice of violation & proposed imposition of civil penalty in amount of \$125,000. Noncompliances noted: on 920512, auxiliary bldg operator failed to stop task in progress & notify supervisor of apparent procedure error or inadequacy.

\* Region 4 (Post 820201). 92/07/23. 6pp. 62506:101-62506:108.

## R. Periodic operating reports & related correspondence

### 9207270057 Forwards fitness-for-duty performance data for Jan-June 1992 & summary of mgt actions for 6-months ending 920630.

CAHILL,W.J., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 92/07/21. Document Control Branch (Document Control Desk). 5pp. 62524:337-62524:341.

## S. Reportable occurrences, LERs & related correspondence

### 9207280159 Part 21 rept re listed defects w/ Elgar inverters during testing. Licensee plans to correct defects before placing equipment in svc. Written rept to be submitted within 30 days.

SKIBA Texas Utilities Electric Co. (TU Electric). 92/05/13. JOLLIFFE Office for Analysis & Evaluation of Operational Data, Director. 1p. 62562:333-62562:333.

### 9207080018 Amend 1 to Part 21 Rept 158 re gear-wear induced failures in engine-driven jacket water pump in DSRV-16-4 standby DG sys. Initially reported on 911029. Grand Gulf station observed wear characteristics in as little as 500 operating hours.

GUNTRUM,B.C. Cooper Industries, Inc. 92/06/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62305:344-62305:347.

### 9207090081 Part 21 rept re replacement swing arm not being completely interchangeable w/ original part. Initially reported on 920116. Vendor will inform customers of potential for stated interference between stud & valve body.

GODWIN,G.C. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 92/06/30. Region 5 (Post 820201). 7pp. 62308:354-62308:360.

### 9207130238 Interim Deficiency Rept CP-89-015 re backleakage discovered through auxiliary feedwater sys check valves supplied by BW/IP Intl, Inc. Initially reported on 890519. Swing check arms replaced w/ investment cast swing arms.

CAHILL,W.J., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 92/07/07. Document Control Branch (Document Control Desk). 3pp. 62385:344-62385:346.

### 9207170278 Supplemental Deficiency Rept CP-87-133, clarifying performance of target identification surveys for safety related equipment. Initially reported on 871218. Deficiency to be resolved before Unit 2 fuel load.

CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/07/14. Document Control Branch (Document Control Desk). 1p. 62440:322-62440:322.

### 9207270046 Part 21 rept re blown fuse in Elgar inverters, high inrush current to inverter & missing resistor on R14. Caused by improper timing circuit, lack of retrievable records & workmanship error. Resistor changed & sites notified.

\* Elgar Corp. 92/07/15. TOMLINSON,R. Texas Utilities Electric Co. (TU Electric). 10pp. 62516:345-62516:354.

### 9207280168 Part 21 rept re QA program breakdown of Kranco, Inc., supplier of Units 1 & 2 polar cranes. Unit 1 not impacted by problem. Adequacy of parts installed in Unit 2 will be established prior to conduct of critical lifts.

AGLES,J. Texas Utilities Electric Co. (TU Electric). 92/07/16. MACKINNON,J. Office for Analysis & Evaluation of Operational Data, Director. 1p. 62562:341-62562:341.

### 9207300146 Deficiency Rept CP-02-006 re isolation of non-1E components in class 1E battery chargers mfg by Power Conversion Products. Initially reported on 920626. Caused by failure to provide redundant fuses. Timer circuitry disconnected.

CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 92/07/24. Document Control Branch (Document Control Desk). 5pp. 62592:336-62592:340.

## V. Operator Examinations

### 9207210020 Forwards exam repts 50-445/OL-92-01 & 50-446/OL-92-01 on stated date. All 20 applicants passed all parts of exam & issued appropriate licenses.

BEACH,A.B. Region 4 (Post 820201). 92/07/17. CAHILL,W.J. Texas Utilities Electric Co. (TU Electric). 3pp. 62419:057-62419:172.

### -9207210027 Exam repts 50-445/OL-92-01 & 50-446/OL-92-01 on stated date. Exam results: all applicants passed all portions of exam & have been issued appropriate license.

PELLET,J.L. Region 4 (Post 820201). 92/07/09. 110pp. 62419:061-62419:172.

## DOCKET STN-50-454 BYRON STATION, UNIT 1

## F. Security, medical, emergency & fire protection plans

### 9207090153 Rev 4a to Generating Station Emergency Plan Byron Station Annex.

\* Commonwealth Edison Co. 92/04/30. 14pp. 62340:235-62340:248.

### 9207010101 Revised EIPs, including rev 4 to BZP-210-A1, "PWR EAL Philosophy," rev 27 to BZP-600-A1, "Prioritized Call Listing for Staff Augmentation Purposes," & rev 27 to BZP-600-A4, "Byron Station Group Directory."

\* Commonwealth Edison Co. 92/06/22. 65pp. 62231:076-62231:141.

### 9207010002 Revised EPIP index, correcting typos on pages 1 through 3, in ref to EPIP BZP-100-0.

ORRIS,K. Commonwealth Edison Co. 92/06/23. 4pp. 62230:270-62230:273.

### 9207010003 Revised EPIP index, correcting typos on pages 1 & 2, in ref to EPIP BZP-500-0.

ORRIS,K. Commonwealth Edison Co. 92/06/23. 3pp. 62230:267-62230:269.

### 9207010004 Revised EPIP index, correcting typos on pages 3 & 4, in ref to EPIP BZP-380-19.

ORRIS,K. Commonwealth Edison Co. 92/06/23. 3pp. 62230:263-62230:265.

### 9207010007 Revised EPIP index, correcting typos on page 1, in ref to EPIP BZP-510-1.

ORRIS,K. Commonwealth Edison Co. 92/06/23. 2pp. 62230:238-62230:239.

### 9207010012 Revised EPIP index, correcting typos on page 1, in ref to EPIP BZP-300-0.

ORRIS,K. Commonwealth Edison Co. 92/06/23. 2pp. 62217:360-62217:361.

### 9207020289 Forwards Rev 36 to security plan. Rev withheld (ref 10CFR73.21).

KOVACH,T.J. Commonwealth Edison Co. 92/06/23. Document Control Branch (Document Control Desk). 1p. 62425:355-62425:355.

### 9207070240 Forwards safety insp repts 50-454/92-11 & 50-455/92-11 on 920506-0612. No violations noted.

FARBER,M.J. Region 3 (Post 820201). 92/06/26. REED,C. Commonwealth Edison Co. 2pp. 62206:188-62206:202.

—9207070249 Insp repts 50-454/92-11 & 50-455/92-11 on 920506-0612.No violations noted.Major areas inspected:previous insp findings,operational safety verification,onsite event followup & current matl condition.  
FARBER,M.J. Region 3 (Post 820201). 92/06/26. 13pp. 62206:190-62206:202.

9207100100 Forwards insp repts 50-454/92-09,50-455/92-09,50-456/92-09 & 50-457/92-09 on 920322-0605.No violations noted.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/01. REED,C. Commonwealth Edison Co. 3pp. 62331:304-62331:314.

—9207100112 Insp repts 50-454/92-09,50-455/92-09,50-456/92-09 & 50-457/92-09 on 920322-0605.No violations noted.Major areas inspected:review of licensee actions to resolve previously identified issues & subsequent EOP followup insp repts.  
RESCHESKE,P.R. Region 3 (Post 820201). 92/07/01. 8pp. 62331:307-62331:314.

9207200033 Ack receipt of 920529 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/92-06 & 50-455/92-06 on 920330.  
CLAYTON,B. Region 3 (Post 820201). 92/07/09. REED,C. Commonwealth Edison Co. 2pp. 62447:343-62447:344.

9207220243 Forwards Rev 37 to security plan,in response to changes suggested by past regulatory effectiveness review.Rev withheld (ref 10CFR73.21).  
KOVACH,T.J. Commonwealth Edison Co. 92/07/13. Document Control Branch (Document Control Desk). 1p. 62457:358-62457:358.

9207270305 Ack receipt of 920623 ltr transmitting Rev 36 to security plan.Changes consistent w/provisions of 10CFR50.54(p) & acceptable except for listed security plan conflicts re records for access authorization & employment history.  
PEDERSON,C.D. Region 3 (Post 820201). 92/07/15. KOVACH,T.J. Commonwealth Edison Co. 2pp. 62528:197-62528:198.

9207280300 Ack receipt of rev 37 to security plan,submitted via 920713 ltr.Changes consistent w/10CFR50.54(p) & acceptable.  
PEDERSON,C.D. Region 3 (Post 820201). 92/07/22. KOVACH,T.J. Commonwealth Edison Co. 2pp. 62497:217-62497:218.

9207310171 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities.Compensatory measures implemented.  
JACKSON,M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

#### P. Operating license stage documents & correspondence

9207020006 Forwards amend 47 to licenses NPF-37 & NPF-66 & amend 36 to licenses NPF-72 & NPF-77,respectively & safety evaluation. Amends modify TS 4.5.2.b venting surveillance requirements. Notice of issuance encl.  
HSIA,A.H. Project Directorate III-2. 92/06/22. KOVACH,T.J. Commonwealth Edison Co. 2pp. 62183:307-62183:325.

—9207020013 Amend 47 to licenses NPF-37 & NPF-66 & amend 36 to licenses NPF-72 & NPF-77,respectively modifying TS 4.5.2.b venting surveillance requirements by eliminating requirement of venting ECCS discharge piping inside of containment.  
BARRETT,R.J. Project Directorate III-2. 92/06/22. 13pp. 62183:309-62183:320.

—9207020016 Safety evaluation supporting amend 47 to licenses NPF-37 & NPF-66 & amend 36 to licenses NPF-72 & NPF-77,respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/22. 3pp. 62183:321-62183:323.

—9207020021 Notice of consideration of issuance of amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & proposed NSHC & opportunity for hearing.Amends modify TS to eliminate surveillance requirement of venting ECCS discharge piping.  
HSIA,A.H. Project Directorate III-2. 92/06/22. 2pp. 62183:324-62183:325.

9207020113 Forwards SE approving use of Category 3 instrumentation for accumulator level & pressure.  
PULSIFER,R.M. Project Directorate III-2. 92/06/23. KOVACH,T.J. Commonwealth Edison Co. 3pp. 62183:269-62183:274.

—9207020114 SE approving use of Category 3 instrumentation for accumulator level & pressure.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/23. 3pp. 62183:272-62183:274.

9207020284 Responds to 920212 staff requirements memo re performance of util plants.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-92-228. 92/06/25. 18pp. 62465:207-62465:224.

9207070068 Submits supplemental info for 920507 amend to licenses DPR-19,DPR-25,DPR-29,DPR-30,DPR-39,DPR-48,NPF-11,NPF-18, NPF-37,NPF-66,NPF-72 & NPF-77,per NRC request.Revised TS re rev of onsite review of procedures encl.  
SIMPSON,T.W. Commonwealth Edison Co. 92/07/01. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 62267:020-62267:089.

—9207070089 Supplemental proposed tech specs proposing to change administrative controls sections of TS,submitted as supplement to original request w/info necessary to complete review.  
\* Commonwealth Edison Co. 92/07/01. 49pp. 62267:041-62267:089.

9207100283 Forwards B&W Rept BAW-2167 dtd June 1992 entitled, "Response to GL 92-01 for Commonwealth Edison Co Byron Units 1 & 2, Braidwood Units 1 & 2 & Zion Units 1 & 2," in response to GL 92-01.Rev 1 & GL 88-11.  
JACKSON,M.A. Commonwealth Edison Co. 92/07/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 62365:156-62365:240.

—9207100291 "Response to GL 92-01 for Commonwealth Edison Co Byron Units 1 & 2,Braidwood Units 1 & 2 & Zion Units 1 & 2."  
\* Babcock & Wilcox Co. BAW-2167. 92/06/30. 79pp. 62365:159-62365:240.

9207280040 Ack receipt of 920608 ltr in response to NRC 920501 ltr identifying fitness-for-duty concern at plant.NRC finds licensee investigation to be sufficient to support conclusions & has no addl questions.  
NORELIUS,C.E. Region 3 (Post 820201). 92/07/14. REED,C. Commonwealth Edison Co. 2pp. 62488:071-62488:072.

9207290144 Confirms plans to hold meeting on 920724 to discuss recent util organizational decisions.  
GREENMAN,E.G. Region 3 (Post 820201). 92/07/22. REED,C. Commonwealth Edison Co. 2pp. 62506:182-62506:183.

#### Q. Inspection reports, IE Bulletins & correspondence

9207220318 FOIA request for results of INPO most recent insp of Byron Station.  
VON ZELLEN,B.W. DeKalb Area Alliance for Responsible Energy. 91/10/26. GRIMSLEY,D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62462:339-62462:339.

9207220322 Final response to FOIA request for results of INPO most recent insp of plant.No agency records subj to request located.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. VON ZELLEN,B.W. DeKalb Area Alliance for Responsible Energy. 1p. 62462:340-62462:340.

9207070240 Forwards safety insp repts 50-454/92-11 & 50-455/92-11 on 920506-0612.No violations noted.  
FARBER,M.J. Region 3 (Post 820201). 92/06/26. REED,C. Commonwealth Edison Co. 2pp. 62206:188-62206:202.

—9207070249 Insp repts 50-454/92-11 & 50-455/92-11 on 920506-0612.No violations noted.Major areas inspected:previous insp findings,operational safety verification,onsite event followup & current matl condition.  
FARBER,M.J. Region 3 (Post 820201). 92/06/26. 13pp. 62206:190-62206:202.

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207070255 Forwards requalification exam rept 50-454/OL-92-01 during wk of 920608.Results of evaluation of licensee requalification program assigned satisfactory rating.  
WRIGHT,G.C. Region 3 (Post 820201). 92/06/29. REED,C. Commonwealth Edison Co. 2pp. 62206:203-62206:214.

—9207070266 Exam rept 50-454/OL-92-01 on 920608.Exam results:all six ROs & 10 SROs passed exams & all crews received satisfactory evaluations for performance on dynamic simulator exam.  
WALKER,J.R., BURDICK,T.M. Region 3 (Post 820201). 92/06/26. 9pp. 62206:205-62206:214.

9207100100 Forwards insp repts 50-454/92-09,50-455/92-09,50-456/92-09 & 50-457/92-09 on 920322-0605.No violations noted.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/01. REED,C. Commonwealth Edison Co. 3pp. 62331:304-62331:314.

—9207100112 Insp repts 50-454/92-09,50-455/92-09,50-456/92-09 & 50-457/92-09 on 920322-0605.No violations noted.Major areas inspected:review of licensee actions to resolve previously identified issues & subsequent EOP followup insp repts.  
RESCHESKE,P.R., BURGESS,B.L. Region 3 (Post 820201). 92/07/01. 8pp. 62331:307-62331:314.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207310171 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities.Compensatory measures implemented.  
JACKSON,M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

#### R. Periodic operating reports & related correspondence

9207270171 Monthly operating repts for June 1992 for Byron Nuclear Power Station units 1 & 2.W/920710 ltr.  
EHLE,D., PLENIEWICZ,R. Commonwealth Edison Co. 92/06/30. 14pp. 62516:284-62516:297.

9207290351 Forwards "10CFR50.46 Margin Utilization Byron & Braidwood Units 1 & 2," constituting annual ECCS evaluation model change rept for period ending 910725.Vendor made no changes to ECCS evaluations in past yr.  
JACKSON,M.A. Commonwealth Edison Co. 92/07/23. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62588:171-62588:178.

—9207290356 "10CFR50.46 Margin Utilization Byron & Braidwood Station, Units 1 & 2," constituting annual rept of results of ECCS evaluation models for period ending 910725.  
\* Commonwealth Edison Co. 91/07/25. 6pp. 62588:173-62588:178.

#### S. Reportable occurrences, LERs & related correspondence

9207290381 LER 92-004-00:on 920701,received an operability assessment re BDPS.Caused by inadequate safety analysis & subsequent review for BDPS.Special operating order was revised to implement conditions for operability.W/920721 ltr.  
ELAM,K., FARR,D., PLENIEWICZ,R. Commonwealth Edison Co. 92/07/21. 7pp.

## 158 DOCKETED ITEMS

### V. Operator Examinations

**9207070255** Forwards requalification exam rept 50-454/OL-92-01 during wk of 920608. Results of evaluation of licensee requalification program assigned satisfactory rating. WRIGHT, G.C. Region 3 (Post 820201). 92/06/29. REED, C. Commonwealth Edison Co. 2pp. 62206:203-62206:214.

**-9207070266** Exam rept 50-454/OL-92-01 on 920608. Exam results: all six ROs & 10 SROs passed exams & all crews received satisfactory evaluations for performance on dynamic simulator exam. WALKER, J.R., BURDICK, T.M. Region 3 (Post 820201). 92/06/26. 9pp. 62206:205-62206:214.

**9207090342** Discusses generic fundamentals exam section of operator licensing exam, administered on 920610. Master BWR/PWR subj exam w/answer key encl for info. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

**9207170238** Advises that written & operating licensed operator & senior operator exams scheduled for wks of 911130 & 1207. Ref mats, listed on encl, requested at least 60 days prior to exam dates. WRIGHT, G.C. Region 3 (Post 820201). 92/07/14. REED, C. Commonwealth Edison Co. 14pp. 62436:266-62436:279.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit list of names of candidates for exam to appropriate NRC regional administrator. WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

### DOCKET STN-50-455 BYRON STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207090153** Rev 4a to Generating Station Emergency Plan Byron Station Annex. \* Commonwealth Edison Co. 92/04/30. 14pp. 62340:235-62340:248.

**920710101** Revised EIPs, including rev 4 to BZP-210-A1, "PWR EAL Philosophy," rev 27 to BZP-600-A1, "Prioritized Call Listing for Staff Augmentation Purposes," & rev 27 to BZP-600-A4, "Byron Station Group Directory." \* Commonwealth Edison Co. 92/06/22. 65pp. 62231:076-62231:141.

**9207100002** Revised EIP index, correcting typos on pages 1 through 3, in ref to EIP BZP-100-0. ORRIS, K. Commonwealth Edison Co. 92/06/23. 4pp. 62230:270-62230:273.

**9207100003** Revised EIP index, correcting typos on pages 1 & 2, in ref to EIP BZP-500-0. ORRIS, K. Commonwealth Edison Co. 92/06/23. 3pp. 62230:267-62230:269.

**9207100004** Revised EIP index, correcting typos on pages 3 & 4, in ref to EIP BZP-380-19. ORRIS, K. Commonwealth Edison Co. 92/06/23. 3pp. 62230:263-62230:265.

**9207100007** Revised EIP index, correcting typos on page 1, in ref to EIP BZP-510-1. ORRIS, K. Commonwealth Edison Co. 92/06/23. 2pp. 62230:238-62230:239.

**9207100112** Revised EIP index, correcting typos on page 1, in ref to EIP BZP-300-0. ORRIS, K. Commonwealth Edison Co. 92/06/23. 2pp. 62217:360-62217:361.

**9207200289** Forwards Rev 36 to security plan, Rev withheld (ref 10CFR73.21). KOVACH, T.J. Commonwealth Edison Co. 92/06/23. Document Control Branch (Document Control Desk). 1p. 62425:355-62425:355.

**9207070240** Forwards safety insp repts 50-454/92-11 & 50-455/92-11 on 920506-0612. No violations noted. FARBER, M.J. Region 3 (Post 820201). 92/06/26. REED, C. Commonwealth Edison Co. 2pp. 62206:188-62206:202.

**-9207070249** Insp repts 50-454/92-11 & 50-455/92-11 on 920506-0612. No violations noted. Major areas inspected: previous insp findings, operational safety verification, onsite event followup & current matl condition. FARBER, M.J. Region 3 (Post 820201). 92/06/26. 13pp. 62206:190-62206:202.

**9207100100** Forwards insp repts 50-454/92-09, 50-455/92-09, 50-456/92-09 & 50-457/92-09 on 920322-0605. No violations noted. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. REED, C. Commonwealth Edison Co. 3pp. 62331:304-62331:314.

**-9207100112** Insp repts 50-454/92-09, 50-455/92-09, 50-456/92-09 & 50-457/92-09 on 920322-0605. No violations noted. Major areas inspected: review of licensee actions to resolve previously identified issues & subsequent EOP followup insp repts. RESCHESKE, P.R. Region 3 (Post 820201). 92/07/01. 8pp. 62331:307-62331:314.

**9207200033** Ack receipt of 920529 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/92-08 & 50-455/92-08 on 920330. CLAYTON, B. Region 3 (Post 820201). 92/07/09. REED, C. Commonwealth Edison Co. 2pp. 62447:343-62447:344.

**9207220243** Forwards Rev 37 to security plan, in response to changes suggested by past regulatory effectiveness review. Rev withheld (ref 10CFR73.21). KOVACH, T.J. Commonwealth Edison Co. 92/07/13. Document Control Branch (Document Control Desk). 1p. 62457:358-62457:358.

**9207270305** Ack receipt of 920623 ltr transmitting Rev 36 to security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable except for listed security plan conflicts re records for access authorization & employment history. PEDERSON, C.D. Region 3 (Post 820201). 92/07/15. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62528:197-62528:198.

**9207280300** Ack receipt of rev 37 to security plan, submitted via 920713 ltr. Changes consistent w/10CFR50.54(p) & acceptable. PEDERSON, C.D. Region 3 (Post 820201). 92/07/22. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62487:217-62487:218.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities. Compensatory measures implemented. JACKSON, M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

### P. Operating license stage documents & correspondence

**9207020006** Forwards amend 47 to licenses NPF-37 & NPF-66 & amend 36 to licenses NPF-72 & NPF-77, respectively & safety evaluation. Amends modify TS 4.5.2.b venting surveillance requirements. Notice of issuance encl. HSIA, A.H. Project Directorate III-2. 92/06/22. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62183:307-62183:325.

**-9207020013** Amend 47 to licenses NPF-37 & NPF-66 & amend 36 to licenses NPF-72 & NPF-77, respectively modifying TS 4.5.2.b venting surveillance requirements by eliminating requirement of venting ECCS discharge piping inside of containment. BARRETT, R.J. Project Directorate III-2. 92/06/22. 13pp. 62183:309-62183:320.

**-9207020016** Safety evaluation supporting amend 47 to licenses NPF-37 & NPF-66 & amend 36 to licenses NPF-72 & NPF-77, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/22. 3pp. 62183:321-62183:323.

**-9207020021** Notice of consideration of issuance of amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77, respectively & proposed NSHC & opportunity for hearing. Amends modify TS to eliminate surveillance requirement of venting ECCS discharge piping. HSIA, A.H. Project Directorate III-2. 92/06/22. 2pp. 62183:324-62183:325.

**9207020113** Forwards SE approving use of Category 3 instrumentation for accumulator level & pressure. PULSIFER, R.M. Project Directorate III-2. 92/06/23. KOVACH, T.J. Commonwealth Edison Co. 3pp. 62183:269-62183:274.

**-9207020114** SE approving use of Category 3 instrumentation for accumulator level & pressure. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/23. 3pp. 62183:272-62183:274.

**9207020284** Responds to 920212 staff requirements memo re performance of util plants. TAYLOR, J.M. Ofc of the Executive Director for Operations. SECY-92-228. 92/06/25. 18pp. 62465:207-62465:224.

**9207070068** Submits supplemental info for 920507 amend to licenses DPR-19, DPR-25, DPR-29, DPR-30, DPR-39, DPR-48, NPF-11, NPF-18, NPF-37, NPF-66, NPF-72 & NPF-77, per NRC request. Revised TS re rev of onsite review of procedures encl. SIMPKIN, T.W. Commonwealth Edison Co. 92/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 62267:020-62267:089.

**-9207070089** Supplemental proposed tech specs proposing to change administrative controls sections of TS, submitted as supplement to original request w/info necessary to complete review. \* Commonwealth Edison Co. 92/07/01. 49pp. 62267:041-62267:089.

**9207100283** Forwards B&W Rept BAW-2167, dtd June 1992 entitled, "Response to GL 92-01 for Commonwealth Edison Co Byron Units 1 & 2, Braidwood Units 1 & 2 & Zion Units 1 & 2," in response to GL 92-01, Rev 1 & GL 88-11. JACKSON, M.A. Commonwealth Edison Co. 92/07/02. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 62365:156-62365:240.

**-9207100291** "Response to GL 92-01 for Commonwealth Edison Co Byron Units 1 & 2, Braidwood Units 1 & 2 & Zion Units 1 & 2." \* Babcock & Wilcox Co. BAW-2167. 92/06/30. 79pp. 62365:159-62365:240.

**9207280040** Ack receipt of 920608 ltr in response to NRC 920501 ltr identifying fitness-for-duty concern at plant. NRC finds licensee investigation to be sufficient to support conclusions & has no addl questions. NORELUS, C.E. Region 3 (Post 820201). 92/07/14. REED, C. Commonwealth Edison Co. 2pp. 62488:071-62488:072.

**9207290144** Confirms plans to hold meeting on 920724 to discuss recent util organizational decisions. GREENMAN, E.G. Region 3 (Post 820201). 92/07/22. REED, C. Commonwealth Edison Co. 2pp. 62506:182-62506:183.

### Q. Inspection reports, IE Bulletins & correspondence

**9207220318** FOIA request for results of INPO most recent insp of Byron Station. VON ZELLEN, B.W. DeKalb Area Alliance for Responsible Energy. 91/10/26. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62462:339-62462:339.

**9207220322** Final response to FOIA request for results of INPO most recent insp of plant. No agency records subj to request located. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. VON ZELLEN, B.W. DeKalb Area Alliance for Responsible Energy. 1p. 62462:340-62462:340.

**9207070240** Forwards safety insp repts 50-454/92-11 & 50-455/92-11 on 920506-0612. No violations noted. FARBER, M.J. Region 3 (Post 820201). 92/06/26. REED, C. Commonwealth Edison Co. 2pp. 62206:188-62206:202.

**-9207070249** Insp repts 50-454/92-11 & 50-455/92-11 on 920506-0612. No violations noted. Major areas inspected: previous insp findings, operational safety verification, onsite event followup & current matl condition. FARBER, M.J. Region 3 (Post 820201). 92/06/26. 13pp. 62206:190-62206:202.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207070255 Forwards requalification exam rept 50-454/OL-92-01 during wk of 920608. Results of evaluation of licensee requalification program assigned satisfactory rating.  
WRIGHT, G.C. Region 3 (Post 820201). 92/06/29. REED, C. Commonwealth Edison Co. 2pp. 62206:203-62206:214.

9207100100 Forwards insp repts 50-454/92-09, 50-455/92-09, 50-456/92-09 & 50-457/92-09 on 920322-0605. No violations noted.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. REED, C. Commonwealth Edison Co. 3pp. 62331:304-62331:314.

-9207100112 Insp repts 50-454/92-09, 50-455/92-09, 50-456/92-09 & 50-457/92-09 on 920322-0605. No violations noted. Major areas inspected: review of licensee actions to resolve previously identified issues & subsequent EOP followup insp repts.  
RESCHESKE, P.R., BURGESS, B.L. Region 3 (Post 820201). 92/07/01. 8pp. 62331:307-62331:314.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207310171 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities. Compensatory measures implemented.  
JACKSON, M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

#### R. Periodic operating reports & related correspondence

9207270171 Monthly operating repts for June 1992 for Byron Nuclear Power Station units 1 & 2. W/920710 ltr.  
EHLE, D., PLENIEWICZ, R. Commonwealth Edison Co. 92/06/30. 14pp. 62516:284-62516:297.

9207290351 Forwards "10CFR50.46 Margin Utilization Byron & Braidwood Units 1 & 2," constituting annual ECCS evaluation model change rept for period ending 910725. Vendor made no changes to ECCS evaluations in past yr.  
JACKSON, M.A. Commonwealth Edison Co. 92/07/23. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62588:171-62588:178.

-9207290356 "10CFR50.46 Margin Utilization Byron & Braidwood Station, Units 1 & 2," constituting annual rept of results of ECCS evaluation models for period ending 910725.  
\* Commonwealth Edison Co. 91/07/25. 6pp. 62588:173-62588:178.

#### S. Reportable occurrences, LERs & related correspondence

9207010249 PNO-III-92-037: on 920624, Illinois Commerce Commission established 20% reserve margin as criterion for determining if new generating facility used & useful. Charge may affect facility rate base. Final decision due in Jan 1993.  
LICKUS, R., STRASMA, J. Region 3 (Post 820201). 92/06/25. 1p. 62254:073-62254:073.

9207070116 LER 92-004-00: on 920614, Unit 2 tripped on source range flux channel N32. Caused by source range spiking due to lightning. Shift control room engineer consulted w/ National Weather Svc. W/920630 ltr.  
FARR, D., PLENIEWICZ, R. Commonwealth Edison Co. 92/07/01. 5pp. 62292:197-62292:201.

9207150003 LER 92-026-00: on 920610, feedwater alarm received on loop C SG, SG feedwater regulating valve failed closed & manual reactor trip initiated. Caused by failure of valve operator diaphragm. Diaphragms replaced. W/920706 ltr.  
SCHEFFLER, W., KOUBA, W., PLENIEWICZ, R. Commonwealth Edison Co. 92/07/09. 8pp. 62480:026-62480:033.

#### V. Operator Examinations

9207070255 Forwards requalification exam rept 50-454/OL-92-01 during wk of 920608. Results of evaluation of licensee requalification program assigned satisfactory rating.  
WRIGHT, G.C. Region 3 (Post 820201). 92/06/29. REED, C. Commonwealth Edison Co. 2pp. 62206:203-62206:214.

9207090342 Discusses generic fundamentals exam section of operator licensing exam, administered on 920610. Master BWR/PWR subj exam w/ answer key encl for info.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62268:049-62268:069.

9207170238 Advises that written & operating licensed operator & senior operator exams scheduled for wks of 911130 & 1207. Ref matl is, listed on encl, requested at least 60 days prior to exam dates.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/14. REED, C. Commonwealth Edison Co. 14pp. 62436:266-62436:279.

9207310032 Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62548:081-62548:083.

#### DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

##### F. Security, medical, emergency & fire protection plans

9207170063 Rev 4 to "Bryon Emergency Action Level (EAL) Philosophy."  
\* Commonwealth Edison Co. 91/07/08. 11pp. 62440:195-62440:207.

9207080154 Revised EIPs, including rev 6 to BWZP 200-1A1, "Emergency Action Levels," & rev 4 to BWZP 500-1A1, "Drill/Exercise Follow-up Form."  
\* Commonwealth Edison Co. 92/06/12. 26pp. 62291:330-62291:355.

9207020271 Forwards Rev 24 to security plan. Rev withheld (ref 10CFR73.21).  
KOVACH, T.J. Commonwealth Edison Co. 92/06/23. Document Control Branch (Document Control Desk). 1p. 62425:353-62425:353.

9207100100 Forwards insp repts 50-454/92-09, 50-455/92-09, 50-456/92-09 & 50-457/92-09 on 920322-0605. No violations noted.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. REED, C. Commonwealth Edison Co. 3pp. 62331:304-62331:314.

-9207100112 Insp repts 50-454/92-09, 50-455/92-09, 50-456/92-09 & 50-457/92-09 on 920322-0605. No violations noted. Major areas inspected: review of licensee actions to resolve previously identified issues & subsequent EOP followup insp repts.  
RESCHESKE, P.R. Region 3 (Post 820201). 92/07/01. 8pp. 62331:307-62331:314.

9207220233 Revised procedures, including Rev 6 to BWZP 100-1A1, Rev 2 to BWZP 210-1A1, Rev 5 to BWZP 400-1, Rev 5 to BWZP 400-1A1, Rev 6 to BWZP 400-3A1, Rev 5 to BWZP 400-3A6, Rev 5 to BWZP 500-1, Rev 5 to BWZP 500-3 & Rev 7 to BWZP 500-4.  
\* Commonwealth Edison Co. 92/07/15. 91pp. 62473:172-62473:263.

9207280121 Ack receipt of 920623 ltr transmitting Rev 24 to plant security plan submitted per 10CFR50.54(p). NRC determined that changes acceptable.  
PEDERSON, C.D. Region 3 (Post 820201). 92/07/15. KOVACH, T.J. Commonwealth Edison Co. 3pp. 62488:356-62488:358.

9207220258 Ack receipt of proposed scope & objectives for emergency plan exercise at facilities scheduled on 920826, transmitted via 920528 ltr. Proposed scope & objectives acceptable.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/16. REED, C. Commonwealth Edison Co. 2pp. 62474:360-62474:361.

9207310171 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities. Compensatory measures implemented.  
JACKSON, M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

9207310260 Revised EIPs, including Rev 25 to BWZP 600-3, Rev 26 to BWZP 600-3A1, Rev 25 to BWZP 600-3AZ, Rev 25 to BWZP 600-3A4, Rev 25 to BWZP 600-3A5 & Rev 1 to BWZP 600-3A9.  
\* Commonwealth Edison Co. 92/07/23. 9pp. 62638:159-62638:167.

#### P. Operating license stage documents & correspondence

9207020006 Forwards amend 47 to licenses NPF-37 & NPF-66 & amend 36 to licenses NPF-72 & NPF-77, respectively & safety evaluation. Amends modify TS 4.5.2.b venting surveillance requirements. Notice of issuance encl.  
HSIA, A.H. Project Directorate III-2. 92/06/22. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62183:307-62183:325.

-9207020013 Amend 47 to licenses NPF-37 & NPF-66 & amend 36 to licenses NPF-72 & NPF-77, respectively modifying TS 4.5.2.b venting surveillance requirements by eliminating requirement of venting ECCS discharge piping inside of containment.  
BARRETT, R.J. Project Directorate III-2. 92/06/22. 13pp. 62183:309-62183:320.

-9207020016 Safety evaluation supporting amend 47 to licenses NPF-37 & NPF-66 & amend 36 to licenses NPF-72 & NPF-77, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/22. 3pp. 62183:321-62183:323.

-9207020021 Notice of consideration of issuance of amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77 & proposed NSHC & opportunity for hearing. Amends modify TS to eliminate surveillance requirement of venting ECCS discharge piping.  
HSIA, A.H. Project Directorate III-2. 92/06/22. 2pp. 62183:324-62183:325.

9207020113 Forwards SE approving use of Category 3 instrumentation for accumulator level & pressure.  
PULSIFER, R.M. Project Directorate III-2. 92/06/23. KOVACH, T.J. Commonwealth Edison Co. 3pp. 62183:269-62183:274.

-9207020114 SE approving use of Category 3 instrumentation for accumulator level & pressure.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/23. 3pp. 62183:272-62183:274.

9207020284 Responds to 920212 staff requirements memo re performance of util plants.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. SECY-92-228. 92/06/25. 18pp. 62465:207-62465:224.

9207080105 Forwards "Inservice Testing Program Plan for Pumps Braidwood Station Units 1 & 2."  
SIMPKIN, T.W. Commonwealth Edison Co. 92/06/25. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 62275:001-62275:179.

-9207080111 Rev 5 to "Inservice Testing Program Plan for Pumps Braidwood Station Units 1 & 2."  
\* Commonwealth Edison Co. 92/06/25. 175pp. 62275:011-62275:179.



## 160 DOCKETED ITEMS

**9207070068** Submits supplemental info for 920507 amend to licenses DPR-19,DPR-25,DPR-29,DPR-30,DPR-39,DPR-48,NPF-11,NPF-18, NPF-37,NPF-66,NPF-72 & NPF-77,per NRC request.Revised TS re rev of onsite review of procedures encl. SIMPKIN,T.W. Commonwealth Edison Co. 92/07/01. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 62267:020-62267:089.

**-9207070089** Supplemental proposed tech specs proposing to change administrative controls sections of TS,submitted as supplement to original request w/info necessary to complete review.  
\* Commonwealth Edison Co. 92/07/01. 49pp. 62267:041-62267:089.

**9207100283** Forwards B&W Rept BAW-2167,dttd June 1992 entitled, "Response to GL 92-01 for Commonwealth Edison Co Byron Units 1 & 2, Braidwood Units 1 & 2 & Zion Units 1 & 2," in response to GL 92-01,Rev 1 & GL 88-11.  
JACKSON,M.A. Commonwealth Edison Co. 92/07/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 62365:156-62365:240.

**-9207100291** "Response to GL 92-01 for Commonwealth Edison Co Byron Units 1 & 2,Braidwood Units 1 & 2 & Zion Units 1 & 2"  
\* Babcock & Wilcox Co. BAW-2167. 92/06/30. 79pp. 62365:159-62365:240.

**9207290144** Confirms plans to hold meeting on 920724 to discuss recent util organiza-tion decisions.  
GREENMAN,E.G. Region 3 (Post 820201). 92/07/22. REED,C. Commonwealth Edison Co. 2pp. 62506:182-62506:183.

### Q. Inspection reports, IE Bulletins & correspondence

**9207070218** Forwards insp repts 50-456/92-11 & 50-457/92-11 on 920421-0605.No violations identified.  
FARBER,M.J. Region 3 (Post 820201). 92/06/25. REED,C. Commonwealth Edison Co. 2pp. 62206:018-62206:028.

**-9207070230** Insp repts 50-456/92-11 & 50-457/92-11 on 920421-0605. Violations noted.Major areas inspected:LER review,safety assessment/quality verification,operational safety verification & monthly maint observations.  
FARBER,M.J. Region 3 (Post 820201). 92/06/25. 9pp. 62206:020-62206:028.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070290** Forwards insp repts 50-456/92-12 & 50-457/92-12 on 920526- 29.No violations noted.Violation will not be subj to enforcement due to efforts in identifying & correcting violation.  
SCHUMACHER,M.C. Region 3 (Post 820201). 92/06/29. REED,C. Commonwealth Edison Co. 2pp. 62206:217-62206:226.

**-9207070297** Insp repts 50-456/92-12 & 50-457/92-12 on 920526-29.No violations noted.Major areas inspected:gaseous & liquid radwaste programs,radiation protection program,LERs & previous insp findings.  
KUNOWSKI,M.A., SHAH,N., SCHUMACHER,M.C. Region 3 (Post 820201). 92/06/29. 8pp. 62206:219-62206:226.

**9207100100** Forwards insp repts 50-454/92-09,50-455/92-09,50-456/92-09 & 50-457/92-09 on 920322-0605.No violations noted.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/01. REED,C. Commonwealth Edison Co. 3pp. 62331:304-62331:314.

**-9207100112** Insp repts 50-454/92-09,50-455/92-09,50-456/92-09 & 50-457/92-09 on 920322-0605.No violations noted.Major areas inspected:review of licensee actions to resolve previously identified issues & subsequent EOP followup insp repts.  
RESCHESKE,P.R., BURGESS,B.L. Region 3 (Post 820201). 92/07/01. 8pp. 62331:307-62331:314.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207150012** Forwards insp repts 50-456/92-13 & 50-457/92-13 on 920601-12 & 25.No violations noted.  
RING,M.A. Region 3 (Post 820201). 92/07/09. REED,C. Commonwealth Edison Co. 2pp. 62335:014-62335:030.

**-9207150016** Insp repts 50-456/92-13 & 50-457/92-13 on 920601-12 & 25.No violations noted.Major areas inspected:design change & engineering support activities using selected portions of insp module 37700.  
WALKER,H.A., HAUSMAN,G.M., SCHRUM,D.L. Region 3 (Post 820201). 92/07/09. 15pp. 62335:016-62335:030.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities.Compensatory measures implemented.  
JACKSON,M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

### R. Periodic operating reports & related correspondence

**9207140082** Monthly operating repts for June 1992 for Braidwood Nuclear Power Station,Units 1 & 2,W/920710 ltr.  
PERSHEY,C.E., KOFRON,K.L. Commonwealth Edison Co. 92/06/30. 14pp. 62385:321-62385:334.

**9207160249** Forwards errata to "1990 Braidwood Annual Environ Operating Rept" & "1991 Braidwood Annual Environ Operating Rept."  
KOFRON,K.L. Commonwealth Edison Co. 92/07/02. DAVIS,A.B. Region 3 (Post 820201). 1p. 62423:312-62423:324.

**-9207160256** Errata to "1990 Braidwood Annual Environmental Operating Rept."  
\* Commonwealth Edison Co. 90/12/31. 6pp. 62423:313-62423:318.

**-9207160259** Errata to "1991 Braidwood Annual Environmental Operating Rept."  
\* Commonwealth Edison Co. 91/12/31. 6pp. 62423:319-62423:324.

**9207290351** Forwards "10CFR50.46 Margin Utilization Byron & Braidwood Units 1 & 2," constituting annual ECCS evaluation model change rept for period ending 910725.Vendor made no changes to ECCS evaluations in past yr.  
JACKSON,M.A. Commonwealth Edison Co. 92/07/23. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62588:171-62588:178.

**-9207290356** "10CFR50.46 Margin Utilization Byron & Braidwood Station, Units 1 & 2," constituting annual rept of results of ECCS evaluation models for period ending 910725.  
\* Commonwealth Edison Co. 91/07/25. 6pp. 62588:173-62588:178.

### S. Reportable occurrences, LERs & related correspondence

**9207010249** PNO-III-92-037:on 920624,Illinois Commerce Commission established 20% reserve margin as criterion for determining if new generating facility used & useful.Charge may affect facility rate base.Final decision due in Jan 1993.  
LICKUS,R., STRASMA,J. Region 3 (Post 820201). 92/06/25. 1p. 62254:073-62254:073.

### V. Operator Examinations

**9207090342** Discusses generic fundamentals exam section of operator licensing exam,administered on 920610.Master BWR/PWR subj exam w/answer key encl for info.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007.Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

### DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

### F. Security, medical, emergency & fire protection plans

**9207170063** Rev 4 to "Bryon Emergency Action Level (EAL) Philosophy."  
\* Commonwealth Edison Co. 91/07/08. 11pp. 62440:195-62440:207.

**9207080154** Revised EIPs,including rev 6 to BWZP 200-1A1, "Emergency Action Levels," & rev 4 to BWZP 500-1A1, "Drill/Exercise Follow-up Form."  
\* Commonwealth Edison Co. 92/06/12. 26pp. 62291:330-62291:355.

**9207020271** Forwards Rev 24 to security plan,Rev withheld (ref 10CFR73.21).  
KOVACH,T.J. Commonwealth Edison Co. 92/06/23. Document Control Branch (Docu-ment Control Desk). 1p. 62425:353-62425:353.

**9207100100** Forwards insp repts 50-454/92-09,50-455/92-09,50-456/92-09 & 50-457/92-09 on 920322-0605.No violations noted.  
WRIGHT,G.C. Region 3 (Post 820201). 92/07/01. REED,C. Commonwealth Edison Co. 3pp. 62331:304-62331:314.

**-9207100112** Insp repts 50-454/92-09,50-455/92-09,50-456/92-09 & 50-457/92-09 on 920322-0605.No violations noted.Major areas inspected:review of licensee actions to resolve previously identified issues & subsequent EOP followup insp repts.  
RESCHESKE,P.R. Region 3 (Post 820201). 92/07/01. 8pp. 62331:307-62331:314.

**9207220233** Revised procedures,including Rev 6 to BWZP 100-1A1,Rev 2 to BWZP 210-1A1,Rev 5 to BWZP 400-1,Rev 5 to BWZP 400-1A1,Rev 6 to BWZP 400-3A1,Rev 5 to BWZP 400-3A6,Rev 5 to BWZP 500-1, Rev 5 to BWZP 500-3 & Rev 7 to BWZP 500-4.  
\* Commonwealth Edison Co. 92/07/15. 81pp. 62473:172-62473:263.

**9207280121** Ack receipt of 920623 ltr transmitting Rev 24 to plant security plan submit-ted per 10CFR50.54(p).NRC determined that changes acceptable.  
PEDERSON,C.D. Region 3 (Post 820201). 92/07/15. KOVACH,T.J. Commonwealth Edison Co. 3pp. 62488:356-62488:358.

**9207220258** Ack receipt of proposed scope & objectives for emergency plan exercise at facilities scheduled on 920826,transmitted via 920528 ltr.Proposed scope & objectives acceptable.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/16. REED,C. Commonwealth Edison Co. 2pp. 62474:360-62474:361.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matl used at all listed facilities.Compensatory measures implemented.  
JACKSON,M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

**9207310260** Revised EIPs,including Rev 25 to BWZP 600-3,Rev 26 to BWZP 600-3A1,Rev 25 to BWZP 600-3A2,Rev 25 to BWZP 600-3A4,Rev 25 to BWZP 600-3A5 & Rev 1 to BWZP 600-3A8.  
\* Commonwealth Edison Co. 92/07/23. 9pp. 62638:159-62638:167.



**P. Operating license stage documents & correspondence**

**9207020006** Forwards amend 47 to licenses NPF-37 & NPF-66 & amend 36 to licenses NPF-72 & NPF-77, respectively & safety evaluation. Amends modify TS 4.5.2.b venting surveillance requirements. Notice of issuance encl. HSIA, A.H. Project Directorate III-2. 92/06/22. KOVACH, T.J. Commonwealth Edison Co. 2pp. 62183:307-62183:325.

**-9207020013** Amend 47 to licenses NPF-37 & NPF-66 & amend 36 to licenses NPF-72 & NPF-77, respectively modifying TS 4.5.2.b venting surveillance requirements by eliminating requirement of venting ECCS discharge piping inside of containment. BARRETT, R.J. Project Directorate III-2. 92/06/22. 13pp. 62183:309-62183:320.

**-9207020016** Safety evaluation supporting amend 47 to licenses NPF-37 & NPF-66 & amend 36 to licenses NPF-72 & NPF-77, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/22. 3pp. 62183:321-62183:323.

**-9207020021** Notice of consideration of issuance of amends to licenses NPF-37, NPF-66, NPF-72 & NPF-77 & proposed NSHC & opportunity for hearing. Amends modify TS to eliminate surveillance requirement of venting ECCS discharge piping. HSIA, A.H. Project Directorate III-2. 92/06/22. 2pp. 62183:324-62183:325.

**9207020113** Forwards SE approving use of Category 3 instrumentation for accumulator level & pressure. PULSIFER, R.M. Project Directorate III-2. 92/06/23. KOVACH, T.J. Commonwealth Edison Co. 3pp. 62183:269-62183:274.

**-9207020114** SE approving use of Category 3 instrumentation for accumulator level & pressure.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/23. 3pp. 62183:272-62183:274.

**9207020284** Responds to 920212 staff requirements memo re performance of util plants. TAYLOR, J.M. Ofc of the Executive Director for Operations. SECY-92-228. 92/06/25. 18pp. 62465:207-62465:224.

**9207080105** Forwards "Inservice Testing Program Plan for Pumps Braidwood Station Units 1 & 2." SIMPKIN, T.W. Commonwealth Edison Co. 92/06/25. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 62275:001-62275:179.

**-9207080111** Rev 5 to "Inservice Testing Program Plan for Pumps Braidwood Station Units 1 & 2."  
\* Commonwealth Edison Co. 92/06/25. 175pp. 62275:011-62275:179.

**9207070068** Submits supplemental info for 920507 amend to licenses DPR-19, DPR-25, DPR-29, DPR-30, DPR-39, DPR-48, NPF-11, NPF-18, NPF-37, NPF-66, NPF-72 & NPF-77, per NRC request. Revised TS re rev of onsite review of procedures encl. SIMPKIN, T.W. Commonwealth Edison Co. 92/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 21pp. 62267:020-62267:089.

**-9207070089** Supplemental proposed tech specs proposing to change administrative controls sections of TS, submitted as supplement to original request w/info necessary to complete review.  
\* Commonwealth Edison Co. 92/07/01. 49pp. 62267:041-62267:089.

**9207100283** Forwards B&W Rept BAW-2167, dtd June 1992 entitled, "Response to GL 92-01 for Commonwealth Edison Co Byron Units 1 & 2, Braidwood Units 1 & 2 & Zion Units 1 & 2." in response to GL 92-01, Rev 1 & GL 88-11. JACKSON, M.A. Commonwealth Edison Co. 92/07/02. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 62365:156-62365:240.

**-9207100291** "Response to GL 92-01 for Commonwealth Edison Co Byron Units 1 & 2, Braidwood Units 1 & 2 & Zion Units 1 & 2."  
\* Babcock & Wilcox Co. BAW-2167. 92/06/30. 79pp. 62365:159-62365:240.

**9207290144** Confirms plans to hold meeting on 920724 to discuss recent util organizational decisions. GREENMAN, E.G. Region 3 (Post 820201). 92/07/22. REED, C. Commonwealth Edison Co. 2pp. 62508:182-62508:183.

**Q. Inspection reports, IE Bulletins & correspondence**

**9207070218** Forwards insp repts 50-456/92-11 & 50-457/92-11 on 920421-0805. No violations identified. FARBER, M.J. Region 3 (Post 820201). 92/06/25. REED, C. Commonwealth Edison Co. 2pp. 62206:018-62206:028.

**-9207070230** Insp repts 50-456/92-11 & 50-457/92-11 on 920421-0805. Violations noted. Major areas inspected: LER review, safety assessment/quality verification, operational safety verification & monthly maint observations. FARBER, M.J. Region 3 (Post 820201). 92/06/25. 9pp. 62206:020-62206:028.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070290** Forwards insp repts 50-456/92-12 & 50-457/92-12 on 920526-29. No violations noted. Violation will not be subj to enforcement due to efforts in identifying & correcting violation. SCHUMACHER, M.C. Region 3 (Post 820201). 92/06/29. REED, C. Commonwealth Edison Co. 2pp. 62206:217-62206:226.

**-9207070297** Insp repts 50-456/92-12 & 50-457/92-12 on 920526-29. No violations noted. Major areas inspected: gaseous & liquid radwaste programs, radiation protection program, LERs & previous insp findings. KUNOWSKI, M.A., SHAH, N., SCHUMACHER, M.C. Region 3 (Post 820201). 92/06/29. 8pp. 62206:219-62206:226.

**9207100100** Forwards insp repts 50-454/92-09, 50-455/92-09, 50-456/92-09 & 50-457/92-09 on 920322-0605. No violations noted. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. REED, C. Commonwealth Edison Co. 3pp. 62331:304-62331:314.

**-9207100112** Insp repts 50-454/92-09, 50-455/92-09, 50-456/92-09 & 50-457/92-09 on 920322-0605. No violations noted. Major areas inspected: review of licensee actions to resolve previously identified issues & subsequent EOP followup insp repts. RESCHESKE, P.R. Region 3 (Post 820201). 92/07/01. 8pp. 62331:307-62331:314.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207150012** Forwards insp repts 50-456/92-13 & 50-457/92-13 on 920601-12 & 25. No violations noted. RING, M.A. Region 3 (Post 820201). 92/07/09. REED, C. Commonwealth Edison Co. 2pp. 62335:014-62335:030.

**-9207150016** Insp repts 50-456/92-13 & 50-457/92-13 on 920601-12 & 25. No violations noted. Major areas inspected: design change & engineering support activities using selected portions of insp module 37700. WALKER, H.A., HAUSMAN, G.M., SCHRUM, D.L. Region 3 (Post 820201). 92/07/09. 15pp. 62335:016-62335:030.

**9207310171** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Subj matt used at all listed facilities. Compensatory measures implemented. JACKSON, M.A. Commonwealth Edison Co. 92/07/23. Document Control Branch (Document Control Desk). 5pp. 62611:352-62611:356.

**R. Periodic operating reports & related correspondence**

**9207140082** Monthly operating repts for June 1992 for Braidwood Nuclear Power Station, Units 1 & 2. W/920710 ltr. PERSHEY, C.E., KOFRON, K.L. Commonwealth Edison Co. 92/06/30. 14pp. 62385:321-62385:334.

**9207180249** Forwards errata to "1990 Braidwood Annual Environ Operating Rept" & "1991 Braidwood Annual Environ Operating Rept." KOFRON, K.L. Commonwealth Edison Co. 92/07/02. DAVIS, A.B. Region 3 (Post 820201). 1p. 62423:312-62423:324.

**-9207180256** Errata to "1990 Braidwood Annual Environmental Operating Rept."  
\* Commonwealth Edison Co. 90/12/31. 6pp. 62423:313-62423:318.

**-9207180259** Errata to "1991 Braidwood Annual Environmental Operating Rept."  
\* Commonwealth Edison Co. 91/12/31. 6pp. 62423:319-62423:324.

**9207290351** Forwards "10CFR50.46 Margin Utilization Byron & Braidwood Units 1 & 2," constituting annual ECCS evaluation model change rept for period ending 910725. Vendor made no changes to ECCS evaluations in past yr. JACKSON, M.A. Commonwealth Edison Co. 92/07/23. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62588:171-62588:178.

**-9207290356** "10CFR50.46 Margin Utilization Byron & Braidwood Station, Units 1 & 2," constituting annual rept of results of ECCS evaluation models for period ending 910725.  
\* Commonwealth Edison Co. 91/07/25. 6pp. 62588:173-62588:178.

**S. Reportable occurrences, LERs & related correspondence**

**9207010249** PNO-III-92-037: on 920624, Illinois Commerce Commission established 20% reserve margin as criterion for determining if new generating facility used & useful. Charge may affect facility rate base. Final decision due in Jan 1993. LICKUS, R. Region 3 (Post 820201). 92/06/25. 1p. 62254:073-62254:073.

**9207070073** LER 92-004-00: on 920531, during reactor start-up, both MG set tripped. Caused by voltmeter readings. Unit 1 MG set operator will be tested dynamically & bench testing will be performed on BOV to determine self heating. W/920630 ltr. ZAGRZESKI, R., KOFRON, K.L. Commonwealth Edison Co. 92/06/30. 5pp. 62292:170-62292:174.

**9207280205** Special rept: on 920610, DG 2A output breaker closed, resulting in parallel operation of DG 2A to sys grid & causing DG trip. Caused by reverse power condition due to operator error. Surveillance successfully completed. SIMPKIN, T.W. Commonwealth Edison Co. 92/07/14. DAVIS, A.B. Region 3 (Post 820201). 2pp. 62750:348-62750:349.

**V. Operator Examinations**

**9207090342** Discusses generic fundamentals exam section of operator licensing exam, administered on 920610. Master BWR/PWR subj exam w/answer key encl ltr info. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

## 162 DOCKETED ITEMS

### DOCKET 50-458 RIVER BEND STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**9207080301** Forwards insp rept 50-458/92-15 on 920420-24 & notice of violation. Rept details withheld per 10CFR73.21. BEACH, A.B. Region 4 (Post 820201). 92/07/06. DEDDENS, J.E. Gulf States Utilities Co. 7pp. 62305:107-62305:117.

**-9207080322** Notice of violation from insp on 920420-24. Violations noted: inspectors determined that during outages excessive numbers of tailgating & vital area door degradations occurred. Partially withheld per 10CFR73.21. \* Region 4 (Post 820201). 92/07/06. 2pp. 62305:114-62305:115.

**-9207080329** Insp rept 50-458/92-15 on 920420-24. Violations noted: Major areas inspected: records & repts, security organization, mgt effectiveness, security program audit, physical barriers-vital areas & compensatory measures. Partially withheld. MURRAY, B. Region 4 (Post 820201). 92/07/02. 2pp. 62305:116-62305:117.

**9207310167** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Util uses both 1 h & 3 h pre-formed Thermo-Lag 330 panels in 14 fire areas. ODELL, W.H. Gulf States Utilities Co. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62618:191-62618:193.

#### P. Operating license stage documents & correspondence

**9207140045** Forwards response to Rev 1 to Generic Ltr 92-01, "Reactor Vessel Structural Integrity," per 10CFR50.60 & 10CFR50.61 & commitments made in response to Generic Ltr 88-11. ODELL, W.H. Gulf States Utilities Co. 92/07/02. Document Control Branch (Document Control Desk). 10pp. 62380:339-62380:348.

**9207150119** Responds to NRC SER re station blackout analysis dtd 920611. Station blackout procedure changes will be completed prior to Refueling Outage 5, currently scheduled for Mar 1994. ODELL, W.H. Gulf States Utilities Co. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62411:346-62411:347.

**9207240037** Forwards SE granting some relief requests re inservice testing program for pumps & valves while denying others, per util 910726 response to items in TER encl in 910102 SE & util 920211 submittal. BLACK, S.C. Project Directorate IV-2. 92/07/16. DEDDENS, J.C. Gulf States Utilities Co. 3pp. 62479:188-62479:211.

**-9207240041** SER granting in part relief requests re inservice testing program for pumps & valves. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/16. 21pp. 62479:191-62479:211.

**9207240206** Forwards Rev 0 to RS-91-137, "RCIC Reliability Analysis, River Bend Nuclear Station." Rept submitted as followup to sys reliability program presentation at facility on 920623 & will serve as addl info for Remick to clarify questions. ODELL, W.H. Gulf States Utilities Co. 92/07/20. Document Control Branch (Document Control Desk). 2pp. 62515:103-62515:182.

**-9207240206** Rev 0 to "RCIC Reliability Analysis, River Bend Nuclear Station." CHRISTIE, B., NGUYEN, A.J., HOLBERT, O.A. Gulf States Utilities Co. RS-91-137 R00. 91/09/10. 78pp. 62515:107-62515:182.

#### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070038** Forwards insp rept 50-458/92-19 on 920608-12. No violations or deviations noted. BEACH, A.B. Region 4 (Post 820201). 92/06/30. DEDDENS, J.C. Gulf States Utilities Co. 4pp. 62205:074-62205:090.

**-9207070052** Insp rept 50-458/92-19 on 920608-12. No violations or deviations noted. Major areas inspected: licensee actions to correct weaknesses identified during electrical distribution sys functional insp in 1990. WESTERMAN, T.F. Region 4 (Post 820201). 92/06/24. 13pp. 62205:078-62205:090.

**9207070054** Forwards insp rept 50-458/92-18 on 920412-0523 & notice of violation. BEACH, A.B. Region 4 (Post 820201). 92/06/30. DEDDENS, J.C. Gulf States Utilities Co. 4pp. 62205:112-62205:135.

**-9207070060** Notice of violation from insp on 920412-0523. Violation noted: licensee failed to maintain primary containment integrity-fuel handling when handling irradiated fuel. \* Region 4 (Post 820201). 92/06/30. 1p. 62205:117-62205:117.

**-9207070064** Insp rept 50-458/92-18 on 920412-0523. Violations noted. Major areas inspected: followup of previously identified items, LER followup, onsite followup of events, operational safety verification & maint & surveillance observations. HARRELL, P.H. Region 4 (Post 820201). 92/06/30. 18pp. 62205:118-62205:135.

**9207070091** Forwards insp rept 50-458/92-23 on 920608-12. No violations noted. BEACH, A.B. Region 4 (Post 820201). 92/06/30. DEDDENS, J.C. Gulf States Utilities Co. 3pp. 62205:185-62205:194.

**-9207070095** Insp rept 50-458/92-23 on 920608-12. No violations noted. Major areas inspected: maint program implementation & status of corrective actions re previously identified weaknesses in training program. STETKA, T.F. Region 4 (Post 820201). 92/06/25. 6pp. 62205:189-62205:194.

**9207070025** Forwards insp rept 50-458/92-20 on 920608-12. No violations or deviations noted. BEACH, A.B. Region 4 (Post 820201). 92/07/01. DEDDENS, J.C. Gulf States Utilities Co. 4pp. 62205:035-62205:046.

**-9207070033** Insp rept 50-458/92-20 on 920608-12. No violations or deviations noted. Major areas inspected: licensee liquid & gaseous radwaste mgt & water chemistry control programs. MURRAY, B. Region 4 (Post 820201). 92/06/25. 8pp. 62205:039-62205:046.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207080301** Forwards insp rept 50-458/92-15 on 920420-24 & notice of violation. Rept details withheld per 10CFR73.21. BEACH, A.B. Region 4 (Post 820201). 92/07/06. DEDDENS, J.E. Gulf States Utilities Co. 7pp. 62305:107-62305:117.

**-9207080322** Notice of violation from insp on 920420-24. Violations noted: inspectors determined that during outages excessive numbers of tailgating & vital area door degradations occurred. Partially withheld per 10CFR73.21. \* Region 4 (Post 820201). 92/07/06. 2pp. 62305:114-62305:115.

**-9207080329** Insp rept 50-458/92-15 on 920420-24. Violations noted: Major areas inspected: records & repts, security organization, mgt effectiveness, security program audit, physical barriers-vital areas & compensatory measures. Partially withheld. MURRAY, B. Region 4 (Post 820201). 92/07/02. 2pp. 62305:116-62305:117.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207150185** Responds to NRC ltr re violations noted in insp rept 50-458/92-13 on 920427-0501. Corrective actions: radiation lead technician received counseling & procedure re posting of radiologically controlled areas reviewed. DEDDENS, J.C. Gulf States Utilities Co. 92/07/09. Region 4 (Post 820201). 5pp. 62412:328-62412:332.

**9207240081** Forwards insp rept 50-458/92-24 on 920524-0704. No violations or deviations noted. One item involving industrial safety identified re insp & use of load lifting equipment at facility. BEACH, A.B. Region 4 (Post 820201). 92/07/20. DEDDENS, J.C. Gulf States Utilities Co. 4pp. 62456:156-62456:174.

**-9207240085** Insp rept 50-458/92-24 on 920524-0704. No violations noted. Major areas inspected: review of suppression pool cleanup, operational safety verification, maint & surveillance operations & observation of diesel generator insp. HARRELL, P.H. Region 4 (Post 820201). 92/07/20. 14pp. 62456:161-62456:174.

**9207310167** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Util uses both 1 h & 3 h pre-formed Thermo-Lag 330 panels in 14 fire areas. ODELL, W.H. Gulf States Utilities Co. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62618:191-62618:193.

#### R. Periodic operating reports & related correspondence

**9207200142** Monthly operating rept for June 1992 for River Bend Station Unit 1.W/ 920715 ltr. HENDL, G.F., ODELL, W.H. Gulf States Utilities Co. 92/06/30. 5pp. 62462:341-62462:345.

#### S. Reportable occurrences, LERs & related correspondence

**9207090018** Special rept on 920522, determined that control panel 1ERS-NBI02 (voltage regulator/timing oscillator board) could not be adjusted to within specified tolerances. Cause not determined. Supplemental rept to be submitted by 920803. ODELL, W.H. Gulf States Utilities Co. 92/07/01. Document Control Branch (Document Control Desk). 2pp. 62307:336-62307:337.

**9207150193** Special rept on 920707, employee sustained back injury in drywell & transported to hospital. Surveys of injured individual, ambulance & ambulance driver found no contamination. States of LA & MS notified. ODELL, W.H. Gulf States Utilities Co. 92/07/08. Document Control Branch (Document Control Desk). 3pp. 62408:352-62408:354.

**9207150212** Part 21 rept re defect in forged elbow SA234 WPC. Initially reported by util on 920625. Connex will audit quality sys prior to awarding purchase orders to Ram Forge to verify measurements taken on elbow. LEININGER, D.J. Connex Pipe Systems, Inc. 92/07/08. Document Control Branch (Document Control Desk). 4pp. 62415:146-62415:188.

**-9207150213** Rev 92-6 to "Approved Vendors List Matl Mfgs & Suppliers of ASME Section III Matl & Subcontracted Svcs." WELSH, K.A. Connex Pipe Systems, Inc. 92/06/08. 27pp. 62415:162-62415:188.

**9207140221** Special rept on 920622, meteorological tower aspirator fault light found lit during routine surveillance. Caused by roosting bird. Addl repairs to 30 foot flow switch ongoing & util is investigating methods to remove roosting bird. ODELL, W.H. Gulf States Utilities Co. 92/07/10. Document Control Branch (Document Control Desk). 3pp. 62365:124-62365:126.

**9207280152** LER 92-009-00: on 920618, determined that discrepancy in TS resulted in nonperformance of surveillance test for several valves. TS & surveillance test procedures revised & leak test on subject valves performed. W/ 920720 ltr. ENGLAND, L.A., ODELL, W.H. Gulf States Utilities Co. 92/07/20. 6pp. 62587:204-62587:209.

9207310192 LER 92-010-00: on 920624, radiation protection technician encountered two mechanical maint craftsmen in high radiation area. Caused by failure to heed physical barriers. Personnel disciplined & retrained. W/920724 ltr. ENGLAND, L.A., ODELL, W.H. Gulf States Utilities Co. 92/07/24. 5pp. 62683:285-62683:289.

#### V. Operator Examinations

9207140162 Forwards results of Generic Fundamentals Exam section of written operator licensing exam that was administered on 920610. BEACH, A.B. Region 4 (Post 820201). 92/07/06. DEDDENS, J.C. Gulf States Utilities Co. 100pp. 62310:148-62310:252.

#### DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

#### G. Adjudicatory correspondence

9207090102 Submits quarterly status rept re const activities at plant. During Second Quarter 1992, no significant safety-related const activities were performed. REYNOLDS, N.S. Washington Public Power Supply System. REYNOLDS, N.S. Winston & Strawn. #392 13067. 92/07/02. BOLCH, P.B., BRIGHT, G.O. Atomic Safety & Licensing Board Panel. SCHINK, D.R. Texas A&M Univ., College Station, TX. 1p. 62266:266-62266:266.

#### DOCKET 50-461 CLINTON POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

9207100168 Forwards initial SALP Rept 50-461/92-01 covering Feb 1991 through Apr 1992. Areas needing mgt attention include, broader focus in problem resolution, stronger trending program & fostering questioning attitude. DAVIS, A.B. Region 3 (Post 820201). 92/06/29. PERRY, J.S. Illinois Power Co. pp. 62331:326-62331:345.

-9207100172 Initial SALP Rept 50-461/92-01 covering Feb 1991 through Apr 1992. Category 1 assigned in areas of plant operations & emergency preparedness. \* Region 3 (Post 820201). 92/06/29. 17pp. 62331:329-62331:345.

9207170216 Forwards insp rept 50-461/92-10 on 920501-0615. No violations noted. LANKSBURY, R.D. Document Control Branch (Document Control Desk). 92/07/02. PERRY, J.S. Illinois Power Co. 2pp. 62440:339-62440:350.

-9207170218 Insp rept 50-461/92-10 on 920501-0615. No violations noted. Major areas inspected: maint, operational safety, licensee event rept, event followup & emergency preparedness. LANKSBURY, R.D. Document Control Branch (Document Control Desk). 92/07/02. 10pp. 62440:341-62440:350.

9207150069 Advises that rev to security plan or addendum to plan will be submitted to describe nature & timeframe of security-related mods & compensatory measures that will be implemented during project, per 920626 visit to plant. PEDERSON, C.D. Region 3 (Post 820201). 92/07/09. PERRY, J.S. Illinois Power Co. 2pp. 62335:085-62335:086.

9207270339 Forwards Rev 11 to security plan. Rev withheld (ref 10CFR73.21(c)(2)). SPANGENBERG, F. Illinois Power Co. 92/07/21. Document Control Branch (Document Control Desk). 1p. 62528:199-62528:199.

9207310216 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Eleven areas of plant utilize subj fire barrier matl. PERRY, J.S. Illinois Power Co. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62618:347-62618:349.

#### H. General correspondence

9207150004 Advises of change in titles for MS Perry & JG Cook. Perry title changed to senior vice-president & Cook title changed to vice-president & manager of facility. Correspondence list should be revised to reflect change. SPANGENBERG, F. Illinois Power Co. 92/07/07. Document Control Branch (Document Control Desk). 1p. 62375:210-62375:210.

#### P. Operating license stage documents & correspondence

9207140281 Partial response to FOIA request re investigation of Zack Co done by NRC. App E records encl & are being made available in PDR. App D records already available in PDR. App F records withheld in entirety (ref FOIA Exemption 6 & 7). GRIMSLEY, D.H. Division of Information Resources Management (Post 890205). 91/10/30. ZACK, C. Zack Co. 26pp. 62383:190-62384:039.

-9207150100 Forwards reformatted memo requesting OI to initiate investigation into alleged employment discrimination by Zack Co, per 870218 request. DAVIS, A.B. Region 3 (Post 820201). 87/03/10. STAROSTECKI, R. NRC - No Detailed Affiliation Given. 1p. 62383:302-62383:302.

-9207150103 Requests investigation of info received by Region III in May 1982 that alleged employment w/Zack Co was involuntarily terminated after individual notified CPC of deficiencies involving Zack Co work at plants. DAVIS, A.B. Region 3 (Post 820201). 87/03/10. PAWLIK, E.T. Region 3 (Post 820201). 2pp. 62383:303-62383:304.

9207220323 Partial response to FOIA request. App G documents in PDR. App H & I documents being made available in PDR. App J documents withheld (ref FOIA exemptions 5-7). App I documents partially withheld (ref FOIA exemptions 5-7). GRIMSLEY, D.H. Division of Information & Publications Services (Post 890205). 91/11/15. ZACK, C. Zack Co. 9pp. 62455:164-62456:023.

-9207220358 Details allegations reported through util on 811005 re Zack Co. Info partially deleted. WEIL, C.H. Region 3 (Post 820201). 82/07/22. KEPPLER, J.G. Region 3 (Post 820201). 3pp. 62455:228-62455:230.

9207090183 Responds to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity. All reactor vessel beltline matls determined to be capable of maintaining Cherry upper shelf energy above 50-ft pounds. PERRY, J.S. Illinois Power Co. 92/07/02. Document Control Branch (Document Control Desk). 6pp. 62338:143-62338:148.

9207130167 Submits summary of util response to recommendations contained in NRC safety evaluation, dtd 920529 re util response to SBO Rule 10CFR50.63, "Loss of All AC Power." Detailed response encl. SPANGENBERG, F. Illinois Power Co. 92/07/06. Document Control Branch (Document Control Desk). 13pp. 62374:293-62374:305.

9207210247 Advises that relief can remain granted for rev 1 to relief request 4001 & alternative exams remain approved for rev 1 to relief request 4003. Relief also granted for relief request 4004. Subj requests re ISI & inservice testing. HANNON, J.N. Project Directorate III-3. 92/07/09. SPANGENBERG, F. Illinois Power Co. 4pp. 62440:133-62440:140.

-9207210250 Safety evaluation concluding that relief can remain granted for rev 1 to relief request 4001 & alternative exams remain approved for rev 1 to relief request 4003. Relief granted for relief request 4004. Subj relief requests re ISI & IST. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/09. 4pp. 62440:137-62440:140.

9207170224 Requests response to listed issues as result of Dept of Labor 920429 receipt of complaint from former employee of Stone & Webster Engineering, Inc. alleging layoff result of retaliation due to raising safety concerns. DAVIS, A.B. Region 3 (Post 820201). 92/07/14. PERRY, J.S. Illinois Power Co. 2pp. 62436:360-62436:361.

9207290006 Requests mod to NPDES Permit IL0036919, adding contributory waste stream listing & changing approx flow value for main condenser cooling water at Outfall 002 & adding special condition re treatment of DG transformer at Outfall 005. MARSHALL, B.J. Illinois Power Co. 92/07/15. KLUGE, T.R. Illinois, State of. 24pp. 62589:002-62589:029.

9207230227 Notification of 920730 meeting w/counters in Oak Harbor, OH to discuss items of generic interest between NRR, Region III & licensees for plants in NRR Project Directorate III. Agenda encl. HOPKINS, J.B. Project Directorate III-3. 92/07/16. HANNON, J.N. Project Directorate III-3. 4pp. 62478:319-62478:322.

9207220257 Requests review & disposition of encl Allegation RIII-92-0053 re motor-operated valves & maint personnel inhibited from talking to quality verification group. Encl withheld (ref 10CFR2.790(d)). GREENMAN, E.G. Region 3 (Post 820201). 92/07/17. PERRY, J.S. Illinois Power Co. 2pp. 62476:244-62476:245.

9207230146 Discusses 920403 withdrawal of relief request 2031. Request based on proposal for alternate method of determining test sample size for main steam safety relief valves. CARPENTER, C.E. Project Directorate III-3. 92/07/17. SPANGENBERG, F. Illinois Power Co. 2pp. 62459:036-62459:037.

9207270220 Identifies changes in processing & review of maint work requests, per commitments contained in util 900504 ltr. Impact matrices will continue to be prepared by maint planners, but independent review will be performed by second planner. SPANGENBERG, F. Illinois Power Co. 92/07/21. DAVIS, A.B. Region 3 (Post 820201). 2pp. 62528:187-62528:188.

#### Q. Inspection reports, IE Bulletins & correspondence

9207140281 Partial response to FOIA request re investigation of Zack Co done by NRC. App E records encl & are being made available in PDR. App D records already available in PDR. App F records withheld in entirety (ref FOIA Exemption 6 & 7). GRIMSLEY, D.H. Division of Information Resources Management (Post 890205). 91/10/30. ZACK, C. Zack Co. 26pp. 62383:190-62384:039.

-9207140313 Inquiry rept 3-82-025 re alleged improper/unauthorized destruction of Zack Co records at plant. WEIL, C.H., FOSTER, J.E. Region 3 (Post 820201). 82/11/26. 5pp. 62383:227-62383:231.

9207220323 Partial response to FOIA request. App G documents in PDR. App H & I documents being made available in PDR. App J documents withheld (ref FOIA exemptions 5-7). App I documents partially withheld (ref FOIA exemptions 5-7). GRIMSLEY, D.H. Division of Information & Publications Services (Post 890205). 91/11/15. ZACK, C. Zack Co. 9pp. 62455:164-62456:023.

-9207220385 Forwards affidavits of former Zack Co employees re insp at stated plants. Info deleted. KEPPLER, J.G. Region 3 (Post 820201). 83/08/09. CUMMINGS, J.J. Office of Inspector & Auditor (Pre 890417). 1p. 62455:254-62455:255.

-9207220391 Forwards deposition & exhibits re former Zack Co employee, for investigation of plant deficiencies. Info deleted. KEPPLER, J.G. Region 3 (Post 820201). 83/08/31. CUMMINGS, J.J. Office of Inspector & Auditor (Pre 890417). 1p. 62455:256-62455:256.

9207150001 Responds to NRC 911217 ltr re violations noted in Insp Rept 50-461/91-21. Corrective actions: stellite-free parts for valves expected to be received in May/June 1992, per Generic Ltr 89-10 & walkdown of pad eye lugs completed. SPANGENBERG, F. Illinois Power Co. 92/03/11. DAVIS, A.B. Region 3 (Post 820201). 2pp. 62530:329-62530:330.

9207010020 Forwards insp rept 50-461/92-11 on 920601-05. Two violations noted & being considered for escalated enforcement action. Violations include, failure to provide adequate survey before attempt to adjust mechanical stop on TIP "C". NORELIUS, C.E. Region 3 (Post 820201). 92/06/22. PERRY, J.S. Illinois Power Co. 2pp. 62143:013-62143:032.

## 164 DOCKETED ITEMS

- 9207010022 Insp rept 50-461/92-11 on 920601-05. Violations noted. Major areas inspected: radiation protection & effluent monitoring programs, including organization, mgt controls, audits & surveillance, internal exposure control & contamination. SNELL, W., NELSON, D.W., PEDERSON, C.D. Region 3 (Post 820201). 92/06/22. 18pp. 62143:015-62143:032.
- 9207010174 Forwards insp rept 50-461/92-05 on 920316-0610 & notice of violation. MILLER, H.J. Region 3 (Post 820201). 92/06/24. PERRY, J.S. Illinois Power Co. 3pp. 62205:320-62205:338.
- 9207010176 Notice of violation from insp on 920316-0610. Violation noted: in Mar 1992, conditions adverse to quality, Div III EDG small bore tubing restraint deficiencies identified in 1985, not corrected. MILLER, H.J. Region 3 (Post 820201). 92/06/24. 1p. 62205:323-62205:323.
- 9207010179 Insp rept 50-461/92-05 on 920316-0610. Violation noted. Major areas inspected: licensee engineering & technical support program, including mods & design changes. LERCH, R.M., YIN, I.T., NEJFELT, G.M. Region 3 (Post 820201). 92/06/24. 15pp. 62205:324-62205:338.
- 9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.
- 9207070187 Forwards page four of insp rept 50-461/92-11 on 920601-05. Page inadvertently omitted from original insp rept. SNELL, W.G. Region 3 (Post 820201). 92/06/29. PERRY, J.S. Illinois Power Co. 2pp. 62205:353-62205:355.
- 9207070193 Page four of insp rept 50-461/92-11 on 920601-05, dtd 920622. Page inadvertently omitted from original rept. \* Region 3 (Post 820201). 92/06/22. 1p. 62205:355-62205:355.
- 9207100168 Forwards initial SALP Rept 50-461/92-01 covering Feb 1991 through Apr 1992. Areas needing mgt attention include, broader focus in problem resolution, stronger trending program & fostering questioning attitude. DAVIS, A.B. Region 3 (Post 820201). 92/06/29. PERRY, J.S. Illinois Power Co. pp. 62331:326-62331:345.
- 9207100172 Initial SALP Rept 50-461/92-01 covering Feb 1991 through Apr 1992. Category 1 assigned in areas of plant operations & emergency preparedness. \* Region 3 (Post 820201). 92/06/29. 17pp. 62331:329-62331:345.
- 9207070197 Forwards corrected pages 5, 11, 12 & 13 to insp rept 50-461/92-05. Changes add text which was missing, clarifies understanding of corrective actions re temporary mods & corrects typo. WRIGHT, G.C. Region 3 (Post 820201). 92/06/30. PERRY, J.S. Illinois Power Co. 2pp. 62206:001-62206:006.
- 9207070199 Amended pages 5, 11, 12 & 13 to insp rept 50-461/92-05. \* Region 3 (Post 820201). 92/06/30. 4pp. 62206:003-62206:006.
- 9207140098 Confirms plans for 920723 meeting w/ util to present Initial SALP 11 Rept for Clinton & encourages that licensees have appropriate corporate & plant mgt representation at meeting to ensure mutual understanding of issues & findings. GREENMAN, E.G. Region 3 (Post 820201). 92/07/01. PERRY, J.S. Illinois Power Co. 2pp. 62299:360-62299:361.
- 9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.
- 9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.
- 9207140105 Confirms plans discussed between C Pederson & R Phares re 920414 enforcement conference to discuss two apparent violations during Traversing Incore Probe maint. GREENMAN, E.G. Region 3 (Post 820201). 92/07/02. PERRY, J.S. Illinois Power Co. 3pp. 62299:355-62299:359.
- 9207140108 Notification of significant licensee meeting 92-116 w/ util on 920714 to discuss two apparent violations during Traversing Incore Probe maint. LANKSBURY, R.D. Region 3 (Post 820201). 92/07/02. Region 3 (Post 820201). 2pp. 62299:358-62299:359.
- 9207170216 Forwards insp rept 50-461/92-10 on 920501-0615. No violations noted. LANKSBURY, R.D. Document Control Branch (Document Control Desk). 92/07/02. PERRY, J.S. Illinois Power Co. 2pp. 62440:339-62440:350.
- 9207170218 Insp rept 50-461/92-10 on 920501-0615. No violations noted. Major areas inspected: maint, operational safety, licensee event rept, event followup & emergency preparedness. LANKSBURY, R.D. Document Control Branch (Document Control Desk). 92/07/02. 10pp. 62440:341-62440:350.
- 9207130175 Forwards "Inservice Insp Summary Rept, Refueling Outage RF-3, Clinton Power Station." SPANGENBERG, F. Illinois Power Co. 92/07/08. Document Control Branch (Document Control Desk). 1p. 62395:001-62395:102.
- 9207130176 "Inservice Insp Summary Rept, Refueling Outage RF-3, Clinton Power Station." ELKIN, P.T., BELL, S.R. Illinois Power Co. 92/06/30. 115pp. 62395:002-62395:102.
- 9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.
- 9207150071 Ack receipt of 920311 ltr informing NRC of steps taken to correct violations noted in insp rept 50-461/91-21. SNELL, W.G. Region 3 (Post 820201). 92/07/09. PERRY, J.S. Illinois Power Co. 1p. 62335:087-62335:087.
- 9207210247 Advises that relief can remain granted for rev 1 to relief request 4001 & alternative exams remain approved for rev 1 to relief request 4003. Relief also granted for relief request 4004. Subj requests re ISI & inservice testing. HANNON, J.N. Project Directorate III-3. 92/07/09. SPANGENBERG, F. Illinois Power Co. 4pp. 62440:133-62440:140.
- 9207210250 Safety evaluation concluding that relief can remain granted for rev 1 to relief request 4001 & alternative exams remain approved for rev 1 to relief request 4003. Relief granted for relief request 4004. Subj relief requests re ISI & IST. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/09. 4pp. 62440:137-62440:140.
- 9207170240 Forwards Exam Rept 50-461/OL-92-02 administered during wk of 920622-26. Performance of all operators during all phases of requalification exam significantly improved since exam 1 yr ago. WRIGHT, G.C. Region 3 (Post 820201). 92/07/10. PERRY, J.S. Illinois Power Co. 3pp. 62436:280-62436:295.
- 9207170241 Exam Rept 50-461/OL-92-02 administered during wk 920622-26. Exam results: all operators passed requalification exam & all crews passed dynamic simulator portion of exam. LEACH, M.N., JORDAN, M.J. Region 3 (Post 820201). 92/07/08. 13pp. 62436:283-62436:295.
- 9207280305 Forwards enforcement conference rept 50-461/92-15 on 920714 & notice of violation. Concerns noted re lack of RP input into & control of work scheduling. NORELIUS, C.E. Region 3 (Post 820201). 92/07/21. PERRY, J.S. Illinois Power Co. 4pp. 62497:220-62497:244.
- 9207280307 Notice of violation from insp on 920601-05. Violations noted: licensee did not make surveys to assure compliance w/ sub part of 10CFR20.101 & employees in TIP mechanical drive area were not instructed on precautions to minimize exposure. NORELIUS, C.E. Region 3 (Post 820201). 92/07/21. 3pp. 62497:224-62497:225.
- 9207280315 Enforcement conference rept 50-461/92-15 on 920714. Violation noted. Major areas discussed: circumstances surrounding 920528-0602 TIP mechanical stop mechanism adjustment events. NELSON, D.W., SNELL, W. Region 3 (Post 820201). 92/07/21. 7pp. 62497:226-62497:244.
- 9207280117 Responds to NRC ltr re violations noted in insp rept 50-461/92-05. Corrective actions: engineering evaluation of as-found condition was performed & determined that instrument tubing would perform intended safety functions. SPANGENBERG, F. Illinois Power Co. 92/07/24. Document Control Branch (Document Control Desk). 5pp. 62530:331-62530:335.
- 9207310216 Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Eleven areas of plant utilize sub j fire barrier matl. PERRY, J.S. Illinois Power Co. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62618:347-62618:349.

### R. Periodic operating reports & related correspondence

- 9207170124 Monthly operating rept for June 1992 for Clinton Power Station Unit 1. W/ 920713 ltr. SPANGENBERG, F. Iowa Electric Light & Power Co. 92/06/30. 6pp. 62431:334-62431:339.

### S. Reportable occurrences, LERs & related correspondence

- 9207010126 PNO-III-92-036: on 920622, licensee shut down unit because of reduced flow in component cooling water sys for B reactor recirculation pump seal water cooler. Cause under investigation. LARKSBURY, R., GREGER, R. Region 3 (Post 820201). 92/06/23. 1p. 62143:328-62143:328.
- 9207280257 Part 21 rept re cracking of stellite 21 hardfacing on guide nose of poppets supplied as part of MSIV leakage improvement mod. Initially reported by CLEI on 920522. Recommends that liquid penetrant exam be performed. SHIELDS, S.N. Atwood & Morrill Co., Inc. 92/06/24. BERLINGER NRC - No Detailed Affiliation Given. 4pp. 62568:340-62568:344.
- 9207140286 LER 92-008-00: on 920623, inattention to detail surveillance resulted in mispositioning reactor mode switch & actuation of containment isolation valves & reactor protection sys. Operator counseled. W/ 920709 ltr. NEUSCHWÄNGER, J., SPANGENBERG, F. Iowa Electric Light & Power Co. 92/07/09. 5pp. 62437:287-62437:291.
- 9207280012 LER 92-007-00: on 920515 & 0623, determined that previously performed surveillance test procedures for loss of offsite power testing not conducted per TS. Caused by improper interpretation of TS. Test procedure revised. W/ 920717 ltr. NELSON, D.M., SPANGENBERG, F. Illinois Power Co. 92/07/17. 7pp. 62587:188-62587:194.
- 9207280248 LER 92-007-00: on 920623, determined that previously performed testing for loss of power not in accordance w/ TS. Caused by misinterpretation of test requirements by writers. Procedures will be revised per TS. W/ 920717 ltr. NELSON, D.M., SPANGENBERG, F. Illinois Power Co. 92/07/17. 7pp. 62683:044-62683:050.

### V. Operator Examinations

- 9207070104 Notifies NRC that MA Kiel no longer has need for operating license & license should be terminated. SPANGENBERG, F. Illinois Power Co. 92/07/01. Document Control Branch (Document Control Desk). 1p. 62292:190-62292:190.
- 9207070110 Advises that JA Hale no longer needs to maintain license & license should be terminated. SPANGENBERG, F. Illinois Power Co. 92/07/01. Document Control Branch (Document Control Desk). 1p. 62289:181-62289:181.

**9207070124** Advises that JG Higgins (license OP-30661) no longer needs to maintain license & license should be changed to expired.  
SPANGENBERG, F. Illinois Power Co. 92/07/01. Document Control Branch (Document Control Desk). 1p. 62269:159-62269:159.

**9207090342** Discusses generic fundamentals exam section of operator licensing exam administered on 920610. Master BWR/PWR subj exam w/answer key encl for info.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

**9207170240** Forwards Exam Rept 50-461/OL-92-02 administered during wk of 920622-26. Performance of all operators during all phases of requalification exam significantly improved since exam 1 yr ago.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/10. PERRY, J.S. Illinois Power Co. 3pp. 62436:280-62436:295.

**-9207170241** Exam Rept 50-461/OL-92-02 administered during wk 920622-26. Exam results: all operators passed requalification exam & all crews passed dynamic simulator portion of exam.  
LEACH, M.N., JORDAN, M.J. Region 3 (Post 820201). 92/07/08. 13pp. 62436:283-62436:295.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit list of names of candidates for exam to appropriate NRC regional administrator.  
WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62549:081-62549:083.

#### DOCKET STN-50-482 WOLF CREEK GENERATING STATION

##### F. Security, medical, emergency & fire protection plans

**9207130264** Ack receipt of 920423 ltr re Rev 21 to physical security plan, safeguards contingency plan, security training & qualification plan.  
BEACH, A.B. Region 4 (Post 820201). 92/07/08. Wolf Creek Nuclear Operating Corp. 5pp. 62374:307-62374:311.

**9207170167** Forwards Rev 33 to "WCGS Radiological Emergency Response Plan" & revised RERP Implementing Procedures, including Rev 8 to EP 01-1.0, "CR Organization" & Rev 13 to EPP 01-1.1, "WCGS Organization."  
RHODES, F.T. Wolf Creek Nuclear Operating Corp. 92/07/13. Document Control Branch (Document Control Desk). 1p. 62433:001-62433:313.

**-9207170169** Rev 33 to "WCGS Radiological Emergency Response Plan."  
SCHREIBER, M., CLARKSON, D., WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 92/05/31. 11pp. 62433:002-62433:012.

**-9207170177** Revised RERP Implementing Procedures, including Rev 8 to EPP 01-1.0, "CR Organization," Rev 13 to EPP 01-1.1, "WCGS Organization" & Emergency Procedure Change Notice 01-1.2-10-02 to Rev 10 to EPP 01-1.2, "Emergency."  
SCHREIBER, M., CLARKSON, D., WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 92/06/22. 250pp. 62433:013-62433:313.

**9207200025** Ack receipt of 920618 ltr transmitting Rev 32 to radiological emergency response plan consisting of minor changes in emergency response organization nomenclature. Changes acceptable.  
BEACH, A.B. Region 4 (Post 820201). 92/07/14. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 5pp. 62447:357-62447:361.

**9207240021** Forwards insp rept 50-482/92-13 on 920706-09. No violations or deviations noted. Informants that three weaknesses identified during walkthroughs of simulated accident scenarios w/CR operating crews.  
BEACH, A.B. Region 4 (Post 820201). 92/07/20. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 4pp. 62456:130-62456:143.

**-9207240029** Insp rept 50-482/92-13 on 920706-09. No violations noted. Major areas inspected: operational status of EP program, including changes to emergency plan & implementing procedures, emergency facilities, equipment & supplies.  
MURRAY, B. Region 4 (Post 820201). 92/07/16. 10pp. 62456:134-62456:143.

**9207280046** Ack receipt of 920629 ltr transmitting scenario for upcoming annual exercise. Informants that review of scenario using insp procedure 82302 determined that it should support reasonable demonstration of emergency response capabilities.  
BEACH, A.B. Region 4 (Post 820201). 92/07/22. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 5pp. 62488:091-62488:095.

**9207290043** Ack receipt of 920713 ltr transmitting Rev 33 to WCGS radiological emergency response plan. Changes consistent w/ provisions of 10CFR50.54(q) & acceptable for inclusion into plan.  
BEACH, A.B. Region 4 (Post 820201). 92/07/24. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 5pp. 62567:283-62567:287.

##### P. Operating license stage documents & correspondence

**9207010029** Forwards response to Rev 1 to Generic Ltr 92-01, "Reactor Vessel Structural Integrity." TS prohibit RCS operating loop temp to fall below 551 F except during performance of physics tests.  
RHODES, F.T. Wolf Creek Nuclear Operating Corp. 92/06/23. Document Control Branch (Document Control Desk). 5pp. 62199:348-62199:352.

**9207080165** Provides revised schedule for completion of actions committed to in 920106 & 0320 ltrs to train various levels of technical staff to achieve increased understanding of corrective action program.  
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 92/06/30. Document Control Branch (Document Control Desk). 1p. 62277:100-62277:100.

**9207170094** Advises that until 911224 response to suppl 4 to generic ltr 88-20 re IEEE acceptable. Util should reassess opportunities for submitting IEEE results on more expeditious schedule, preferable either in 1994 or early 1995.  
RECKLEY, W.D. Project Directorate IV-2. 92/07/10. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 3pp. 62403:093-62403:095.

**9207210248** Forwards proprietary response to NRC 920416 RAI re util 910201 submittal of plant transient analysis methodology. Response withheld (ref 10CFR2.790).  
RHODES, F.T. Wolf Creek Nuclear Operating Corp. 92/07/16. Document Control Branch (Document Control Desk). 1p. 62467:357-62467:357.

##### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070092** Forwards insp rept 50-482/92-08 on 920419-0530 & notice of violation. Violations include performance of maint w/o work request.  
BEACH, A.B. Region 4 (Post 820201). 92/06/30. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 6pp. 62205:195-62205:221.

**-9207070099** Notice of violation from insp on 920419-0530. Violation noted: on 920521, licensee personnel performed maint on reach-rod attachment for Valve BG V322 (boric acid filter drain valve) w/o work request.  
\* Region 4 (Post 820201). 92/06/30. 2pp. 62205:203-62205:204.

**-9207070103** Insp rept 50-482/92-08 on 920419-0530. Violations noted. Major areas inspected: plant status, followup of previously identified NRC items, LER followup, operational safety verification & surveillance & maint observations.  
HOWELL, A.T. Region 4 (Post 820201). 92/06/23. 17pp. 62205:205-62205:221.

**9206280043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207240021** Forwards insp rept 50-482/92-13 on 920706-09. No violations or deviations noted. Informants that three weaknesses identified during walkthroughs of simulated accident scenarios w/CR operating crews.  
BEACH, A.B. Region 4 (Post 820201). 92/07/20. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 4pp. 62456:130-62456:143.

**-9207240029** Insp rept 50-482/92-13 on 920706-09. No violations noted. Major areas inspected: operational status of EP program, including changes to emergency plan & implementing procedures, emergency facilities, equipment & supplies.  
MURRAY, B. Region 4 (Post 820201). 92/07/16. 10pp. 62456:134-62456:143.

**9207280046** Ack receipt of 920629 ltr transmitting scenario for upcoming annual exercise. Informants that review of scenario using insp procedure 82302 determined that it should support reasonable demonstration of emergency response capabilities.  
BEACH, A.B. Region 4 (Post 820201). 92/07/22. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 5pp. 62488:091-62488:095.

**9207300004** Forwards insp rept 50-482/92-09 on 920601-05 & notice of violation.  
BEACH, A.B. Region 4 (Post 820201). 92/07/24. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 6pp. 62528:001-62528:021.

**-9207300010** Notice of violation from insp on 920601-05. Violation noted: licensee failure to monitor or trend local leak rate testing of valves to establish appropriate limits for detecting degradation.  
\* Region 4 (Post 820201). 92/07/24. 1p. 62528:007-62528:007.

**-9207300018** Insp rept 50-482/92-09 on 920601-05. Violations noted. Major areas inspected: inservice testing of pumps & valves w/ emphasis on licensee response to GL 89-04.  
BARNES, I. Region 4 (Post 820201). 92/07/24. 14pp. 62528:008-62528:021.

##### R. Periodic operating reports & related correspondence

**9207210110** Monthly operating rept for June 1992 for WCGS. W/920715 ltr.  
WILLIAMS, M., BAILEY, J.A. Wolf Creek Nuclear Operating Corp. 92/06/30. 7pp. 62467:350-62467:356.

**9207150157** Forwards revised "Exposure Monitoring Data for Annual Operating Repts," for stated yrs. Revs correct error made in way individuals in "no measureable exposure" category counted.  
BAILEY, J.A. Wolf Creek Nuclear Operating Corp. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62415:281-62415:289.

**-9207150160** Revised "Exposure Monitoring Data for Annual Operating Rept" for 1991.  
\* Wolf Creek Nuclear Operating Corp. 91/12/31. 1p. 62415:283-62415:283.

**-9207150162** Revised "Exposure Monitoring Data for Annual Operating Rept" for 1990.  
\* Wolf Creek Nuclear Operating Corp. 90/12/31. 1p. 62415:284-62415:284.

**-9207150164** Revised "Exposure Monitoring Data for Annual Operating Rept" for 1989.  
\* Wolf Creek Nuclear Operating Corp. 89/12/31. 1p. 62415:285-62415:285.

**-9207150167** Revised "Exposure Monitoring Data for Annual Operating Rept" for 1988.  
\* Wolf Creek Nuclear Operating Corp. 88/12/31. 1p. 62415:286-62415:286.

**-9207150170** Revised "Exposure Monitoring Data for Annual Operating Rept" for 1987.  
\* Wolf Creek Nuclear Operating Corp. 87/12/31. 1p. 62415:287-62415:287.

**-9207150171** Revised "Exposure Monitoring Data for Annual Operating Rept" for 1986.  
\* Wolf Creek Nuclear Operating Corp. 86/12/31. 1p. 62415:288-62415:288.

**-9207150172** Revised "Exposure Monitoring Data for Annual Operating Rept" for 1985.  
\* Wolf Creek Nuclear Operating Corp. 85/12/31. 1p. 62415:289-62415:289.



## 166 DOCKETED ITEMS

### S. Reportable occurrences, LERs & related correspondence

**9207070015** LER 91-023-01: on 911119, 480-volt supply breaker tripped, resulting in loss of power to various radiation monitors & initiating control room ventilation isolation signal. Caused by bumping switch. Caution reemphasized. W/920702 ltr. WIDEMAN, S.G., BAILEY, J.A. Wolf Creek Nuclear Operating Corp. 92/07/02. 5pp. 62292:157-62292:161.

**9207140113** Special Rept 92-002: on 920608, valid failure of EDG B occurred due to failure to temp control valve. Caused by failure of two out of three power pills. Power pills replaced & EDG testing frequency increased. BAILEY, J.A. Wolf Creek Nuclear Operating Corp. 92/07/08. Document Control Branch (Document Control Desk). 4pp. 62385:340-62385:343.

**9207160281** LER 92-006-00 on 920228, binding & slippage between reactor coolant sys crossover leg saddles & thrust block caused unusual noise. Shims on generator crossover legs removed & reworked. W/920713 ltr. WIDEMAN, S.G., BAILEY, J.A. Wolf Creek Nuclear Operating Corp. 92/07/13. 10pp. 62480:161-62480:170.

**9207170246** PNO-IV-92-031: on 920713, health physics technician experienced respiratory distress & transported to hosp & pronounced dead. Cause of death unknown. Autopsy will be conducted in Kansas City. HOWELL, A.T. Region 4 (Post 820201). 92/07/14. 1p. 62436:233-62436:233.

### V. Operator Examinations

**9207070109** Requests that licensee furnish approved items listed in encl in preparation for evaluation of requalification program scheduled for wks of 921019 & 26. BEACH, A.B. Region 4 (Post 820201). 92/06/29. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 12pp. 62205:232-62205:242.

### DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

### F. Security, medical, emergency & fire protection plans

**9207080242** Rev 1 to J-26060A, "Critical Safety Function Parameters." \* Union Electric Co. 92/06/26. 5pp. 62285:306-62285:310.

**9207210246** Temporary Change Notice 92-0884 to Rev 0 to EIP-ZZ-03010-04, "Chemical Emergency Response (CERP) Implementing Procedure," reflecting addition of ferric sulfate as hazardous chemical on attachment 1, page 1 of 1 & attachment 3, pages 20a & b. \* Union Electric Co. 92/07/09. 5pp. 62459:351-62459:355.

**9207200015** Ack receipt of 920629 ltr informing NRC of proposed scope of participation & objectives for Callaway Plants emergency preparedness exercise scheduled for 921007. MCCORMICK-BARGE Region 3 (Post 820201). 92/07/10. SCHNELL, D.F. Union Electric Co. 1p. 62447:356-62447:356.

**9207280284** Temporary Change Notice 92-0884 to Rev 0 to EIP-ZZ-3010, "Chemical Emergency Response Plan Implementing Procedure," adding ferric sulfate as hazardous chemical. \* Union Electric Co. 92/07/16. 2pp. 62566:360-62566:361.

**9207310049** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Appropriate actions to restore fire barrier operability being developed. SCHNELL, D.F. Union Electric Co. 92/07/23. Document Control Branch (Document Control Desk). 4pp. 62612:326-62612:329.

### H. General correspondence

**9207130009** Comment supporting low-level radwaste after treatment to reduce volume & represents safest, most cost effective solution. SCHNELL, D.F. Union Electric Co. 92/06/26. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:006-62285:006.

**9207310047** Comment commending proposed suppl one to GL 83-28 4.2.3 & 4.2.4 closing all GL 83-28 actions for Callaway but staff conclusion should be expanded. PASSWATER, A.C. Union Electric Co. 92/07/23. NRC - No Detailed Affiliation Given. 2pp. 62549:084-62549:085.

### P. Operating license stage documents & correspondence

**9207080120** Final response to FOIA request for documents. App A documents encl & being made available in PDR. Portions of app A records withheld (ref FOIA exemption 5). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA, T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

**9207090248** Provides summary of discussions held at 910604-05 NRC senior mgt meeting & ltrs to be sent to licensees of plants on problem plant list that will be discussed at 910620 Commission meeting. Details withheld. TAYLOR, J.M. Ofc of the Executive Director for Operations. 91/06/14. CARR Commissioners (Post 750119). 42pp. 62324:254-62324:267.

**9207100042** Discusses 920615-1C managers meeting to evaluate nuclear safety performance of operating reactors, fuel facilities & other mat's licensees. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/30. SCHNELL, D.F. Union Electric Co. 4pp. 62366:357-62366:360.

**9207170065** Forwards info to address recommended actions in NRC station blackout SER, per 920625 telcon w/NRC. All station blackout related procedure revs will be completed within 90 days of date NRC provides final approval of program. SCHNELL, D.F. Union Electric Co. 92/07/10. Document Control Branch (Document Control Desk). 4pp. 62430:331-62430:334.

**9207230227** Notification of 920730 meeting w/counters in Oak Harbor, OH to discuss items of generic interest between NRR, Region III & licensees for plants in NRR Project Directorate III. Agenda encl. HOPKINS, J.B. Project Directorate III-3. 92/07/16. HANNON, J.N. Project Directorate III-3. 4pp. 62478:319-62478:322.

**9207220423** Forwards amend 71 to license NPF-30 & safety evaluation. Amend revises TS 6.2-1 to permit individual w/valid SRO & qualified STA to assume control room command when shift supervisor absent. WHARTON, L.R. Project Directorate III-3. 92/07/17. SCHNELL, D.F. Union Electric Co. 2pp. 62453:327-62453:334.

**9207220424** Amend 71 to license NPF-30, revising TS 6.2-1 to allow individual w/valid SRO & qualified STA to assume control in absence of shift supervisor. HANNON, J.N. Project Directorate III-3. 92/07/17. 4pp. 62453:329-62453:332.

**9207220425** Safety evaluation supporting amend 71 to license NPF-30. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/17. 2pp. 62453:333-62453:334.

### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207090165** Suppl 910724 response to NRC Bulletin 89-001 re failure of Westinghouse SG tube mechanical plugs. Remedial action involved spot-facing tube/tubesheet & installing welded plug made out of Inconel 690 mat. Drawing of plug encl. SCHNELL, D.F. Union Electric Co. 92/07/02. Document Control Branch (Document Control Desk). 5pp. 62341:305-62341:309.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207310049** Responds to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." Appropriate actions to restore fire barrier operability being developed. SCHNELL, D.F. Union Electric Co. 92/07/23. Document Control Branch (Document Control Desk). 4pp. 62612:326-62612:329.

### R. Periodic operating reports & related correspondence

**9207140325** Monthly operating rept for June 1992 for Callaway Plant Unit 1. W/920708 ltr. MCCANN, R.J., BLOSSER, J.D. Union Electric Co. 92/06/30. 7pp. 62385:140-62385:146.

**9207220414** "10CFR50.46 Annual Rept - ECCS Evaluation Model Revisions," for June 1991 to June 1992. W/920716 ltr. SCHNELL, D.F. Union Electric Co. 92/06/30. 12pp. 62457:334-62457:345.

**9207230002** Forwards supplement to "10CFR50.59 Annual Rept" for period ending 920331. Supplement consists of summary of 10CFR50.59 safety evaluation for core operating limits rept revs. SCHNELL, D.F. Union Electric Co. 92/07/15. Document Control Branch (Document Control Desk). 2pp. 62476:326-62476:329.

**9207230003** Supplement to "10CFR50.59 Annual Rept," for period ending 920331, consisting of info re end-of-life moderator temp coefficient for Cycle 5. \* Union Electric Co. 92/03/31. 2pp. 62476:328-62476:329.

### S. Reportable occurrences, LERs & related correspondence

**9207020247** LER 92-008-00: on 920305, boron dilution mitigation sys inoperability noted. Caused by design oversight. Modification to BDMS & revision of BDMS setpoint initiated. W/920629 ltr. SHARKEY, T.P., BLOSSER, J.D. Union Electric Co. 92/06/29. 5pp. 62292:080-62292:085.

### V. Operator Examinations

**9207090342** Discusses generic fundamentals exam section of operator licensing exam, administered on 920610. Master BWR/PWR subj exam w/answer key encl for info. WRIGHT, G.C. Region 3 (Post 820201). 92/07/01. Consumers Power Co. 51pp. 62266:049-62266:099.

**9207310032** Advises that NRC plans to administer GFE section of written operator licensing exam on 921007. Authorized representative from facility should submit ltr listing names of candidates for exam to appropriate NRC regional administrator. WRIGHT, G.C. Region 3 (Post 820201). 92/07/28. Affiliation Not Assigned. 3pp. 62548:081-62548:083.



## DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

## F. Security, medical, emergency &amp; fire protection plans

**9207070318** Forwards revised pages to emergency response data sys data point library, per Section 3.6 to Rev 1 to NUREG-1394. Human engineering deficiency mods completed for Unit 2. Addl changes for Unit 1 will be submitted.  
JUMP, W.J. Houston Lighting & Power Co. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62273:342-62273:346.

**9207070367** Updates status of ERDS implementation plan. Necessary revs to emergency plan approved & issued w/ effective date of 920605. Implementation of ERDS completed.  
JUMP, W.J. Houston Lighting & Power Co. 92/06/30. Document Control Branch (Document Control Desk). 3pp. 62262:346-62262:348.

**9207150007** Forwards suppl to 911105 response to violations noted in Insp Repts 50-498/91-21 & 50-499/91-21 re issuance of vital area keys. Response withheld.  
HALL, D.P. Houston Lighting & Power Co. 92/07/02. Document Control Branch (Document Control Desk). 3pp. 62440:180-62440:182.

**9207070226** Revises commitment in 920311 response to emergency preparedness exercise weaknesses noted in Insp Repts 50-498/90-10 & 50-499/90-10. Use of digital dosimeters will not reduce effectiveness of dose monitoring.  
JUMP, W.J. Houston Lighting & Power Co. 92/07/03. Document Control Branch (Document Control Desk). 3pp. 62265:323-62265:325.

**9207070321** Responds to unresolved item noted in Insp Repts 50-498/92-10 & 50-499/92-10. Corrective actions: off-hours augmentation drill conducted on 920617 & personnel reported to facility within 1 h of notification except for offsite field team.  
JUMP, W.J. Houston Lighting & Power Co. 92/07/03. Document Control Branch (Document Control Desk). 4pp. 62274:001-62274:004.

**9207150002** Responds to weaknesses noted in Insp Repts 50-498/92-09 & 50-499/92-09. Corrective actions: training of all personnel involved in offsite notification message preparation will emphasize need to review message for accuracy.  
JUMP, W.J. Houston Lighting & Power Co. 92/07/10. Document Control Branch (Document Control Desk). 4pp. 62389:358-62389:361.

**9207160225** Forwards insp repts 50-498/92-20 & 50-499/92-20 on 920615-19 & notice of violations. Rept details withheld (ref 10CFR73.21).  
BEACH, A.B. Region 4 (Post 820201). 92/07/10. HALL, D.P. Houston Lighting & Power Co. 6pp. 62415:311-62415:320.

**-9207160236** Notice of violation from insp on 920615-19. Violations noted: in Dec 1991, licensee forwarded to NRC & several other addresses, two ltrs containing safeguards info that were not classified as safeguards.  
Region 4 (Post 820201). 92/07/10. 2pp. 62415:317-62415:318.

**-9207160246** Insp repts 50-498/92-20 & 50-499/92-20 on 920615-19. Violations noted. Major areas inspected: physical security program including mgt effectiveness, protected area detection & assessment aids, testing & maint. Details withheld.  
MURRAY, B. Region 4 (Post 820201). 92/07/09. 2pp. 62415:319-62415:320.

**9207200014** Ack receipt of 920330 ltr transmitting Rev 14 to security personnel training & qualification plan. Changes consistent w/ provisions of 10CFR50.54(p) except for listed items re on-the-job evaluation & mental test results records.  
BEACH, A.B. Region 4 (Post 820201). 92/07/10. HALL, D.P. Houston Lighting & Power Co. 4pp. 62453:222-62453:228.

**9207240063** Field change 92-0244 to rev 21 to OERPO1-ZV-IN03 "Emergency Response Organization Notification." W/920716 ltr.  
JUMP, W.J. Houston Lighting & Power Co. 92/07/16. 4pp. 62526:246-62526:249.

**9207280384** Ack receipt of 920330 ltr transmitting Rev 18 to physical security plan. Changes consistent w/ provisions of 10CFR50.54(p) & acceptable for inclusion into plan. Issues in encl need clarification. Encl withheld (ref 10CFR73.21).  
BEACH, A.B. Region 4 (Post 820201). 92/07/23. HALL, D.P. Houston Lighting & Power Co. 4pp. 62566:246-62566:251.

## G. Adjudicatory correspondence

**9207020064** Forwards motion for leave to suppl motion to modify or quash subpoenas & supplemental info.  
BAER, W.E. Houston Lighting & Power Co. BAER, W.E. Newman & Holtzinger. #392 13045. 92/06/28. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62182:013-62182:018.

**-9207020067** Motion for leave to suppl motion to modify or quash subpoenas & supplemental info. "Of policy unfair & violative of subpoenaed individuals statutory rights & goes beyond investigatory authority. W/Certificate of Sec.  
BAER, W.E. Houston Lighting & Power Co. BAER, W.E. Newman & Holtzinger. 92/06/29. Commissioners (Post 750119). 5pp. 62182:014-62182:018.

## H. General correspondence

**9207160044** Comment supporting draft req guide DG-1021. "Selection, Design, Qualification, Testing & Reliability of EDG Units Used as Class 1E Onsite Electric Power Sys at Nuclear Power Plants."  
JUMP, W.J. Houston Lighting & Power Co. 92/07/06. Regulatory Publications Branch. 1p. 62375:028-62375:028.

## I. Financial information

**9207100348** Forwards "1991 Annual Rept, Houston Industries Inc." "1991 Annual Rept, Central Power & Light Co." & "1991-92 Annual Rept, City Public Svc San Antonio, TX."  
WILLIAM, J.J. Houston Lighting & Power Co. 92/07/07. Document Control Branch (Document Control Desk). 2pp. 62408:001-62408:116.

**-9207100356** "1991 Annual Rept, Houston Industries Inc." US securities & exchange commission Form 10-K & comprehensive financial rept also encl.  
JORDAN, D.D. Houston Lighting & Power Co. 91/12/31. 271pp. 62408:003-62408:003.

**-9207100370** "1991 Annual Rept, Central Power & Light Co." & Form 10-K securities & exchange commission.  
CAREY, R.R. Central Power & Light Co. 91/12/31. 82pp. 62409:004-62409:084.

**-9207100375** "1991-92 Annual Rept, City Public Svc San Antonio, TX."  
LEGAN, P., ROSENBERG, A.V. San Antonio, TX. 92/12/31. 32pp. 62409:085-62409:116.

**9207220032** Forwards Endorsement 13 to MAELU Certificate M-0113, Endorsement 14 to MAELU Certificate M-0113, Endorsement 13 to MAELU Certificate M-0116 & Endorsement 11 to NELIA Certificate N-0113, as evidence of financial protection.  
JUMP, W.J. Houston Lighting & Power Co. 92/07/17. Document Control Branch (Document Control Desk). 25pp. 62474:148-62474:172.

## J. Insurance &amp; indemnity information

**9207220032** Forwards Endorsement 13 to MAELU Certificate M-0113, Endorsement 14 to MAELU Certificate M-0113, Endorsement 13 to MAELU Certificate M-0116 & Endorsement 11 to NELIA Certificate N-0113, as evidence of financial protection.  
JUMP, W.J. Houston Lighting & Power Co. 92/07/17. Document Control Branch (Document Control Desk). 25pp. 62474:148-62474:172.

## P. Operating license stage documents &amp; correspondence

**9207020270** Forwards questions re request for relief from ASME Code requirements per 920117 & 920430 ltrs. Requests that util respond to encl within 45 days.  
DICK, G.F. Project Directorate IV-2. 92/06/29. HALL, D.P. Houston Lighting & Power Co. 3pp. 62194:333-62194:335.

**9207090144** Discusses review of response to generic ltr 88-20, suppl 4 re individual plant exams for external events per util 911223 submittal. Submittal schedule & methods selected for addressing IEEE acceptable.  
DICK, G.F. Project Directorate IV-2. 92/07/01. HALL, D.P. Houston Lighting & Power Co. 2pp. 62243:310-62243:311.

**9207090074** Memorandum & order. Denies motion to modify or quash subpoenas re HL&P/W/Certificate of Sec. Served on 920702.  
CHILK, S.J. Office of the Secretary of the Commission. #392 13070. 92/07/02. Commissioners (Post 750119). 6pp. 62266:219-62266:224.

**9207160345** Staff requirements memo on 920702 affirmation/discussion & vote in Rockville, MD re SECY-92-230, "Motion to Modify or Quash Subpoenas by Houston Lighting & Power Company, Et Al" & COMSECY-92-017.  
CHILK, S.J. Office of the Secretary of the Commission. 92/07/10. PARLER, W.C. Office of the General Counsel (Post 860701). 2pp. 62396:315-62396:316.

**9207210163** Notification of 920723 meeting w/ util in Bay City, TX to discuss proposed license amendments supported by PRA for facility.  
DICK, G.F. Project Directorate IV-2. 92/07/10. BLACK, S.C. Project Directorate IV-2. 3pp. 62438:247-62438:249.

**9207160309** Advises that response to confirmatory issue 1 acceptable, based on util 920619 commitment that added scenarios to licensed operator training matl will obtain response times for operating crews. Info will be provided to NRC by 821216.  
DICK, G.F. Project Directorate IV-2. 92/07/14. HALL, D.P. Houston Lighting & Power Co. 2pp. 62396:033-62396:034.

**9207240136** Forwards Change QA-010 to operations QA plan. Change will be incorporated in operations QA plan in next annual update.  
HALL, D.P. Houston Lighting & Power Co. 92/07/15. Document Control Branch (Document Control Desk). 5pp. 62516:046-62516:050.

**9207230286** Revised QA plan, consisting of Change QA-010, Rev 5 to Chapter 1.0 & Rev 9 to table of contents.  
Houston Lighting & Power Co. 92/07/16. 6pp. 62482:225-62482:230.

## Q. Inspection reports, IE Bulletins &amp; correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207070333** Responds to NRC 920601 ltr re violations noted in insp repts 50-498/92-02 & 50-499/92-03. Corrective actions: security shift briefings conducted & bulletin issued.  
JUMP, W.J. Houston Lighting & Power Co. 92/06/30. Document Control Branch (Document Control Desk). 6pp. 62262:349-62262:354.

**9207070083** Ack receipt of 920619 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/92-08 & 50-499/92-08 dtd 920522.  
BEACH, A.B. Region 4 (Post 820201). 92/07/01. HALL, D.P. Houston Lighting & Power Co. 3pp. 62205:170-62205:176.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206260237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207150007** Forwards suppl to 911105 response to violations noted in Insp Repts 50-498/91-21 & 50-499/91-21 re issuance of vital area keys. Response withheld.  
HALL, D.P. Houston Lighting & Power Co. 92/07/02. Document Control Branch (Document Control Desk). 3pp. 62440:180-62440:182.

**9207070226** Revises commitment in 920311 response to emergency preparedness exercise weaknesses noted in Insp Repts 50-498/90-10 & 50-499/90-10. Use of digital dosimeters will not reduce effectiveness of dose monitoring.  
JUMP, W.J. Houston Lighting & Power Co. 92/07/03. Document Control Branch (Document Control Desk). 3pp. 62265:323-62265:325.

## 168 DOCKETED ITEMS

**9207070321** Responds to unresolved item noted in Insp Repts 50-498/92-10 & 50-499/92-10. Corrective actions: off-hours augmentation drill conducted on 920617 & personnel reported to facility within 1 h of notification except for offsite field team. JUMP, W.J. Houston Lighting & Power Co. 92/07/03. Document Control Branch (Document Control Desk). 4pp. 62274:001-62274:004.

**9207140163** Forwards insp repts 50-498/92-14 & 50-499/92-14. No violations noted. Unresolved item in Section 5 re whether licensed operator complied w/Procedure OPGPO3-ZE-0004, "Plant Surveillance Program," will be further investigated. BEACH, A.B. Region 4 (Post 820201). 92/07/08. HALL, D.P. Houston Lighting & Power Co. 4pp. 62311:152-62311:182.

**-9207140166** Insp repts 50-498/92-14 & 50-499/92-14 on 920426-0606. No violations noted. Major areas inspected: plant status, in-oc review of written repts of nonroutine events & onsite followup of written repts of nonroutine events. HOWELL, A.T. Region 4 (Post 820201). 92/07/08. 2pp. 62311:158-62311:182.

**9207202233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207150196** Forwards response to followup item in Insp Repts 50-498/92-06 & 50-499/92-06 on 920224-28. Corrective actions: actuators not specifically covered by either up-rating program will be reset per original Limitorque rating. JUMP, W.J. Houston Lighting & Power Co. 92/07/09. Document Control Branch (Document Control Desk). 12pp. 62415:269-62415:280.

**9207150002** Responds to weaknesses noted in Insp Repts 50-498/92-09 & 50-499/92-09. Corrective actions: training of all personnel involved in offsite notification message preparation will emphasize need to review message for accuracy. JUMP, W.J. Houston Lighting & Power Co. 92/07/10. Document Control Branch (Document Control Desk). 4pp. 62389:358-62389:361.

**9207160225** Forwards insp repts 50-498/92-20 & 50-499/92-20 on 920615-19 & notice of violations. Rept details withheld (ref 10CFR73.21). BEACH, A.B. Region 4 (Post 820201). 92/07/10. HALL, D.P. Houston Lighting & Power Co. 6pp. 62415:311-62415:320.

**-9207160236** Notice of violation from insp on 920615-19. Violations noted: in Dec 1991, licensee forwarded to NRC & several other addresses, two ltrs containing safeguards info that were not classified as safeguards. \* Region 4 (Post 820201). 92/07/10. 2pp. 62415:317-62415:318.

**-9207160246** Insp repts 50-498/92-20 & 50-499/92-20 on 920615-19. Violations noted. Major areas inspected: physical security program including mgt effectiveness, protected area detection & assessment aids, testing & maint. Details withheld. MURRAY, B. Region 4 (Post 820201). 92/07/09. 2pp. 62415:319-62415:320.

**9207160308** Forwards insp repts 50-498/92-19 & 50-499/92-19 on 920608-12. No violations or deviations noted. BEACH, A.B. Region 4 (Post 820201). 92/07/10. HALL, D.P. Houston Lighting & Power Co. 4pp. 62404:322-62404:333.

**-9207160319** Insp repts 50-498/92-19 & 50-499/92-19 on 920608-12. No violations or deviations noted. Major areas inspected: solid radwaste mgt & radioactive materials transportation programs. MURRAY, B. Region 4 (Post 820201). 92/07/09. 7pp. 62404:327-62404:333.

**9207200061** Ack receipt of 920504 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/92-05 & 50-499/92-05 on 920408. BEACH, A.B. Region 4 (Post 820201). 92/07/13. HALL, D.P. Houston Lighting & Power Co. 5pp. 62450:347-62450:359.

**9207210131** Ack receipt of 920610 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/88-70 & 50-499/88-70. BEACH, A.B. Region 4 (Post 820201). 92/07/16. HALL, D.P. Houston Lighting & Power Co. 3pp. 62421:053-62421:062.

**-9207210148** Forwards rev 1 of LER 88-035, revising two corrective actions, per insp repts. JUMP, W.J. Houston Lighting & Power Co. 92/06/10. Document Control Branch (Document Control Desk). 2pp. 62421:057-62421:062.

### R. Periodic operating reports & related correspondence

**9207100099** Monthly operating repts for June 1992 for South Texas Project, Units 1 & 2. W/920707 ltr. KENT, A.P., JUMP, W.J. Houston Lighting & Power Co. 92/06/30. 14pp. 62366:303-62366:316.

### S. Reportable occurrences, LERs & related correspondence

**9207270063** LER 92-006-00: on 920318, discovered that all four auxiliary feedwater flow control valves in closed position following reactor trip on 920314. Caused by inattention to detail. Valves opened & reactor trip procedure revised. W/920717 ltr. AYALA, C., JUMP, W.J. Houston Lighting & Power Co. 92/07/17. 7pp. 62587:146-62587:152.

### V. Operator Examinations

**9207160309** Advises that response to confirmatory issue 1 acceptable, based on util 920619 commitment that added scenarios to licensed operator training matl will obtain response times for operating crews. Info will be provided to NRC by 921216. DICK, G.F. Project Directorate IV-2. 92/07/14. HALL, D.P. Houston Lighting & Power Co. 2pp. 62396:033-62396:034.

## DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

### F. Security, medical, emergency & fire protection plans

**9207070318** Forwards revised pages to emergency response data sys data point library, per Section 3.6 to Rev 1 to NUREG-1394. Human engineering deficiency mods completed for Unit 2. Addl changes for Unit 1 will be submitted. JUMP, W.J. Houston Lighting & Power Co. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62273:342-62273:346.

**9207070367** Updates status of ERDS implementation plan. Necessary revs to emergency plan approved & issued w/effective date of 920605. Implementation of ERDS completed. JUMP, W.J. Houston Lighting & Power Co. 92/06/30. Document Control Branch (Document Control Desk). 3pp. 62262:346-62262:348.

**9207150007** Forwards suppl to 911105 response to violations noted in Insp Repts 50-498/91-21 & 50-499/91-21 re issuance of vital area keys. Response withheld. HALL, D.P. Houston Lighting & Power Co. 92/07/02. Document Control Branch (Document Control Desk). 3pp. 62440:180-62440:182.

**9207070226** Revises commitment in 920311 response to emergency preparedness exercise weaknesses noted in Insp Repts 50-498/90-10 & 50-499/90-10. Use of digital dosimeters will not reduce effectiveness of dose monitoring. JUMP, W.J. Houston Lighting & Power Co. 92/07/03. Document Control Branch (Document Control Desk). 3pp. 62265:323-62265:325.

**9207070321** Responds to unresolved item noted in Insp Repts 50-498/92-10 & 50-499/92-10. Corrective actions: off-hours augmentation drill conducted on 920617 & personnel reported to facility within 1 h of notification except for offsite field team. JUMP, W.J. Houston Lighting & Power Co. 92/07/03. Document Control Branch (Document Control Desk). 4pp. 62274:001-62274:004.

**9207150002** Responds to weaknesses noted in Insp Repts 50-498/92-09 & 50-499/92-09. Corrective actions: training of all personnel involved in offsite notification message preparation will emphasize need to review message for accuracy. JUMP, W.J. Houston Lighting & Power Co. 92/07/10. Document Control Branch (Document Control Desk). 4pp. 62389:358-62389:361.

**9207160225** Forwards insp repts 50-498/92-20 & 50-499/92-20 on 920615-19 & notice of violations. Rept details withheld (ref 10CFR73.21). BEACH, A.B. Region 4 (Post 820201). 92/07/10. HALL, D.P. Houston Lighting & Power Co. 6pp. 62415:311-62415:320.

**-9207160236** Notice of violation from insp on 920615-19. Violations noted: in Dec 1991, licensee forwarded to NRC & several other addresses, two ltrs containing safeguards info that were not classified as safeguards. \* Region 4 (Post 820201). 92/07/10. 2pp. 62415:317-62415:318.

**-9207160246** Insp repts 50-498/92-20 & 50-499/92-20 on 920615-19. Violations noted. Major areas inspected: physical security program including mgt effectiveness, protected area detection & assessment aids, testing & maint. Details withheld. MURRAY, B. Region 4 (Post 820201). 92/07/09. 2pp. 62415:319-62415:320.

**9207200014** Ack receipt of 920330 ltr transmitting Rev 14 to security personnel training & qualification plan. Changes consistent w/provisions of 10CFR50.54(p) except for listed items re on-the-job evaluation & mental test results records. BEACH, A.B. Region 4 (Post 820201). 92/07/10. HALL, D.P. Houston Lighting & Power Co. 4pp. 62453:222-62453:228.

**9207240083** Field change 92-0244 to rev 21 to OERPO1-ZV-IN03 "Emergency Response Organization Notification." W/920716 ltr. JUMP, W.J. Houston Lighting & Power Co. 92/07/16. 4pp. 62528:246-62528:249.

**9207280384** Ack receipt of 920330 ltr transmitting Rev 18 to physical security plan. Changes consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan. Issues in encl need clarification. Encl withheld (ref 10CFR73.21). BEACH, A.B. Region 4 (Post 820201). 92/07/23. HALL, D.P. Houston Lighting & Power Co. 4pp. 62566:246-62566:251.

### G. Adjudicatory correspondence

**9207020064** Forwards motion for leave to suppl motion to modify or quash subpoenas & supplemental info. BAER, W.E. Houston Lighting & Power Co. BAER, W.E. Newman & Holtzinger. #392 13045. 92/06/29. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62182:013-62182:018.

**-9207020067** Motion for leave to suppl motion to modify or quash subpoenas & supplemental info. \* O policy unfair & violative of subpoenaed individuals statutory rights & goes beyond investigatory authority. W/Certificate of Svc. BAER, W.E. Houston Lighting & Power Co. BAER, W.E. Newman & Holtzinger. 92/06/28. Commissioners (Post 750119). 5pp. 62182:014-62182:018.

### H. General correspondence

**9207160044** Comment supporting draft reg guide DG-1021, "Selection, Design, Qualification, Testing & Reliability of EDG Units Used as Class 1E Onsite Electric Power Sys at Nuclear Power Plants." JUMP, W.J. Houston Lighting & Power Co. 92/07/06. Regulatory Publications Branch. 1p. 62375:028-62375:028.

### I. Financial Information

**9207100348** Forwards "1991 Annual Rept, Houston Industries Inc." "1991 Annual Rept, Central Power & Light Co." & "1991-92 Annual Rept, City Public Svc San Antonio, TX." WILLIAM, J.J. Houston Lighting & Power Co. 92/07/07. Document Control Branch (Document Control Desk). 2pp. 62408:001-62408:118.

—9207100356 "1991 Annual Rept, Houston Industries Inc." US securities & exchange commission Form 10-K & comprehensive financial rept also encl. JORDAN, D.D. Houston Lighting & Power Co. 91/12/31. 271pp. 62408:003-62409:003.

—9207100370 "1991 Annual Rept, Central Power & Light Co." & Form 10-K securities & exchange commission. CAREY, R.R. Central Power & Light Co. 91/12/31. 82pp. 62409:004-62409:084.

—9207100375 "1991-92 Annual Rept, City Public Svc San Antonio, TX." LEGAN, P., ROSENBERG, A.V. San Antonio, TX. 92/12/31. 32pp. 62409:085-62409:116.

9207220032 Forwards Endorsement 13 to MAELU Certificate M-0113, Endorsement 14 to MAELU Certificate M-0113, Endorsement 13 to MAELU Certificate M-0116 & Endorsement 11 to NELIA Certificate N-0113, as evidence of financial protection. JUMP, W.J. Houston Lighting & Power Co. 92/07/17. Document Control Branch (Document Control Desk). 25pp. 62474:148-62474:172.

#### J. Insurance & indemnity information

9207220032 Forwards Endorsement 13 to MAELU Certificate M-0113, Endorsement 14 to MAELU Certificate M-0113, Endorsement 13 to MAELU Certificate M-0116 & Endorsement 11 to NELIA Certificate N-0113, as evidence of financial protection. JUMP, W.J. Houston Lighting & Power Co. 92/07/17. Document Control Branch (Document Control Desk). 25pp. 62474:148-62474:172.

#### P. Operating license stage documents & correspondence

9207020270 Forwards questions re request for relief from ASME Code requirements per 920117 & 920430 ltrs. Requests that util respond to encl within 45 days. DICK, G.F. Project Directorate IV-2. 92/06/29. HALL, D.P. Houston Lighting & Power Co. 3pp. 62194:333-62194:335.

9207080144 Discusses review of response to generic ltr 88-20, suppl 4 re individual plant exams for external events, per util 911223 submittal. Submittal schedule & methods selected for addressing IEEE acceptable. DICK, G.F. Project Directorate IV-2. 92/07/01. HALL, D.P. Houston Lighting & Power Co. 2pp. 62243:310-62243:311.

9207090074 Memorandum & order. Denies motion to modify or quash subpoenas re HL&P/W/Certificate of Svc. Served on 920702. CHILK, S.J. Office of the Secretary of the Commission. #392 13070. 92/07/02. Commissioners (Post 750119). 6pp. 62266:219-62266:224.

9207160345 Staff requirements memo on 920702 affirmation/discussion & vote in Rockville, MD re SECY-92-230, "Motion to Modify or Quash Subpoenas by Houston Lighting & Power Company, Et Al" & COMSECY-92-017. CHILK, S.J. Office of the Secretary of the Commission. 92/07/10. PARLER, W.C. Office of the General Counsel (Post 860701). 2pp. 62396:315-62396:316.

9207210163 Notification of 920723 meeting w/util in Bay City, TX to discuss proposed license amendments supported by PRA for facility. DICK, G.F. Project Directorate IV-2. 92/07/10. BLACK, S.C. Project Directorate IV-2. 3pp. 62438:247-62438:249.

9207160309 Advises that response to confirmatory issue 1 acceptable, based on util 920619 commitment that added scenarios to licensed operator training matl will obtain response times for operating crews. Info will be provided to NRC by 921216. DICK, G.F. Project Directorate IV-2. 92/07/14. HALL, D.P. Houston Lighting & Power Co. 2pp. 62396:033-62396:034.

9207240136 Forwards Change QA-010 to operations QA plan. Change will be incorporated in operations QA plan in next annual update. HALL, D.P. Houston Lighting & Power Co. 92/07/15. Document Control Branch (Document Control Desk). 5pp. 62516:046-62516:050.

9207230286 Revised QA plan, consisting of Change QA-010, Rev 5 to Chapter 1.0 & Rev 9 to table of contents. \* Houston Lighting & Power Co. 92/07/16. 6pp. 62482:225-62482:230.

#### Q. Inspection reports, IE Bulletins & correspondence

9206230193 NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

9207070333 Responds to NRC 920601 ltr re violations noted in insp repts 50-498/92-02 & 50-499/92-03. Corrective actions: security shift briefings conducted & bulletin issued. JUMP, W.J. Houston Lighting & Power Co. 92/06/30. Document Control Branch (Document Control Desk). 6pp. 62262:349-62262:354.

9207070063 Ack receipt of 920619 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/92-08 & 50-499/92-08 dtd 920522. BEACH, A.B. Region 4 (Post 820201). 92/07/01. HALL, D.P. Houston Lighting & Power Co. 3pp. 62205:170-62205:176.

9206260043 NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

9206290237 NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

9207150007 Forwards suppl to 911105 response to violations noted in Insp Repts 50-498/91-21 & 50-499/91-21 re issuance of vital area keys. Response withheld. HALL, D.P. Houston Lighting & Power Co. 92/07/02. Document Control Branch (Document Control Desk). 3pp. 62440:180-62440:182.

9207070226 Revises commitment in 920311 response to emergency preparedness exercise weaknesses noted in Insp Repts 50-498/90-10 & 50-499/90-10. Use of digital dosimeters will not reduce effectiveness of dose monitoring. JUMP, W.J. Houston Lighting & Power Co. 92/07/03. Document Control Branch (Document Control Desk). 3pp. 62265:323-62265:325.

9207070321 Responds to unresolved item noted in Insp Repts 50-498/92-10 & 50-499/92-10. Corrective actions: off-hours augmentation drill conducted on 920617 & personnel reported to facility within 1 h of notification except for offsite field team. JUMP, W.J. Houston Lighting & Power Co. 92/07/03. Document Control Branch (Document Control Desk). 4pp. 62274:001-62274:004.

9207140163 Forwards insp repts 50-498/92-14 & 50-499/92-14. No violations noted. Unresolved item in Section 5 re whether licensed operator complied w/Procedure OPGPO3-ZE-0004, "Plant Surveillance Program," will be further investigated. BEACH, A.B. Region 4 (Post 820201). 92/07/08. HALL, D.P. Houston Lighting & Power Co. 4pp. 62311:152-62311:182.

—9207140166 Insp repts 50-498/92-14 & 50-499/92-14 on 920426-0606. No violations noted. Major areas inspected: plant status, in-ofc review of written repts of nonroutine events & onsite followup of written repts of nonroutine events. HOWELL, A.T. Region 4 (Post 820201). 92/07/08. 26pp. 62311:158-62311:182.

9207020233 NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

9207150196 Forwards response to followup item in Insp Repts 50-498/92-06 & 50-499/92-06 on 920224-28. Corrective actions: actuators not specifically covered by either up-rating program will be reset per original Limitorque rating. JUMP, W.J. Houston Lighting & Power Co. 92/07/09. Document Control Branch (Document Control Desk). 12pp. 62415:269-62415:280.

9207150002 Responds to weaknesses noted in Insp Repts 50-498/92-09 & 50-499/92-09. Corrective actions: training of all personnel involved in offsite notification message preparation will emphasize need to review message for accuracy. JUMP, W.J. Houston Lighting & Power Co. 92/07/10. Document Control Branch (Document Control Desk). 4pp. 62389:358-62389:361.

9207160225 Forwards insp repts 50-498/92-20 & 50-499/92-20 on 920615-19 & notice of violations. Rept details withheld (ref 10CFR73.21). BEACH, A.B. Region 4 (Post 820201). 92/07/10. HALL, D.P. Houston Lighting & Power Co. 6pp. 62415:311-62415:320.

—9207160236 Notice of violation from insp on 920615-19. Violations noted; in Dec 1991, licensee forwarded to NRC & several other addresses, two ltrs containing safeguards info that were not classified as safeguards. \* Region 4 (Post 820201). 92/07/10. 2pp. 62415:317-62415:318.

—9207160246 Insp repts 50-498/92-20 & 50-499/92-20 on 920615-19. Violations noted. Major areas inspected: physical security program including mgt effectiveness, protected area detection & assessment aids, testing & maint. Details withheld. MURRAY, B. Region 4 (Post 820201). 92/07/09. 2pp. 62415:319-62415:320.

9207160308 Forwards insp repts 50-498/92-19 & 50-499/92-19 on 920608-12. No violations or deviations noted. BEACH, A.B. Region 4 (Post 820201). 92/07/10. HALL, D.P. Houston Lighting & Power Co. 4pp. 62404:322-62404:333.

—9207160319 Insp repts 50-498/92-19 & 50-499/92-19 on 920608-12. No violations or deviations noted. Major areas inspected: solid radwaste mgt & radioactive materials transportation programs. MURRAY, B. Region 4 (Post 820201). 92/07/09. 7pp. 62404:327-62404:333.

9207200061 Ack receipt of 920504 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/92-05 & 50-499/92-05 on 920408. BEACH, A.B. Region 4 (Post 820201). 92/07/13. HALL, D.P. Houston Lighting & Power Co. 5pp. 62450:347-62450:359.

9207210131 Ack receipt of 920610 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/88-70 & 50-499/88-70. BEACH, A.B. Region 4 (Post 820201). 92/07/16. HALL, D.P. Houston Lighting & Power Co. 3pp. 62421:053-62421:062.

#### R. Periodic operating reports & related correspondence

9207130099 Monthly operating repts for June 1992 for South Texas Project, Units 1 & 2. W/920707 ltr. KENT, A.P., JUMP, W.J. Houston Lighting & Power Co. 92/06/30. 14pp. 62366:303-62366:316.

#### S. Reportable occurrences, LERs & related correspondence

9207100162 Supplement to special rept re SDG valid failure on 901126. Caused by less than adequate design of delivery valve holder which is prone to cracking. Cooper-Besemer Owners Group recommendations for resolving problem to be implemented. JUMP, W.J. Houston Lighting & Power Co. 92/07/06. Document Control Branch (Document Control Desk). 7pp. 62365:353-62365:359.

9207150030 LER 92-005-00 on 920608, inadvertent start of component cooling water pump occurred when discharge header pressure went below setpoint for starting standby pump. Caused by inadequate procedure. Procedures to be changed. W/920708 ltr. AYALA, C., JUMP, W.J. Houston Lighting & Power Co. 92/07/08. 6pp. 62480:041-62480:046.

9207140242 Special rept on 920610, SDG 22 tripped when released from emergency mode. Caused by regulator valve not providing sufficient air pressure. Troubleshooting & repair on annunciator alarm panel performed. JUMP, W.J. Houston Lighting & Power Co. 92/07/09. Document Control Branch (Document Control Desk). 4pp. 62385:096-62385:099.

## 170 DOCKETED ITEMS

### V. Operator Examinations

**9207160309** Advises that response to confirmatory issue 1 acceptable, based on util 920619 commitment that added scenarios to licensed operator training matl will obtain response times for operating crews. Info will be provided to NRC by 921216.  
DICK, G.F. Project Directorate IV-2. 92/07/14. HALL, D.P. Houston Lighting & Power Co. 2pp. 62396:033-62396:034.

### DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

### Q. Inspection reports, IE Bulletins & correspondence

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

### DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

**9207090349** Forwards Insp Repts 50-528/92-09, 50-529/92-09 & 50-530/92-09 on 920427-0501. No deviations or violations noted.  
REESE, J.H. Region 5 (Post 820201). 92/06/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 62340:350-62340:360.

**-9207090353** Insp Repts 50-528/92-09, 50-529/92-09 & 50-530/92-09 on 920427-0501. No deviations or violations noted. Major area inspected: emergency preparedness program.  
QUALLS, P. Region 5 (Post 820201). 92/06/16. 8pp. 62340:353-62340:360.

**9207080017** Forwards 10CFR50, App R deviation evaluation re partial fire suppression in Fire Area II, Fire Zone 14, lower cable spreading room for review & approval. Existing design adequate, per 10CFR50, App R, Section III.G.2.c.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/29. Document Control Branch (Document Control Desk). 5pp. 62305:348-62305:352.

**9207070043** Responds to NRC SALP repts 50-528/92-07, 50-529/92-07 & 50-530/92-07 for period Dec 1990 - Feb 1992. Ref to fire brigade should be deleted & statement added clarifying page 7 of rept.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/01. Document Control Branch (Document Control Desk). 6pp. 62265:346-62265:351.

**9207270037** Informs that licensee 920701 ltr in response to SALP Board Rept dtd 920409, appropriate. SALP rept 50-528/92-07, 50-529/92-07 & 50-530/92-07 encl. W/ supporting documentation.  
MARTIN, J.B. Region 5 (Post 820201). 92/07/10. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 62475:121-62475:202.

**9207270218** Forwards summary of principal EOP changes from Rev 0.01 to Rev 0.02 & description of procedure changes which address five of six items identified by NRC team insp in Apr 1992. EOP implementation on schedule for 920817, as planned.  
LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/16. Document Control Branch (Document Control Desk). 8pp. 62583:352-62583:359.

**9207300061** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." List of Thermo-Lag 330 installations at facilities encl.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/24. Document Control Branch (Document Control Desk). 7pp. 62568:133-62568:139.

### J. Insurance & indemnity information

**9207070350** Forwards Endorsement 73 to NELIA Policy NF-0266, Endorsement 74 to NELIA Policy NF-0266, Endorsement 54 to MAELU Policy MF-0116 & Endorsement 55 to MAELU Policy MF-0116.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/25. Document Control Branch (Document Control Desk). 5pp. 62273:313-62273:317.

### P. Operating license stage documents & correspondence

**9207070314** Discusses monitoring & evaluation of containment hydrogen monitors. Hydrogen analyzers will not be replaced since existing analyzers comply w/ containment hydrogen monitoring licensing bases.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/26. Document Control Branch (Document Control Desk). 2pp. 62274:123-62274:124.

**9207070337** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity. Embrittlement effects of operating at irradiation temps below 525 F not considered in TS 3.1.1.4.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/27. Document Control Branch (Document Control Desk). 7pp. 62274:341-62274:347.

**9207080017** Forwards 10CFR50, App R deviation evaluation re partial fire suppression in Fire Area II, Fire Zone 14, lower cable spreading room for review & approval. Existing design adequate, per 10CFR50, App R, Section III.G.2.c.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/29. Document Control Branch (Document Control Desk). 5pp. 62305:348-62305:352.

**9207200192** Requests that encl documents re CRGR meeting 220 be made publicly available.  
ALLISON, D. NRC - No Detailed Affiliation Given. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62418:001-62418:306.

**-9205200280** Provides addl info re draft slip 1 to Generic Ltr 83-28, "Required Actions Based on Generic Implications of Salem ATWS Events." Informs that previous assessment concerning RTB life testing valid.  
MIRAGLIA, F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/05/05. JORDAN, E.L. Committee to Review Generic Requirements. 2pp. 62418:301-62418:302.

**9207270271** Advises that 920324 submittal of C-E SA-ALL-NCR-92-003-00, "Subgroup 4.5 & 22 CEA Slip Analysis for Reactor Power Cutback Timer" will be withheld from public disclosure, per 10CFR2.790.  
THOMPSON, C.M. Project Directorate V. 92/07/21. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 62491:352-62491:358.

### Q. Inspection reports, IE Bulletins & correspondence

**9207090336** Forwards mgt meeting repts 50-528/92-21, 50-529/92-21 & 50-530/92-21 on 920526. Recent events indicated leveling off of performance.  
MARTIN, J.B. Region 5 (Post 820201). 92/06/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 62335:244-62335:287.

**-9207090350** Mgt meeting repts 50-528/92-21, 50-529/92-21 & 50-530/92-21 on 920526. Major areas discussed: SALP for Dec 1990 through Feb 1992 & initial SALP Repts 50-528/92-07, 50-529/92-07 & 50-530/92-07.  
WONG, H.J. Region 5 (Post 820201). 92/06/11. 41pp. 62335:247-62335:287.

**9207090349** Forwards Insp Repts 50-528/92-09, 50-529/92-09 & 50-530/92-09 on 920427-0501. No deviations or violations noted.  
REESE, J.H. Region 5 (Post 820201). 92/06/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 62340:350-62340:360.

**-9207090353** Insp Repts 50-528/92-09, 50-529/92-09 & 50-530/92-09 on 920427-0501. No deviations or violations noted. Major area inspected: emergency preparedness program.  
QUALLS, P., REESE, J.H. Region 5 (Post 820201). 92/06/16. 8pp. 62340:353-62340:360.

**9207090211** Forwards Insp Repts 50-528/92-15, 50-529/92-15 & 50-530/92-15 on 920404-10. Violation re failure to take corrective actions for deficiency re reactor trip breakers under consideration for escalated enforcement action.  
MARTIN, J.B. Region 5 (Post 820201). 92/06/17. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 62335:288-62335:335.

**-9207090214** Insp Repts 50-528/92-15, 50-529/92-15 & 50-530/92-15 on 920404-10. Violations noted. Major areas inspected: Westinghouse Type DS-206 reactor trip breaker opening during routine surveillance test.  
MILLER, L.F. Region 5 (Post 820201). 92/06/17. 44pp. 62335:292-62335:335.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207210002** Forwards insp repts 50-528/92-17, 50-529/92-17 & 50-530/92-17 on 920412-0530 & notice of violation. Requests description of actions being taken to resolve issue re feedwater isolation valve failures.  
RICHARDS, S.A. Region 5 (Post 820201). 92/06/29. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 18pp. 62419:001-62419:022.

**-9207210004** Notice of violation from insp on 920412-0530. Violation noted: safety-related components w/ less engagement of packing gland retaining than required by procedure 30DP-9MP02 identified.  
\* Region 5 (Post 820201). 92/06/29. 1p. 62419:004-62419:004.

**-9207210007** Insp repts 50-528/92-17, 50-529/92-17 & 50-530/92-17 on 920412-0530. No violations noted. Major areas inspected: review of plant activities, ESF sys walkdowns, surveillance testing & plant maint.  
WONG, H. Region 5 (Post 820201). 92/06/29. 18pp. 62419:005-62419:022.

**9207210129** Forwards insp repts 50-528/92-23, 50-529/92-23 & 50-530/92-23 on 920615-19. Apparent violation noted. NOV not issued.  
ZIMMERMAN, R.P. Region 5 (Post 820201). 92/06/29. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 62421:038-62421:052.

**-9207210133** Insp repts 50-528/92-23, 50-529/92-23 & 50-530/92-23 on 920615-19. Apparent violation noted. Major areas inspected: circumstances surrounding Unit 1 containment isolation check valve found improperly assembled on 920318.  
WONG, H. Region 5 (Post 820201). 92/06/26. 12pp. 62421:041-62421:052.

**9207090301** Notification of significant licensee meeting w/ util on 920709 to conduct enforcement conference re Unit 3 reactor trip breaker failures & loss of annunciator event & unit 1 check valve installed backwards.  
ZIMMERMAN, R.P. Region 5 (Post 820201). 92/06/30. Region 5 (Post 820201). 3pp. 62339:358-62339:360.

**9207070043** Responds to NRC SALP repts 50-528/92-07, 50-529/92-07 & 50-530/92-07 for period Dec 1990 - Feb 1992. Ref to fire brigade should be deleted & statement added clarifying page 7 of rept.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/01. Document Control Branch (Document Control Desk). 6pp. 62265:346-62265:351.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207270265** Forwards notice of violation, notice of deviation & insp repts 50-528/92-14, 50-529/92-14 & 50-530/92-14 on 920427-0605. Util has recognized importance of I&C & setpoint programs.  
ZIMMERMAN, R.P. Region 5 (Post 820201). 92/07/06. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 62484:314-62484:353.

**-9207270270** Notice of violation from insp on 920427-0501 & 0601-05. Violations noted: pressurizer pressure narrow range transmitters out of tolerance 37 times in 60 calibr & low lube oil pressure switches for six EDGs out of tolerance.  
\* Region 5 (Post 820201). 92/07/06. 2pp. 62484:319-62484:320.

**-9207270276** Notice of deviation from insp on 920427-0501 & 0601-05. Deviation noted: DGSS operated at pressure lower than 250 psi which design testing indicates adequate air supply exists for ensuring capability of five starting cycles.  
\* Region 5 (Post 820201). 92/07/06. 1p. 62484:321-62484:321.

**-9207270281** Insp repts 50-528/92-14, 50-529/92-14 & 50-530/92-14 on 920427-0501 & 0601-05. Violations & deviations noted. Major areas inspected: AFW, EDG & MFV.  
GODY, A. Region 5 (Post 820201). 92/07/02. 32pp. 62484:322-62484:353.

**9207202033** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207210326** Suppl 911024 response to violations noted in Insp Repts 50-528/92-25. Corrective actions: acceptance criteria for verification of stroke time for MOVs incorporated into appropriate test instructions.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/10. Document Control Branch (Document Control Desk). 5pp. 62459:344-62459:348.

**9207270037** Informs that licensee 920701 ltr in response to SALP Board Rept dtd 920409, appropriate. SALP rept 50-528/92-07, 50-529/92-07 & 50-530/92-07 encl. W/ supporting documentation.  
MARTIN, J.B. Region 5 (Post 820201). 92/07/10. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 62475:121-62475:202.

**9207270216** Forwards summary of principal EOP changes from Rev 0.01 to Rev 0.02 & description of procedure changes which address five of six items identified by NRC team insp in Apr 1992. EOP implementation on schedule for 920817, as planned.  
LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/16. Document Control Branch (Document Control Desk). 8pp. 62583:352-62583:359.

**9207300061** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." List of Thermo-Lag 330 installations at facilities encl.  
CONWAY, W.F., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/24. Document Control Branch (Document Control Desk). 7pp. 62568:133-62568:139.

#### R. Periodic operating reports & related correspondence

**9207080019** "10CFR50.59 Annual Rept" for 1991 CY. W/920629 ltr.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 91/12/31. 100pp. 62307:130-62307:286.

**9207170267** Monthly operating repts for June 1992 for Palo Verde Nuclear Power Station, Units 1, 2 & 3. W/920714 ltr.  
CHAVET, K.A., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/30. 18pp. 62431:259-62431:274.

#### S. Reportable occurrences, LERs & related correspondence

**9207070312** LER 92-004-01: on 920310, determined that 14 of 20 main steam safety valves & 2 of 4 pressurizer safety valve as-found relief setting out of TS tolerance. Caused by setpoint drift. Lift setpoints to be adjusted. W/920624 ltr.  
BRADISH, T.R., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/24. 11pp. 62293:002-62293:012.

**9207070310** Special Rept 1-SR-92-004: on 920620, loose part detection sys inoperable for more than 30 days. Caused by hardware problems associated w/ installation of loose part detection sys mods. New computer processor board installed.  
LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/27. Document Control Branch (Document Control Desk). 3pp. 62274:337-62274:339.

**9207100264** PNO-V-92-020: on 920628, two major earthquakes occurred in State of CA desert. Unusual event declared at San Onofre & Diablo Canyon. Tremors felt at Palo Verde & at two research reactors & fuel facility. Peak accelerations listed.  
GARCIA, E. Region 5 (Post 820201). 92/06/29. 3pp. 62365:001-62365:003.

#### V. Operator Examinations

**9207070009** Advises that DL Best (License SOP-50034-2) no longer needs to maintain senior operator license & license expired.  
LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/27. MARTIN, J.B. Region 5 (Post 820201). 1p. 62262:343-62262:343.

**9207070010** Advises that BA Grabo (Senior Operator License SOP-50098) no longer needs to maintain license & operator license expired.  
LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/27. MARTIN, J.B. Region 5 (Post 820201). 1p. 62262:342-62262:342.

#### DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**9207090349** Forwards Insp Repts 50-528/92-09, 50-529/92-09 & 50-530/92-09 on 920427-0501. No deviations or violations noted.  
REESE, J.H. Region 5 (Post 820201). 92/06/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 62340:350-62340:360.

**-9207090353** Insp Repts 50-528/92-09, 50-529/92-09 & 50-530/92-09 on 920427-0501. No deviations or violations noted. Major area inspected: emergency preparedness program.  
QUALLS, P. Region 5 (Post 820201). 92/06/16. 8pp. 62340:353-62340:360.

**9207080017** Forwards 10CFR50, App R deviation evaluation re partial fire suppression in Fire Area II, Fire Zone 14, lower cable spreading room for review & approval. Existing design adequate, per 10CFR50, App R, Section III.G.2.c.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/29. Document Control Branch (Document Control Desk). 5pp. 62305:348-62305:352.

**9207070043** Responds to NRC SALP repts 50-528/92-07, 50-529/92-07 & 50-530/92-07 for period Dec 1990 - Feb 1992. Ref to fire brigade should be deleted & statement added clarifying page 7 of rept.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/01. Document Control Branch (Document Control Desk). 6pp. 62265:346-62265:351.

**9207270037** Informs that licensee 920701 ltr in response to SALP Board Rept dtd 920409, appropriate. SALP rept 50-528/92-07, 50-529/92-07 & 50-530/92-07 encl. W/ supporting documentation.  
MARTIN, J.B. Region 5 (Post 820201). 92/07/10. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 62475:121-62475:202.

**9207270216** Forwards summary of principal EOP changes from Rev 0.01 to Rev 0.02 & description of procedure changes which address five of six items identified by NRC team insp in Apr 1992. EOP implementation on schedule for 920817, as planned.  
LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/16. Document Control Branch (Document Control Desk). 8pp. 62583:352-62583:359.

**9207300061** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." List of Thermo-Lag 330 installations at facilities encl.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/24. Document Control Branch (Document Control Desk). 7pp. 62568:133-62568:139.

#### J. Insurance & indemnity information

**9207070350** Forwards Endorsement 73 to NELIA Policy NF-0266, Endorsement 74 to NELIA Policy NF-0266, Endorsement 54 to MAELU Policy MF-0116 & Endorsement 55 to MAELU Policy MF-0116.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/25. Document Control Branch (Document Control Desk). 5pp. 62273:313-62273:317.

#### P. Operating license stage documents & correspondence

**9207070314** Discusses monitoring & evaluation of containment hydrogen monitors. Hydrogen analyzers will not be replaced since existing analyzers comply w/ containment hydrogen monitoring licensing bases.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/26. Document Control Branch (Document Control Desk). 2pp. 62274:123-62274:124.

**9207070337** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity. Embrittlement effects of operating at irradiation temps below 525 F not considered in TS 3.1.1.4.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/27. Document Control Branch (Document Control Desk). 7pp. 62274:341-62274:347.

**9207080017** Forwards 10CFR50, App R deviation evaluation re partial fire suppression in Fire Area II, Fire Zone 14, lower cable spreading room for review & approval. Existing design adequate, per 10CFR50, App R, Section III.G.2.c.  
CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/29. Document Control Branch (Document Control Desk). 5pp. 62305:348-62305:352.

**9207200192** Requests that encl documents re CRGR meeting 220 be made publicly available.  
ALLISON, D. NRC - No Detailed Affiliation Given. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62418:001-62418:306.

**-9205200280** Provides addl info re draft suppl 1 to Generic Ltr 83-28, "Required Actions Based on Generic Implications of Salem ATWS Events." Informs that previous assessment concerning RTB life testing valid.  
MIRAGLIA, F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/05/05. JORDAN, E.L. Committee to Review Generic Requirements. 2pp. 62418:301-62418:302.

**9207270271** Advises that 920324 submittal of C-E SA-ALL-NCR-92-003-00, "Subgroup 4.5 & 22 CEAs Slip Analysis for Reactor Power Cutback Timer" will be withheld from public disclosure, per 10CFR2.790.  
THOMPSON, C.M. Project Directorate V. 92/07/21. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 62491:352-62491:358.



## 172 DOCKETED ITEMS

### Q. Inspection reports, IE Bulletins & correspondence

- 9207090336** Forwards mgt meeting repts 50-528/92-21,50-529/92-21 & 50-530/92-21 on 920526.Recent events indicated leveling off of performance.  
MARTIN,J.B. Region 5 (Post 820201). 92/06/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 62335:244-62335:287.
- 9207090350** Mgt meeting repts 50-528/92-21,50-529/92-21 & 50-530/92-21 on 920526.Major areas discussed:SALP for Dec 1990 through Feb 1992 & initial SALP Repts 50-528/92-07, 50-529/92-07 & 50-530/92-07.  
WONG,H.J. Region 5 (Post 820201). 92/06/11. 41pp. 62335:247-62335:287.
- 9207090349** Forwards Insp Repts 50-528/92-09,50-529/92-09 & 50-530/92-09 on 920427-0501.No deviations or violations noted.  
REESE,J.H. Region 5 (Post 820201). 92/06/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 62340:350-62340:360.
- 9207090353** Insp Repts 50-528/92-09,50-529/92-09 & 50-530/92-09 on 920427-0501.No deviations or violations noted.Major area inspected:emergency preparedness program.  
QUALLS,P., REESE,J.H. Region 5 (Post 820201). 92/06/16. 8pp. 62340:353-62340:360.
- 9207090211** Forwards Insp Repts 50-528/92-15,50-529/92-15 & 50-530/92-15 on 920404-10.Violation re failure to take corrective actions for deficiency re reactor trip breakers under consideration for escalated enforcement action.  
MARTIN,J.B. Region 5 (Post 820201). 92/06/17. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 62335:288-62335:335.
- 9207090214** Insp Repts 50-528/92-15,50-529/92-15 & 50-530/92-15 on 920404-10.Violations noted.Major areas inspected: Westinghouse Type DS-206 reactor trip breaker opening during routine surveillance test.  
MILLER,L.F. Region 5 (Post 820201). 92/06/17. 44pp. 62335:292-62335:335.
- 9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.
- 9207210002** Forwards insp repts 50-528/92-17,50-529/92-17 & 50-530/92-17 on 920412-0530 & notice of violation.Requests description of actions being taken to resolve issue re feedwater isolation valve failures.  
RICHARDS,S.A. Region 5 (Post 820201). 92/06/29. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 18pp. 62419:001-62419:022.
- 9207210004** Notice of violation from insp on 920412-0530.Violation noted:safety-related components w/less engagement of packing gland retaining than required by procedure 30DP-9MP02 identified.  
\* Region 5 (Post 820201). 92/06/29. 1p. 62419:004-62419:004.
- 9207210007** Insp repts 50-528/92-17,50-529/92-17 & 50-530/92-17 on 920412-0530.No violations noted.Major areas inspected:review of plant activities,ESF sys walkdowns,surveillance testing & plant maint.  
WONG,H. Region 5 (Post 820201). 92/06/29. 18pp. 62419:005-62419:022.
- 9207210129** Forwards insp repts 50-528/92-23,50-529/92-23 & 50-530/92-23 on 920615-19.Apparent violation noted.NOV not issued.  
ZIMMERMAN,R.P. Region 5 (Post 820201). 92/06/29. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 62421:038-62421:052.
- 9207210133** Insp repts 50-528/92-23,50-529/92-23 & 50-530/92-23 on 920615-19.Apparent violation noted.Major areas inspected: circumstances surrounding Unit 1 containment isolation check valve found improperly assembled on 920318.  
WONG,H. Region 5 (Post 820201). 92/06/26. 12pp. 62421:041-62421:052.
- 9207090301** Notification of significant licensee meeting w/util on 920709 to conduct enforcement conference re Unit 3 reactor trip breaker failures & loss of annunciator event & unit 1 check valve installed backwards.  
ZIMMERMAN,R.P. Region 5 (Post 820201). 92/06/30. Region 5 (Post 820201). 3pp. 62339:358-62339:360.
- 9207070043** Responds to NRC SALP repts 50-528/92-07,50-529/92-07 & 50-530/92-07 for period Dec 1990 - Feb 1992.Ref to fire brigade should be deleted & statement added clarifying page 7 of rept.  
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/01. Document Control Branch (Document Control Desk). 6pp. 62265:346-62265:351.
- 9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.
- 9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.
- 9207270285** Forwards notice of violation,notice of deviation & insp repts 50-528/92-14,50-529/92-14 & 50-530/92-14 on 920427-0605.Util has recognized importance of I&C & setpoint programs.  
ZIMMERMAN,R.P. Region 5 (Post 820201). 92/07/06. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 62484:314-62484:353.
- 9207270270** Notice of violation from insp on 920427-0501 & 0601-05. Violations noted:pressurizer pressure narrow range transmitters out of tolerance 37 times in 60 calibr & low lube oil pressure switches for six EDGs out of tolerance.  
\* Region 5 (Post 820201). 92/07/06. 2pp. 62484:319-62484:320.
- 9207270276** Notice of deviation from insp on 920427-0501 & 0601-05. Deviation noted:DGSS operated at pressure lower than 250 psi which design testing indicates adequate air supply exists for ensuring capability of five starting cycles.  
\* Region 5 (Post 820201). 92/07/06. 1p. 62484:321-62484:321.
- 9207270281** Insp repts 50-528/92-14,50-529/92-14 & 50-530/92-14 on 920427-0501 & 0601-05.Violations & deviations noted.Major areas inspected:AFW,EDG & MFW.  
GODY,A. Region 5 (Post 820201). 92/07/02. 32pp. 62484:322-62484:353.
- 9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.
- 9207270037** Informs that licensee 920701 ltr in response to SALP Board Rept dtd 920409,appropriate.SALP rept 50-528/92-07, 50-529/92-07 & 50-530/92-07 encl.W/ supporting documentation.  
MARTIN,J.B. Region 5 (Post 820201). 92/07/10. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 62475:121-62475:202.
- 9207270218** Forwards summary of principal EOP changes from Rev 0.01 to Rev 0.02 & description of procedure changes which address five of six items identified by NRC team insp in Apr 1992. EOP implementation on schedule for 920817,as planned.  
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/16. Document Control Branch (Document Control Desk). 8pp. 62583:352-62583:359.
- 9207300061** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." List of Thermo-Lag 330 installations at facilities encl.  
CONWAY,W.F., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/24. Document Control Branch (Document Control Desk). 7pp. 62568:133-62568:139.

### R. Periodic operating reports & related correspondence

- 9207080019** "10CFR50.59 Annual Rept" for 1991 CY.W/920629 ltr.  
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 91/12/31. 100pp. 62307:130-62307:286.
- 9207170267** Monthly operating repts for June 1992 for Palo Verde Nuclear Power Station,Units 1,2 & 3.W/920714 ltr.  
CHAVET,K.A., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/30. 16pp. 62431:259-62431:274.

### S. Reportable occurrences, LERs & related correspondence

- 9207100264** PNO-V-92-020:on 920628,two major earthquakes occurred in State of CA desert.Unusual event declared at San Onofre & Diablo Canyon.Tremors felt at Palo Verde & at two research reactors & fuel facility.Peak accelerations listed.  
GARFIA,E. Region 5 (Post 820201). 92/06/29. 3pp. 62365:001-62365:003.
- 9207210319** LER 92-002-01:on 920323,Unit 2 reactor tripped & Train A LOP ESFAS actuation occurred & Train B LOP ESFAS actuation occurred in Unit 3.Reactor trip caused by component failure. Failed component replaced.W/920714 ltr.  
BRADISH,T.R., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/14. 13pp. 62480:345-62480:357.
- 9207220217** LER 92-004-00:on 920619,Train A loss of power ESFAS actuated due to fault downstream of startup transformer. Startup Transformer NAN-X01 quarantined & senior plant mgt informed.W/920716 ltr.  
BRADISH,T.R., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/16. 9pp. 62481:178-62481:186.

### V. Operator Examinations

- 9207070009** Advises that DL Best (License SOP-50034-2) no longer needs to maintain senior operator license & license expired.  
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/27. MARTIN,J.B. Region 5 (Post 820201). 1p. 62262:343-62262:343.
- 9207070010** Advises that BA Grabo (Senior Operator License SOP-50098) no longer needs to maintain license & operator license expired.  
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/27. MARTIN,J.B. Region 5 (Post 820201). 1p. 62262:342-62262:342.

### DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

### F. Security, medical, emergency & fire protection plans

- 9207090349** Forwards Insp Repts 50-528/92-09,50-529/92-09 & 50-530/92-09 on 920427-0501.No deviations or violations noted.  
REESE,J.H. Region 5 (Post 820201). 92/06/16. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 62340:350-62340:360.
- 9207090353** Insp Repts 50-528/92-09,50-529/92-09 & 50-530/92-09 on 920427-0501.No deviations or violations noted.Major area inspected:emergency preparedness program.  
QUALLS,P. Region 5 (Post 820201). 92/06/16. 8pp. 62340:353-62340:360.
- 9207080017** Forwards 10CFR50,App R deviation evaluation re partial fire suppression in Fire Area II,Fire Zone 14,lower cable spreading room for review & approval.Existing design adequate,per 10CFR50,App R,Section III.G.2.c.  
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/29. Document Control Branch (Document Control Desk). 5pp. 62305:348-62305:352.
- 9207070043** Responds to NRC SALP repts 50-528/92-07,50-529/92-07 & 50-530/92-07 for period Dec 1990 - Feb 1992.Ref to fire brigade should be deleted & statement added clarifying page 7 of rept.  
CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/01. Document Control Branch (Document Control Desk). 6pp. 62265:346-62265:351.
- 9207270037** Informs that licensee 920701 ltr in response to SALP Board Rept dtd 920409,appropriate.SALP rept 50-528/92-07, 50-529/92-07 & 50-530/92-07 encl.W/ supporting documentation.  
MARTIN,J.B. Region 5 (Post 820201). 92/07/10. CONWAY,W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 62475:121-62475:202.



**920720218** Forwards summary of principal EOP changes from Rev 0.01 to Rev 0.02 & description of procedure changes which address five of six items identified by NRC team insp in Apr 1992. EOP implementation on schedule for 920817, as planned. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/16. Document Control Branch (Document Control Desk). 8pp. 62583:352-62583:359.

**920730061** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." List of Thermo-Lag 330 installations at facilities encl. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/24. Document Control Branch (Document Control Desk). 7pp. 62568:133-62568:139.

#### J. Insurance & Indemnity Information

**9207070350** Forwards Endorsement 73 to NELIA Policy NF-0266, Endorsement 74 to NELIA Policy NF-0266, Endorsement 54 to MAELU Policy MF-0116 & Endorsement 55 to MAELU Policy MF-0116. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/25. Document Control Branch (Document Control Desk). 5pp. 62273:313-62273:317.

#### P. Operating license stage documents & correspondence

**9207070314** Discusses monitoring & evaluation of containment hydrogen monitors. Hydrogen analyzers will not be replaced since existing analyzers comply w/ containment hydrogen monitoring licensing bases. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/26. Document Control Branch (Document Control Desk). 2pp. 62274:123-62274:124.

**9207070337** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity. Embrittlement effects of operating at irradiation temps below 525 F not considered in TS 3.1.1.4. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/27. Document Control Branch (Document Control Desk). 7pp. 62274:341-62274:347.

**9207080017** Forwards 10CFR50, App R deviation evaluation re partial fire suppression in Fire Area II, Fire Zone 14, lower cable spreading room for review & approval. Existing design adequate, per 10CFR50, App R, Section III.G.2.c. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/29. Document Control Branch (Document Control Desk). 5pp. 62305:348-62305:352.

**9207200192** Requests that encl documents re CRGR meeting 220 be made publicly available. ALLISON, D. NRC - No Detailed Affiliation Given. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62418:001-62418:306.

**-9205200280** Provides addl info re draft suppl 1 to Generic Ltr 83-28, "Required Actions Based on Generic Implications of Salem ATWS Events." Informs that previous assessment concerning RTB life testing valid. MIRAGLIA, F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/05/05. JORDAN, E.L. Committee to Review Generic Requirements. 2pp. 62418:301-62418:302.

**9207230096** Forwards exemption from 10CFR50.46, 10CFR50, app K & 10CFR50.44 requirements, per 911220 request. Exemption permits use of fuel rods clad w/zirconium-based alloys other than Zircaloy-4. THOMPSON, C.M. Project Directorate V. 92/07/17. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 62459:010-62459:019.

**-9207230101** Exemption from 10CFR50.46, 10CFR50, app K & 10CFR50.44 to permit use of fuel rods clad w/zirconium-based alloys other than Zircaloy-4. BOGER, B.A. Division of Reactor Projects - III, IV, V (Post 901216). 92/07/17. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 7pp. 62459:013-62459:019.

**9207240121** Forwards amend 35 to license NPF-74 & safety evaluation. Amend allows use of 80 fuel rods clad w/advanced Zircaloy based alloys other than Zr-4 in two fuel assemblies during cycles 4, 5 & 6 for in-reactor performance evaluation. THOMPSON, C.M. Project Directorate V. 92/07/20. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 62479:217-62479:226.

**-9207240126** Amend 35 to license NPF-74, allowing use of 80 fuel rods clad w/advanced Zircaloy based alloys other than Zr-4 in two fuel assemblies during cycles 4, 5 & 6 for in-reactor performance evaluation. QUAY, T.R. Project Directorate V. 92/07/20. 5pp. 62479:220-62479:223.

**-9207240127** Safety evaluation supporting amend 35 to license NPF-74. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/20. 3pp. 62479:224-62479:226.

**9207270271** Advises that 920324 submittal of C-E SA-ALL-NCR-92-003-00, "Subgroup 4, 5 & 22 CEA Slip Analysis for Reactor Power Cutback Timer" will be withheld from public disclosure, per 10CFR2.790. THOMPSON, C.M. Project Directorate V. 92/07/21. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 62491:352-62491:358.

#### Q. Inspection reports, IE Bulletins & correspondence

**9207090336** Forwards mgt meeting repts 50-528/92-21, 50-529/92-21 & 50-530/92-21 on 920526. Recent events indicated leveling off of performance. MARTIN, J.B. Region 5 (Post 820201). 92/06/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 62335:244-62335:287.

**-9207090350** Mgt meeting repts 50-528/92-21, 50-529/92-21 & 50-530/92-21 on 920526. Major areas discussed: SALP for Dec 1990 through Feb 1992 & initial SALP Repts 50-528/92-07, 50-529/92-07 & 50-530/92-07. WONG, H.J. Region 5 (Post 820201). 92/06/11. 41pp. 62335:247-62335:287.

**9207090349** Forwards Insp Repts 50-528/92-09, 50-529/92-09 & 50-530/92-09 on 920427-0501. No deviations or violations noted. REESE, J.H. Region 5 (Post 820201). 92/06/16. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 62340:350-62340:360.

**-9207090353** Insp Repts 50-528/92-09, 50-529/92-09 & 50-530/92-09 on 920427-0501. No deviations or violations noted. Major area inspected: emergency preparedness program. QUALLS, P. REESE, J.H. Region 5 (Post 820201). 92/06/16. 8pp. 62340:353-62340:360.

**9207090211** Forwards Insp Repts 50-528/92-15, 50-529/92-15 & 50-530/92-15 on 920404-10. Violation re failure to take corrective actions for deficiency re reactor trip breakers under consideration for escalated enforcement action. MARTIN, J.B. Region 5 (Post 820201). 92/06/17. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 62335:288-62335:335.

**-9207090214** Insp Repts 50-528/92-15, 50-529/92-15 & 50-530/92-15 on 920404-10. Violations noted. Major areas inspected: Westinghouse Type DS-206 reactor trip breaker opening during routine surveillance test. MILLER, L.F. Region 5 (Post 820201). 92/06/17. 44pp. 62335:292-62335:335.

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9207210002** Forwards insp repts 50-528/92-17, 50-529/92-17 & 50-530/92-17 on 920412-0530 & notice of violation. Requests description of actions being taken to resolve issue re feedwater isolation valve failures. RICHARDS, S.A. Region 5 (Post 820201). 92/06/29. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 18pp. 62419:001-62419:022.

**-9207210004** Notice of violation from insp on 920412-0530. Violation noted: safety-related components w/less engagement of packing gland retaining than required by procedure 30DP-9MP02 identified. \* Region 5 (Post 820201). 92/06/29. 1p. 62419:004-62419:004.

**-9207210007** Insp repts 50-528/92-17, 50-529/92-17 & 50-530/92-17 on 920412-0530. No violations noted. Major areas inspected: review of plant activities, ESF sys walkdowns, surveillance testing & plant maint. WONG, H. Region 5 (Post 820201). 92/06/29. 18pp. 62419:005-62419:022.

**9207210129** Forwards insp repts 50-528/92-23, 50-529/92-23 & 50-530/92-23 on 920615-19. Apparent violation noted. NOV not issued. ZIMMERMAN, R.P. Region 5 (Post 820201). 92/06/29. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 62421:038-62421:052.

**-9207210133** Insp repts 50-528/92-23, 50-529/92-23 & 50-530/92-23 on 920615-19. Apparent violation noted. Major areas inspected: circumstances surrounding Unit 1 containment isolation check valve found improperly assembled on 920318. WONG, H. Region 5 (Post 820201). 92/06/26. 12pp. 62421:041-62421:052.

**9207090301** Notification of significant licensee meeting w/util on 920709 to conduct enforcement conference re Unit 3 reactor trip breaker failures & loss of annunciator event & unit 1 check valve installed backwards. ZIMMERMAN, R.P. Region 5 (Post 820201). 92/06/30. Region 5 (Post 820201). 3pp. 62339:358-62339:360.

**9207070043** Responds to NRC SALP repts 50-528/92-07, 50-529/92-07 & 50-530/92-07 for period Dec 1990 - Feb 1992. Ref to fire brigade should be deleted & statement added clarifying page 7 of rept. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/01. Document Control Branch (Document Control Desk). 6pp. 62265:346-62265:351.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207270265** Forwards notice of violation, notice of deviation & insp repts 50-528/92-14, 50-529/92-14 & 50-530/92-14 on 920427-0605. Util has recognized importance of I&C & setpoint programs. ZIMMERMAN, R.P. Region 5 (Post 820201). 92/07/06. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 62484:314-62484:353.

**-9207270270** Notice of violation from insp on 920427-0501 & 0601-05. Violations noted: pressurizer pressure narrow range transmitters out of tolerance 37 times in 60 calibr & low lube oil pressure switches for six EDGs out of tolerance. \* Region 5 (Post 820201). 92/07/06. 2pp. 62484:319-62484:320.

**-9207270276** Notice of deviation from insp on 920427-0501 & 0601-05. Deviation noted: DGSS operated at pressure lower than 250 psi which design testing indicates adequate air supply exists for ensuring capability of five starting cycles. \* Region 5 (Post 820201). 92/07/06. 1p. 62484:321-62484:321.

**-9207270281** Insp repts 50-528/92-14, 50-529/92-14 & 50-530/92-14 on 920427-0501 & 0601-05. Violations & deviations noted. Major areas inspected: AFW, EDG & MFW. GODY, A. Region 5 (Post 820201). 92/07/02. 32pp. 62484:322-62484:353.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207270037** Informs that licensee 920701 ltr in response to SALP Board Rept dtd 920409, appropriate SALP rept 50-528/92-07, 50-529/92-07 & 50-530/92-07 encl w/ supporting documentation. MARTIN, J.B. Region 5 (Post 820201). 92/07/10. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 62475:121-62475:202.

## 174 DOCKETED ITEMS

**9207270218** Forwards summary of principal EOP changes from Rev 0.01 to Rev 0.02 & description of procedure changes which address five of six items identified by NRC team insp in Apr 1992. EOP implementation on schedule for 920817, as planned. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/16. Document Control Branch (Document Control Desk). 8pp. 62583:352-62583:359.

**9207300061** Forwards response to NRC Bulletin 92-001, "Failure of Thermo-Lag 330 Fire Barrier Sys to Maintain Cabling in Wide Cable Trays & Small Conduits Free from Fire Damage." List of Thermo-Lag 330 installations at facilities encl. CONWAY, W.F., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/07/24. Document Control Branch (Document Control Desk). 7pp. 62568:133-62568:139.

### R. Periodic operating reports & related correspondence

**9207080019** "10CFR50.59 Annual Rept" for 1991 CY.W/920629 ltr. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 91/12/31. 100pp. 62307:130-62307:286.

**9207170267** Monthly operating repts for June 1992 for Palo Verde Nuclear Power Station, Units 1, 2 & 3. W/920714 ltr. CHAVET, K.A., LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/30. 16pp. 62431:259-62431:274.

### S. Reportable occurrences, LERs & related correspondence

**9207100264** PNO-V-92-020: on 920628, two major earthquakes occurred in State of CA desert. Unusual event declared at San Onofre & Diablo Canyon. Tremors felt at Palo Verde & at two research reactors & fuel facility. Peak accelerations listed. GARCIA, E. Region 5 (Post 820201). 92/06/29. 3pp. 62365:001-62365:003.

### V. Operator Examinations

**9207070009** Advises that DL Best (License SOP-50034-2) no longer needs to maintain senior operator license & license expired. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/27. MARTIN, J.B. Region 5 (Post 820201). 1p. 62262:343-62262:343.

**9207070010** Advises that BA Grabo (Senior Operator License SOP-50098) no longer needs to maintain license & operator license expired. LEVINE, J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 92/06/27. MARTIN, J.B. Region 5 (Post 820201). 1p. 62262:342-62262:342.

### DOCKET 52-001 GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.

**9207060193** Forwards proprietary drafts re updated advanced BWR std plant. Encl withheld. RAFTERY, R.P. Reliability Engineering Services. 92/05/08. FOX, J.N. Reliability Engineering Services. 1p. 62260:326-62260:326.

**9207010268** Forwards nonproprietary & proprietary info re containment hydrodynamic loads. Proprietary info withheld. FOX, J. General Electric Co. 92/06/01. D'ANGELO, T. NRC - No Detailed Affiliation Given. 9pp. 62230:249-62230:257.

**9207060007** Forwards 920530 fax from GE on advanced BWR PRA ITAAC & common cause failure. KELLY, G. Risk Application Branch. 92/06/01. POSLUSNY, C. Standardization Project Directorate (901216-920516). 1p. 62250:207-62250:221.

**9207060008** Forwards PRA input to ITAAC, Item PRA-2 re common cause failure & Item 19.X re Tier 1 treatment of design features identified as important by PRA. DUNCAN, J. General Electric Co. 92/05/30. KELLY, G. NRC - No Detailed Affiliation Given. 11pp. 62250:208-62250:221.

**9207060110** Forwards proprietary fax re response to PRA portion of Question 10 of 920413 ACRS ltr pertaining to RWCV. Response withheld. FOX, J. General Electric Co. 92/06/04. KELLY, G., MCCREE, V. NRC - No Detailed Affiliation Given. 1p. 62251:060-62251:060.

**9207060159** Forwards matl discussed on 920603 re ABWR suppression pool bypass. Matl withheld. \* General Electric Co. 92/06/04. NRC - No Detailed Affiliation Given. 1p. 62249:360-62249:360.

**9207060143** Forwards corrections to 920601 fax re human factors, consisting of Table 2 re human actions below top 300 cutsets & Table 4 re human action acronyms deleted from model. DUNCAN, J. General Electric Co. 92/06/05. KELLY, G. NRC - No Detailed Affiliation Given. 3pp. 62250:097-62250:099.

**9207060154** Forwards viewgraphs re status of key PRA activities & backend analyses & severe accident closure in preparation for 920608 meeting. DUNCAN, J., GENT, J.R. General Electric Co. 92/06/05. PALLA, B. NRC - No Detailed Affiliation Given. 10pp. 62250:087-62250:096.

**9207060120** Forwards proprietary fax re advanced BWR sensitivity & scoping studies. Encl withheld. BUCHHOLZ, C. General Electric Co. 92/06/07. PALLA, B. NRC - No Detailed Affiliation Given. 1p. 62251:059-62251:059.

**9207020232** Notification of 920709 meeting w/util in Rockville, MD to discuss resolutions of AWBR TS issues re staff review. Proposed agenda encl. NINH, S.Q. Standardization Project Directorate (Post 920517). 92/06/26. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 5pp. 62184:327-62184:331.

**9207300174** Forwards proprietary fax re containment ultimate strength evaluation. Encl withheld. FOX, J. General Electric Co. 92/06/26. BAGCHI, G., POSLUSNY, C. NRC - No Detailed Affiliation Given. 3pp. 62611:342-62611:344.

**9207060060** Forwards summary of confirmatory & open items identified in final SER for chapter 12, "Radiation Protection," & chapter 14, "Initial Plant Test Programs," for info. NINH, S.Q. Standardization Project Directorate (Post 920517). 92/06/29. MARRIOTT, P.W. General Electric Co. 14pp. 62204:182-62204:195.

**9207070258** Discusses GE Nuclear schedule for submittal of FSSAR for advanced BWR. PIERSON, R.C. Standardization Project Directorate (901216-920516). 92/06/30. MARRIOTT, P.W. General Electric Co. 3pp. 62241:347-62241:349.

**9207290075** Forwards faxes received from GE for advanced BWR PRA. KELLY, G. Risk Application Branch. 92/07/01. POSLUSNY, C. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 62567:164-62567:222.

**9207290080** Forwards new Sections 19.11 through 19.13 of advanced BWR PRA re human action overview, PRA input to reliability assurance problem & summary of insights gained from PRA. DUNCAN, J. General Electric Co. 92/06/29. KELLY, G. NRC - No Detailed Affiliation Given. 8pp. 62567:165-62567:172.

**9207290083** Forwards discussion of draft SER Open Item 21 re design & reliability assumptions & insights related to sys outside advanced BWR design certification. DUNCAN, J. General Electric Co. 92/06/27. KELLY, G. NRC - No Detailed Affiliation Given. 7pp. 62567:173-62567:179.

**9207290085** Forwards PRA input to ITAAC Section 19.8 re tier 1 treatment of design features identified as important by PRA. DUNCAN, J. General Electric Co. 92/06/30. KELLY, G. NRC - No Detailed Affiliation Given. 11pp. 62567:180-62567:191.

**9207290089** Forwards info on Section 19.9 re COL license info, including specific procedure for unisolated RWCU line break, confirmation of RWCU operation beyond design basis & event-specific procedures for severe external flooding. DUNCAN, J. General Electric Co. 92/06/30. KELLY, G. NRC - No Detailed Affiliation Given. 11pp. 62567:192-62567:202.

**9207290092** Forwards new PRA Section 19.7 re PRA as design tool, updating 920407 fax. DUNCAN, J. General Electric Co. 92/06/25. KELLY, G. NRC - No Detailed Affiliation Given. 10pp. 62567:203-62567:212.

**9207290095** Forwards info on mod to advanced BWR Paragraph 2.2.2 re consequence analysis/site acceptability. DUNCAN, J. General Electric Co. 92/06/29. PALLA, B. NRC - No Detailed Affiliation Given. 2pp. 62567:213-62567:214.

**9207290098** Forwards updated advanced BWR PRA consequence analysis, covering consequence analysis results & addl results. DUNCAN, J. General Electric Co. 92/06/30. PALLA, B. NRC - No Detailed Affiliation Given. 8pp. 62567:215-62567:222.

**9207060191** Forwards proprietary ABWR PRA submittals form GE. Encls withheld. POSLUSNY, C. NRC - No Detailed Affiliation Given. 92/07/02. NRC - No Detailed Affiliation Given. 1p. 62246:358-62246:358.

**9207070257** Forwards proprietary responses to generic power uprate ACRS open items noted in NRC 920603 ltr. Responses withheld. ROBARE, D.J. General Electric Co. 92/07/02. MCKNIGHT, J.C. Document Control Branch (Document Control Desk). 5pp. 62262:272-62262:276.

**9207070273** Forwards App 19Q, "ABWR Shutdown Risk Evaluation" by GE. POSLUSNY, C. NRC - No Detailed Affiliation Given. 92/07/02. NRC - No Detailed Affiliation Given. 2pp. 62244:001-62244:194.

**9207070276** App 19Q, "ABWR Shutdown Risk Evaluation." \* General Electric Co. 92/07/02. 450pp. 62244:003-62244:194.

**9207300181** Forwards proprietary fax re advanced BWR SSAR info reassessment. Encl withheld. FOX, J. General Electric Co. 92/07/02. POSLUSNY, C., MCCREE, V. NRC - No Detailed Affiliation Given. 1p. 62638:225-62638:225.

**9207060126** Forwards proprietary details of info submitting corrections or additions to submittal of amend 21 to GE's ABWR SSAR. STARK, S.J. General Electric Co. 92/07/06. Document Control Branch (Document Control Desk). 1p. 62275:358-62275:358.

**9207100137** Forwards Amend 21 to advanced BWR SSAR. STARK, S.J. General Electric Co. 92/07/06. PIERSON, R.C. NRC - No Detailed Affiliation Given. 1p. 62332:001-62332:026.

**9207160365** Amend 21 to ABWR SSAR. \* General Electric Co. 92/07/06. 1,000pp. 62332:002-62332:026.

**9207160002** Notification of 920727 meeting w/GE in Bethesda, MD re issues on reviv of ABWR. POSLUSNY, C. Standardization Project Directorate (Post 920517). 92/07/01. PIERSON, R.C. Standardization Project Directorate (Post 920517). 5pp. 62396:221-62396:257.

**9207300151** Forwards proprietary fax re min effort on responding to 920526 ltr on C & USI guide for NRC advanced LWR review. Encl withheld. FOX, J. General Electric Co. 92/07/08. POSLUSNY, C. NRC - No Detailed Affiliation Given. 4pp. 62638:221-62638:224.

**9207290013** Forwards tables containing bin sorting used to produce Table 1-1 920630 fax sent to NRC as part of PRA consequence analysis, bac evaluations. Latest evaluation corrects weather input data error noted in original calculations. CAREWAY, H.A. General Electric Co. 92/07/09. PALLA, B. NRC - No Detailed Affiliation Given. 4pp. 62567:102-62567:105.

**9207160332** Notification of 920728-31 meeting w/licensee in San Jose, CA to conduct followup audit of GE ABWR piping design criteria & sample analyses. Audit agenda encl.  
NINH, S.Q. Standardization Project Directorate (Post 920517). 92/07/10. PIERSON, R.C. Standardization Project Directorate (Post 920517). 4pp. 62395:357-62395:360.

**9207290035** Forwards updated advanced BWR punch list re tasks to wrap-up PRA Review requested.  
DUNCAN, J. General Electric Co. 92/07/10. POSLUSNY, C. NRC - No Detailed Affiliation Given. 32pp. 62567:317-62567:348.

**9207160123** Forwards proprietary Amend 21 drawings to ABWR SSAR. Drawings withheld.  
MITCHELL, R.C. General Electric Co. 92/07/13. PIERSON, R.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62416:355-62416:356.

**9207200077** Forwards nonproprietary drawings to GE ABWR SSAR, Amend 21.  
MITCHELL, R.C. General Electric Co. 92/07/13. PIERSON, R.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 100p. 62464:136-62464:304.

**9207270217** Responds to 920616 ltr re use of design acceptance criteria in certification of GE ABWR design.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/07/14. WARD, D.A. ACRS - Advisory Committee on Reactor Safeguards. 3pp. 62491:349-62491:351.

**9207290010** Forwards Item B to inservice test schedule, consisting of draft amend to Table 3.9-8, "Inservice Testing, Safety-Related Pumps & Valves."  
FOX, J. General Electric Co. 92/07/14. SULLIVAN, T. POSLUSNY, C. NRC - No Detailed Affiliation Given. 33pp. 62568:001-62568:033.

**9207220369** Forwards summary of interim evaluation concerning licensee 920521 submittal re justification for turbine bldg static seismic analysis.  
POSLUSNY, C. Standardization Project Directorate (Post 920517). 92/07/15. MARRIOTT, P.W. General Electric Co. 5pp. 62445:318-62445:322.

**9207280283** Forwards listed preliminary results from BNL confirmatory analysis including time history analysis of advanced BWR SRV wetwell line & response spectra analysis for feedwater line. Computer printouts encl.  
DEGRASSI, G. Brookhaven National Laboratory. 92/07/15. FOX, J. General Electric Co. 500pp. 62658:001-62658:297.

**9207290012** Forwards listed documents re final SER review of advanced BWR SSAR & design certification matl, consisting of agenda for 920727 mgt meeting, preliminary list of final SER open & confirmatory items & evaluation of structural ITAAC.  
POSLUSNY, C. NRC - No Detailed Affiliation Given. 92/07/15. FOX, J. General Electric Co. 76pp. 62568:034-62568:109.

**9207220401** Forwards summary of confirmatory & open items identified in final SER for chapters 2, 4.5, 11 & 15 of advanced BWR.  
NINH, S.Q. Standardization Project Directorate (Post 920517). 92/07/16. MARRIOTT, P.W. General Electric Co. 8pp. 62442:347-62442:354.

**9207240187** Forwards summary of confirmatory & open items identified in FSR for Chapter 19, probabilistic risk assessment of advanced BWR.  
NINH, S.Q. Standardization Project Directorate (901216-920516). 92/07/16. MARRIOTT, P.W. General Electric Co. 12pp. 62479:077-62479:088.

**9207290009** Forwards mark-up of advanced BWR SSAR, addressing 920323-27 piping audit concerns & microfiche for three analyses of SRVDL wetwell portion for ADQJ load using time steps 0.0035, 0.001 & 0.0005 s/w/o microfiche.  
FOX, J.N. General Electric Co. 92/07/16. DEGRASSI, G. Brookhaven National Laboratory. 54pp. 62567:223-62567:282.

**9207310136** Forwards proprietary matl presented at 920626 meeting re rotated bundle evaluation. Encl withheld.  
KLAPPROTH, J.F. General Electric Co. 92/07/20. JONES, R.C. Reactor Systems Branch. 5pp. 62636:356-62636:360.

**9207290028** Forwards fax sent to J Duncan (GE) on 920720 re clarification/addl info needed for closure of Level 2 PRA issues. Info needed to complete SSER.  
PALLA, R. Risk Application Branch. 92/07/21. POSLUSNY, C. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 62567:349-62567:357.

**9207300054** Forwards Amend 21 reprinted pages to correct disconnects/ discrepancies in earlier transmittal.  
KIRBERG, S.L. General Electric Co. 92/07/22. General Electric Co. 23pp. 62568:110-62568:132.

**9207310127** Forwards proprietary Amend 21 reprinted pages to correct disconnects/ discrepancies in earlier transmittal. Encl withheld.  
KIRBERG, S.L. General Electric Co. 92/07/22. General Electric Co. 1p. 62618:194-62618:194.

**9207230174** Summary of ACRS ABWRs Subcommittee 920220-21 meeting to hear presentations by NRC & GE re SECY-91-320 & SECY-91-355 & other related issues pertaining to GE/ABWR review process.  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/04/03. ACRS - Advisory Committee on Reactor Safeguards. 7pp. 62586:164-62586:170.

**9207230123** Summary of ACRS 379th meeting on 911107-08 in Bethesda, MD re GE ABWR, level of design detail certification of std plant designs & vendor test programs to support design certification of passive LWRs (SECY-91-273).  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/07/23. ACRS - Advisory Committee on Reactor Safeguards. 48pp. 62586:067-62586:114.

#### DOCKET 52-002 SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.

**9207060051** Informs that 920430 submittal containing proprietary info will be withheld from public disclosure per 10CFR2.790.  
WAMBACH, T.V. Standardization Project Directorate (Post 920517). 92/06/25. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 62204:213-62204:215.

**9207100058** Notification of 920709 meeting w/CE in Windsor, CT to discuss selected open issues re NUPLEX 80+ human factors engineering. Meeting agenda encl.  
WAMBACH, T.V. Standardization Project Directorate (Post 920517). 92/07/07. MURLEY, T. MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 5pp. 62331:247-62331:251.

**9207200021** Forwards "Criteria for Design of Main Control Room & Other Operating Stations for Sys 80+," in fulfillment of 920522 commitment.  
BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN, C.B. ASEA Brown Boveri, Inc. 92/07/07. Document Control Branch (Document Control Desk). 1p. 62450:215-62450:313.

**-9207200024** "Criteria for Design of Main Control Room & Other Operating Stations for Sys 80+."  
\* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 92/07/31. 98pp. 62450:216-62450:313.

**9207130179** Informs that proprietary attachments to 920219 submittal will be withheld from public disclosure (ref 10CFR2.790), per 920220 affidavit.  
WAMBACH, T.V. Standardization Project Directorate (901216-920516). 92/07/08. BRINKMAN, C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 4pp. 62338:002-62338:005.

**9207240023** Forwards comments re review of Chapter 12 of facility safety evaluation rept, CESSAR Sys 80+ DSER.  
CUNNINGHAM, L.J. Risk Application Branch. 92/07/21. PIERSON, R.C. Associate Director for Advanced Reactors & License Renewal (Post 910918). 24pp. 62501:119-62501:142.

#### DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

##### DOCKET 70-0006 BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),

**9207080243** Forwards documentation re certification of financial assurance for decommissioning facilities, consisting of industrial trust agreement, govt trust agreement, DOE statement of intent & proposed revised trusts.  
TOY, H.L. Battelle Memorial Institute, Columbus Laboratories. 92/06/19. HICKEY, J.W. Fuel Cycle Safety Branch. 31pp. 62277:241-62277:271.

**9207220254** Submits info in support of leak test procedure which demonstrates compliance w/license condition, Annex B re leak testing for sealed byproduct matl sources, per telcon w/ Region III. Concurrence requested.  
TOY, H.L. Battelle Memorial Institute, Columbus Laboratories. 92/07/17. HICKEY, J. Fuel Cycle Safety Branch. 3pp. 62476:280-62476:282.

##### DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

**9207100139** Forwards partially withheld changes to physical security plan.  
OLSEN, A.F. Babcock & Wilcox Co. 92/05/15. COLLINS, D.M. Region 2 (Post 820201). 6pp. 62284:346-62284:351.

**9207020168** Forwards insp rept 70-0027/92-08 on 920401-0504. No violations noted.  
COLLINS, D.M. Region 2 (Post 820201). 92/06/19. CONNER, J.A. Babcock & Wilcox Co. 2pp. 62219:313-62219:327.

**-9207020179** Insp rept 70-0027/92-08 on 920401-0504. No violations or deviations noted. Major areas inspected: interviews w/ personnel, facility operations, radiation protection, nuclear criticality safety & security & safeguards.  
ELLIOTT, M.P., MCALPINE, E.J. Region 2 (Post 820201). 92/06/19. 12pp. 62219:315-62219:327.

**9207140056** Ack receipt of 920619 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0027/92-07.  
CLINE, W.E. Region 2 (Post 820201). 92/06/26. CONNER, J.A. Babcock & Wilcox Co. 2pp. 62299:142-62299:143.

**9207020332** Submits results of 920514 response to NRC Bulletin 91-001, reporting loss of criticality safety controls, dtd 911018.  
HICKEY, J.W. Fuel Cycle Safety Branch. 92/06/30. OLSEN, A.F. Babcock & Wilcox Co. 2pp. 62234:358-62234:359.

**9207080212** Discusses review of circumstances associated w/allegation of possible falsification of accounting data. Concludes that no deliberate wrongdoing committed. Requests that licensee identify listed items.  
SHERR, T.S. Division of Safeguards & Transportation (Post 870413). 92/07/01. SUWALA, M.C. Babcock & Wilcox Co. 1p. 62243:312-62243:312.

**9207140117** Forwards insp rept 70-0027/92-09 on 920502-31. No violations or deviations noted.  
COLLINS, D.M. Region 2 (Post 820201). 92/07/01. CONNER, J.A. Babcock & Wilcox Co. 2pp. 62311:348-62311:356.

**-9207140122** Insp rept 70-0027/92-09 on 920502-31. No violations noted. Weaknesses identified in physical security area. Major areas inspected: review of selected records, interviews w/personnel & direct observation of work activities.  
ELLIOTT, M.P., MCALPINE, E.J. Region 2 (Post 820201). 92/07/01. 7pp. 62311:350-62311:356.

**9207090026** Forwards Amend 44 to License SNM-42, SER & categorical exclusion. Amend authorizes use of new vault (designated Vault 6) for storage of licensed matl.  
HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/02. OLSEN, A.F. Babcock & Wilcox Co. 1p. 62307:350-62307:358.

**-9207090028** Amend 44 to License SNM-42, authorizing use of new vault (designated Vault 16) for storage of licensed matl.  
HICKEY, J.W. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/02. 4pp. 62307:351-62307:354.

## 176 DOCKETED ITEMS

-9207090034 SER supporting 920429 application for amend to License SNM-42, authorizing use of Vault 16 for storage for licensed matl.  
KLASKY, M., TOKAR, M. Fuel Cycle Safety Branch. 92/07/02. 3pp. 62307:355-62307:357.

-9207090046 Advises that neither environ assessment nor EIS warranted re 920429 application for amend to License SNM-42, authorizing use of new Vault 16 for storage of licensed matl.  
HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/02. Fuel Cycle Safety Branch. 1p. 62307:358-62307:358.

9207150058 Responds to NRC 920606 ltr questioning adequacy of financial assurances for decommissioning costs contained in contracts w/DOE. DOE & DOE natl lab contractors insisted that B&W accept clauses to preclude govt incurring costs.  
CONNER, J.A. Babcock & Wilcox Co. 92/07/02. HICKEY, J.W. Fuel Cycle Safety Branch. 2pp. 62375:259-62375:260.

9207170174 Forwards corrected Figure 1-2, "Site Plan" incorrectly numbered in 920429 application for amend to license.  
OLSEN, A.F. Babcock & Wilcox Co. 92/07/09. HICKEY, J.W. Fuel Cycle Safety Branch. 2pp. 62440:193-62440:194.

9207200108 Informs that revs to fundamental nuclear matl plan contains confidential restricted data & withheld from public disclosure ref 10CFR9.17(a)(3). Annex to plan not incorporated as condition of license.  
SHERR, T.S. Domestic SG & Regional Oversight Branch (Post 881218). 92/07/09. LEE, T.D. Babcock & Wilcox Co. 1p. 62427:359-62427:359.

9207240145 Suppl to 920508 application for amend to License SNM-42, transferring training officer responsibilities for coordination & oversight of development & implementation of safety training program to manager, licensing & training.  
OLSEN, A.F. Babcock & Wilcox Co. 92/07/15. HICKEY, J.W. Fuel Cycle Safety Branch. 32pp. 62515:221-62515:252.

9207240005 Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915-17 in Bethesda, MD. Workshop designed to provide info on NRC policies & procedures applicable to fuel cycle licensees.  
CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. KOSMIDER, M.D. Allied-Signal Corp. CONNER, J.A., TETRAULT, R. Babcock & Wilcox Co. 6pp. 62479:297-62479:302.

9207270329 Forwards insp rept 70-0027/92-12 on 920622-26 & notice of violation. Notice of violation & rept details withheld (ref 10CFR95).  
COLLINS, D.M. Region 2 (Post 820201). 92/07/21. CONNER, J.A. Babcock & Wilcox Co. 3pp. 62528:120-62528:123.

-9207270348 Insp rept 70-0027/92-12 on 920622-26. Violations noted. Major areas inspected: security plans & procedures, training & qualification plan, assessment, badge control, communications & duress alarms. Details withheld (ref 10CFR95).  
THOMPSON, D., MCGUIRE, D.R. Region 2 (Post 820201). 92/07/20. 1p. 62528:123-62528:123.

9207310223 Ack receipt of 920515 ltr transmitting Rev 15 to physical security plan. Changes consistent w/provisions of 10CFR70.32(e) & acceptable for inclusion into plan.  
COLLINS, D.M. Region 2 (Post 820201). 92/07/21. CONNER, J.A. Babcock & Wilcox Co. 2pp. 62638:181-62638:182.

### DOCKET 70-0028 BABCOCK & WILCOX CO., ALLIANCE, OH

9207080295 Certifies that licensee is currently going concern & possesses listed positive net worth, as of 920331.  
ECKERT, J.P. Babcock & Wilcox Co. 92/06/24. HICKEY, J.W. Fuel Cycle Safety Branch. 3pp. 62307:036-62307:067.

-9207080296 Lists parent company guarantees of financial assurance for decommissioning facilities. Consolidated financial statements for yrs ending 920331 & 1991, w/ rept of independent auditors encl.  
HATTOX, B.A. Babcock & Wilcox Co. 92/06/24. HICKEY, J.W. Fuel Cycle Safety Branch. 29pp. 62307:039-62307:067.

9207080173 Forwards listed revised documents re parent company guarantee for fiscal yr ending on 920331. W/o encls.  
HOOKER, E.O. Babcock & Wilcox Co. 92/06/26. HICKEY, J.W. Fuel Cycle Safety Branch. 2pp. 62254:213-62254:214.

### DOCKET 70-0033 TEXAS INSTRUMENTS, INC., ATTLEBORO, MA

9207210118 Notification of significant licensee meeting 92-107 w/utl on 920714 to discuss status of site characterization & remediation activities & plans for cleanup of radioactively contaminated soil at Attleboro site.  
ROTH, J. Region 1 (Post 820201). 92/07/01. Region 1 (Post 820201). 2pp. 62420:360-62420:361.

### DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO

9207220085 Forwards SNM licenses which have been issued to Spencer Co. Mallinckrodt Chemical Works & Univ of Missouri.  
JOHNSON, L. Atomic Energy Commission (Pre 750119). 58/04/30. AMOS, J.R. Missouri, State of. 1p. 62749:077-62749:077.

9207080117 Requests technical assistance for listed projects.  
TOKAR, J.W. Fuel Cycle Safety Branch. 92/07/01. COMBS, F.C. Operations Branch. 2pp. 62275:359-62275:360.

9207090037 Expresses thanks for courtesy extended to NRC during visit to facility on 920617 to observe new & highly automated fuel pellet & rod handling equipment temporarily installed at Windsor site.  
TOKAR, M. Fuel Cycle Safety Branch. 92/07/02. SCHERER, A.E. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 62307:359-62307:359.

9207090316 Forwards summary of 920624 joint contractor/licensee/ NRC meeting providing & exchanging info re NRC contract to assess effectiveness of LEU reform rule.  
SHERR, T.S. Domestic SG & Regional Oversight Branch (Post 881218). 92/07/02. ESKRIDGE, H.E. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 4pp. 62271:036-62271:039.

9207150017 Forwards request for addl info to enable NRC to continue review of 891122 & 910617 applications for renewal of License SNM-33.  
TOKAR, M. Fuel Cycle Safety Branch. 92/07/10. RODE, J.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 30pp. 62375:178-62375:207.

9207240005 Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915-17 in Bethesda, MD. Workshop designed to provide info on NRC policies & procedures applicable to fuel cycle licensees.  
CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. KOSMIDER, M.D. Allied-Signal Corp. ALTO, R.A. B&W Fuel Co. RODE, J.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 6pp. 62479:297-62479:302.

9207240079 Notification of 920728 meeting w/C-E in Rockville, MD to discuss C-E application for consolidation at Hematite facility. Attendance requested.  
SOONG, S. Operations Branch. 92/07/20. TOKAR, M., ROBINSON, C. Operations Branch. FRANCE, G. Region 3 (Post 820201). 1p. 62479:304-62479:304.

### DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

9207080195 Forwards "Technical Progress Rept Apollo, PA Nuclear Fuel Facility D&D Project Quarterly Progress Rept for Jan-Mar 1992."  
FUGEL, D. M. Babcock & Wilcox Co. 92/06/22. MORGAN, P. Energy, Dept. of. 1p. 62277:109-62277:132.

-9207080199 "Technical Progress Rept Apollo Pennsylvania Nuclear Fuel Facility D&D Project Quarterly Progress Rept for Jan-Mar 1992."  
\* Babcock & Wilcox Co. 92/06/08. 23pp. 62277:110-62277:132.

9207080295 Certifies that licensee is currently going concern & possesses listed positive net worth, as of 920331.  
ECKERT, J.P. Babcock & Wilcox Co. 92/06/24. HICKEY, J.W. Fuel Cycle Safety Branch. 3pp. 62307:036-62307:067.

-9207080296 Lists parent company guarantees of financial assurance for decommissioning facilities. Consolidated financial statements for yrs ending 920331 & 1991, w/ rept of independent auditors encl.  
HATTOX, B.A. Babcock & Wilcox Co. 92/06/24. HICKEY, J.W. Fuel Cycle Safety Branch. 29pp. 62307:039-62307:067.

9207080173 Forwards listed revised documents re parent company guarantee for fiscal yr ending on 920331. W/o encls.  
HOOKER, E.O. Babcock & Wilcox Co. 92/06/26. HICKEY, J.W. Fuel Cycle Safety Branch. 2pp. 62254:213-62254:214.

9207130168 Forwards revised decommissioning plan, Figure 2-21, "Security Fence & Personnel Access," updating B&W/neighborhood facility areas removed, extending security fence to include portion of railroad spur & adding Gates P & Q.  
HAERTJENS, B.L. Babcock & Wilcox Co. 92/06/26. HICKEY, J.W. Fuel Cycle Safety Branch. 3pp. 62374:283-62374:285.

9207080313 Confirms 920702 telcon agreement that licensee would make minor mod in const of mobile temporary encl in which main bldg will be deconstructed. New Page 2-4 of decommissioning plan, describing mobile temporary encl, encl.  
HAERTJENS, B.L. Babcock & Wilcox Co. 92/07/06. HICKEY, J.W. Fuel Cycle Safety Branch. 3pp. 62305:104-62305:106.

9207240014 Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915-17 in Bethesda, MD. Purpose of workshop is to discuss NRC programs & policies applicable to fuel cycle licensees.  
CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. HAERTJENS, B. Babcock & Wilcox Co. STAUTER, J.C. Cimarron Corp. CUNNINGHAM, R.E. General Electric Co. 6pp. 62528:228-62528:233.

9207280213 Responds to 920430 ltr re location of existing Apollo Borough north sewer as proposed by licensee. Offsite portion of proposed sewer line does not involve any potentially contaminated soil. Soil contamination removed.  
HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/23. VIROSTEK, C.A. Apollo, PA. 1p. 62568:333-62568:333.

### DOCKET 70-0140 AMERICAN-STANDARD, MOUNTAIN VIEW, CA

9207150080 Application for amend to License SNM-115, requesting approval to ship 25 kg of 93.15% enriched U metal to New York.  
ELGERT, O.J. American Standard, Inc. 64/08/14. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 1p. 62480:251-62480:251.

-9207150083 Requests investigation of receipt of enriched U by Advanced Technology Labs & proposed shipment to Hicksville, NY for possible noncompliance.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 64/08/24. DUBINSKI, L. Atomic Energy Commission (Pre 750119). 1p. 62480:252-62480:252.

-9207150086 Discusses 640814 application from Advanced Technology Labs for authorization to ship 25 kg of fully enriched U metal to Hicksville, NY.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 64/08/24. Atomic Energy Commission (Pre 750119). 1p. 62480:253-62480:253.

-9207150098 Submits correction to context of last sentence in paragraph one of 640824 memo re receipt of enriched U by Advanced Technology Labs.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 64/08/28. DUBINSKI, L. Atomic Energy Commission (Pre 750119). 1p. 62480:254-62480:254.

-9207150099 Discusses Advanced Technology Labs request for authorization to ship 25 kg of enriched U metal from California to New York.  
LAUTERBACH, K.E. Atomic Energy Commission (Pre 750119). 64/08/28. Atomic Energy Commission (Pre 750119). 1p. 62480:255-62480:255.

-9207150154 Submits compliance inquiry memo re Advanced Technology Labs receipt of two shipments of fully enriched U from Kerr-McGee in Cushing, Oklahoma. BOOK, H.E. Atomic Energy Commission (Pre 750119). 64/09/01. Atomic Energy Commission (Pre 750119). 8pp. 62460:257-62460:264.

-9207150156 Forwards ltr dtd 640824-28 concerning Advanced Technology Labs. ROEDER, J.R. Atomic Energy Commission (Pre 750119). 64/09/03. Atomic Energy Commission (Pre 750119). 1p. 62460:265-62460:265.

-9207150161 Discusses 640824 ltr requesting investigation of receipt of SNM by Advanced Technology Labs. ROEDER, J.R. Atomic Energy Commission (Pre 750119). 64/09/03. Atomic Energy Commission (Pre 750119). 2pp. 62460:266-62460:267.

#### DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

9207070166 Forwards confidential document entitled, "Consolidated Financial Statements for Yrs Ended 1991 & 1990 & Independent Auditors Rept," per License Condition 89. Document withheld (ref 10CFR2.790). FERGUSON, D.B. Nuclear Fuel Services, Inc. 92/06/18. PENNINGTON, W.S. Office of Nuclear Material Safety & Safeguards. 2pp. 62262:355-62262:356.

9207060233 Responds to NRC ltr re violations noted in insp rept 70-0143/92-10 on 920531. Corrective actions: supervisor immediately separated bottles to greater than 12 inches & personnel retrained on issues of spacing controls. PAINE, D. Nuclear Fuel Services, Inc. 92/06/22. EBNETER, S.W. Region 2 (Post 820201). 3PP. 62254:313-62254:315.

9207060087 Forwards Rev 136 to fundamental nuclear matl control plan, 10CFR70, App G. Plan withheld (ref 10CFR2.790(d)). PAINE, D. Nuclear Fuel Services, Inc. 92/06/26. SHERR, T.S. Division of Safeguards & Transportation (Post 870413). 2pp. 62197:331-62197:331.

9207060228 Submits info in response to requirements of License Condition 57 & requests that subj condition be deleted. PAINE, D. Nuclear Fuel Services, Inc. 92/06/26. HICKEY, J.W. Fuel Cycle Safety Branch. 2pp. 62254:318-62254:319.

9207080162 Forwards monthly status rept for NCS PIP at NFS, noting items that have been completed including implementing station limit cards in several areas & installing filtrate pumping station. PAINE, D. Nuclear Fuel Services, Inc. 92/06/26. Document Control Branch (Document Control Desk). 20pp. 62285:284-62285:303.

9207080241 Issues Temporary Condition TC(MC&A)-19 to amend SG-3 to license SNM-124 re receipt of six NDA standards from Navy Fuel Matl Facility operated by Westinghouse Savannah River Co., Aiken, SC. SHERR, T.S. Division of Safeguards & Transportation (Post 870413). 92/06/26. PAINE, D.P. Nuclear Fuel Services, Inc. 2pp. 62243:313-62243:314.

9207020268 Ack receipt of 910731 ltr providing copy of financial statements for 1989 & 1990. Statements satisfy condition 89 of NRC requirements. HICKEY, J.W. Fuel Cycle Safety Branch. 92/06/29. JONES, C.G. Nuclear Fuel Services, Inc. 1p. 62221:355-62221:355.

9207070045 Advises that 920515 response to NRC Bulletin 91-001, "Reporting Loss of Criticality Safety Controls" acceptable. All aspects of reporting provisions of bulletin should be implemented within 60 days of ltr date. HICKEY, J.W. Fuel Cycle Safety Branch. 92/06/30. PAINE, D. Nuclear Fuel Services, Inc. 2pp. 62265:360-62265:361.

9207080231 Application for amend to License SNM-124, permitting storage of loaded FSU-3 shipping containers (Certificate of Compliance 6347) in three-layer high array. Corrected pages to page index & Chapter 4 of license encl. PAINE, D. Nuclear Fuel Services, Inc. 92/06/30. HICKEY, J.W. Fuel Cycle Safety Branch. 5pp. 62265:279-62265:283.

9207140127 Forwards insp rept 70-0143/92-14 on 920518-22 & notice of violation. CLINE, W.E. Region 2 (Post 820201). 92/06/30. FERGUSON, D. Nuclear Fuel Services, Inc. 3pp. 62311:333-62311:347.

-9207140134 Notice of violation from insp on 920518-22. Violation noted: licensee failed to maintain physical presence & usefulness of emergency equipment & supplies in mobile emergency response vehicle. \* Region 2 (Post 820201). 92/06/30. 2pp. 62311:336-62311:337.

-9207140147 Insp rept 70-0143/92-14 on 920518-22. Violations noted: Major areas inspected: emergency preparedness including maint of selected emergency & fire protection equipment. SALYERS, G.W., RANKIN, W.H. Region 2 (Post 820201). 92/06/30. 10pp. 62311:338-62311:347.

9207090327 Advises that temporary condition TC-20 to amend SG-3 to license SNM-124 issued in response to 920218 request for amend to license re shippers measurement values. SHERR, T.S. Domestic SG & Regional Oversight Branch (Post 881218). 92/07/01. PAINE, D. Nuclear Fuel Services, Inc. 2pp. 62271:053-62271:054.

9207220408 Forwards Low Enriched U Matl Balances for operating period 911211: 920616. Encl withheld (ref 10CFR2.790(d)). PAINE, D. Nuclear Fuel Services, Inc. 92/07/07. SHERR, T.S. Division of Safeguards & Transportation (Post 870413). 2pp. 62445:317-62445:317.

9207150300 Application for amend to License SNM-124, deleting condition re listing of chemical & physical forms of U, described in Part II of license. PAINE, D. Nuclear Fuel Services, Inc. 92/07/08. HICKEY, J.W. Fuel Cycle Safety Branch. 8pp. 62415:241-62415:248.

9207220088 Discusses 920309 allegation that employee denied employment & dismissed when safety concerns raised while performing duties. EBNETER, S.D. Region 2 (Post 820201). 92/07/10. FERGUSON, D. Nuclear Fuel Services, Inc. 3pp. 62432:277-62432:279.

9207240005 Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915-17 in Bethesda, MD. Workshop designed to provide info on NRC policies & procedures applicable to fuel cycle licensees. CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. KOSMIDER, M.D. Allied-Signal Corp. SILVERTHORNE, D. General Electric Co. DROKE, R. Nuclear Fuel Services, Inc. 6pp. 62479:297-62479:302.

9207300170 Informs that licensee revised App H (Revs 134 & 135) to NFS Part 70 LEU Fundamental Nuclear Matl Control Plan acceptable & license condition 5.2 to Safeguards Amend SG-3 to license SNM-124, revised, effective upon receipt of ltr. Rev encl. SHERR, T.S. Domestic SG & Regional Oversight Branch (Post 881218). 92/07/22. PAINE, D.P. Nuclear Fuel Services, Inc. 1p. 62581:211-62581:212.

-9208170129 Revised Amend SG-3 to License SNM-124, revising 5.2 re FNMCP. \* Division of Safeguards & Transportation (Post 870413). 92/07/22. 1p.

#### DOCKET 70-0146 SPENCER CHEMICAL CO., KANSAS CITY, MO

9207200208 Partial response to FOIA request for documents. Documents listed in App A & B encl & being made available for PDR. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/31. MARBLE, J.P. Huckaby, Fleming, Frailey, Chaffin & Darrah. 17pp. 62749:002-62750:088.

-9207210013 Requests that licensee review listed items for determination as to whether or not they contain restricted data, especially App & indicate in space provided. FLEURY, E.R. Atomic Energy Commission (Pre 750119). 57/09/23. STRAUSSER, W.A. Atomic Energy Commission (Pre 750119). 2pp. 62749:047-62749:048.

-9207210015 Forwards application for special nuclear matl license dtd 570915. JOHNSON, L. Atomic Energy Commission (Pre 750119). 57/09/24. BECK, C.K. Atomic Energy Commission (Pre 750119). 2pp. 62749:049-62749:050.

-9207210262 Discusses statements made by applicant w/indication of explanation which must be made as listed. BECK, C.K. Atomic Energy Commission (Pre 750119). 57/11/25. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 4pp. 62749:051-62749:054.

-9207210294 Discusses analysis & findings of 570915 application for SNM license. SULLIVAN, P.C. Atomic Energy Commission (Pre 750119). 58/01/17. Atomic Energy Commission (Pre 750119). 2pp. 62749:057-62749:058.

-9207210305 Requests that matl contained in App II to application as revised, should be withheld from public insp per 10CFR2 Section 2.790(b). PRICE, H.L. Atomic Energy Commission (Pre 750119). 58/01/29. Atomic Energy Commission (Pre 750119). 2pp. 62749:059-62749:060.

-9207210311 Suggests that listed statements should be added at end of third paragraph of proposed memo by H. Price to files. LOWENSTEIN, R. Atomic Energy Commission (Pre 750119). 58/02/06. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 1p. 62749:061-62749:061.

-9207220062 Advises that matl contained in App II to application as revised, should be withheld from public inspection per 10CFR2 Section 2.790. PRICE, H.L. Atomic Energy Commission (Pre 750119). 58/02/11. Atomic Energy Commission (Pre 750119). 1p. 62749:063-62749:075.

-9207220085 Forwards SNM licenses which have been issued to Spencer Co. Mallinckrodt Chemical Works & Union of Missouri. JOHNSON, L. Atomic Energy Commission (Pre 750119). 58/04/30. AMOS, J.R. Missouri, State of. 1p. 62749:077-62749:077.

-9207220093 Requests classification review of encl Spencer Chemical Co SNM application for amend. FLEURY, E.R. Atomic Energy Commission (Pre 750119). 58/05/20. STRAUSSER, W.A. Atomic Energy Commission (Pre 750119). 2pp. 62749:079-62749:080.

-9207220097 Discusses review of application for amend to license SNM-154 from standpoint of protection against inadvertent criticality during shipment of U oxide & U hexafluoride. BECK, C.K. Atomic Energy Commission (Pre 750119). 58/05/21. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:081-62749:082.

-9207220101 Requests review of licensee 580516 application for amend to license SNM-154 to determine adequacy of procedures to avoid accidental criticality. JOHNSON, L. Atomic Energy Commission (Pre 750119). 58/05/23. BECK, C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:083-62749:083.

-9207220105 Informs of approval of shipping procedures under license SNM-154 to cover shipment of 1,330 lbs 2.3% enriched UF<sub>6</sub> in 6 MD cylinders via railway express protective signature in one shipment, using Spencer bairdages. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 58/05/29. CORLEY, A. Atomic Energy Commission (Pre 750119). 2pp. 62749:084-62749:085.

-9207220107 Provides comments on application for amend to license SNM-154 from standpoint of avoidance of inadvertent criticality. BECK, C.K. Atomic Energy Commission (Pre 750119). 58/06/03. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:086-62749:087.

-9207220110 Requests review of encl amend application re adequacy of applicant procedures to avoid condition of accidental criticality. JOHNSON, L. Atomic Energy Commission (Pre 750119). 58/06/12. BECK, C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:088-62749:088.

-9207220114 Approves request by Spencer Chemical Co that info contained in App II, as amended by App II-A dtd 580516, to revised application for SNM license dtd 570915, be treated as company confidential. PRICE, H.L. Atomic Energy Commission (Pre 750119). 58/06/17. Atomic Energy Commission (Pre 750119). 2pp. 62749:089-62749:090.

-9207220117 Informs that App II A dtd 580516, transmitted by Spencer Chemical Co will be withheld per 10CFR2.790. \* Atomic Energy Commission (Pre 750119). 58/06/20. Atomic Energy Commission (Pre 750119). 1p. 62749:091-62749:091.



## 178 DOCKETED ITEMS

- 9207220120 Advises that all statements re memo to files may be incorporated by reference & that license may be amended as requested. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/06/26. Atomic Energy Commission (Pre 750119). 1p. 62749:092-62749:092.
- 9207220124 Advises that each individual shipping containers will constitute safe unit & spacing specified adequate per 580612 memo. BECK,C.K. Atomic Energy Commission (Pre 750119). 58/06/26. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:093-62749:094.
- 9207220130 Provides list of applications &/or amends for license SNM-154 for retention & files. JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/07/01. MANN,M.M. Atomic Energy Commission (Pre 750119). 1p. 62749:095-62749:095.
- 9207220152 Forwards special nuclear mat'l license issued to Spencer Chemical Co. JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/07/11. AMOS,J.R. Missouri, State of. 1p. 62749:096-62749:096.
- 9207220156 Provides list of applicant for special nuclear mat'l for retention & files. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/07/29. MANN,M.M. Atomic Energy Commission (Pre 750119). 1p. 62749:097-62749:097.
- 9207220162 Forwards special nuclear mat'l licenses which have been issued to Mallinckrodt Chemical Works, Spencer Chemical Co & Univ of Missouri. FLUERY,E.R. Atomic Energy Commission (Pre 750119). 58/08/06. AMOS,J.R. Missouri, State of. 1p. 62749:098-62749:098.
- 9207220167 Informs that drawings 48-78 B & 48-15 transmitted w/580912 ltr filed by Spencer Chemical Co in connection w/special nuclear mat'l application,are available for review in Licensing Branch. \* Atomic Energy Commission (Pre 750119). 58/09/17. Atomic Energy Commission (Pre 750119). 1p. 62749:099-62749:099.
- 9207220173 Forwards correction to licensee request dtd 580912 for amend to license SNM-154 per 581010 ltr. JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/10/16. BECK,C.K. Atomic Energy Commission (Pre 750119). 2pp. 62749:103-62749:104.
- 9207220177 Forwards licensee request which modifies Spencer previous 580912 amend request. JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/10/29. BECK,C.K. Atomic Energy Commission (Pre 750119). 2pp. 62749:105-62749:106.
- 9207220184 Forwards application from Spencer for approval of shipping procedures. JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/12/15. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:107-62749:107.
- 9207220189 Suggests that recipient request Spencer to furnish illustrative calculations or observations used in evaluating spacing & stowage procedures,together w/ appropriate references. BECK,C.K. Atomic Energy Commission (Pre 750119). 58/12/22. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:108-62749:109.
- 9207220211 Informs that NRC cannot approve amend request for approval of corrugated paper board spacers as alternate to wood spacers,for bracing containers of SNM in steel drums. BECK,C.K. Atomic Energy Commission (Pre 750119). 59/01/19. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:110-62749:111.
- 9207220220 Insp of license SNM-154,C-3571 & R-218 on 590120. Noncompliance noted.Major areas inspected:personnel,plant operations & maint. PERRY,W.W. Atomic Energy Commission (Pre 750119). 59/03/19. 11pp. 62749:112-62749:122.
- 9207220223 Requests that shipping methods be outlined & justified, preferably by methods outlined in K-1019,inasmuch as dimensions of 5 gallon pails will preclude use of interaction criteria outlined in LA-2063. BECK,C.K. Atomic Energy Commission (Pre 750119). 59/01/28. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:123-62749:124.
- 9207220227 Forwards application for special nuclear mat'l license per 590121 ltr. FLUERY,E.R. Atomic Energy Commission (Pre 750119). 59/02/12. STRAUSSER,W.A. Atomic Energy Commission (Pre 750119). 5pp. 62749:125-62749:130.
- 9207220230 Forwards licensee request for amend to License SNM-154 per 590121 ltr. JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/02/12. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:131-62749:131.
- 9207220235 Advises that license SNM-154 may be amended to authorize add'l activities. MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 59/02/10. Atomic Energy Commission (Pre 750119). 1p. 62749:132-62749:132.
- 9207220238 Advises that App to Spencer 590121 ltr may be withheld from public insp. JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/02/24. Atomic Energy Commission (Pre 750119). 1p. 62749:133-62749:137.
- 9207220277 Informs that AEC cannot approve two mods to license SNM-154 & suggests that licensee communication to Spencer include listed info. BECK,C.K. Atomic Energy Commission (Pre 750119). 59/04/02. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 62749:138-62749:139.
- 9207220303 Forwards licensee request for amend to provide for add'l packaging & shipping procedures. JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/05/14. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:144-62749:144.
- 9207220320 Requests that licensee provide add'l info to complete evaluation of alarm sys & emergency plan in compliance w/ section 70.24. BECK,C.K. Atomic Energy Commission (Pre 750119). 59/05/18. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:145-62749:146.
- 9207220324 Forwards insp rept for licenses SNM-154,C-3571 & R-218,w/o encl. JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/05/18. BECK,C.K. Atomic Energy Commission (Pre 750119). 3pp. 62749:147-62749:150.
- 9207220338 Informs that AEC cannot approve proposed shipping procedure & suggests that communication to Spencer include following info as listed. BECK,C.K. Atomic Energy Commission (Pre 750119). 59/06/03. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:151-62749:152.
- 9207220356 Discusses shipment of 3.5% enriched UF6 in MD cylinders & suggests that info be incorporated in communication to Spencer Chemical Co. BECK,C.K. Atomic Energy Commission (Pre 750119). 59/06/04. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:153-62749:154.
- 9207220360 Forwards licensee requests for adequacy of applicant procedures to avoid condition of accidental criticality for review. JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/06/12. CASE,E.G. Atomic Energy Commission (Pre 750119). 1p. 62749:155-62749:155.
- 9207220363 Advises that licensee proposed procedure for shipping U dioxide from Kansas City to GE at San Francisco, satisfactory. CASE,E.G. Atomic Energy Commission (Pre 750119). 59/06/16. JOHNSON,L. Atomic Energy Commission (Pre 750119). 1p. 62749:156-62749:157.
- 9207220390 Forwards application for amend to license SNM-154 per 590610 request,W/o encl. FLUERY,E.R. Atomic Energy Commission (Pre 750119). 59/06/17. CASE,E.G. Atomic Energy Commission (Pre 750119). 1p. 62749:158-62749:158.
- 9207220412 Advises that 590610 submittal re instrument,alarm sys & emergency evacuation procedures is satisfactory. CASE,E.G. Atomic Energy Commission (Pre 750119). 59/06/23. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 62749:159-62749:160.
- 9207220419 Responds to 590603-04 memo re licensee requests for approval of proposed procedures for shipping UF6 containing 3 1/2% enriched U. JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/06/23. CASE,E.G. Atomic Energy Commission (Pre 750119). 1p. 62749:161-62749:161.
- 9207220420 Responds to 580603-04 memo requesting technical justification for opinions expressed. CASE,E.G. Atomic Energy Commission (Pre 750119). 59/07/02. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 62749:162-62749:163.
- 9207220422 Requests that approval for further shipment according to shipping procedures be withdrawn at once & licensee instructed to resubmit plans for shipment. BECK,C.K. Atomic Energy Commission (Pre 750119). 59/12/07. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 4pp. 62749:164-62749:167.
- 9207230027 Forwards application for amend to license SNM-154 per 591228 request. JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/01/20. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:168-62749:168.
- 9207230035 Advises that request for approval of procedures for manufacturing fused U oxide & U carbides is satisfactory. BECK,C.K. Atomic Energy Commission (Pre 750119). 60/01/27. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 62749:171-62749:172.
- 9207230038 Provides application re adequacy of applicant procedures to avoid condition of accidental criticality per 600127 request. JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/02/08. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:173-62749:173.
- 9207230040 Authorizes shipment of 850 lbs of Uo2. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/02/26. Atomic Energy Commission (Pre 750119). 1p. 62749:174-62749:174.
- 9207230045 Approves shipping procedures for highly enriched UO2 & requests further info on shipping procedures for approval of routine shipments of mat'l. BECK,C.K. Atomic Energy Commission (Pre 750119). 60/02/26. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:175-62749:176.
- 9207230046 Recommends that Spencer application re procedures for manufacturing fused U oxide & carbide be approved. BECK,C.K. Atomic Energy Commission (Pre 750119). 60/03/01. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:177-62749:178.
- 9207230050 Requests review of 600307 request for adequacy of applicant procedures to avoid condition of accidental criticality. FLEURY,E.R. Atomic Energy Commission (Pre 750119). 60/03/09. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:179-62749:179.
- 9207230054 Recommends that requests be granted as specific approval for shipment of mat'l. BECK,C.K. Atomic Energy Commission (Pre 750119). 60/03/15. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 62749:180-62749:183.
- 9207230057 Requests review of 600310 request for amend to license SNM-154 re procedures to avoid condition of accidental criticality. JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/03/21. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:184-62749:184.
- 9207230059 Requests review for classification of license status SNM-154 per 600330 ltr. FLUERY,E.R. Atomic Energy Commission (Pre 750119). 60/04/05. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:185-62749:185.



- 9207230067 Requests review of 600413 request for adequacy of applicant procedures to avoid condition of accidental criticality.  
EDWARDS,C.T. Atomic Energy Commission (Pre 750119). 60/04/19. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:188-62749:188.
- 9207230069 Forwards 600422 ltr re license renewal.  
FLUERY,E.R. Atomic Energy Commission (Pre 750119). 60/04/28. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:189-62749:189.
- 9207230072 Responds to 600310 ltr re request for approval of shipping procedures for fully enriched U compounds.  
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/05/04. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:192-62749:192.
- 9207230073 Requests review of 600426 request re amend to license SNM-154.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/05/06. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:193-62749:194.
- 9207230075 Recommends approval of application for shipping procedures for U6.  
CASE,E.G. Atomic Energy Commission (Pre 750119). 60/05/13. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:193-62749:194.
- 9207230078 Recommends approval of application subject to compliance w/paragraph 3.1(1)(b) of TID-7019,except as provided for in paragraph D(2)(b) of Spencer application.  
CASE,E.G. Atomic Energy Commission (Pre 750119). 60/05/23. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 3pp. 62749:195-62749:197.
- 9207230080 Suggests deferring action on requests until problems discussed in 600504 memo are reconciled.  
CASE,E.G. Atomic Energy Commission (Pre 750119). 60/05/23. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 3pp. 62749:198-62749:200.
- 9207230088 Submits 600608 ltr for classification review of SNM application suppl.  
FLUERY,E.R. Atomic Energy Commission (Pre 750119). 60/06/13. STARUSER,W.A. Atomic Energy Commission (Pre 750119). 2pp. 62749:201-62749:202.
- 9207230090 Requests review of amend to shipping procedures per 600608 request.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/06/14. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:203-62749:203.
- 9207230113 Summary of 600615 meeting w/licensee in Germantown,MD re Spencer shipments of unirradiated special nuclear matl.  
NEGRIAN,P. Atomic Energy Commission (Pre 750119). 60/06/16. Atomic Energy Commission (Pre 750119). 2pp. 62749:204-62749:209.
- 9207230119 Discusses telcon re amend to license SMN-154 revising shipping container oxide & fully enriched solutions.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 60/07/11. Atomic Energy Commission (Pre 750119). 1p. 62749:210-62749:210.
- 9207230122 Requests review of 600718 application re procedures to avoid condition of accidental criticality.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/07/14. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:211-62749:211.
- 9207230126 Comments on TID-7019, "Guide to Shipment of U-235 Enriched U Matls."  
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/07/15. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 62749:212-62749:215.
- 9207230129 Forwards amend to license SNM-154 for review.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/07/26. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:216-62749:216.
- 9207230167 Responds to 600708 ltr proposing container for shipment of U compounds & solutions of all enrichments.  
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/07/26. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:217-62749:218.
- 9207230170 Responds to 600726 memo Spencer has furnished requesting info in 600722 ltr.  
\* Atomic Energy Commission (Pre 750119). 60/08/02. Atomic Energy Commission (Pre 750119). 2pp. 62749:219-62749:220.
- 9207230173 Ack TWX 600808 request approval of shipping procedures.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/08/11. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:221-62749:221.
- 9207230175 Recommends against licensee requesting waiver of certification requirement per 600808 request.  
CASE,E.G. Atomic Energy Commission (Pre 750119). 60/08/16. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:222-62749:223.
- 9207230176 Requests review of 600909 request for adequacy of applicant procedures to avoid condition of accidental criticality.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/09/13. BECK,C.K. Atomic Energy Commission (Pre 750119). 2pp. 62749:224-62749:225.
- 9207230178 Approves procedures for shipping fully enriched UF6.  
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/09/21. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 3pp. 62749:226-62749:228.
- 9207230181 Responds to 600915 application requesting approval for shipping U hexafluoride.Suggests that licensee follow instruction as listed.  
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/10/12. JOHNSON,L. Atomic Energy Commission (Pre 750119). 4pp. 62749:229-62749:232.
- 9207230183 Requests review of 601109 request for adequacy of applicant procedures to avoid condition of accidental criticality.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/11/14. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 62749:233-62749:233.
- 9207230186 Discusses nuclear safety criteria for high density matls.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/02/24. Atomic Energy Commission (Pre 750119). 3pp. 62749:234-62749:236.
- 9207230188 Responds to 601109 application & recommends approval of container & maximum loading of 11kg U-235.Suggests that recipient inform Spencer of basis for findings,as listed.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/02/28. DELANEY,J. Atomic Energy Commission (Pre 750119). 4pp. 62749:237-62749:240.
- 9207230189 Requests review of subject request for adequacy of applicant procedures to avoid condition of accidental criticality.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/03/02. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 62749:241-62749:241.
- 9207230192 Requests review of subject request for adequacy of applicant procedures to avoid condition of accidental criticality.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/03/03. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 62749:242-62749:242.
- 9207230195 Discusses 610303 memo forwarding subject ltr which supplements Spencer 600915 application.AEC has no further objection to application.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/04/21. DELANEY,J. Atomic Energy Commission (Pre 750119). 2pp. 62749:243-62749:244.
- 9207230196 Comments on licensee application for renewal of license SNM-154.  
LANE,J.J. Atomic Energy Commission (Pre 750119). 61/04/17. Atomic Energy Commission (Pre 750119). 4pp. 62749:245-62749:248.
- 9207230197 Insp on 610502-05.Discrepancies noted.Major areas inspected: operations of nuclear fuels section.  
WHITMAN,A.I. Atomic Energy Commission (Pre 750119). 61/06/27. 19pp. 62749:249-62749:267.
- 9207230199 Forward insp rept for license C-4352,SNM-154 & SNM-329,AL insp 794.  
WOOLSEY,R.T. Atomic Energy Commission (Pre 750119). 61/06/30. LOWENSTIEN,R. Atomic Energy Commission (Pre 750119). 3pp. 62749:268-62749:270.
- 9207230225 Confirms telcon re visit made by representatives from Spencer Chemical Co on 610711 to discuss criticality.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/07/07. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 62749:271-62749:271.
- 9207230232 Informs that AEC concluded that proposed procedures do not provide requisite protection against accidental criticality during shipment of special nuclear matl.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/07/11. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 2pp. 62749:272-62749:273.
- 9207230234 Requests review of adequacy of applicant procedures to avoid condition of accidental criticality.  
NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 61/08/09. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 62749:274-62749:274.
- 9207230236 Approves amend requested by Spencer,covering shipping containers for low enriched oxides.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/09/08. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 62749:275-62749:276.
- 9207230239 Comments on adequacy of applicant procedures to avoid condition of accidental criticality requested.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/09/25. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 62749:277-62749:277.
- 9207230241 Responds to request for approval to revised plans for shipping fused UO2 of enrichments.Recommends against proposed procedures & wish to withdraw approval of containers involving safe-volume principle.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/12/08. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 62749:278-62749:279.
- 9207230244 Comments on Spencer application of 610920 for proposed shipping procedures & withdraws approval for Spencer shipping containers as described in application dtd 610903.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/12/18. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 62749:280-62749:280.
- 9207230247 Recommends against approval of Spencer 610920 application proposing shipment of slightly enriched U oxide powder in light gage sheet metal inner containers sized for nuclearly safe capacity.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/12/27. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 62749:281-62749:282.
- 9207230250 Comments on T George 611002 ltr to Spencer Chemical Co & B Leaders reply.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 62/02/09. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 4pp. 62749:283-62749:286.
- 9207230254 Forwards notice of violation to license SNM-154 for concurrence & requests that licensee submit weighted exposure data on employees who work in areas w/air concentrations in excess of MPC.  
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 62/03/26. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 62749:287-62749:287.
- 9207230256 Discusses structural adequacy on drum skirts.  
BECK,C. Atomic Energy Commission (Pre 750119). 62/04/02. LUKE,C. LANE,J. Atomic Energy Commission (Pre 750119). 2pp. 62749:288-62749:290.
- 9207230265 Requests that order be drafted to licensee to revoke amend to license SNM-154 granted on 610911.Encl analysis & finding set forth in detail encl.W/o encl.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/05/29. SHAPER,H.K. Atomic Energy Commission (Pre 750119). 1p. 62749:291-62749:291.
- 9207230269 Discusses 640430 visit by G Smith to Jayhawk to conduct close-out insp of subject licensee facilities as requested per 640413 memo.  
WALKER,D.I. Atomic Energy Commission (Pre 750119). 64/05/20. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 5pp. 62749:292-62749:300.

## 180 DOCKETED ITEMS

- 9207230301 Discusses insp on 600330-0401 of licenses C-4352,R-218, SNM-154 & SNM-329. Labeling deficiencies were brought to attention by inspector & corrective action will be taken by licensee.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/10/12. LAMBERTUS,H. Spencer Chemical Co. 1p. 62749:327-62749:327.
- 9207240044 Insp rept 26-B134-01 on 800617. No noncompliance noted. Major areas inspected: plant operation, personnel, training, survey program, transportation & waste disposal.  
BORCHERT,H.R. NRC - No Detailed Affiliation Given. 82/06/17. 11pp. 62749:341-62750:032.
- 9207240071 Requests info re financial statement to expedite action on future requests.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/12/14. LAMBERTUS,H. Spencer Chemical Co. 1p. 62750:050-62750:050.
- 9207240073 Forwards annual rept re financial statement per request. W/o encl.  
LAMBERTUS,H. Spencer Chemical Co. 60/12/21. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 62750:051-62750:051.
- 9207240075 Ack receipt of 601221 ltr providing annual rept & financial statement.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/12/30. LAMBERTUS,J.C. Spencer Chemical Co. 4pp. 62750:052-62750:055.
- 9207240082 Discusses insp on 610502-05.  
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/04/17. GREENLEE,N. Spencer Chemical Co. 3pp. 62750:058-62750:060.
- 9207210266 Advises that procedures proposed in app 1C of application from Spencer Chemical Co & quantities & vols & concentrations described in app 2C, judged to be adequate to prevent critical accumulations in proposed process.  
BECK,C.K. Atomic Energy Commission (Pre 750119). 57/12/06. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:055-62749:056.
- 9207220055 Discusses analysis & findings re application for SNM license by Spencer Chemical Co & recommends that amend be issued to extend license for term to expire on 600401.  
SULLIVAN,P.G. Atomic Energy Commission (Pre 750119). 58/04/01. Atomic Energy Commission (Pre 750119). 1p. 62749:062-62749:062.
- 9207220082 Informs recipient of issuance of SNM license to Spencer Chemical Co for activities conducted at Jayhawk Works located between Pittsburg, KS & Joplin, MS.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/04/30. RKEED,T.R. Kansas, State of. 1p. 62749:076-62749:076.
- 9207220090 Requests review of encl 580416 application for amend to license SNM-154 w/ respect to adequacy of applicant procedures to avoid accidental criticality during shipment of U oxide.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/05/06. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:078-62749:078.
- 9207220169 Forwards licensee request dtd 580912 for approval of proposed packaging & shipping procedures.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/09/22. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:100-62749:102.
- 9207230032 Advises that approval request for mod of license SNM-154 is satisfactory.  
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/01/27. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 62749:169-62749:170.
- 9207230061 Comments on insp rept re activities at Spencer Chemical Co.  
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/04/07. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 1p. 62749:186-62749:186.
- 9207230086 Requests review of amend to license SNM-154 re applicant adequacy to avoid condition of accidental criticality.  
EDWARDS,C.T. Atomic Energy Commission (Pre 750119). 60/04/18. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:187-62749:187.

### DOCKET 70-0152 PURDUE UNIV., WEST LAFAYETTE, IN

- 9207060039 Forwards application for renewal of License SNM-142.  
SCHWEITZER,J.F. Purdue Univ., West Lafayette, IN. 92/05/28. Region 3 (Post 820201). 1p. 62247:067-62247:256.
- 9207060041 Application for renewal of License SNM-142.  
FORD,F.R. Purdue Univ., West Lafayette, IN. 92/05/22. 82pp. 62247:068-62247:256.

### DOCKET 70-0201 MISSOURI, UNIV. OF, COLUMBIA, MO

- 9207220085 Forwards SNM licenses which have been issued to Spencer Co, Mallinckrodt Chemical Works & Univ of Missouri.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/04/30. AMOS,J.R. Missouri, State of. 1p. 62749:077-62749:077.
- 9207220162 Forwards special nuclear matl licenses which have been issued to Mallinckrodt Chemical Works, Spencer Chemical Co & Univ of Missouri.  
FLUERY,E.R. Atomic Energy Commission (Pre 750119). 58/08/06. AMOS,J.R. Missouri, State of. 1p. 62749:088-62749:088.

### DOCKET 70-0248 MALLINCKRODT CHEMICAL WORKS, ST. LOUIS, MO

- 9207220162 Forwards special nuclear matl licenses which have been issued to Mallinckrodt Chemical Works, Spencer Chemical Co & Univ of Missouri.  
FLUERY,E.R. Atomic Energy Commission (Pre 750119). 58/08/06. AMOS,J.R. Missouri, State of. 1p. 62749:088-62749:088.

### DOCKET 70-0340 SPENCER CHEMICAL CO., KANSAS CITY, MO

- 9207200206 Partial response to FOIA request for documents. Documents listed in App A & B encl & being made available for PDR.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/31. MARBLE,J.P. Huckaby, Fleming, Frailey, Chaffin & Darrah. 17pp. 62750:042-62750:048.

- 9207230254 Forwards notice of violation to license SNM-154 for concurrence & requests that licensee submit weighted exposure data on employees who work in areas w/air concentrations in excess of MPC.  
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 62/03/26. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 62749:287-62749:287.
- 9207240048 Responds to 590622 application for special nuclear matl license to authorize chemical conversion of enriched U at addl processing facilities. Requests addl info.  
MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 59/07/23. LAMBERTUS,H. Spencer Chemical Co. 2pp. 62750:033-62750:034.
- 9207240050 Responds to 590723 ltr requesting addl info on 590622 application for special nuclear matl license. Provides info.  
LAMBERTUS,H. Spencer Chemical Co. 59/07/28. MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 5pp. 62750:035-62750:039.
- 9207240052 Comments on adequacy of applicant procedures to prevent condition of inadvertent criticality requested.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/08/06. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62750:040-62750:040.
- 9207240056 Informs that applicant is qualified by reason of training & experience to use special nuclear matl for purpose requested. Application meets requirements of Commission regulations.  
MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 59/10/01. Atomic Energy Commission (Pre 750119). 2pp. 62750:041-62750:042.
- 9207240059 Ack special nuclear matl license SNM-329 granted w/591001 ltr.  
LAMBERTUS,H. Spencer Chemical Co. 59/10/06. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 62750:043-62750:043.
- 9207240067 Informs that licensee are hereby allocated 11.92 kg contained U-235 as UF6 containing U enriched to 3.24 plus or minus 0.068% U-235 for use under License SNM-329.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/02/24. LAMBERTUS,H. Spencer Chemical Co. 2pp. 62750:047-62750:049.
- 9207240071 Requests info re financial statement to expedite action on future requests.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/12/14. LAMBERTUS,H. Spencer Chemical Co. 1p. 62750:050-62750:050.
- 9207240073 Forwards annual rept re financial statement per request. W/o encl.  
LAMBERTUS,H. Spencer Chemical Co. 60/12/21. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 62750:051-62750:051.
- 9207240075 Ack receipt of 601221 ltr providing annual rept & financial statement.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/12/30. LAMBERTUS,J.C. Spencer Chemical Co. 4pp. 62750:052-62750:055.
- 9207240078 Authorizes license SNM-329 to ship on one time only basis in fifty-five gallon package previously approved.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/01/24. GREENLEE,N.A. Spencer Chemical Co. 1p. 62750:056-62750:057.
- 9207240082 Discusses insp on 610502-05.  
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/04/17. GREENLEE,N. Spencer Chemical Co. 3pp. 62750:058-62750:060.
- 9207240086 Responds to 620417 ltr re insp on 610502-05 providing addl info & App I. "Procedures Used to Set Up Sampling Program for Air & Smear Tests."  
LAMBERTUS,H. Spencer Chemical Co. 62/05/14. PRICE,E.R. Atomic Energy Commission (Pre 750119). 15pp. 62750:061-62750:075.
- 9207240093 Ack 620514 ltr informing AEC of steps taken to correct deficiencies noted in insp.  
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/07/17. LAMBERTUS,H. Spencer Chemical Co. 1p. 62750:078-62750:078.
- 9207240094 Notice of license expiration.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/07/25. LAMBERTUS,H. Spencer Chemical Co. 1p. 62750:079-62750:079.
- 9207240098 Informs that all communications re licenses should be directed to Kerr-McGee as follows.  
COBB,G.H. Kerr-McGee Chemical Corp. 62/09/06. JOHNSON,L. Atomic Energy Commission (Pre 750119). 1p. 62750:080-62750:080.
- 9207240101 Advises that licensee complete & return "Certification of Status of Special Nuclear Matl Activities under AEC license SNM-329."  
NAUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 62/10/25. GREENLEE,N.M. Spencer Chemical Co. 1p. 62750:081-62750:081.
- 9207240102 Forwards certification of status of special nuclear matl program under USAEC for license SNM-329.  
GREENLEE,N.A. Spencer Chemical Co. 62/11/20. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 62750:082-62750:082.
- 9207240108 Certificate of disposition of matl: license been or will be prior to expiration of above license transferred to SNM-329.  
GREENLEE,N.A. Atomic Energy Commission (Pre 750119). 62/11/20. 1p. 62750:083-62750:083.
- 9207240114 Forwards special nuclear matl license.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/10/01. LAMBERTUS,H. Spencer Chemical Co. 1p. 62750:087-62750:087.
- 9207240115 Matl licensing package for license SNM-329 for Spencer Chemical Co.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/10/02. 1p. 62750:088-62750:088.
- 9207240063 Advise licensee under which license wish allocation of 1200 lbs hex (11.92 kg U-235).  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/02/12. LAMBERTUS,H. Spencer Chemical Co. 3pp. 62750:044-62750:048.

**DOCKET 70-0364 BABCOCK & WILCOX CO., APOLLO, PA**

**9207080295** Certifies that licensee is currently going concern & possesses listed positive net worth, as of 920331.  
ECKER, J.P. Babcock & Wilcox Co. 92/06/24. HICKEY, J.W. Fuel Cycle Safety Branch. 3pp. 62307:036-62307:067.

**-9207080296** Lists parent company guarantees of financial assurance for decommissioning facilities. Consolidated financial statements for yrs ending 920331 & 1991, w/ rept of independent auditors encl.  
HATTOX, B.A. Babcock & Wilcox Co. 92/06/24. HICKEY, J.W. Fuel Cycle Safety Branch. 29pp. 62307:039-62307:067.

**9207060173** Forwards listed revised documents re parent company guarantee for fiscal yr ending on 920331. W/o encls.  
HOOKER, E.O. Babcock & Wilcox Co. 92/06/26. HICKEY, J.W. Fuel Cycle Safety Branch. 2pp. 62254:213-62254:214.

**9207240014** Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915- 17 in Bethesda, MD. Purpose of workshop is to discuss NRC programs & policies applicable to fuel cycle licensees.  
CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. HAERTJENS, B. Babcock & Wilcox Co. STAUTER, J.C. Cimarron Corp. CUNNINGHAM, R.E. General Electric Co. 6pp. 62528:228-62528:233.

**DOCKET 70-0371 UNC, INC., UNCASVILLE, CT**

**9207230104** Ack receipt of 920514 & 0603 ltrs informing NRC of steps taken to correct violations noted in insp repts 70-0371/92-92 & 30-03792/92-01 on 920324-27. Concurs that fourth sealed AM-Be source need not be tested quarterly.  
JOYNER, J.H. Region 1 (Post 820201). 92/07/14. WAUGH, G.H. United Nuclear Corp. (subs. of UNC, Inc.). 3pp. 62524:175-62524:181.

**-9207230117** Responds to NRC 920417 ltr re violations noted in insp repts 30-03792/92-01 & 70-0371/92-02. Corrective actions: specific Health Physics Technicians has been assigned responsibility for leak checking sources.  
WAUGH, G.H. United Nuclear Corp. (subs. of UNC, Inc.). 92/05/14. JOYNER, J.H. Region 1 (Post 820201). 3pp. 62524:180-62524:180.

**-9207230130** Confirms that all four sources identified in insp repts were leak tested w/ acceptable results documented.  
GREEG, R.J. United Nuclear Corp. (subs. of UNC, Inc.). 92/06/03. JOYNER, J.H. Region 1 (Post 820201). 1p. 62524:181-62524:181.

**9207300285** Summary of 920714 meeting w/ licensee to discuss preliminary septic field evaluation & remediation. Agenda encl.  
\* United Nuclear Corp. (subs. of UNC, Inc.). 92/07/14. United Nuclear Corp. (subs. of UNC, Inc.). 12pp. 62638:121-62638:132.

**9207280068** Issues Amend 22 to License SNM-368, authorizing revised planned final remediation survey of indoor bldg areas which never contained fuel but were used as mfg areas for encapsulated fuel. SER & categorical exclusion encl.  
AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/16. GREGG, R. United Nuclear Corp. (subs. of UNC, Inc.). 2pp. 62567:029-62567:036.

**-9207280073** SER supporting 920409 & 0511 applications for amend to License SNM-368, revising planned final radiation survey of indoor bldg areas, which never contained fuel, but were used as mfg areas for encapsulated fuel.  
FARROTT, J.D., AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/16. 5pp. 62567:031-62567:035.

**-9207280079** Advises that neither environ assessment nor EIS warranted re 920409 & 0511 applications for amend to License SNM-368, revising portions of decommissioning plan re surveys of indoor bldg areas used as mfg areas for encapsulated fuel.  
AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 1p. 62567:036-62567:036.

**DOCKET 70-0396 COMMERCE, DEPT. OF, NATIONAL INSTITUTE OF STANDARDS &**

**9207090047** Grants extension of 30 days to respond to comments raised in NRC 920520 ltr re emergency plan, per reasons stated in NBS 920611 ltr. Response expected in Jul 1992.  
TOKAR, M. Fuel Cycle Safety Branch. 92/07/02. PEEVY, L.E. National Institute of Standards & Technology (formerly National Bureau of Standards). 1p. 62309:345-62309:345.

**9207100145** Submits response to questions raised in 920609 memo re fee classification for 920226 application. License Condition 9 will not restrict use of SNM in industrial measuring sys nor remove authorization to use depleted U for shielding.  
HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/08. DANDOIS, D.B. License Fee & Debt Collection Branch (Post 890827). 1p. 62334:325-62334:325.

**9207270048** Forwards response to 920520 request re addendum to License SNM-362 accident evaluation. Items discussed include, accident conditions, dose calculation, soluble U intake, iodine thyroid dose & radionuclide mixture.  
PEEVY, L.E. National Institute of Standards & Technology (formerly National Bureau of Standards). 92/07/23. TOKAR, M. Fuel Cycle Safety Branch. 9pp. 62517:271-62517:279.

**DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY**

**9207170156** Forwards "Proposed Soil Criteria," in response to License Condition 10.G of Amend 6 to License SNM-639.  
MCGOVERN, J.J. Cintichem, Inc. 92/07/15. ORLANDO, N. Decommissioning & Regulatory Issues Branch (Post 901230). 2pp. 62431:186-62431:232.

**-9207170159** "Proposed Soil Criteria" for Cintichem, Inc. Research Reactor & Radiochemical Processing Lab.  
\* Cintichem, Inc. 92/07/31. 45pp. 62431:188-62431:232.

**DOCKET 70-0698 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA**

**9207090208** Forwards Safety Insp 70-0698/92-01 on 920511-14. Violation noted.  
BELLAMY, R.R. Region 1 (Post 820201). 92/06/24. GERARDINE, F.J. Westinghouse Electric Corp. 4pp. 62313:309-62313:328.

**-9207090212** Notice of violation from insp on 920511-14. Violation noted: licensee did not make reasonable surveys at G-Bldg ventilation sys stack to assure compliance w/ 10CFR20.106.  
\* Region 1 (Post 820201). 92/06/24. 1p. 62313:313-62313:313.

**-9207090215** Safety Insp Rept 70-0698/92-01 on 920511-14. Violation noted. Major areas inspected: licensed program including status of licensed activities & organization, facilities, site decommissioning activities & radioactive effluents.  
MILLER, M.T., ROTH, J., KINNEMAN, J.D. Region 1 (Post 820201). 92/06/24. 15pp. 62313:314-62313:328.

**DOCKET 70-0712 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK**

**9207090143** FOIA request for documents & mats in possession of NRC re Kerr McGee facility in Cushing, OK.  
CORDELL, F.T. Huckaby, Fleming, Frailey, Chaffin & Darrah. 91/04/29. GRIMSLEY, D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62460:001-62460:001.

**9207090216** Final response to FOIA request for documents. Forwards app A documents which are being made available in PDR. App B documents being withheld in their entirety (ref FOIA Exemption 6).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/08. CORDELL, F.T. Huckaby, Fleming, Frailey, Chaffin & Darrah. 18pp. 62460:002-62460:271.

**-9207090231** Undated amend 5 to license SNM-695, changing condition 10 to authorize use of SNM in bldgs 30 & 31.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 91/10/08. LAMBERTUS, H. Kerr-McGee Corp. 2pp. 62460:020-62460:021.

**-9207090257** Undated ltr informing that distribution of 65 kg of U-235 contained in U enriched to 93.15% as UF6 authorized under license SNM-695, per 640612 request.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 91/10/08. WILLSON, F. Kerr-McGee Corp. 1p. 62460:022-62460:022.

**-9207100261** Responds to request for addl info concerning license application discussed during 621128 meeting at Germantown. Answers to questions & addl matl listed.  
LAMBERTUS, H. Kerr-McGee Corp. 62/12/14. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 3pp. 62460:128-62460:130.

**-9207100262** Informs that addl info needed re 621012 application for SNM license.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 62/12/18. COBB, G.H. Kerr-McGee Corp. 1p. 62460:131-62460:131.

**-9207100265** Ack receipt of 621218 ltr containing encl stating requirements for issuance of SNM license.  
LAMBERTUS, H. Kerr-McGee Corp. 63/02/15. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 22pp. 62460:132-62460:153.

**-9207100267** Informs that addl info needed to continue review of 621012 application for SNM license.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 63/03/11. LAMBERTUS, H. Kerr-McGee Corp. 2pp. 62460:154-62460:155.

**-9207100269** Responds to questions raised during 630307 meeting in Germantown. Answers to questions listed.  
LAMBERTUS, H. Kerr-McGee Corp. 63/03/12. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 9pp. 62460:156-62460:164.

**-9207140181** Responds to 630311 request for addl info re SNM license application. Informs of no liquid sumps, drains or sink traps in process & storage areas.  
LAMBERTUS, H. Kerr-McGee Corp. 63/03/14. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 2pp. 62460:165-62460:166.

**-9207140214** Responds to series of questions posed to H Lambertus on 630405. Confirms that all class 3 shipments of SNM will be made by procedures described on page 14 of 630215 application.  
LAMBERTUS, H. Kerr-McGee Corp. 63/04/11. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 5pp. 62460:170-62460:173.

**-9207140217** Forwards license SNM-695.  
PRICE, E.R. Atomic Energy Commission (Pre 750119). 63/04/23. LAMBERTUS, H. Kerr-McGee Corp. 1p. 62460:174-62460:174.

**-9207140218** Informs that license SNM-695 issued on 630423 subj to listed condition.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 63/04/23. LAMBERTUS, H. Kerr-McGee Corp. 1p. 62460:175-62460:175.

**-9207140220** License SNM-695 for Kerr-McGee Industries, Inc. authorizing use of listed licensed matl.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 63/04/30. 1p. 62460:176-62460:176.

**-9207140223** Application for amend to license SNM-695 requesting allocation of 10 kgs of contained U, 8.1% enriched as UF6.  
LEADERS, W.M. Kerr-McGee Corp. 63/05/07. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 3pp. 62460:177-62460:179.

**-9207140244** Application for amend to License SNM-695, to include reduction of high enriched U tetrafluoride to U metal buttons.  
LAMBERTUS, H. Kerr-McGee Corp. 63/12/06. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 5pp. 62460:183-62460:187.

**-9207140247** Forwards addl info supporting 631206 application for amend to license SNM-695.  
WILLSON, F.F. Kerr-McGee Corp. 63/12/13. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 3pp. 62460:188-62460:190.

## 182 DOCKETED ITEMS

- 9207140249** Forwards license SNM-695.  
PRICE,E. Atomic Energy Commission (Pre 750119). 63/12/23. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62460:191-62460:191.
- 9207140257** License SNM-695 for Kerr-McGee Oil Industries,Inc, authorizing use of listed licensed matl.  
\* Atomic Energy Commission (Pre 750119). 63/12/23. 1p. 62460:192-62460:193.
- 9207140281** Informs that 640108 request for UF6 for procurement prior to 640331,9.2 kgs of U-235 contained in 20% enriched U allocated.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/01/13. BUNTA,B.J. Kerr-McGee Corp. 1p. 62460:194-62460:194.
- 9207140265** Requests backup for suppl to application dtd 630422.  
\* Atomic Energy Commission (Pre 750119). 64/01/16. Atomic Energy Commission (Pre 750119). 1p. 62460:195-62460:195.
- 9207150040** Application for amend to License SNM-695,to include five additions & mods involving bldg A-6.  
LAMBERTUS,H. Kerr-McGee Corp. 64/05/28. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 4pp. 62460:233-62460:236.
- 9207150047** Discusses insp conducted on 640122-24 of activities authorized under licenses SMB-664 & SNM-695.  
PRICE,E. Atomic Energy Commission (Pre 750119). 64/06/05. LAMBERTUS,H. Kerr-McGee Corp. 3pp. 62460:237-62460:239.
- 9207150057** Responds to 640605 ltr & forwards info re results of insp conducted during Jan 22 & 23 of activities covered under licenses.  
LAMBERTUS,H. Kerr-McGee Corp. 64/06/23. PRICE Atomic Energy Commission (Pre 750119). 4pp. 62460:240-62460:243.
- 9207150061** Amend 2 to license SNM-695 changing condition 10 to read as listed.  
PRICE,H.L. Atomic Energy Commission (Pre 750119). 64/07/08. LAMBERTUS,H. Kerr-McGee Corp. 6pp. 62460:244-62460:249.
- 9207150066** Ack receipt of 640623 ltr in response to NRC 640605.  
PRICE,E.R. Atomic Energy Commission (Pre 750119). 64/07/14. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62460:250-62460:250.
- 9207150102** Informs of allocation of 12.6 kgs of U-235 contained in 20% enriched U,per 640825 request.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/09/01. WILLSON,F. Kerr-McGee Corp. 1p. 62460:256-62460:256.
- 9207150169** Requests copy of latest annual financial rept re license SNM-695.  
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 64/09/04. Kerr-McGee Corp. 2pp. 62460:268-62460:280.
- 9207150177** Application for amend to License SNM-695,to include use of bldg 31.  
LAMBERTUS,H. Kerr-McGee Corp. 64/09/14. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 62460:281-62460:282.
- 9207150184** Discusses insp on 640810-11 & forwards addl items of noncompliance.  
PRICE,E. Atomic Energy Commission (Pre 750119). 64/10/16. LAMBERTUS,H. Kerr-McGee Corp. 2pp. 62460:294-62460:297.
- 9207150188** Discusses 640915 investigation of activities authorized under license SNM-695 concerning shipment of enriched U to Advanced Technology Labs.  
PRICE,E. Atomic Energy Commission (Pre 750119). 64/10/19. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62460:298-62460:298.
- 9207150192** Informs that addl info needed concerning 640914 application for amend to license.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/10/27. LAMBERTUS,H. Kerr-McGee Corp. 2pp. 62460:299-62460:300.
- 9207150199** Responds to 641016 request for addl info concerning insp on 640810-11 at facility in Cushing,Oklahoma.  
LAMBERTUS,H. Kerr-McGee Corp. 64/11/09. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p. 62460:301-62460:301.
- 9207150201** Responds to 641016 ltr re insp conducted on 640810-11 of activities authorized under license SNM-695.Informs that amend to license currently being prepared & will be submitted within 30 days.  
LAMBERTUS,H. Kerr-McGee Corp. 64/11/09. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p. 62460:302-62460:302.
- 9207150206** Discusses 641019 ltr re investigation on 640914 concerning shipment of enriched U to Advanced Technology Labs on 640721.Corrective actions:extensive re-training program for all supervision provided by licensee.  
LAMBERTUS,H. Kerr-McGee Corp. 64/11/09. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p. 62460:303-62460:303.
- 9207150208** Ack receipt of 641109 ltr re corrective actions taken concerning NOV dtd 641019.  
PRICE,E.R. Atomic Energy Commission (Pre 750119). 64/11/19. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62460:304-62460:304.
- 9207150210** Ack receipt of 641109 ltr in response to NRC NOV issued on 641016.Informs that operations to be conducted in accordance w/requirements of license pending approval of amend request.  
PRICE,E.R. Atomic Energy Commission (Pre 750119). 64/11/25. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62460:305-62460:305.
- 9207150224** Application for amend to license SNM-695,requesting addl storage arrays & locations at Cushing,Oklahoma facility.  
LAMBERTUS,H. Kerr-McGee Corp. 64/12/30. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 4pp. 62460:306-62460:309.
- 9207150227** Amend 3 to license SNM-695,revising license condition 11 to read as listed.  
NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 65/02/01. 2pp. 62460:310-62460:311.
- 9207150230** Application for amend to licenses SNM-664 & SNM-695,granting exemption from specific requirements of 10CFR20.203.  
LAMBERTUS,H. Kerr-McGee Corp. 65/02/01. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 62460:312-62460:312.
- 9207150232** Application for amend to license SNM-695,authorizing equipment additions & relocations of operations.  
LAMBERTUS,H. Kerr-McGee Corp. 65/02/12. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 3pp. 62460:313-62460:333.
- 9207150238** Responds to request for addl info concerning 641230 application for amend to license SNM-695.Confirms that limits from Table XIV,K-1019 when applied to aqueous units will be restricted to homogeneous units.  
LAMBERTUS,H. Kerr-McGee Corp. 65/02/18. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 62460:334-62460:335.
- 9207150243** Application for amend to License SNM-695,to include addition of scrap dissolving facility & raffinate holding tanks.  
LAMBERTUS,H. Kerr-McGee Corp. 65/02/25. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 4pp. 62460:336-62460:339.
- 9207150249** Forwards rept & transmittal memo of insp conducted of facility on 650126-27,for appropriate enforcement action.  
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 65/03/02. PRICE,E.R. Atomic Energy Commission (Pre 750119). 2pp. 62460:340-62460:341.
- 9207150254** Amends 3 & 4 to licenses SNM-664 & SNM-695,authorizing use of listed licensed matl.  
NUSSBAUMER,H. Atomic Energy Commission (Pre 750119). 65/03/17. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62460:342-62460:351.
- 9207150259** Discusses telcon w/Dubinski concerning insp of licenses SNM-664 & SNM-695.  
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/04/12. Atomic Energy Commission (Pre 750119). 2pp. 62460:352-62460:357.
- 9207150273** Forwards insp notes to file covering criticality control insp of licensee Cushing plant,for filing.No items of noncompliance or unsafe practices observed in course of insp.  
CROCKER,H.W. Atomic Energy Commission (Pre 750119). 65/05/26. WALKER,D.I. Atomic Energy Commission (Pre 750119). 4pp. 62461:006-62461:009.
- 9207150276** Safety insp on 650521 of license SNM-695.Insp findings:no items of non-compliance noted.  
CROCKER,H.W. Atomic Energy Commission (Pre 750119). \* Kerr-McGee Corp. 65/05/21. 13pp. 62461:010-62461:022.
- 9207160116** Discusses 650412 memo & telcon w/J Roeder concerning State of Oklahoma personnel participation in next insp of licenses SNM-664 & SNM-695.  
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/09/03. Atomic Energy Commission (Pre 750119). 1p. 62461:056-62461:063.
- 9207160138** Compliance insp rept on 650908-10.Noncompliance noted: surveys made during & following fire & explosion on 650623 were inadequate to determine that individuals were not exposed to excess concentrations.  
SANDEL,P.S., WOOLSEY,R.T. Atomic Energy Commission (Pre 750119). 65/09/30. 13pp. 62461:076-62461:088.
- 9207160144** Forwards Kerr-McGee criticality prevention program to be attached as Exhibit A to rept submitted on 651001.  
WOOLSEY,R.T. Atomic Energy Commission (Pre 750119). 65/10/04. Atomic Energy Commission (Pre 750119). 4pp. 62461:089-62461:094.
- 9207160168** Forwards reinspection rept for licenses SMB-664 & SNM-695, for appropriate enforcement action.  
WALKER,D.I. Atomic Energy Commission (Pre 750119). 65/10/22. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 5pp. 62461:100-62461:107.
- 9207160206** Discusses 651022 NOV forwarded to licensee citing company for non-compliance w/10CFR20.201 for failure to determine adequately extent of employee exposure to concentration of thorium.  
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 65/11/22. PAGE,R.G. Atomic Energy Commission (Pre 750119). 3pp. 62461:113-62461:115.
- 9207200208** Partial response to FOIA request for documents.Documents listed in App A & B encl & being made available for PDR.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/31. MARBLE,J.P. Huckaby, Fleming, Frailey, Chaffin & Darrah. 17pp. 62749:002-62750:088.
- 9207200191** FOIA request for documents re matls in possession of NRC, including but not limited to its various employees, divisions & departments re Spencer Chemical Co. MARBLE,J.D. Huckaby, Fleming, Frailey, Chaffin & Darrah. 91/08/07. GRIMSLEY,D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62749:001-62749:001.

### DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

- 9207170069** Application for amend to License SNM-695,reflecting change of address for main site.Location of licensee unchanged.  
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 92/06/24. HICKEY,J.W. Fuel Cycle Safety Branch. 2pp. 62430:338-62430:339.
- 9207090274** Forwards Insp Rept 70-0734/92-05 on 920801-04.No violations noted.  
PATE,R.J. Region 5 (Post 820201). 92/06/29. RADEMACHE,R.N. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. 62335:347-62335:360.
- 9207090276** Insp Rept 70-0734/92-05 on 920801-04.No violations noted. Major areas inspected:criticality safety,operations review, radwaste mgt,enviro protection,radiation protection, transportation & waste generator requirements.  
HOOKER,C.A., CILLIS,M., PATE,R.J. Region 5 (Post 820201). 92/06/29. 11pp. 62335:350-62335:360.
- 9207100264** PNO-V-92-020:on 920628,two major earthquakes occurred in State of CA desert.Unusual event declared at San Onofre & Diablo Canyon.Tremors felt at Palo Verde & at two research reactors & fuel facility.Peak accelerations listed.  
GARCIA,E. Region 5 (Post 820201). 92/06/28. 3pp. 62365:001-62365:003.

**9207020328** Submits results of 920515 response to NRC Bulletin 91-001, reporting loss of criticality safety controls, dtd 921018.  
HICKEY, J.W. Transportation Branch. 92/06/30. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 2pp. 62234:351-62234:352.

**9207090040** Grants 920611 request for extension until 920909 to update license renewal application to include decommissioning funding plan & revised radiological contingency plan, per 10CFR70.25 & 10CFR70.22, respectively.  
HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/06. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 62309:336-62309:336.

**9207240005** Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915-17 in Bethesda, MD. Workshop designed to provide info on NRC policies & procedures applicable to fuel cycle licensees.  
CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. KOSMIDER, M.D. Allied-Signal Corp. KERSTEEN, G.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). KRUEGER, B. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 6pp. 62479:297-62479:302.

#### DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

**9207160351** Withdraws 890421 application for renewal of License SNM-960 & 900914 application for amend to License SNM-960 w/ understanding that relief from Pu-241 limit may be requested on case-by-case basis.  
CUNNINGHAM, G.E. General Electric Co. 92/07/07. SWIFT, J.J. Fuel Cycle Safety Branch. 1p. 62413:348-62413:348.

**9207240014** Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915-17 in Bethesda, MD. Purpose of workshop is to discuss NRC programs & policies applicable to fuel cycle licensees.  
CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. HAERTJENS, B. Babcock & Wilcox Co. 6pp. 62528:228-62528:233.

#### DOCKET 70-0820 UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER

**9207010139** Discusses proposed license termination of UNCs Wood River Junction Site. Based on discussions & draft EA NRC staff prepared to recommend license be terminated.  
BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 92/06/25. VARIN, D.W. Rhode Island, State of. App. 62234:296-62234:299.

#### DOCKET 70-0824 BABCOCK & WILCOX CO., LYNCHBURG, VA

**9207080174** Application for renewal of License SNM-778. Decommissioning funding plan will be submitted by 920828.  
BOYD, C.C. Babcock & Wilcox Co. 92/06/29. HICKEY, J.W. Fuel Cycle Safety Branch. 180pp. 62221:107-62221:290.

**9207080295** Certifies that licensee is currently going concern & possesses listed positive net worth, as of 920331.  
ECKERT, J.P. Babcock & Wilcox Co. 92/06/24. HICKEY, J.W. Fuel Cycle Safety Branch. 3pp. 62307:036-62307:067.

**-9207080296** Lists parent company guarantees of financial assurance for decommissioning facilities. Consolidated financial statements for yrs ending 920331 & 1991, w/ rept of independent auditors encl.  
HATTOX, B.A. Babcock & Wilcox Co. 92/06/24. HICKEY, J.W. Fuel Cycle Safety Branch. 29pp. 62307:039-62307:067.

**9207080173** Forwards listed reviewed documents re parent company guarantee for fiscal yr ending on 920331. W/o encls.  
HOOKER, E.O. Babcock & Wilcox Co. 92/06/26. HICKEY, J.W. Fuel Cycle Safety Branch. 2pp. 62254:213-62254:214.

**9207100081** Requests scheduler exemption for providing Decommissioning Funding Plan from 920701 to 920828, due to heavy demands on time of key personnel.  
CARLSON, R.V. Babcock & Wilcox Co. 92/06/26. HICKEY, J.W. Fuel Cycle Safety Branch. 1p. 62370:343-62370:343.

**9207080117** Requests technical assistance for listed projects.  
TOKAR, J.W. Fuel Cycle Safety Branch. 92/07/01. COMBS, F.C. Operations Branch. 2pp. 62275:359-62275:360.

**9207150143** Forwards insp rept 70-0824/92-03 on 920624. No violations or deviations noted. Rept details withheld per 10CFR2.790(d) & 10CFR73.21.  
COLLINS, D.M. Region 2 (Post 820201). 92/07/10. CARLSON, R.V. Babcock & Wilcox Co. 2pp. 62440:176-62440:178.

**-9207150152** Insp rept 70-0824/92-03 on 920624. No violations or deviations noted. Major areas inspected: security plans, procedures, reviews & fixed site of low strategic significance. Details withheld per 10CFR2.790(d).  
MASNYK, O.M., MCGUIRE, D.R. Region 2 (Post 820201). 92/07/10. 1p. 62440:177-62440:178.

**9207240005** Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915-17 in Bethesda, MD. Workshop designed to provide info on NRC policies & procedures applicable to fuel cycle licensees.  
CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. KOSMIDER, M.D. Allied-Signal Corp. CONNER, J.A., TETRAULT, R. Babcock & Wilcox Co. 6pp. 62479:297-62479:302.

**9207290224** Responds to NRC ltr re violation noted in Insp Rept 70-0824/92-02 on 920429-0501. Corrective actions: appropriate procedure will be revised by 920901 to ensure that vendor supplied cask procedures reviewed prior to use.  
CARLSON, R.V. Babcock & Wilcox Co. 92/07/23. Document Control Branch (Document Control Desk). 3pp. 62567:099-62567:101.

**9207290248** Ack receipt of 920626 ltr requesting scheduler exemption that would permit submittal of decommissioning funding plan by 920628. Request acceptable.  
TOKAR, M. Fuel Cycle Safety Branch. 92/07/27. CARLSON, R.V. Babcock & Wilcox Co. 1p. 62593:353-62593:353.

#### DOCKET 70-0920 RENSSELAER POLYTECHNIC INSTITUTE, TROY, NY

**9207010098** Advises that shipment of U-233 from Rensselaer campus consisting of LWBR rods & foil was made on 920624.  
JUDD, G. Rensselaer Polytechnic Institute, Troy, NY. 92/06/25. HICKEY, J.W. Fuel Cycle Safety Branch. 3pp. 62252:357-62252:359.

**9207310119** Application for amend to License SNM-910, amending license as listed.  
RYAN, R.M. Rensselaer Polytechnic Institute, Troy, NY. 92/07/21. HICKEY, J.W. Fuel Cycle Safety Branch. 2pp. 62638:157-62638:158.

#### DOCKET 70-0925 CIMARRON CORP., OKLAHOMA CITY, OK

**9207090216** Final response to FOIA request for documents. Forwards app A documents which are being made available in PDR. App B documents being withheld in their entirety (ref FOIA Exemption 6).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/08. CORDELL, F.T. Huckaby, Fleming, Frailey, Chaffin & Darrah. 18pp. 62460:002-62462:271.

**-9207160160** Forwards rept of health physics aspects of prelicense visit of 651019. Informs of little progress being made in resolving questions raised as result of two previous prelicensing insps.  
BROWN, G.D. Atomic Energy Commission (Pre 750119). 65/10/22. CROCKER, H.W. Atomic Energy Commission (Pre 750119). 1p. 62461:099-62461:099.

**-9207160336** Partially deleted amends to licenses SMB-664, SMA-826, SNM-695 & SNM-928 to reflect name change of Kerr-McGee Oil Industries, Inc to Kerr-McGee Corp. W/26 oversize drawings.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 90/02/16. 243pp. 62461:359-62462:271.

**9207080284** Requests assistance in resolving listed items discussed at 920518 meeting. Items include organization chart, license svc invoices, Pu facility license termination, onsite disposal & former disposal area & lagoons.  
STILLE, E.T. Kerr-McGee Corp. 92/06/24. SWIFT, J. Fuel Cycle Safety Branch. 2pp. 62277:272-62277:273.

**9207240014** Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915-17 in Bethesda, MD. Purpose of workshop is to discuss NRC programs & policies applicable to fuel cycle licensees.  
CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. HAERTJENS, B. Babcock & Wilcox Co. 6pp. 62528:228-62528:233.

#### DOCKET 70-0938 MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA

**9207090006** Responds to violations noted in Insp Repts 50-020/92-01 & 70-0938/92-01. Corrective actions: inventory & matl & control accountability records corrected to reflect probable offsite shipment for disposal in 1981 of three fission chambers.  
BERNARD, J.A., MASSE, F.X. Massachusetts Institute of Technology, Cambridge, MA. 92/07/02. Document Control Branch (Document Control Desk). 2pp. 62307:323-62307:324.

#### DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

**9207010030** Forwards resumes of JM Limbert & SM Sorenson to be utilized as independent auditors to conduct quarterly audits of radiation protection program due to departure of previous independent auditor.  
CONANT, J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 92/06/24. HICKEY, J.W. Fuel Cycle Safety Branch. 8pp. 62234:033-62234:040.

**9207220287** Suppl to 920408 license amend request, incorporating new page 1.2-1 clarifying statements re delegation of responsibility to U Plant Manager & Product Development Director from corporate mgt.  
CONANT, J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CONANT, J.F. ABB Atom, Inc. (formerly ASEA Atom, Inc.). 92/06/28. HICKEY, J.W. Fuel Cycle Safety Branch. 4pp. 62476:236-62476:239.

**9207080117** Requests technical assistance for listed projects.  
TOKAR, J.W. Fuel Cycle Safety Branch. 92/07/01. COMBS, F.C. Operations Branch. 2pp. 62275:359-62275:360.

**9207090294** Forwards summary of 920624 joint contractor/licensee/ NRC meeting providing & exchanging info relative to NRC contract to assess effectiveness of LEU reform rule.  
SHERR, T.S. Domestic SG & Regional Oversight Branch (Post 881218). 92/07/02. SHEERAN, R.E. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 4pp. 62271:020-62271:023.

**9207160251** Forwards "Decommissioning Funding Plan," per regulations in 10CFR70.25, in response to NRC 910627 ltr requesting subj plan in order to address revised interpretation of requirement for decommissioning financial assurance.  
CONANT, J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CONANT, J.F. ASEA Brown Boveri, Inc. 92/07/02. HICKEY, J.W. Fuel Cycle Safety Branch. 3pp. 62413:304-62413:326.

**-9207160254** "Decommissioning Funding Plan," including executed rider to increase surety bond.  
\* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 92/06/30. 20pp. 62413:307-62413:326.

**9207240171** Discusses review of 920615 ltr re interpretation of license requirements for criticality safety.  
HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/15. KERSTEEN, G.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 62479:134-62479:134.



## 184 DOCKETED ITEMS

**9207230201** Forwards Amend 22 to License SNM-1067, SER & categorical exclusion. Amend exempts Bldg 5 from requirements of 10CFR70.24(a)(1) for criticality detection.

HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/20. KERSTEEN, G.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 62479:341-62479:348.

**-9207230202** Amend 22 to License SNM-1067, exempting Bldg 5 from requirements of 10CFR70.24(a)(1) for criticality detection.

HICKEY, J.W. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. 4pp. 62479:342-62479:345.

**-9207230205** SER supporting 920527 application for amend to License SNM-1067, exempting Bldg 5 from criticality detection requirements of 10CFR70.24.

ROBINSON, C., SOONG, S., TOKAR, M. Fuel Cycle Safety Branch. 92/07/20. 2pp. 62479:346-62479:347.

**-9207230206** Advises that neither environ assessment nor EIS warranted re 920527 application for amend to License SNM-1067, exempting Bldg 5 from criticality detection requirements in 10CFR70.24.

HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/20. Fuel Cycle Safety Branch. 1p. 62479:348-62479:348.

**9207240005** Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915- 17 in Bethesda, MD. Workshop designed to provide info on NRC policies & procedures applicable to fuel cycle licensees.

CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. KOSMIDER, M.D. Allied-Signal Corp. KERSTEEN, G.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). KRUEGER, B. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 6pp. 62479:297-62479:302.

**9207290231** Forwards insp rept 70-1100/92-201 on 920615-18. No violations or deviations noted. Rept details withheld (ref 10CFR2.790(d)).

SHERR, T.S. Domestic SG & Regional Oversight Branch (Post 881218). 92/07/22. KERSTEEN, G.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 62611:231-62611:232.

**-9207290240** Partially withheld insp rept 70-1100/92-201 on 920615-18 (ref 10CFR2.790(d)). No violations or deviations noted. Major areas inspected: matl control & accounting, safeguards program, records & rept & physical inventory.

JACKSON, R.L., TING, P. Domestic SG & Regional Oversight Branch (Post 881218). 92/07/22. 1p. 62611:232-62611:232.

### DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

**9207270082** Forwards revised notification mechanism incorporating requested changes in two of three areas covered in NRC 920410 ltr which replied to GE 920117 response to NRC Bulletin 91-001.

WINSLOW, T.P. General Electric Co. 92/05/15. HICKEY, J.W. Fuel Cycle Safety Branch. 7pp. 62516:355-62516:361.

**9207270015** Ack receipt of 920410 & supplemental 920602 response to NOV issued on 920315. Implementation of corrective actions will be examined during future insps.

CLINE, W.E. Region 2 (Post 820201). 92/06/17. SILVERTHORNE General Electric Co. 1p. 62475:012-62475:012.

**9207090308** Forwards summary of 920624 joint contractor/licensee/ NRC meeting providing & exchanging info relative to NRC contract to assess effectiveness of LEU reform rule.

SHERR, T.S. Domestic SG & Regional Oversight Branch (Post 881218). 92/07/02. WINSLOW, T.P. General Electric Co. 4pp. 62271:032-62271:035.

**9207130093** Forwards anonymous ltr received by Chairman Selin on 920529 requesting that resident inspector be assigned to GE facility in Wilmington, NC. NRC present policy is to have resident inspector only at high enriched U facilities.

FLACK, E.D. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/07. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 62366:233-62366:235.

**-9207130094** Requests that resident inspector be assigned to GE plant in Wilmington, NC.

\* Affiliation Not Assigned. 92/07/13. NRC - No Detailed Affiliation Given. 1p. 62366:235-62366:235.

**9207130083** Forwards comments & questions based on review of 920306 & 17 transmittals re remedial action plan for U contamination beneath fuel processing bldg.

HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/08. WINSLOW, T.P. General Electric Co. 4pp. 62366:224-62366:227.

**9207150077** Responds to 920606 ltr to JM Taylor re work performed at facility to be reviewed by NRC as petition under provisions of 10CFR2.206.

HICKEY, J.W.N. Fuel Cycle Safety Branch. 92/07/09. STUART, D.B. Affiliation Not As-

### DOCKET 70-1143 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

**9207240014** Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915- 17 in Bethesda, MD. Purpose of workshop is to discuss NRC programs & policies applicable to fuel cycle licensees.

CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. HAERTJENS, B. Babcock & Wilcox Co. GANNON, W.G. Cabot Corp. BARNUM, E.C. Molycorp, Inc. 6pp. 62528:228-62528:233.

### DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

**9207070128** Documents 920624 telcon, during which util provided changed implementation date for certain commitments made in 920409 response to NRC 920311 ltr re violations noted in Insp Rept 70-1151/92-01. Encl App A describes details of changed date.

KOGA, R.H. Westinghouse Electric Corp. 92/06/29. Document Control Branch (Document Control Desk). 2pp. 62268:358-62268:359.

**9207140119** Forwards insp rept 70-1151/92-03 on 920511-15. No violations or deviations noted.

COLLINS, D.M. Region 2 (Post 820201). 92/06/29. KOGA, R.H. Westinghouse Electric Corp. 2pp. 62338:039-62338:046.

**-9207140123** Insp rept 70-1151/92-03 on 920511-15. No violations or deviations noted. Major areas inspected: mgt controls, training, nuclear criticality safety, operations & maint.

KASNICK, D., MCALPINE, E. Region 2 (Post 820201). 92/06/29. 6pp. 62338:041-62338:046.

**9207020321** Submits results of 920513 response to NRC Bulletin 91-001, reporting loss of criticality safety controls, dtd 911018.

HICKEY, J.W. Fuel Cycle Safety Branch. 92/06/30. NARDI, A.J. Westinghouse Electric Corp. 2pp. 62234:347-62234:348.

**9207020140** Provides proposed schedule for Westinghouse renewal.

BIDINGER, G.H. Fuel Cycle Safety Branch. 92/07/01. TOKAR, M. Fuel Cycle Safety Branch. 2pp. 62219:350-62219:351.

**9207080345** Forwards soil contamination rept for review & comments. W/o encl.

HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/02. AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 1p. 62277:355-62277:355.

**9207090288** Forwards summary of joint contractor/licensee/NRC meeting on 920624 providing & exchanging info relative to NRC contract to assess effectiveness of LEU reform rule.

SHERR, T.S. Domestic SG & Regional Oversight Branch (Post 881218). 92/07/02. SANDERS, C.F. Westinghouse Electric Corp. 4pp. 62271:024-62271:027.

**9207240005** Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915- 17 in Bethesda, MD. Workshop designed to provide info on NRC policies & procedures applicable to fuel cycle licensees.

CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. KOSMIDER, M.D. Allied-Signal Corp. KOGA, R.H. Westinghouse Electric Corp. 6pp. 62479:297-62479:302.

### DOCKET 70-1193 CIMARRON CORP., OKLAHOMA CITY, OK

**9207080284** Requests assistance in resolving listed items discussed at 920518 meeting. Items include organization chart, license svc invoices, Pu facility license termination, onsite disposal & former disposal area & lagoons.

STILLE, T. Kerr-McGee Corp. 92/06/24. SWIFT, J. Fuel Cycle Safety Branch. 2pp. 62277:272-62277:273.

### DOCKET 70-1201 B&W FUEL CO., LYNCHBURG, VA

**9207020322** Submits results of 920507 response to NRC Bulletin 91-001, reporting loss of criticality safety controls, dtd 911018.

HICKEY, J.W. Fuel Cycle Safety Branch. 92/06/30. LESTER, K.S. B&W Fuel Co. 2pp. 62234:349-62234:350.

**9207100133** Forwards summary of 920624 meeting w/licensee & joint contractor re NRC contract w/Martin Marietta Energy Sys to assess effectiveness of LEU reform rule.

SHERR, T.S. Division of Safeguards & Transportation (Post 870413). 92/07/02. ANDERSON, J.T. Babcock & Wilcox Co. 4pp. 62284:342-62284:345.

**9207150183** Forwards insp rept 70-1201/92-05 on 920623. No violations or deviations noted. Rept details withheld per 10CFR2.790(d) & 10CFR73.21.

COLLINS, D.M. Region 2 (Post 820201). 92/07/10. ALTO, R.A. B&W Fuel Co. 2pp. 62440:173-62440:175.

**-9207150178** Insp rept 70-1201/92-05 on 920623. No violations or deviations noted. Major areas inspected: security plans, procedures, reviews & fixed site of low strategic significance. Details withheld per 10CFR2.790(d).

MASNYK, O.M., MCGUIRE, D.R. Region 2 (Post 820201). 92/07/10. 1p. 62440:175-62440:175.

**9207160326** Ack receipt of 920601 ltr re proposed const of new fuel assembly bldg for use of enriched oxide pellets, containing gadolinium, in Sept. Environ assessment of potential impacts may be required. Latest schedule for const requested.

HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/14. LESTER, K.S. B&W Fuel Co. 2pp. 62405:359-62405:360.

**9207240005** Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915- 17 in Bethesda, MD. Workshop designed to provide info on NRC policies & procedures applicable to fuel cycle licensees.

CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. KOSMIDER, M.D. Allied-Signal Corp. ALTO, R.A. B&W Fuel Co. RODE, J.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 6pp. 62479:297-62479:302.



**DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA**

- 9207290431** Provides response to program weaknesses noted in insp rept 70-1257/91-04. Corrective actions: monthly training data base developed, training session held each time program requirement changed & health physicist hired. EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 92/04/06. ROSS, R.A. Region 5 (Post 820201). 4pp. 62593:356-62593:360.
- 9207150337** Forwards insp rept 70-1257/92-02 on 920511-15 & notice of violation. PATE, R.J. Region 5 (Post 820201). 92/06/05. MASS, L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 4pp. 62415:249-62415:258.
- 9207150339** Notice of violation from insp on 920511-15. Violation noted: failure to perform monthly insps of environ protection practices & exposure control in Feb, Mar & Apr 1992.  
\* Region 5 (Post 820201). 92/06/05. 1p. 62415:253-62415:253.
- 9207150341** Insp rept 70-1257/92-02 on 920511-15. Violations noted. Major areas inspected: followup on items of noncompliance & open items. HOOKER, C.A., CILLIS, M., PATE, R.J. Region 5 (Post 820201). 92/06/05. 5pp. 62415:254-62415:258.
- 9207150307** Forwards Mgt Meeting Rept 70-1257/92-03 on 920527. SCARANO, R.A. Region 5 (Post 820201). 92/06/09. FRAIN, R.G. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 62412:354-62412:359.
- 9207150315** Mgt Meeting Rept 70-1257/92-03 on 920527. Major areas discussed: operational safety issues re violations & weaknesses noted during operational safety assessment on 911028-1108 & 21 & insps on 920302-10 & 0511-15. HOOKER, C.A., PATE, R.J. Region 5 (Post 820201). 92/06/09. 5pp. 62412:355-62412:359.
- 9207060149** Suppls 920521 rept re failure to control moderation in existing Nautamixers & Hammer Mills for all fire fighting scenarios. Task force formed to review & schedule elimination of combustible plastic piping & panels. MAAS, L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 92/06/24. Document Control Branch (Document Control Desk). 3pp. 62249:355-62249:357.
- 9207020234** Forwards special nuclear matl license issued on 920609. W/o enclosure. TOKAR, M. Fuel Cycle Safety Branch. 92/06/30. EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 62234:360-62234:360.
- 9207020331** Submits results of 920505 response to NRC Bulletin 91-001, reporting loss of criticality safety controls, dtd 911018. HICKEY, J.W. Fuel Cycle Safety Branch. 92/06/30. EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 62234:353-62234:354.
- 9207070300** Responds to violations noted in Insp Rept 70-1257/92-02. Corrective actions: license amend will be submitted to remove monthly insp plan from health physics component & environ program audited in May & June 1992. EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 92/07/02. Document Control Branch (Document Control Desk). 2pp. 62260:349-62260:350.
- 9207090333** Forwards RAI to complete review of 911115 application (submitted by 911120 ltr), requesting amend to License SNM-1227. TOKAR, M. Fuel Cycle Safety Branch. 92/07/02. EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 62307:360-62307:361.
- 9207090304** Forwards summary of 920624 joint contractor/licensee/ NRC meeting providing & exchanging info re NRC contract to assess effectiveness of LEU reform rule. SHERR, T.S. Domestic SG & Regional Oversight Branch (Post 881218). 92/07/02. NOSS, T.L. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 4pp. 62271:028-62271:031.
- 9207160265** PNO-V-92-023: on 920702, vendor preliminary investigation disclosed that empty drum contaminated w/low enriched U. On 920706, discovered that 16 of 24 potentially contaminated drums used to store radwaste w/o being surveyed. PATE, R. Region 5 (Post 820201). 92/07/08. 2pp. 62453:234-62453:235.
- 9207140254** Responds to 920326 & 0417 ltrs re recovery of enriched U from fuel pellets & grants request that info in subj ltrs be withheld from public disclosure, per 10CFR2.790. CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/09. EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 62378:243-62378:244.
- 9207160290** Update to PNO-V-92-023: on 920708, 16 barrels excavated from landfill & surveyed for internal & external contamination. No contamination detected. Licensee evaluation & root cause analysis will be submitted to Region V. PATE, R. Region 5 (Post 820201). 92/07/10. 1p. 62416:323-62416:323.
- 9207280020** PNO-V-92-025: on 920716, licensee discovered moisture in low enriched U powder in vacuum suction portion of newly installed large lot blender. Residual low enriched U will be sampled & removed. Confirmation of action ltr will be issued. PATE, R. Region 5 (Post 820201). 92/07/17. 2pp. 62567:026-62567:027.
- 9207280138** Confirmatory action ltr re 920717 telcon concerning discovery of higher than expected moisture content in offgas line to large blender on 920717. If NRC understanding that licensee agrees to list actions incorrect, inform NRC. MARTIN, J.B. Region 5 (Post 820201). 92/07/17. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 62489:049-62489:050.
- 9207230211** Forwards Amend 13 to License SNM-1227, SER & categorical exclusion. Amend increases possession limit for U-235, contained in U, enriched up to 5%, from 20,000 to 25,000 kg. HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/20. EDGAR, J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 62479:349-62479:354.

- 9207230213** Amend 13 to License SNM-1227, increasing possession limit for U-235, contained in U, enriched up to 5% from 20,000 to 25,000 kg. HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/20. 2pp. 62479:350-62479:351.
- 9207230214** SER supporting 920325 application for amend to License SNM-1227, increasing possession limit for U-235, contained in U, enriched to 5% from 20,000 to 25,000 kg. PENNINGTON, W.S., TOKAR, M. Fuel Cycle Safety Branch. 92/07/20. 2pp. 62479:352-62479:353.
- 9207230217** Advises that neither environ assessment nor EIS warranted re 920325 application for amend to License SNM-1227, increasing possession limit for U-235, contained in U, enriched up to 5% from 20,000 to 25,000 kg. HICKEY, J.W. Fuel Cycle Safety Branch. 92/07/20. Fuel Cycle Safety Branch. 1p. 62479:354-62479:354.
- 9207240005** Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915-17 in Bethesda, MD. Workshop designed to provide info on NRC policies & procedures applicable to fuel cycle licensees. CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. KOSMIDER, M.D. Allied-Signal Corp. SHEPPARD, J.J. Sequoyah Fuels Corp. FRAIN, R. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 6pp. 62479:297-62479:302.

**DOCKET 70-1374 IDAHO STATE UNIV., POCATELLO, ID**

- 9207020226** Responds to request for additional info re License SNM-1373. Waste disposal procedure formalized & license renewal application amended to include appropriate narrative on subj. DATTA, A. Fuel Cycle Safety Branch. 92/06/30. CHARYULU, V. Idaho State Univ., Pocatello, ID. 1p. 62219:346-62219:346.

**DOCKET 70-1996 MALDEN HOSP., MALDEN, MA**

- 9207090216** Final response to FOIA request for documents. Forwards app A documents which are being made available in PDR. App B documents being withheld in their entirety (ref FOIA Exemption 6). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/08. CORDELL, F.T. Huckaby, Fleming, Frailey, Chaffin & Darrah. 18pp. 62460:002-62460:271.

- 9207100030** Forwards files on Spencer Chemical Co covering licenses R-218, C-3571 & SNM-154. DUBINSKI, L. Atomic Energy Commission (Pre 750119). 58/09/03. HAYCOCK, T.J. Atomic Energy Commission (Pre 750119). 1p. 62460:041-62460:041.

**DOCKET 70-3070 LOUISIANA ENERGY SERVICES, WASHINGTON, DC**

- 9207080049** Forwards Rev 6 to "Environ Rept" & Rev 8 to "SAR." LEROY, P.G. Louisiana Energy Services. 92/06/30. HICKEY, J.W. Fuel Cycle Safety Branch. 10pp. 62336:001-62337:186.
- 9207080058** Rev 6 to "Environ Rept."  
\* Louisiana Energy Services. 92/06/30. 100pp. 62336:011-62336:259.
- 9207080059** Rev 8 to "SAR."  
\* Louisiana Energy Services. 92/06/30. 200pp. 62336:260-62337:186.
- 9207140077** Forwards rev 1 to "Criticality Safety Engineering Rept." Rept revised to incorporate comments received during meetings on 920409 & 0520-21. LEROY, P.G. Louisiana Energy Services. 92/06/30. HICKEY, J.W. Fuel Cycle Safety Branch. 3pp. 62378:027-62378:211.
- 9207140086** Rev 1 to "Criticality Safety Engineering Rept."  
\* Louisiana Energy Services. 92/06/30. 120pp. 62378:030-62378:211.
- 9207020231** Trip rept of site visits on stated dates to Urenco gas centrifuge U enrichment plants in Europe. CUNNINGHAM, R. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/06/29. BERNERO, R.M. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 62249:339-62249:344.
- 9207020239** Trip rept of stated visits to Urenco plants in Gronau, Germany & Almelo, Netherlands. BIDINGER, G.H. Fuel Cycle Safety Branch. 92/06/03. ROCHE, L.A. Fuel Cycle Safety Branch. 3pp. 62249:342-62249:344.
- 9207090116** Applicant response to Citizens Against Nuclear Trash motion for protective order. \* Applicant assumes Citizens Against Nuclear Trash will comply w/continuing obligation to provide future info. w/Certificate of Svc. MCGARRY, J.M. Louisiana Energy Services. #392 13063. 92/06/29. Atomic Safety & Licensing Board Panel. 4pp. 62266:276-62266:279.
- 9207080225** Forwards "Application for Approval of Emissions of Air Pollutants." LEROY, P.G. Louisiana Energy Services. 92/06/30. Louisiana, State of. 2pp. 62312:124-62312:299.
- 9207080228** "Application for Approval of Emissions of Air Pollutants."  
\* Duke Engineering & Services. 92/06/30. 400pp. 62312:126-62312:299.
- 9207140090** Forwards "Proposed License Conditions." LEROY, P.G. Louisiana Energy Services. 92/06/30. HICKEY, J.W. Fuel Cycle Safety Branch. 3pp. 62382:267-62382:354.
- 9207140097** "Proposed License Conditions."  
\* Louisiana Energy Services. 92/06/30. 85pp. 62382:270-62382:354.
- 9207100273** Advises that author is co-counsel of Citizens Against Nuclear Trash (Intervenor). Requests that name be added to mailing list to receive NRC communications re facility. WALKER, N.M. Sierra Club Legal Defense Fund, Inc. 92/07/01. HAUGHNEY, C.J. Fuel Cycle Safety Branch. 1p. 62334:347-62334:347.

## 186 DOCKETED ITEMS

- 9207100045** Motion for protective order.\* Objects to disclosure of home addresses & telephone numbers of NRC employees or disclosure of restricted info.W/Certificate of Svc.  
UTTAL,S.L. Office of the General Counsel (Post 860701). #392 13074. 92/07/02. Atomic Safety & Licensing Board Panel. 4pp. 62270:081-62270:084.
- 9207100099** NRC Staff response to interrogatories & request for production of documents re all contentions filed by Citizens Against Nuclear Trash.\* NRC objects to document request due to disclosure of restricted data.Related correspondence.  
UTTAL,S.L. Office of the General Counsel (Post 860701). #392 13075. 92/07/02. Atomic Safety & Licensing Board Panel. 24pp. 62270:118-62270:151.
- 9207100109** Affidavit of LA Roche re participation in preparation of answers to Interrogatories 2-11,16 & 17 contained in NRC Staff response to interrogatories & request for production of documents re all contentions.Related correspondence.  
ROCHE,L.A. Office of Nuclear Material Safety & Safeguards. 92/07/01. 2pp. 62270:142-62270:143.
- 9207100114** Affidavit of R Milstein affirming participation in preparation of answers to Interrogatories 1,12-15 & 18-31 contained in NRC Staff response to interrogatories & request for production of documents.Related correspondence.  
MILSTEIN,R. Division of Safeguards & Transportation (Post 870413). 92/07/01. 8pp. 62270:144-62270:151.
- 9207130173** Forwards Rev 9 to SAR,updating SAR Section 4.5, "Nuclear Criticality Safety" & incorporating comments received during 920409 & 0520-21 meetings w/ NRC.  
LEROY,P.G. Louisiana Energy Services. 92/07/06. HICKEY,J.W. Fuel Cycle Safety Branch. 2pp. 62386:296-62386:339.
- 9207130174** Rev 9 to SAR.  
\* Louisiana Energy Services. 92/07/06. 42pp. 62386:298-62386:339.
- 9207140189** Requests technical assistance of RL Rothman to review portions of LA Energy Svcs application to construct & operate uranium enrichment facility in Homer,LA.  
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/08. GILLESPIE,F.P. Program Management, Policy Development & Analysis Staff (Post 870411). 1p. 62385:314-62385:314.
- 9207200075** Applicant supplemental response to first set of interrogatories & request for production of documents filed by Citizens Against Nuclear Trash & directed to licensee re contentions A,H,I,J & K.Related correspondence.  
MCGARRY,J.M. Louisiana Energy Services. MCGARRY,J.M. Winston & Strawn. #392 13091. 92/07/08. Citizens Against Nuclear Trash. 13pp. 62404:205-62404:227.
- 9207200079** Affidavit of HA Hammond re info provided for responses to applicant supplemental response to first set of interrogatories & request for production of documents filed by Citizens Against Nuclear Trash.Related correspondence.  
HAMMOND,H.A. Louisiana Energy Services. HAMMOND,H.A. Duke Engineering & Services. 92/07/07. 2pp. 62404:218-62404:219.
- 9207200081** Affidavit of PG Leroy re info used in responses for Applicant supplemental response to first set of interrogatories & request for production of documents filed by Citizens Against Nuclear Trash.Related correspondence.  
LEROY,P.G. Louisiana Energy Services. LEROY,P.G. Duke Engineering & Services. 92/07/07. 2pp. 62404:220-62404:221.
- 9207200084** Affidavit of LM Lippard re info used in responses for applicant supplemental response to first set of interrogatories & request for production of documents filed by Citizens Against Nuclear Trash.Related correspondence.  
LIPPARD,L.M. Louisiana Energy Services. LIPPARD,L.M. Duke Engineering & Services. 92/07/07. 2pp. 62404:222-62404:223.
- 9207200086** Applicant motion for protective order.\* Applicant moves Board for protective order directing that disclosure of home addresses & phone numbers of persons need not be provided.W/Certificate of Svc.Related correspondence.  
MCGARRY,J.M. Louisiana Energy Services. MCGARRY,J.M. Winston & Strawn. 92/07/08. Atomic Safety & Licensing Board Panel. 4pp. 62404:224-62404:227.
- 9207200101** Memorandum & order (ruling on discovery disputes per contentions L & M).\* Grants applicants motion for protective order of 920518 & denies intervenors motion to compel of 920519.W/Certificate of Svc.Served on 920709.  
MARGULIES,B., COLE,R.F., SHON,F.J. Atomic Safety & Licensing Board Panel. #392 13085. 92/07/08. Office of the General Counsel (Post 860701). 20pp. 62404:240-62404:259.
- 9207200102** Memorandum & order.\* Board rejects motion due to no provision of grounds for dispensing w/Commission rule prohibiting filing of reply & is untimely.W/ Certificate of Svc.Served on 920709.  
MARGULIES,M.B., COLE,R.F., SHON,F.J. Atomic Safety & Licensing Board Panel. #392 13086. 92/07/08. Citizens Against Nuclear Trash. 4pp. 62404:260-62404:263.
- 9207200092** Memorandum & order.\* Citizens Against Nuclear Trash 920612 motion for protective order re applicant 920410 discovery request concerning contention H granted.Certificate of Svc encl.Served on 920709.  
MARGULIES,M.B. Atomic Safety & Licensing Board Panel. #392 13087. 92/07/09. Citizens Against Nuclear Trash. 5pp. 62404:231-62404:235.
- 9207210239** Forwards 23 addl figure from Section 6.4 of SAR that were updated on 920630.  
LEROY,P.G. Louisiana Energy Services. 92/07/13. HICKEY,J.W. Fuel Cycle Safety Branch. 2pp. 62523:133-62523:168.
- 9207210323** Addl figures from section 6.4 of SAR updated on 920630.  
\* Louisiana Energy Services. 92/07/13. 30pp. 62523:135-62523:168.
- 9207170017** Advises that fire protection concerns adequately addressed by info submitted by LES in 920528 ltr.  
DATTA,A. Fuel Cycle Safety Branch. 92/07/14. ROCHE,L.A. Fuel Cycle Safety Branch. 1p. 62387:001-62387:001.
- 9207270091** Parties 920715 joint progress rept.\* Responds to Boards request in 920517 memorandum & order.Parties will submit another progress rept on 920915.W/Certificate of Svc.  
MCGARRY,J.M. Louisiana Energy Services. MCGARRY,J.M. Winston & Strawn. #392 13114. 92/07/15. 9pp. 62476:162-62476:170.
- 9207240014** Advises that Div of Industrial & Medical Nuclear Safety sponsoring 2 1/2 day Fuel Cycle Licensee Workshop on 920915- 17 in Bethesda,MD.Purpose of workshop is to discuss NRC programs & policies applicable to fuel cycle licensees.  
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/20. HAERTJENS,B. Babcock & Wilcox Co. ARNOLD,W.H. Louisiana Energy Services. JOHNSON,W.J. Westinghouse Electric Corp. 6pp. 62528:228-62528:233.
- 9207270115** Submits inquiry re current status of NRC staff motion for protective order,dtd 920518.Requests board be advised as to action being taken re motion.W/ Certificate of Svc.Served on 920720.  
MARGULIES,M.B. Atomic Safety & Licensing Board Panel. #392 13113. 92/07/20. UTTAL,S.L. Office of the General Counsel (Post 860701). WALKER,N.M. Sierra Nuclear, Inc. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 3pp. 62476:207-62476:209.
- 9207280176** Submits addl info re isotopic composition of depleted DUF6, to supplement 920522 & 0623 responses,per NRC request. Facility will produce depleted DUF6 in range of 0.20 to 0.34 weight percent U-235.  
LEROY,P.G. Louisiana Energy Services. 92/07/20. HICKEY,J.W. Fuel Cycle Safety Branch. 2pp. 62567:001-62567:002.
- 9207310232** Forwards info re selected environ,safety & quality assurance issues.Sections of license application,environ rept & SAR that will be revised as result of info also encl.  
LEROY,P.G. Louisiana Energy Services. 92/07/29. HICKEY,J.W. Fuel Cycle Safety Branch. 210pp. 62613:001-62613:274.
- 9207310241** "Accident Analysis - Tornado."  
BEYER,J.R. Fluor Daniel, Inc. DC-SE-0001-SD R01. 92/02/18. 91pp. 62613:176-62613:260.
- 9207310248** Rev 1 to "Failure Modes & Effects Analysis Operator Error - Contaminated Autoclave."  
\* Fluor Daniel, Inc. 92/01/31. 14pp. 62613:261-62613:274.

### DOCKET 70-3072 GRACE HOSP., DETROIT, MI

- 9207220030** Ack receipt of ltrs dtd 920630 & 0702 in response to staff 920609 ltr transmitting NOV.  
SHEAR,G.L. Region 3 (Post 820201). 92/07/14. ZUBY,J. Grace Hosp., Cleveland, OH. 1p. 62432:056-62432:069.
- 9207220035** Forwards matl omitted from 920630 ltr.Ltrs refer to number 2 in ltr "Corrective Steps Taken."  
ZUBY,J.M. Grace Hosp., Cleveland, OH. 92/07/02. SHEAR,G.L. Region 3 (Post 820201). 4pp. 62432:057-62432:060.
- 9207220039** Responds to NRC ltr re violations noted in insp of license SNM-1991 on 920511-12.Corrective actions:Cardiovascular Dynamics Dept will make montly follow-up calls to each patient & physician ofc to ascertain current status.  
ZUBY,J.M. Grace Hosp., Cleveland, OH. 92/06/30. SHEAR,G.L. Region 3 (Post 820201). 9pp. 62432:061-62432:069.

### DOCKET 70-3073 KERR-MCGEE CORP., OKLAHOMA CITY, OK

- 9207200096** Submits addl comment re application for matl license to possess radioactive matl present at Cushing,OK site,to be addressed along with other comments previously sent on 920616.  
FAUVER,D.N. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/10. STAUTER,J.C. Kerr-McGee Corp. 1p. 62448:353-62448:353.

### PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

#### DOCKET 71-0062 INDUSTRIAL NUCLEAR CO.

- 9207080185** Requests 30 day extension,until 920719 to response period re NRC Insp Rept 71-0062/92-04.  
HUDDLESTON,E. Industrial Nuclear Co. 92/06/25. O'CONNOR,S. Transportation Branch. 1p. 62284:361-62284:361.
- 9206300222** Advises that 30 days extension acceptable to respond to items identified in NRC Insp Rept 71-0062/92-04 re notice of violation/notice of nonconformance.  
MACDONALD,C.E. Transportation Branch. 92/06/26. HUDDLESTON,E. Industrial Nuclear Co. 1p. 62227:359-62227:359.
- 9207170215** Responds to violation & nonconformances noted in Insp Rept 71-0062/92-04.Corrective actions:all procurement documents (purchase orders) for basic components issued by licensee will specify that provisions of 10CFR21 apply.  
HUDDLESTON,B. Industrial Nuclear Co. 92/07/14. MACDONALD,C.E. Transportation Branch. 5pp. 62446:141-62446:194.
- 9207170221** Informs that vendor has retained TW Cuthbertson as outside Radiation Safety Consultant to assist Co in maintaining Radiation Safety Program/QA Program.Rev 5 to "QA Program for Design,Fabrication,Assembly & Testing of Pig-tails..." encl.  
HUDDLESTON,B. Industrial Nuclear Co. 92/06/18. MACDONALD,C.E. Transportation Branch. 4pp. 62446:146-62446:150.
- 9207170227** Rev 5 to "QA Program for Design,Fabrication,Assembly & Testing of Source Pigtails,Devices & Packaging Involved in Use & Transport of Radioactive Matl."  
HUDDLESTON,E.W. Industrial Nuclear Co. 92/07/10. 44pp. 62446:151-62446:194.

**DOCKET 71-0115 B&W FUEL CO.**

**9207300185** Responds to nonconformances noted in insp rept 71-0115/92-06. Corrective actions: internal audit on transportation program will be conducted by 920831 & container fabrication history will be documented.  
CARR, C.W. B&W Fuel Co. 92/07/27. Document Control Branch (Document Control Desk). 18pp. 62613:318-62613:335.

**DOCKET 71-0249 NUCLEAR FUEL SERVICES, INC.**

**9207150131** Forwards QA program approval for radioactive matl package: 0249, Rev 4. MACDONALD, C.E. Transportation Branch. 92/07/10. PAINE, D. Nuclear Fuel Services, Inc. 1p. 62412:341-62412:342.

**-9207150138** QA program approval for radioactive matl package: 0249, Rev 4. MACDONALD, C.E. Transportation Branch. 92/07/10. 1p. 62412:342-62412:342.

**DOCKET 71-0346 PUBLIC SERVICE CO. OF COLORADO**

**9207220258** Lists correction to util mailing address. Requests that certificates or documents containing util old addresses be updated, per recently received ltr dtd 920623 which contained Certificate of Compliance 6346, Rev 2 for Model FSV-1.  
NOVACHEK, F.J. Public Service Co. of Colorado. 92/07/13. MACDONALD, C.E. Transportation Branch. 2pp. 62476:283-62476:284.

**DOCKET 71-0354 ADVANCED MEDICAL SYSTEMS, INC.**

**9207150111** Forwards QA program approval for radioactive matl package: 0354, Rev 5. MACDONALD, C.E. Transportation Branch. 92/07/10. STEIN, S.J. Advanced Medical Systems, Inc. 1p. 62370:352-62370:353.

**-9207150113** QA program approval for radioactive matl package: 0354, Rev 5. MACDONALD, C.E. Transportation Branch. 92/07/10. 1p. 62370:353-62370:353.

**DOCKET 71-0390 COMMERCE, DEPT. OF**

**9207070376** Advises that directory of federal agencies involved in conformity assessment through certification, registration or product listing will be updated. Requests input to encl listing, reflecting changes in NRC program.  
BREITENBERG, M. National Institute of Standards & Technology (formerly National Bureau of Standards. 92/06/30. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 3pp. 62267:341-62267:343.

**DOCKET 71-0460 UNIV. OF VIRGINIA**

**9207310117** Advises that QA program approval for radioactive matl package: 0460 expires on 921001. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified.  
MACDONALD, C.E. Transportation Branch. 92/07/30. MULDER, R.U. Virginia, Univ. of, Charlottesville, VA. 1p. 62657:317-62657:317.

**DOCKET 71-0471 PENNSYLVANIA POWER & LIGHT**

**9207130243** Requests registration as user of model 660 & IR-100 for COCs 9033 & 9157, respectively.  
MEADOWS, M.D. Testing Laboratories, Inc. 92/07/01. Office of Nuclear Material Safety & Safeguards. 1p. 62374:334-62374:361.

**-9207130252** "QA Program for Transport Containers."  
\* Testing Laboratories, Inc. 92/07/01. 13pp. 62374:335-62374:351.

**-9207130254** Certificate of compliance 8156, rev 3, for model IR-50.  
MACDONALD, C.E. Transportation Branch. 87/06/30. 10pp. 62374:352-62374:361.

**DOCKET 71-0482 UNIV. OF MASSACHUSETTS**

**9207240110** Application for renewal of QA program approval for radioactive matl package: 0482. Univ plans to ship addl Cs-137 Gammator 50 B type irradiator from Dominican College to Univ of MA Veterinary & Animal Science Dept.  
TOCCI, J. Massachusetts, Univ. of, Amherst, MA. 92/07/16. MACDONALD, C.E. Transportation Branch. 1p. 62528:254-62528:263.

**-9207240113** Application for renewal of Certificate of Compliance 5800 for Model ORNL tritium target container. IAEA certificate of component authority encl.  
DIETZ, G.R. Isomedix, Inc. 81/03/20. RAWL, R.R. Transportation, Dept. of. 9pp. 62528:255-62528:263.

**DOCKET 71-0524 RADIATION STERILIZERS, INC.**

**9207080210** Forwards insp & refurbishment plan for Model 1500 for reinstatement into NRC Certificate of Compliance 5939, per Insp Rept 71-0524/92-02.  
FAIRAND, B.P. SteriGenics International (formerly Radiation Sterilizers, Inc.). 92/07/01. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards. 18pp. 62293:275-62293:292.

**9207290263** Responds to NRC 920319 ltr re violations & nonconformances noted in Insp Rept 71-0524/92-02 on 920211 & 12. Corrective actions: detailed procedures for implementation & administration of 10CFR21.21 have been developed.  
FAIRAND, B.P. SteriGenics International (formerly Radiation Sterilizers, Inc.). 92/07/23. MACDONALD, C.E. Transportation Branch. 8pp. 62611:239-62611:246.

**DOCKET 71-0557 NDE SERVICES, INC.**

**9207220397** Advises that QA program approval for radioactive matl package: 0557 expires on 920930. Renewal must be requested within 30 days of expiration. If renewal not desired, NRC should be notified.  
MACDONALD, C.E. Transportation Branch. 92/07/21. BRIGGS, E.J. NDE Services, Inc. 1p. 62471:356-62471:356.

**DOCKET 71-0595 AKRON INDUSTRIAL SERVICES, INC.**

**9207080083** Requests renewal for program & registration as user of T/O 660 cameras.  
MOORE, L.A. Akron Industrial Services, Inc. 92/06/30. MACDONALD, C.E. Transportation Branch. 1p. 62277:359-62277:359.

**DOCKET 71-0632 QUALITY ENERGY SERVICES & TESTS CORP.**

**9207170001** Forwards QA Program Approval for Radioactive Matl Package: 0632, Rev 2. MACDONALD, C.E. Transportation Branch. 92/07/14. WILSON, J.C. Quality Energy Services & Tests (QUEST). 1p. 62440:208-62440:209.

**-9207170002** QA program approval for radioactive matl package 0632, rev 2. MACDONALD, C.E. Transportation Branch. 92/07/14. 1p. 62440:209-62440:209.

**DOCKET 71-0633 PRINCETON GAMMA-TECH, INC.**

**9207160014** Informs that PGT does not intend to renew QA program for radioactive matl package 0633.  
ISHAMEL, J.R. Princeton Gamma-Tech, Inc. 92/07/07. MACDONALD, C.E. Transportation Branch. 2pp. 62429:322-62429:323.

**DOCKET 71-0715 QUALITEST, INC.**

**9207080213** Requests termination of QA program approval for radioactive matl package: 0715, effective 920731. All operations terminated on 920601. Fee paid.  
MOHRBACHER, J. Qualitest, Inc. 92/07/02. Transportation Branch. 1p. 62277:360-62277:360.

**9207150326** Informs that QA program approval for radioactive matl package: 0715 terminated, per 920702 request.  
MACDONALD, C.E. Transportation Branch. 92/07/10. MOHRBACHER, J.A. Qualitest, Inc. 1p. 62409:319-62409:319.

**DOCKET 71-0721 QUALITY SYSTEMS NDE, LTD.**

**9207220409** Requests that listed packages be added to registered user listing.  
LANGE, M.J. Quality Systems NDE, Ltd. 92/07/13. MACDONALD, C.E. Transportation Branch. 2pp. 62471:354-62471:355.

**DOCKET 71-0736 MAGNA CHEK, INC.**

**9207150145** Forwards QA program approval for radioactive matl package: 0736, Rev 0. MACDONALD, C.E. Magna Chek, Inc. 92/07/10. JONES, L.E. Transportation Branch. 1p. 62398:356-62398:357.

**-9207150147** QA program approval for radioactive matl package: 0736, Rev 0. MACDONALD, C.E. Transportation Branch. 92/07/10. 1p. 62398:357-62398:357.

**DOCKET 71-0737 SERGEANT, HAUSKINS & BECKWITH**

**9207150126** Forwards QA program approval for radioactive matl packages: 0737, Rev 0. MACDONALD, C.E. Transportation Branch. 92/07/10. BEMRICH, T.D. Sergeant, Hauskins & Beckwith. 1p. 62370:345-62370:346.

**-9207150129** QA program approval for radioactive matl package: 0737, Rev 0. MACDONALD, C.E. Transportation Branch. 92/07/10. 1p. 62370:346-62370:346.

**DOCKET 71-0740 MIDLAND INSPECTION & ENGINEERING, INC.**

**9207090145** Requests registration as user of models SPEC 2-T, IR 100 & AI 520. Current certificate of compliance for devices & "QA Program for Transport Containers" encl.  
HAGER, R.C. Midland Inspection & Engineering, Inc. 92/06/26. Office of Nuclear Material Safety & Safeguards. 6pp. 62312:300-62312:349.

**-9207090149** "QA Program for Transport Containers."  
\* Radiation Consultants, Inc. 92/06/26. 26pp. 62312:312-62312:349.

**DOCKET 71-0741 BIX TESTING LABORATORIES**

**9207240090** Forwards Rev 0 to QA Program Approval for Radioactive Matl for package 0741.  
MACDONALD, C.E. Transportation Branch. 92/07/22. MEADOWS, M.D. Bix Testing Laboratories, Inc. 62515:311-62515:312.

**-9207240096** Rev 0 to QA Program Approval for Radioactive Matl package 0741. MACDONALD, C.E. Transportation Branch. 92/07/22. 1p. 62515:312-62515:312.

**DOCKET 71-0742 SOUTHERN INDUSTRIAL TESTING, INC.**

**9207150289** Forwards "QA Program for Safety Handling & Transportation of Radioactive Matl for Industrial Radiography." Fee paid.  
RUSSELL, K. Southern Industrial Testing, Inc. 92/07/09. MACDONALD, C. Office of Nuclear Material Safety & Safeguards. 1p. 62404:303-62404:306.

**-9207160003** "QA Program for Safe Handling & Transportation of Radioactive Matl for Industrial Radiography."  
\* Southern Industrial Testing, Inc. 92/07/09. 3pp. 62404:304-62404:306.

**9207170003** Forwards QA program approval for radioactive matl package 0742, rev 0. MACDONALD, C.E. Transportation Branch. 92/07/14. RUSSELL, K. Southern Industrial Testing, Inc. 1p. 62440:210-62440:211.

## 188 DOCKETED ITEMS

-9207170004 QA Program Approval for Radioactive Matl Package 0742, Rev 0. MACDONALD, C.E. Transportation Branch. 92/07/31. 1p. 62440:211-62440:211.

### DOCKET 71-0743 AMERICAN ASSOCIATED TESTING, INC.

9207160051 Requests registration as user of Certificate of Compliance 0743 & 9033. RAMIREZ, P. American Associated Testing, Inc. 92/07/06. MACDONALD, C.E. Transportation Branch. 4pp. 62416:351-62416:354.

### DOCKET 71-0744 X-RAY CO., INC.

9207160079 Requests registration as user of Certificate of Compliance 0744 & 9033. RAMIREZ, P. X-Ray Co., Inc. 92/07/06. MACDONALD, C.E. Transportation Branch. 5pp. 62416:345-62416:349.

### DOCKET 71-3014 MODEL: TN-12/2, TRANSPORTATION, DEPT. OF

9207150015 Record of telcon w/Transnuclear, Inc re use of TN 12/2 casks for transport of Shoreham fuel. OSGOOD, N.L. Transportation Branch. 92/07/13. 2pp. 62375:208-62375:209.

9207170209 Forwards info requested in NRC 920618 ltr re validation of French Certificate of Competent Authority F/271/B(U)F Dc for TN-12/2 cask loaded w/Shoreham Nuclear Power Station Fuel. MANGUSI, J. Transnuclear, Inc. 92/07/15. CARRIKER, A.W. Transportation, Dept. of. 23pp. 62446:317-62446:339.

### DOCKET 71-4909 MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.

9207160347 Forwards rept submitted by Westinghouse, dtd 920605, per 10CFR71.95 re reduction of effectiveness during use of Model W-21PF-1. Rept describes absence or loss of insulating matl from Model W-21PF-1 shipping containers. MACDONALD, C.E. Transportation Branch. 92/06/26. WINSLOW, T.P. General Electric Co. 1p. 62413:345-62413:347.

### DOCKET 71-5740 MODEL: ORNL TRU CALIF., ENERGY, DEPT. OF

9207100015 Application for amend to Certificate of Compliance 5740 for Model ORNL TRU Californium. SAR for Packaging page changes, constituting Rev 4 of ORNL-5409, SER for amend to SAR for Packaging & operating & maint procedures encl. WANGLER, M.E. Energy, Dept. of. 92/06/04. MACDONALD, C.E. Transportation Branch. 1p. 62395:183-62395:204.

-9207100019 Rev 4 to "SAR for Packaging (SARP) of ORNL TRU Californium Shipping Container." BOX, W.D., SHAPPERT, L.B., SEAGREN, R.D. Oak Ridge National Laboratory. 92/04/24. 17pp. 62395:184-62395:195.

-9207100023 "SER for Amend to SAR for Packaging for ORNL TRU Californium Shipping Container ORNL-5409/Rev 1, Revised 810807." Energy, Dept. of. 92/06/04. 1p. 62395:196-62395:196.

-9207100028 "Operating Procedure" for safe use of ORNL TRU Californium Shipping Container, summarizing loading & unloading requirements. Energy, Dept. of. 92/06/04. 5pp. 62395:197-62395:201.

-9207100033 "Periodic Maint & Insp" procedure for annual insp of ORNL TRU Californium Shipping Container. Energy, Dept. of. 92/06/04. 3pp. 62395:202-62395:204.

### DOCKET 71-5796 MODEL: 181375, 181361, ADVANCED MEDICAL SYSTEMS, INC.

9207080097 Discusses Certificate of Compliance USA/5796 & consolidated application for Type B(U) package. Another consolidated application sent on 920626, due to notification that original application not presently under review. STEIN, S.J. Advanced Medical Systems, Inc. 92/07/02. MACDONALD, C.E. Transportation Branch. 1p. 62277:352-62277:352.

### DOCKET 71-5797 MODEL: INNER & OUTER HFIR UN, ENERGY, DEPT. OF

9207140024 Forwards Rev 9 to Certificate of Compliance 5797 for Models inner & outer HFIR unirradiated fuel element shipping container. MACDONALD, C.E. Transportation Branch. 92/07/13. WANGLER, M.E. Energy, Dept. of. 1p. 62385:290-62385:304.

-9207140026 Certificate of Compliance 5797, Rev 9, for Model inner & outer HFIR unirradiated fuel element shipping container. MACDONALD, C.E. Transportation Branch. 92/07/13. 14pp. 62385:291-62385:304.

### DOCKET 71-5800 MODEL: ORNL TRITIUM TARGET CONTAINER

9207240110 Application for renewal of QA program approval for radioactive matl package: 0482. Univ plans to ship addl Cs-137 Gammator 50 B type irradiator from Dominican College to Univ of MA Veterinary & Animal Science Dept. TOCCI, J. Massachusetts, Univ. of, Amherst, MA. 92/07/16. MACDONALD, C.E. Transportation Branch. 1p. 62528:254-62528:263.

-9207240113 Application for renewal of Certificate of Compliance 5800 for Model ORNL tritium target container. IAEA certificate of competent authority encl. DIETZ, G.R. Isomedix, Inc. 81/03/20. RAWL, R.R. Transportation, Dept. of. 9pp. 62528:255-62528:263.

### DOCKET 71-5939 MODEL: 1500, GENERAL ELECTRIC CO.

9207080210 Forwards insp & refurbishment plan for Model 1500 for reinstatement into NRC Certificate of Compliance 5939, per Insp Rept 71-0524/92-02. FAIRAND, B.P. SteriGenics International (formerly Radiation Sterilizers, Inc.). 92/07/01. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards. 18pp. 62293:275-62293:292.

9207290263 Responds to NRC 920319 ltr re violations & nonconformances noted in Insp Rept 71-0524/92-02 on 920211 & 12. Corrective actions: detailed procedures for implementation & administration of 10CFR21.21 have been developed. FAIRAND, B.P. SteriGenics International (formerly Radiation Sterilizers, Inc.). 92/07/23. MACDONALD, C.E. Transportation Branch. 8pp. 62611:239-62611:246.

### DOCKET 71-5950 MODEL: BCL-4, BATTELLE COLUMBUS LABORATORY

9207300050 Requests one-time exemption from Rev 6 to Certificate of Compliance 5950 to support use of BCL-4 cask by Ohio State Univ to transfer 14 Co-60 sources via approved, exclusive-use vehicle from West Jefferson, OH to univ. TOY, H. Battelle Memorial Institute, Columbus Laboratories. 92/07/20. MACDONALD, C.E. Transportation Branch. 1p. 62568:142-62568:142.

9207240237 Advises that, per 920720 application & 10CFR71, Certificate of Compliance for Model BCL-4 amended as listed. Approval record encl. MACDONALD, C.E. Transportation Branch. 92/07/21. TOY, H. Battelle Memorial Institute, Columbus Laboratories. 2pp. 62498:348-62498:349.

### DOCKET 71-5957 MODEL: BMI-1, CINTICHEM, INC.

9207200115 Application for amends to Certificates of Compliance 5957, 6058 & 9098, reflecting that ownership of certificates transferred to DOE from Cintichem, Inc under cooperative agreement. WANGLER, M.E. Energy, Dept. of. 92/07/15. MACDONALD, C.E. Transportation Branch. 1p. 62448:355-62448:355.

### DOCKET 71-6058 MODEL: B-3, CINTICHEM, INC.

9207200115 Application for amends to Certificates of Compliance 5957, 6058 & 9098, reflecting that ownership of certificates transferred to DOE from Cintichem, Inc under cooperative agreement. WANGLER, M.E. Energy, Dept. of. 92/07/15. MACDONALD, C.E. Transportation Branch. 1p. 62448:355-62448:355.

### DOCKET 71-6144 MODEL: B-2, U.S. ECOLOGY, INC.

9207310122 Ack receipt of 920617 ltr re Certificate of Compliance 6144 for Model B-2. Evaluation of info request as well as market demand for model in process. Evaluation expected to be complete on or before 920828. SAUER, R.E. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 92/07/17. MACDONALD, C.E. Transportation Branch. 1p. 62657:316-62657:316.

### DOCKET 71-6294 MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.

9207090197 Revised application for Certificate of Compliance 6294 for Model UNC-2901, allowing vendor to exceed 50 containers per scrap shipment. W/four oversize drawings. LESTER, K.S. B&W Fuel Co. 92/05/31. MACDONALD, C.E. Transportation Branch. 74pp. 62370:257-62370:332.

### DOCKET 71-6346 MODEL: FSV-1, PUBLIC SERVICE CO. OF COLORADO

9207220256 Lists correction to util mailing address. Requests that certificates or documents containing util old addresses be updated, per recently received ltr dtd 920623 which contained Certificate of Compliance 6346, Rev 2 for Model FSV-1. NOVACHEK, F.J. Public Service Co. of Colorado. 92/07/13. MACDONALD, C.E. Transportation Branch. 2pp. 62476:283-62476:284.

### DOCKET 71-6386 MODEL: 235R001, ENERGY, DEPT. OF

9207280241 Forwards Rev 13 to Certificate of Compliance 6386 for Model 235R001. MACDONALD, C.E. Transportation Branch. 92/07/23. MILES, B.K. Energy, Dept. of. 1p. 62566:354-62566:359.

-9207280242 Certificate of Compliance 6386, Rev 13, for Model 235R001. MACDONALD, C.E. Transportation Branch. 92/07/23. 5pp. 62566:355-62566:359.

### DOCKET 71-6717 MODEL: 6717-B, AMERSHAM CORP.

9207300226 Requests registration as user of Models 6717-B, 650, 650E, 715 & Century S & Century SA. MOCK, G. Applied Technical Services, Inc. 92/07/22. MACDONALD, C.E. Transportation Branch. 1p. 62665:351-62665:351.

### DOCKET 71-9006 MODEL: AI 500 SU, AMERSHAM CORP.

9207300183 Notification of registration as user of certificates of compliance 9006, 9021, 9032, 9035, 9036, 9107, 9137, 9156, 9157 & 9165, in response to 920713 request. MACDONALD, C.E. Transportation Branch. 92/07/28. LANGE, M.J. Quality Systems NDE, Ltd. 1p. 62595:360-62595:360.

**DOCKET 71-9007 MODEL: AI 520, AMERSHAM CORP.**

**9207090145** Requests registration as user of models SPEC 2-T, IR 100 & AI 520. Current certificate of compliance for devices & "QA Program for Transport Containers" encl. HAGER, R.C. Midland Inspection & Engineering, Inc. 92/06/26. Office of Nuclear Material Safety & Safeguards. 6pp. 62312:300-62312:349.

**DOCKET 71-9010 MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP.**

**9207140016** Notification of registration as user of certificate of compliance 9010, in response to 920617 request. MACDONALD, C.E. Region 2 (Post 820201). 92/07/13. BECKHAM, J.T. Georgia Power Co. 1p. 62384:352-62384:352.

**9207140231** Notification of registration as user of Certificate of Compliance 9010, in response to 920617 request. MACDONALD, C.E. Transportation Branch. 92/07/13. BECKHAM, J.T. Georgia Power Co. 1p. 62385:100-62385:100.

**DOCKET 71-9019 MODEL: BU-7, GENERAL ELECTRIC CO.**

**9207150286** Application for amend to Certificate of Compliance 9019, for Model BU-7, including shipment of U-bearing scrap, containing up to 17.63 kg U, enriched to 4.025%. Criticality safety analysis encl. MASON, M. Transamerica Delaval, Inc. 92/07/07. MACDONALD, C.E. Transportation Branch. 28pp. 62407:229-62407:256.

**DOCKET 71-9021 MODEL: 750, AMERSHAM CORP.**

**9207300183** Notification of registration as user of certificates of compliance 9006, 9021, 9032, 9035, 9036, 9107, 9137, 9156, 9157 & 9165, in response to 920713 request. MACDONALD, C.E. Transportation Branch. 92/07/28. LANGE, M.J. Quality Systems NDE, Ltd. 1p. 62595:360-62595:360.

**DOCKET 71-9032 MODEL: 650, AMERSHAM CORP.**

**9207300226** Requests registration as user of Models 6717-B, 650, 650E, 715 & Century S & Century SA. MOCK, G. Applied Technical Services, Inc. 92/07/22. MACDONALD, C.E. Transportation Branch. 1p. 62665:351-62665:351.

**9207300183** Notification of registration as user of certificates of compliance 9006, 9021, 9032, 9035, 9036, 9107, 9137, 9156, 9157 & 9165, in response to 920713 request. MACDONALD, C.E. Transportation Branch. 92/07/28. LANGE, M.J. Quality Systems NDE, Ltd. 1p. 62595:360-62595:360.

**DOCKET 71-9033 MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM**

**9207130243** Requests registration as user of model 660 & IR-100 for COCs 9033 & 9157, respectively. MEADOWS, M.D. Testing Laboratories, Inc. 92/07/01. Office of Nuclear Material Safety & Safeguards. 1p. 62374:334-62374:361.

**-9207130252 "QA Program for Transport Containers."**

\* Testing Laboratories, Inc. 92/07/01. 13pp. 62374:335-62374:351.

**9207140004** Requests registration as user of model 660 & 660B. SHUMWAY, D. North American Inspection, Inc. 92/07/06. MACDONALD, C.E. Transportation Branch. 1p. 62382:356-62382:356.

**9207160051** Requests registration as user of Certificate of Compliance 0743 & 9033. RAMIREZ, P. American Associated Testing, Inc. 92/07/06. MACDONALD, C.E. Transportation Branch. 4pp. 62416:351-62416:354.

**9207160079** Requests registration as user of Certificate of Compliance 0744 & 9033. RAMIREZ, P. X-Ray Co., Inc. 92/07/06. MACDONALD, C.E. Transportation Branch. 5pp. 62416:345-62416:349.

**9207230143** Notification of registration as user of Certificates of Compliance 9033, 9056 & 9127, in response to 920706 request. Certificate of Compliance 9135 expired. MACDONALD, C.E. Transportation Branch. 92/07/21. SHUMWAY, D. North American Inspection, Inc. 1p. 62482:265-62482:265.

**9207300226** Requests registration as user of Models 6717-B, 650, 650E, 715 & Century S & Century SA. MOCK, G. Applied Technical Services, Inc. 92/07/22. MACDONALD, C.E. Transportation Branch. 1p. 62665:351-62665:351.

**DOCKET 71-9034 MODEL: TRIGA-1, GENERAL ATOMICS**

**9207010055** Responds to 920609 application requesting amend to Certificate of Compliance 9034 for Model TRIGA-1 & TRIGA-2 shipping packages. Addl info requested within 30 days of ltr date to complete review. MACDONALD, C.E. Transportation Branch. 92/06/24. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 2pp. 62230:282-62230:283.

**9207160067** Forwards clarification statements in response to 920624 ltr re reclassification of TRIGA-1 & TRIGA-2 shipping containers to demonstrate eligibility for classification as Fissile Class I containers. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 92/07/14. MACDONALD, C.E. Transportation Branch. 25pp. 62430:115-62430:139.

**DOCKET 71-9035 MODEL: 680 & 680E, AMERSHAM CORP.**

**9207300183** Notification of registration as user of certificates of compliance 9006, 9021, 9032, 9035, 9036, 9107, 9137, 9156, 9157 & 9165, in response to 920713 request. MACDONALD, C.E. Transportation Branch. 92/07/28. LANGE, M.J. Quality Systems NDE, Ltd. 1p. 62595:360-62595:360.

**DOCKET 71-9036 MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.**

**9207300183** Notification of registration as user of certificates of compliance 9006, 9021, 9032, 9035, 9036, 9107, 9137, 9156, 9157 & 9165, in response to 920713 request. MACDONALD, C.E. Transportation Branch. 92/07/28. LANGE, M.J. Quality Systems NDE, Ltd. 1p. 62595:360-62595:360.

**DOCKET 71-9037 MODEL: TRIGA-2, GENERAL ATOMICS**

**9207010055** Responds to 920609 application requesting amend to Certificate of Compliance 9034 for Model TRIGA-1 & TRIGA-2 shipping packages. Addl info requested within 30 days of ltr date to complete review. MACDONALD, C.E. Transportation Branch. 92/06/24. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 2pp. 62230:282-62230:283.

**9207160067** Forwards clarification statements in response to 920624 ltr re reclassification of TRIGA-1 & TRIGA-2 shipping containers to demonstrate eligibility for classification as Fissile Class I containers. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 92/07/14. MACDONALD, C.E. Transportation Branch. 25pp. 62430:115-62430:139.

**DOCKET 71-9056 MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,**

**9207090145** Requests registration as user of models SPEC 2-T, IR 100 & AI 520. Current certificate of compliance for devices & "QA Program for Transport Containers" encl. HAGER, R.C. Midland Inspection & Engineering, Inc. 92/06/26. Office of Nuclear Material Safety & Safeguards. 6pp. 62312:300-62312:349.

**9207140003** Requests registration as user of model SPEC 2T. SHUMWAY, D. North American Inspection, Inc. 92/07/06. MACDONALD, C.E. Transportation Branch. 1p. 62382:357-62382:357.

**9207230143** Notification of registration as user of Certificates of Compliance 9033, 9056 & 9127, in response to 920706 request. Certificate of Compliance 9135 expired. MACDONALD, C.E. Transportation Branch. 92/07/21. SHUMWAY, D. North American Inspection, Inc. 1p. 62482:265-62482:265.

**DOCKET 71-9071 MODEL: AP-101, ANEFCO, INC.**

**9207300043** Requests registration as user of Model AP-101. GARDNER, R.L. Nebraska Public Power District. 92/07/21. MACDONALD, C.E. Transportation Branch. 1p. 62568:143-62568:143.

**DOCKET 71-9098 MODEL: CI-20WC-2 & CI-20WC-2A, CINTICHEM, INC.**

**9207200115** Application for amends to Certificates of Compliance 5957, 6058 & 9098, reflecting that ownership of certificates transferred to DOE from Cintichem, Inc under cooperative agreement. WAGLER, M.E. Energy. Dept. of. 92/07/15. MACDONALD, C.E. Transportation Branch. 1p. 62448:355-62448:355.

**9207280296** Advises that NRC terminating review of 901003 application for amend to Certificate of Compliance 9098 for Models CI-20WC-2 & CI-20WC-2A, per licensee 920123 request to transfer certificate to DOE. MACDONALD, C.E. Transportation Branch. 92/07/23. STRACK, R.A. Cintichem, Inc. 1p. 62567:028-62567:028.

**DOCKET 71-9107 MODEL: 771, AMERSHAM CORP.**

**9207300183** Notification of registration as user of certificates of compliance 9006, 9021, 9032, 9035, 9036, 9107, 9137, 9156, 9157 & 9165, in response to 920713 request. MACDONALD, C.E. Transportation Branch. 92/07/28. LANGE, M.J. Quality Systems NDE, Ltd. 1p. 62595:360-62595:360.

**DOCKET 71-9127 MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.**

**9207140007** Requests registration as user of model 100A. SHUMWAY, D. North American Inspection, Inc. 92/07/06. MACDONALD, C.E. Transportation Branch. 1p. 62382:358-62382:358.

**9207230143** Notification of registration as user of Certificates of Compliance 9033, 9056 & 9127, in response to 920706 request. Certificate of Compliance 9135 expired. MACDONALD, C.E. Transportation Branch. 92/07/21. SHUMWAY, D. North American Inspection, Inc. 1p. 62482:265-62482:265.

**DOCKET 71-9135 MODEL: CENTURY S & SA, CENTURY UNIVERSAL S & SA,**

**9207140006** Requests registration as user of model S & SA. SHUMWAY, D. North American Inspection, Inc. 92/07/06. MACDONALD, C.E. Transportation Branch. 1p. 62382:355-62382:355.

## 190 DOCKETED ITEMS

**9207230143** Notification of registration as user of Certificates of Compliance 9033,9056 & 9127,in response to 920706 request. Certificate of Compliance 9135 expired.  
MACDONALD,C.E. Transportation Branch. 92/07/21. SHUMWAY,D. North American Inspection, Inc. 1p. 62482:265-62482:265.

**9207300226** Requests registration as user of Models 6717-B,650,650E,715 & Century S & Century SA.  
MOCK,G. Applied Technical Services, Inc. 92/07/22. MACDONALD,C.E. Transportation Branch. 1p. 62665:351-62665:351.

### DOCKET 71-9137 MODEL: 820, AMERSHAM CORP.

**9207300183** Notification of registration as user of certificates of compliance 9006,9021,9032,9035,9036,9107,9137,9156,9157 & 9165,in response to 920713 request.  
MACDONALD,C.E. Transportation Branch. 92/07/28. LANGE,M.J. Quality Systems NDE, Ltd. 1p. 62595:360-62595:360.

### DOCKET 71-9151 MODEL: HN-100 SERIES 3, ET AL, SCIENTIFIC ECOLOGY

**9207240167** Application for renewal of Certificate of Compliance 9151 for Model HN-100, Series 3 & LN-14-170, Series 1. Certification drawing numbers listed.  
RAMSEY,T.B. Siemens Corp. 92/07/20. MACDONALD,C. Transportation Branch. 2pp. 62528:250-62528:251.

**9207300057** Application for renewal of Certificate of Compliance 9151 for Models HN-100, Series 3 & LN 14-170, Series 1. Certification drawings listed.  
RAMSEY,T.B. Scientific Ecology Group, Inc. 92/07/20. MACDONALD,C.E. Transportation Branch. 2pp. 62568:140-62568:141.

**9207300262** Notification of registration as user of certificate of compliance 9151,in response to 920720 request.Consolidated application,including procedures for operating & maintaining package,should be submitted within 60 days.  
MACDONALD,C.E. Transportation Branch. 92/07/28. RAMSEY,T.B. Scientific Ecology Group, Inc. 1p. 62595:308-62595:308.

### DOCKET 71-9156 MODEL: IR-50, INDUSTRIAL NUCLEAR CO.

**9207080321** Forwards rev 0 to Quality Control Procedure 3.2, "Device Quality Control Procedure" & rev 0 to Insp Procedure 3.3 "Model IR-50," in response to 920401 ltr re info on 920320 application.  
HUDDLESTON,E.W. Industrial Nuclear Co. 92/06/25. Transportation Branch. 6pp. 62291:275-62291:329.

—**9207080327** Rev 0 to "Device Quality Control Procedure 3.2."  
\* Industrial Nuclear Co. 92/06/15. 26pp. 62291:282-62291:307.

—**9207080332** Rev 0 to "Insp Procedure 3.3 to Model IR-50."  
\* Industrial Nuclear Co. 92/06/15. 19pp. 62291:308-62291:329.

**9207130243** Requests registration as user of model 660 & IR-100 for COCs 9033 & 9157, respectively.  
MEADOWS,M.D. Testing Laboratories, Inc. 92/07/01. Office of Nuclear Material Safety & Safeguards. 1p. 62374:334-62374:361.

—**9207130254** Certificate of compliance 9156,rev 3,for model IR-50.  
MACDONALD,C.E. Transportation Branch. 87/06/30. 10pp. 62374:352-62374:361.

**9207300183** Notification of registration as user of certificates of compliance 9006,9021,9032,9035,9036,9107,9137,9156,9157 & 9165,in response to 920713 request.  
MACDONALD,C.E. Transportation Branch. 92/07/28. LANGE,M.J. Quality Systems NDE, Ltd. 1p. 62595:360-62595:360.

### DOCKET 71-9157 MODEL: IR-100, INDUSTRIAL NUCLEAR CO.

**9207090104** Forwards rev 0 to Insp Procedure 3.3, "Model IR-100" & rev 0 to Quality Control Procedure 3.2, "Device Quality Control Procedure," in response to 920401 ltr re info pertaining to 920320 application.  
HUDDLESTON,E.W. Industrial Nuclear Co. 92/06/25. WITHEE,C. Transportation Branch. 3pp. 62308:203-62308:262.

—**9207090119** Rev 0 to Insp Procedure 3.3, "Model IR-100."  
\* Industrial Nuclear Co. 92/06/15. 18pp. 62308:206-62308:234.

—**9207090123** Rev 0 to Quality Control Procedure 3.2, "Device Quality Control Procedure."  
\* Industrial Nuclear Co. 92/06/15. 29pp. 62308:235-62308:262.

**9207090145** Requests registration as user of models SPEC 2-T,IR 100 & AI 520.Current certificate of compliance for devices & "QA Program for Transport Containers" encl.  
HAGER,R.C. Midland Inspection & Engineering, Inc. 92/06/26. Office of Nuclear Material Safety & Safeguards. 6pp. 62312:300-62312:349.

**9207130243** Requests registration as user of model 660 & IR-100 for COCs 9033 & 9157, respectively.  
MEADOWS,M.D. Testing Laboratories, Inc. 92/07/01. Office of Nuclear Material Safety & Safeguards. 1p. 62374:334-62374:361.

—**9207130252** "QA Program for Transport Containers."  
\* Testing Laboratories, Inc. 92/07/01. 13pp. 62374:335-62374:351.

**9207230280** Notification of registration as user of Certificate of Compliance 9157,in response to 920715 request.  
MACDONALD,C.E. Transportation Branch. 92/07/21. WANGLER,M.E. Energy, Dept. of. 1p. 62479:359-62479:359.

**9207300183** Notification of registration as user of certificates of compliance 9006,9021,9032,9035,9036,9107,9137,9156,9157 & 9165,in response to 920713 request.  
MACDONALD,C.E. Transportation Branch. 92/07/28. LANGE,M.J. Quality Systems NDE, Ltd. 1p. 62595:360-62595:360.

### DOCKET 71-9165 MODEL: 855, AMERSHAM CORP.

**9207300183** Notification of registration as user of certificates of compliance 9006,9021,9032,9035,9036,9107,9137,9156,9157 & 9165,in response to 920713 request.  
MACDONALD,C.E. Transportation Branch. 92/07/28. LANGE,M.J. Quality Systems NDE, Ltd. 1p. 62595:360-62595:360.

### DOCKET 71-9176 MODEL: NUPAC 14/210H & L, ET AL, NUPAC SERVICES, INC.

**9207080258** Notification of registration as user of Certificate of Compliance 9176,in response to 920617 request.  
MACDONALD,C.E. Transportation Branch. 92/07/07. PLUNKETT,T.F. Florida Power & Light Co. 1p. 62277:354-62277:354.

### DOCKET 71-9185 MODEL: OP-100, INDUSTRIAL NUCLEAR CO.

**9207090004** Responds to 920401 request for addl info re 920320 request for rev to Certificate of Compliance 9185 for Model 100 overpack.Drawings revised to include current date & number.  
HUDDLESTON,E.W. Industrial Nuclear Co. 92/06/25. WITHEE,C. Transportation Branch. 4pp. 62307:300-62307:303.

### DOCKET 71-9216 MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.

**9207010011** Requests registration as user of Model CNS 1-13G.  
WAREMBOURG,D.W. Public Service Co. of Colorado. 92/06/23. Transportation Branch. 2pp. 62230:241-62230:242.

**9207140021** Notification of registration as user of certificate of compliance 9216,in response to 920613 request.  
MACDONALD,C.E. Region 4 (Post 820201). 92/07/13. HUTCHINS,L. Public Service Co. of Colorado. 1p. 62385:289-62385:289.

**9207140230** Notification of registration as user of Certificate of Compliance 9216,in response to 920623 request.  
MACDONALD,C.E. Transportation Branch. 92/07/13. HUTCHINS,L. Public Service Co. of Colorado. 1p. 62385:121-62385:121.

### DOCKET 71-9233 MODEL: TN-RAM, TRANSNUCLEAR, INC.

**9207080232** Requests registration as user of Model TN-RAM.  
SCHROEDER,C.W. Commonwealth Edison Co. 92/06/26. MACDONALD,C.E. Transportation Branch. 1p. 62277:356-62277:356.

**9207100325** Requests registration as user of Model TN-RAM.  
JESSEN,D. Commonwealth Edison Co. 92/07/01. MACDONALD,C.E. Transportation Branch. 1p. 62365:351-62365:351.

**9207220175** Notification of registration as user of certificate of compliance 9233,in response to 920626 request.  
MACDONALD,C.E. Transportation Branch. 92/07/16. BRITT,T. Commonwealth Edison Co. 1p. 62496:299-62496:299.

### DOCKET 71-9239 MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.

**9207080339** Forwards Certificate of Compliance 9239 rev 1,for Model MCC-3 & MCC-4.  
MACDONALD,C.E. Transportation Branch. 92/07/06. NARDI,A.J. Westinghouse Electric Corp. 1p. 62305:016-62305:021.

—**9207080342** Certificate of compliance 9239,rev 1,for model MCC-3 & MCC-4.  
\* Transportation Branch. 92/07/06. 5pp. 62305:017-62305:021.

### DOCKET 71-9247 MODEL: 110G-A, NUCLEAR FUEL SERVICES, INC.

**9207200190** Informs that vendor anticipates submittal of addl info requested in NRC 920610 ltr for Model 110G-A package by 920731 & that as requested,info will be submitted in form of rev to 920422 application.  
PAINE,D. Nuclear Fuel Services, Inc. 92/07/10. MACDONALD,C.E. Transportation Branch. 1p. 62447:001-62447:001.

### DOCKET 71-9249 MODEL: CNS 14-170, SERIES III, CHEM-NUCLEAR SYSTEMS,

**9207090054** Application for new Certificate of Compliance 9249 for Model CNS 14-170, Series III,formerly under Certificate of Compliance 9151.W/seven oversize drawings.  
PAQUIN,P.L. Chem-Nuclear Systems, Inc. 92/06/26. MACDONALD,C.E. Transportation Branch. 15pp. 62456:176-62456:190.

## LICENSING OF INDEPENDENT SPENT FUEL STORAGE

### DOCKET 72-0004 DUKE POWER CO., 50-269, 50-270 & 50-287

**9207020159** Forwards meeting summary,Duke Power comments on SALP,SALP slides,revision sheet & final SALP rept for period 900801-920229 re insp repts 50-269/92-01,50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
EBNETER,S.D. Region 2 (Post 820201). 92/06/04. HAMPTON,J.W. Duke Power Co. 29pp. 62224:240-62224:311.

—**9207020181** Provides addl info & comments re operator training assessment to be considered for inclusion in final SALP rept in connection w/insp repts 50-269/92-01,50-270/92-01, 50-287/92-01 & 72-0004/92-01.  
HAMPTON,J.W. Duke Power Co. 92/05/14. EBNETER,S.D. Region 2 (Post 820201). 14pp. 62224:269-62224:282.



—9207020281 Final SALP repts 50-269/92-01,50-270/92-01,50-287/92-01 & 72-0004/92-01 for Aug 1990-Feb 1992.  
\* Region 2 (Post 820201). 92/06/04. 29pp. 62224:283-62224:311.

9207270012 Forwards insp repts 50-269/92-14,50-270/92-14 & 50-287/92-14 on 920524-0619. One violation noted & being considered for escalated enforcement action. No notice of violation being issued at this time.  
JOHNSON, J.R. Region 2 (Post 820201). 92/06/29. HAMPTON, J.W. Duke Power Co. 4pp. 62475:004-62475:011.

#### DOCKET 72-0006 CAROLINA POWER & LIGHT CO., 50-324 & 50-325

9207310081 Forwards payment of NRC review fees re ISFSI for NRC Part 170 license application for Invoice JR0554-92.  
MCCARTHY, D.C. Carolina Power & Light Co. 92/07/27. Document Control Branch (Document Control Desk). 1p. 62612:351-62612:351.

#### DOCKET 72-0008 BALTIMORE GAS & ELECTRIC CO., 50-317 & 50-318

9207210116 Forwards Nonproprietary volume 1 & propriety volume 2 of rev 1 to "Calvert Cliffs ISFSI Updated SAR." "Calvert Cliffs ISFSI Updated SAR Final Analysis & Evaluation..." also encl. Propriety volume 2 withheld. W/36 oversize drawings.  
CREEL, G.C. Baltimore Gas & Electric Co. 92/07/16. Office of Nuclear Material Safety & Safeguards. 4pp. 62639:001-62640:099.

—9207210130 Rev 1 to "Calvert Cliffs ISFSI Updated Safety Analysis Rept Final Analysis & Evaluation (10CFR72.70(a))."  
ROSA, J.M., TAYLOR, M. Pacific Nuclear Fuel Services, Inc. BGE-01-126 R01. 92/07/31. 40pp. 62639:007-62639:046.

—9207240156 Nonproprietary rev 1 to vol 1 "Calvert Cliffs ISFSI Updated Safety Analysis Rept."  
\* Baltimore Gas & Electric Co. 92/07/16. 400pp. 62639:047-62640:099.

#### DOCKET 72-0009 PUBLIC SERVICE CO. OF COLORADO, 50-267

9207170187 Ack receipt of 920609 ltr informing NRC of steps taken to correct violations noted in insp repts 50-267/92-06 & 72-0009/92-06 on 920511.  
BEACH, A.B. Region 4 (Post 820201). 92/07/13. CRAWFORD, A.C. Public Service Co. of Colorado. 3pp. 62430:342-62430:354.

#### DOCKET 72-0010 NORTHERN STATES POWER CO., 50-282 & 50-306

9207130178 Rev 13 to Prairie Island Nuclear Generating Plant ISFSI emergency plan. W/920706 ltr.  
FEY, F.L. Northern States Power Co. 92/07/06. 200pp. 62384:040-62384:257.

9207140235 Forwards response to NRC & LLL questions on TN-40 cask thermal analysis & procedure for unloading cask.  
PARKER, T.M. Northern States Power Co. 92/07/10. Document Control Branch (Document Control Desk). 3pp. 62387:359-62387:361.

#### DOCKET 72-1000 MODEL: CASTOR V/21, GENERAL NUCLEAR SYSTEMS, INC.

9207170168 Approves 920228,0513,18 & 0605 requests/affidavits for withholding listed topical repts re matl properties of basket for Castor V storage cask & matl properties of steel basket (ref 10CFR2.790).  
CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/15. BARNHART, V.J. General Nuclear Systems, Inc. 3pp. 62431:340-62431:342.

#### DOCKET 72-1004 MODEL: NUHOMS-24P, PACIFIC NUCLEAR FUEL SERVICES, INC.

9207100278 Ack receipt of 920417 & 0515 ltrs containing calculations & analyses, specs & floppy discs, per NRC 920323 questions. Status of NRC comments on standardized NUHOMS encl.  
STURZ, F.C. Source Containment & Devices Branch (Post 911213). 92/07/08. LEHNERT, R.A. Pacific Nuclear Systems, Inc. 11pp. 62364:333-62364:343.

9207200254 Notification of 920724 meeting w/Pacific Nuclear Fuel Svcs in Rockville, MD to review unresolved items re SAR & to discuss important items such as structural/mechanical, thermal/criticality evaluation & radiological protection.  
LEU, K.C. Source Containment & Devices Branch (Post 911213). 92/07/17. HAUGHNEY, C.J. Source Containment & Devices Branch (Post 911213). 1p. 62451:322-62451:322.

#### DOCKET 72-1005 MODEL: TN-24, TRANSNUCLEAR, INC.

9207060171 Ack receipt of NRC 920601 ltr responding to vendor 920507 ltr re proposed rulemaking for certificate of compliance for TN-24 storage cask. Concurs w/ combined rulemaking initiated by NRC in order to avoid any threatened delays.  
HANSON, A.S. Transamerica Delaval, Inc. 92/06/26. HAUGHNEY, C.J. Source Containment & Devices Branch (Post 911213). 2pp. 62254:277-62254:278.

9207140135 Requests copies of proposed certificates of compliance, in ref to Vol 57, Number 124 of FR, dtd 920626 re proposed rule for addition of casks to "List of Approved Spent Fuel Storage Casks."  
HANSON, A.S. Transnuclear, Inc. 92/07/07. SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards. 1p. 62385:311-62385:311.

#### DOCKET 72-1007 MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES

9207160273 Forwards Rev 1 to proposed Certificate of Compliance 1007 & SER for Ventilated storage cask (VSC) sys VSC-24 issued on 920505 & 06, respectively. Revs associated w/criticality SE & associated operating procedures & Tech Specs.  
STURZ, F.C. Source Containment & Devices Branch (Post 911213). 92/07/08. MASSEY, J.V. Pacific Sierra Nuclear Associates. 10pp. 62429:324-62429:345.

—9207160278 Rev 1 to SER for ventilated storage cask sys.  
\* NRC - No Detailed Affiliation Given. 92/07/08. 12pp. 62429:334-62429:345.

9207300147 Ack receipt of 920601 ltr informing NRC of steps taken to correct nonconformance noted in QA insp rept 72-1007/92-01.  
MACDONALD, C.E. Transportation Branch. 92/07/23. MASSEY, J.V. Pacific Sierra Nuclear Associates. 3pp. 62580:346-62580:348.



## NONDOCKETED ITEMS

### 10CFR COMMISSION MEETING RECORDS

- 9206100146** Forwards staff requirements memos dtd 920420,22 & 28 & SECY-92-120, "NRC Staff Review Schedules for Westinghouse AP600 & GE Simplified BWR Designs," for info.  
MCCREE,V.M. Standardization Project Directorate (Post 920517). 92/06/02. MARRIOTT,P.W. General Electric Co. 2pp. 61968:336-61968:343.
- 9206100180** Discusses SECY-92-120, "NRC Staff Review Schedules for Westinghouse AP600 & GE SBWR Designs."  
REMICK,F.J. Commissioners (Post 750119). 92/04/20. CHILK,S.J. Office of the Secretary of the Commission. 1p. 61968:342-61968:342.
- 9206100181** Discusses SECY-92-120, "NRC Staff Review Schedules for Westinghouse AP600 & GE SBWR Designs."  
CURTISS,J.R. Commissioners (Post 750119). 92/04/22. CHILK,S.J. Office of the Secretary of the Commission. 1p. 61968:343-61968:343.
- 9207010333** Transcript of 920624 briefing on proposed Part 100 rule change in Rockville,MD.Pp 1-78.Supporting documentation encl.  
\* Commissioners (Post 750119). 92/06/24. 78pp. 62183:116-62183:219.
- 9207060183** Staff requirements memo re 920625 meeting in Rockville,MD to discuss nuclear issues in former Soviet Union.  
CHILK,S.J. Office of the Secretary of the Commission. M920625B. 92/07/01. Office of the Secretary of the Commission. 1p. 62209:010-62209:010.
- 9207060184** Staff requirements memo re 920625 meeting in Rockville,MD to discuss industry progress on first-of-a-kind engineering.  
CHILK,S.J. Office of the Secretary of the Commission. M920625A. 92/07/01. Office of the Secretary of the Commission. 2pp. 62209:011-62209:012.
- 9207060296** Transcript of 920625 briefing in Rockville,MD re industry progress on first-of-a-kind engineering.Pp 1-75.Supporting documentation encl.  
\* Commissioners (Post 750119). 92/06/25. 75pp. 62243:001-62243:098.
- 9207070373** Transcript of 920625 meeting in Rockville,MD re nuclear issues in former Soviet Union.Pp 1-49.  
\* Commissioners (Post 750119). 92/06/25. 53pp. 62241:261-62241:313.
- 9207090326** Transcript of 920702 affirmation/discussion & vote in Rockville,MD.Pp 1-5.  
\* Commissioners (Post 750119). 92/07/02. 9pp. 62271:044-62271:052.
- 9207090334** Transcript of 920702 periodic briefing on operating reactors & fuel facilities in Rockville,MD.  
ROGERS,K.C., REMICK,F.J., CURTISS,J.R. Commissioners (Post 750119). 92/07/02. 103pp. 62271:064-62271:176.
- 9207100207** Staff requirements memo re SECY-92-184, "Proposed Changes to General Statement of Policy & Procedure for NRC Enforcement Actions,10CFR2,App C." Commission,w/all commissioners agreeing,approved publication of statement.  
CHILK,S.J. Office of the Secretary of the Commission. 92/06/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 12pp. 62365:130-62365:141.
- 9207100253** Staff requirements memo re SECY-92-193, "Design Bases Reconstitution." Proposed generic ltr should be submitted to Commission prior to issuance of SECY.  
CHILK,S.J. Office of the Secretary of the Commission. 92/06/24. TAYLOR,J.M. Ofc of the Executive Director for Operations. 6pp. 62331:270-62331:275.
- 9207100255** Staff requirements memo re SECY-92-186, "Final Rule, 10CFR50, 'Decommissioning Funding for Prematurely Shutdown Reactors.'" FR notice should be modified as indicated in encl.  
CHILK,S.J. Office of the Secretary of the Commission. 92/06/11. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 62331:268-62331:269.
- 9207100257** Staff requirements memo re SECY-92-192, "Security Support for NRC Meetings/Hearings." SOP will be revised to prohibit signs,banners & posters from all NRC adjudicatory proceedings.  
CHILK,S.J. Office of the Secretary of the Commission. 92/06/24. TAYLOR,J.M. Ofc of the Executive Director for Operations. COTTER,B.P. Atomic Safety & Licensing Board Panel. 1p. 62331:267-62331:267.
- 9207100284** Staff requirements memo re SECY-92-194, "Policy Statement for Two-Yr Trial Program for Conducting Open Enforcement Conferences." Concern raised re potential chilling effect on enforcement process of SOP.  
CHILK,S.J. Office of the Secretary of the Commission. 92/06/23. TAYLOR,J.M. Ofc of the Executive Director for Operations. 13pp. 62364:272-62364:284.
- 9207130153** Revised staff requirements memo re briefing on industry progress on first-of-kind engineering, on 920625 in Rockville,MD.  
CHILK,S.J. Office of the Secretary of the Commission. M920625A. 92/07/08. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 62375:262-62375:263.
- 9207150264** Staff requirements memo re briefing by DOE on status of civilian HLW program.  
CHILK,S.J. Office of the Secretary of the Commission. M920624A. 92/07/09. Office of the Secretary of the Commission. 2pp. 62378:270-62378:271.
- 9207160175** Transcript of 920624 briefing by DOE on status of civilian high level waste program in Rockville,MD.Pp 1-90.Supporting documentation encl.  
\* NRC - No Detailed Affiliation Given. 92/06/24. 183pp. 62387:224-62387:026.
- 9207160345** Staff requirements memo on 920702 affirmation/discussion & vote in Rockville,MD re SECY-92-230, "Motion to Modify or Quash Subpoenas by Houston Lighting & Power Company,Et Al" & COMSECY-92-017.  
CHILK,S.J. Office of the Secretary of the Commission. M920702B. 92/07/10. PARLER,W.C. Office of the General Counsel (Post 860701). 2pp. 62396:315-62396:316.
- 9207220115** Staff requirements memo re SECY-92-204, "DOE Proposed Retransfer of Spent Fuel from Switzerland to France for Reprocessing & Request for Staff...." Commission approved proposed response to DOE authorizing retransfer.  
CHILK,S.J. Office of the Secretary of the Commission. 92/06/30. DENTON,H.R. Office of International Programs (Post 911117). 1p. 62443:343-62443:343.

**9207220148** Staff requirements memo re SECY-92-171, "Administration of Byproduct Matl or Radiation from Byproduct Matl to Patients Who May Be Pregnant or Nursing." Commission approved development of performance-based rule on subj.  
SIEGEL,B.A. Advisory Committee on Medical Uses of Isotopes. 92/06/25. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 62443:341-62443:342.

**9207220418** Advises that Commission (w/all Commissioners agreeing) has approved proposed renewal of US-Bangladesh agreement for cooperation & ltr to President (SECY-92-212).  
CHILK,S.J. Office of the Secretary of the Commission. 92/06/18. DENTON,H.R. Office of International Programs (Post 911117). 2pp. 62453:325-62453:326.

### ACNW ADVISORY COMMITTEE ON NUCLEAR WASTE

**9207020130** Forwards CNWRA 91-011 repts entitled "Sorption Modeling for HLW Performance Assessment." W/o encl.  
STILTENPOLE,B. Program Management, Policy Development & Analysis Staff (Post 870413). 92/05/18. MAJOR,R. Advisory Committee on Nuclear Waste. 1p. 62221:359-62221:359.

**9207060167** Forwards one oversize chart of OCWRM integration logic w/ first tier sys decisions for use,per request at 920522 sys studies meeting.Much of info on chart outdated & will not be updated in near future.W/one oversize drawing.  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/06/25. LARSON,H.J. Advisory Committee on Nuclear Waste. 3pp. 62273:130-62273:132.

**9207150180** Comments on Early Site Suitability Evaluation (ESSE) for proposed Yucca Mountain high-level waste repository site,in response to request & as follow-up to ACNW Working Group 920617 meeting.  
MOELLER,D.W. Advisory Committee on Nuclear Waste. 92/07/07. YOUNGBLOOD,B.J. Division of High-Level Waste Management (Post 870413). 4pp. 62480:062-62480:065.

**9207220058** Forwards draft "Staff Technical Position on Geologic Repository Operations Area Underground Facility Design-- Thermal Loads" for review & comment in anticipation of ACNW briefing scheduled for Jul 1992.  
YOUNGBLOOD,B.J. Division of High-Level Waste Management (Post 870413). HLWR. 92/07/08. FRALEY,R.F. Advisory Committee on Nuclear Waste. 2pp. 62481:044-62481:128.

### ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

**9207090228** Ack receipt of ACRS 920610 ltr re testing & analysis of programs in support of simplified BWR design certification. Scaling analysis important element in overall testing program.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/29. WARD,D.A. ACRS - Advisory Committee on Reactor Safeguards. 5pp. 62271:055-62271:063.

**9207140137** Transcript of ACRS subcommittee meeting on secondary & auxiliary sys on 920708 in Bethesda,MD.Pp 1-279.  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/07/08. 340pp. 62388:001-62388:347.

**9207150186** Notification of 920710 meeting w/ACRS to discuss review of EPRI ALWR requirements document for evolutionary plant designs.  
PIERSON,R.C. Standardization Project Directorate (901216-920516). 92/07/01. THADANI,A., HOLAHAN,G., PERCH,R. NRC - No Detailed Affiliation Given. 17pp. 62378:276-62378:292.

**9207150241** Transcript of 387th ACRS full committee meeting in Bethesda,MD on 920708.Pp 1-19 & 82-339.  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/07/08. 460pp. 62410:001-62411:099.

**9207150255** Transcript of 387th ACRS full committee meeting in Bethesda,MD on 920710.Pp 340-564.  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/07/10. 380pp. 62414:001-62415:011.

**9207200221** Transcript of Joint Subcommittee Meeting of ACRS Subcommittee on Computers & Subcommittee on Human Factors in Bethesda,MD on 920505.Pp 1-11 & 56-91.  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/05/05. 94pp. 62448:188-62448:283.

**9207200230** Transcript of Joint Meeting of Subcommittees on Plant Licensing Renewal & Materials & Metallurgy in Bethesda,MD on 920707.Pp 1-238.  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/07/07. 309pp. 62448:001-62448:313.

**9207220180** Forwards list of ACRS minutes & Consultants repts for processing through NUDOCS.  
BARNARD,E. ACRS - Advisory Committee on Reactor Safeguards. 92/07/17. MCKNIGHT,J. Document Control Branch (Document Control Desk). 3pp. 62472:358-62472:360.

**9207220186** Forwards V Dhir rept,based on review of SCDAP/RELAP5 MOD 2. Add refs on quenching listed on encl.  
CATTON,J. ACRS - Advisory Committee on Reactor Safeguards. 91/05/02. BOEHNERT,P. ACRS - Advisory Committee on Reactor Safeguards. 3pp. 62473:355-62473:357.

**9207220171** Submits comments on NRC/contractor efforts to evaluate shutdown risk for nuclear power plants,based on discussions at ACRS Joint Plant Operations/PRA subcommittee 910605 meeting.  
DAVIS,P.R. Affiliation Not Assigned. 91/06/06. BOEHNERT,P. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 62473:358-62473:359.

## 194 NONDOCKETED ITEMS

- 9207220176** Submits comments & observations based on attendance at ACRS AC/DC Power Sys Reliability Subcommittee 910730 & 31 meetings re implementation of station blackout rule & use of N+2 rule for advanced reactor designs.  
DAVIS,P.R. Affiliation Not Assigned. 91/08/01. WYLIE,C. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 62473:360-62473:361.
- 9207220182** Submits comments on ACRS 910916-17 meetings re safety of facilities.USGS interpretation,favoring oblique slip of Hosgri Fault,reasonable.  
PAGE,B.M. Stanford Univ., Stanford, CA. 91/09/22. SIESS,C.P. Affiliation Not Assigned. 3pp. 62473:350-62473:352.
- 9207220194** Submits comments based on attendance at ACRS Subcommittee 910916 & 17 meeting on Diablo Canyon Long Term Seismic program at San Luis Obispo,CA.  
DAVIS,P.R. Affiliation Not Assigned. 91/09/29. IGNE,A. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62476:319-62476:319.
- 9207220196** Comments on NRC latest research plans re Mark I liner issue,MCCI in dry cavity,core melt progression,lower head failure & direct containment heating.  
CORRADINI,M.L. Wisconsin, Univ. of, Madison, WI. 91/10/28. KERR,W. Michigan, Univ. of, Ann Arbor, MI. 3pp. 62474:347-62474:349.
- 9207220198** Comments on issues discussed at ACRS Subcommittee on Severe Accidents 911024 meeting.Concerns raised re lack of justification for severe accident research program based on info presented.  
DAVIS,P.R. Affiliation Not Assigned. 91/10/28. KERR,W. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 62474:350-62474:351.
- 9207220203** Submits draft consultants rept,based on presentations at ACRS Thermal Hydraulic Phenomena Subcommittee 911217 meeting re testing program proposed by SULLIVAN,L.H. Los Alamos National Laboratory, N-6-92-228. 91/12/24. CATTON,I. ACRS - Advisory Committee on Reactor Safeguards. 4pp. 62457:346-62457:349.
- 9207220213** Submits comments based on attendance at ACRS Joint Safety Philosophy,Technology & Criteria/Severe Accidents/Regulatory Policies & Practices 920107 & 08 meetings.  
DAVIS,P.R. Affiliation Not Assigned. 92/01/13. HOUSTON,D. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 62457:352-62457:353.
- 9207220216** Submits consultants rept,based on attendance at ACRS Subcommittee on Advanced BWRs 920123 & 24 meetings.Concerns raised re apparent lack of consideration of RWCU rupture outside containment.  
DAVIS,P.R. Affiliation Not Assigned. 92/02/05. EL ZEFTAWAY,M. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 62457:354-62457:355.
- 9207220218** Submits comments on rept on bias in LOFT fuel peak cladding temps.Bias in cladding temps,given by external thermocouples,will be much higher than above reported values of 11 C or 21 C.  
DHIR,V.K. Affiliation Not Assigned. 92/02/19. CATTON,I. ACRS - Advisory Committee on Reactor Safeguards. 7pp. 62457:267-62457:273.
- 9207220221** Comments on BWR power increase program,discussed at ACRS Subcommittee on Thermal Hydraulic Phenomena 920326 meeting. Agrees w/NRC approach in handling power increase applications on generic basis.  
LEE,J.C. Michigan, Univ. of, Ann Arbor, MI. 92/03/31. BOEHNERT,P. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 62473:353-62473:354.
- 9207220224** Submits comments on ACRS Subcommittee on Mechanical Components 920219 meeting in Bethesda,MD.  
WOHL,D.P.R. Affiliation Not Assigned. WOHL,D.P.R. ACRS - Advisory Committee on Reactor Safeguards. 92/04/05. MICHELSON,C. ACRS - Advisory Committee on Reactor Safeguards. 13pp. 62474:135-62474:147.
- 9207220225** Summary of ACRS Subcommittees on Regulatory Activities & Containment Sys 910508 joint meeting in Bethesda,MD to discuss proposed,final rev to App J to 10CFR50 re leak rate testing of containments of light-water-cooled power plants.  
\* ACRS - Advisory Committee on Reactor Safeguards. 91/05/29. ACRS - Advisory Committee on Reactor Safeguards. 26pp. 62457:274-62457:299.
- 9207220228** Summary of ACRS Subcommittee on Advanced Reactor Designs 910806 meeting in Bethesda,MD to review power reactor innovative small module (PRISM) & MHTGR designs sponsored by DOE.  
WARD,D. ACRS - Advisory Committee on Reactor Safeguards. 91/08/22. ACRS - Advisory Committee on Reactor Safeguards. 19pp. 62474:173-62474:191.
- 9207220231** Nonproprietary summary of ACRS Subcommittees on Advanced BWRs & Computers in Nuclear Power Plant Operations 911121 meeting in Bethesda,MD.Attendees listed,Agenda encl. Viewgraphs withheld (ref FOIA Exemption EX(b)(4)).  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/01/06. ACRS - Advisory Committee on Reactor Safeguards. 8pp. 62474:352-62474:359.
- 9207220237** Summary of ACRS 383rd meeting on 920305-07 re integral sys testing for Westinghouse AP600 nuclear plant,policy issues for certification of passive plants & prioritization of generic issues.  
WARD,D.A. ACRS - Advisory Committee on Reactor Safeguards. 92/04/20. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 6pp. 62474:277-62474:282.
- 9207220240** Forwards summary of actions,agreements,requests & commitments from ACRS 386th meeting on 920604-05,GE will provide ACRS w/startup data from Dordrecht (Netherlands) natural circulation BWR & data from old Mark III tests.  
FRALEY,R.F. ACRS - Advisory Committee on Reactor Safeguards. 92/07/08. BLAHA,J., TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 62474:272-62474:276.
- 9207220246** Summary of ACRS 384th meeting on 920402-04 re proposed ACRS work assignments,GE advanced BWR,implementation of NRC safety goals & evaluation of risks associated w/low power & shutdown operations of nuclear power plants.  
WARD,D.A. ACRS - Advisory Committee on Reactor Safeguards. 92/05/14. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 7pp. 62474:283-62474:289.
- 9207220248** Summary of ACRS 385th meeting on 920506-09 re policy issues for certification of evolutionary & passive nuclear power plant designs,containment performance criteria to accommodate severe accidents & Generic Issues B-58.  
WARD,D.A. ACRS - Advisory Committee on Reactor Safeguards. 92/06/18. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 7pp. 62476:264-62476:270.
- 9207220251** Forwards summary of actions,agreements,requests & commitments made during ACRS 384th meeting on 920402-04.  
FRALEY,R.F. ACRS - Advisory Committee on Reactor Safeguards. 92/05/11. TAYLOR,J.M., BLAHA,J. Ofc of the Executive Director for Operations. 18pp. 62476:246-62476:263.
- 9207220253** Forwards summary of actions,agreements,requests & commitments made during ACRS 385th meeting on 920506-09.  
FRALEY,R.F. ACRS - Advisory Committee on Reactor Safeguards. 92/06/19. BLAHA,J., TAYLOR,J.M. Ofc of the Executive Director for Operations. 4pp. 62476:276-62476:279.
- 9207230012** Submits comments on ACRS Subcommittee on Diablo Canyon 910916 & 17 meetings,Concurs w/seismic-tectonic analysis prepared by util.  
THOMPSON,G.A. Stanford Univ., Stanford, CA. 91/09/22. SIESS,C. Affiliation Not Assigned. 2pp. 62476:346-62476:347.
- 9207230108** Forwards list of ACRS minutes for full text on NUOCCS.  
BARNARD,E.M. ACRS - Advisory Committee on Reactor Safeguards. 92/07/17. LANHAM,D.H. Document Control Branch (Document Control Desk). 2pp. 62586:183-62586:184.
- 9207230116** Summary of ACRS Subcommittee on Improved LWRs 910529 meeting in Bethesda,MD re draft safety evaluation rept corresponding to Chapters 7,11,12 & 13 of EPRI ALWR Requirements document for evolutionary designs.  
WYLIE,C. ACRS - Advisory Committee on Reactor Safeguards. 91/06/22. ACRS - Advisory Committee on Reactor Safeguards. 67pp. 62586:001-62586:066.
- 9207230123** Summary of ACRS 379th meeting on 911107-08 in Bethesda,MD re GE ABWR,level of design detail certification of std plant designs & vendor test programs to support design certification of passive LWRs (SECY-91-273).  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/07/23. ACRS - Advisory Committee on Reactor Safeguards. 48pp. 62586:067-62586:114.
- 9207230128** Summary of ACRS Subcommittee on Computers in Nuclear Power Plant Operations & Advanced PWRs joint meeting on 911203 & 911203 & 04 w/Westinghouse & C-E re vendors digital computer experiences at nuclear power plants.  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/01/13. ACRS - Advisory Committee on Reactor Safeguards. 39pp. 62586:115-62586:153.
- 9207230136** Summary of ACRS Subcommittee on Safety Philosophy,Technology & Criteria/Severe Accidents & Regulatory Policies & Practices joint meeting on 920107-08 in Bethesda,MD to discuss listed proposed staff position papers.  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/02/07. ACRS - Advisory Committee on Reactor Safeguards. 61pp. 62586:185-62586:244.
- 9207230142** Summary of ACRS 381st meeting on 920109-11 in Bethesda,MD re integral sys testing for Westinghouse AP-600 Nuclear Plant & key technical issues for future nuclear power plants.  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/07/23. ACRS - Advisory Committee on Reactor Safeguards. 44pp. 62586:245-62586:288.
- 9207230145** Summary of ACRS Improved LWRs Subcommittee 920122 meeting in Bethesda,MD to review DSER re Chapter 10, "Man-Machine Interface Sys" of EPRI Requirement Document for evolutionary designs.  
WYLIE,C. ACRS - Advisory Committee on Reactor Safeguards. 92/02/08. ACRS - Advisory Committee on Reactor Safeguards. 6pp. 62586:289-62586:294.
- 9207230150** Summary of ACRS Subcommittee on Extreme External Phenomena 920205 meeting in Bethesda,MD to discuss staff proposed revs to 10CFR100,App A, "Seismic & Geologic Siting Criteria for Nuclear Power Plants." Agenda encl.  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/02/23. ACRS - Advisory Committee on Reactor Safeguards. 30pp. 62587:033-62587:062.
- 9207230154** Final summary of ACRS Planning & Procedures Subcommittee meeting on 920205 in Bethesda,MD to discuss future ACRS activities & proposed ACRS activities re development of implementation plan for Commission Safety Goal Policy.  
WARD,D.A. ACRS - Advisory Committee on Reactor Safeguards. 92/02/20. ACRS - Advisory Committee on Reactor Safeguards. 44pp. 62586:295-62586:338.
- 9207230157** Summary of joint ACRS Subcommittee on Matis & Metallurgy & Maint Practice & Procedures meeting on 920213 in Bethesda,MD to be briefed on status of ASME risk-based insp program.  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/03/19. ACRS - Advisory Committee on Reactor Safeguards. 10pp. 62586:154-62586:163.
- 9207230174** Summary of ACRS ABWRs Subcommittee 920220-21 meeting to hear presentations by NRC & GE re SECY-91-320 & SECY-91-355 & other related issues pertaining to GE/ABWR review process.  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/04/03. ACRS - Advisory Committee on Reactor Safeguards. 7pp. 62586:164-62586:170.
- 9207230191** Summary of ACRS Advanced Reactor Designs Subcommittee 920226-27 meeting in Bethesda,MD to hear presentation by DOE & DOE contractors re MHTGR fuel technology development & to visit ORNL fuel technology facilities.  
WARD,D. ACRS - Advisory Committee on Reactor Safeguards. 92/04/02. ACRS - Advisory Committee on Reactor Safeguards. 12pp. 62586:171-62586:182.
- 9207290115** Partial response to FOIA request for documents.Forwards app C documents which are being made available in PDF.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 880205). 91/12/19. LAWRENCE,J.W. Winston & Strawn. 3pp. 62548:005-62548:295.
- 9207290134** Rept to ACRS on Connecticut Yankee Atomic Power Plant,Unit 1.  
\* Atomic Energy Commission (Pre 750119). 64/02/03. 18pp. 62548:009-62548:026.
- 9207290140** Discusses 870224 telcon w/Okrent re ACRS Subcommittee meeting on Connecticut Yankee,Addl info provided.  
BOYD,R.S. Atomic Energy Commission (Pre 750119). 67/02/27. ROSEN,M. Atomic Energy Commission (Pre 750119). 2pp. 62548:027-62548:030.
- 9207290147** Rept 3 to ACRS providing addl info re Connecticut Yankee Power Co.  
\* Atomic Energy Commission (Pre 750119). 67/03/09. 24pp. 62548:031-62548:064.

- 9207290158 Informs that based on results of 670321 meeting w/util, NRC agrees w/ position taken by Connecticut Yankee in amend 15 to license.  
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 67/03/28. PALLADINO,N. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62548:065-62548:065.
- 9207290206 Forwards rept to ACRS on Connecticut Yankee Atomic Power Co application for full term OL for Haddam Neck plant,for review.  
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 71/01/26. BUSH,S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62548:117-62548:117.
- 9207290210 Rept to ACRS re Connecticut Yankee Atomic Power Co full term OL review.  
\* Atomic Energy Commission (Pre 750119). 71/01/26. 61pp. 62548:118-62548:178.
- 9207290274 Forwards status of thirty four items of interest identified by Subcommittee concerning Connecticut Yankee Atomic Power Co application for full term license on 710113.  
MORRIS,P.A. Atomic Energy Commission (Pre 750119). 71/02/22. BUSH,S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62548:179-62548:179.
- 9207290277 Suppl 1 to rept to ACRS dtd 710126.  
\* Atomic Energy Commission (Pre 750119). 71/02/22. 13pp. 62548:180-62548:192.
- 9207300003 Summary of ACRS 387th meeting on 920709-11 re programs of integral sys & separate effects testing in support of Westinghouse AP600 plant design certification.  
SHEWMON,P. ACRS - Advisory Committee on Reactor Safeguards. 92/07/17. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 6pp. 62587:338-62587:343.
- 9207310162 Transcript of ACRS Subcommittee on Improved LWRs in Bethesda,MD.Pp 1-242.Viewgraphs encl.  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/07/27. 182pp. 62659:113-62660:043.

**ADVCM NRC ADVISORY COMMITTEE**

- 9207020130 Forwards CNWRA 91-011 repts entitled "Sorption Modeling for HLW Performance Assessment." W/o encl.  
STILTENPOLE,B. Program Management, Policy Development & Analysis Staff (Post 870413). 92/05/18. MAJOR,R. Advisory Committee on Nuclear Waste. 1p. 62221:359-62221:359.
- 9207060167 Forwards one oversize chart of OCWRM integration logic w/ first tier sys decisions for use,per request at 920522 sys studies meeting.Much of info on chart outdated & will not be updated in near future.W/one oversize drawing.  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/06/25. LARSON,H.J. Advisory Committee on Nuclear Waste. 3pp. 62273:130-62273:132.
- 9207130216 Summary of 76th meeting of Advisory Panel for Decontamination of TMI-2 in Harrisburg,PA on 920609.Agenda & transcript encl.  
MASNIK,M.T. Advisory Panel for Decontamination of TMI Unit 2. 92/07/06. Advisory Panel for Decontamination of TMI Unit 2. 6pp. 62337:202-62337:336.
- 9207130220 Transcript of Advisory Panel for Decontamination of TMI-2 76th meeting on 920609 in Harrisburg,PA.Pp 1-110.Supporting documentation encl.  
\* Advisory Panel for Decontamination of TMI Unit 2. 92/06/09. 127pp. 62337:208-62337:336.
- 9207150180 Comments on Early Site Suitability Evaluation (ESSE) for proposed Yucca Mountain high-level waste repository site,in response to request & as follow-up to ACNW Working Group 920617 meeting.  
MOELLER,D.W. Advisory Committee on Nuclear Waste. 92/07/07. YOUNGBLOOD,B.J. Division of High-Level Waste Management (Post 870413). 4pp. 62480:062-62480:065.
- 9207220058 Forwards draft "Staff Technical Position on Geologic Repository Operations Area Underground Facility Design-- Thermal Loads" for review & comment in anticipation of ACNW briefing scheduled for Jul 1992.  
YOUNGBLOOD,B.J. Division of High-Level Waste Management (Post 870413). HLWR. 92/07/08. FRALEY,R.F. Advisory Committee on Nuclear Waste. 2pp. 62481:044-62481:128.

**COMMISSION NRC COMMISSIONERS**

- 9207010299 SECY-92-231 Weekly info rept for wk ending 920619.  
BLAHA,J.L. Assistant for Operations (Post 890205). 92/06/25. 31pp. 62178:134-62178:164.
- 9207020062 Summary of 920624 meeting w/NUMARC Executive Committee re several issues of importance to both NRC & industry review of existing regulatory requirements.  
ABBATE,C.M. Commissioners (Post 750119). 92/06/26. Commissioners (Post 750119). 2pp. 62183:278-62183:279.
- 9207020301 Responds to 900312 ltr to former Commissioner Chairman KM Carr re use of alternative disposal methods for low level radwaste & requests NRC views on federal low level waste disposal requirements.  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 92/06/24. COLEMAN,R.D. House of Rep. 6pp. 62194:169-62194:179.
- 9207020306 Requests opinion re TX Low Level Radwaste Disposal Authority new disposal plans.  
COLEMAN,R.D. House of Rep. 92/03/12. CARR,K. Commissioners (Post 750119). 5pp. 62194:175-62194:179.
- 9207020316 Informs that Commission concurs w/proposed renewal of US- Bangladesh agreement for peaceful nuclear cooperation.  
SELIN,I. THE CHAIRMAN Commissioners (Post 750119). 92/06/19. President of U.S. & Executive Offices. 1p. 62197:353-62197:354.
- 9207020319 Staff requirements memo re SECY-92-212, "Proposed Renewal of US- Bangladesh Agreement for Cooperation."  
CHILK,S.J. Office of the Secretary of the Commission. 92/06/18. DENTON,H.R. International Programs (870413-911116). 1p. 62197:354-62197:354.

- 9207060080 Forwards detailed comments on two bills,S. 2166 & H.R. 776, passed by Congress that would establish natl energy strategy.  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 92/06/26. DINGELL,J.D., JOHNSTON,J.B., MILLER,G. House of Rep., Energy & Commerce. 16pp. 62197:315-62197:330.
- 9207060169 Discusses Congress ltr to Commission re Inspector General rept & concerns about inaccurate info associated w/licensing of plant.Forwards Commission response to Congress inquiries, Inspector General rept & staff response to OIG rept. TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/22. NRC - No Detailed Affiliation Given. 2pp. 62243:126-62243:207.
- 9207060206 Responds to 920129 ltr,in which Commission was sent several questions re ltrs from Senator Kennedy & Representative Kostmayer & answers provided by Commission on 900315.  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 92/02/14. KERRY,J.F. Senate. 50pp. 62243:128-62243:175.
- 9207060209 Expresses concern re conduct of NRC staff in handling of Congressional inquiries into welding program at plant.  
MARKEY,E.J., MAVROULES,N., KERRY,J.F. House of Rep. 92/01/29. SELIN,I., THE CHAIRMAN Commissioners (Post 750119). 2pp. 62243:176-62243:177.
- 9207060219 Forwards staff response to OIG rept 90-31H, "Review of NRC Staff Responses to Congressional Inquiries re J Wampler & Welding Program at Plant."  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/03/27. THE CHAIRMAN, SELIN,I., ROGERS Commissioners (Post 750119). 30pp. 62243:178-62243:207.
- 9207070065 Weekly info rept for wk ending 920626.  
BLAHA,J.L. Assistant for Operations (Post 890205). 92/07/01. NRC - No Detailed Affiliation Given. 41pp. 62238:292-62238:332.
- 9207070077 Responds to 920608 ltr re NRC "Action Plan to Ensure Timely Cleanup of Site Decommissioning Mgt Plan Sites" & NRC order requiring submittal of final site characterization rept.W/Certificate of Svc.Served on 920702.  
SELIN,I. Commissioners (Post 750119). #392 13056. OM. 92/06/28. LEDERMAN,M.G. Chemetron Corp. 6pp. 62206:238-62206:243.
- 9207070286 Partial response to FOIA request for documents re TOPAZ II Reactor.App A documents already available in PDR & app B encl & being made available for PDR. GRIMSLEY,D.H. Office of Information Resources Management (Post 890205). 91/09/30. LAWRENCE,J.W. Affiliation Not Assigned. 19pp. 62262:142-62262:223.
- 9207070323 Provides comments re staff proposal in SECY-90-236 (Negative Consent), "Proposed Import of Soviet Topaz Reactor." Subject to listed conditions,offers no objection to IP proposal to issue import license to DOD contractor.  
CURTISS Commissioners (Post 750119). 91/01/03. CHILK,S.J. Office of the Secretary of the Commission. SHEA,J.R. International Programs (870413-911116). 24pp. 62262:161-62262:184.
- 9207070404 Responds to ltr dtd 920608 re NRC "Action Plan to Ensure Timely Cleanup of Site Decommissioning Mgt Plan Sites," offering views to modify Action Plan.  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 92/06/26. LEDERMAN,M.G. Chemetron Corp. 1p. 62241:350-62241:350.
- 9207100004 Notation vote,approving w/comments,SECY-92-193, "Design Bases Reconstitution." Directs staff to submit proposed generic ltr prior to issuance,w/recommendation as to whether public comments should be solicited on ltr.  
CURTISS,J.R. Commissioners (Post 750119). 92/06/04. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62331:228-62331:228.
- 9207100005 Notation vote,approving w/listed comments,SECY-92-193, "Design Bases Reconstitution."  
ROGERS,K.C. Commissioners (Post 750119). 92/05/28. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62331:229-62331:230.
- 9207100006 Notation vote,approving w/comments,SECY-92-194, "Policy Statement for Two-Yr Trial Program for Conducting Open Enforcement Conferences."  
ROGERS,K.C. Commissioners (Post 750119). 92/06/04. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62331:231-62331:232.
- 9207100140 Notation vote,approving w/encl comments,SECY-92-194, "Policy Statement for Two-Yr Trial Program for Conducting Open Enforcement Conferences."  
DE PLANQUE,E.G. Commissioners (Post 750119). 92/06/10. CHILK,S.J. Office of the Secretary of the Commission. 7pp. 62530:318-62530:324.
- 9207100142 Notation vote,approving SECY-92-194, "Policy Statement for Two-Yr Trial Program for Conducting Open Enforcement Conferences."  
CURTISS,J.R. Commissioners (Post 750119). 92/06/09. CHILK,S.J. Office of the Secretary of the Commission. 4pp. 62530:325-62530:328.
- 9207100211 Notation vote,approving w/encl mods,SECY-92-184, "Proposed Change to General Statement of Policy & Procedure for NRC Enforcement Actions,10CFR2,App C."  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 92/06/10. CHILK,S.J. Office of the Secretary of the Commission. 12pp. 62366:161-62366:172.
- 9207100212 Notation vote approving SECY-92-194, "Policy Statement for Two-Yr Trial Period for Conducting Open Enforcement Conferences."  
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 92/06/10. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62334:349-62334:350.
- 9207100221 Notation vote,approving SECY-92-184, "Proposed Change to General Statement of Policy & Procedure for NRC Enforcement Actions,10CFR2,App C."  
DE PLANQUE,E.G. Commissioners (Post 750119). 92/06/01. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62331:266-62331:266.
- 9207100233 Notation vote,approving w/encl comments,SECY-92-193, "Design Bases Reconstitution." Agrees that generic ltr be provided prior to issuance of SECY.  
REMICK,F. Commissioners (Post 750119). 92/06/05. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62364:353-62364:354.
- 9207100236 Notation vote,approving w/encl comments,SECY-92-193, "Design Bases Reconstitution."  
DE PLANQUE,E.G. Commissioners (Post 750119). 92/06/06. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62364:355-62364:356.

## 196 NONDOCKETED ITEMS

**9207100252** Notation vote, approving w/encl comments, SECY-92-193, "Design Bases Reconstitution." Policy statement should be issued incorporating encl changes. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 92/06/03. CHILK, S.J. Office of the Secretary of the Commission. 5pp. 62331:252-62331:256.

**9207100281** Notation vote, approving w/encl editorial comments, SECY-92-184, "Proposed Change to General Statement of Policy & Procedure for NRC Enforcement Actions, 10CFR2, App C." CURTISS, J.R. Commissioners (Post 750119). 92/06/02. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 62364:329-62364:332.

**9207100282** Notation vote, approving SECY-92-184, "Proposed Change to General Statement of Policy & Procedure for NRC Enforcement Actions, 10CFR2, App C." ROGERS, K.C. Commissioners (Post 750119). 92/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62334:345-62334:345.

**9207130007** SECY-92-242 Weekly info rept for wk ending 920703. BLAHA, J.L. Assistant for Operations (Post 890205). 92/07/09. 32pp. 62314:019-62314:050.

**9207130022** Informs of NRC actions & experiences in complying w/Omnibus Budget Reconciliation Act of 1990 requiring NRC to recover approx 100% of its FY91-95 new budget authority, less appropriations from Nuclear Waste Fund, by accessing funds. ROGERS, K.C. Commissioners (Post 750119). 92/07/07. SHARP, P.R. House of Rep., Energy & Commerce. KOSTMAYER, P.H. House of Rep., Interior & Insular Affairs. BEVILL, T. House of Rep., Appropriations. 18pp. 62314:001-62314:018.

**9207130031** Urges restoration of \$10 million reduction proposed in House of Representatives FY 1993 Energy & Water Development Appropriations Bill (H.R. 5373) & requests support for full budget request. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 92/06/26. JOHNSTON, J.B. Senate, Appropriations. 2pp. 62313:351-62313:352.

**9207130081** Informs of NRC actions & experiences in complying w/Omnibus Budget Reconciliation Act of 1990 (OBRA-90) requiring NRC to recover approx 100% of its FY 1991-95 new budget authority, by accessing fees. ROGERS, K.C. Commissioners (Post 750119). 92/07/07. JOHNSTON, J.B. Senate, Appropriations. 3pp. 62313:348-62313:350.

**9207130116** Forwards undtd draft Commission paper on design certification & licensing policy issues re passive & evolutionary advanced LWR designs for placement in PDR. NRC - No Detailed Affiliation Given. 92/07/10. Document Control Branch (Document Control Desk). 40pp. 62314:200-62314:240.

**9207170072** Provides justification for NRC request for \$37.5 million budget increase including need to meet addl responsibilities for certifying standard reactor designs, renewing reactor OLHLW mgt & implementing administrative initiatives. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). CCS. 92/06/26. JOHNSTON, J.B. Senate. 2pp. 62430:335-62430:337.

**9207210193** Notation vote response sheet approving SECY-92-212, "Proposed Renewal of US-Bangladesh Agreement for Cooperation." DE PLANQUE, E.G. Commissioners (Post 750119). 92/06/11. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62440:171-62440:171.

**9207210204** Notation vote response sheet approving & disapproving in part SECY-92-204, "DOE Proposed Retransfer of Spent Fuel from Switzerland to France for Reprocessing & Request for Staff Authority to Act on Certain DOE Retransfer Requests." CURTISS, J.R. Commissioners (Post 750119). 92/06/16. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62438:360-62438:360.

**9207210212** Notation vote response sheet approving SECY-92-212, "Proposed Renewal of US-Bangladesh Agreement for Cooperation." THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 92/06/18. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62440:169-62440:169.

**9207210230** Notation vote response sheet approving SECY-92-204, "DOE Proposed Retransfer of Spent Fuel from Switzerland to France for Reprocessing & Request for Staff Authority to Act on Certain DOE Retransfer Requests." ROGERS, K.C. Commissioners (Post 750119). 92/06/11. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62440:170-62440:170.

**9207210254** Notation vote approving SECY-92-212, "Proposed Renewal of US - Bangladesh Agreement for Cooperation." REMICK, Commissioners (Post 750119). 92/06/16. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62438:266-62438:266.

**9207210269** Notation vote approving SECY-92-212, "Proposed Renewal of US - Bangladesh Agreement for Cooperation." CURTISS, J.R. Commissioners (Post 750119). 92/06/16. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62438:267-62438:267.

**9207210282** Notation vote approving SECY-92-212, "Proposed Renewal of US - Bangladesh Agreement for Cooperation." ROGERS, K.C. Commissioners (Post 750119). 92/06/15. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62438:268-62438:268.

**9207210302** Notation vote approving SECY-92-204 re DOE retransfer of spent fuel from Switzerland to France for reprocessing & request for staff authority to act on certain DOE retransfer requests. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 92/06/16. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62438:278-62438:278.

**9207210307** Notation vote approving SECY-92-204, "DOE...Retransfer of Spent Fuel from Switzerland to France for Reprocessing & Request for Staff Authority to Act on Certain DOE Retransfer Requests." W/comment. REMICK, Commissioners (Post 750119). 92/06/17. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62438:279-62438:280.

**9207210315** Notation vote approving in part & disapproving in part, SECY-92-204, "DOE Proposed Retransfer of Spent Fuel from Switzerland to France for Reprocessing & Request for Staff Authority to Act on Certain DOE Retransfer Requests." DE PLANQUE, E.G. Commissioners (Post 750119). 92/06/11. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62438:281-62438:281.

**9207210317** SECY-92-251 Weekly info rept for wk ending 920710. BLAHA, J.L. Assistant for Operations (Post 890205). 92/07/15. 39pp. 62438:282-62438:322.

**9207210327** Notation vote approving SECY-92-171, "Administration of Byproduct Matl or Radiation From Byproduct Matl to Patients Who May be Pregnant or Nursing." W/ comments. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 92/06/03. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62438:323-62438:324.

**9207220153** Notation vote response sheet approving w/comments on SECY-92-171 re administration of byproduct matl or radiation from byproduct matl to patients pregnant or nursing. ROGERS, K.C. Commissioners (Post 750119). 92/05/26. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62445:326-62445:326.

**9207220159** Approved notation vote w/comments on SECY-92-171 re administration of byproduct matl or radiation from byproduct matl to patients pregnant or nursing. CURTISS, J.R. Commissioners (Post 750119). 92/05/13. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62445:323-62445:325.

**9207220163** Approved notation vote re SECY-92-171 on administration of byproduct matl or radiation from byproduct matl to patients pregnant or nursing. Comments encl. DE PLANQUE, E.G. Commissioners (Post 750119). 92/06/05. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62443:359-62443:360.

**9207220411** SECY-92-236 Weekly info rept for wk ending 920626. BLAHA, J.L. Assistant for Operations (Post 890205). 92/07/01. 41pp. 62442:305-62442:346.

**9207270319** Comments to draft speech to be presented by Commissioner Curtiss at regulatory info conference on 920722 noted on encl mark ups. Speech addresses license renewal & maint rules. CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 92/07/17. BLAHA, J.L. Assistant for Operations (Post 890205). 17pp. 62501:020-62501:036.

**9207300162** Informs that recipients reappointed by Commission as members of ACMUI for addl 2 yr term, effective 920701. ROGERS, K.C. Commissioners (Post 750119). 92/07/15. MARCUS, C.S. California, State of. MCKEOWN, J.A. Pennsylvania, Commonwealth of. SIEGEL, B.A. Missouri, State of. 3pp. 62581:207-62581:209.

**9207310023** Weekly info rept for wk ending 920717. BLAHA, J.L. Assistant for Operations (Post 890205). 92/07/22. 31pp. 62581:315-62581:345.

**9207310190** Nominates L. Bush for 1992 GEICO public svc award for outstanding achievement in area of substance abuse prevention & treatments. ROGERS, K.C. Commissioners (Post 750119). 92/07/17. MAUPIN, J.A. GEICO Philanthropic Foundation. 5pp. 62593:326-62593:339.

**-9207310193** Announces 1992 GEICO public svc awards program. Requests support by ensuring potential candidates at all levels of organization have opportunity to be considered for nomination. MAUPIN, J.A. GEICO Philanthropic Foundation. 92/02/28. CARR, K.M. Commissioners (Post 750119). 11pp. 62593:330-62593:339.

**9207310209** Weekly info rept for wk ending 920724. BLAHA, J.L. Assistant for Operations (Post 890205). 92/07/30. 36pp. 62593:290-62593:325.

### CONTRACT NRC CONTRACTS AND MODIFICATIONS

**9207020046** Notification of contract execution, mod 13, to "Operation & Maint of NRC DCS." Contractor: Technassociates, Inc. TAYLOR, S. Contract Administration Branch 1 (Post 900603). FIN D-1228. NRC-10-84-211. 92/06/17. MESSENGER, G.H. Document Control Branch (Document Control Desk). LUNDY, J. NRC - No Detailed Affiliation Given. 1p. 62194:136-62194:138.

**-9207020051** Mod 13, deobligating excess funds remaining in contract after completion of closeout procedure, to "Operation & Maint of NRC DCS." MOWERY, E.C. Technassociates, Inc. MATTIA, M.J. Division of Contracts & Property Management (Post 890205). FIN D-1228. NRC-10-84-211. 92/06/17. 2pp. 62194:137-62194:138.

**9207020052** Notification of contract execution, Task Order 160, "Examiner Conference," to "Technical Assistance to Support Licensing Activities," awarded to Sonalysts, Inc. HUGHES, A. Contract Administration Branch 2 (Post 900603). FIN L-1289-2. NRC-03-89-031. 92/06/22. SCHWINK, W.J. Office of Nuclear Reactor Regulation, Director (Post 870411). PULSIPHER, K. NRC - No Detailed Affiliation Given. 1p. 62183:294-62183:297.

**-9207020062** Ltr contract NRC-03-89-031, defining Task Order 160, "Examiner Conference," to "Technical Assistance to Support Licensing Activities," awarded to Sonalysts, Inc. MATTIA, M.J. Contract Administration Branch 2 (Post 900603). FIN L-1289-2. NRC-03-89-031. 92/06/15. PETERSEN, L.R. Sonalysts, Inc. 3pp. 62183:295-62183:297.

**9207020055** Notification of contract execution, mod 7, to "Satellite Communications to Support Video Conferencing Pilot Program." Contractor: GTE Spacenet Corp. TAYLOR, S. Contract Administration Branch 1 (Post 900603). FIN D-1919. NRC-39-88-250. 92/06/23. KRIZIC, P.G. Division of Computer & Telecommunications Services (Post 890205). KIRK, I. NRC - No Detailed Affiliation Given. 1p. 62194:148-62194:150.

**-9207020058** Mod 7, deobligating all excess funds, to "Satellite Communications to Support Video Conferencing Pilot Program." TAYLOR, S. Contract Administration Branch 1 (Post 900603). FIN L-1032. NRC-03-87-119. 92/06/26. SCHWINK, W.S. Office of Nuclear Reactor Regulation, Director (Post 870411). THOMAS, B.E. NRC - No Detailed Affiliation Given. 1p. 62183:275-62183:277.

**9207020090** Notification of contract execution, mod 12, to "Technical Assistance in Development & Implementing Programs & Procedures for Reactors Requiring Special Insp Resources." Contractor: Southwest Research Inst. TAYLOR, S. Contract Administration Branch 1 (Post 900603). FIN L-1032. NRC-03-87-119. 92/06/26. SCHWINK, W.S. Office of Nuclear Reactor Regulation, Director (Post 870411). THOMAS, B.E. NRC - No Detailed Affiliation Given. 1p. 62183:275-62183:277.



- 9207020101 Mod 12,deobligating excess funds under, "Technical Assistance in Development & Implementing Programs & Procedures for Reactor Requiring Special Insp Resources." CHATTEN,R.E. Southwest Research Institute. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN L-1032. FIN L-1782. 92/06/26. 2pp. 62183:276-62183:277.
- 9207020120 Notification of cooperative agreement,mod 17,to "Radiation Monitoring Program Requirements." Contractor:State of Missouri. CRAMPTON,S.A. Division of Contracts & Property Management (Post 890205). FIN B-8452-2. NRC-30-83-645. 92/06/23. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). WEIDMAN,D.G. NRC - No Detailed Affiliation Given. 1p. 62194:151-62194:153.
- 9207020126 Mod 17,providing incremental funding,to "Radiation Monitoring Program Requirements." \* Missouri, State of. TRAVER,D. Division of Contracts & Property Management (Post 890205). FIN B-8452-2. NRC-30-83-645. 92/06/23. 2pp. 62194:152-62194:153.
- 9207020131 Notification of cooperative agreement,mod 16,to "Radiation Monitoring Program Requirements." Contractor:NC Dept of Environ,Health & Natural Resources. CRAMPTON,S.A. Division of Contracts & Property Management (Post 890205). FIN B-8405-2. NRC-29-83-627. 92/06/23. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). DECKER,T. NRC - No Detailed Affiliation Given. 1p. 62194:145-62194:147.
- 9207020133 Mod 16,providing incremental funding,to "Radiation Monitoring Program Requirements." \* North Carolina, State of. TARNER,D. Division of Contracts & Property Management (Post 890205). FIN B-8405-2. NRC-29-83-627. 92/06/23. 2pp. 62194:146-62194:147.
- 9207020138 Notification of cooperative agreement,mod 17,to "Radiation Monitoring Program Requirements." Contractor:Michigan Dept of Health. CRAMPTON,S.A. Division of Contracts & Property Management (Post 890205). FIN B-8451-2. NRC-30-83-644. 92/06/23. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). WEIDMAN,D.G. NRC - No Detailed Affiliation Given. 1p. 62194:139-62194:141.
- 9207020142 Mod 17,providing incremental funding,to "Radiation Monitoring Program Requirements." \* Michigan, State of. TARNER,D. Division of Contracts & Property Management (Post 890205). FIN B-8451-2. NRC-30-83-644. 92/06/23. 2pp. 62194:140-62194:141.
- 9207020146 Notification of cooperative agreement,mod 12,to "Radiation Monitoring Program Requirements." Contractor:Georgia Dept of Natural Resources. CRAMPTON,S.A. Division of Contracts & Property Management (Post 890205). FIN B-8404-2. NRC-29-83-625. 92/06/23. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). DECKER,T. NRC - No Detailed Affiliation Given. 1p. 62194:142-62194:144.
- 9207020150 Mod 12,providing incremental funding,to "Radiation Monitoring Program Requirements." \* Georgia, State of. TARNER,D. Division of Contracts & Property Management (Post 890205). FIN B-8404-2. NRC-29-83-625. 92/06/23. 2pp. 62194:143-62194:144.
- 9207020158 Notification of cooperative agreement,mod 15,to "Radiation Monitoring Program Requirements." Contractor:Univ of Iowa. CRAMPTON,S.A. Division of Contracts & Property Management (Post 890205). FIN B-8456-2. NRC-30-83-648. 92/06/23. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). WEIDMAN,D.G. NRC - No Detailed Affiliation Given. 1p. 62194:154-62194:156.
- 9207020161 Mod 15,providing incremental funding,to "Radiation Monitoring Program Requirements." \* Iowa, Univ. of. Iowa City, IA. TARNER,D. Division of Contracts & Property Management (Post 890205). FIN B-8456-2. NRC-30-83-648. 92/06/23. 2pp. 62194:155-62194:156.
- 9207020167 Notification of cooperative agreement,mod 16,to "Radiation Monitoring Program Requirements." Contractor:Missouri Dept of Health. CRAMPTON,S.A. Division of Contracts & Property Management (Post 890205). FIN B-8454-2. NRC-30-83-643. 92/06/23. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). WEIDMAN,D.G. NRC - No Detailed Affiliation Given. 1p. 62194:227-62194:229.
- 9207020169 Mod 16,providing incremental funding,to "Radiation Monitoring Program Requirements." \* Missouri, State of. TARNER,D. Division of Contracts & Property Management (Post 890205). FIN B-8454-2. NRC-30-83-643. 92/06/23. 2pp. 62194:228-62194:229.
- 9207020171 Notification of cooperative agreement,mod 19,to "Radiation Monitoring Program Requirements." Contractor:Wisconsin Div of Health. CRAMPTON,S.A. Division of Contracts & Property Management (Post 890205). FIN B-8453-2. NRC-30-83-647. 92/06/23. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). WEIDMAN,D.G. NRC - No Detailed Affiliation Given. 1p. 62194:157-62194:159.
- 9207020175 Mod 19,providing incremental funding,to "Radiation Monitoring Program Requirements." \* Wisconsin, State of. TARNER,D. Division of Contracts & Property Management (Post 890205). FIN B-8453-2. NRC-30-83-647. 92/06/23. 2pp. 62194:158-62194:159.
- 9207020275 Notification of contract execution,task order 1,to NRC-20-92-002,awarded to R Navarro & Assoc,Inc. MEEHAN,B. Contract Administration Branch 1 (Post 900603). FIN L-23132. NRC-20-92-002. 92/06/23. HICKS,M.S. Office of the Inspector General (Post 890417). JANOSKO,G. NRC - No Detailed Affiliation Given. 3pp. 62242:338-62242:340.
- 9207020286 Ltr contract NRC-20-92-002,issuing new task order 1. Contractor:R Navarro & Assoc,Inc. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN L-23132. NRC-20-92-002. 92/06/19. NAVARRO,R. R. Navarro & Associates, Inc. 2pp. 62242:339-62242:340.
- 9207020296 Notification of contract execution,mod 1 to task order 11,to "Develop NRC Video to Support Training for NRC & Agreement State Personnel on Revised 10CFR20." Contractor:Sonolysts, Inc. HUGHES,A. Contract Administration Branch 1 (Post 900603). FIN L-15842. NRC-26-91-290. 92/06/26. SPESSARD,R.L. Division of Operational Assessment (Post 870413). ANDERSON,R. NRC - No Detailed Affiliation Given. 1p. 62194:339-62194:340.
- 9207020302 Ltr contract NRC-26-91-290,mod 1 to task order 11,providing incremental funding,to "Develop NRC Video to Support Training for NRC & Agreement State Personnel on Revised 10CFR20." MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN L-15842. NRC-26-91-290. 92/06/26. PETERSEN,L.R. Sonolysts, Inc. 1p. 62194:340-62194:340.
- 9207020314 Notification of contract execution,mod 15,to "Regulatory Analysis for Generic Issue 23,Reactor Coolant Pump Seal Failure." Contractor:SBA.Subcontractor:Sciencetech,Inc. NEFF,D. Division of Contracts & Property Management (Post 890205). NRC-04-87-397. 92/05/08. GUSTAVE,R.P. Program Management, Policy Development & Analysis Staff (Post 870413). SHAUKAT,S. NRC - No Detailed Affiliation Given. 1p. 62194:341-62194:345.
- 9207020325 Mod 15,revising indirect rates established,rescinding mod 15 & incorporating FAR clauses associated w/CPFF contract inadvertently omitted in mod 3,to "Regulatory Analysis for Generic Issue 23,Reactor Coolant Pump Seal Failure." BAKER,L. Small Business Administration. RESEIGH,M.M. Sciencetech, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). 92/05/08. 4pp. 62194:342-62194:345.
- 9207090180 Notification of contract execution,mod 2, to "Emergency Response,Technical & Engineering Support for Communications Svcs." Contractor:Boise Interagency Fire Ctr. CRAMPTON,S.A. Division of Contracts & Property Management (Post 890205). FIN D-1862-2. NRC-33-90-193. 92/06/25. KRUZIC,P. Division of Computer & Telecommunications Services (Post 890205). RILEY,C.W. NRC - No Detailed Affiliation Given. 1p. 62341:288-62341:292.
- 9207090191 Mod 2,revising articles II & IX of SOW,designating new project officer,deleting & adding contract persons,to "Emergency Response,Technical & Engineering Support for Communications Svcs." STEWART,S.L. Interior, Dept. of, Bureau of Land Management. SCOTT,M.L. Division of Contracts & Property Management (Post 890205). FIN D-1862-2. NRC-33-90-193. 92/06/25. 4pp. 62341:289-62341:292.
- 9207100393 Notification of contract execution,mod 10,to "Electrostatic Copying Svcs." Contractor:Bel-Jean Copy/Print Ctr. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). NRC-10-84-283. 92/07/02. PHILLIPS,J.D. Printing & Audiovisual Services Branch. SCHNEIDER,R.L. NRC - No Detailed Affiliation Given. 1p. 62313:342-62313:343.
- 9207100404 Mod 3,deobligating excess funds remaining under contract after completion of closeout procedure,to "Electrostatic Copying Svcs." \* Bel-Jean Copy/Print Center. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). NRC-10-84-283. 92/07/02. 1p. 62313:343-62313:343.
- 9207100419 Notification of contract execution,mod 10,to "Technical Support Svcs for Data Telecommunication Equipment." Contractor:SBA.Subcontractor:Pailen-Johnson Assocs,Inc. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN D-1869. NRC-10-85-263. 92/06/30. KRUZIC,P.G. Division of Computer & Telecommunications Services (Post 890205). BROWNELL,B. NRC - No Detailed Affiliation Given. 1p. 62313:339-62313:341.
- 9207100424 Mod 10,deobligating excess funds under contract due to contract closeout,to "Technical Support Svcs for Data Telecommunication Equipment." WOODS,P.R. Small Business Administration. \* Pailen-Johnson Associates, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN D-1869. NRC-10-85-263. 92/06/30. 2pp. 62313:340-62313:341.
- 9207100425 Notification of contract execution,mod 3,to "On-Call Maint of IBM Sys Six,Mag Cards & Displaywriter Sys." Contractor:Technical Specialties,Inc. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN D-1384. NRC-33-87-217. 92/07/01. KRUZIC,P.G. Division of Computer & Telecommunications Services (Post 890205). MILLER,J. NRC - No Detailed Affiliation Given. 1p. 62297:354-62297:355.
- 9207100427 Mod 3,deobligating excess funds under contract due to contract closeout,to "On-Call Maint of IBM Sys Six,Mag Cards & Displaywriter Sys." PLUECKER,T.C. Technical Specialties, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN D-1384. NRC-33-87-217. 92/07/01. 1p. 62297:355-62297:355.
- 9207130181 Notification of contract execution,mod 6,to "Source Term Characterization Resulting from Explosively-Caused Secondary Violations of Spent Fuel Shipping Casks." Contractor:BMI. BROWN,Y. Contract Administration Branch 1 (Post 900603). FIN B-6710. NRC-04-80-180. 92/06/22. BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). LAHS,W. NRC - No Detailed Affiliation Given. 1p. 62375:267-62375:269.
- 9207130187 Mod 6,deobligating excess funds remaining in contract after completion of closeout procedure,to "Source Term Characterization Resulting from Explosively-Caused Secondary Violations of Spent Fuel Shipping Casks." MILLER,G.L. Battelle Memorial Institute. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN B-6710. NRC-04-80-180. 92/06/22. 2pp. 62375:268-62375:269.
- 9207130193 Notification of contract execution,mod 8,to "NRC Headquarters Stenographic Reporting Svcs (Excluding In-town Requirements of Commissioners Ofen)," Contractor:Heritage Reporting Corp. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN B-1839. NRC-21-87-342. 92/07/01. COTTER,B.P. Atomic Safety & Licensing Board Panel. WILDER,P., FITTI,C. NRC - No Detailed Affiliation Given. 1p. 62375:270-62375:272.

## 198 NONDOCKETED ITEMS

- 9207130200 Mod 8,deobligating funds remaining in contract after completion of closeout procedure,to "NRC Headquarters Stenographic Reporting Svcs (Excluding In-town Requirements of Commissioners Ofcs)." RICHIER,C.L. Heritage Reporting Corp. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN B-81839. NRC-21-87-342. 92/07/01. 2pp. 62375:271-62375:272.
- 9207140321 Notification of contract execution,mod 5 to, "Develop Guidelines for Verification & Validation of Expert Sys." Contractor:SAIC. KING,D.A. Office of Administration (Post 890205). NRC-04-90-095. 92/07/03. SHERON,B. Division of Systems Research (Post 880717). BELTRACCHI,L. NRC - No Detailed Affiliation Given. 1p. 62378:222-62378:225.
- 9207140324 Mod 5,changing completion date on deliverables & extending period of performance through 931130,to "Develop Guidelines for Verification & Validation of Expert Sys." RODEHAU,T.J. Science Applications International Corp. (formerly Science Applications, Inc.). RYTKONEN,B. Electric Power Research Institute. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). NRC-04-90-095. 92/07/03. 3pp. 62378:223-62378:225.
- 9207140326 Notification of contract execution,mod 1 to task order 152, "Reactor Operator Licensing Initial Exams,Limerick Nuclear Power Plant," to "Technical Assistance to Support Licensing Activities." Contractor:Sonalysts,Inc. HUGHES,A. Contract Administration Branch 2 (Post 900603). FIN L-1289. NRC-03-89-031. 92/07/06. SCHWINK,W.J. Office of Nuclear Reactor Regulation, Director (Post 870411). PULSIPHER,K. NRC - No Detailed Affiliation Given. 1p. 62378:226-62378:230.
- 9207140327 Ltr contract NRC-03-89-031,mod 1 to task order 152, "Reactor Operator Licensing Initial Exams,Limerick Nuclear Power Plant," increasing reviews for walkthroughs,to "Technical Assistance to Support Licensing Activities." MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN L-1289. NRC-03-89-031. 92/07/02. PETERSEN,L.R. Sonalysts, Inc. 4pp. 62378:227-62378:230.
- 9207140328 Notification of contract execution,awarding task order 164, "Examiner Techniques Refresher & Integrated Facility Operations," to "Technical Assistance to Support Licensing Activities." Contractor:Sonalysts,Inc. HUGHES,A. Contract Administration Branch 2 (Post 900603). FIN L-1289. NRC-03-89-031. 92/07/06. SCHWINK,W.J. Office of Nuclear Reactor Regulation, Director (Post 870411). PULSIPHER,K. NRC - No Detailed Affiliation Given. 1p. 62378:231-62378:234.
- 9207140329 Ltr contract NRC-03-89-031,awarding task order 164, "Examiners Techniques Refresher & Integrated Facility Operations," to "Technical Assistance to Support Licensing Activities." MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN L-1289. NRC-03-89-031. 92/07/06. PETERSEN,L.R. Sonalysts, Inc. 3pp. 62378:232-62378:234.
- 9207150091 Notification of contract execution,mod 6,to "On-Line Maint of NRC Peripheral Computer Equipment." Contractor:Computer Maint & Part Corp. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN D-1917. NRC-39-88-249. 92/07/10. KURZIC,P.G. Division of Computer & Telecommunications Services (Post 890205). JOHNSON,C. NRC - No Detailed Affiliation Given. 1p. 62395:272-62395:275.
- 9207150094 Mod 6,deobligating of excess funds due to contract closeout, to "On-Line Maint of NRC Peripheral Computer Equipment." \* Computer Maintenance & Parts Corp. MATTIA,M.J. NRC - No Detailed Affiliation Given. FIN D-1917. NRC-39-88-249. 92/07/10. 3pp. 62395:273-62395:275.
- 9207170252 Notification of contract execution,mod 4,to "Broad Band Seismic Data Analysis." Contractor:Roundout Assocs,Inc. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN D-1196. NRC-04-84-136. 92/07/06. MURPHY,A.J. Division of Engineering (Post 870413). MURPHY,A. NRC - No Detailed Affiliation Given. 1p. 62403:198-62403:200.
- 9207170256 Mod 4,deobligating remaining excess funds after contract closeout,to "Broad Band Seismic Data Analysis." POMEROY,P.W. Roundout Associates, Inc. \* Division of Contracts & Property Management (Post 890205). FIN D-1196. NRC-04-84-136. 92/07/06. 2pp. 62403:199-62403:200.
- 9207200012 Notification of contract execution,mod 8,task order 2, "Data Entry for Training." Contractor:SBA.Subcontractor:Data Computer Corp of America. NEFF,D. Division of Contracts & Property Management (Post 890205). FIN D-1920-2. NRC-39-89-133. 92/06/30. CRANFORD,G.F. Office of Information Resources Management (Post 890205). DOLLECK,A. NRC - No Detailed Affiliation Given. 1p. 62427:348-62427:356.
- 9207200013 Ltr contract NRC-39-89-133,mod 8,task order 2,increasing level of effort,extending performance to 930131 & increasing task order ceiling & obligated amounts,to "Data Entry for Training." MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN D-1920. NRC-39-89-133. 92/06/26. DOYLE,M. Data Computer Corp. of America. 6pp. 62427:349-62427:356.
- 9207200136 Notification of contract execution,mod 8,to "Telecommunications Evaluation,Operations,Requirements & Specs for Voice/Data Communications Sys for Region I." Contractor:SBA.Subcontractor:Koh Sys,Inc. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). NRC-10-84-254. 92/07/14. FISHER,L.G. Facility Management Branch. COHEN,S. NRC - No Detailed Affiliation Given. 1p. 62428:255-62428:257.
- 9207200150 Mod 8,deobligating all remaining excess funds,to "Telecommunications Evaluation,Operations,Requirements & Specs for Voice/Data Communications Sys for Region I." \* Small Business Administration. KOH,Y.S. KOH Systems, Inc. MATTIA,M.J. Division of Contracts (Pre 870413). NRC-10-84-254. 92/07/14. 2pp. 62428:256-62428:257.
- 9207200157 Notification of contract execution,task order 18: "Technical Assistance in Establishment of Design Criteria for Dry Spent Fuel Storage Installations." MEEHAN,B. Contract Administration Branch 1 (Post 900603). FIN L-2841-2. NRC-02-90-009. 92/07/10. KNAPP,M. Program Management, Policy Development & Analysis Staff (Post 870413). TIKTINSKY,D. NRC - No Detailed Affiliation Given. 1p. 62438:085-62438:087.
- 9207200168 Ltr contract NRC-02-90-009,awarding task order 16: "Technical Assistance in Establishment of Design Criteria for Dry Spent Fuel Storage Installations." SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN L-2481-2. NRC-02-90-009. 92/06/23. RODEHAU,T. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 62438:086-62438:087.
- 9207200292 Notification of contract execution,mod 9,to task order 7, "Data Entry for CIS." Contractor:SBA.Subcontractor:Data Computer Corp of America. NEFF,D. Division of Contracts & Property Management (Post 890205). FIN D-1920. NRC-39-89-133. 92/06/30. CRANFORD,G.F. Office of Information Resources Management (Post 890205). DOLLECK,A. NRC - No Detailed Affiliation Given. 1p. 62427:315-62427:321.
- 9207200299 Ltr contract NRC-39-89-133,mod 9,increasing level of effort, extending period of performance through 930131 & increasing task order ceiling & obligated amounts,to task order 7,to "Data Entry for CIS." MATTIA,M.J. Contract Administration Branch 2 (Post 900603). FIN D-1920. NRC-39-89-133. 92/06/26. DOYLE,M. Data Computer Corp. of America. 6pp. 62427:316-62427:321.
- 9207220342 Notification of contract execution,mod 10,to "Software Maint & Sys Support of PDR Bibliographic Retrieval Sys." Contractor:Zonar Corp. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN D-1212. NRC-33-84-408. 92/06/29. HARVES,J. Division of Computer & Telecommunications Services (Post 890205). YEATES,E.J. NRC - No Detailed Affiliation Given. 1p. 62445:314-62445:316.
- 9207220384 Mod 10,deobligating excess funds remaining in contract after completion of closeout procedures to "Software Maint & Sys Support of PDR Bibliographic Retrieval Sys." SULLIVAN,D. Zonar Corp. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN D-1212. 92/06/29. 2pp. 62445:315-62445:316.
- 9207230160 Notification of contract execution,mod 4,to "Technical Assistance Program for State-of-Art Study Re Near-Field Earthquake Ground Motion." Contractor:S-Cubed (Sys,Sciences & Software). SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN B-6491. NRC-03-78-155. 92/07/16. SHAO,L.C. Division of Engineering Technology (Post 890827). BRAZEE,R. NRC - No Detailed Affiliation Given. 1p. 62479:010-62479:012.
- 9207230165 Mod 4,deobligating excess funds remaining under contract after completion of closeout procedure,to "Technical Assistance Program for State-of-Art Study Re Near-Field Earthquake Ground Motion." BRULE,E.T. Systems, Sciences & Software. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN B-6491. NRC-03-78-155. 92/07/16. 2pp. 62479:011-62479:012.
- 9207230180 Notification of contract execution,mod 7,to "Testing of Reinforced Concrete Under Combined Membrane Tension & Tangential Shear." Contractor:Portland Cement Assoc. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN B-6203. NRC-04-77-118. 92/07/16. BECKJORD,E.S. Division of Engineering Technology (Post 890827). FLORY,S. NRC - No Detailed Affiliation Given. 1p. 62479:007-62479:009.
- 9207230187 Mod 7,deobligating excess funds remaining in contract after completion of closeout procedures,to "Testing of Reinforced Concrete Containments Under Combined Membrane Tension & Tangential Shear." SZCZECHE,M.J. Portland Cement Association. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN B-6203. NRC-04-77-118. 92/07/16. 2pp. 62479:008-62479:009.
- 9207230190 Notification of contract execution,mod 5,to "Technical Assistance for NRC Emergency Telecommunications Sys." Contractor:SBA.Subcontractor:I-Net,Inc. NEFF,D. Division of Contracts & Property Management (Post 890205). FIN D-1862-1. NRC-33-91-203. 92/06/29. CRANFORD,G.F. Office of Information Resources Management (Post 890205). RANDALL,B. NRC - No Detailed Affiliation Given. 1p. 62479:001-62479:004.
- 9207230223 Mod 5,correcting amount deobligated in mod 4 & decreasing obligated amount & ceiling amount,to "Technical Assistance for NRC Emergency Telecommunications Sys." JOHNSON,H.S. Small Business Administration. WOLF,C. I-NET, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN D-1862-1. NRC-33-91-203. 92/06/29. 3pp. 62479:002-62479:004.
- 9207230282 Notification of contract execution,mod 6,to "Transportation Drivers." Contractor:SBA.Subcontractor:Diplomat Limosine & Livery Svc,Inc. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN D-23262. NRC-10-90-127. 92/07/20. FISHER,L. Facility Management Branch. QUEEN,D. NRC - No Detailed Affiliation Given. 1p. 62478:162-62478:164.
- 9207230289 Mod 6,deobligating all remaining excess funds,to "Transportation Drivers." \* Small Business Administration. MCGHEE,P. Diplomat Limousine & Livery Services, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN D-23262. NRC-10-90-127. 92/07/20. 2pp. 62478:163-62478:164.
- 9207230293 Notification of contract execution,mod 9,to "Fire Protection Research Program." Contractor:Underwriters Lab,Inc. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN B-6197. NRC-04-77-122. 92/07/06. GUSTAVE,R. Program Management, Policy Development & Analysis Staff (Post 870411). NOTLEY,D. NRC - No Detailed Affiliation Given. 1p. 62478:159-62478:161.
- 9207230295 Mod 9,deobligating all excess funds remaining,to "Fire Protection Research Program." MADER,D.A. Underwriters Laboratory, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN B-6197. NRC-04-77-122. 92/07/06. 2pp. 62478:160-62478:161.
- 9207230297 Notification of contract execution,mod 8,to "Microcomputer Software." Contractor:Technology Svcs,Inc. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN D-1356. NRC-33-86-293. 92/07/17. KRUZIC,P.G. Division of Computer & Telecommunications Services (Post 890205). MACWILLIAMS,M. NRC - No Detailed Affiliation Given. 1p. 62478:156-62478:158.

-9207230300 Mod 8,deobligating excess funds remaining under contract after completion of closeout procedure,to "Microcomputer Software."  
LAWRENCE,A. Technology Services, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN D-1356. NRC-33-86-293. 92/07/17. 2pp. 62478:157-62478:158.

9207240053 Notification of contract execution,mod 6,to "Provide Expert Technical Consulting Svcs to DCS on Task Order Basis." Contractor:General Svcs Admin,FEDSIM. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). NRC-10-82-404. 92/07/21. NORRY,P.G. Office of Administration (Post 890205). LUNDY,J. NRC - No Detailed Affiliation Given. 1p. 62479:212-62479:213.

-9207240057 Mod 6,deobligating all remaining excess funds after contract closeout,to "Provide Expert Technical Consulting Svcs to DCS on Task Order Basis."  
\* General Services Administration. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). NRC-10-82-404. 92/07/21. 1p. 62479:213-62479:213.

9207240239 Notification of contract execution,mod 7,to "Senior Executive Svc Training Conference." Contractor:Prime Motor Inn,Inc. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN D-23000. NRC-38-90-321. 92/07/10. BIRD,P.E. Ofc of Personnel (Post 870413). MONACO,N. NRC - No Detailed Affiliation Given. 1p. 62491:335-62491:337.

-9207240242 Mod 7,deobligating excess funds under contract due to contract closeout to "Senior Executive Svc Training Conference."  
SIMON,J. Prime Motor Inn, Inc. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN D-23000. NRC-38-90-321. 92/07/10. 2pp. 62491:336-62491:337.

9207280226 Notification of contract execution,mod 13,to "Earthquake Potential & Max Credible Earthquake for Plant." Contractor: Univ of Nevada-Reno. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN D-13250. NRC-03-85-059. 92/07/22. SCHWINK,W. Office of Nuclear Reactor Regulation, Director (Post 870411). WALKER,W. NRC - No Detailed Affiliation Given. 1p. 62530:314-62530:316.

-9207280230 Mod 13,deobligating all remaining excess funds,to "Earthquake Potential & Max Credible Earthquake for Plant."  
\* Nevada, Univ. of, Reno, NV. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN D-13250. NRC-03-85-059. 92/07/22. 2pp. 62530:315-62530:316.

9207290044 Notification of cooperative agreement,mod 7,to "Operation of LPDR."Contractor:Monroe County Library Sys. CRAMPTON,S.A. Division of Contracts & Property Management (Post 890205). FIN D-24162. NRC-10-87-340. 92/07/24. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62557:246-62557:253.

-9207290064 Cooperative agreement,mod 7,providing incremental funding & extending period of performance,to "Maint & Operation of LPDR." Contractor:Monroe County Library Sys. CONABLE,G.M. Monroe County, MI. TARNER,D. Division of Contracts & Property Management (Post 890205). FIN D-24162. NRC-10-87-340. 92/07/22. 7pp. 62557:247-62557:253.

9207290247 Notification of contract execution,mod 8,to "Coordination of Cooperative Organizations Participating in Geological, Geophysical & Seismological Studies."Contractor:St Louis Univ. SCOTT,M.L. Contract Administration Branch 1 (Post 900603). FIN B-7242. NRC-04-80-229. 92/07/17. BURDA,A.J. Program Management, Policy Development & Analysis Staff (Post 870411). O'DONNELLE, NRC - No Detailed Affiliation Given. 1p. 62557:356-62557:358.

-9207290249 Mod 8,deobligating excess funds remaining under contract after completion of closeout procedure,to "Coordination of Cooperative Organizations Participating in Geological, Geophysical & Seismological Studies."  
SPRENGEL,D.P. St. Louis Univ., St. Louis, MO. MATTIA,M.J. Division of Contracts & Property Management (Post 890205). FIN B-7242. NRC-04-80-229. 92/07/17. 2pp. 62557:357-62557:358.

# FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

9207070286 Partial response to FOIA request for documents re TOPAZ II Reactor.App A documents already available in PDR & app B encl & being made available for PDR. GRIMSLEY,D.H. Office of Information Resources Management (Post 890205). 91/09/30. LAWRENCE,J.W. Affiliation Not Assigned. 19pp. 62262:142-62262:223.

-9207070323 Provides comments re staff proposal in SECY-90-236 (Negative Consent), "Proposed Import of Soviet Topaz Reactor." Subject to listed conditions,offers no objection to IP proposal to issue import license to DOD contractor. CURTISS Commissioners (Post 750119). 91/01/03. CHILK,S.J. Office of the Secretary of the Commission. SHEA,J.R. International Programs (870413-911116). 24pp. 62262:161-62262:184.

-9207070326 Forwards summary by Foreign Broadcast Info Svc of contraversion in USSR about possible sale of TOPAZ reactor for use in US SDI program. SHEA,J.R. International Programs (870413-911116). 91/02/06. DENTON,H.R. Ofc of Governmental & Public Affairs (870413-911116). 4pp. 62262:185-62262:188.

-9207070329 Suggests that J Taylor,Murley,H Denton & others meet to go over status & options,if any,re TOPAZ. DENTON,H. Office of Governmental & Public Affairs (870413-911116). 91/02/07. TAYLOR,J. NRC - No Detailed Affiliation Given. 2pp. 62262:189-62262:190.

-9207070334 Notifies that USSR TOPAZ II Reactor Sys scheduled for exhibit at Univ of MD at College Park on 10318-19 during US-USSR-East European Scientific & Technological Exhibit & Symposium. SHEA,J.R. International Programs (870413-911116). 91/03/14. TAYLOR,J.M. Ofc of the Executive Director for Operations. DENTON,H.R. Office of Governmental & Public Affairs (870413-911116). MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 62262:191-62262:201.

-9207070336 Forwards list of employees interested in attending US-USSR-East European Scientific & Technological Exhibit & Symposium at Univ of MD on 10318-19. WRIGHT,B.L. International Programs (870413-911116). 91/03/18. BRENNAN,M. Maryland, Univ. of, College Park, MD. 12pp. 62262:202-62262:223.

9207070331 FOIA request for documents re amend 4 to license for Nuclear Energy Svcs under docket 30-22060. WILLIAMS,O.G. JRA Associates. OGW-91-093. 91/07/25. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62265:035-62265:035.

9207070347 Final response to FOIA request for documents.Forwards app A documents which are being made available in PDR. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/21. WILLIAMS,O.G. JRA Associates. 2pp. 62265:036-62265:252.

-9207070354 Rev 1 to Procedure 82A8003, "Radiological Protection Manual."  
\* Nuclear Energy Services (NES) Manufacturing. 84/07/31. 104pp. 62265:038-62265:141.

-9207070359 Rev 2 to Procedure 82A8006, "Radiation Worker Handbook & Training Manual."  
\* Nuclear Energy Services (NES) Manufacturing. 89/06/23. 39pp. 62265:142-62265:181.

-9207070364 Informs of appointment of MA Callahan as radiation safety officer to administer NES programs covered by mail license. TREJO,F. Nuclear Energy Services (NES) Manufacturing. PS-2446. 90/04/18. KINNEMAN,J. Region 1 (Post 820201). 15pp. 62265:182-62265:196.

-9207070378 Forwards application for renewal of license 06-20775-01. TREJO,F. Nuclear Energy Services (NES) Manufacturing. 03234. 90/07/28. KINNEMAN,J. Region 1 (Post 820201). 1p. 62265:197-62265:197.

-9207070380 Application for amend,renewing license 06-20775-01. MANION,W.J. Nuclear Energy Services (NES) Manufacturing. 90/09/17. 15pp. 62265:198-62265:214.

-9207070386 Forwards rev to license renewal application dtd 900728 for license 06-20775-01.Record of 900823 telcon encl. CALLAHAN,M.A. Nuclear Energy Services (NES) Manufacturing. 113081. 90/08/24. WHITE,J. Region 1 (Post 820201). 4pp. 62265:215-62265:218.

-9207070388 Ack receipt of application for renewal of license 06-20775-01. BURACKER,C.K. Region 1 (Post 820201). 113081. 90/09/20. MANION,W.J. Nuclear Energy Services (NES) Manufacturing. 1p. 62265:219-62265:219.

-9207070389 Requests interpretation of license 06-20775-01 due to licensee desire to purchase new source. CALLAHAN,M.A. Nuclear Energy Services (NES) Manufacturing. 113081. 90/10/29. WHITE,J. Region 1 (Post 820201). 2pp. 62265:220-62265:221.

-9207070395 Rev 1 to Procedure 82A8001, "Radiological Safety Program."  
\* Nuclear Energy Services (NES) Manufacturing. 113031. 90/07/27. 17pp. 62265:222-62265:238.

-9207070397 Rev 2 to Procedure 82A8002, "QA Program for NES Radiological Safety Program."  
\* Nuclear Energy Services (NES) Manufacturing. 113031. 91/10/21. 14pp. 62265:239-62265:252.

9207080110 FOIA request for documents re memos,meeting summaries & lists of attendees resulting from semi-annual NRC senior mgt meetings held 850101. REDDA,T. Southern Technical Services, Inc. 91/05/01. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62324:001-62324:001.

9207080120 Final response to FOIA request for documents.App A documents encl & being made available in PDR.Portions of app A records withheld (ref FOIA exemption 5). GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/11. REDDA,T. Southern Technical Services, Inc. 3pp. 62324:002-62324:303.

-9605190330 Summary of 860423-24 mgt meeting at Region III ofc re licensee performance,evaluation of plant discussions & fitness for duty.Task assignments & list of attendees encl. SNIEZEK,J.H. Regional Operations & Generic Requirements, EDO (Pre 870413). 86/05/13. DAVIS,J.G. Office of Nuclear Material Safety & Safeguards. 11pp. 62324:005-62324:015.

-9207080152 Summary of discussions during 871116-18 mgt meeting & provides copies of ltrs to be sent to licensees of plants that will be discussed at 871217 Commission meeting. STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. ZECH, ROBERTS, BERNTHAL Commissioners (Post 750119). 3pp. 62324:016-62324:018.

-9207080180 Provides summary of NRC discussions re Fermi during 871117- 18 senior mgt meeting. STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. MCCARTHY,W.J. Detroit Edison Co. 2pp. 62324:019-62324:020.

-9207080194 Provides details of discussions re Turkey Point facility during 871117 & 18 NRC senior mgt meeting.Facility was categorized as requiring continued close monitoring. STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. HUDIBURG,J.J. Florida Power & Light Co. 2pp. 62324:021-62324:022.

-9207080200 Provides details of discussions re Browns Ferry & Sequoyah during 871117 & 18 NRC senior managers meeting.Plants were categorized as requiring substantial improvement. STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. WHITE,S.A. Tennessee Valley Authority. 2pp. 62324:023-62324:024.

-9207080207 Provides summary of discussions re Fort Saint Vrain during 871117 & 18 NRC senior managers meeting.Facility was categorized as requiring continued close monitoring. STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. WALKER,R.F. Public Service Co. of Colorado. 2pp. 62324:025-62324:026.

## 200 NONDOCKETED ITEMS

- 9207080257** Provides details of discussion re Dresden during 871117 & 18 NRC senior managers meeting. Facility was categorized as requiring continued close monitoring. STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. O'CONNOR,J.J. Commonwealth Edison Co. 2pp. 62324:027-62324:028.
- 9207080265** Provides details of discussion re Pilgrim during 871117 & 18 NRC senior managers meeting. Facility was categorized as requiring substantial improvement. STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. SWEENEY,S.J. Boston Edison Co. 2pp. 62324:029-62324:030.
- 9207080269** Provides details of discussions re Palisades during NRC senior managers meeting on 871117 & 18. Facility was categorized as requiring no further NRC special attention beyond regional ofc level of monitoring. STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. MCCORMICK,W.T. Consumers Power Co. 2pp. 62324:031-62324:032.
- 9207080279** Provides details of discussions re Rancho Seco during NRC senior managers meeting on 871117 & 18. Facility was categorized as requiring substantial improvement. STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. WILCOX,C. Sacramento Municipal Utility District. 2pp. 62324:033-62324:034.
- 9207080283** Provides details of discussions re Peach Bottom during NRC senior managers meeting on 871117 & 18. Facility categorized as requiring substantial improvement. STELLO,V. Ofc of the Executive Director for Operations. 87/12/08. AUSTIN,J.H. Philadelphia Electric Co. 17pp. 62324:035-62324:051.
- 9207080291** Summary of 880628-29 NRC senior mgt meeting. Copies of ltrs to be sent to licensees of plants that will be discussed at 880713 Commission meeting also encl. STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. ZECH, ROBERTS, CARR Commissioners (Post 750119). 2pp. 62324:052-62324:053.
- 9207080351** Provides summary of NRC discussions re Rancho Seco during 880628 & 29 senior managers meeting. Facility was categorized as requiring continued close monitoring. STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. WILCOX,C. Sacramento Municipal Utility District. 1p. 62324:054-62324:054.
- 9207080356** Provides summary of NRC discussions re Browns Ferry & Sequoyah during 880628 & 29 senior managers meeting. Browns Ferry & Sequoyah Unit 1 were categorized as requiring substantial improvement & Unit close monitoring. STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. WHITE,S.A. Tennessee Valley Authority. 2pp. 62324:055-62324:056.
- 9207090044** Provides summary of discussions re Peach Bottom during NRC senior managers meeting on 880628 & 29. Facility was categorized as requiring substantial improvement. STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. PAQUETTE,J. Philadelphia Electric Co. 2pp. 62324:057-62324:058.
- 9207090050** Provides summary NRC discussions re Pilgrim at 880628 & 29 senior managers meeting. Facility was categorized as requiring substantial improvement. STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. SWEENEY,S.J. Boston Edison Co. 12pp. 62324:059-62324:071.
- 9207090055** Provides summary of NRC discussions re Fort St Vrain at 880628 & 29 senior managers meeting. Facility was categorized as requiring no further NRC special attention beyond regional ofc level of monitoring. STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. WALKER,R.F. Public Service Co. of Colorado. 1p. 62324:072-62324:072.
- 9207090059** Provides summary of NRC discussions re Nine Mile Point 1 at 880628 & 29 senior managers meeting. Facility was categorized as requiring close monitoring. STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. ENDRIES,J. Niagara Mohawk Power Corp. 2pp. 62324:073-62324:074.
- 9207090063** Provides summary of NRC discussions re Fort Calhoun at 880628 & 29 senior managers meeting. Facility was categorized as requiring close monitoring. STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. PETERSON,F.M. Omaha Public Power District. 2pp. 62324:075-62324:076.
- 9207090067** Provides summary of NRC discussions re Turkey Point at 880628 & 29 senior managers meeting. Facility was categorized as requiring continued close monitoring. STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. HUDIBURG,J.J. Florida Power & Light Co. 1p. 62324:077-62324:077.
- 9207090069** Provides summary of NRC discussions re Dresden at 880628 & 29 senior managers meeting. Facility was categorized as requiring continued close monitoring. STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. O'CONNOR,J.J. Commonwealth Edison Co. 1p. 62324:078-62324:078.
- 9207090073** Provides summary of NRC discussion re Fermi at 880628 & 29 senior managers meeting. Facility was categorized as requiring continued close monitoring. STELLO,V. Ofc of the Executive Director for Operations. 88/07/07. MCCARTHY,W.J. Detroit Edison Co. 2pp. 62324:079-62324:080.
- 9207090086** Summarizes discussions at 881206-07 senior mgt meeting & forwards ltrs to be sent to licensees of plants to be discussed at 881221 Commission meeting. STELLO,V. Ofc of the Executive Director for Operations. 88/12/13. ZECH, ROBERTS, CARR Commissioners (Post 750119). 30pp. 62324:081-62324:110.
- 9207090114** Provides Commission w/summary of discussions held at 890517- 18 NRC mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 890601 Commission meeting. Details withheld. STELLO,V. Ofc of the Executive Director for Operations. 89/05/24. ZECH, ROBERTS, CARR Commissioners (Post 750119). 72pp. 62324:111-62324:143.
- 9207090146** Provides Commission w/summary of discussions held at 900612- 13 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900627 Commission meeting. Portions of discussion summary partially withheld. TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/06/21. CARR, ROBERTS, ROGERS Commissioners (Post 750119). 34pp. 62324:183-62324:217.
- 9207090237** Provides Commission w/summary of discussions held at 910108- 09 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 910124 Commission meeting. Details withheld. TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/01/17. CARR, ROGERS, CURTISS Commissioners (Post 750119). 36pp. 62324:218-62324:253.
- 9207090248** Provides summary of discussions held at 910604-05 NRC senior mgt meeting & ltrs to be sent to licensees of plants on problem plant list that will be discussed at 910620 Commission meeting. Details withheld. TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/06/14. CARR, ROGERS, CURTISS Commissioners (Post 750119). 42pp. 62324:254-62324:297.
- 9207090267** Partially withheld summary of 861021-22 NRC mgt meeting. \* Region 5 (Post 820201). 86/10/22. Region 5 (Post 820201). 6pp. 62324:298-62324:303.
- 9207100371** Provides Commission w/summary of discussions held at 900122- 23 NRC senior mgt meeting & ltrs to be sent to licensees of plants that will be discussed at 900215 Commission meeting. TAYLOR,J.M. Ofc of the Executive Director for Operations. 90/02/02. CARR, ROBERTS, ROGERS Commissioners (Post 750119). 38pp. 62324:144-62324:182.
- 9207080132** Partial response to FOIA request for documents re Cleveland Clinic Foundation & NRC Enforcement Action EA-87-042. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). EA-87-042. 91/10/29. DAVIS,D. Plain Dealer, Cleveland, OH. 3pp. 62262:095-62262:141.
- 9204220130** Forwards Safety Insp Repts 30-02649/87-01,30-00394/87-01,30-14577/87-01,30-17931/87-01 & 70-3044/87-01 on 870323-25 & notice of violation. Concern re mgt control sys expressed & improvements requested. AXELSON,W.L. Region 3 (Post 820201). 87/04/15. KISER,W.S. Cleveland Clinic Foundation, Cleveland, OH. 2pp. 62262:103-62262:137.
- 9204220146** Notice of violation from insp on 870323-25. AXELSON,W.L. Region 3 (Post 820201). 30-02649/87-01. 87/04/15. 6pp. 62262:105-62262:110.
- 9204220158** Insp Repts 30-02649/87-01,30-00394/87-01,30-14577/87-01,30-17931/87-01 & 70-3044/87-01 on 870323-25. Violations noted: failure to conduct semiannual audits, conduct monthly surveys, maintain records & post caution signs. LYNCH,J.L. Region 3 (Post 820201). 30-02649/87-01. 87/04/15. 12pp. 62262:111-62262:122.
- 9204220166** Responds to 870126 ltr, modified by 870304 enforcement conference. Licensee offers to amend Licenses 34-00466-01, 34-00466-02 & 34-00466-03 to include encl QA/QC statement of principles for dept of radiation therapy. KISER,W.S. Cleveland Clinic Foundation, Cleveland, OH. 87/03/13. HIND,J.A. Region 3 (Post 820201). 7pp. 62262:123-62262:129.
- 9204220187** Forwards radiation safety incident rept re release of radioactive ashes from incinerator room, reported on 870206. Loss of licensed matl does not appear to be substantial hazard to persons in unrestricted areas. ARON,S.J. Cleveland Clinic Foundation, Cleveland, OH. 87/02/12. WIEDEMAN,D. Region 3 (Post 820201). 3pp. 62262:130-62262:137.
- 9206240090** Ack receipt of 870514 payment for civil penalty in amount of \$2,500. Corrective actions will be examined during future insps. LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-87-042. 87/06/22. KISER,W.S. Cleveland Clinic Foundation, Cleveland, OH. 4pp. 62262:138-62262:141.
- 9207080153** Partial response to FOIA request for documents. App J records encl & being made available for PDR. App K records completely withheld (ref FOIA exemptions 4 & 5). GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/28. REDDA,T. Southern Technical Services, Inc. 4pp. 62325:001-62325:036.
- 8812300104** Forwards response to items in 880929 memorandum re 880908-10 341st ACRS meeting followup items. STELLO,V. Ofc of the Executive Director for Operations. 88/12/21. FRALEY,R.F. ACRS - Advisory Committee on Reactor Safeguards. 31pp. 62325:006-62325:036.
- 9207080281** Partial response to FOIA request for info. Records in app D encl & being made available in PDR. App E records withheld in part (ref FOIA exemptions 6 & 7(C)). GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). EA-87-042. 91/10/28. DAVIS,D. Plain Dealer, Cleveland, OH. 5pp. 62273:133-62273:243.
- 9207080285** Requests for assist to insp of Cleveland clinic, Cleveland, OH based on recent events involving potentially unreported therapeutic misadministration. DAVIS,A.B. Region 3 (Post 820201). 86/11/20. PAWLICK,E.T. Region 3 (Post 820201). 3pp. 62273:141-62273:143.
- 9207080307** Forwards preliminary notifications re request to assist RIII insp staff on various interviews due to sensitive nature of 861006-08 PNO concerning terminally ill patient exposed to 2000 rads of radiation. PAWLICK,E.T. Region 3 (Post 820201). 86/12/10. HAYES,B.B. Region 3 (Post 820201). 1p. 62273:144-62273:218.
- 9207080331** Forwards OI rept of assist to insp concerning Cleveland Clinic foundation re alleged misadministration (CASE A3-86-011). PAWLICK,E.T. Region 3 (Post 820201). 87/10/09. DAVIS,A.B. Region 3 (Post 820201). 8pp. 62273:219-62273:226.
- 9207080346** Discusses assist to insp by RIII-OI re Cleveland Clinic Foundation concerning alleged misadministration. HIND,J.A. Region 3 (Post 820201). 87/11/10. WEIL,C.H. Region 3 (Post 820201). 16pp. 62273:227-62273:243.
- 9207090015** FOIA request for list of sites & licensees associated w/ terminated or expired matls license case files, contained in 1,100 boxes shipped by NEMA or IRM to ORNL on 910905. GUILD,C.C. Winston & Strawn. 91/10/01. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62325:037-62325:037.
- 9207090020** Final response to FOIA request for list of sites & licensees associated w/ terminated or expired matls license case files, contained in 1,100 boxes shipped by NEMA or IRM to ORNL on 910905. Record encl. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/13. GUILD,C.C. Winston & Strawn. 1p. 62325:038-62325:251.

- 9207100157 List of licensees in NRC inventory - parts 30,40 & 70.  
\* NRC - No Detailed Affiliation Given. 91/10/30. 100pp. 62325:039-62325:251.
- 9207090089 Final response to FOIA request for info. Records in app E encl & being made available in PDR. App F records completely withheld (ref FOIA exemption 7(A)). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/30. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 5pp. 62438:004-62438:035.
- 9207090100 Notification of significant meeting w/licensee on 910911-12 in Rockville, MD to discuss licensee status of environ investigation, planned corrective actions & health physics performance improvement program. CUNNINGHAM, R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 91/08/12. Division of Industrial & Medical Nuclear Safety (Post 870729). 24pp. 62438:009-62438:035.
- 9207090115 Final response to FOIA request for documents re licensees SMA-0862 for Continental Mining & Milling Co., SMC-0907 for Commercial Discount Corp & SUB-1072 for Cotter Corp. Forwards documents in Apps C,D & E, being made available for PDR. GRIMSLEY, D.H. Office of Information Resources Management (Post 890205). 91/10/16. MCCLUSKEY, J.P. Cotter Corp. 11pp. 62424:001-62424:362.
- 9207090136 Application for license for scrap matl which will be used for remelting purposes after radioactivity has been removed to accepted min approved by Fernald Plant. COHEN, W. Mose Cohen & Sons, Inc. 70/12/29. Atomic Energy Commission (Pre 750119). 2pp. 62424:013-62424:014.
- 9207090139 Provides supplemental info to application for source matl license, including that scrap matl will be decontaminated by dipping in acid & rinsing in water. Informs that smelting of matl is not contemplated. COHEN, H.D. Mose Cohen & Sons, Inc. 71/01/05. LAYFIELD, R. Atomic Energy Commission (Pre 750119). 1p. 62424:015-62424:015.
- 9207090144 License SUB-1072 for Mose Cohen & Sons, Inc., authorizing U in form of surface contamination on scrap metal to be decontaminated & stored in accordance w/statements, representations & conditions specified in application. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 71/01/20. 3pp. 62424:016-62424:018.
- 9207090210 Discusses health physics analysis of license SUB-1072, authorizing U in form of surface contamination on scrap metal to be decontaminated & stored in accordance w/licensee application w/suppl. HUETER, L.J. Atomic Energy Commission (Pre 750119). 71/03/09. ALLAN, J.M. Atomic Energy Commission (Pre 750119). 4pp. 62424:019-62424:022.
- 9207090222 Insp of license SUB-1072 on 710309. Noncompliance noted. Major areas inspected: organization, administrative control & radiological safety procedures, facilities & equipment & radiation surveys &/or evaluations. HUETER, L.J. Atomic Energy Commission (Pre 750119). 71/03/09. 19pp. 62424:023-62424:041.
- 9207090226 Application for amend to license SUB-1072. Amend would authorize alternative method of metering scrap pipe or tubing, to measure for radiation. Discusses alternative method involving swabbing interior surface of such piping. COHEN, H.D. Mose Cohen & Sons, Inc. 71/03/10. LAYFIELD, R. Atomic Energy Commission (Pre 750119). 1p. 62424:042-62424:042.
- 9207090230 Notice of violation from insp on 710309. Violation noted: no airborne surveys conducted during cutting of U contaminated piping to evaluate employee exposure concentrations of airborne U, per 10CFR20.201(b). HUETER, L.J. Atomic Energy Commission (Pre 750119). 71/03/30. 1p. 62424:043-62424:043.
- 9207090233 Provides licensee opportunity to advise NRC in writing, of position re license activities determined to be in noncompliance w/AEC requirements, as result of insp. Informs that reply should be sent within 20 days of receipt of ltr. GRIER, R.H. Atomic Energy Commission (Pre 750119). 71/03/30. COHEN, H. Mose Cohen & Sons, Inc. 1p. 62424:044-62424:044.
- 9207090236 Amend 1 to license SUB-1072, authorizing survey method described in 710310 application, providing listed stipulations adhered to. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 71/04/02. COHEN, H.D. Mose Cohen & Sons, Inc. 1p. 62424:045-62424:045.
- 9207090247 Responds to violations noted in 710330 NOV, as result of insp of license SUB-1072 on 710309. Corrective actions: alpha survey instruments now available & will be used in accordance w/amend 1 of license. COHEN, H.D. Mose Cohen & Sons, Inc. 71/04/08. GRIER, B.H. Atomic Energy Commission (Pre 750119). 1p. 62424:046-62424:046.
- 9207090250 Responds to AEC 710420 request. Advises that if any future cutting of contaminated scrap performed by licensee, airborne samples will be taken for analysis. COHEN, H.D. Mose Cohen & Sons, Inc. 71/04/21. GRIER, B.H. Atomic Energy Commission (Pre 750119). 1p. 62424:047-62424:047.
- 9207090258 Safety insp on 711018 of license SUB-1072. Insp findings: no noncompliance or unsafe conditions found. SCHULTZ, W.H. Atomic Energy Commission (Pre 750119). \* Mose Cohen & Sons, Inc. 71/10/18. 2pp. 62424:048-62424:049.
- 9207090292 Forwards correspondence re license SUB-1072, Invoice L-1525-72. Requests that license be terminated, amend be sent to R Leith, Dir of Controller & State & licensee Relations be notified of completed action. JOHNSON, L. Atomic Energy Commission (Pre 750119). FIN L-1525-72. 72/03/23. SMILEY, S.H. Atomic Energy Commission (Pre 750119). 1p. 62424:050-62424:050.
- 9207090311 Informs that license SUB-1072 terminated, per licensee 920323 application. LAYFIELD, R.L. Atomic Energy Commission (Pre 750119). 72/04/14. COHEN, H.D. Mose Cohen & Sons, Inc. 1p. 62424:051-62424:053.
- 9207090338 Insp of license SMC-0907 on 670111. Noncompliance noted. Major areas inspected: correction of previous items of noncompliance, program, organization, facilities & posting & labeling. FOSTER, D.L. Atomic Energy Commission (Pre 750119). 67/01/23. 10pp. 62424:054-62424:063.
- 9207090341 Provides info re Commercial Discount Corp, license SMC-0907, authorizing storage of 125,000 tons of residues containing source matl at 9200 Laty Avenue, Hazelwood, MI. ALLAN, J.M. Atomic Energy Commission (Pre 750119). 67/05/10. ROEDER, J.R. Atomic Energy Commission (Pre 750119). 2pp. 62424:064-62424:066.
- 9207090346 Application for license authorizing Commercial Discount Corp to possess 125,000 tons of residues for purpose of possible foreclosure of liens & security interests involving storage & resale only. \* Commercial Discount Corp. 66/12/14. 4pp. 62424:067-62424:070.
- 9207090347 Provides adequate reply to AEC 670123 ltr re 592. \* Commercial Discount Corp. 67/02/14. Atomic Energy Commission (Pre 750119). 2pp. 62424:071-62424:072.
- 9207090351 Provides opportunity for licensee to advise AEC of position re noncompliance items as result of 670111 insp of license SMC-0907. Informs that reply should be sent within 20 days of receipt of ltr. HAGEMAN, R.C. Atomic Energy Commission (Pre 750119). 67/01/23. MCPHERSON, A.R. Commercial Discount Corp. 2pp. 62424:073-62424:074.
- 9207100014 Notice of violation from insp on 670111. Violation noted: radiation levels exist in stockpile & barrel storage areas, unrestricted area, such that individual continuously present in area could receive dose in excess of 100 mrem. FOSTER, D.L. Atomic Energy Commission (Pre 750119). 67/01/23. 1p. 62424:075-62424:075.
- 9207100022 Application for amend to license SMC-0907, authorizing 500,000 lbs ore residues .3 to 2.0 % U, for processing to recover U. \* Commercial Discount Corp. 67/06/09. 4pp. 62424:076-62424:079.
- 9207100027 Discusses reduction of moisture contained in licensed matls, by use of aggregate dryer. Advises that shipment of matl must commence 670626 to comply w/contract executed between Cotter Corp & licensee. CHAMPLIN, R.L. Commercial Discount Corp. 67/06/22. HARMON, D. Atomic Energy Commission (Pre 750119). 2pp. 62424:080-62424:081.
- 9207100035 Amend 1 to license SMC-0907, changing item 8 of license to read as listed. HARMON, D.F. Atomic Energy Commission (Pre 750119). 67/06/23. MCPHERSON, A.R. Commercial Discount Corp. 2pp. 62424:082-62424:094.
- 9207100043 Provides opportunity for licensee to advise AEC in writing of position re items of noncompliance as result of insp of license SMC-0907 on 680327-0401. Informs that reply must be sent within 20 days of receipt of ltr. GRIER, B.H. Atomic Energy Commission (Pre 750119). 68/04/05. MAUGER, J. Commercial Discount Corp. 2pp. 62424:095-62424:096.
- 9207100046 Notice of violation from insp on 680327-0401. Violation noted: radiation level 18 inches from fence in unrestricted area was such that person continuously present in area, could receive dose to whole body in excess of 2 mrem in one hour. ASHLEY, E.C. Atomic Energy Commission (Pre 750119). 68/04/05. 1p. 62424:097-62424:097.
- 9207100053 Responds to AEC 680405 ltr & 680422 discussion w/E Ashley re Form AEC 592 dtd 680405. Informs that compliance w/Item A will be completed on or before 680501 & Item B will be completed within three working days after completion of A. MAUGER, J.A. Commercial Discount Corp. 68/04/23. GRIER, B.H. Atomic Energy Commission (Pre 750119). 2pp. 62424:098-62424:099.
- 9207100066 Notifies that license SMC-0907 expires 691231. Informs that for renewal of license, application must be filed at least 30 days before expiration date. For non renewal, "Certification of Status of Source Matl Activities..." must be completed. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 69/10/24. Commercial Discount Corp. 2pp. 62424:100-62424:101.
- 9207100078 Application for amend to license SMC-0907, extending license as amended, for three months commencing 691231, to permit licensee to consummate sale. Requests ack of receipt of ltr. STONEBERG, R.E. Commercial Discount Corp. 69/12/12. HARMON, D.F. Atomic Energy Commission (Pre 750119). 1p. 62424:102-62424:102.
- 9207100082 Amend 2 to license SMC-907, extending license expiration date to 700331. HARMON, D.F. Atomic Energy Commission (Pre 750119). 69/12/19. STONEBERG, R.E. Commercial Discount Corp. 1p. 62424:103-62424:103.
- 9207100088 Discusses issuance of license SUB-1022 to Cotter Corp for drying & shipping of matls covered by license SMC-0907. Requests advice as to what action, if any, required w/respect to terminating licensee privileges & obligations. STONEBERG, R.E. Commercial Discount Corp. 70/02/12. HARMON, D.F. Atomic Energy Commission (Pre 750119). 2pp. 62424:104-62424:105.
- 9207100093 Informs that license SMC-0907, hereby terminated, per 700212 ltr. HARMON, D.F. Atomic Energy Commission (Pre 750119). 70/02/19. STONEBERG, R.E. Commercial Discount Corp. 1p. 62424:106-62424:106.
- 9207100107 Accepts 620409 bid to purchase & remove govt-owned site. Notice to proceed w/removal of residues will be issued when license obtained. Invitation AT-(23-2)-46 encl. BELCHER, F.H. Atomic Energy Commission (Pre 750119). 62/04/12. ROARK, C.M. Contemporary Metals Corp. 29pp. 62424:107-62424:247.
- 9207100279 Application for amend to license SMB-0854, authorizing 125,000 tons residues containing 390,000 lbs U & Tm. ROARK, C.M. Continental Mining & Milling Co. 65/12/27. Atomic Energy Commission (Pre 750119). 2pp. 62424:248-62424:313.
- 9207140182 Insp rept of insp of license SMA-0862 on 680804. Noncompliance noted. Major areas inspected: program, organization, facilities, posting & labeling, equipment, surveys, personnel monitoring & records. FOSTER, D.L., ALLAN, J. Atomic Energy Commission (Pre 750119). 66/08/30. 13pp. 62424:314-62424:362.



## 202 NONDOCKETED ITEMS

- 9207090143** FOIA request for documents & mats in possession of NRC re Kerr McGee facility in Cushing, OK.  
CORDELL, F.T. Huckaby, Fleming, Frailey, Chaffin & Darrah. 91/04/29. GRIMSLEY, D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62460:001-62460:001.
- 9207090163** Partial response to FOIA request for info re facility. App EE documents and & being made available in PDR. Records in app FF withheld in part (ref FOIA exemption 6) & app GG records withheld in entirety (ref FOIA exemption 7).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/01. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 5pp. 62272:279-62272:317.
- 9207090166** Press release on 900907 re activities directed toward completing characterization of area affected by previously reported contamination & implementing other commitments. Related documentation encl.  
\* Sequoyah Fuels Corp. 90/09/07. 30pp. 62272:284-62272:317.
- 9207090216** Final response to FOIA request for documents. Forwards app A documents which are being made available in PDR. App B documents being withheld in their entirety (ref FOIA Exemption 6).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/08. CORDELL, F.T. Huckaby, Fleming, Frailey, Chaffin & Darrah. 18pp. 62460:002-62460:271.
- 9207090231** Undated amend 5 to license SNM-695, changing condition 10 to authorize use of SNM in bldgs 30 & 31.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 91/10/08. LAMBERTUS, H. Kerr-McGee Corp. 2pp. 62460:020-62460:021.
- 9207090257** Undated ltr informing that distribution of 65 kg of U-235 contained in U enriched to 93.15% as UF<sub>6</sub> authorized under license SNM-695, per 640612 request.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 91/10/08. WILLSON, F. Kerr-McGee Corp. 1p. 62460:022-62460:022.
- 9207090263** Provides authorization to procure listed mats from NRC prior to 570901 expiration date of license C-3571.  
JOHNSON, L. Atomic Energy Commission (Pre 750119). 56/08/30. BROWN, J.R. Spencer Chemical Co. 1p. 62460:023-62460:023.
- 9207090271** License C-3571 for Spencer Chemical Co., authorizing possession of & title to listed licensed matl.  
JOHNSON, L. Atomic Energy Commission (Pre 750119). 56/08/30. 2pp. 62460:024-62460:025.
- 9207090289** Application for amend to license C-3571, renewing license.  
LANDRUM, L.H. Spencer Chemical Co. 57/08/16. PRICE, H.L. Atomic Energy Commission (Pre 750119). 1p. 62460:026-62460:026.
- 9207090295** License C-3571 for Spencer Chemical Co., authorizing possession of & title to U magnesium fluoride scrap for pilot scale investigations of scrap recovery.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 57/08/23. LANDRUM, L.H. Spencer Chemical Co. 1p. 62460:027-62460:032.
- 9207090306** Provides authorization to procure from NRC 250 lbs of UF<sub>6</sub> containing U depleted in U-235 isotope for delivery prior to 580701.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 57/11/20. LANDRUM, L.M. Spencer Chemical Co. 1p. 62460:033-62460:033.
- 9207090329** Application for amend to license authorizing purchase of 200 lbs of natural grade UF<sub>6</sub> under license C-3571.  
LANDRUM, L.H. Spencer Chemical Co. 58/01/08. JOHNSON, L. Atomic Energy Commission (Pre 750119). 1p. 62460:034-62460:034.
- 9207090333** Provides authorization to procure from Commission 200 lbs of UF<sub>6</sub> containing normal U for use under license C-3571 prior to 580701.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 58/01/17. LANDRUM, L.M. Spencer Chemical Co. 1p. 62460:035-62460:035.
- 9207100008** Application for amend to license C-3571 covering source & depleted matl to be revised to permit 5,000 rather than 500 of inventory.  
LANDRUM, L.H. Atomic Energy Commission (Pre 750119). 58/02/19. JOHNSON, L. Spencer Chemical Co. 1p. 62460:036-62460:036.
- 9207100011** Application for amend to license C3571, requesting permission to procure 1,000 lbs of natural U as UF<sub>6</sub> prior to 580701.  
LANDRUM, L.H. Atomic Energy Commission (Pre 750119). 58/02/27. JOHNSON, L. Atomic Energy Commission (Pre 750119). 1p. 62460:037-62460:037.
- 9207100018** License C-3571, authorizing purchase of 1,000 lbs of UF<sub>6</sub> containing U depleted in U-235 isotope.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 58/02/28. YOUNG, D.A. Spencer Chemical Co. 1p. 62460:038-62460:038.
- 9207100021** License C-3571, authorizing purchase of 454 kg of normal U as UF<sub>6</sub>.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 58/03/12. LANDRUM, L.H. Spencer Chemical Co. 1p. 62460:039-62460:039.
- 9207100025** Application for amend to license C-3571, authorizing purchase of 500 lbs of natural U hexafluoride to be used as food stock in further processing to U oxide.  
YOUNG, D.A. Spencer Chemical Co. 58/09/03. DELANEY, J.H. Atomic Energy Commission (Pre 750119). 1p. 62460:040-62460:040.
- 9207100030** Forwards files on Spencer Chemical Co covering licenses R-218, C-3571 & SNM-154.  
DUBINSKI, L. Atomic Energy Commission (Pre 750119). 58/09/03. HAYCOCK, T.J. Atomic Energy Commission (Pre 750119). 1p. 62460:041-62460:041.
- 9207100039** License C-3571, authorizing purchase of 227 kg of normal U as UF<sub>6</sub> for use under license.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 58/09/08. YOUNG, D.A. Atomic Energy Commission (Pre 750119). 1p. 62460:042-62460:044.
- 9207100071** Application for amend to license C-4352, authorizing possession of & title to refined source matl at Jayhawk Works for chemical & physical processing.  
LAMBERTUS, H. Spencer Chemical Co. 59/07/16. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 1p. 62460:045-62460:045.
- 9207100079** Application for amend to license C-4352, to read as listed.  
LAMBERTUS, H. Spencer Chemical Co. 59/07/23. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 1p. 62460:046-62460:046.
- 9207100085** Amend 1 to license C-4352, authorizing possession of & title to refined source matl for experimental work.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 59/07/22. Spencer Chemical Co. 1p. 62460:047-62460:047.
- 9207100098** Undated amend 2 to license C-4352 authorizing possession of & title to refined source matl for production processing.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 91/10/08. LAMBERTUS, H. Spencer Chemical Co. 1p. 62460:048-62460:048.
- 9207100105** Undated amend 3 to license C-4352 authorizing possession of & title to refined source matl for production processing.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 91/10/08. LAMBERTUS, H. Spencer Chemical Co. 1p. 62460:049-62460:049.
- 9207100108** Undated license C-4352 for Spencer Chemical Co., authorizing possession of & title to refined source matl for experimental work.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 91/10/08. LAMBERTUS, H. Spencer Chemical Co. 1p. 62460:050-62460:050.
- 9207100130** Undated license C-4352 for Spencer Chemical Co authorizing use of listed licensed matl.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 91/10/08. Spencer Chemical Co. 2pp. 62460:051-62460:052.
- 9207100138** License C-4352 for Spencer Chemical Co authorizing purchase of 300 kg of normal U as UF<sub>6</sub> for use under license.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 59/10/12. LEADERS, W. Spencer Chemical Co. 1p. 62460:053-62460:053.
- 9207100144** Forwards 591020 ltr from DK Welty re assignment of Spencer Chemical Co licenses.  
DUBINSKI, L. Atomic Energy Commission (Pre 750119). 59/10/26. VESPE, V.C. Atomic Energy Commission (Pre 750119). 2pp. 62460:054-62460:055.
- 9207100153** License for Spencer Chemical Co to import 50 lbs of refined source matl from Canada.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 60/01/27. LAMBERTUS, H. Spencer Chemical Co. 1p. 62460:056-62460:056.
- 9207100177** Application for amend to license C-4352 to read as listed.  
LAMBERTUS, H. Spencer Chemical Co. 60/04/15. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 1p. 62460:057-62460:057.
- 9207100179** Discusses 600712 ltr to HR Dinges concerning license R-218. Informs that license will not be renewed due to handling of source matl under license C-4352.  
LAMBERTUS, H. Spencer Chemical Co. 60/07/19. VESPE, V.C. Atomic Energy Commission (Pre 750119). 1p. 62460:058-62460:058.
- 9207100189** Application for amend to license C-4352, renewing license for period of 5 yrs.  
GREENLEE, H. Spencer Chemical Co. 60/09/13. DELANEY, J.C. Atomic Energy Commission (Pre 750119). 3pp. 62460:059-62460:061.
- 9207100194** Amend to license C-4352 renewing license for period not exceeding 1 yr.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 60/10/12. GREENLEE, N.A. Spencer Chemical Co. 1p. 62460:062-62460:062.
- 9207100197** Forwards files on listed licenses issued to Spencer Chemical Co, Kansas City, MO.  
DUBINSKI, L. Atomic Energy Commission (Pre 750119). 59/11/09. VESPE, V.C. Atomic Energy Commission (Pre 750119). 1p. 62460:063-62460:063.
- 9207100205** Application for amend to license C-4352 renewing license for period of 5 yrs.  
GREENLEE, M.A. Spencer Chemical Co. 61/08/24. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 2pp. 62460:064-62460:065.
- 9207100242** Informs that addl info needed re 610824 application for renewal of license C-4352.  
NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 61/09/11. GREENLEE, H. Spencer Chemical Co. 1p. 62460:066-62460:066.
- 9207100247** Application for renewal of license C-4352 authorizing use of listed licensed matl.  
\* Spencer Chemical Co. 61/10/13. 6pp. 62460:067-62460:072.
- 9207100248** Provides addl info & clarifies points in 611016 application for renewal of license C-4352.  
GREENLEE, N.A. Spencer Chemical Co. 61/12/12. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 2pp. 62460:073-62460:074.
- 9207100250** Responds to 620220 ltr re application for renewal of license C-4352. Operations to be considered potential sources of airborne radioactivity listed.  
GREENLEE, N.A. Spencer Chemical Co. 62/02/26. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 3pp. 62460:075-62460:077.
- 9207100254** Forwards application for license in name of Kerr-McGee Oil Industries to cover operation of facility & transfer, possession & sale of source matl.  
COBB, G.H. Kerr-McGee Corp. 92/07/03. Atomic Energy Commission (Pre 750119). 1p. 62460:078-62460:086.
- 9207100256** Informs that addl info needed concerning 620703 application for source matl license.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 62/08/21. COBB, G.H. Kerr-McGee Corp. 2pp. 62460:087-62460:127.
- 9207100261** Responds to request for addl info concerning license application discussed during 621128 meeting at Germantown. Answers to questions & addl matl listed.  
LAMBERTUS, H. Kerr-McGee Corp. 62/12/14. NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 3pp. 62460:128-62460:130.



- 9207100262** Informs that addl info needed re 621012 application for SNM license. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/12/18. COBB,G.H. Kerr-McGee Corp. 1p. 62460:131-62460:131.
- 9207100265** Ack receipt of 621218 ltr containing encl stating requirements for issuance of SNM license. LAMBERTUS,H. Kerr-McGee Corp. 63/02/15. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 22pp. 62460:132-62460:153.
- 9207100267** Informs that addl info needed to continue review of 621012 application for SNM license. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 63/03/11. LAMBERTUS,H. Kerr-McGee Corp. 2pp. 62460:154-62460:155.
- 9207100269** Responds to questions raised during 630307 meeting in Germantown. Answers to questions listed. LAMBERTUS,H. Kerr-McGee Corp. 63/03/12. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 9pp. 62460:156-62460:164.
- 9207140191** Responds to 630311 request for addl info re SNM license application. Informs of no liquid sumps, drains or sink traps in process & storage areas. LAMBERTUS,H. Kerr-McGee Corp. 63/03/14. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 2pp. 62460:165-62460:166.
- 9207140193** Discusses U Brady of Region IV 630329 ltr concerning status of license SMB-471. Informs that ltr forwarded to LR Spencer re radiation levels at facility covered by license. DUBINSKI,L. Region 4 (Post 820201). 63/04/10. WALKER,D.I. Region 4 (Post 820201). 1p. 62460:167-62460:167.
- 9207140196** Requests info re status of license SMB-471 which expires on 650331. BRADY,U.L. Region 4 (Post 820201). 63/03/29. CAVANAUGH,R. Region 4 (Post 820201). 1p. 62460:168-62460:169.
- 9207140214** Responds to series of questions posed to H Lambertus on 630405. Confirms that all class 3 shipments of SNM will be made by procedures described on page 14 of 630215 application. LAMBERTUS,H. Kerr-McGee Corp. 63/04/11. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 5pp. 62460:170-62460:173.
- 9207140217** Forwards license SNM-695. PRICE,E.R. Atomic Energy Commission (Pre 750119). 63/04/23. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62460:174-62460:174.
- 9207140218** Informs that license SNM-695 issued on 630423 subj to listed condition. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 63/04/23. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62460:175-62460:175.
- 9207140220** License SNM-695 for Kerr-McGee Industries, Inc authorizing use of listed licensed matl. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 63/04/30. 1p. 62460:176-62460:176.
- 9207140223** Application for amend to license SNM-695 requesting allocation of 10 kgs of contained U, 8.1% enriched as UF<sub>6</sub>. LEADERS,W.M. Kerr-McGee Corp. 63/05/07. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 3pp. 62460:177-62460:179.
- 9207140225** Application for amend to license SMB-664, authorizing use of listed licensed matl. LAMBERTUS,H. Kerr-McGee Corp. 63/09/09. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 2pp. 62460:180-62460:181.
- 9207140238** Amend 1 to license SMB-064 for Kerr-McGee Oil Industries, Inc, adding items 11 & 12 to read as listed. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 63/09/23. 1p. 62460:182-62460:182.
- 9207140244** Application for amend to License SNM-695, to include reduction of high enriched U tetrafluoride to U metal buttons. LAMBERTUS,H. Kerr-McGee Corp. 63/12/06. NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 5pp. 62460:183-62460:187.
- 9207140247** Forwards addl info supporting 631208 application for amend to license SNM-695. WILLSON,F.F. Kerr-McGee Corp. 63/12/13. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 3pp. 62460:188-62460:190.
- 9207140249** Forwards license SNM-695. PRICE,E. Atomic Energy Commission (Pre 750119). 63/12/23. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62460:191-62460:191.
- 9207140257** License SNM-695 for Kerr-McGee Oil Industries, Inc, authorizing use of listed licensed matl. \* Atomic Energy Commission (Pre 750119). 63/12/23. 1p. 62460:192-62460:193.
- 9207140261** Informs that 640108 request for UF<sub>6</sub> for procurement prior to 640331, 9.2 kgs of U-235 contained in 20% enriched U allocated. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/01/13. BUNTA,B.J. Kerr-McGee Corp. 1p. 62460:194-62460:194.
- 9207140265** Requests backup for suppl to application dtd 630422. \* Atomic Energy Commission (Pre 750119). 64/01/16. Atomic Energy Commission (Pre 750119). 1p. 62460:195-62460:195.
- 9207140274** Discusses telcon w/R Chitwood of Kerr-McGee re encl statement. LUBINSKI,L. Atomic Energy Commission (Pre 750119). 64/01/22. Atomic Energy Commission (Pre 750119). 3pp. 62460:196-62460:198.
- 9207140282** Application for amend to license SMB-664 to include possession of up to 2,000 lbs of source matl at Kerr-Gee bldg in Oklahoma City for display purposes. LAMBERTUS,H. Kerr-McGee Corp. 64/01/27. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 62460:199-62460:200.
- 9207150031** Amend 2 to license SMB-664 for Kerr-McGee Oil Industries, Inc, adding listed conditions. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/02/06. 1p. 62460:201-62460:231.
- 9207150036** Forwards notice of violation for Kerr-McGee Industries, Inc, for concurrence. PAGE,R.G. Atomic Energy Commission (Pre 750119). 64/05/07. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p. 62460:232-62460:232.
- 9207150040** Application for amend to License SNM-695, to include five additions & mods involving bldg A-6. LAMBERTUS,H. Kerr-McGee Corp. 64/05/28. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 4pp. 62460:233-62460:236.
- 9207150047** Discusses insp conducted on 640122-24 of activities authorized under licenses SMB-664 & SNM-695. PRICE,E. Atomic Energy Commission (Pre 750119). 64/06/05. LAMBERTUS,H. Kerr-McGee Corp. 3pp. 62460:237-62460:239.
- 9207150057** Responds to 640605 ltr & forwards info re results of insp conducted during Jan 22 & 23 of activities covered under licenses. LAMBERTUS,H. Kerr-McGee Corp. 64/06/23. PRICE Atomic Energy Commission (Pre 750119). 4pp. 62460:240-62460:243.
- 9207150061** Amend 2 to license SNM-695 changing condition 10 to read as listed. PRICE,H.L. Atomic Energy Commission (Pre 750119). 64/07/08. LAMBERTUS,H. Kerr-McGee Corp. 6pp. 62460:244-62460:249.
- 9207150066** Ack receipt of 640623 ltr in response to NRC 640605. PRICE,E.R. Atomic Energy Commission (Pre 750119). 64/07/14. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62460:250-62460:250.
- 9207150080** Application for amend to License SNM-115, requesting approval to ship 25 kg of 93.15% enriched U metal to New York. ELGERT,O.J. American Standard, Inc. 64/08/14. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 62460:251-62460:251.
- 9207150083** Requests investigation of receipt of enriched U by Advanced Technology Labs & proposed shipment to Hicksville, NY for possible noncompliance. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/08/24. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 62460:252-62460:252.
- 9207150086** Discusses 640814 application from Advanced Technology Labs for authorization to ship 25 kg of fully enriched U metal to Hicksville, NY. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/08/24. Atomic Energy Commission (Pre 750119). 1p. 62460:253-62460:253.
- 9207150096** Submits correction to context of last sentence in paragraph one of 640824 memo re receipt of enriched U by Advanced Technology Labs. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/08/28. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 62460:254-62460:254.
- 9207150099** Discusses Advanced Technology Labs request for authorization to ship 25 kgs of enriched U metal from California to New York. LAUTERBACH,K.E. Atomic Energy Commission (Pre 750119). 64/08/28. Atomic Energy Commission (Pre 750119). 1p. 62460:255-62460:255.
- 9207150102** Informs of allocation of 12.6 kgs of U-235 contained in 20% enriched U, per 640825 request. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/09/01. WILLSON,F. Kerr-McGee Corp. 1p. 62460:256-62460:256.
- 9207150154** Submits compliance inquiry memo re Advanced Technology Labs receipt of two shipments of fully enriched U from Kerr-McGee in Cushing, Oklahoma. BOOK,H.E. Atomic Energy Commission (Pre 750119). 64/09/01. Atomic Energy Commission (Pre 750119). 8pp. 62460:257-62460:264.
- 9207150156** Forwards ltrs dtd 640824-28 concerning Advanced Technology Labs. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 64/09/03. Atomic Energy Commission (Pre 750119). 1p. 62460:265-62460:265.
- 9207150161** Discusses 640824 ltr requesting investigation of receipt of SNM by Advanced Technology Labs. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 64/09/03. Atomic Energy Commission (Pre 750119). 2pp. 62460:266-62460:267.
- 9207150169** Requests copy of latest annual financial rept re license SNM-695. LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 64/09/04. Kerr-McGee Corp. 2pp. 62460:268-62460:268.
- 9207150177** Application for amend to License SNM-695 to include use of bldg 31. LAMBERTUS,H. Kerr-McGee Corp. 64/09/14. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 62460:261-62460:262.
- 9207150183** Forwards compliance investigation rept re circumstant of overlimit shipment of U-235 by licensee on 640721. WALKER,D.I. Atomic Energy Commission (Pre 750119). 64/09/24. PAGE,R.G. Atomic Energy Commission (Pre 750119). 10pp. 62460:263-62460:293.
- 9207150184** Discusses insp on 640810-11 & forwards addl items of noncompliance. PRICE,E. Atomic Energy Commission (Pre 750119). 64/10/16. LAMBERTUS,H. Kerr-McGee Corp. 2pp. 62460:294-62460:297.
- 9207150186** Discusses 640815 investigation of activities authorized under license SNM-695 concerning shipment of enriched U to Advanced Technology Labs. PRICE,E. Atomic Energy Commission (Pre 750119). 64/10/19. LAMBERTUS,H. Kerr-McGee Corp. 1p. 62460:298-62460:298.
- 9207150192** Informs that addl info needed concerning 640914 application for amend to license. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/10/27. LAMBERTUS,H. Kerr-McGee Corp. 2pp. 62460:299-62460:300.
- 9207150199** Responds to 640108 request for addl info concerning insp on 640810-11 at facility in Cushing, Oklahoma. LAMBERTUS,H. Kerr-McGee Corp. 64/11/09. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p. 62460:301-62460:301.

## 204 NONDOCKETED ITEMS

- 9207150201 Responds to 641016 ltr re insp conducted on 640810-11 of activities authorized under license SNM-695. Informants that amend to license currently being prepared & will be submitted within 30 days.  
LAMBERTUS, H. Kerr-McGee Corp. 64/11/09. PRICE, E.R. Atomic Energy Commission (Pre 750119). 1p. 62460:302-62460:302.
- 9207150206 Discusses 641019 ltr re investigation on 640914 concerning shipment of enriched U to Advanced Technology Labs on 640721. Corrective actions: extensive retraining program for all supervision provided by licensee.  
LAMBERTUS, H. Kerr-McGee Corp. 64/11/09. PRICE, E.R. Atomic Energy Commission (Pre 750119). 1p. 62460:303-62460:303.
- 9207150208 Ack receipt of 641109 ltr re corrective actions taken concerning NOV dtd 641019.  
PRICE, E.R. Atomic Energy Commission (Pre 750119). 64/11/19. LAMBERTUS, H. Kerr-McGee Corp. 1p. 62460:304-62460:304.
- 9207150210 Ack receipt of 641109 ltr in response to NRC NOV issued on 641018. Informants that operations to be conducted in accordance w/requirements of license pending approval of amend request.  
PRICE, E.R. Atomic Energy Commission (Pre 750119). 64/11/25. LAMBERTUS, H. Kerr-McGee Corp. 1p. 62460:305-62460:305.
- 9207150224 Application for amend to license SNM-695, requesting addl storage arrays & locations at Cushing, Oklahoma facility.  
LAMBERTUS, H. Kerr-McGee Corp. 64/12/30. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 4pp. 62460:306-62460:309.
- 9207150227 Amend 3 to license SNM-695, revising license condition 11 to read as listed.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 65/02/01. 2pp. 62460:310-62460:311.
- 9207150230 Application for amend to licenses SNM-664 & SNM-695, granting exemption from specific requirements of 10CFR20.203.  
LAMBERTUS, H. Kerr-McGee Corp. 65/02/01. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 1p. 62460:312-62460:312.
- 9207150232 Application for amend to license SNM-695, authorizing equipment additions & relocations of operations.  
LAMBERTUS, H. Kerr-McGee Corp. 65/02/12. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 3pp. 62460:313-62460:333.
- 9207150238 Responds to request for addl info concerning 641230 application for amend to license SNM-695. Confirms that limits from Table XIV, K-1019 when applied to aqueous units will be restricted to homogeneous units.  
LAMBERTUS, H. Kerr-McGee Corp. 65/02/18. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 2pp. 62460:334-62460:335.
- 9207150243 Application for amend to License SNM-695, to include addition of scrap dissolving facility & raffinate holding tanks.  
LAMBERTUS, H. Kerr-McGee Corp. 65/02/25. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 4pp. 62460:336-62460:339.
- 9207150249 Forwards rept & transmittal memo of insp conducted of facility on 650126-27, for appropriate enforcement action.  
DUBINSKI, L. Atomic Energy Commission (Pre 750119). 65/03/02. PRICE, E.R. Atomic Energy Commission (Pre 750119). 2pp. 62460:340-62460:341.
- 9207150254 Amends 3 & 4 to licenses SNM-664 & SNM-695, authorizing use of listed licensed matl.  
NUSSBAUMER, H. Atomic Energy Commission (Pre 750119). SNM-0695 A 04. 65/03/17. LAMBERTUS, H. Kerr-McGee Corp. 1p. 62460:342-62460:351.
- 9207150259 Discusses telcon w/Dubinski concerning insp of licenses SNM-664 & SNM-695.  
WALKER, D.I. Atomic Energy Commission (Pre 750119). 65/04/12. Atomic Energy Commission (Pre 750119). 2pp. 62460:352-62460:357.
- 9207150266 Submits compliance inquiry memo re Region IV being notified on 650412 of possible incident at Kerr-McGee Oil Industries plant at Cushing, Oklahoma.  
SANDEL, P.S. Atomic Energy Commission (Pre 750119). 65/04/14. Atomic Energy Commission (Pre 750119). 2pp. 62460:358-62461:002.
- 9207150271 Submits info on equipment ventilation & health-safety evaluations for processing thorium matl at licensed facility in Cushing, Oklahoma.  
LAMBERTUS, H. Kerr-McGee Corp. 65/04/21. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 2pp. 62461:003-62461:005.
- 9207150273 Forwards insp notes to file covering criticality control insp of licensee Cushing plant, for filing. No items of noncompliance or unsafe practices observed in course of insp.  
CROCKER, H.W. Atomic Energy Commission (Pre 750119). 65/05/26. WALKER, D.I. Atomic Energy Commission (Pre 750119). 4pp. 62461:006-62461:009.
- 9207150276 Safety insp on 650521 of license SNM-695. Insp findings: no items of non-compliance noted.  
CROCKER, H.W. Atomic Energy Commission (Pre 750119). \* Kerr-McGee Corp. 65/05/21. 13pp. 62461:010-62461:022.
- 9207150281 Forwards TWX from Region IV reporting explosion involving natural thorium at licensee facility, for info.  
ROEDER, J.R. Atomic Energy Commission (Pre 750119). 65/06/25. PAGE, R.G. Atomic Energy Commission (Pre 750119). 1p. 62461:023-62461:023.
- 9207150284 Amend 4 to license SNM-664, to include date of 650421 & to delete items 10 & 12.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 65/06/29. LAMBERTUS, H. Kerr-McGee Corp. 1p. 62461:024-62461:024.
- 9207150288 Forwards investigation rept of fire & rapid oxidation at licensee facility in Cushing, Oklahoma facility.  
WALKER, D.I. Atomic Energy Commission (Pre 750119). 65/07/09. DUBINSKI, L. Atomic Energy Commission (Pre 750119). 3pp. 62461:025-62461:046.
- 9207150299 Forwards drawing MPU-208 submitted w/650421 ltr & determined unnecessary for review.  
HARMON, D.F. Atomic Energy Commission (Pre 750119). 65/07/15. LAMBERTUS, H. Kerr-McGee Corp. 1p. 62461:047-62461:049.
- 9207150310 Expresses apology for being in meeting during recipient visit. Requests meeting on 650910.  
LAMBERTUS, H. Kerr-McGee Corp. 65/09/01. WALKER, D. Atomic Energy Commission (Pre 750119). 1p. 62461:050-62461:051.
- 9207150311 Forwards calculation of body burden for thorium, per request.  
SHOUP, C.S. Atomic Energy Commission (Pre 750119). 65/09/03. WALKER, D.L. Atomic Energy Commission (Pre 750119). 4pp. 62461:052-62461:055.
- 9207160116 Discusses 650412 memo & telcon w/J Roeder concerning State of Oklahoma personnel participation in next insp of licenses SNM-664 & SNM-695.  
WALKER, D.I. Atomic Energy Commission (Pre 750119). 65/09/03. Atomic Energy Commission (Pre 750119). 1p. 62461:056-62461:063.
- 9207160126 Forwards Kerr-McGee rept for review of Chapter VII, "Insp Repts," pages 4, 5 & 6 to clarify points discussed.  
BROWN, G.D. Atomic Energy Commission (Pre 750119). 65/09/27. CROCKER, H.W. Atomic Energy Commission (Pre 750119). 1p. 62461:064-62461:073.
- 9207160132 Provides info re 650908 insp at licensee facilities in Cushing, Oklahoma. Licensee believes that past fast reaction problems in process were due to thorium-oxygen reaction.  
CROCKER, H.W. Region 3 (Post 820201). 65/10/01. CHITWOOD, R.B. Atomic Energy Commission (Pre 750119). 2pp. 62461:074-62461:075.
- 9207160138 Compliance insp rept on 650908-10. Noncompliance noted: surveys made during & following fire & explosion on 650623 were inadequate to determine that individuals were not exposed to excess concentrations.  
SANDEL, P.S., WOOLSEY, R.T. Atomic Energy Commission (Pre 750119). 65/09/30. 1p. 62461:076-62461:088.
- 9207160144 Forwards Kerr-McGee criticality prevention program to be attached as Exhibit A to rept submitted on 651001.  
WOOLSEY, R.T. Atomic Energy Commission (Pre 750119). 65/10/04. Atomic Energy Commission (Pre 750119). 4pp. 62461:089-62461:094.
- 9207160150 Forwards rept of insp dtd 650930, for info.  
DUBINSKI, L. Atomic Energy Commission (Pre 750119). 65/10/06. MCBRIDE, J.A. Atomic Energy Commission (Pre 750119). 1p. 62461:095-62461:095.
- 9207160153 Informs that license SMB-664 expires on 651130. Application for renewal requested if licensee desires to continue program using source matl.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 65/10/08. LAMBERTUS, H. Kerr-McGee Corp. 1p. 62461:096-62461:098.
- 9207160160 Forwards rept of health physics aspects of preclicense visit of 651019. Informs of little progress being made in resolving questions raised as result of two previous preclicense insps.  
BROWN, G.D. Atomic Energy Commission (Pre 750119). 65/10/22. CROCKER, H.W. Atomic Energy Commission (Pre 750119). 1p. 62461:099-62461:099.
- 9207160166 Forwards reinspection rept for licenses SMB-664 & SNM-695, for appropriate enforcement action.  
WALKER, D.I. Atomic Energy Commission (Pre 750119). 65/10/22. DUBINSKI, L. Atomic Energy Commission (Pre 750119). 5pp. 62461:100-62461:107.
- 9207160198 Application for renewal of license SMB-664 for facility at Cushing, Oklahoma.  
LAMBERTUS, H. Kerr-McGee Corp. 65/10/22. NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 1p. 62461:108-62461:112.
- 9207160206 Discusses 651022 NOV forwarded to licensee citing company for non-compliance w/10CFR20.201 for failure to determine adequately extent of employee exposure to concentration of thorium.  
DUBINSKI, L. Atomic Energy Commission (Pre 750119). 65/11/22. PAGE, R.G. Atomic Energy Commission (Pre 750119). 3pp. 62461:113-62461:115.
- 9207160209 Discusses 651022 application for renewal of license SMB-664.  
HARMON, D.F. Atomic Energy Commission (Pre 750119). 65/11/24. LAMBERTUS, H. Kerr-McGee Corp. 1p. 62461:116-62461:117.
- 9207160224 Provides continuation to 651110 ltr re investigation into finding more meaningful survey concerning exposure to personnel at Oak Ridge.  
LAMBERTUS, H. Kerr-McGee Corp. 65/12/20. PRICE, E.R. Atomic Energy Commission (Pre 750119). 3pp. 62461:118-62461:120.
- 9207160230 Discusses 651217 telcon w/P Sandel re results of insp of Kerr-McGee Oil Industries, Inc.  
ROEDER, J.R. Atomic Energy Commission (Pre 750119). 65/12/21. Atomic Energy Commission (Pre 750119). 2pp. 62461:121-62461:122.
- 9207160235 Discusses 660103 telcon w/G Brown to further clarify info on Kerr-McGee taking bioassay samples from employees involved in thorium explosion on 650623.  
DUBINSKI, L. Atomic Energy Commission (Pre 750119). 66/01/04. Atomic Energy Commission (Pre 750119). 1p. 62461:123-62461:140.
- 9207160247 Investigation rept re explosion in fatality that occurred during dissolving of thorium scrap matl w/nitric acid. Caused by evolution & ignition of hydrogen gas. No radioactive matl released outside plant.  
WALKER, D.I. Atomic Energy Commission (Pre 750119). 66/02/07. 4pp. 62461:141-62461:144.
- 9207160252 Investigation rept re explosion resulting in fatality at facility. Cause of explosion believed to be from evolution & ignition of hydrogen gas.  
\* Atomic Energy Commission (Pre 750119). 66/02/07. 2pp. 62461:145-62461:149.
- 9207160258 Discusses telcon & forwards survey article written by D Smith of Operational Safety covering fast metal reactions.  
YOUNGBLOOD, B. Atomic Energy Commission (Pre 750119). 66/02/28. BROWN, G.D. Atomic Energy Commission (Pre 750119). 1p. 62461:150-62461:248.
- 9207160263 Forwards data from measurements made in Y-12 In Vivo facility on 660204 re Kerr-McGee employees.  
KELLER, C.A. Atomic Energy Commission (Pre 750119). 66/03/08. LAMBERTUS, H. Kerr-McGee Corp. 1p. 62461:249-62461:249.

- 9207160266 Forwards investigation rept re recent explosion at licensee facility in Cushing, Oklahoma.  
ROEDER, J.R. Atomic Energy Commission (Pre 750119). 66/03/09. PAGE, R.G. Atomic Energy Commission (Pre 750119). 1p. 62461:250-62461:250.
- 9207160269 Forwards investigation rept concerning explosion at licensee facility in Cushing, Oklahoma.  
ROEDER, J.R. Atomic Energy Commission (Pre 750119). 66/03/10. JOHNSON, L. Atomic Energy Commission (Pre 750119). 1p. 62461:251-62461:251.
- 9207160279 Ack receipt of 660303 ltr informing NRC of explosion which occurred in Cushing, Oklahoma plant on 660207.  
PRICE, E. Atomic Energy Commission (Pre 750119). 66/03/10. WULLER, G.E. Kerr-McGee Corp. 1p. 62461:252-62461:253.
- 9207160287 Forwards investigation rept dtd 660307 re explosion that occurred at licensee facility in Cushing, Oklahoma.  
ROEDER, J.R. Atomic Energy Commission (Pre 750119). 66/03/10. KLEY, G. Atomic Energy Commission (Pre 750119). 1p. 62461:254-62461:254.
- 9207160289 Forwards addendum to investigation rept re Kerr-McGee facility in Oklahoma City, Oklahoma.  
WALKER, D.I. Atomic Energy Commission (Pre 750119). 66/03/11. DUBINSKI, L. Atomic Energy Commission (Pre 750119). 1p. 62461:255-62461:255.
- 9207160292 Informs that NRC will not correspond w/Kerr-McGee concerning investigation. Believes that no enforcement action appears appropriate.  
HANDLER, E. Atomic Energy Commission (Pre 750119). 66/03/14. Atomic Energy Commission (Pre 750119). 1p. 62461:256-62461:256.
- 9207160293 Expresses appreciation for excellent cooperation in promptly providing requested Kerr-McGee samples.  
WALKER, D.I. Atomic Energy Commission (Pre 750119). 66/03/18. SILL, C.W. Atomic Energy Commission (Pre 750119). 1p. 62461:257-62461:258.
- 9207160295 Forwards results of analyses performed on samples obtained in connection w/dissolver explosion.  
BROWN, G.D. Atomic Energy Commission (Pre 750119). 66/04/29. WULLER, G. Atomic Energy Commission (Pre 750119). 3pp. 62461:259-62461:261.
- 9207160298 Partially deleted memo re 660524 ltr concerning possible loss of bottle of partially processed enriched U scrap matl at Kerr-McGee Corp, Cimarron facility, Guthrie, OK.  
GEORGE, D.E. Atomic Energy Commission (Pre 750119). 66/05/26. HOLLINGS-WORTH Atomic Energy Commission (Pre 750119). 3pp. 62461:262-62461:273.
- 9207160303 Forwards addendum to 660307 investigation rept concerning explosion at Kerr-McGee facility in Oklahoma City, OK.  
WALKER, D.I. Atomic Energy Commission (Pre 750119). 66/06/24. DUBINSKI, L. Atomic Energy Commission (Pre 750119). 30pp. 62461:274-62461:335.
- 9207160310 Discusses licensee 660908 shipment of special nuclear matl from Oak Ridge.  
CHITWOOD, R.B. Atomic Energy Commission (Pre 750119). 66/09/10. Atomic Energy Commission (Pre 750119). 1p. 62461:336-62461:336.
- 9207160313 Discusses review of 660207 investigation rept concerning explosion at Kerr-McGee.  
NUSSBAUMER, D. Atomic Energy Commission (Pre 750119). 66/10/03. DUBINSKI, L. Atomic Energy Commission (Pre 750119). 2pp. 62461:338-62461:339.
- 9207160318 Requests detailed or later info re cause of hydrogen explosion that occurred 660207 in thorium processing area of Kerr-McGee plant at Cushing, OK.  
CLUKEY, H.V. General Electric Co. 66/10/10. Atomic Energy Commission (Pre 750119). 1p. 62461:340-62461:340.
- 9207160320 Discusses telcon w/RT Zitting of Kerr-McGee concerning value of Eberline film badges.  
FAULKNER, R.L. Atomic Energy Commission (Pre 750119). 67/05/12. Atomic Energy Commission (Pre 750119). 1p. 62461:341-62461:341.
- 9207160323 Provides allocation for 10 kgs of U-235 enriched as UF6 for procurement prior to 630630.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 63/05/20. LEEDERS, W. Kerr-McGee Corp. 1p. 62461:342-62461:342.
- 9207160329 Discusses review of 660706 closeout insp at Kerr-McGee facility in Cushing, Oklahoma.  
FISHER, W.L. Atomic Energy Commission (Pre 750119). 69/11/17. BEACH, A.B. Atomic Energy Commission (Pre 750119). 15pp. 62461:343-62461:358.
- 9207160336 Partially deleted amends to licenses SMB-684, SMA-826, SNM-695 & SNM-928 to reflect name change of Kerr-McGee Oil Industries, Inc to Kerr-McGee Corp. W/26 oversize drawings.  
NUSSBAUMER, D.A. Atomic Energy Commission (Pre 750119). 90/02/16. 243pp. 62461:359-62462:271.
- 9207090239 FOIA request for non-proprietary portion of Data General proposal for RFP RS-IRM-91-198, "Data General Maint."  
SCOTT, H. Grumman Data Systems Corp. 91/09/20. HARDZOG, R. NRC - No Detailed Affiliation Given. 1p. 62271:297-62271:297.
- 9207090241 Final response to FOIA request for info. Nonproprietary version of proposal encl & being made available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/01. SCOTT, H. Grumman Data Systems Corp. 1p. 62271:298-62271:334.
- 9207090251 Nonproprietary version of "Technical & Mgt Proposal."  
\* Data General Corp. RS-IRM-91-198. 91/11/01. 36pp. 62271:299-62271:334.
- 9207090249 FOIA request for documents not previously released re petition of Oregon & Washington, noted in FR on 901217, for rulemaking on classification of high level radwaste at DOE facilities.  
FACAROS, N. Affiliation Not Assigned. 91/10/07. Division of Freedom of Information & Publications Services (Post 890205). 2pp. 62314:241-62314:244.
- 9207090258 FOIA request for documents re petition of Oregon & Washington for rulemaking on classification of high level radwaste at DOE facilities.  
FACAROS, N. Affiliation Not Assigned. 91/03/26. Division of Freedom of Information & Publications Services (Post 890205). 2pp. 62314:243-62314:244.
- 9207100032 Partial response to FOIA request for documents not previously released & re petition of Oregon & Washington for rulemaking on classification of high level radwaste at DOE facilities. App A & B documents available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/31. FACAROS, N. Affiliation Not Assigned. 6pp. 62314:245-62314:308.
- 9207100052 Forwards eleven comments & two related documents received in response to notice of petition for rulemaking (PRM-60-4). Comment period expired 910318.  
MEYER, D.L. Regulatory Publications Branch. 91/04/12. HUSSEMAN, T. Washington, State of. 1p. 62314:251-62314:308.
- 9207100059 Final response to FOIA request for documents re SECY-90-318. Forwards releasable portion of app A document. Portions of record withheld (ref FOIA Exemption 5).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/31. SHINKLE, P. Baton Rouge, LA. 2pp. 62314:310-62314:327.
- 9207100069 FOIA request for documents re SECY-90-318, "Low Level Radwaste Policy Amend Act Title Transfer & Possession Provisions."  
SHINKLE, P. Baton Rouge, LA. 91/10/11. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62314:309-62314:309.
- 9207100119 Final response to FOIA request for info re incident of 910811. App A records encl & being made available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/01. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 1p. 62427:195-62427:200.
- 9207100123 FOIA request for documents re incident of 910811.  
CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 91/10/15. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 2pp. 62427:193-62427:194.
- 9207100196 FOIA request for documents re proposal RS-PER-91-323 including detailed supporting schedules substantiating bid & contract.  
FRIED, M. Child Care Group. RS-PER-91-323. 91/10/02. GRIMSLEY, D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62325:252-62325:252.
- 9207100217 Final response to FOIA request for documents re proposal RS-PER-91-323 including detailed supporting schedules substantiating bid & contract. Nonproprietary version encl per 911105 telcon & being made available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). RS-PER-91-323. 91/11/05. FRIED, M. Child Care Group. 1p. 62325:253-62325:339.
- 9207100308 Forwards partially withheld contract pricing proposal cover sheet & amended submissions re solicitation number.  
BYRNE, A.H. Child Care Group. RS-PER-91-323. 91/09/05. BAZIN, J. Division of Contracts & Property Management (Post 890205). 1p. 62325:254-62325:254.
- 9207100321 Partially withheld contract pricing proposal cover sheet.  
BYRNE, A.H. Child Care Group. RS-PER-91-323. 91/05/21. 4pp. 62325:255-62325:258.
- 9207100326 Partially withheld contract pricing proposal cover sheet.  
BYRNE, A.H. Child Care Group. RS-PER-91-323. 91/01/15. 80pp. 62325:259-62325:339.
- 9207100218 FOIA request for current listing of all firms w/active NRC contracts.  
GRAY, R.E. Interex Corp. 91/10/17. GRIMSLEY, D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62314:328-62314:328.
- 9207100307 Final response to FOIA request for current listing of all firms w/active contracts within NRC. Records identified in app A are already available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/05. GRAY, R.E. Interex Corp. 2pp. 62314:329-62314:330.
- 9207140208 FOIA request for documents re incident of radiation exposure on 901112 which was investigated by Region 4 Investigator R Kirspe.  
WALZEL, M.R. Weller, Wheelus & Green. 91/10/03. HARDZOG, R. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62403:307-62403:307.
- 9207140211 Partial response to FOIA request for documents. App A & B records encl & being made available in PDR. Portions of app B withheld (ref FOIA exemption 6 & 7) & app C records completely withheld (ref FOIA exemption 5).  
\* Division of Freedom of Information & Publications Services (Post 890205). 91/11/05. WALZEL, M.R. Weller, Wheelus & Green. 5pp. 62403:308-62403:334.
- 9207140216 Documents response to/status of request for investigation.  
DRISKILL, D.D. Region 4 (Post 820201). 90/12/13. MARTIN, R.D. Region 4 (Post 820201). 1p. 62403:313-62403:314.
- 9207140269 Investigation rept 4-90-016. No noncompliance noted. Major areas investigated: suspected deliberate violation of NRC regulations.  
\* Region 4 (Post 820201). 90/12/05. 2pp. 62403:315-62403:315.
- 9207140277 Forwards Investigation Rept 4-90-016 re licensee radiographers failure to supervise assistant radiographer during radiographic exposures.  
HAYES, B.B. Ofc of Enforcement (Post 870413). 91/05/09. REYNOLDS, J.S. Justice, Dept. of. App. 62403:316-62403:319.
- 9207140284 Forwards Rept of Investigation re licensee suspected deliberate violation of NRC regulations (Case No 4-90-016).  
HAYES, B.B. Ofc of Enforcement (Post 870413). 91/05/09. MARTIN, R.D. Region 4 (Post 820201). 2pp. 62403:320-62403:321.
- 9207140289 Partially released declination of prosecution re licensee suspected of deliberate violation of NRC regulations. Details withheld.  
DRISKILL, D.D. Region 4 (Post 820201). 91/08/07. MARTIN, R.D. Region 4 (Post 820201). 13pp. 62403:322-62403:334.

## 206 NONDOCKETED ITEMS

- 9207140281** Partial response to FOIA request re investigation of Zack Co done by NRC App E records encl & are being made available in PDR App D records already available in PDR App F records withheld in entirety (ref FOIA Exemption 6 & 7). GRIMSLEY, D.H. Division of Information Resources Management (Post 890205). 91/10/30. ZACK, C. Zack Co. 26pp. 62383:190-62384:039.
- 9207140310** Rev 0 to QAP-118.05F01, "QA Surveillance Plan & Rept."  
\* Illinois Power Co. Y-14200. 82/06/23. 11pp. 62383:210-62383:226.
- 9207140313** Inquiry rept 3-82-025 re alleged improper/unauthorized destruction of Zack Co records at plant.  
WEIL, C.H., FOSTER, J.E. Region 3 (Post 820201). 82/11/26. 5pp. 62383:227-62383:231.
- 9207140315** "Zack Co Procedure For: Site Document Control, CB-FQCP, Rev 8."  
\* Zack Co. 81/11/19. 57pp. 62383:232-62383:268.
- 9207140320** Forwards OI rept of investigation on Zack Co alleged improper alteration of QA records. Expresses view that alleged concerns were substantiated.  
HAYES, B.B. Office of Investigations (Pre 880201). 83/05/25. KEPPLER, J.G. Region 3 (Post 820201). 2pp. 62383:289-62383:290.
- 9207150056** Forwards OI rept 3-82-025 re falsification of QA documents by Zack Co, which involves plant as well as other facilities. Anticipates release of second rept 3-82-061 re violation of ASLB order at plant in near future.  
HAYES, B.B. Office of Investigations (Pre 880201). 83/06/02. GILINSKY, Commissioners (Post 750119). 1p. 62383:291-62383:291.
- 9207150072** Inquiry rept Q3-83-003 re CPC plant, allegations of QA & HVAC contractor questionable activity.  
FOSTER, W.E., PAWLIK, E.T. Region 3 (Post 820201). 83/06/13. 2pp. 62383:292-62383:295.
- 9207150079** Inquiry rept Q3-83-005 re CPC plant, allegations of QA programs & HVAC contractor questionable activity. Informs that allegations presented in Q3-83-005 under purview of Region III & not OI issues. Case Q3-83-005 closed.  
FROST, W.E., PAWLIK, E.T. Region 3 (Post 820201). 93/06/23. 5pp. 62383:296-62383:300.
- 9207150095** Forwards correspondence recently received by OI Region III indicating that US Attorney Ofc for Northern district of IL, has declined prosecution on NRC OI:RII Case 3-82-025 (Zack Co) w/o encl.  
PAWLIK, E.T. Region 3 (Post 820201). 86/01/30. KEPPLER, J.G. Region 3 (Post 820201). 1p. 62383:301-62383:301.
- 9207150100** Forwards reformatted memo requesting OI to initiate investigation into alleged employment discrimination by Zack Co, per 870218 request.  
DAVIS, A.B. Region 3 (Post 820201). 87/03/10. STAROSTECKI, R. NRC - No Detailed Affiliation Given. 1p. 62383:302-62383:302.
- 9207150103** Requests investigation of info received by Region III in May 1982 that alleged employment w/Zack Co was involuntarily terminated after individual notified CPC of deficiencies involving Zack Co work at plants.  
DAVIS, A.B. Region 3 (Post 820201). 87/03/10. PAWLIK, E.T. Region 3 (Post 820201). 2pp. 62383:303-62383:304.
- 9207150117** Informs that on 870320, Region III Field OI administratively closed fourteen investigations due to lack of investigatory resources. Lists actions that should be pursued, including that no field insp effort should be expended.  
GROBE, J.A. Region 3 (Post 820201). 87/05/05. NORELIUS, C.E., HIND, J.A., CHRISSOTIMOS, N. Region 3 (Post 820201). 2pp. 62383:305-62383:306.
- 9207150122** Partially withheld memo re discussion w/Ofc of Enforcement about administrative closure of certain OI cases. Lists categories developed as reasons for closure, including lack of specificity in original &/or subsequent info.  
WEIL, C.H. Region 3 (Post 820201). 88/07/15. GROBE, J.A. Region 3 (Post 820201). 92pp. 62383:307-62384:039.
- 9207140300** FOIA request for documents re 810909 memo from NRC to F Rhodes re in-service testing (ASME section 11).  
WILLIAMS, O.G. JRA Associates. OGW-91-129. 91/10/11. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62383:185-62383:185.
- 9207140307** Final response to FOIA request for documents re 810909 memo from NRC to F Rhodes re in-service testing (ASME Code 11). App A records encl & are being made available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/06. WILLIAMS, D. JRB Associates. 2pp. 62383:186-62383:189.
- 9207140309** Requests that ASME operations & maint committee revise requirements to ensure ability of certain pumps & valves to perform hydraulic & mechanical safety functions.  
RICHARDSON, J.E. Division of Engineering Technology (Post 890827). GL-89-04. 91/09/09. RHODES, F.T. Wolf Creek Nuclear Operating Corp. 2pp. 62383:188-62383:189.
- 9207150087** FOIA request for all diagnostic misadministration repts filed by Cleveland Clinic Foundation in Cleveland, OH for insp &/or photocopying.  
DAVIS, D. Plain Dealer, Cleveland, OH. 91/10/18. GRIMSLEY, D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62546:001-62546:001.
- 9207150092** Partial response to FOIA request for documents. App C records are already available in PDR. Records in app D encl & being made available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/07. FACAROS, N. Affiliation Not Assigned. 78pp. 62381:143-62382:019.
- 8901080278** Submits comments on proposed approach for classifying double shell slurry feed waste at Hanford facility presented at 880922 meeting. Disregarding of individual waste streams only when stream constitutes minimal fraction recommended.  
BELL, M.J. Regulatory Branch (870413-901229). 88/11/29. GERTON, R.E. Energy, Dept. of. 3pp. 62381:308-62381:311.
- 9207150104** Comments on disposal of wastes contaminated w/transuranic radionuclides in Part 61 waste classification sys & requests meeting.  
KNAPP, M.R. Division of Low-Level Waste Management & Decommissioning (Post 870413). 87/08/18. BIXBY, W.W. Energy, Dept. of, Idaho Operations Office. 2pp. 62381:233-62381:234.
- 9207150109** Forwards "Talking Points on Washington Petition for Rulemaking" prepared by J Wolf for 910521 meeting.  
YOUNGBLOOD, B.J. NRC - No Detailed Affiliation Given. 91/05/20. BERNERO, R., BANGART, R., CUNNINGHAM, R. NRC - No Detailed Affiliation Given. 11pp. 62381:235-62381:308.
- 9207150121** Notification of 910521 meeting w/recipients to discuss public comments to petition, NRC legal authority over Hanford tank waste & possible need for NRC action. Public comments from FR notice of petition encl.  
ALTMARE, P. NRC - No Detailed Affiliation Given. 91/05/21. YOUNGBLOOD, J., LINEHAN, J., HOLONICH, J. NRC - No Detailed Affiliation Given. 1p. 62381:312-62381:312.
- 9207150128** Forwards public comments responding to FR notice of Hanford waste rulemaking petition.  
ALTMARE, P. NRC - No Detailed Affiliation Given. 91/05/21. BERNERO, R., BANGART, R., CUNNINGHAM, R. NRC - No Detailed Affiliation Given. 52pp. 62381:313-62382:003.
- 9207150134** Notices of 910925-26 meeting in Washington DC to review planned DOE Disposal of Radwaste in single-shell tanks at Hanford.  
ANDREWS, R.S. National Research Council. 91/09/04. GLENN, C. NRC - No Detailed Affiliation Given. 2pp. 62382:004-62382:005.
- 9207150140** Forwards description of process for classification of DOE reprocessing wastes. Suggests that C Glenn & J Wolf review description to ensure its accuracy.  
FERINGER, D. NRC - No Detailed Affiliation Given. 91/05/29. PRICHARD, C. NRC - No Detailed Affiliation Given. 14pp. 62382:006-62382:019.
- 9207150108** Final response to FOIA request for all diagnostic misadministration repts filed by Cleveland Clinic Foundation in Cleveland, OH. App A documents being made available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/04. DAVIS, D. Plain Dealer, Cleveland, OH. 2pp. 62546:002-62546:068.
- 8204050127** Informs of 820317 misadministration of radiopharm. Patient injected w/500 uCi Yb-169 DTPA instead of 500 uCi. Dose inadequate for cisternography exam & will have to be repeated.  
COOK, S.A. Cleveland Clinic Foundation, Cleveland, OH. 82/03/24. COOPER, J. Region 3 (Post 820201). 1p. 62546:006-62546:036.
- 9207160301** Informs of 801216 misadministration of radiopharm. Patient inadvertently injected w/portion of bone scan dose, namely 7 mCi of Tc-99m metidronate, instead of liver scan. No ill effects noted. Adequate study obtained.  
COOK, S.A. Cleveland Clinic Foundation, Cleveland, OH. 81/01/05. COOPER, J. Region III, IE (720101-810228). 1p. 62546:004-62546:004.
- 9207160327** Informs of 810522 misadministration of radiopharm. Patient inadvertently injected Tc-99m sulfur colloid. Bone scan done following day & revealed source of pain. Technologist involved admonished to check patient name w/isotope.  
COOK, S.A. Cleveland Clinic Foundation, Cleveland, OH. 81/05/27. COOPER, J. Region 3, Ofc of the Director (810301-820201). 1p. 62546:005-62546:005.
- 9207210265** Informs of misadministration of radiopharms. Patient incorrectly administered 250 uCi Tc-99m for renal scan instead of 12 mCi Tc-99m DTPA. Caused by failure to make positive identification of radiopharm.  
ARON, S.J. Cleveland Clinic Foundation, Cleveland, OH. 86/10/07. Region 3 (Post 820201). 1p. 62546:037-62546:037.
- 9207210279** Informs of misadministration of radiopharms. Patient injected w/Tc-99m sodium pertechnetate rather than Tc-99m DTPA. Caused by technologist error. On 861118, dose infiltrated through closed peripheral line. Lines rechecked.  
ARON, S.J. Cleveland Clinic Foundation, Cleveland, OH. 87/01/08. Region 3 (Post 820201). 3pp. 62546:038-62546:040.
- 9207210300** Informs of 970828 misadministration of radiopharm. Patient received 0.56 mCi Tc-99m instrument calibrator source labeled "Not for Human Use." Caused by personnel error. Technologist cautioned to recheck labels before injecting.  
ARON, S.J. Cleveland Clinic Foundation, Cleveland, OH. 87/08/03. Office of Nuclear Material Safety & Safeguards. 3pp. 62546:041-62546:043.
- 9207210316** Informs of 880517 misadministration of radiopharm. Patient injected w/11.5 mCi Tc-99m DTPA for renal scan. Caused by misunderstanding of referring physician request & not checking requisition. Personnel reprimanded.  
ARON, S.J. Cleveland Clinic Foundation, Cleveland, OH. 88/05/20. WIEDEMAN, D. Region 3 (Post 820201). 2pp. 62546:044-62546:045.
- 9207230063** Informs of 880524 misadministration of radiopharm. Patient injected w/.611 mCi Tc-99m instead of 12 mCi Tc-99m DTPA for renal scan. Caused by personnel selecting wrong syringe from dosage cart. Personnel reprimanded.  
ARON, S.J. Cleveland Clinic Foundation, Cleveland, OH. 88/06/13. WIEDEMAN, D. Region 3 (Post 820201). 2pp. 62546:047-62546:048.
- 9207230114** Informs of 880721 misadministration of radiopharm. Patient injected w/20 mCi Tc-99m instead of Tc-99m MDP. Caused by failure to read label & selection of wrong syringe. Personnel reprimanded.  
ARON, S.J. Cleveland Clinic Foundation, Cleveland, OH. 88/07/28. WIEDEMAN, D. Region 3 (Post 820201). 2pp. 62546:049-62546:050.
- 9207230127** Informs of 900821 misadministration of radiopharm. Patient given 1 mCi Tc-99m sulfur colloid instead of 5 mCi Tc-99m disofenin. Caused by personnel misunderstanding physicians request. Personnel reprimanded.  
ARON, S.J. Cleveland Clinic Foundation, Cleveland, OH. 90/08/23. Region 3 (Post 820201). 2pp. 62546:051-62546:052.
- 9207230133** Informs of 901109 misadministration of radiopharm. Patient injected w/10.3 mCi Tc-99m DTPA. Caused by personnel error.  
ARON, S.J. Cleveland Clinic Foundation, Cleveland, OH. 90/11/19. MATSON, E. Region 3 (Post 820201). 2pp. 62546:053-62546:054.
- 9207230141** Informs of 910211 misadministration of radiopharm. Patient given .015 mCi Inal-131 instead of .10 mCi Inal-131. Imaging Technologist misunderstood physicians request. Signed worksheet will be attached to pick isotope request.  
ARON, S.J. Cleveland Clinic Foundation, Cleveland, OH. 91/02/18. Region 3 (Post 820201). 2pp. 62546:055-62546:056.

- 9207230204** Informs of 910412 misadministration of radiopharm. Employee received extremity exposure during 1st quarter of 1991. Caused by use of position emitting radioisotopes for care of nuclear medicine patients.  
ARON, S.J. Cleveland Clinic Foundation, Cleveland, OH. 91/04/15. SIMMONS, T. Region 3 (Post 820201). 2pp. 62546:057-62546:058.
- 9207230208** Informs of 910414 misadministration of radiopharm. Dose miscalculation for endobronchial application discovered. Incorrect calculation form put in practice in 1988. Physicist responsible never revised forms & left dept.  
ARON, S.J. Cleveland Clinic Foundation, Cleveland, OH. 91/04/26. SIMMONS, T. Region 3 (Post 820201). 5pp. 62546:059-62546:063.
- 9207230215** Forwards two repts of misadministration of radiopharm on 910727 & 28.  
SAHA, G. Cleveland Clinic Foundation, Cleveland, OH. 91/07/31. Region 3 (Post 820201). 1p. 62546:064-62546:064.
- 9207230231** Informs of 910727 misadministration of radiopharm. Patient given 30 mCi Tc-99m PYP for lung vent study instead of 30 mCi DTPA. Reconstituted wrong reagent kit. Implemented new procedures for labeling & handling.  
\* Cleveland Clinic Foundation, Cleveland, OH. 91/07/29. Region 3 (Post 820201). 1p. 62546:065-62546:065.
- 9207230257** Informs of 910728 misadministration of radiopharm. Patient given 30 mCi Tc-99m PYP for lung vent study instead of 30 mCi DTPA. Reconstituted wrong reagent kit. Implemented new procedures for labeling & handling.  
\* Cleveland Clinic Foundation, Cleveland, OH. 91/07/29. Region 3 (Post 820201). 1p. 62546:066-62546:066.
- 9207230267** Informs of 910629 misadministration of radiopharm. Wrong patient given 21.2 mCi Tc-99m MDP instead of 10.0 mCi Tc-99m Mag-3. Caused by Technologist error. Procedures implemented for verification of patient identification.  
ARON, S.J. Cleveland Clinic Foundation, Cleveland, OH. 91/07/02. Region 3 (Post 820201). 2pp. 62546:067-62546:068.
- 9207150297** FOIA request for documents re American Scitec Inc registration of smoke detectors.  
FAGERSTAL, D.H. Homeguard, Inc. 91/09/28. LAMASTER, M. NRC - No Detailed Affiliation Given. 1p. 62425:001-62425:001.
- 9207160075** Final response to FOIA request for documents re American Scitec Inc registration of smoke detectors. Forwards documents listed in App A, which are being made available in PDR.  
GRIMSLEY, D.H. Office of Information Resources Management (Post 890205). 91/11/04. FAGERSTAL, D.H. Homeguard, Inc. 12pp. 62425:002-62425:347.
- 8410090318** Amend 2 to License 04-21357-01E for American Scitec, Inc., authorizing distribution of smoke detector devices containing Am-241, per 840315 ltr.  
HICKEY, J.W. Materials Licensing Branch. 84/09/25. 2pp. 62425:199-62425:200.
- 8410090322** Forwards Model 168102 smoke detector housing dimension & assembly drawings, per 840328 commitment. Status of amend requested.  
LUDT, R.R. American Scitec, Inc. 17320. 84/06/21. HICKEY, J. Materials Licensing Branch. 6pp. 62425:191-62425:196.
- 8410090326** Addendum to 840315 application for amend to License 04-21357-01E, reflecting assignment of listed models to listed businesses.  
CARTER, H.E. American Scitec, Inc. 84/07/01. HICKEY, J. Materials Licensing Branch. 2pp. 62425:197-62425:198.
- 8410090332** Forwards application to amend License 04-21357-01E, adding smoke detector Model 168102. Fee paid.  
LUDT, R.R. American Scitec, Inc. 17320. 84/03/28. HICKEY, J. Materials Licensing Branch. 1p. 62425:177-62425:190.
- 8410090342** Application to amend License 04-21357-01E, authorizing Am-241 for ionization chamber smoke detector units. Fee paid.  
LUDT, R.R. American Scitec, Inc. 17320. 84/03/28. 13pp. 62425:178-62425:190.
- 8410090348** Application for amend to License 04-21357-01E, authorizing distribution of smoke detector Models 168101, 168104, 168106, 168111 & 168112. Fee paid.  
LUDT, R.R. American Scitec, Inc. 17281. 84/03/15. HICKEY, J. Materials Licensing Branch. 7pp. 62425:157-62425:163.
- 8410090358** Forwards application to amend License 04-21357-01E, adding smoke detector Models SDI 2002 & 168101-D & changing Item 7, Line 4 re max activity. Fee paid.  
LUDT, R.R. American Scitec, Inc. 16039. 83/10/06. Materials Licensing Branch. 1p. 62425:136-62425:136.
- 8410090359** Application to amend License 04-21357-01E, authorizing Am-241 for ionization chamber smoke detector units.  
LUDT, R.R. American Scitec, Inc. 16039. 83/10/06. 13pp. 62425:137-62425:149.
- 8410090360** Responds to 830706 request for addl info re smoke detectors. Addl info listed.  
LUDT, R.R. American Scitec, Inc. 14629. 83/07/06. PATTERSON, J. Materials Licensing Branch. 3pp. 62425:131-62425:133.
- 8410090361** Informs of smoke detector name & model number changes.  
LUDT, R.R. American Scitec, Inc. 83/07/29. WRIGHT, E. Materials Licensing Branch. 1p. 62425:134-62425:134.
- 8410090362** Application to amend License 04-21357-01E, reflecting agreement w/Universal Security Instruments to private label Model 168101-S as Model C-SS-700. Fee paid.  
LUDT, R.R. American Scitec, Inc. 83/09/19. Materials Licensing Branch. 1p. 62425:135-62425:135.
- 8410090363** Responds to 830622 request for addl info re original back panel label. Revised label encl.  
LUDT, R.R. American Scitec, Inc. 14629. 83/07/01. PATTERSON, J. Materials Licensing Branch. 11pp. 62425:120-62425:130.
- 8410090364** Responds to 830617 request for addl info re Wing Wa Chong license, smoke detector & Wing Wa Chong wipe & leak tests.  
LUDT, R.R. American Scitec, Inc. 83/06/24. PATTERSON, J. Materials Licensing Branch. 12pp. 62425:108-62425:119.
- 8607300180** Amend 3 to License 04-21357-01E for American Scitec, Inc., changing Condition 14 re mfg, testing & labeling of device distributed under license.  
HICKEY, J.W. Materials Licensing Branch. 86/06/20. 1p. 62425:204-62425:206.
- 8607300184** Application to amend License 04-21357-01E, modifying ionization chamber smoke detector to comply w/UL requirements.  
LUDT, R.R. American Scitec, Inc. 019619. 86/03/11. Materials Licensing Branch. 2pp. 62425:201-62425:202.
- 8607300187** Requests addl fee for 860311 ltr informing of redesign of ion chamber smoke detector. License 04-21357-01E & device registration need to be amended to reflect change.  
JACKSON, G. License Fee Management Branch (Pre 861124). 019619. 86/04/17. LUDT, R.R. American Scitec, Inc. 1p. 62425:203-62425:203.
- 9103080213** Matis licensing package for Amend 4 to License 04-21357-01E for American Scitec, Inc.  
\* Division of Fuel Cycle, Medical, Academic & Commercial Use Safety (870413-870728). 87/05/04. 1p. 62425:309-62425:319.
- 9207160088** Forwards application for byproduct matl license, authorizing Am-241 to be used in ionization chamber smoke detector units to be distributed as exempt items under 10CFR32.  
LUDT, R.R. American Scitec, Inc. 83/04/15. WRIGHT, E. NRC - No Detailed Affiliation Given. 1p. 62425:014-62425:014.
- 9207160096** Application for license, authorizing Am-241 to be used in ionization chamber smoke detector units, to be distributed as exempt items under 10CFR32.  
LUDT, R.R. American Scitec, Inc. 83/04/15. NRC - No Detailed Affiliation Given. 59pp. 62425:015-62425:076.
- 9207160120** Forwards homeowners manual & back panel label to App B of application for by-product matl license for distribution of American Scitec Inc ionization chamber smoke detectors containing Am-241. Pages accidentally omitted.  
LUDT, R.R. American Scitec, Inc. 83/04/21. WRIGHT, E. NRC - No Detailed Affiliation Given. 23pp. 62425:077-62425:099.
- 9207160124** Informs that application for matis license dtd 830415 will be sent to Licensing staff for processing upon receipt of \$950 fee. Informs that when submitting fee, refer to control 14629.  
JACKSON, G. License Fee Management Branch (Pre 861124). 14629. 83/05/05. LUDT, R.R. American Scitec, Inc. 1p. 62425:100-62425:100.
- 9207160128** Forwards check in amount of \$950 per 830505 ltr. Apologizes for not sending w/830415 application.  
LUDT, R.R. American Scitec, Inc. 83/05/10. JACKSON, G. License Fee Management Branch (Pre 861124). 1p. 62425:101-62425:101.
- 9207160155** Requests addl info or clarification on listed items, to continue review of American Scitec Inc application, per 830607 request.  
BAGGETT, S.L. Materials Certification & Procedures Branch. 14629. 83/06/14. HICKEY, J. Materials Certification & Procedures Branch. 4pp. 62425:102-62425:105.
- 9207160164** Requests addl info or clarification on listed items, to continue review of 830415 application for license to possess & distribute smoke detectors to persons who are exempt, per 930617 telcon.  
PATTERSON, J.W. Materials Licensing Branch. 14629. 83/06/22. LUDT, R.R. American Scitec, Inc. 2pp. 62425:108-62425:107.
- 9207160213** Informs that 830919 application for amend to license 04-21357-01E will be sent to Licensing staff for processing upon receipt of \$230 amend fee.  
JACKSON, G. License Fee Management Branch (Pre 861124). 83/10/20. LUDT, R.R. American Scitec, Inc. 1p. 62425:150-62425:150.
- 9207160219** Returns check number 3623 submitted in payment of \$230 amend fee for 830919 application for amend to license 04-21357-01E per NRC 831023 ltr. Informs that 830919 & 831006 requests will be combined, therefore addl fee not required.  
JACKSON, G. License Fee Management Branch (Pre 861124). 83/11/10. LUDT, R.R. American Scitec, Inc. 2pp. 62425:151-62425:152.
- 9207160223** Requests description of Model SDI 2002 smoke detector, including diagram w/dimensions, matis of construction cell & location of label, for review of 831006 request for amend to license 04-21357-01E.  
PATTERSON, J.W. Materials Licensing Branch. 84/01/17. LUDT, R.R. American Scitec, Inc. 4pp. 62425:153-62425:156.
- 9207160226** Forwards dimensioned drawings for SleepSafe Model SDI2002, per 840114 request. Informs that previously provided samples may be discarded.  
LUDT, R.R. American Scitec, Inc. 84/03/23. PATTERSON, J.W. Division of Licensing (800428-851124). 13pp. 62425:164-62425:176.
- 9207160325** Forwards amends to license 04-21357-01E & certificate of registration NR-134-D-101-E for model 168108 series smoke detectors, per 870323 amend request.  
MACKENZIE, D.N. Medical, Academic & Commercial Use Safety Branch (870413-870728). 020134. 87/05/04. LUDT, R.R. American Scitec, Inc. 101pp. 62425:207-62425:308.
- 9207160337** Notifies that refund in amount of \$160 for overpayment of renewal fee for license 04-21357-01E, ltr dtd 880624, now being processed & will be sent out as soon as possible.  
JACKSON, G. License Fee Management Branch. 88/08/05. LUDT, R.R. American Scitec, Inc. 1p. 62425:320-62425:320.
- 9207160343** Ack receipt of application for renewal of license 04-21357-01E. Application deemed timely filed & accordingly, license will not expire until final action has been taken by otc.  
CARRICO, J.B. Medical, Academic & Commercial Use Safety Branch. 020589. 88/08/17. American Scitec, Inc. 1p. 62425:321-62425:321.
- 9207160389** Amend 5 to license 04-21357-01E authorizing American Scitec Inc to distribute smoke detector devices specified in condition 10, to person exempt from requirements for license per 10CFR30.20.  
CARRICO, J.B. Medical, Academic & Commercial Use Safety Branch. 89/04/06. 2pp. 62425:322-62425:335.



## 208 NONDOCKETED ITEMS

- 9207160371 Amend 6 to license 04-21357-01E for American Scitec Inc. Amend revises license condition 15 re distribution of devices under license. CARRICO,J.B. Medical, Academic & Commercial Use Safety Branch. 90/10/24. 2pp. 62425:336-62425:337.
- 9207160384 Informs that 900705 application for amend to license 04-21357-01E will be forwarded to Region I Licensing staff for processing upon receipt of payment of addl \$80. MESSIER,M. License Fee & Debt Collection Branch (Post 890827). 021016. 90/07/20. CHEN,L. American Scitec, Inc. 1p. 62425:338-62425:341.
- 9207170077 Amend 1 to license 04-21357-01E for American Scitec Inc. Amend revises license conditions 10 & 14. HICKEY,J.W. Division of Fuel Cycle & Material Safety (Pre 870413). 84/02/16. 1p. 62425:342-62425:345.
- 9207170090 License 04-21357-01E authorizing American Scitec Inc to distribute smoke detector devices specified in condition 10 to persons exempt from requirements of license per 10CFR30.20. HICKEY,J.W. Materials Licensing Branch. 86/09/02. 2pp. 62425:346-62425:347.
- 9207160110 Partial response to FOIA request for documents re const,operation,licensing or re-licensing of Sequoyah U processing plant in Gore,OK.Records listed in app II encl & being made available in PDR. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/07. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 33pp. 62398:130-62398:201.
- 9207160117 Responds to 860319 memo re actions from Sequoyah accident & recommends that expanded applicability & further clarification of lessons learned task force scope of responsibility be considered in light of "straw man" action. MARTIN,R.D. Region 4 (Post 820201). 86/03/27. DAVIS,J.G. Office of Nuclear Material Safety & Safeguards. 29pp. 62398:162-62398:191.
- 9207160167 FOIA request for 910813 NRC memo re 10CFR,app G & H. WILLIAMS,O.G. JRA Associates. OGW-91-130. 91/10/11. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62398:319-62398:319.
- 9207160171 Final response to FOIA request for 910813 NRC memo re 10CFR, app G & H.App A record encl & is being made available in PDR. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/08. WILLIAMS,O. JRA Associates. 2pp. 62398:320-62398:327.
- 9108150279 Discusses factors contributing to uncertainty in predicting effect of neutron irradiation on reactor vessel & inservice volumetric exam of reactor vessel beltline matls. Performance demonstration implementation schedule encl. RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 91/08/13. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 62398:322-62398:327.
- 9207160193 Partial response to FOIA request for documents.App JJ encl & are being made available in PDR. GRIMSLEY,D.H. Facility Management Branch. 91/11/12. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 4pp. 62398:202-62398:318.
- 9207160204 Discusses FY88 insp plans for facility & recommends minimum of 6 inspec hours per routine insp.Region 4 plans to meet goal w/listed schedule. EVERETT,R.J. Region 4 (Post 820201). 87/11/17. BARNART,R.L., FISHER,W.L. Region 4 (Post 820201). 101pp. 62398:208-62398:318.
- 9207160200 Final response to FOIA request for documents.Records in app G encl & being made available in PDR.App H records withheld in part (ref FOIA exemption 6 & 7(c)) & app I records completely withheld (ref FOIA exemption 5). GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/13. DAVIS,D. Plain Dealer, Cleveland, OH. 4pp. 62398:027-62398:129.
- 9207160220 Forwards licensee draft updated teletherapy QA/QC program for review & comments by 870116. AXELSON,W.L. Region 3 (Post 820201). 87/01/05. MILLER,V.L. Materials Licensing Branch. SJOBLON,G. Safeguards & Matls Program Br,Div of QA,Safeguards & Insp Programs,I.E. 97pp. 62398:032-62398:129.
- 9207170048 Partial response to FOIA request for documents.App NN records encl & are being made available in PDR. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/20. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 12pp. 62426:001-62426:294.
- 8906100278 Forwards proprietary rept of analysis results for facility ammonium nitrate fertilizer samples collected & split w/NRC on 880126.Rept withheld. 1p. 24362. 88/05/26. PROVENCHER,R.B. Office of Health, Safety & Environment. 62426:262-62426:284.
- procedure for fuel cycle & conduct team assessments  
Safety (Post 870729).  
785-62426:294.
- Environmental release of U6 at Sequoyah Fuels Corp Facility at Gore,OK." SHUM,E. Uranium Fuel Licensing Branch. CUNNINGHAM,R. Division of Fuel Cycle & Material Safety (Pre 870413). 86/03/21. Uranium Fuel Licensing Branch. 2pp. 62426:058-62426:261.
- 9207170225 Partial response to FOIA request for info.App L records encl & are being made available in PDR.Records in app M withheld in entirety (ref FOIA exemption 5). GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/13. REDDA,T. Southern Technical Services, Inc. 4pp. 62427:001-62427:172.
- 9101220068 Advises that licensee has established shutdown plant issues as priority issue & formed NUMARC Shutdown Plant Issues Working Group. COLVIN,J.F. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 90/12/18. SNIEZEK,J.H. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 1p. 62427:063-62427:170.
- 9104290092 Responds to 910329 note requesting info re staff review of shutdown operations & differences between US & foreign plant procedures & activities during refueling. TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/04/17. REMICK Commissioners (Post 750119). 3pp. 62427:171-62427:172.
- 9207170231 Forwards summary of analysis of risk at low power & shutdown conditions for PWR & BWR plant. CUNNINGHAM,M.A. Probabilistic Risk Analysis Branch (880717-910829). 90/03/07. ROSENTHAL,J.E. Reactor Operations Analysis Branch. 17pp. 62427:005-62427:042.
- 9207170247 Forwards paper for presentation at Beverly Hills PSAM conference on 910204-07. WHITEHEAD,D.W. Sandia National Laboratories. 90/10/01. ROBINSON,R.C. Probabilistic Risk Analysis Branch (880717-910829). 7pp. 62427:043-62427:049.
- 9207170251 Forwards paper entitled,SAND90-1849C, "Accident Sequence Analysis for BWR During Low Power & Shutdown Operations." WHITEHEAD,D.W. Sandia National Laboratories. 90/10/19. ROBINSON,R.C. Probabilistic Risk Analysis Branch (880717-910829). 10pp. 62427:050-62427:059.
- 9207170254 Requests listed improvements in research plan & coordination w/NRR technical assistance previously discussed by telephone. SOLBERG,D. NRC - No Detailed Affiliation Given. 90/11/20. NAFF,S., WARD,L. NRC - No Detailed Affiliation Given. 3pp. 62427:060-62427:062.
- 9207200041 Partial FOIA request for documents re const,operation, licensing or re-licensing of Sequoyah Fuels Corp U processing plant in Gore,OK. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/06. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 8pp. 62463:001-62463:135.
- 9207200046 Forwards insp plan for Sequoyah Fuels at final restart & tentative personnel assignments to insp teams. EVERETT,R.J. Region 4 (Post 820201). 86/10/31. Region 4 (Post 820201). 397pp. 62463:012-62463:135.
- 9207200054 Final response to FOIA request for documents.Forwards app A documents which are being made available in PDR.App B documents being withheld in their entirety (ref FOIA Exemption 6). GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/13. DAVIS,D. Plain Dealer, Cleveland, OH. 6pp. 62455:065-62455:163.
- 9207200062 Informs of 810414 misadministration of radiopharm.Patient given bone scan instead of L/S spine series.Caused by handwriting on requisition not being clearly written. Resident physician informed Nuclear Medicine Dept. Mt. Sinai Medical Center, Cleveland, OH. 81/04/15. Region 3 (Post 820201). 2pp. 62455:072-62455:072.
- 9207200088 Informs of 830328 misadministration of radiopharm.Patient administered 1.8 mCi of radioactive thallium instead of radioactive gallium.Caused by personnel failure to verify dose in dose calibrator.Individual reprimanded. EZZELL,G.A. Mt. Sinai Medical Center, Cleveland, OH. 83/03/28. Region 3 (Post 820201). 1p. 62455:073-62455:074.
- 9207200135 Informs of 891010 misadministration of radiopharm.Patient administered 16.3 mCi of Tc-99m MDP for bone study instead of 6 mCi of Tc-99m SC for liver study.Caused by personnel not reading request properly. ALLY,K.M. Veterans Admin. Medical Center, Dayton, OH. 89/10/10. Region 3 (Post 820201). 1p. 62455:099-62455:099.
- 9207200175 Informs of 861216 misadministration of radiopharm.Wrong patient injected w/6.5 mCi gallium citrate.Personnel stamped wrong patient name on request.Nuclear medicine resident contacted. STEFANAKOS,T.K. Mt. Sinai Medical Center, Cleveland, OH. 87/01/06. Region 3 (Post 820201). 4pp. 62455:075-62455:078.
- 9207200180 Informs of 890509 misadministration of radiopharm.Patient given 30.0 of 99 mTc instead of 5.0 of 99 mTc disofenn for HIDA study.Personnel counseled. St. Luke's Hosp., Cleveland, OH. 89/05/10. Region 3 (Post 820201). 1p. 62455:079-62455:079.
- 9207200187 Informs of 900420 misadministration of radiopharm.Patient delivered under dosage for treatment from Co-60 therapy machine.Weekly joint review by dosimetrist instituted. MAMACOS,J.P. St. Luke's Hosp., Cleveland, OH. 90/05/07. SLOWINSKI,W. Region 3 (Post 820201). 4pp. 62455:080-62455:083.
- 9207200193 Informs of 800622 misadministration of radiopharm.Patient undergoing treatment from Co-60 therapy machine received treatment of brain irradiation instead of mediastinum. Personnel reeducated on setup procedures. St. Luke's Hosp., Cleveland, OH. 90/07/03. SLAWINSKI,W. Region 3 (Post 820201). 10pp.. 62455:084-62455:083.
- 9207200200 Informs of 910914 misadministration of radiopharm.Patient given 4.1 of Tc-99m MEBRO fenin for HIDA study instead of 4.0 of Tc-99m.Personnel reeducated. ARKO,G. St. Luke's Hosp., Cleveland, OH. 91/09/17. Region 3 (Post 820201). 1p. 62455:094-62455:094.
- 9207200204 Informs of 821201 misadministration of radiopharm.Patient given 17.5 of Tc-99m glucaptate instead of Tc-99m pertechnetate.Referring physician notified.No harm resulted to patient.Color code sys implemented. SMITH,J.J. Veterans Admin. Medical Center, Dayton, OH. 83/01/12. Region 3 (Post 820201). 1p. 62455:095-62455:095.
- 9207200210 Informs of 860128 misadministration of radiopharm.Patient administered 19.3 mCi of 99 mTc MDP for bone scan instead of brain scan.Referring physician notified.Technologists counseled. HARPER,A.G. Veterans Admin. Medical Center, Dayton, OH. 552/115. 86/02/12. Region 3 (Post 820201). 1p. 62455:096-62455:096.
- 9207200216 Informs of 860605 misadministration of radiopharm.Wrong patient received myocardial study in lieu of another patient that test was ordered on.Staff physician notified. Technologist counseled. HARPER,A.G. Veterans Admin. Hosp., Cleveland, OH. 86/06/09. Region 3 (Post 820201). 1p. 62455:097-62455:097.



- 9207200227 Informs of 880531 misadministration of radiopharm. Patient given 9.7 of Tc-99m MDP for bone scan intended for another patient. ID bracelet on patient not checked. Personnel retrained.  
\* Veterans Admin. Medical Center, Dayton, OH. 88/05/31. Region 3 (Post 820201). 1p. 62455:098-62455:098.
- 9207200250 Informs of 861126 misadministration of radiopharm. Wrong patient administered 15.0 mCi of Tc-99m gluceptate for renal imaging procedure. Meeting held & directive issued.  
MARTIN, T. Lorain Community Hosp., Lorain, OH. 86/12/22. Region 3 (Post 820201). 1p. 62455:100-62455:100.
- 9207200256 Informs of 910129 misadministration of radiopharm. Outpatient inadvertently injected w/wrong radiopharm. Referring physician notified. Personnel retrained.  
MARTIN, T. Lorain County Cardiology Consultants, Inc. 91/02/01. Region 3 (Post 820201). 1p. 62455:101-62455:101.
- 9207200266 Informs of 810407 misadministration of radiopharm. Patient mistakenly administered dose of 20 mCi of Tc-99m stannous glucoheptonate instead of 4 mCi of Tc-99m sulfur colloid for liver scan. Preventative measures discussed.  
LANDGRAF, S.W. Veterans Admin. Hosp., Cleveland, OH. 81/04/07. Region 3 (Post 820201). 1p. 62455:102-62455:102.
- 9207200272 Informs of 810930 misadministration of radiopharm. Patient mistakenly administered 20 mCi of Tc-99m stannous glucoheptonate instead of 20 mCi of Tc-99m methylene diphosphonate. Color code sys implemented.  
LANDGRAF, S.W. Veterans Admin. Hosp., Cleveland, OH. 81/09/30. Region 3 (Post 820201). 1p. 62455:103-62455:103.
- 9207200280 Informs of 811228 misadministration of radiopharm. Patient mistakenly administered 20 mCi of Tc-99m macro-aggregated albumin instead of Tc-99m methylene diphosphonate. Staff meeting held to review procedures.  
LANDGRAF, S.W. Veterans Admin. Hosp., Cleveland, OH. 82/01/05. Region 3 (Post 820201). 2pp. 62455:104-62455:105.
- 9207200282 Informs of 821004 misadministration of radiopharm. Wrong patient administered 20 mCi of Tc-99m diethylene triamine- pentaacetic. Meeting held to review applicable policy & procedure.  
CLASS, R.N. Veterans Admin. Hosp., Cleveland, OH. 82/10/06. Region 3 (Post 820201). 2pp. 62455:106-62455:107.
- 9207200288 Informs of 821101 misadministration of radiopharm. Patient mistakenly administered 20 mCi of Tc-99m sodium medronate instead of 4 mCi of Tc-99m sulfur colloid. No effect on patient. Procedure reviewed.  
CLASS, R.N. Veterans Admin. Hosp., Cleveland, OH. 82/11/08. Region 3 (Post 820201). 2pp. 62455:108-62455:109.
- 9207200308 Informs of 850222 misadministration of radiopharm. Patient mistakenly administered 20 mCi of Tc-99m sodium medronate instead of 4 mCi of Tc-99m sulfur colloid. Personnel instructed on proper patient identification.  
KOLLI, S. Veterans Admin. Hosp., Cleveland, OH. 85/02/27. Region 3 (Post 820201). 1p. 62455:110-62455:111.
- 9207210261 Informs of 860128 misadministration of radiopharm. Patient mistakenly given 20 mCi of Tc-99m hydroxy-methylene. No apparent effect on patient. Importance of proper patient identification prior to dose administration reviewed.  
KOLLI, S. Veterans Admin. Hosp., Cleveland, OH. 86/01/28. Region 3 (Post 820201). 1p. 62455:112-62455:112.
- 9207210270 Informs of 861016 misadministration of radiopharm. Patient mistakenly administered 20 mCi of Tc-99m. No apparent effect on patient. Corrective action will be directed by ofc of Chief of Staff for medical ctr.  
KOLLI, S. Veterans Admin. Hosp., Cleveland, OH. 86/10/17. Region 3 (Post 820201). 1p. 62455:113-62455:113.
- 9207210277 Informs of 880309 misadministration of radiopharm. Patient administered 4.4 mCi of Tc-99m sulfur colloid instead of 3 mCi of Tc-99m for perfusion lung scan. No apparent effect on patient. Personnel counseled by radiation safety officer.  
KOLLI, S. Veterans Admin. Hosp., Cleveland, OH. 88/03/10. Region 3 (Post 820201). 2pp. 62455:114-62455:115.
- 9207210283 Informs of 880415 misadministration of radiopharm. Patient administered 3.3 mCi of Tc-99m instead of 4 mCi of Tc-99m for liver scan. No apparent effect on patient. Patient physician notified.  
LEW, R.D. Veterans Admin. Hosp., Cleveland, OH. 88/04/15. Region 3 (Post 820201). 1p. 62455:116-62455:116.
- 9207210290 Informs of 880509 misadministration of radiopharm. Patient administered 20 mCi of Tc-99m EHDP instead of 20 mCi of Tc-99m DTPA for renal scan. No apparent effect on patient. Patient physician notified.  
KOLLI, S. Veterans Admin. Hosp., Cleveland, OH. 88/05/27. Region 3 (Post 820201). 1p. 62455:117-62455:117.
- 9207210308 Informs of 890829 misadministration of radiopharm. Patient mistakenly administered 22.0 Tc-99m oxidronate for bone scan. Personnel participated in review training session.  
LANDGRAF, S.W. Veterans Admin. Hosp., Cleveland, OH. 89/02/28. Region 3 (Post 820201). 3pp. 62455:118-62455:120.
- 9207220021 Informs of 900213 misadministration of radiopharm. Patient given 19.1 of Tc-99m DTPA instead of 20.0 of Tc-99m oxidronate for bone scan. Caused by technologist failure to check dose label. Technologist counseled.  
LANDGRAF, S.W. Veterans Admin. Hosp., Cleveland, OH. 90/02/22. Region 3 (Post 820201). 2pp. 62455:121-62455:122.
- 9207220027 Informs of 910523 misadministration of radiopharm. Patient given 20.6 of Tc-99m pertechnetate instead of 20.0 of Tc-99m oxidronate for bone scan. Technologist failed to check dose label. Personnel counseled.  
LANDGRAF, S.W. Veterans Admin. Hosp., Cleveland, OH. 91/06/18. Region 3 (Post 820201). 2pp. 62455:123-62455:124.
- 9207220033 Informs of 910916 misadministration of radiopharm. Patient given 19.8 of Tc-99m pertechnetate instead of 20.0 of Tc-99m for bone scan. Technologist did not check dose label. Technologist counseled.  
LANDGRAF, S.W. Veterans Admin. Hosp., Cleveland, OH. 91/09/27. Region 3 (Post 820201). 2pp. 62455:125-62455:126.
- 9207220044 Informs of 820305 misadministration of radiopharm. Two patients mistakenly administered Tc-99m for bone scanning. No deleterious effects to patients.  
MCCAMMON, S.D. St. Elizabeth Medical Center, Dayton, OH. 82/03/08. ADAM, W.J. Region 3 (Post 820201). 2pp. 62455:127-62455:128.
- 9207220053 Informs of 820525 misadministration of radiopharm. Patient mistakenly injected w/Tc-99m 04 instead of Tc-99m HDP. Technologist counseled.  
MCCAMMON, S.D. St. Elizabeth Medical Center, Dayton, OH. 82/05/25. ADAM, W.J. Region 3 (Post 820201). 1p. 62455:129-62455:129.
- 9207220059 Informs of 821005 misadministration of radiopharm. Patient mistakenly injected w/Tc-99m glucoheptonate. Incident explained to patient. No ill effects to patient. Technologist counseled.  
MCCAMMON, S.D. St. Elizabeth Medical Center, Dayton, OH. 82/10/05. Region 3 (Post 820201). 1p. 62455:130-62455:130.
- 9207220061 Informs of 830106 misadministration of radiopharm. Patient mistakenly injected w/Tc-99m glucoheptonate mtl instead of intended Tc-99m osteoscan HDP bone imater. No ill effects on patient. Technologist instructed.  
KIRCHER, K.F. St. Elizabeth Medical Center, Dayton, OH. 83/01/06. Region 3 (Post 820201). 2pp. 62455:131-62455:132.
- 9207220072 Informs of 830322 misadministration of radiopharm. Patient mistakenly given KUB X-ray for liver scan instead of bone dose. No ill effects on patient. Charts to be coordinated & dose listings checked more closely.  
KIRCHER, K.F. St. Elizabeth Medical Center, Dayton, OH. 83/03/22. Region 3 (Post 820201). 1p. 62455:133-62455:133.
- 9207220075 Informs of 830621 misadministration of radiopharm. Patient given 10 mCi of Tc-99m 04 instead of 9 mCi of Tc-99m sulfur colloid for liver trauma procedure. No ill effect on patient. Personnel counseled on checking labels carefully.  
KIRCHER, K.F. St. Elizabeth Medical Center, Dayton, OH. 83/06/21. Region 3 (Post 820201). 1p. 62455:134-62455:134.
- 9207220089 Informs of 840317 misadministration of radiopharm. Patient given mislabeled dose of Tc-99m glucoheptonate for renal study. No ill effect on patient. Physician notified.  
WILLIAM, S.T. St. Elizabeth Medical Center, Dayton, OH. 84/03/28. Region 3 (Post 820201). 3pp. 62455:135-62455:137.
- 9207220092 Informs of 840914 misadministration of radiopharm. Patient mistakenly given injection for liver scan instead of lung scan. No physical complications to patient. Pharmacist informed.  
LEWIS, P.A. St. Elizabeth Medical Center, Dayton, OH. 84/09/14. Region 3 (Post 820201). 2pp. 62455:138-62455:139.
- 9207220096 Informs of 860626 misadministration of radiopharm. Patient given 26 mCi of Tc-99m glucoheptonate instead of Tc-99m MDP for bone scan. No ill effects on patient. Technologist instructed.  
KOLASA, M.J. St. Elizabeth Medical Center, Dayton, OH. 86/06/26. Region 3 (Post 820201). 1p. 62455:140-62455:140.
- 9207220099 Informs of 860930 misadministration of radiopharm. Patient given 20 mCi of Tc-99m pertechnetate instead of 2 mCi of Tl-201 for heart stress/rest study. No ill effect on patient. Technologist instructed.  
KOLASA, M.J. St. Elizabeth Medical Center, Dayton, OH. 86/09/30. Region 3 (Post 820201). 1p. 62455:141-62455:141.
- 9207220102 Informs of 870408 misadministration of radiopharm. Patient injected inadvertently w/4.7 mCi of Tc-99m instead of 4.1 mCi of Tc-99m. No ill effects on patient. Technologist instructed.  
KOLASA, M.J. St. Elizabeth Medical Center, Dayton, OH. 87/04/08. Region 3 (Post 820201). 1p. 62455:142-62455:142.
- 9207220111 Informs of 871116 misadministration of radiopharm. Patient given 25 mCi Tc-99m Chioltech instead of 25 mCi of Tc-99 m-DTPA for renal scan. No ill effect on patient. Pharmacy notified.  
KOLASA, M.J. St. Elizabeth Medical Center, Dayton, OH. 87/11/16. Region 3 (Post 820201). 1p. 62455:143-62455:143.
- 9207220128 Informs of 901015 misadministration of radiopharm. Patient given 26.5 mCi of Tc-99m TC04 instead of 26.5 of Tc-99m for gated cardiac study. Patient suffered no ill effects. Personnel counseled.  
KOLASA, M.J. St. Elizabeth Medical Center, Dayton, OH. 90/10/17. Region 3 (Post 820201). 1p. 62455:144-62455:144.
- 9207220136 Provides quarterly misadministration rept of Grandview Hosp under license 34-06904-01. Incidents listed.  
WILLIAMS, S.T. Grandview Hosp. & Medical Center, Dayton, OH. 80/12/31. Region 3 (Post 820201). 2pp. 62455:145-62455:146.
- 9207220142 Informs of 820813, 16 & 23 misadministrations of radiopharm. Patients administered Tc-99m HDP instead of Tc-99m DTPA. No adverse effect on patients. Verbal orders will be reconfirmed w/physician to prevent recurrence.  
BERGER, R.D. Grandview Hosp. & Medical Center, Dayton, OH. 82/10/08. Region 3 (Post 820201). 2pp. 62455:147-62455:148.
- 9207220164 Informs of 821216 misadministration of radiopharm. Patient administered normal diagnostic dose of Tc-99m DTPA instead of Tc-99m HDP. No adverse effect on patient. Technologist counseled.  
AUSTIN, B.T. Grandview Hosp. & Medical Center, Dayton, OH. 83/01/04. Region 3 (Post 820201). 1p. 62455:149-62455:149.
- 9207220172 Informs of 830308 misadministration of radiopharm. Patient administered Tc-99m DTPA instead of Tc-99m HDP. No adverse effect on patient observed. Technologist counseled.  
AUSTIN, B.T. Grandview Hosp. & Medical Center, Dayton, OH. 83/04/05. Region 3 (Post 820201). 1p. 62455:150-62455:150.
- 9207220179 Informs of 861014 misadministration of radiopharm. Bone scan inadvertently performed on patient scheduled for self referred bone densitometry study. No adverse effects noticed on patient. Personnel counseled.  
AUSTIN, B.T. Grandview Hosp. & Medical Center, Dayton, OH. 87/01/05. Region 3 (Post 820201). 1p. 62455:151-62455:151.

## 210 NONDOCKETED ITEMS

- 9207220195 Partial deleted memo discussing 740812 misadministration of radiopharm, per 750424-25 insp of license 34-06904-01. Written rept of occurrence was not submitted by licensee.  
ALLAN, J.M. NRC - No Detailed Affiliation Given. 75/05/28. THORNBURG, H.D. Region 3 (Post 820201). 1p. 62455:152-62455:159.
- 9207220236 Submits data representing summary dose calculations requested.  
ZIMMERMAN, J.M. Grandview Hosp. & Medical Center, Dayton, OH. 75/05/01. ASHLEY Region 3 (Post 820201). 4pp. 62455:160-62455:163.
- 9207200104 Final response to FOIA request for documents re incident of radiation exposure on 901112 investigated by Region & investigator R Kirspele. App E documents partially withheld. App F documents withheld in entirety.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/13. WALZEL, M.R. Weller, Wheelus & Green. 5pp. 62462:272-62462:307.
- 9207200148 Notification of opening of OI investigation re Case 4-90-016.  
HAYES, B.B. NRC - No Detailed Affiliation Given. 90/12/13. CARR Office of Nuclear Material Safety & Safeguards. 1p. 62462:285-62462:285.
- 9207200317 Investigation rept 4-90-006. No noncompliance noted. Major areas investigated: intentional violation of regulatory requirements.  
MARTIN, R.D. Region 4 (Post 820201). 90/12/05. 4pp. 62462:286-62462:299.
- 9207220181 Investigation rept 4-90-016. No violations noted. Major areas investigated: radiographer intentionally allowing assistant radiographer to perform unsupervised radiography.  
KIRSPER, R., DRISKILL, D.D., HAYES, B.B. Region 4 (Post 820201). 91/04/25. 14pp. 62462:300-62462:307.
- 9207200185 FOIA request for documents re most recent insp done at listed hosps in State of OH.  
DAVIS, D. Plain Dealer, Cleveland, OH. 91/10/09. POOL, M.J. NRC - No Detailed Affiliation Given. 3pp. 62525:001-62525:003.
- 9207200191 FOIA request for documents re mats in possession of NRC, including but not limited to its various employees, divisions & departments re Spencer Chemical Co.  
MARBLE, J.D. Huckaby, Fleming, Frailey, Chaffin & Darrah. 91/08/07. GRIMSLEY, D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62749:001-62749:001.
- 9207200208 Partial response to FOIA request for documents. Documents listed in App A & B encl & being made available for PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/31. MARBLE, J.P. Huckaby, Fleming, Frailey, Chaffin & Darrah. 17pp. 62749:002-62750:088.
- 9207200235 Application for license for Spencer Chemical Co to use &/or supervise use of 25 mCi metallic solid Co-60 as sealed source.  
DIETER, J.G. Spencer Chemical Co. 58/08/27. Atomic Energy Commission (Pre 750119). 3pp. 62749:022-62749:025.
- 9207200245 Requests that licensee provide addl info & description of facilities & conditions for 25 mCi of Co-60 to be used in instrument, inc gauge.  
HITCH, J.W. Atomic Energy Commission (Pre 750119). 58/10/18. DYE, L. Spencer Chemical Co. 1p. 62749:026-62749:026.
- 9207200247 Advises that addl info requested in 581028 ltr re application for license to use 25 mCi Co-60, being assembled.  
DIETER, J.G. Spencer Chemical Co. 57/11/21. HITCH, J.W. Atomic Energy Commission (Pre 750119). 1p. 62749:027-62749:027.
- 9207200253 Submits addl info re application for license to use 25 mCi Co-60 in instruments, inc gauge, per 581028 request.  
DIETER, J.G. Spencer Chemical Co. 58/12/18. HITCH, J.W. Atomic Energy Commission (Pre 750119). 2pp. 62749:028-62749:029.
- 9207200259 Mats licensing package for license 24-4243-1 for Spencer Chemical Co.  
MASON, J.R. Atomic Energy Commission (Pre 750119). 59/01/21. 1p. 62749:030-62749:030.
- 9207200268 Forwards byproduct matl license 24-4243-1 issued against application of 580827.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 59/01/27. DIETER, J.G. Spencer Chemical Co. 1p. 62749:031-62749:031.
- 9207200276 Requests more definite info on type of evidence of further instrumentation & experience which NRC will require from licensee so that personnel may accomplish listed operations.  
DIETER, J.G. Spencer Chemical Co. 59/03/12. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 1p. 62749:032-62749:032.
- 9207200281 Responds to 590312 ltr & informs that upon receipt of application providing info suggested, NRC will consider amending license.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 59/03/14. DIETER, J.G. Spencer Chemical Co. 2pp. 62749:033-62749:034.
- 9207200283 Application for license to use 1,925 mCi Cs-137 sources at Spencer Chemical Co.  
\* Spencer Chemical Co. 59/06/24. 3pp. 62749:035-62749:037.
- 9207200310 Forwards application for byproduct matl license dtd 590624. Application is being returned in order that Certificate, Item 16 may be executed by appropriate official of Spencer having contractual authority binding upon that company.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 58/07/13. DYE, W.L. Spencer Chemical Co. 1p. 62749:038-62749:038.
- 9207200316 Forwards 590624 application for license coverage for 11 Cs-137, for signature.  
BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 59/09/15. DIETER, J.G. Spencer Chemical Co. 1p. 62749:039-62749:039.
- 9207200323 Responds to 590915 ltr re application for 11 Cs-137 sources at plant.  
SEYFRIED, R.J. Spencer Chemical Co. 59/09/23. BRINKMAN, R.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:040-62749:041.
- 9207200325 Forwards signed certificate of status of radioisotope (Byproduct Matl) program under AEC license 24-4243-1.  
DIETER, J.G. Spencer Chemical Co. 60/09/20. MASON, J.R. Atomic Energy Commission (Pre 750119). 1p. 62749:042-62749:042.
- 9207200330 Certificate of disposition of matl: all mats procured &/or possessed by licensee under license 24-4243-1 transferred to Instruments, Inc.  
LENTZ, C.L. Spencer Chemical Co. 60/09/15. 1p. 62749:043-62749:043.
- 9207200341 Advises that AEC records show that license 24-4243-1 expired on 601031 & requests that listed info be obtained from Div of Licensing & Regulation.  
\* Atomic Energy Commission (Pre 750119). 61/03/18. Atomic Energy Commission (Pre 750119). 2pp. 62749:044-62749:045.
- 9207200348 Discusses plans to install small plant for recovery of U as oxide from U hexafluoride or scrap metal.  
LUKE, C.D. Atomic Energy Commission (Pre 750119). 57/08/15. Atomic Energy Commission (Pre 750119). 1p. 62749:046-62749:046.
- 9207210013 Requests that licensee review listed items for determination as to whether or not they contain restricted data, especially App & indicate in space provided.  
FLEURY, E.R. Atomic Energy Commission (Pre 750119). 57/08/23. STRAUSSER, W.A. Atomic Energy Commission (Pre 750119). 2pp. 62749:047-62749:048.
- 9207210015 Forwards application for special nuclear matl license dtd 570915.  
JOHNSON, L. Atomic Energy Commission (Pre 750119). 57/09/24. BECK, C.K. Atomic Energy Commission (Pre 750119). 2pp. 62749:049-62749:050.
- 9207210262 Discusses statements made by applicant w/indication of explanation which must be made as listed.  
BECK, C.K. Atomic Energy Commission (Pre 750119). 57/11/25. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 4pp. 62749:051-62749:054.
- 9207210266 Advises that procedures proposed in app 1C of application from Spencer Chemical Co & quantities & vols & concentrations described in app 2C, judged to be adequate to prevent critical accumulations in proposed process.  
BECK, C.K. Atomic Energy Commission (Pre 750119). 57/12/06. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:055-62749:056.
- 9207210294 Discusses analysis & findings of 570915 application for SNM license.  
SULLIVAN, P.C. Atomic Energy Commission (Pre 750119). 58/01/17. Atomic Energy Commission (Pre 750119). 2pp. 62749:057-62749:058.
- 9207210305 Requests that matl contained in App II to application as revised, should be withheld from public insp per 10CFR2 Section 2.790(b).  
PRICE, H.L. Atomic Energy Commission (Pre 750119). 58/01/29. Atomic Energy Commission (Pre 750119). 2pp. 62749:059-62749:060.
- 9207210311 Suggests that listed statements should be added at end of third paragraph of proposed memo by H Price to files.  
LOWENSTEIN, R. Atomic Energy Commission (Pre 750119). 58/02/06. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 1p. 62749:061-62749:061.
- 9207220055 Discusses analysis & findings re application for SNM license by Spencer Chemical Co & recommends that amend be issued to extend license for term to expire on 600401.  
SULLIVAN, P.G. Atomic Energy Commission (Pre 750119). 58/04/01. Atomic Energy Commission (Pre 750119). 1p. 62749:062-62749:062.
- 9207220062 Advises that matl contained in App II to application as revised, should be withheld from public inspection per 10CFR2 Section 2.790.  
PRICE, H.L. Atomic Energy Commission (Pre 750119). 58/02/11. Atomic Energy Commission (Pre 750119). 1p. 62749:063-62749:075.
- 9207220082 Informs recipient of issuance of SNM license to Spencer Chemical Co for activities conducted at Jayhawk Works located between Pittsburg, KS & Joplin, MS.  
JOHNSON, L. Atomic Energy Commission (Pre 750119). 58/04/30. RKEED, T.R. Kansas, State of. 1p. 62749:076-62749:076.
- 9207220085 Forwards SNM licenses which have been issued to Spencer Co, Mallinckrodt Chemical Works & Univ of Missouri.  
JOHNSON, L. Atomic Energy Commission (Pre 750119). 58/04/30. AMOS, J.R. Missouri, State of. 1p. 62749:077-62749:077.
- 9207220090 Requests review of encl 580416 application for amend to license SNM-154 w/respect to adequacy of applicant procedures to avoid accidental criticality during shipment of U oxide.  
JOHNSON, L. Atomic Energy Commission (Pre 750119). 58/05/06. BECK, C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:078-62749:078.
- 9207220093 Requests classification review of encl Spencer Chemical Co SNM application for amend.  
FLEURY, E.R. Atomic Energy Commission (Pre 750119). 58/05/20. STRAUSSER, W.A. Atomic Energy Commission (Pre 750119). 2pp. 62749:079-62749:080.
- 9207220097 Discusses review of application for amend to license SNM-154 from standpoint of protection against inadvertent criticality during shipment of U oxide & U hexafluoride.  
BECK, C.K. Atomic Energy Commission (Pre 750119). 58/05/21. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:081-62749:082.
- 9207220101 Requests review of licensee 580516 application for amend to license SNM-154 to determine adequacy of procedures to avoid accidental criticality.  
JOHNSON, L. Atomic Energy Commission (Pre 750119). 58/05/23. BECK, C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:083-62749:083.
- 9207220105 Informs of approval of shipping procedures under license SNM-154 to cover shipment of 1,330 lbs 2.3% enriched Uf8 in 8 MD cylinders via railway express protective signature in one shipment, using Spencer birdcages.  
DELANEY, J.C. Atomic Energy Commission (Pre 750119). 58/05/29. CORLEY, A. Atomic Energy Commission (Pre 750119). 2pp. 62749:084-62749:085.
- 9207220107 Provides comments on application for amend to license SNM-154 from standpoint of avoidance of inadvertent criticality.  
BECK, C.K. Atomic Energy Commission (Pre 750119). 58/06/03. JOHNSON, L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:086-62749:087.

- 9207220110 Requests review of encl amend application re adequacy of applicant procedures to avoid condition of accidental criticality. JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/06/12. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:088-62749:088.
- 9207220114 Approves request by Spencer Chemical Co that info contained in App II, as amended by App II-A dtd 580516, to revised application for SNM license dtd 570915, be treated as company confidential. PRICE,H.L. Atomic Energy Commission (Pre 750119). 58/06/17. Atomic Energy Commission (Pre 750119). 2pp. 62749:089-62749:090.
- 9207220117 Informs that App II A dtd 580516, transmitted by Spencer Chemical Co will be withheld per 10CFR2.790.  
\* Atomic Energy Commission (Pre 750119). 58/06/20. Atomic Energy Commission (Pre 750119). 1p. 62749:091-62749:091.
- 9207220120 Advises that all statements re memo to files may be incorporated by reference & that license may be amended as requested. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/06/26. Atomic Energy Commission (Pre 750119). 1p. 62749:092-62749:092.
- 9207220124 Advises that each individual shipping containers will constitute safe unit & spacing specified adequate per 580612 memo. BECK,C.K. Atomic Energy Commission (Pre 750119). 58/06/26. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:093-62749:094.
- 9207220130 Provides list of applications &/or amends for license SNM-154 for retention & files. JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/07/01. MANN,M.M. Atomic Energy Commission (Pre 750119). 1p. 62749:095-62749:095.
- 9207220152 Forwards special nuclear matl license issued to Spencer Chemical Co. JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/07/11. AMOS,J.R. Missouri, State of. 1p. 62749:096-62749:096.
- 9207220156 Provides list of applicant for special nuclear matl for retention & files. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/07/29. MANN,M.M. Atomic Energy Commission (Pre 750119). 1p. 62749:097-62749:097.
- 9207220162 Forwards special nuclear matl licenses which have been issued to Mal-linckrodt Chemical Works, Spencer Chemical Co & Univ of Missouri. FLUERY,E.R. Atomic Energy Commission (Pre 750119). 58/08/06. AMOS,J.R. Missouri, State of. 1p. 62749:098-62749:098.
- 9207220167 Informs that drawings 48-78 B & 48-15 transmitted w/580912 ltr filed by Spencer Chemical Co in connection w/special nuclear matl application, are available for review in Licensing Branch.  
\* Atomic Energy Commission (Pre 750119). 58/09/17. Atomic Energy Commission (Pre 750119). 1p. 62749:099-62749:099.
- 9207220169 Forwards licensee request dtd 580912 for approval of proposed packaging & shipping procedures. JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/09/22. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:100-62749:102.
- 9207220173 Forwards correction to licensee request dtd 580912 for amend to license SNM-154 per 581010 ltr. JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/10/16. BECK,C.K. Atomic Energy Commission (Pre 750119). 2pp. 62749:103-62749:104.
- 9207220177 Forwards licensee request which modifies Spencer previous 580912 amend request. JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/10/29. BECK,C.K. Atomic Energy Commission (Pre 750119). 2pp. 62749:105-62749:106.
- 9207220184 Forwards application from Spencer for approval of shipping procedures. JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/12/15. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:107-62749:107.
- 9207220189 Suggests that recipient request Spencer to furnish illustrative calculations or observations used in evaluating spacing & stowage procedures, together w/ appropriate references. BECK,C.K. Atomic Energy Commission (Pre 750119). 58/12/22. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:108-62749:109.
- 9207220211 Informs that NRC cannot approve amend request for approval of corrugated paper board spacers as alternate to wood spacers, for bracing containers of SNM in steel drums. BECK,C.K. Atomic Energy Commission (Pre 750119). 59/01/19. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:110-62749:111.
- 9207220220 Insp of license SNM-154,C-3571 & R-218 on 590120. Noncompliance noted. Major areas inspected: personnel, plant operations & maint. PERRY,W.W. Atomic Energy Commission (Pre 750119). 59/03/19. 11pp. 62749:112-62749:122.
- 9207220223 Requests that shipping methods be outlined & justified, preferably by methods outlined in K-1019, inasmuch as dimensions of 5 gallon pails will preclude use of interaction criteria outlined in LA-2063. BECK,C.K. Atomic Energy Commission (Pre 750119). 59/01/28. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:123-62749:124.
- 9207220227 Forwards application for special nuclear matl license per 590121 ltr. FLUERY,E.R. Atomic Energy Commission (Pre 750119). 59/02/12. STRAUSSER,W.A. Atomic Energy Commission (Pre 750119). 5pp. 62749:125-62749:130.
- 9207220230 Forwards licensee request for amend to License SNM-154 per 590121 ltr. JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/02/12. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:131-62749:131.
- 9207220235 Advises that license SNM-154 may be amended to authorize addl activities. MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 59/02/10. Atomic Energy Commission (Pre 750119). 1p. 62749:132-62749:132.
- 9207220236 Advises that App to Spencer 590121 ltr may be withheld from public insp. JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/02/24. Atomic Energy Commission (Pre 750119). 1p. 62749:133-62749:137.
- 9207220277 Informs that AEC cannot approve two mods to license SNM-154 & suggests that licensee communication to Spencer include listed info. BECK,C.K. Atomic Energy Commission (Pre 750119). 59/04/02. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 62749:138-62749:139.
- 9207220280 Forwards application for company plans for compliance w/ 10CFR70 section 70.24 per 590407 submittal. JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/04/09. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:140-62749:140.
- 9207220288 Informs that approval of proposed shipping procedures cannot be determined & applicant equipment & procedures considered adequate to protect health & minimize danger to life or property. PRICE,H.L. Atomic Energy Commission (Pre 750119). 59/04/23. Atomic Energy Commission (Pre 750119). 2pp. 62749:141-62749:142.
- 9207220296 Forwards licensee requests for approval of shipping procedures for shipment of enriched U. JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/05/05. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:143-62749:143.
- 9207220303 Forwards licensee request for amend to provide for addl packaging & shipping procedures. JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/05/14. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:144-62749:144.
- 9207220320 Requests that licensee provide addl info to complete evaluation of alarm sys & emergency plan in compliance w/ section 70.24. BECK,C.K. Atomic Energy Commission (Pre 750119). 59/05/18. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:145-62749:146.
- 9207220324 Forwards insp rept for licenses SNM-154,C-3571 & R-218,W/o encl. JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/05/18. BECK,C.K. Atomic Energy Commission (Pre 750119). 3pp. 62749:147-62749:150.
- 9207220338 Informs that AEC cannot approve proposed shipping procedure & suggests that communication to Spencer include following info as listed. BECK,C.K. Atomic Energy Commission (Pre 750119). 59/06/03. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:151-62749:152.
- 9207220356 Discusses shipment of 3.5% enriched UF<sub>6</sub> in MD cylinders & suggests that info be incorporated in communication to Spencer Chemical Co. BECK,C.K. Atomic Energy Commission (Pre 750119). 59/06/04. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:153-62749:154.
- 9207220360 Forwards licensee requests for adequacy of applicant procedures to avoid condition of accidental criticality for review. JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/06/12. CASE,E.G. Atomic Energy Commission (Pre 750119). 1p. 62749:155-62749:155.
- 9207220383 Advises that licensee proposed procedure for shipping U dioxide from Kansas City to GE at San Francisco, satisfactory. CASE,E.G. Atomic Energy Commission (Pre 750119). 59/06/16. JOHNSON,L. Atomic Energy Commission (Pre 750119). 1p. 62749:156-62749:157.
- 9207220390 Forwards application for amend to license SNM-154 per 590610 request,W/o encl. FLUERY,E.R. Atomic Energy Commission (Pre 750119). 59/06/17. CASE,E.G. Atomic Energy Commission (Pre 750119). 1p. 62749:158-62749:158.
- 9207220412 Advises that 590610 submittal re instrument, alarm sys & emergency evacuation procedures is satisfactory. CASE,E.G. Atomic Energy Commission (Pre 750119). 59/06/23. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 62749:159-62749:160.
- 9207220419 Responds to 590603-04 memo re licensee requests for approval of proposed procedures for shipping UF<sub>6</sub> containing 3 1/2% enriched U. JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/06/23. CASE,E.G. Atomic Energy Commission (Pre 750119). 1p. 62749:161-62749:161.
- 9207220420 Responds to 590603-04 memo requesting technical justification for opinions expressed. CASE,E.G. Atomic Energy Commission (Pre 750119). 59/07/02. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 62749:162-62749:163.
- 9207220422 Requests that approval for further shipment according to shipping procedures be withdrawn at once & licensee instructed to resubmit plans for shipment. BECK,C.K. Atomic Energy Commission (Pre 750119). 59/12/07. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 4pp. 62749:164-62749:167.
- 9207230027 Forwards application for amend to license SNM-154 per 591228 request. JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/01/20. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:168-62749:168.
- 9207230032 Advises that approval request for mod of license SNM-154 is satisfactory. BECK,C.K. Atomic Energy Commission (Pre 750119). 60/01/27. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 62749:169-62749:170.
- 9207230035 Advises that request for approval of procedures for manufacturing fused U oxide & U carbides is satisfactory. BECK,C.K. Atomic Energy Commission (Pre 750119). 60/01/27. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 62749:171-62749:172.
- 9207230036 Provides application re adequacy of applicant procedures to avoid condition of accidental criticality per 600127 request. JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/02/08. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:173-62749:173.
- 9207230040 Authorizes shipment of 850 lbs of Uo<sub>2</sub>. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/02/26. Atomic Energy Commission (Pre 750119). 1p. 62749:174-62749:174.
- 9207230045 Approves shipping procedures for highly enriched UO<sub>2</sub> & requests further info on shipping procedures for approval of routine shipments of matl. BECK,C.K. Atomic Energy Commission (Pre 750119). 60/02/26. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:175-62749:176.

## 212 NONDOCKETED ITEMS

- 9207230046 Recommends that Spencer application re procedures for manufacturing fused U oxide & carbide be approved.  
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/03/01. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:177-62749:178.
- 9207230050 Requests review of 600307 request for adequacy of applicant procedures to avoid condition of accidental criticality.  
FLEURY,E.R. Atomic Energy Commission (Pre 750119). 60/03/09. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:179-62749:179.
- 9207230054 Recommends that requests be granted as specific approval for shipment of matl.  
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/03/15. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 62749:180-62749:183.
- 9207230057 Requests review of 600310 request for amend to license SNM-154 re procedures to avoid condition of accidental criticality.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/03/21. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:184-62749:184.
- 9207230059 Requests review for classification of license status SNM-154 per 600330 ltr.  
FLUERY,E.R. Atomic Energy Commission (Pre 750119). 60/04/05. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:185-62749:185.
- 9207230061 Comments on insp rept re activities at Spencer Chemical Co.  
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/04/07. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 1p. 62749:186-62749:186.
- 9207230066 Requests review of amend to license SNM-154 re applicant adequacy to avoid condition of accidental criticality.  
EDWARDS,C.T. Atomic Energy Commission (Pre 750119). 60/04/18. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:187-62749:187.
- 9207230067 Requests review of 600413 request for adequacy of applicant procedures to avoid condition of accidental criticality.  
EDWARDS,C.T. Atomic Energy Commission (Pre 750119). 60/04/19. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:188-62749:188.
- 9207230069 Forwards 600422 ltr re license renewal.  
FLUERY,E.R. Atomic Energy Commission (Pre 750119). 60/04/28. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:189-62749:189.
- 9207230072 Responds to 600310 ltr re request for approval of shipping procedures for fully enriched U compounds.  
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/05/04. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:190-62749:191.
- 9207230073 Requests review of 600426 request re amend to license SNM-154.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/05/06. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:192-62749:192.
- 9207230075 Recommends approval of application for shipping procedures for Uf6.  
CASE,E.G. Atomic Energy Commission (Pre 750119). 60/05/13. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:193-62749:194.
- 9207230078 Recommends approval of application subject to compliance w/paragraph 3.1(1)(b) of TID-7019, except as provided for in paragraph D(2)(b) of Spencer application.  
CASE,E.G. Atomic Energy Commission (Pre 750119). 60/05/23. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 3pp. 62749:195-62749:197.
- 9207230080 Suggests deferring action on requests until problems discussed in 600504 memo are reconciled.  
CASE,E.G. Atomic Energy Commission (Pre 750119). 60/05/23. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 3pp. 62749:198-62749:200.
- 9207230088 Submits 600608 ltr for classification review of SNM application suppl.  
FLUERY,E.R. Atomic Energy Commission (Pre 750119). 60/06/13. STARUSER,W.A. Atomic Energy Commission (Pre 750119). 2pp. 62749:201-62749:202.
- 9207230090 Requests review of amend to shipping procedures per 600608 request.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/06/14. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:203-62749:203.
- 9207230113 Summary of 600615 meeting w/licensee in Germantown, MD re Spencer shipments of unirradiated special nuclear matl.  
NEGREIAN,P. Atomic Energy Commission (Pre 750119). 60/06/16. Atomic Energy Commission (Pre 750119). 2pp. 62749:204-62749:209.
- 9207230119 Discusses telcon re amend to license SNM-154 revising shipping container oxide & fully enriched solutions.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 60/07/11. Atomic Energy Commission (Pre 750119). 1p. 62749:210-62749:210.
- 9207230122 Requests review of 600718 application re procedures to avoid condition of accidental criticality.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/07/14. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:211-62749:211.
- 9207230126 Comments on TID-7019, "Guide to Shipment of U-235 Enriched U Matls."  
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/07/15. JOHNSON,L. Atomic Energy Commission (Pre 750119). 2pp. 62749:212-62749:215.
- 9207230129 Forwards amend to license SNM-154 for review.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/07/26. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:216-62749:216.
- 9207230167 Responds to 600708 ltr proposing container for shipment of U compounds & solutions of all enrichments.  
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/07/26. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:217-62749:218.
- 9207230170 Responds to 600726 memo Spencer has furnished requesting info in 600722 ltr.  
\* Atomic Energy Commission (Pre 750119). 60/08/02. Atomic Energy Commission (Pre 750119). 2pp. 62749:219-62749:220.
- 9207230173 Ack TWX 600808 request approval of shipping procedures.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/08/11. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62749:221-62749:221.
- 9207230175 Recommends against licensee requesting waiver of certification requirement per 600808 request.  
CASE,E.G. Atomic Energy Commission (Pre 750119). 60/08/16. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 2pp. 62749:222-62749:223.
- 9207230176 Requests review of 600909 request for adequacy of applicant procedures to avoid condition of accidental criticality.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/09/13. BECK,C.K. Atomic Energy Commission (Pre 750119). 2pp. 62749:224-62749:225.
- 9207230178 Approves procedures for shipping fully enriched UF6.  
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/09/21. JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 3pp. 62749:226-62749:228.
- 9207230181 Responds to 600915 application requesting approval for shipping U hexafluoride. Suggests that licensee follow instruction as listed.  
BECK,C.K. Atomic Energy Commission (Pre 750119). 60/10/12. JOHNSON,L. Atomic Energy Commission (Pre 750119). 4pp. 62749:229-62749:232.
- 9207230183 Requests review of 601109 request for adequacy of applicant procedures to avoid condition of accidental criticality.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/11/14. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 62749:233-62749:233.
- 9207230186 Discusses nuclear safety criteria for high density matls.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/02/24. Atomic Energy Commission (Pre 750119). 3pp. 62749:234-62749:236.
- 9207230188 Responds to 601109 application & recommends approval of container & maximum loading of 11kg U-235. Suggests that recipient inform Spencer of basis for findings, as listed.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/02/28. DELANEY,J. Atomic Energy Commission (Pre 750119). 4pp. 62749:237-62749:240.
- 9207230189 Requests review of subject request for adequacy of applicant procedures to avoid condition of accidental criticality.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/03/02. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 62749:241-62749:241.
- 9207230192 Requests review of subject request for adequacy of applicant procedures to avoid condition of accidental criticality.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/03/03. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 62749:242-62749:242.
- 9207230195 Discusses 610303 memo forwarding subject ltr which supplements Spencer 600915 application. AEC has no further objection to application.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/04/21. DELANEY,J. Atomic Energy Commission (Pre 750119). 2pp. 62749:243-62749:244.
- 9207230196 Comments on licensee application for renewal of license SNM-154.  
LANE,J.J. Atomic Energy Commission (Pre 750119). 61/04/17. Atomic Energy Commission (Pre 750119). 4pp. 62749:245-62749:248.
- 9207230197 Insp on 610502-05. Discrepancies noted. Major areas inspected: operations of nuclear fuels section.  
WHITMAN,A.I. Atomic Energy Commission (Pre 750119). 61/06/27. 19pp. 62749:249-62749:267.
- 9207230199 Forward insp rept for license C-4352, SNM-154 & SNM-329, AL insp 794.  
WOOLSEY,R.T. Atomic Energy Commission (Pre 750119). 61/06/30. LOWENSTIEN,R. Atomic Energy Commission (Pre 750119). 3pp. 62749:268-62749:270.
- 9207230225 Confirms telcon re visit made by representatives from Spencer Chemical Co on 610711 to discuss criticality.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/07/07. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 62749:271-62749:271.
- 9207230232 Informs that AEC concluded that proposed procedures do not provide requisite protection against accidental criticality during shipment of special nuclear matl.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/07/11. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 2pp. 62749:272-62749:273.
- 9207230234 Requests review of adequacy of applicant procedures to avoid condition of accidental criticality.  
NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 61/08/09. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 62749:274-62749:274.
- 9207230238 Approves amend requested by Spencer, covering shipping containers for low enriched oxides.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/09/08. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 62749:275-62749:276.
- 9207230239 Comments on adequacy of applicant procedures to avoid condition of accidental criticality requested.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/09/25. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 62749:277-62749:277.
- 9207230241 Responds to request for approval to revised plans for shipping fused UO2 of enrichments. Recommends against proposed procedures & wish to withdraw approval of containers involving safe-volume principle.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/12/08. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 62749:278-62749:279.
- 9207230244 Comments on Spencer application of 610920 for proposed shipping procedures & withdraws approval for Spencer shipping containers as described in application dtd 610903.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/12/18. LUKE,C.D. Atomic Energy Commission (Pre 750119). 1p. 62749:280-62749:280.

- 9207230247 Recommends against approval of Spencer 610920 application proposing shipment of slightly enriched U oxide powder in light gage sheet metal inner containers sized for nuclear safe capacity.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/12/27. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 62749:281-62749:282.
- 9207230250 Comments on T George 611002 ltr to Spencer Chemical Co & B Leaders reply.  
LUKE,C.D. Atomic Energy Commission (Pre 750119). 62/02/09. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 4pp. 62749:283-62749:286.
- 9207230254 Forwards notice of violation to license SNM-154 for concurrence & requests that licensee submit weighted exposure data on employees who work in areas w/air concentrations in excess of MPC.  
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 62/03/26. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 62749:287-62749:287.
- 9207230256 Discusses structural adequacy on drum skirts.  
BECK,C. Atomic Energy Commission (Pre 750119). 62/04/02. LUKE,C., LANE,J. Atomic Energy Commission (Pre 750119). 2pp. 62749:288-62749:290.
- 9207230265 Requests that order be drafted to licensee to revoke amend to license SNM-154 granted on 610911. Encl analysis & finding set forth in detail encl.W/o encl.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/05/29. SHAPER,H.K. Atomic Energy Commission (Pre 750119). 1p. 62749:291-62749:291.
- 9207230269 Discusses 640430 visit by G Smith to Jayhawk to conduct close-out insp of subject licensee facilities as requested per 640413 memo.  
WALKER,D.I. Atomic Energy Commission (Pre 750119). 64/05/20. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 5pp. 62749:292-62749:300.
- 9207230284 License R-218 for Spencer Chemical Co,authorizing possession of 10 kilograms normal thorium oxide U oxide mixture for use in process research.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/01/20. WOODWARD,H.F. Spencer Chemical Co. 2pp. 62749:301-62749:302.
- 9207230285 Application for renewal of License R-218.  
LANDRUM,L.H. Spencer Chemical Co. 59/01/22. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 2pp. 62749:303-62749:304.
- 9207230288 License R-218 for Spencer Chemical Co,authorizing to receive possession of & title to 10 kg of normal thorium oxide U oxide mixture for use in process research.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/01/29. LANDRUM,L.H. Spencer Chemical Co. 2pp. 62749:305-62749:306.
- 9207230291 Application for amend to license R-218 to receive possession of & title to 10 kg of normal thorium oxide-U oxide mixture.  
DINGES,H.R. Spencer Chemical Co. 59/03/03. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 62749:307-62749:307.
- 9207230294 Advises that Amend 1 to license issued to authorize transfer & deliver possession of refined source matl to individuals licensed by AEC.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/03/02. DINGES,H.R. Spencer Chemical Co. 2pp. 62749:308-62749:309.
- 9207230298 Insp on 590120.No noncompliance noted.Major areas inspected: administrative personnel & plant operations.  
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 59/03/19. 12pp. 62749:310-62749:326.
- 9207230301 Discusses insp on 600330-0401 of licenses C-4352,R-218, SNM-154 & SNM-329.Labeling deficiencies were brought to attention by inspector & corrective action will be taken by licensee.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/10/12. LAMBERTUS,H. Spencer Chemical Co. 1p. 62749:327-62749:327.
- 9207240025 Forwards 820604 ltr transmitting results of survey conducted by Gulf Oil Chemicals during Aug 1981 & found to be free of contamination.  
CROW,W.T. Uranium Fuel Licensing Branch. 82/09/19. Uranium Fuel Licensing Branch. 2pp. 62749:328-62749:329.
- 9207240028 Responds to 820512 request forwarding results of surveys. No detectable amounts of natural U or thorium at building site noted during insp.  
MCCORMACK,G.M. Gulf Oil Products Co. 82/06/04. CAIN,C.L. Region 4 (Post 820201). 8pp. 62749:330-62749:337.
- 9207240031 Forwards insp rept 26-B134-01 on 820616.  
CROW,W.T. Uranium Fuel Licensing Branch. 82/09/19. Uranium Fuel Licensing Branch. 2pp. 62749:338-62749:339.
- 9207240032 Forwards 820614 telcon & insp rept on 800617.  
ALLEN,G.W. Kansas, State of. 82/06/16. CAIN,C.L. NRC - No Detailed Affiliation Given. 1p. 62749:340-62749:340.
- 9207240044 Insp rept 26-B134-01 on 800617.No noncompliance noted.Major areas inspected:plant operation,personnel,training,survey program,transportation & waste disposal.  
BORCHERT,H.R. NRC - No Detailed Affiliation Given. 82/06/17. 11pp. 62749:341-62750:032.
- 9207240048 Responds to 590622 application for special nuclear matl license to authorize chemical conversion of enriched U at addl processing facilities.Requests addl info.  
MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 59/07/23. LAMBERTUS,H. Spencer Chemical Co. 2pp. 62750:033-62750:034.
- 9207240050 Responds to 590723 ltr requesting addl info on 590622 application for special nuclear matl license.Provides info.  
LAMBERTUS,H. Spencer Chemical Co. 59/07/28. MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 5pp. 62750:035-62750:039.
- 9207240052 Comments on adequacy of applicant procedures to prevent condition of inadvertent critically requested.  
JOHNSON,L. Atomic Energy Commission (Pre 750119). 59/08/06. BECK,C.K. Atomic Energy Commission (Pre 750119). 1p. 62750:040-62750:040.
- 9207240056 Informs that applicant is qualified by reason of training & experience to use special nuclear matl for purpose requested.Application meets requirements of Commission regulations.  
MCCALLUM,C.P. Atomic Energy Commission (Pre 750119). 59/10/01. Atomic Energy Commission (Pre 750119). 2pp. 62750:041-62750:042.
- 9207240059 Ack special nuclear matl license SNM-329 granted w/591001 ltr.  
LAMBERTUS,H. Spencer Chemical Co. 59/10/06. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 62750:043-62750:043.
- 9207240063 Advise licensee under which license wish allocation of 1200 lbs hex (11.92 kg U-235).  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/02/12. LAMBERTUS,H. Spencer Chemical Co. 3pp. 62750:044-62750:046.
- 9207240067 Informs that licensee are hereby allocated 11.92 kg contained U-235 as UF6 containing U enriched to 3.24 plus or minus 0.068% U-235 for use under License SNM-329.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/02/24. LAMBERTUS,H. Spencer Chemical Co. 2pp. 62750:047-62750:049.
- 9207240071 Requests info re financial statement to expedite action on future requests.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/12/14. LAMBERTUS,H. Spencer Chemical Co. 1p. 62750:050-62750:050.
- 9207240073 Forwards annual rept re financial statement per request.W/o encl.  
LAMBERTUS,H. Spencer Chemical Co. 60/12/21. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 62750:051-62750:051.
- 9207240075 Ack receipt of 601221 ltr providing annual rept & financial statement.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/12/30. LAMBERTUS,J.C. Spencer Chemical Co. 4pp. 62750:052-62750:055.
- 9207240078 Authorizes license SNM-329 to ship on one time only basis in fifty-five gallon package previously approved.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/01/24. GREENLEE,N.A. Spencer Chemical Co. 1p. 62750:056-62750:057.
- 9207240082 Discusses insp on 610502-05.  
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/04/17. GREENLEE,N. Spencer Chemical Co. 3pp. 62750:058-62750:060.
- 9207240086 Responds to 620417 ltr re insp on 610502-05 providing addl info & App I,"Procedures Used to Set Up Sampling Program for Air & Smear Tests."  
LAMBERTUS,H. Spencer Chemical Co. 62/05/14. PRICE,E.R. Atomic Energy Commission (Pre 750119). 15pp. 62750:061-62750:075.
- 9207240089 Forwards 620417 ltr.  
LAMBERTUS,H. Spencer Chemical Co. 62/05/17. PRICE,E.R. Atomic Energy Commission (Pre 750119). 2pp. 62750:076-62750:077.
- 9207240093 Ack 620514 ltr informing AEC of steps taken to correct deficiencies noted in insp.  
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/07/17. LAMBERTUS,H. Spencer Chemical Co. 1p. 62750:078-62750:078.
- 9207240094 Notice of license expiration.  
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 62/07/25. LAMBERTUS,H. Spencer Chemical Co. 1p. 62750:079-62750:079.
- 9207240098 Informs that all communications re licenses should be directed to Kerr-McGee as follows.  
COBB,G.H. Kerr-McGee Chemical Corp. 62/09/06. JOHNSON,L. Atomic Energy Commission (Pre 750119). 1p. 62750:080-62750:080.
- 9207240101 Advises that licensee complete & return "Certification of Status of Special Nuclear Matl Activities under AEC license SNM-329."  
NAUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 62/10/25. GREENLEE,N.M. Spencer Chemical Co. 1p. 62750:081-62750:081.
- 9207240102 Forwards certification of status of special nuclear matl program under USAEC for license SNM-329.  
GREENLEE,N.A. Spencer Chemical Co. 62/11/20. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 62750:082-62750:082.
- 9207240108 Certificate of disposition of matls:license been or will be prior to expiration of above license transferred to SNM-329.  
GREENLEE,N.A. Atomic Energy Commission (Pre 750119). 62/11/20. 1p. 62750:083-62750:086.
- 9207240114 Forwards special nuclear matl license.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/10/01. LAMBERTUS,H. Spencer Chemical Co. 1p. 62750:087-62750:087.
- 9207240115 Matls licensing package for license SNM-329 for Spencer Chemical Co.  
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/10/02. 1p. 62750:088-62750:088.
- 9207200219 Final response to FOIA request for documents re most recent insp of hosp in State of OH.Forwards documents listed in App A,which are being made available for PDR.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/07. DAVIS,D. Plain Dealer, Cleveland, OH. 6pp. 62525:004-62527:331.
- 8901190467 Discusses Safety Insp of License 34-00991-02 on 881214 & forwards notice of violations.  
WEIDEMAN,D.G. Region 3 (Post 820201). 89/01/09. WESELI,R.W. Good Samaritan Hosp., Cincinnati, OH. 1p. 62526:307-62526:308.
- 8901190471 Notice of violation from insp on 881214.Violations noted: failure to conduct quarterly physical inventory of all such sources in possession & failure to provide radiation safety instructions for nurses caring for patients receiving P-32.  
WIEDEMAN,D.G. Region 3 (Post 820201). 89/01/09. 1. 62526:308-62526:308.



## 214 NONDOCKETED ITEMS

- 8901240231** Safety insp on 890111-12 of Licenses 34-13317-01 & 34-13317-02.Insp findings:daily performance checks of permanent radiation monitor not recorded & linearity check of dose calibrator not performed. GIBBONS,D.R. Region 3 (Post 820201). JACQUES,L.J. Ohio Valley Hosp., Steubenville, OH. 89/01/12. 1p. 62526:214-62526:214.
- 8904130552** Safety insp on 890309 of License 34-06904-01.Insp findings: no violations noted. PATTERSON,J.W. Region 3 (Post 820201). \* Grandview Hosp. & Medical Center, Dayton, OH. 89/03/09. 1p. 62526:283-62526:283.
- 8905090349** Safety insp on 890427 of License 34-17796-01.Insp findings: no violations noted. MULAY,S. Region 3 (Post 820201). \* Lorain Community Hosp., Lorain, OH. 89/04/27. 1p. 62526:042-62526:042.
- 8905180415** Forwards rept of safety insp of Licenses 34-00398-08 & 34-00398-10 on 890426.No violation noted. MULAY,S. Region 3 (Post 820201). 89/05/08. APPEL,D. St. Luke's Hosp., Cleveland, OH. 1p. 62525:218-62525:219.
- 8905180418** Safety insp on 890426 of Licenses 34-00398-08 & 34-00398-10. Insp findings:no violations observed. MULAY,S. Region 3 (Post 820201). \* St. Luke's Hosp., Cleveland, OH. 89/05/01. 1p. 62525:219-62525:219.
- 8906020038** Safety insp on 890509 of Licenses 34-01312-01 & 34-01312-05. Insp findings:no violations noted. REICHHOLD,W.P. Region 3 (Post 820201). PARSONS,J.L. Aultman Hosp., Canton, OH. 89/05/09. 1p. 62527:276-62527:276.
- 8906130014** Safety insp on 890523 of License 34-05015-01.No violations observed. MULAY,S.J. Region 3 (Post 820201). \* Veterans Admin. Medical Center, Dayton, OH. 89/05/23. 1p. 62527:043-62527:043.
- 8906140084** Discusses safety insp of Licenses 34-00305-03 & 34-00305-04 & forwards notice of violation for License 34-00305-03. WIEDEMAN,D.G. Region 3 (Post 820201). 89/05/31. SISTER KATHLEEN Mercy Hosp., Toledo, OH. 2pp. 62525:282-62525:285.
- 8906140096** Notice of violation from insp on 890510.Violations noted: Radex dose calibrator tested for linearity & max anticipated activity not used. WIEDEMAN,D.G. Region 3 (Post 820201). 89/05/25. 2pp. 62525:284-62525:285.
- 8906140118** Discusses safety insp of Licenses 34-00179-02 & 34-00179-03 on 890523 & forwards notice of violation.Util requested to describe why proposed corrective action re repeat violation (Item 1) expected to be more successful. WIEDEMAN,D.G. Region 3 (Post 820201). 89/06/09. BISHOP,T. Frederick C. Smith Clinic, Marion, OH. 2pp. 62526:022-62526:024.
- 8906140123** Notice of violation from insp on 890523.Violations noted: failure to record all survey results,including negative results. WIEDEMAN,D.G. Region 3 (Post 820201). 89/06/06. 1p. 62526:024-62526:024.
- 8906200184** Forwards safety insp on 890511 of License 34-03362-03. REICHHOLD,W.P. Region 3 (Post 820201). 89/05/23. CRAWFORD,M.A. Akron General Medical Center, Akron, OH. 1p. 62527:081-62527:082.
- 8906200186** Safety insp on 890511 of License 34-03362-03.Insp findings: annual refresher training on radiation safety not given to ancillary personnel. REICHHOLD,W.P. Region 3 (Post 820201). CRAWFORD,M.A. Akron General Medical Center, Akron, OH. 89/05/30. 1p. 62527:082-62527:082.
- 8906290222** Ack receipt of 890615 ltr informing NRC of steps taken to correct violations noted in insp of License 34-00305-03. MCELROY,N.L. Region 3 (Post 820201). 89/06/22. MOROSS,K.M. Mercy Hosp., Toledo, OH. 1p. 62525:279-62525:279.
- 8906290225** Responds to NRC 890531 ltr re violations noted in insp of License 34-00305-03.Corrective actions:quarterly linearity tests using max activity of 150 mCi will be done. MOROSS,K.M. Mercy Hosp., Toledo, OH. 89/06/15. WIEDEMAN,D.G. Region 3 (Post 820201). 1p. 62525:280-62525:281.
- 8906290227** Application for amend to License 34-00305-03,relocating radioimmunoassay dept & changing radiation safety officer. Fee paid. MEHTA,G.B. Mercy Hosp., Toledo, OH. 89/05/12. Region 3 (Post 820201). 1p. 62525:281-62525:281.
- 8908140157** Responds to NRC 890706 ltr re violations noted in insp of License 34-00179-02 on 890523.Corrective actions:written records will be maintained & will be reviewed monthly by radiation safety officer.Radiation survey check record encl. MILLER,D.M. Frederick C. Smith Clinic, Marion, OH. 89/07/27. CASEY,C. Region 3 (Post 820201). 5pp. 62526:016-62526:020.
- 8908140269** Safety insp on 890727 of License 34-03362-02.Insp findings: records of patient surveys after removal of implant source not maintained. MULAY,S.J. Region 3 (Post 820201). \* Akron General Medical Center, Akron, OH. 89/07/31. 2pp. 62527:102-62527:103.
- 8909080133** Safety insp on 890822 of License 34-00774-07.Insp findings: no violations noted. MADERA,J.R. Region 3 (Post 820201). \* Mt. Carmel Medical Center, Columbus, OH. 89/08/22. 1p. 62525:114-62525:114.
- 8910200232** Safety insp on 890927 of Licenses 34-15938-01 & 34-15938-02. Insp finding:quarterly linearity checks on licensee dose calibrator did not cover range to 10 uCi. GIBBONS,D.R. Region 3 (Post 820201). ROUSON,J.D. Scioto Memorial Hosp., Portsmouth, OH. 89/09/27. 1p. 62526:198-62526:198.
- 8912040039** Safety insp on 890920 of License 34-02007-02.Insp findings: no violations observed. CASEY,C.C. Region 3 (Post 820201). \* Mansfield General Hosp., Mansfield, OH. 89/09/20. 2pp. 62527:186-62527:187.
- 8901230182** Safety insp on 891218 of License 34-01869-02.Insp findings: no violations observed. MCCANN,G.M. Region 3 (Post 820201). \* Lutheran Medical Center, Cleveland, OH. 89/12/18. 1p. 62527:225-62527:225.
- 8901230206** Forwards safety insp of License 34-03362-02 on 890727. Violation noted. MULAY,S. Region 3 (Post 820201). 90/01/03. HEDRICK,W. Akron General Medical Center, Akron, OH. 1p. 62527:101-62527:101.
- 9002260089** Safety insp on 900112 of License 34-02176-03.Insp findings: failure to check proper operation of teletherapy treatment room door from inside. SLAWINSKI,W.J. Region 3 (Post 820201). \* St. Elizabeth Medical Center, Dayton, OH. 90/01/12. 1p. 62527:132-62527:132.
- 9003070064** Discusses safety insp of License 34-00852-03 on 900131. Violations noted:failure to conduct monthly spot-checks of teletherapy unit in Feb 1988.Notice of violation will not be issued based on successful corrective actions. SRENIAWSKI,D.J. Region 3 (Post 820201). 90/02/27. HENSON,E.J. Mercy Medical Center Springfield,OH. 1p. 62525:010-62525:010.
- 9003220284** Safety insp on 900221 of License 34-17088-01.Insp findings: no violations noted.Steps taken to correct violations noted during last insp verified. KING,W.T. Region 3 (Post 820201). \* Veterans Memorial Hosp. of Meigs County, Pomeroy, OH. 90/02/21. 1p. 62526:120-62526:120.
- 9003300183** Forwards safety insp of License 34-17013-02 on 900226.No violations noted. KING,W.T. Region 3 (Post 820201). 90/03/15. BAKER,R. Licking Memorial Hosp., Newark, OH. 1p. 62526:136-62526:137.
- 9003300184** Safety insp on 900226 of License 34-17013-02.Insp findings: no violations noted.Steps taken to correct violations noted in previous insp verified. MCCANN,G.M. Region 3 (Post 820201). \* Licking Memorial Hosp., Newark, OH. 90/03/13. 1p. 62526:137-62526:137.
- 9004100066** Forwards Safety Insp Rept 30-02639/90-01 on 900111 & notice of violation.Actions described in licensee 860113 ltr re apparent violations found during 851203-04 insp also examined. SRENIAWSKI,D.J. Region 3 (Post 820201). 90/03/08. STAJDUHAR,P. Veterans Admin. Hosp., Cleveland, OH. 2pp. 62525:339-62526:003.
- 9004100070** Notice of violation from insp on 900111.Violation noted: failure of radiation safety committee to include representative of nursing svc & failure to maintain records of leakage tests performed in Jul 1989 on Cs-137 & Ba-133. SRENIAWSKI,D.J. Region 3 (Post 820201). 90/03/06. 2pp. 62525:341-62525:342.
- 9004100072** Insp Rept 30-02639/90-01 on 900111.Violations noted.Major areas inspected:corrective action on previous violations, review of organization structure,scope of program,audits, training,matl & personnel radiation protection - external. GIBBONS,D.R., SRENIAWSKI,D.J., MCCANN,G.M. Region 3 (Post 820201). 90/03/06. 32pp. 62525:343-62526:003.
- 9005020076** Discusses safety insp of Licenses 34-01131-01 & 34-01131-03 on 900320-21 & forwards notice of violation. MCCANN,G.M. Region 3 (Post 820201). 90/04/11. BECK,G. St. Elizabeth Hosp. Medical Center, Youngstown, OH. 1p. 62526:329-62526:332.
- 9005020080** Notice of violation from insp on 900320-21.Violation noted: failure to store radwaste in authorized rooms & failure to check Xe-133 trap for leakage. MCCANN,G.M. Region 3 (Post 820201). 90/04/10. 3pp. 62526:330-62526:332.
- 9005020081** Responds to NRC 900308 ltr re violations noted in insp of License 34-00203-03 on 900111.Corrective actions:registered nurse added as permanent member of radiation safety committee & meeting schedules modified. STAJDUHAR,P. Veterans Admin. Hosp., Cleveland, OH. 90/03/29. SRENIAWSKI,D.J. Region 3 (Post 820201). 3pp. 62525:336-62525:338.
- 9005020082** Discusses safety insp of License 34-17013-01 on 900226 & forwards notice of violation.Actions examined re apparent violations found during 860826 insp. MCCANN,G.M. Region 3 (Post 820201). 90/04/11. ROHLER,H. Licking Memorial Hosp., Newark, OH. 2pp. 62526:159-62526:162.
- 9005020095** Notice of violation from insp on 900226.Violation noted: physician not listed in License Condition 12 as authorized user performed in capacity from Feb 1989 - Feb 1990. MCCANN,G.M. Region 3 (Post 820201). 90/04/10. 2pp. 62526:161-62526:162.
- 9005230194** Discusses safety insp of Licenses 34-17397-01 & 34-17397-02 on 900405 & forwards notice of violation.Written response required for Violations 1 & 2. MCCANN,G.M. Region 3 (Post 820201). 90/05/16. KEENEY,M. Clermont Mercy Hosp., Batavia, OH (formerly Clermont County Hosp.). 2pp. 62526:081-62526:084.
- 9005230196** Notice of violation from insp on 900405.Violation noted: failure to monitor hands & clothing for contamination & failure to post time needed to reduce concentration of radioactive gas to within regulatory limits at area of use. MCCANN,G.M. Region 3 (Post 820201). 90/05/16. 2pp. 62526:083-62526:084.
- 9007130009** Ack receipt of 900423 & 0508 ltrs informing NRC of steps taken to correct violations noted in insp of License 34-17013-01.Records will be changed to indicate Item 4 as recordkeeping violation only. MCCANN,G.M. Region 3 (Post 820201). 90/07/03. ROHLER,H. Licking Memorial Hosp., Newark, OH. 1p. 62526:155-62526:158.
- 9007130010** Advises that chart of correction factors posted on side of meters as corrective action to Item 3 in licensee 900423 ltr,per W Hendricks & W King conversation. ROHLER,H.E. Licking Memorial Hosp., Newark, OH. 90/05/08. MCCANN,G.M. Region 3 (Post 820201). 1p. 62526:156-62526:156.
- 9007130012** Responds to violations noted in insp of License 34-17013-01. Corrective actions:license amend request adding Mason as authorized user being prepared & radiation committee meeting will be scheduled on quarterly basis. ROHLER,H.E. Licking Memorial Hosp., Newark, OH. 90/04/23. MCCANN,G.M. Region 3 (Post 820201). 2pp. 62526:157-62526:158.
- 9007130058** Submits supplemental response to violations noted in insp of License 34-01131-03 on 900320-21,per 900523 telcon. Corrective actions:intercomparison correction factor for monthly spot check output being included in record. BECK,G.E. St. Elizabeth Hosp. Medical Center, Youngstown, OH. 90/05/25. Region 3 (Post 820201). 1p. 62527:022-62527:027.



- 9007130062 Responds to NRC 900411 ltr re violations noted in insp of License 34-01131-03 on 900320-21. Corrective actions: intercomparison correction factor for monthly spot check output being included in record.  
BECK, G.E. St. Elizabeth Hosp. Medical Center, Youngstown, OH. 90/05/04. Region 3 (Post 820201). 1p. 62527:023-62527:027.
- 9007130084 Provides addl info re violations noted in safety insp of License 34-01131-01 on 900320-21. Corrective actions: radiation safety committee will review appropriateness of physicians authorized by license & areas where mats stored.  
BECK, G.E. St. Elizabeth Hosp. Medical Center, Youngstown, OH. 90/05/25. Region 3 (Post 820201). 1p. 62526:324-62526:328.
- 9007130085 Responds to NRC 900411 ltr re violations noted in safety insp of License 34-01131-01. Corrective actions: Xe-133 gas trap will be checked for leakage every Friday afternoon after last study performed.  
BECK, G.E. St. Elizabeth Hosp. Medical Center, Youngstown, OH. 90/05/03. Region 3 (Post 820201). 2pp. 62526:325-62526:326.
- 9007130087 Application for amend to License 34-01131-01, authorizing author to use Group I-VI mats & relocating storage area. Diagram encl.  
LEE, J.J. St. Elizabeth Hosp. Medical Center, Youngstown, OH. 90/03/27. Region 3 (Post 820201). 2pp. 62526:327-62526:328.
- 9007190378 Safety insp on 900709 of License 34-03362-03. Insp findings: no violations observed.  
GIBBONS, D.R. Region 3 (Post 820201). \* Akron General Medical Center, Akron, OH. 90/07/09. 1p. 62527:116-62527:116.
- 9007250299 Confirms 900731 enforcement conference in Region III ofc to discuss violations re two misadministrations.  
NORELIUS, C.E. Region 3 (Post 820201). EA-90-128. 90/07/23. JENEY, J. St. Luke's Hosp., Cleveland, OH. 1p. 62525:277-62525:277.
- 9008060149 Responds to NRC 900516 ltr re violations noted during insp of Licenses 34-17397-01 & 34-17397-02. Corrective actions: calculated time needed to reduce concentration of radioactive gas within regulatory limits posted in hot lab.  
KEENEY, M. Clermont Mercy Hosp., Batavia, OH (formerly Clermont County Hosp.). 90/05/28. Region 3 (Post 820201). 1p. 62526:080-62526:080.
- 9008060157 Responds to W Reichhold telcon requesting review mechanism for assuring that technologist surveying hands & clothing for contamination before leaving area & calculated time needed to reduce concentration of radiation gas.  
SAUNDERS, G. Clermont Mercy Hosp., Batavia, OH (formerly Clermont County Hosp.). 90/07/19. Region 3 (Post 820201). 1p. 62526:079-62526:079.
- 9008070337 Forwards Safety Insp Rept 30-17512/90-01 on 900627-29. Violation noted. Licensee will be notified by separate correspondence of NRC decision re enforcement action based on findings of insp.  
NORELIUS, C.E. Region 3 (Post 820201). EA-90-128. 90/07/26. JENEY, J. St. Luke's Hosp., Cleveland, OH. 2pp. 62525:237-62525:271.
- 9008070339 Partially withheld Insp Rept 30-17512/90-01 on 900627-29. Violations noted. Major areas inspected. Circumstances surrounding two apparent therapeutic misadministrations reported to NRC on 900420 & 0625.  
SLAWINSKI, W.J. Region 3 (Post 820201). 90/07/26. 18pp. 62525:239-62525:271.
- 9008220195 Forwards Enforcement Conference Rept 30-17512/90-02 on 900731.  
NORELIUS, C.E. Region 3 (Post 820201). EA-90-128. 90/08/15. JENEY, J. St. Luke's Hosp., Cleveland, OH. 1p. 62525:273-62525:276.
- 9008220196 Enforcement Conference Rept 30-17512/90-02 on 900731. Major areas discussed: review of two therapeutic misadministrations & apparent causes, violations & concerns identified during insp, licensee corrective actions & NRC enforcement policy.  
SLAWINSKI, W.J. Region 3 (Post 820201). 90/08/10. 3pp. 62525:274-62525:276.
- 9012100200 Discusses safety insp of License 34-01312-05 on 901107 & forwards notice of violation.  
SCHULTZ, W.H. Region 3 (Post 820201). 90/11/26. HEDRICK, W. Aultman Hosp., Canton, OH. 1p. 62527:308-62527:309.
- 9012100204 Notice of violation from insp on 901107. Violation noted: licensee used 5,538 Ci Co-60 as sealed source in Theratron 780C unit.  
SCHULTZ, W.H. Region 3 (Post 820201). 90/11/26. 1p. 62527:309-62527:309.
- 9010120351 Responds to NRC 901126 ltr re violations noted in insp of License 34-01312-01 on 901107. Corrective actions: blood irradiation, using Co-60 teletherapy unit, discontinued & technologists informed that irradiation prohibited.  
HEDRICK, W.R. Aultman Hosp., Canton, OH. 90/12/11. SCHULTZ, W.H. Region 3 (Post 820201). 1p. 62527:307-62527:307.
- 901110137 Discusses insp of License 34-00305-04 on 901128 & forwards notice of violation.  
SCHULTZ, W.H. Region 3 (Post 820201). 91/01/04. O'NEAL, R. Mercy Hosp., Toledo, OH. 1p. 62525:317-62525:318.
- 901110148 Notice of violation from insp on 901128. Violations noted: full & monthly calibrs did not include determination of timer linearity & monthly spot checks did not include checking electrical & mechanical stops.  
SCHULTZ, W.H. Region 3 (Post 820201). 91/01/04. 1p. 62525:318-62525:318.
- 9012120152 Safety insp on 910129 of License 34-13317-01. Insp findings: leak tests of Co-60 sealed sources not performed at proper frequencies.  
CAMERON, J.L. Region 3 (Post 820201). 91/01/29. 1p. 62526:248-62526:248.
- 9013120018 Forwards safety insps for Licenses 34-00774-07 & 34-00774-04. No violations observed.  
PATTERSON, J.W. Region 3 (Post 820201). 91/03/06. MARTIN, S.C. Mt. Carmel Medical Center, Columbus, OH. 1p. 62525:132-62525:133.
- 9013120020 Safety insp on 910222 & 0228 of Licenses 34-00774-07 & 34-00774-04. Insp findings: no violations observed.  
PATTERSON, J.W. Region 3 (Post 820201). \* Mt. Carmel Medical Center, Columbus, OH. 91/02/28. 1p. 62525:133-62525:133.
- 9014120007 Discusses safety insp of licenses 34-00852-02 & 34-00852-03 on 910305 & forwards notice of violation.  
SCHULTZ, W.H. Region 3 (Post 820201). 91/03/28. HENSON, E.J. Mercy Medical Center Springfield, OH. 2pp. 62525:027-62525:031.
- 9104120010 Notice of violation from insp on 910305. Violation noted: failure to post calculated time & safety measures to be instituted in case of spill of Xe-133 gas at area of use.  
SCHULTZ, W.H. Region 3 (Post 820201). 91/03/28. 3pp. 62525:029-62525:031.
- 9104120100 Safety insp on 910325 of license 34-02176-01. Insp findings: licensee failed to perform daily constancy check of dose calibrator.  
GIBBONS, D.R. Region 3 (Post 820201). \* St. Elizabeth Medical Center, Dayton, OH. 91/03/25. 1p. 62527:147-62527:147.
- 9104160111 Discusses safety insp on 910326 of licenses 34-02007-01 & 34-02007-02 & forwards notice of violation for license 34-02007-01.  
SCHULTZ, W.H. Region 3 (Post 820201). 91/04/10. CHIN, D. Mansfield General Hosp., Mansfield, OH. 1p. 62527:205-62527:207.
- 9104160115 Notice of violation from insp on 910326. Violation noted: dose calibr used to measure patient doses of radiopharm & was not checked for constancy, failure to survey kit preparation area & Tc-99m eluted from generator not assayed for Mo-99.  
SCHULTZ, W.H. Region 3 (Post 820201). 91/04/10. 2pp. 62527:206-62527:207.
- 9105020008 Safety insp on 910411-12 of licenses 34-01869-01 & 34-01869-02. Insp findings: survey instrument calibr records did not include all info, per 10CFR35.51(b). \* Region 3 (Post 820201). \* Lutheran Medical Center, Cleveland, OH. 91/04/12. 1p. 62527:240-62527:240.
- 9105020311 Discusses insp of Licenses 34-00746-02 & 34-00746-03 on 910410-11 & forwards notice of violation.  
SCHULTZ, W.H. Region 3 (Post 820201). 91/04/22. HOLLEFREUND, B. Mt. Sinai Medical Center, Cleveland, OH. 1p. 62525:172-62525:175.
- 9105020313 Notice of violation from insp on 910410-11. Violation noted: survey instruments not calbr 1/3 & 2/3 of full scale on each scale up to 1 R/hr. Thyroid burden of two patients not measured within three days after administration of dosage.  
SCHULTZ, W.H. Region 3 (Post 820201). 91/04/22. 3pp. 62525:173-62525:175.
- 9105080005 Responds to NRC 910318 ltr re violations noted in insp of licenses 34-00852-02 & 34-00852-03. Corrective actions: radiation committee met on 910412 & approved addition of GT Bretz & B Mervin as authorized users of mats.  
NAIR, R.P. Mercy Medical Center, Durango, CO. 91/04/16. SCHULTZ, W.H. Region 3 (Post 820201). 4pp. 62525:032-62525:035.
- 9105140325 Responds to NRC 910104 ltr re violations noted in insp of License 34-00305-04. Corrective actions: head swivel angle tests will commence w/Feb 1991 spot test. Disputes violation re nondetermination of timer linearity.  
O'NEAL, R.E. Mercy Hosp., Toledo, OH. 91/01/30. SCHULTZ, W.H. Region 3 (Post 820201). 9pp. 62525:308-62525:316.
- 9105150158 Responds to NRC ltr re violations noted in insp of License 34-00305-04. Corrective actions: beginning 910414 three timer measurements will be made during monthly spot check of cobalt teletherapy unit.  
O'NEAL, R.E. Mercy Hosp., Toledo, OH. 91/04/15. SCHULTZ, W.H. Region 3 (Post 820201). 2pp. 62525:305-62525:306.
- 9105150180 Ack receipt of 910130 ltr informing NRC of steps taken to correct violations noted during insp of License 34-00305-04 & requests response within 30 days describing actions to prevent violations from recurring.  
SCHULTZ, W.H. Region 3 (Post 820201). 91/03/18. O'NEAL, R. Mercy Hosp., Toledo, OH. 1p. 62525:307-62525:307.
- 9105160037 Responds to NRC 910422 ltr re violations noted during insp of Licenses 34-00746-02 & 34-00746-03. Corrective actions: all future instruments calibrs will be performed by Victoreen, Inc.  
STEFANAKOS, T.K. Mt. Sinai Medical Center, Cleveland, OH. 91/05/02. Region 3 (Post 820201). 2pp. 62525:170-62525:171.
- 9105230184 Responds to violations noted in insp of License 34-02007-01. Corrective actions: technologists given copy of ltr of violations to read, sign & date for inclusion in policy & procedures manual.  
CHIN, D. Mansfield General Hosp., Mansfield, OH. 91/05/06. SCHULTZ, W.H. Region 3 (Post 820201). 2pp. 62527:203-62527:204.
- 9106180105 Safety insp on 910604 of license 34-17397-02. Insp findings: no violations noted.  
GIBBONS, D.R. Region 3 (Post 820201). 91/06/04. 1p. 62526:102-62526:102.
- 9107160236 Discusses safety insp of license 34-00799-03 & forwards notice of violation.  
SCHULTZ, W.H. Region 3 (Post 820201). 91/07/03. ZIEGENHORN, D. Veterans Admin. Medical Center, Cincinnati, OH. 1p. 62525:090-62525:096.
- 9107160241 Notice of violation from insp on 910513-14. Violation noted: wipe test surveys not performed at required frequencies between Sept 1990 & May 1991.  
SCHULTZ, W.H. Region 3 (Post 820201). 91/07/03. 6pp. 62527:167-62527:168.
- 9107260026 Forwards safety insp of license 34-01131-03 on 910522. Violation noted.  
LAMBERT, K.J. Region 3 (Post 820201). 91/06/14. CHHABRA, A.S. St. Elizabeth Hosp. Medical Center, Youngstown, OH. 1p. 62527:167-62527:168.
- 9107260033 Safety insp on 910522 of license 34-01131-03. Insp findings: records of leak tests & monthly spot checks not properly maintained.  
\* Region 3 (Post 820201). \* St. Elizabeth Medical Center, Dayton, OH. 91/06/07. 1p. 62527:168-62527:168.
- 9108020332 Safety insp on 910724 of license 34-17013-02. Insp findings: no violations observed.  
\* Region 3 (Post 820201). \* Licking Memorial Hosp., Newark, OH. 91/07/24. 1p. 62526:178-62526:178.
- 9108260056 Discusses insp of license 34-00203-03 on 910723-24 & forwards notice of violation.  
SCHULTZ, W.H. Region 3 (Post 820201). 91/08/20. GERBER, C. Veterans Admin. Hosp., Cleveland, OH. 2pp. 62528:004-62528:015.
- 9108260059 Notice of violation from insp on 910723-24. Violation noted: licensee used Ir-192 in manner not authorized by part 35 & individuals in Lab K108 used between 200 & 2800 uCi of I-125 as sodium iodide in iodination procedures.  
SCHULTZ, W.H. Region 3 (Post 820201). 91/08/20. 10pp. 62528:006-62528:015.

## 216 NONDOCKETED ITEMS

- 9109100106 Ack receipt of 910801 ltr informing NRC of steps taken to correct violations noted in insp of license 34-00799-03.  
SCHULTZ,W.H. Region 3 (Post 820201). 91/08/30. ZIEGENHORN,D. Veterans Admin. Medical Center, Cincinnati, OH. 1p. 62525:083-62525:089.
- 9109100117 Responds to NRC 910731 ltr re violations noted in insp of license 34-00799-03 on 910613-14. Corrective actions: NRC instructed Nuclear Medicine Staff to correctly identify patients before performing any type of procedures.  
ZIEGENHORN,D.L. Veterans Admin. Medical Center, Cincinnati, OH. 91/08/01. SCHULTZ,W.H. Region 3 (Post 820201). 6pp. 62525:084-62525:089.
- 9109240016 Safety insp on 910829 of license 34-01312-01. Insp findings: no violations observed.  
CAMERON,J.L. Region 3 (Post 820201). \* Aultman Hosp., Canton, OH. 91/08/29. 1p. 62527:289-62527:289.
- 9109240019 Safety insp on 910816 of license 34-13317-02. Insp findings: no violations observed.  
SIMMONS,F. Region 3 (Post 820201). \* Ohio Valley Hosp., Steubenville, OH. 91/08/16. 1p. 62526:265-62526:265.
- 9109270081 Confirmatory action ltr confirming understanding re recommencement of patient treatments at facility, per 910923 telcon. Reiterates that cobalt teletherapy unit serviced & tested for proper operation by manufacturer.  
DAVIS,A.B. Region 3 (Post 820201). CAL-RH-91-11. 91/09/24. JENEY,J. St. Luke's Hosp., Cleveland, OH. 1p. 62525:278-62525:278.
- 9110070059 Safety insp on 910923 of license 34-05015-01. Insp findings: no violations noted.  
\* Region 3 (Post 820201). \* Veterans Admin. Medical Center, Dayton, OH. 91/09/23. 1p. 62527:063-62527:063.
- 9110080002 Safety insp on 910920 of license 34-17796-01. Insp findings: failure to conduct check of dose calibrator linearity before first use/at installation & failure of radiation safety committee to meet during second quarter of 1991.  
CAMERON,J.L. Region 3 (Post 820201). \* Lorain Community Hosp., Lorain, OH. 91/09/20. 2pp. 62526:058-62526:059.
- 9207200243 Insp rept 30-07510/90-01 on 900131. Violation noted. Major areas inspected: scope of program, training, radiological protection procedures, mats, facilities & instruments, receipt of matl & personnel radiation protection - external.  
LAMBERT,K.J. Region 3 (Post 820201). 90/02/16. 16pp. 62525:011-62525:026.
- 9207200251 Insp rept 30-02659/91-01 on 910305. Violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities, equipment & radiological protection procedures.  
SIMMONS,T., SCHULTZ,W.H. Region 3 (Post 820201). 91/03/25. 18pp. 62525:036-62525:062.
- 9207200263 Insp rept 30-07510/91-01 on 910305. Violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities, equipment & radiological protection procedures.  
SIMMONS,T., SCHULTZ,W.H. Region 3 (Post 820201). 91/03/25. 20pp. 62525:063-62525:082.
- 9207200309 Insp rept 30-02648/91-01 on 910513-14. Violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities & equipment & radiological protection procedures.  
CAMERON,J.L., SCHULTZ,W.H. Region 3 (Post 820201). 91/06/30. 17pp. 62525:097-62525:113.
- 9207200326 Insp rept 30-11998/89-01 on 890622. No violations noted. Major areas inspected: scope of program, training, radiological protection procedures, mats, facilities & instruments, receipt of matl & personnel radiation protection - external.  
MADERA,J.R., SRENAWSKI,D.J. Region 3 (Post 820201). 89/09/01. 17pp. 62525:115-62525:131.
- 9207200332 Insp rept 30-02653/91-01 on 910222 & telcon on 910228. No violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities & equipment.  
PATTERSON,J.W., SCHULTZ,W.H. Region 3 (Post 820201). 91/03/05. 17pp. 62525:134-62525:152.
- 9207200337 Insp rept 30-11998/91-01 on 910222. No violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities, equipment & radiological protection procedures.  
PATTERSON,J.W., SCHULTZ,W.H. Region 3 (Post 820201). 91/03/05. 17pp. 62525:153-62525:169.
- 9207200351 Insp rept 30-02651/91-01 on 910410-11. Violation noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities & equipment & radiological protection procedures.  
SCHULTZ,W.H. Region 3 (Post 820201). 91/04/22. 18pp. 62525:176-62525:197.
- 9207210025 Insp rept 30-15270/91-01 on 910410-11. Violation noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities, equipment & radiological protection procedures.  
STEWART,W.J., SCHULTZ,W.H. Region 3 (Post 820201). 91/04/22. 18pp. 62525:198-62525:217.
- 9207210101 Insp rept 30-17512/89-01 on 920426. No violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities & equipment & radiological protection procedures - external.  
\* Region 3 (Post 820201). 91/05/02. 17pp. 62525:220-62525:236.
- 9207210154 Provides instructions put into effect immediately, including that no patient will be treated unless check between two technicians at machine to set up sheet indicating field of treatment & time of treatment.  
CATANZARO,P.J., MAMACOS,J.P. St. Luke's Hosp., Cleveland, OH. 90/06/26. MCCANN,M. Region 3 (Post 820201). 1p. 62525:272-62525:272.
- 9207210223 Insp rept 30-02641/89-01 on 890510. Violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, radiological protection procedures & mats, facilities & instruments.  
MULLAUER,J., \* Region 3 (Post 820201). 89/05/23. 19pp. 62525:286-62525:304.
- 9207210244 Insp rept 30-12134/90-01 on 901128. Violations noted. Major areas inspected: organization, scope of program, radiological protection procedures, mats, facilities & instruments, receipt of matl & personnel radiation protection - external.  
REICHHOLD,W.P., SCHULTZ,W.H. Region 3 (Post 820201). 91/01/03. 20pp. 62525:319-62525:335.
- 9207210276 Responds to NRC ltr re insp of nuclear medicine facility. Provides assurance that licensee now recording radiation levels & activities of all sites which are surveyed, in accordance w/ NRC concern.  
GARVIN,J.C. Frederick C. Smith Clinic, Marion, OH. 89/07/06. LYNCH,J. Region 3 (Post 820201). 1p. 62526:021-62526:021.
- 9207210301 Insp rept 30-02637/89-01 on 890523. Violations noted. Major areas inspected: scope of program, training, retraining & instruction to workers, radiological protection procedures & mats, facilities & instruments.  
CASEY,C. Region 3 (Post 820201). 89/06/02. 17pp. 62526:025-62526:041.
- 9207210318 Insp rept 30-13621/89-01 on 890427. No violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instruction to workers, radiological protection procedures & mats, facilities & instruments.  
\* Region 3 (Post 820201). 89/05/02. 15pp. 62526:043-62526:057.
- 9207210335 Insp rept 30-13621/91-01 on 890427. Violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities & equipment & radiological protection procedures.  
CAMERON,J.L., SCHULTZ,W.H. Region 3 (Post 820201). 91/10/03. 19pp. 62526:060-62526:078.
- 9207220149 Insp rept 30-22539/90-01 on 900405. Violations noted. Major areas inspected: scope of program, training, radiological protection procedures, mats, facilities & instruments, receipt of matl & personnel radiation protection - external.  
REICHHOLD,W.P., MCCANN,G.M. Region 3 (Post 820201). 90/05/01. 17pp. 62526:085-62526:101.
- 9207220155 Insp rept 30-22539/91-01 on 910604. No violations noted. Major areas inspected: organization, scope of program, internal audits or insps, training, retraining & instructions to workers, facilities, equipment & mats.  
GIBBONS,D.R., SCHULTZ,W.H. Region 3 (Post 820201). 91/06/11. 17pp. 62526:103-62526:119.
- 9207220158 Insp rept 30-12173/90-01 on 900221. No violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, radiological protection procedures & mats, facilities & instruments.  
KING,W. Region 3 (Post 820201). 90/03/02. 15pp. 62526:121-62526:135.
- 9207220193 Insp rept 30-13048/90-01 on 900226. No violations noted. Major areas inspected: scope of program, training, radiological protection procedures, mats, facilities & instruments, receipt of matl & personnel radiation protection - external.  
KING,W.T., MCCANN,G.M. Region 3 (Post 820201). 91/03/13. 17pp. 62526:138-62526:154.
- 9207220250 Insp rept 30-12054/90-01 on 900410. Violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instruction to workers, radiological protection procedures & mats, facilities & instrument.  
KING,W.T. Region 3 (Post 820201). 90/04/10. 15pp. 62526:163-62526:177.
- 9207220280 Insp rept 30-13048/91-01 on 910724. No violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities, equipment & radiological protection procedures.  
MULLAUER,J., SCHULTZ,W.H. Region 3 (Post 820201). 91/07/30. 17pp. 62526:179-62526:195.
- 9207220278 Insp rept 30-10064/88-01 on 890926-27. No violations noted. Major areas inspected: scope of program, training, radiological protection procedures, mats, facilities & instruments, receipt of matl & personnel radiation protection - external.  
GIBBONS,D.R. Region 3 (Post 820201). 89/10/03. 17pp. 62526:197-62526:213.
- 9207220292 Insp rept 30-00429/89-01 on 890111-12. Violations noted. Major areas inspected: scope of program, training, radiological protection procedures, mats, facilities & instruments, receipt of matl & personnel radiation protection - external.  
GIBBONS,D.R. Region 3 (Post 820201). 89/01/19. 17pp. 62526:215-62526:232.
- 9207220365 Insp rept 30-07576/89-01 on 890111-12. Violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, radiological protection procedures & mats, facilities & instruments.  
GIBBONS,D.R. Region 3 (Post 820201). 89/01/19. 15pp. 62526:233-62526:247.
- 9207220381 Insp rept 30-00429/91-01 on 910129. Violations noted. Major areas inspected: scope of program, training, radiological protection procedures, mats, facilities & instruments, receipt of matl & personnel radiation protection - external.  
CAMERON,J.L. Region 3 (Post 820201). 91/01/29. 15pp. 62526:249-62526:264.
- 9207220392 Insp rept 30-07576/91-01 on 910816. No violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities & equipment & radiological protection procedures.  
SIMMONS,T., SCHULTZ,W.H. Region 3 (Post 820201). 91/09/14. 17pp. 62526:266-62526:282.
- 9207220406 Insp rept 30-02765/89-01 on 89-01. No violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instruction to workers, radiological protection procedures & mats, facilities & instruments.  
PATTERSON,J.W. Region 3 (Post 820201). 89/03/22. 17pp. 62526:284-62526:300.
- 9207240051 Insp rept 30-02665/88-01 on 881214. Violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instruction to workers, radiological protection procedures & mats, facilities & instruments.  
\* Region 3 (Post 820201). 88/12/28. 15pp. 62526:309-62526:323.
- 9207240064 Insp rept 30-02670/90-01 on 900320-21. Violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instruction to workers, radiological protection procedures & mats, facilities & instruments.  
REICHHOLD,W.P., MCCANN,G.M. Region 3 (Post 820201). 90/04/30. 50pp. 62526:333-62527:021.

- 9207240074 Insp rept 30-19865/90-01 on 900320-21. Violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities, receipt of matl & personnel radiation protection - external & surveys. REICHHOLD, W.P., MCCANN, G.M. Region 3 (Post 820201). 90/04/03. 15pp. 62527:028-62527:042.
- 9207240088 Insp rept 30-02735/89-01 on 890523. No violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities & equipment & radiological protection procedures. \* Region 3 (Post 820201). 89/05/31. 21pp. 62527:044-62527:062.
- 9207240095 Insp rept 30-02735/91-01 on 910923. No violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities & equipment & radiological protection procedures. SCHULTZ, W.H. Region 3 (Post 820201). 91/09/28. 18pp. 62527:064-62527:080.
- 9207240100 Insp rept 30-10343/89-01 on 890511. Violations noted. Major areas inspected: scope of program, training, radiological protection procedures, mats, facilities & instruments, receipt of matl & personnel radiation protection - external. REICHHOLD, W.P. Region 3 (Post 820201). 89/05/22. 18pp. 62527:083-62527:100.
- 9207240112 Insp rept 30-02718/8901 on 890727. Violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instruction to workers, facilities & equipment & radiological protection procedures. \* Region 3 (Post 820201). 89/08/02. 12pp. 62527:104-62527:115.
- 9207240132 Insp rept 30-10343/90-01 on 900709. No violations noted. Major areas inspected: scope of program, training, radiological protection procedures, mats, facilities & instruments, receipt of matl & personnel radiation protection - external. GIBBONS, D.R., MCCANN, G.M. Region 3 (Post 820201). 90/07/12. 15pp. 62527:117-62527:131.
- 9207240140 Insp rept 30-12065/90-01 on 900112. Violations noted. Major areas inspected: scope of program, training, radiological protection procedures, mats, facilities & instruments, receipt of matl & personnel radiation protection - external. \* Region 3 (Post 820201). 90/02/02. 14pp. 62527:133-62527:146.
- 9207240147 Insp rept 30-02700/91-01 on 910325. Violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities & equipment & radiological protection procedures. GIBBONS, D.R. Region 3 (Post 820201). 91/04/01. 19pp. 62527:148-62527:166.
- 9207240159 Insp rept 30-19865/91-01 on 910522. Violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities, equipment & radiological protection procedures. LAMBERT, K.J. Region 3 (Post 820201). 91/06/13. 17pp. 62527:169-62527:185.
- 9207240164 Insp rept 30-00407/89-01 on 890920. No violations noted. Major areas inspected: scope of program, training, radiological protection procedures, mats, facilities & instruments, receipt of matl & personnel radiation protection - external. CASEY, C.C. Region 3 (Post 820201). 89/11/21. 15pp. 62527:188-62527:202.
- 9207240176 Insp rept 30-00407/91-01 on 910326. No violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities, equipment & radiological protection procedures. GIBBONS, D.R., SCHULTZ, W.M. Region 3 (Post 820201). 91/04/10. 17pp. 62527:208-62527:224.
- 9207240179 Insp rept 30-00404/89-01 on 891218. No violations noted. Major areas inspected: scope of program, training, radiological protection procedures, mats, facilities & instruments, receipt of matl & personnel radiation protection - external. MCCANN, G.M. Region 3 (Post 820201). 90/01/11. 14pp. 62527:226-62527:239.
- 9207240196 Insp rept 30-02690/91-01 on 910411-12. Violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities & equipment & radiological protection procedures. SCHULTZ, W.H. Region 3 (Post 820201). 91/04/19. 17pp. 62527:241-62527:258.
- 9207240207 Insp rept 30-00404/91-01 on 910411-12. Violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities, equipment & radiological protection procedures. SCHULTZ, W.H. Region 3 (Post 820201). 91/04/19. 17pp. 62527:259-62527:275.
- 9207240213 Insp rept 30-02675/89-01 on 890509. No violations noted. Major areas inspected: scope of program, training, retraining & instructions to workers, radiological protection procedures, mats, facilities & instruments & posting of notices. REICHHOLD, W.P. Region 3 (Post 820201). 89/05/16. 12pp. 62527:277-62527:288.
- 9207240219 Insp rept 30-02675/91-01 on 910829. No violations noted. Major areas inspected: scope of program, internal audits or insps, training, retraining & instructions to workers, facilities & equipment & radiological protection procedures. CAMERON, J.L., SCHULTZ, W.H. Region 3 (Post 820201). 91/09/14. 17pp. 62527:290-62527:306.
- 9207240236 Insp rept 30-00401/90-01 on 901107. Violation noted. Major areas inspected: scope of program, training, radiological protection procedures, mats, facilities & instruments, receipt of matl & personnel radiation protection - external. CAMERON, J.L. Region 3 (Post 820201). 90/11/14. 16pp. 62527:314-62527:331.
- 9207280326 Forwards log of leak tests conducted on 891031 & 900424, in response to NRC 901107 insp. HEDRICK, W.R. Aultman Hosp., Canton, OH. 90/11/09. CAMERON, J.L. Region 3 (Post 820201). 4pp. 62527:310-62527:313.
- 9207220297 FOIA request for revised MOU between NRC & Federal Bureau of Investigation (FBI) dtd 910529 & MOU promulgated in 1979. FUNDERBURK, C.J. Hopkins, Sutter, Hamel & Park (formerly Hopkins & Sutter). 91/10/21. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 1p. 62462:334-62462:334.
- 9207220302 Partial response to FOIA request for documents. Records identified in app A already available in PDR. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. FUNDERBURK, C.J. Hopkins, Sutter, Hamel & Park (formerly Hopkins & Sutter). 2pp. 62462:332-62462:333.
- 9207220307 FOIA request for encl 4 to CRGR meeting 201 held on 910226, which deals w/review of draft generic ltr requesting revised TS & exceptions to 10CFR50, app J. WILLIAMS, O.G. JRA Associates. OGW-91-131. 91/10/11. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62462:325-62462:325.
- 9207220309 Final response to FOIA request for documents. Records in app A encl & are being made available in PDR. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. WILLIAMS, O.G. JRA Associates. 2pp. 62462:326-62462:331.
- 9207220312 Encl 4 to minutes of CRGR meeting 201 re draft generic ltr on changes in TS surveillance interval & exceptions to 10CFR50, app J to accommodate 24 month fuel cycle. \* Committee to Review Generic Requirements. 91/11/15. Committee to Review Generic Requirements. 4pp. 62462:328-62462:331.
- 9207220318 FOIA request for results of INPO most recent insp of Byron Station. VON ZELLEN, B.W. DeKalb Area Alliance for Responsible Energy. 91/10/26. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62462:339-62462:339.
- 9207220322 Final response to FOIA request for results of INPO most recent insp of plant. No agency records subj to request located. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. VON ZELLEN, B.W. DeKalb Area Alliance for Responsible Energy. 1p. 62462:340-62462:340.
- 9207220323 Partial response to FOIA request. App G documents in PDR. App H & I documents being made available in PDR. App J documents withheld (ref FOIA exemptions 5-7). App L documents partially withheld (ref FOIA exemptions 5-7). GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. ZACK, C. Zack Co. 9pp. 62455:164-62455:173.
- 9208190047 Forwards NRR rept re allegations concerning LaSalle HVAC rept. Results of Region 3 matl test program & Part 21 notification re welder qualification need to be reconciled to declare sys structurally acceptable. BOSNAK, R.J. Mechanical Engineering Branch. 82/07/31. NOVAK, T.H. Assistant Director for Licensing. 34pp. 62455:175-62455:211.
- 9207220332 Forwards stated 820607 decision finding that Zack Co improperly suspended employees for making allegation re plant. LIEBERMAN, J. Ofc of Inspection & Enforcement, Director (820201-870413). EA-82-095. 82/07/19. WARNICK, R. Region 3 (Post 820201). 1p. 62455:174-62455:174.
- 9207220340 Forwards M Sinclair interrogatories on Contentions 6, 8 & 16 re investigations on plant. SHAFFER, W.D. Region 3 (Post 820201). 82/10/06. FOSTER, J.E. Region 3 (Post 820201). 1p. 62455:212-62455:223.
- 9207220346 Forwards statements of former plant employee re alleged harassment by Zack Co mgt. to be included in ongoing insp. SPESSARD, R.L. Region 3 (Post 820201). 83/11/03. PAWLIK, E.T. Region 3 (Post 820201). 1p. 62455:224-62455:224.
- 9207220348 Forwards Investigation Rept Q3-82-057 re alleged improper termination of employees by Zack Co for reporting deficiencies at plant. PAWLIK, E.T. Region 3 (Post 820201). 87/03/20. DAVIS, A.B. Region 3 (Post 820201). 1p. 62455:225-62455:225.
- 9207220352 Investigation rept Q3-82-057 re alleged improper termination of plant employees by Zack Co. Case closed due to lack of resources. PAUL, R.C., PAWLIK, E.T. Region 3 (Post 820201). 87/03/20. 2pp. 62455:226-62455:227.
- 9207220356 Details allegations reported through util on 811005 re Zack Co. Info partially deleted. WEIL, C.H. Region 3 (Post 820201). 82/07/22. KEPPLER, J.G. Region 3 (Post 820201). 3pp. 62455:228-62455:230.
- 9207220363 Partially deleted memo re investigation into discrimination complaint involving Zack Co at plant. FOSTER, J.E. Region 3 (Post 820201). 82/08/16. KEPPLER, J.G. Region 3 (Post 820201). 1p. 62455:231-62455:231.
- 9207220367 Partially deleted memo describing actions taken re inquiry into termination of Zack Co employees, per 820816 memo. FITZGERALD, J.A. Ofc of Inspection & Enforcement, Director (820201-870413). 82/08/20. Ofc of Inspection & Enforcement, Director (820201-870413). 1p. 62455:232-62455:233.
- 9207220371 Partially deleted memo re Ofc of Investigations issue. KEPPLER, J.G. Region 3 (Post 820201). 82/10/04. FOSTER, J.E. Region 3 (Post 820201). 1p. 62455:234-62455:234.
- 9207220376 Partially deleted memo re Ofc of Investigations issues. Addl info encl. WEIL, C.H. Region 3 (Post 820201). 82/10/06. FOSTER, J.E. Region 3 (Post 820201). 9pp. 62455:235-62455:243.
- 9207220378 Requests info re employment at Zack Co for investigation. Info withheld. FOSTER, J.E. Region 3 (Post 820201). 82/10/28. CIONI, M. Affiliation Not Assigned. 7pp. 62455:244-62455:253.
- 9207220385 Forwards affidavits of former Zack Co employees re insp at stated plants. Info deleted. KEPPLER, J.G. Region 3 (Post 820201). 83/08/09. CUMMINGS, J.J. Office of Inspector & Auditor (Pre 890417). 1p. 62455:254-62455:255.
- 9207220391 Forwards deposition & exhibits re former Zack Co employee, for investigation of plant deficiencies. Info deleted. KEPPLER, J.G. Region 3 (Post 820201). 83/08/31. CUMMINGS, J.J. Office of Inspector & Auditor (Pre 890417). 1p. 62455:256-62455:256.
- 9207220395 Interview of B Garde on 830926. Pp 1-73. GARDE, G. Government Accountability Project. 83/09/26. 100pp. 62455:257-62455:329.

## 218 NONDOCKETED ITEMS

- 9207220398 Forwards Insp Repts 50-329/83-08 & 50-330/83-08 re concerns w/const deficiencies involving Zack Co.W/o encl.Info withheld.  
WEIL,C.H. Region 3 (Post 820201). 84/06/29. Affiliation Not Assigned. 1p. 62455:330-62455:330.
- 9207220399 Informs that investigation into Zack Co QA program (ref insp repts 50-329/83-08 & 50-330/83-08) closed due to lack of resources.Info deleted.Addl info encl.  
WEIL,C.H. Region 3 (Post 820201). 88/07/12. Affiliation Not Assigned. 5pp. 62455:331-62455:335.
- 9207220403 Undated memo re interview re Zack Co harassment allegations. (ref B Garde 840208 telcon).Addl info encl.Info deleted.  
PAUL,R.C. Region 3 (Post 820201). 91/11/15. Region 3 (Post 820201). 49pp. 62455:336-62456:023.
- 9207220329 FOIA request for results of INPO most recent insp of Maine Yankee Nuclear Power Plant.  
HALL,D.W. Affiliation Not Assigned. 91/11/01. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62462:335-62462:335.
- 9207220334 Final response to FOIA request for results of INPO most recent insp of plant.No agency records subj to request located.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. HALL,D.W. Affiliation Not Assigned. 1p. 62462:336-62462:336.
- 9207220339 FOIA request for results of INPO most recent insp of Davis Besse Nuclear Power Plant.  
JOHNSTON,C.B. Toledo Coalition for Safe Energy. 91/10/31. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62462:337-62462:337.
- 9207220343 Final response to FOIA request for results of INPO most recent insp of plant.No agency records subj to request located.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. JOHNSTON,C.B. Toledo Coalition for Safe Energy. 1p. 62462:338-62462:338.
- 9207220350 FOIA request for results of INPO most recent insp of Trojan plant.  
MARBET,L.K. Don't Waste Oregon Committee. 91/10/22. GRIMSLEY,D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62456:027-62456:027.
- 9207220353 Final response to FOIA request for results of INPO most recent insp of plant.No agency records subj to request located.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. MARBET,L.K. Don't Waste Oregon Committee. 1p. 62456:028-62456:028.
- 9207220368 FOIA request for documents dtd prior to 1983 showing deoxygenation using hydrazine followed by activated carbon to catalyze hydrogen-oxygen reaction & ion exchange resin to eliminate carbon contaminants & excess hydrazine.  
MCMILLIN,T.W. Gerstman & Ellis, Ltd. 91/10/17. Office of Administration (Post 890205). 2pp. 62456:024-62456:025.
- 9207220375 Final response to FOIA request for documents re hydrazine to reduce oxygen levels in fluids.No agency records subj to request located.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. MCMILLIN,T.W. Gerstman & Ellis, Ltd. 1p. 62456:026-62456:026.
- 9207270290 FOIA request for documents re incident that occurred on 910827 concerning pump motor from facility & release of approx five gallons of low level radioactive water.  
GARDNER,M.J. Clark & Stant, P.C. 91/08/30. NRC - No Detailed Affiliation Given. 1p. 62546:069-62546:069.
- 9207270302 Final response to FOIA request for documents re 910827 incident involving pump motor & release of approx five gallons of low level radioactive water.Forwards app A documents which are being made available in PDR.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/13. GARDNER,M.J. Clark & Stant, P.C. 3pp. 62546:070-62546:208.
- 9207270325 Rev 1 to Procedure Change 91-5 to Procedure HP-7.1.40, "Packaging & Shipment of Radioactive Matl."  
\* Virginia Power (Virginia Electric & Power Co.). 01/04/09. 86pp. 62546:073-62546:181.
- 9207280194 Partially deleted one liners for 910830.  
STOHR,J.P. Region 2 (Post 820201). 91/11/13. EBNETER,S.D. Region 2 (Post 820201). 3pp. 62546:182-62546:184.
- 9207280196 Partially deleted items of interest for wk ending 910830.  
\* Region 2 (Post 820201). 91/08/30. Region 2 (Post 820201). 11pp. 62546:185-62546:195.
- 9207280214 Expresses appreciation for group participation in Region II response to plant transportation event.Requests that critique items from response be forwarded to be included in lessons learned.Info requested before 910904.  
HUFHAM,J. Region 2 (Post 820201). 91/08/30. MILHOAN,J. Region 2 (Post 820201). 1p. 62546:196-62546:208.
- 9207270310 Partial response to FOIA request for documents re const, operation,licensing & relicensing of facility & insp &/or enforcement issues.App OO documents encl & being made available in PDR.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/12/03. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). CURRAN,D. Native Americans for a Clean Environment. 2pp. 62519:352-62519:358.
- 9207270346 Discusses NRC 860319 ltr re followup efforts on Kerr-McGee Sequoyah facility.  
STELL,Q.V. Ofc of the Executive Director for Operations. 86/04/22. PALLADINO, ROBERTS, ASSELSTINE Commissioners (Post 750119). 2pp. 62519:354-62519:355.
- 9207270353 Provides list of topics discussed w/M Nichols during period 901204-07.  
GARCIA,P.J. Uranium Recovery Field Ofc, R4. 90/12/21. BEACH,A.B. Uranium Recovery Field Ofc, R4. 2pp. 62519:356-62519:359.
- 9207270315 FOIA request for documents re NRC insp rept that resulted from special insp on 820413-14 at Cleveland Clinic Foundation,Cleveland,OH,due to teletherapy administration at hosp.  
DAVIS,D. Plain Dealer, Cleveland, OH. 91/11/07. NRC - No Detailed Affiliation Given. 1p. 62519:291-62519:291.
- 9207270317 Final response to FOIA request for documents re special insp of Cleveland Clinic Foundation,Cleveland,OH on 820413-14. Forwards documents listed in App A,which are being made available in PDR.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/19. DAVIS,D. Plain Dealer, Cleveland, OH. 2pp. 62519:292-62519:308.
- 9207270333 Responds to FOIA appeal for Chairman Seaborg 640515 ltr. Ltr encl.  
THOMPSON,H.L. Dep Exec Dir for Nuc Matis Safety,Safeguards & Operations Support (Post 890205). 91/11/14. SPENCER,M. Shaw, Pittman, Potts & Trowbridge. 1p. 62519:339-62519:351.
- 9207270361 Summarizes Commission answers & questions re making of finding of practical value & what sources of cost info Commission would rely upon in making such finding.  
SEABORG,G.T. Atomic Energy Commission (Pre 750119). 64/05/15. PASTORE Senate. 7pp. 62519:340-62519:351.
- 9207270341 FOIA request for documents re any contract NRC currently has w/PHH Homequity Corp.  
FRENCH,A.G. Zuckert, Scoutt, Rasenberger & Johnson. 91/11/01. REED,C.A. Freedom of Information & Local Public Document Room Branch. 1p. 62519:309-62519:309.
- 9207270342 Appeals denial of FOIA request for documents re 640515 ltr from Chairman Seaborg.  
SPENCER,M.S. Shaw, Pittman, Potts & Trowbridge. 91/10/08. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 62519:337-62519:338.
- 9207270344 Final response to FOIA request for documents re any contract NRC currently has w/PHH Homequity Corp.Forwards documents listed in App A,which are being made available in PDR.  
GRIMSLEY,D.H. Office of Information Resources Management (Post 890205). 91/11/19. FRENCH,A.G. Zuckert, Scoutt, Rasenberger & Johnson. 2pp. 62519:310-62519:336.
- 9207270355 Package consisting of NRC purchase orders w/Homequity,Inc.  
HOYLE,A., NIEMEYER,E., SMITH,P. NRC - No Detailed Affiliation Given. 91/11/19. 25pp. 62519:312-62519:336.
- 9207280171 FOIA request for documents re "bidders" on contracts or solicitations,NRC-28-90-240,NRC-38-91-346,NRC-33-90-204, RS-Per-90-339,RFP-NRR-91-028,IRM-90-208,NRC-03-90-033 & NRC-89-133.  
NASH,E.C. Volt Temporary Services. NRC-28-91-240. NRC-38-91-346. 91/10/05. REED,C.A. Freedom of Information & Local Public Document Room Branch. 1p. 62512:095-62512:095.
- 9207280183 Final response to FOIA request for documents re listed contracts & solicitations.Forwards documents listed in App A which are being made available for PDR.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/12/09. NASH,E.C. Volt Temporary Services. 2pp. 62512:096-62512:105.
- 9207280186 Bidder list for NRC-38-91-346/RS-PER-90-339 & NRC-33-90-208/ IRM-90-208.  
\* Division of Freedom of Information & Publications Services (Post 890205). NRC-38-91-346. NRC-33-90-208. 91/12/09. 8pp. 62512:098-62512:105.
- 9207280201 FOIA request for documents that formed basis of NRC 900412 ltr from SD Ebnetor to WG Hairston entitled, "Completion of Confirmation of Action Ltr Commitments" & any internal NRC TIA review of 900320 loss of off-site power at plant.  
LAMBERSKI,J. Troutman, Sanders, Lockerman & Ashmore. CAL. 91/10/22. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62519:246-62519:255.
- 9207280206 Partial response to FOIA request for documents.Documents listed in App KK encl & are being made available in PDR.App LL documents withheld in part (ref FOIA exemption 6) & info in App MM withheld entirely (ref FOIA Exemption 7A).  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/19. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 6pp. 62512:021-62512:094.
- 9207280227 Package consisting of info re const,operation,licensing, event notification,telcon record,incident repts, memo & correspondence of Sequoyah U processing plant in Gore,OK.  
\* Sequoyah Fuels Corp. 91/11/19. 67pp. 62512:029-62512:094.
- 9207280210 Partial response to FOIA request for documents re NRC TIA review of 900320 loss of off-site power event at plant. Forwards documents listed in App C which are being made available for PDR.App B documents also available in PDR.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/12/09. LAMBERSKI,J. Troutman, Sanders, Lockerman & Ashmore. 3pp. 62519:256-62519:290.
- 9008100157 Responds to 900712 memo re telecommunications problems during plant event.Commercial portion of problem due to power source for telephone sys being damaged.Recommendation made to Incident Response Branch that test be conducted.  
KELLAM,T.B. Telecommunications Branch. 90/07/27. WEISS,E.W. Incident Response Branch. 2pp. 62519:288-62519:289.
- 9207280218 Discusses AIT investigation of 900320 event at plant, involving loss of off-site power & failure of onsite power on demand at Unit 1.  
ALDERMAN,H. ACRS - Advisory Committee on Reactor Safeguards. 90/03/28. LEWIS,H.W. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 62519:259-62519:260.

- 9207280225 Summarizes NRC IIT Rept,NUREG-1410, "Loss of Vital AC Power & RHR During Mid-Loop Operations At Vogtle Unit 1," Excerpts from NUREG-1410 encl. BOEHNERT,P. ACRS - Advisory Committee on Reactor Safeguards. 90/06/08. CARROLL,J. ACRS - Advisory Committee on Reactor Safeguards. 27pp. 62519:261-62519:287.
- 9207280232 Discusses ACRS briefing on status of NRC staff actions resulting from IIT investigation of plant loss of power/loss of decay heat removal event of 900320.AEOD memo providing status rept encl.W/o encl. BOEHNERT,P. ACRS - Advisory Committee on Reactor Safeguards. 91/03/26. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62519:290-62519:290.
- 9207280265 FOIA request for documents re most recent INPO insp rept for plant & util. BOWLES,D.K. Affiliation Not Assigned. 91/11/07. GRIMSLEY,D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62514:008-62514:159.
- 9207280273 Final response to FOIA request for documents re most recent INPO insp results for plant & util.No records subj to request located. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/27. BOWLES,D. Affiliation Not Assigned. 1p. 62514:158-62514:158.
- 9207280282 FOIA request for documents re 910806 presentation of course entitled, "NRC:What It Is & What It Does." UNNERSTALL,K. Newman & Holtzinger. 91/10/23. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62514:008-62514:159.
- 9207280287 Final response to FOIA request for documents.Forwards copies of hand-outs at 910806 presentation of course entitled, "NRC: What It Is & What It Does," which are being made available in PDR. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/19. UNNERSTALL,K. Newman & Holtzinger. 1p. 62514:009-62514:157.
- 9207280291 Forwards NUREG-0325,rev 14 dtd 900815 consisting of functional organization charts for all NRC ofcs,regions & components. BIRD,P.E. NRC - No Detailed Affiliation Given. 90/09/20. NRC - No Detailed Affiliation Given. 2pp. 62514:010-62514:157.
- 9207280299 FOIA request for documents re contract NRC-33-90-206 awarded by NRC for procurement of voice mail sys. JACKSON,J.A. Dickstein, Shapiro & Morin. NRC-33-90-206. 91/08/22. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 2pp. 62546:209-62546:210.
- 9207280294 FOIA request for document re Cost Proposal for Data General Equipment Maint (RS-IRM-91-198). HOYT,J. Data General Corp. 91/09/09. WEBBER,R.B. Division of Freedom of Information & Publications Services (Post 890205). 2pp. 62519:201-62519:202.
- 9207280298 Final response to FOIA request for documents re contract NRC-33-90-206.App A partially withheld document encl (ref FOIA Exemption 4). GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). NRC-33-90-206. 91/11/27. JACKSON,J.A. Dickstein, Shapiro & Morin. 4pp. 62546:211-62546:224.
- 9207280302 Partially withheld "VSSI Cost Response To NRC RFP RS-IRM-89-148." \* Voice Systems & Services, Inc. (VSSI). RS-IRM-89-148. 89/09/25. 10pp. 62546:215-62546:224.
- 9207280322 FOIA request for documents re winning proposal submitted by Westinghouse Electric Co resulting in contract NRC-04-91-049 dtd 910603 for severe accident training. KIDD,Y. Kidd & Co. NRC-04-91-049. 91/09/06. REED,C.A. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62547:001-62547:001.
- 9207280325 FOIA request for documents re technical proposal submitted by Sys Automation Corp in response to solicitation RFP ORM-86-264. WEIGLE,R.F. Aronson, Fetridge, Weigle & Stern. 91/08/14. GRIMSLEY,D. Division of Freedom of Information & Publications Services (Post 890205). 1p. 62514:160-62514:160.
- 9207280328 Final response to FOIA request for documents re shutdown & low power operations.App N documents being placed in PDR. App O documents withheld (ref FOIA Exemption 4).App P documents partially withheld (ref FOIA Exemption 4 & 6). GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/25. REDDA,T. Southern Technical Services, Inc. 5pp. 62546:225-62546:246.
- 9004230293 Trip rept of 900219-27 visit to Fontenay-aux-Roses,France & Flamanville & Chinon Nuclear Power Plants.Expresses appreciation for assistance in setting up trip. JONES,W.R. Reactor Operations Analysis Branch. STEIN,S.R. Special Inspection Branch. 90/04/04. BURKE,K. International Programs (870413-911116). 16pp. 62548:230-62548:246.
- 9207280330 Final response to FOIA request for documents re technical proposal submitted by Sys Automation Corp in response to solicitation RFP ORM-86-264.Partially withheld App A document encl & placed in PDR (ref FOIA Exemption 4). GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/25. WEIGLE,R.F. Aronson, Fetridge, Weigle & Stern. 3pp. 62514:161-62514:299.
- 9207280331 Final response to FOIA request for documents.App A documents available in PDR.Forwards app B documents which are being made available in PDR.Porions of app B documents being withheld (ref FOIA Exemption 5). GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. KIDD,Y. Kidd & Co. 4pp. 62547:002-62547:166.
- 9207280338 Forwards best & final offer in response to 910405 request in order to implement program on development of criteria for severe accident training,per NRC solicitation RS-RES-91-049. MILLER,W.G. Westinghouse Electric Corp. 91/04/18. TAYLOR,S. NRC - No Detailed Affiliation Given. 1p. 62547:006-62547:006.
- 9207280346 RS-RES-91-049,Vol 1, "Development of Criteria for Severe Accident Training," technical & mgt proposal, Apr 1991. FOSTER,T.M. Westinghouse Electric Corp. RS-RES-91-049. 91/11/15. 150pp. 62547:007-62547:166.
- 9207280366 Final response to FOIA request for documents.Document listed in App A being withheld in entirety (ref FOIA Exemption 4). Nonproprietary versions of requested technical & best & final offer encl. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/27. HOYT,J. Data General Corp. 3pp. 62519:203-62519:245.
- 9207280377 Partially deleted package consisting of request for proposal RS-IRM-91-198 re Data General equipment maint. \* NRC - No Detailed Affiliation Given. 91/11/27. 40pp. 62519:206-62519:245.
- 9207280378 Final response to FOIA request for revised MOU between NRC Federal Bureau of Investigation dtd 910529 & MOU promulgated in 1979.App B documents being placed in PDR. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/27. FUNDERBURK,C. Hopkins, Sutter, Hamel & Park (formerly Hopkins & Sutter). 2pp. 62512:106-62512:114.
- 9207280387 MOU between NRC & Federal Bureau of Investigation re nuclear threat incidents involving NRC licensed facilities,mats or activities. CARR,K. Commissioners (Post 750119). SESSIONS,W.S. Federal Bureau of Investigation. 91/05/29. 6pp. 62512:109-62512:114.
- 9207290100 FOIA request for documents re NRC rept to ACRS concerning Connecticut Yankee Atomic Power Co application for const permit to build Haddam Neck Plant. LAWRENCE,J.W. Winston & Strawn. 91/10/24. ROBINSON,L. Division of Freedom of Information & Publications Services (Post 890205). 2pp. 62548:001-62548:004.
- 9207290109 FOIA request for documents re ACRS meeting on 640214 concerning info requested in FOIA request 91-463. LAWRENCE,J.W. Winston & Strawn. 91/11/01. HARDZOG,R.C. Division of Freedom of Information & Publications Services (Post 890205). 2pp. 62548:003-62548:004.
- 9207290115 Partial response to FOIA request for documents.Forwards app C documents which are being made available in PDR. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/12/19. LAWRENCE,J.W. Winston & Strawn. 3pp. 62548:005-62548:295.
- 9207290118 Forwards 640203 rept concerning util. CASE,E.G. Atomic Energy Commission (Pre 750119). 64/02/03. KOUTS,H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62548:008-62548:008.
- 9207290134 Rept to ACRS on Connecticut Yankee Atomic Power Plant,Unit 1. \* Atomic Energy Commission (Pre 750119). 64/02/03. 18pp. 62548:009-62548:026.
- 9207290140 Discusses 670224 telcon w/Okrent re ACRS Subcommittee meeting on Connecticut Yankee.Addl info provided. BOYD,R.S. Atomic Energy Commission (Pre 750119). 67/02/27. ROSEN,M. Atomic Energy Commission (Pre 750119). 2pp. 62548:027-62548:030.
- 9207290147 Rept 3 to ACRS providing addl info re Connecticut Yankee Power Co. \* Atomic Energy Commission (Pre 750119). 67/03/09. 24pp. 62548:031-62548:064.
- 9207290156 Informs that based on results of 670321 meeting w/util, NRC agrees w/ position taken by Connecticut Yankee in amend 15 to license. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 67/03/28. PALLADINO,N. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62548:065-62548:065.
- 9207290180 Forwards rept on listed reactor w/ref to matter of steel liner,Nelson studs & containment pressure criteria. NEWMARK,N.M. Nathan M. Newmark Consulting Engineering Services. 67/04/07. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 1p. 62548:066-62548:070.
- 9207290192 Forwards safety evaluation re proposed issuance of provisional OL authorizing Connecticut Yankee Atomic Power Co to operate Haddam Neck Plant nuclear reactor. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 67/05/12. KNAPP,S.R. Connecticut Yankee Atomic Power Co. 1p. 62548:071-62548:071.
- 9207290197 Safety evaluation concluding that Haddam Neck Plant can be operated as proposed w/o endangering health & safety of public. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 67/05/11. 45pp. 62548:072-62548:116.
- 9207290206 Forwards rept to ACRS on Connecticut Yankee Atomic Power Co application for full term OL for Haddam Neck plant,for review. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 71/01/26. BUSH,S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62548:117-62548:117.
- 9207290210 Rept to ACRS re Connecticut Yankee Atomic Power Co full term OL review. \* Atomic Energy Commission (Pre 750119). 71/01/26. 61pp. 62548:118-62548:178.
- 9207290274 Forwards status of thirty four items of interest identified by Subcommittee concerning Connecticut Yankee Atomic Power Co application for full term license on 710113. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 71/02/22. BUSH,S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62548:179-62548:179.
- 9207290277 Suppl 1 to rept to ACRS dtd 710128. \* Atomic Energy Commission (Pre 750119). 71/02/22. 13pp. 62548:180-62548:192.
- 9207290281 Safety evaluation accepting performance of Connecticut Yankee Atomic Power Co including qualifications of support group & administrative controls established to maintain level of competence of operating personnel. \* Atomic Energy Commission (Pre 750119). 71/07/01. 20pp. 62548:193-62548:212.
- 9207290292 Suppl to safety evaluation approving design & performance of reactor plant & competence of operating organization. \* Atomic Energy Commission (Pre 750119). 74/12/27. 83pp. 62548:213-62548:295.
- 9207290118 Forwards 640203 rept concerning util. CASE,E.G. Atomic Energy Commission (Pre 750119). 64/02/03. KOUTS,H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62548:008-62548:008.
- 9207290134 Rept to ACRS on Connecticut Yankee Atomic Power Plant,Unit 1. \* Atomic Energy Commission (Pre 750119). 64/02/03. 18pp. 62548:009-62548:026.



## 220 NONDOCKETED ITEMS

- 9207290140 Discusses 670224 telcon w/Okrent re ACRS Subcommittee meeting on Connecticut Yankee. Addl info provided.  
BOYD, R.S. Atomic Energy Commission (Pre 750119). 67/02/27. ROSEN, M. Atomic Energy Commission (Pre 750119). 2pp. 62548:027-62548:030.
- 9207290147 Rept 3 to ACRS providing addl info re Connecticut Yankee Power Co.  
\* Atomic Energy Commission (Pre 750119). 67/03/09. 24pp. 62548:031-62548:064.
- 9207290156 Informs that based on results of 670321 meeting w/util, NRC agrees w/ position taken by Connecticut Yankee in amend 15 to license.  
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 67/03/28. PALLADINO, N. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62548:065-62548:065.
- 9207290180 Forwards rept on listed reactor w/ref to matter of steel liner, Nelson studs & containment pressure criteria.  
NEWMARK, N.M. Nathan M. Newmark Consulting Engineering Services. 67/04/07. MORRIS, P.A. Atomic Energy Commission (Pre 750119). 1p. 62548:066-62548:070.
- 9207290192 Forwards safety evaluation re proposed issuance of provisional OL authorizing Connecticut Yankee Atomic Power Co to operate Haddam Neck Plant nuclear reactor.  
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 67/05/12. KNAPP, S.R. Connecticut Yankee Atomic Power Co. 1p. 62548:071-62548:071.
- 9207290197 Safety evaluation concluding that Haddam Neck Plant can be operated as proposed w/o endangering health & safety of public.  
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 67/05/11. 45pp. 62548:072-62548:116.
- 9207290206 Forwards rept to ACRS on Connecticut Yankee Atomic Power Co application for full term OL for Haddam Neck plant, for review.  
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 71/01/26. BUSH, S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62548:117-62548:117.
- 9207290210 Rept to ACRS re Connecticut Yankee Atomic Power Co full term OL review.  
\* Atomic Energy Commission (Pre 750119). 71/01/26. 61pp. 62548:118-62548:178.
- 9207290274 Forwards status of thirty four items of interest identified by Subcommittee concerning Connecticut Yankee Atomic Power Co application for full term license on 710113.  
MORRIS, P.A. Atomic Energy Commission (Pre 750119). 71/02/22. BUSH, S.H. ACRS - Advisory Committee on Reactor Safeguards. 1p. 62548:179-62548:179.
- 9207290277 Suppl 1 to rept to ACRS dtd 710126.  
\* Atomic Energy Commission (Pre 750119). 71/02/22. 13pp. 62548:180-62548:192.
- 9207290281 Safety evaluation accepting performance of Connecticut Yankee Atomic Power Co including qualifications of support group & administrative controls established to maintain level of competence of operating personnel.  
\* Atomic Energy Commission (Pre 750119). 71/07/01. 20pp. 62548:193-62548:212.
- 9207290292 Suppl to safety evaluation approving design & performance of reactor plant & competence of operating organization.  
\* Atomic Energy Commission (Pre 750119). 74/12/27. 83pp. 62548:213-62548:295.

### GEN TEC IS GENERIC TECHNICAL ISSUES

- 9207020041 Advises that responses to Generic Ltr 88-20, Suppl 4 re IPEEE methods acceptable & submittal schedule not acceptable. Requests that schedule be reassessed for closure of severe accident issues.  
LE, N.B. Project Directorate II-1. TAC M83627. 92/06/26. WATSON, R.A. Carolina Power & Light Co. 4pp. 62183:329-62183:332.
- 9207020054 Informs that response to Generic Ltr 88-20, Suppl 4, IPEEE methods acceptable & submittal schedule not acceptable. Requests that licensee reassess schedule & rept results no later than 920918.  
WUNDER, G. Project Directorate II-1. TAC M83680. 92/06/26. SKOLDS, J.L. South Carolina Electric & Gas Co. 4pp. 62183:298-62183:301.
- 9207020139 Commits to maintain five elements of Section 1.2 of Reg Guide 1.155, "SBO," pending resolution & upon resolution of Generic Issue B-56, "EDG Reliability," per NRC supplemental SE provided w/920312 ltr approving stated SBO submittals.  
STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92-356. 92/06/24. Document Control Branch (Document Control Desk). 3pp. 62219:347-62219:349.
- 9207020165 Summary of 920608-09 meeting w/Owners Groups to discuss status of activities for resolving comments on draft STS & related matters. List of attendees encl respectively.  
GRIMES, C.I. Technical Specifications Branch. 92/06/25. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 22pp. 62184:305-62184:326.
- 9207020314 Notification of contract execution, mod 15, to "Regulatory Analysis for Generic Issue 23, Reactor Coolant Pump Seal Failure."  
Contractor: SBA Subcontractor: Sciencetech, Inc.  
NEFF, D. Division of Contracts & Property Management (Post 890205). NRC-04-87-397. 92/05/08. GUSTAF, R.P. Program Management, Policy Development & Analysis Staff (Post 870413). SHAIKAT, S. NRC - No Detailed Affiliation Given. 1p. 62194:341-62194:345.
- 9207020325 Mod 15, revising indirect rates established, rescinding mod 15 & incorporating FAR clauses associated w/CPFF contract inadvertently omitted in mod 3, to "Regulatory Analysis for Generic Issue 23, Reactor Coolant Pump Seal Failure."  
BAKER, L. Small Business Administration. RESEIGH, M.M. SCIENTECH, Inc. MATTIA, M.J. Division of Contracts & Property Management (Post 890205). 92/05/08. 4pp. 62194:342-62194:345.
- 9207060168 Informs that licensee 920316 response meets reporting requirements set forth in GL 91-13, "Request For Info Re Resolution Of Gl 130, 'Essential Svc Water Sys Failures At Multi-Unit Sites,' per 10CFR50.54(f)."  
BERGMAN, T.A. Project Directorate IV-2. GL-91-13. 92/07/01. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 62197:345-62197:346.
- 9207060213 Accepts licensee selected IPEEE methods, in response to GL 88-20, Suppl 4. Informs that IPEEE submittal schedule not acceptable. Requests that licensee reassess schedule & report results no later than 920918.  
CONICELLA, N.F. Project Directorate I-1. GL-88-20. 92/06/29. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 5pp. 62209:040-62209:045.
- 9207070270 Advises that licensee 911025 response to generic ltr 91-06, "Adequacy of Safety-Related DC Power Supplies," satisfies reporting requirements of generic ltr.  
LE, N.B. Project Directorate II-1. TAC M81447. 92/06/30. WATSON, R.A. Carolina Power & Light Co. 3pp. 62236:338-62236:340.
- 9207080050 Forwards response to NRC 920421 request for addl info re proposed resolution of Generic Issue 130, "Essential Svc Water Sys Failures at Multi-Unit Sites," as part of response to Generic Ltr 88-20 re individual plant exams.  
MCMEKIN, T.C. Duke Power Co. GL-88-20. 92/06/30. Document Control Branch (Document Control Desk). 12pp. 62269:186-62269:197.
- 9207080128 Discusses review of response to generic ltr 88-20, suppl 4 re individual plant exams for external events. Util 911220 submittal did not identify methods for performing seismic portion of IPEEE.  
ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). TAC M83586. 92/07/02. MEDFORD, M.O. Tennessee Valley Authority. 4pp. 62243:303-62243:306.
- 9207080138 Advises that util 911028 response to 910429 generic ltr 91-06, "Request for Action Related to Resolution of Generic Issue A-30, 'Adequacy of Safety-Related DC Power Supplies,'" acceptable.  
BERGMAN, T.A. Project Directorate IV-2. GL-91-06. 92/07/02. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 2pp. 62259:350-62259:351.
- 9207080151 Advises that util 911219 response to suppl 4 to generic ltr 88-20 re IPEEE acceptable. Submittal schedule unacceptable & util requested to reassess opportunities for submitting IPEEE results on more expeditious schedule.  
MCDONALD, D.G. Project Directorate I-1. GL-88-20. 92/06/30. CREEL, G.C. Baltimore Gas & Electric Co. 4pp. 62259:352-62259:355.
- 9207080153 Partial response to FOIA request for documents. App J records encl & being made available for PDR. App K records completely withheld (ref FOIA exemptions 4 & 5).  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/28. REDDA, T. Southern Technical Services, Inc. 4pp. 62325:001-62325:036.
- 8812300104 Forwards response to items in 880929 memorandum re 880908-10 341st ACRS meeting followup items.  
STELLO, V. Ofc of the Executive Director for Operations. 88/12/21. FRALEY, R.F. ACRS - Advisory Committee on Reactor Safeguards. 31pp. 62325:006-62325:036.
- 9207080173 Advises that licensee selected IPEEE methods as described in 911220 response to generic ltr 88-20, acceptable.  
DEAGAZIO, A. Project Directorate I-4. TAC M83590. 92/06/30. SIEBER, J.D. Duquesne Light Co. 3pp. 62260:001-62260:003.
- 9207080248 Advises that util 911223 response to 910628 suppl 4 to generic ltr 88-20 re IPEEE acceptable. Util requested to update IPEEE plans & provide projected milestones & schedules to NRC no later than 920928.  
JABBOUR, K.N. Project Directorate II-3. GL-88-20. 92/07/01. HAIRSTON, W.G. Georgia Power Co. 4pp. 62260:004-62260:007.
- 9207080253 Advises that util response to 910628 suppl 4 to generic ltr 88-20 re IPEEE acceptable. Util requested to update plans & provide projected milestones & schedules to NRC no later than 920918.  
WILLIAMS, F.J. Project Directorate I-1. GL-88-20. 92/06/30. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 5pp. 62259:356-62259:360.
- 9207130237 Conveys appreciation for assistance rendered by util at plant on 920527 & 28 re Generic Issue 143, "Availability of Chilled Water Sys & Room Coolers."  
LABARGE, D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/08. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62338:010-62338:012.
- 9207130272 Forwards prioritization evaluation re Generic Issues 156.2.2, "Design Codes, Criteria & Load Combinations" which will be incorporated into NUREG-0933, "Prioritization of Generic Safety Issues."  
BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 880720). 92/07/09. MINNERS, W. Division of Safety Issue Resolution (Post 880717). 4pp. 62337:187-62337:190.
- 9207140260 Approves response to GL 91-06, "Resolution of Generic Issue A-30, 'Adequacy of Safety-Related DC Power Supplies,'" TAC M81480 closed out.  
EATON, R.B. Project Directorate I-3. GL-91-06. 92/07/08. ANDERSON, R.A. Boston Edison Co. 2pp. 62378:241-62378:242.
- 9207140285 Comments on concerns re Generic Issue 143, "Availability of Chilled Water Sys and Room Cooling," that impact of failures on proper functioning of air cooling sys have not been generally reflected in final PRA's.  
COTTLE, W.T. Entergy Operations, Inc. GNRO-92/00082. 92/07/07. Document Control Branch (Document Control Desk). 2pp. 62384:350-62384:351.
- 9207150313 Advises of implementation of Staff Positions 1 & 2 of Encl A to Generic Ltr 90-06, "Resolution of Generic Issue 70, 'PORV & Block Valve Reliability' & Generic Issue 94, 'Addl Low Temp Overpressure Protection for LWRs.'"  
MCCARTHY, D.C. Carolina Power & Light Co. NLS-92-164. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62412:343-62412:345.
- 9207150342 Forwards prioritization evaluation of Generic Issue 78, "Monitoring of Fatigue Transient Limits for RCS." Evaluation will be incorporated into NUREG-0933, "Prioritization of GSIs."  
BECKJORD, J.S. Office of Nuclear Regulatory Research (Post 880720). 92/07/10. MINNERS, W. Division of Safety Issue Resolution (Post 880717). 10pp. 62396:350-62396:359.



**9207170094** Advises that until 911224 response to suppl 4 to generic ltr 88-20 re IPEEE acceptable. Util should reassess opportunities for submitting IPEEE results on more expeditious schedule, preferable either in 1994 or early 1995.  
RECKLEY, W.D. Project Directorate IV-2. TAC M83696. 92/07/10. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 3pp. 62403:093-62403:095.

**9207170195** Application for amends to Licenses DPR-39 & DPR-48, revising Specs 3/4.3.1.F & 3/4.3.2.G to address concerns in Generic Ltr 90-06, "Resolution of Generic Issue 70, 'PORV & Block Valve Reliability & Generic Issue 94, 'Add Low.....'"  
STIMAC, S.F. Commonwealth Edison Co. GL-90-06. 92/07/08. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 62436:123-62436:172.

**9207220249** Summary of ACRS 385th meeting on 920506-09 re policy issues for certification of evolutionary & passive nuclear power plant designs, containment performance criteria to accommodate severe accidents & Generic Issues B-56.  
WARD, D.A. ACRS - Advisory Committee on Reactor Safeguards. 92/06/18. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 7pp. 62476:264-62476:270.

**9207220282** Advises that generic issue 2, "Failure of Protective Devices on Essential Equipment" has very little safety significance & will be dropped from further pursuit. Encl evaluation will be incorporated into NUREG-0933.  
BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). 92/07/01. MINNERS, V. Division of Safety Issue Resolution (Post 880717). 5pp. 62453:313-62453:317.

**9207220396** Informs that 920227 response meets recommendations of Generic Ltr 91-13, "Request for Info re Resolution of Generic Issue 130, Essential Svc Water Sys Failures at Multi-Unit Sites."  
REED, T.A. Project Directorate II-3. TAC M81179. 92/07/15. MCMECKIN, T.C. Duke Power Co. 4pp. 62443:319-62443:322.

**9207230109** Ack receipt of 911223 ltr in response to generic ltr 88-20, suppl 4 concerning individual plant exams for external events. Response acceptable.  
SHIRAKI, C.Y. Project Directorate III-3. TAC M83618. 92/07/17. LIU, L. Iowa Electric Light & Power Co. 3pp. 62459:023-62459:025.

**9207230218** Forwards request for addl info re individual plant exam submittal for generic issue GI-23 & draft reg guide DG-1008. Response to request should be submitted within 30 days of ltr receipt.  
BUCKLEY, B.C. Project Directorate II-2. TAC M74477. 92/07/17. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 25pp. 62459:123-62459:147.

**9207230229** Accepts 920430 response to generic ltr 91-11, "Resolution of Generic Issues 48, 'LOCs for Class IE Vital Instrument Buses,' & 49, 'Interlocks & LOCs for Class IE Tie Breakers,' per 10CFR50.54(f)."  
ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). TAC M82385. 92/07/16. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62478:316-62478:318.

**9207230251** Forwards correction ltr for 920630 ltr re generic ltr 91-06, generic issue A-30, "Adequacy of Safety-Related DC Power Supplies."  
LE, N.B. Project Directorate II-1. TAC M81447. 92/07/17. WATSON, R.A. Carolina Power & Light Co. 2pp. 62459:006-62459:009.

**-9207230284** Submits corrected 920630 ltr re generic ltr 91-06, generic issue A-30, "Adequacy of Safety-Related DC Power Supplies."  
LE, N.B. Project Directorate II-1. TAC M81447. 92/06/30. WATSON, R.A. Carolina Power & Light Co. 2pp. 62459:008-62459:009.

**9207240128** Application for amends to licenses DPR-57 & NPF-5, revising TSs to add addl electrical sys requirements, per Generic Ltr 91-11, "Resolution of Generic Issues 48, 'LOCs for Class IE & 49, 'Interlocks & LOCs for Class IE Tie Breakers.....'"  
BECKHAM, J.T. Georgia Power Co. HL-2225. 92/07/17. Document Control Branch (Document Control Desk). 16pp. 62516:001-62516:045.

**9207290158** Proposed amend 101B to license DPR-43, adding TS 3.1.a.1.C to TSs to prohibit starting of RCP when RCS bulk temp less than or equal to 338 F & temp difference between SG & RCS greater than 100 F, per GL 90-06 re GIs 70 & 94.  
STEINHARDT, C.R. Wisconsin Public Service Corp. NRC-92-094. 92/07/24. Document Control Branch (Document Control Desk). 23pp. 62610:300-62610:350.

**-9207290190** Proposed tech spec 3.1.a.1.C re requirements for starting reactor coolant pump, in response to GL 90-06 concerning resolution of GIs 70 & 94.  
\* Wisconsin Public Service Corp. GL-90-06. 92/07/24. 28pp. 62610:323-62610:350.

**9207300113** Accepts licensee clarification that normal source of power supply to Class 1E buses is through reserve station svc transformers, per 920624 submittal in response to reg guide 1.155 on SBO pending resolution of Generic Issue B-56.  
BUCKLEY, B.C. Project Directorate II-2. TAC M68612. 92/07/22. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62580:327-62580:328.

**9207300194** Forwards request for addl info re plant IPE submittal for generic issues 105, "Interfacing SYS LOCA at LWRs," 153, "Loss of essential Svc Water in LWRs" & 23, "RCP Seal Features."  
WIENS, L.A. Project Directorate II-3. TAC M74441. 92/07/21. HAMPTON, J.W. Duke Power Co. 30pp. 62581:217-62581:246.

**9207310064** Advises that 901221 & 910620 response to Generic Ltr 90-06 do not meet 10CFR50.109 requirements & unacceptable. Requests that response be resubmitted.  
STONE, J.C. Project Directorate I-2. TAC M77375. 92/07/24. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 62588:200-62588:203.

# I&E INSPECTION AND ENFORCEMENT

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206290237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207010031** PNO-I-92-033: on 920621, Unit 2 reactor was manually tripped, due to loss of main condenser vacuum. Vacuum lost due to failure of 21 condenser expansion joint. Unit 2 will be cooled to cold shutdown (mode 5) to support repairs.  
HOWE, A., NICHOLSON, L. Region 1 (Post 820201). 92/06/25. 2pp. 62143:039-62143:040.

**9207010045** PNO-I-92-034: on 920625, util reported positive drug indication for licensed (inactive) SRO based on results from random test on 920619. Security dept pulled site access & referred individual to employee assistance program.  
FISH, T., CONTE, R. Region 1 (Post 820201). 92/06/25. 2pp. 62234:050-62234:051.

**9207010054** PNO-V-92-019: on 920620, notification of unusual event declared as result of spill of hazardous & noxious gases entering turbine bldg. Caused by exothermic reaction. Only small areas remain chemically contaminated.  
MILLER, M., JOHNSON, P. Region 5 (Post 820201). 92/06/22. 2pp. 62230:290-62230:291.

**9207010095** PNO-I-92-031: on 920622, subsequent to administration of 150 mCi I-131 for treatment of cancerous thyroid, patient died. Body will be wrapped in lead blanket. RSO will accompany body to funeral home & instruct funeral home personnel.  
COURTEMANCHES, SHANBAKY, M. Region 1 (Post 820201). 92/06/23. 2pp. 62143:299-62143:300.

**9207010126** PNO-III-92-036: on 920622, licensee shut down unit because of reduced flow in component cooling water sys for B reactor recirculation pump seal water cooler. Cause under investigation.  
LARKSBURY, R., GREGER, R. Region 3 (Post 820201). 92/06/23. 1p. 62143:328-62143:328.

**9207010249** PNO-III-92-037: on 920624, Illinois Commerce Commission established 20% reserve margin as criterion for determining if new generating facility used & useful. Charge may affect facility rate base. Final decision due in Jan 1993.  
LICKUS, R., STRASMA, J. Region 3 (Post 820201). 92/06/25. 1p. 62254:073-62254:073.

**9207010336** Notification of 920723 meeting in Rockville, MD to discuss suppl to generic bulletin 90-01 re Rosemont transmitters. Meeting agenda encl.  
NEWBERRY, S. Instrumentation & Control Systems Branch. IEB-90-001. 92/06/24. THADANI, A. Division of Systems Technology (Post 890827). 5pp. 62194:020-62194:024.

**9207020211** Forwards draft rev of "Monthly Maint Observation" insp procedure IP 62703.  
CORREIA, R.P. Performance & Quality Evaluation Branch (Post 890101). 92/06/26. ZECH, G.G. Performance & Quality Evaluation Branch (Post 890101). 10pp. 71372:344-71372:354.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers."  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207060002** PNO-I-92-035: on 920623, scrap metal dealer erroneously removed approx 68 spent Mo-99/Tc-99m generators from licensee facility. Surveys of scrap metal dealer property revealed no contamination. Dealer still in possession of shielding.  
JOUSTRAJ, SHANBAKY, M. Region 1 (Post 820201). 92/06/26. 2pp. 62249:358-62249:359.

**9207060207** EN-92-048: on 920625, notice of violation & proposed imposition of civil penalty in amount of \$1,250 will be issued, based on use of licensed matl in Agreement State w/o meeting appropriate reciprocity requirements.  
HOLODY, D., MARTIN, T.T. Region 1 (Post 820201). EA-92-099. 92/06/22. 1p. 62292:130-62292:130.

**9207060211** EN-92-049: notice of violation & proposed imposition of civil penalty will be issued on 920626 based on brachytherapy misadministration on 920324-25 due to failure to instruct supervised individuals re radiation safety.  
JENKINS, G. Region 3 (Post 820201). LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-92-083. 92/06/23. 1p. 62292:131-62292:131.

**9207070048** PNO-I-92-036: on 920701, licensee measured radiation levels of 3.5 rem per hour on contact & 130 mrem per hour at one meter from wooden shipping crate received from Ciba-Geigy Corp of Alabama, during routine receipt survey.  
ULLRICH, E. Region 1 (Post 820201). 92/07/01. 6pp. 62205:106-62205:107.

**9207070324** PNO-III-92-038: on 920626, licensee reported that NRC-licensed reactor operator tested positive for cocaine use. Operator removed from duty & subsequently resigned. State of MI informed.  
CREED, J., PEDERSON, C. Region 3 (Post 820201). 92/06/29. 1p. 62206:228-62206:228.

**9207080278** PNO-IV-92-030: on 920703, plant entered alert due to LOCA that exceeded 40 gpm when output of inverter began oscillating between 0 & 120 volts. Plant cooled down & placed on shutdown cooling. NRC will confirm util actions.  
BEACH, A.B. Region 4 (Post 820201). 92/07/06. 2pp. 62277:274-62277:275.

**9207090148** EN-92-050: on 920702, two notices of violation & proposed imposition of civil penalty in amount of \$150,000 will be issued, based on failure to take prompt corrective action re cable test program & maintain configuration control.  
LUEHMAN, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-92-021. 92/06/29. 2pp. 62338:154-62338:155.

**9207100264** PNO-V-92-020: on 920628, two major earthquakes occurred in State of CA desert. Unusual event declared at San Onofre & Diablo Canyon. Tremors felt at Palo Verde & at two research reactors & fuel facility. Peak accelerations listed.  
GARCIA, E. Region 5 (Post 820201). 92/06/29. 3pp. 62365:001-62365:003.

**9207100318** EN-92-019A: on 920630, order imposing civil penalty in amount of \$6,550 based on lack of mgt attention to & oversight of licensed activities. Amount reduced by \$950 due to withdrawal of one of eight violations.  
DELMEDICO, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-92-027. 92/06/30. 1p. 62382:170-62382:170.

**9207100322** PNO-V-92-021: on 920701, licensee contacted Region V re necessity of reporting loss of 53 Ir-192 brachytherapy seeds. On 920702, region notified licensee that event was reportable. Licensee still attempting to locate lost seeds.  
MONTGOMERY, J. Region 5 (Post 820201). 92/07/02. 2pp. 62368:189-62368:190.

## 222 NONDOCKETED ITEMS

**9207130017** PNO-V-92-099: on 920706, while testing SRVs from alternate remote shut-down panel, SRV 3B opened & failed to close. Ongoing investigation to determine cause in progress.  
JOHNSON, P.H. Region 5 (Post 820201). 92/07/06. 2pp. 62366:299-62366:300.

**9207130134** PNO-III-92-039: on 920701, annunciators on four control room panels lost three times in 5 s period. Caused by movement of spare cables in preparation for major mod. Add'l operator stationed in control room to monitor instrumentation.  
KNOP, R., CLAYTON, B. Region 3 (Post 820201). 92/07/01. 2pp. 62366:250-62366:251.

**9207140184** PNO-III-92-040: on 920706, licensee reported that apparent radiation overexposure to two radiographers occurred. Cause of radiation exposure under investigation. Licensee planning to reenact incident on 920707 to calculate exposure.  
SHEAR, G., GROBE, J. Region 3 (Post 820201). 92/07/07. 2pp. 62311:183-62311:184.

**9207150106** PNO-I-92-037: on 920708, two sealed radioactive mat'l shipping containers found. State plans to remove bolts & survey interior of containers for radioactive mat'l.  
KIRKWOOD, A., SWETLAND, P. Region 1 (Post 820201). 92/07/09. 1p. 62335:083-62335:083.

**9207160191** PNO-I-92-038: in late 1988, PANEELEC received allegation that in 1975 or 1976, drums suspected of containing radioactive mat'l received at Williamsburg, PA site. Evidence from investigation of allegation did not support alleged concern.  
JOYNER, J. Region 1 (Post 820201). 92/07/10. 2pp. 62429:320-62429:321.

**9207160265** PNO-V-92-023: on 920702, vendor preliminary investigation disclosed that empty drum contaminated w/low enriched U. On 920706, discovered that 16 of 24 potentially contaminated drums used to store radwaste w/o being surveyed.  
PATE, R. Region 5 (Post 820201). 92/07/08. 2pp. 62453:234-62453:235.

**9207160290** Update to PNO-V-92-023: on 920708, 16 barrels excavated from landfill & surveyed for internal & external contamination. No contamination detected. Licensee evaluation & root cause analysis will be submitted to Region V.  
PATE, R. Region 5 (Post 820201). 92/07/10. 1p. 62416:323-62416:323.

**9207170011** Updated PNO-IV-92-030A: on 920703, plant entered alert due to LOCA that exceeded 40 gallons per minute. Caused by weak solder connection on printed circuit board. Pressurizer code safety valves sent to Wyle Labs for insp/repair.  
BEACH, A.B. Region 4 (Post 820201). 92/07/10. 2pp. 62440:335-62440:336.

**9207170213** PNO-I-92-039: on 920714, util reported confirmed positive drug test results of licensed reactor operator, based on random drug test administered on 920708. Individual site access authorization removed for min of 14 days.  
BRIGGS, L. Region 1 (Post 820201). 92/07/15. 2pp. 62440:337-62440:338.

**9207170246** PNO-IV-92-031: on 920713, health physics technician experienced respiratory distress & transported to hosp & pronounced dead. Cause of death unknown. Autopsy will be conducted in Kansas City.  
HOWELL, A.T. Region 4 (Post 820201). 92/07/14. 1p. 62436:233-62436:233.

**9207210084** PNO-I-92-040: on 920713, licensee informed Region I of c of contaminated room at one facility. Cause of containment contamination has not yet been determined.  
COURTEMANCHE, S., SHANBAKY, M. Region 1 (Post 820201). 92/07/15. 3pp. 62420:046-62420:048.

**9207220077** EN-92-052: on 920716, notice of violation & proposed imposition of civil penalty in amount of \$5,625 will be issued to licensee. Action based on violations noted during 920609 insp re unauthorized use of radiopharm.  
MILHOAN, J., SANBORN, G. Region 4 (Post 820201). EA-92-121. 92/07/13. 2pp. 62432:207-62432:207.

**9207220311** PNO-I-92-042: on 920716, catheter inserted into lung & adjusted to location of tumor prior to insertion of iridium source. Actual dose to patient was 500 to each nasal cavity instead of 2,000 rads planned. Patient will be followed.  
SHANBAKY, M., NESSEN, P. Region 1 (Post 820201). 92/07/17. 2pp. 62457:360-62457:361.

**9207220349** PNO-I-92-041: on 920716, Region I notified of therapeutic misadministration involving Co-60 teletherapy treatment. Investigation indicated that patient actually received 2,070 rads. Patient will be followed closely.  
SHANBAKY, M., NESSEN, P. Region 1 (Post 820201). 92/07/17. 2pp. 62457:350-62457:351.

**9207230246** Forwards for info, biweekly listing of generic communications being considered or under development by NRC, including bulletins, info notices & generic ltrs.  
BERLINGER, C.H. Generic Communications Branch. 92/07/02. WAGNER, P. Institute of Nuclear Power Operations. 5pp. 62459:118-62459:122.

**9207240008** EN-92-053: on 920715, notice of proposed imposition of civil penalty in amount of \$2,500 will be issued, based on diagnostic misadministration, including problems in reporting event & ordering, receiving & assaying dose.  
DELMEDICO, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-91-031. 92/07/14. 1p. 62587:115-62587:115.

**9207240013** EN-92-051A: on 920713, notice of proposed imposition of civil penalty in amount of \$50,000 instead of initial amount of \$82,500 issued, based on reevaluation of applied escalation & mitigation factors associated w/EA-91-114.  
TROSKOSKI, W., LIEBERMAN, J. Ofc of Enforcement (Post 870413). EA-92-093. 92/07/13. 1p. 62587:116-62587:116.

**9207250018** PNO-III-92-040A: on 920717, radiographer received apparent overexposure. Caused by radiation source shifting from shielded position in radiography camera when device was moved. Radiographer reenacted movements.  
SHEAR, G., GROBE, J. Region 3 (Post 820201). 92/07/17. 2pp. 62488:006-62488:007.

**9207280020** PNO-V-92-025: on 920716, licensee discovered moisture in low enriched U powder in vacuum suction portion of newly installed large lot blender. Residual low enriched U will be sampled & removed. Confirmation of action ltr will be issued.  
PATE, R. Region 5 (Post 820201). 92/07/17. 2pp. 62567:026-62567:027.

**9207280032** PNO-I-92-043: on 920720, licensee received package containing cutter/shear used to perform underwater cutting of highly radioactive control rod blades, which was found to exhibit radiation levels of about 1,000 - 1,500 mR/h.  
NIMITZ, R., JOYNER, J. Region 1 (Post 820201). 92/07/21. 2pp. 62488:030-62488:031.

**9207280085** PNO-I-92-044: on 920721, eight operators at unit 1 & three non-licensed operators at unit 2 falsified operator rounds records. Operators suspended from site access w/pay. Issue generated media interest & region I responded to inquiries.  
SCHMIDT, W., NICHOLSON, L. Region 1 (Post 820201). 92/07/21. 2p. 62488:111-62488:112.

**9207280092** PNO-IV-92-030B: update of PNO-IV-92-030 re declaration of alert at plant. Confirmatory action ltr items completed.  
BEACH, A.B. Region 4 (Post 820201). CAL. 92/07/22. 2pp. 62497:036-62497:037.

**9207280115** Comment on proposed suppl 1 to NRC bulletin 90-01, "Loss of Fill Oil in Transmitters Mfg by Rosemount." Endorses NUMARC & BWR Owners Group comments. Enhanced surveillance programs appropriate & effective in resolving transmitter concerns.  
LYSTER, M.D. Centerion Energy. 57FR11732 00014. 92/07/20. MEYER, D.L. NRC - No Detailed Affiliation Given. 5pp. 62488:345-62488:350.

**9207310042** Forwards biweekly listing of generic communications being considered or under development by NRC.  
BERLINGER, C.H. Generic Communications Branch. 92/07/16. WAGNER, P. Institute of Nuclear Power Operations. 5pp. 62588:205-62588:209.

### MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

**9207270018** Requests repts regularly produced by NRC. New author address listed.  
ROYEN, J. Organization for Economic Cooperation & Development. EN/S/2514. 92/07/03. NRC - No Detailed Affiliation Given. 1p. 62528:118-62528:118.

### NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

**9205280108** SECY-92-187 Informs Commission of staff planned publication of end NUREG-1422, "Summary of Chernobyl Followup Research Activities."  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/05/21. 79pp. 62645:092-62645:175.

**9207020022** NUREG/BR-0117 N92-2 NMSS LICENSEE NEWSLETTER. Number 92-2.  
\* Office of Nuclear Material Safety & Safeguards. 92/06/30. 12pp. 62219:032-62219:043.

**9207020027** NUREG/BR-0045 R02 LET'S DO BUSINESS WITH NRC.  
\* Ofc of Small & Disadvantaged Business Utilization & Civil Rights. 92/07/02. 19pp. 62189:036-62189:054.

**9207020031** NUREG-0540 V14 N04 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE. April 1-30, 1992.  
\* Division of Freedom of Information & Publications Services (Post 890205). 92/06/30. 325pp. 62189:066-62190:036.

**9207020033** NUREG-1456 AN ALTERNATIVE FORMAT FOR CATEGORY I FUEL CYCLE FACILITY PHYSICAL PROTECTION PLANS.  
DWYER, P.A. Division of Safeguards & Transportation (Post 870413). 92/06/30. 28pp. 62189:001-62189:033.

**9207020041** Advises that responses to Generic Ltr 88-20, Suppl 4 re IEEE methods acceptable & submittal schedule not acceptable. Requests that schedule be reassessed for closure of severe accident issues.  
LE, N.B. Project Directorate II-1. TAC M83627. 92/06/26. WATSON, R.A. Carolina Power & Light Co. 4pp. 62183:329-62183:332.

**9207020042** NUREG-0837 V12 N01 NRC TLD DIRECT RADIATION MONITORING NETWORK. Progress Report. January-March, 1992.  
STRUCKMEYER, R., MCNAMARA, N. Region 1 (Post 820201). 92/06/30. 230pp. 62188:103-62188:336.

**9207020054** Informs that response to Generic Ltr 88-20, Suppl 4, IEEE methods acceptable & submittal schedule not acceptable. Requests that licensee reassess schedule & repts results no later than 920918.  
WUNDER, G. Project Directorate II-1. TAC M83680. 92/06/26. SKOLDS, J.L. South Carolina Electric & Gas Co. 4pp. 62183:298-62183:301.

**9207020152** Forwards preliminary unedited Section 3.8 of new STS. Suggests that lead plant licensees wait for receipt of edited, reviewed version to prepare plant specific applications.  
GRIMES, C.I. Technical Specifications Branch. 92/05/21. BUSH, L. Westinghouse Electric Corp. ROBERTSON, J.L. Entergy Operations, Inc. WOODS, B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 600pp. 62185:001-62186:309.

**9207020185** Summary of 920608-09 meeting w/Owners Groups to discuss status of activities for resolving comments on draft STS & related matters. List of attendees encl respectively.  
GRIMES, C.I. Technical Specifications Branch. 92/06/25. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 22pp. 62184:305-62184:326.

**9207020291** Forwards preliminary unedited Section 3.3 of Westinghouse Owners Group version of new STS.  
GRIMES, C.I. Technical Specifications Branch. 92/05/27. BUSH, L. Westinghouse Electric Corp. ROBERTSON, J.L. Entergy Operations, Inc. WOODS, B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 200pp. 62203:004-62203:238.

**9207020323** Advises that licensee response to Generic Ltr 88-20, Suppl 4 re IEEE submittal schedule & selected methods acceptable.  
CAPRA, R.A. Project Directorate I-1. TAC M83645. 92/06/29. SYLVIA, B.R. Niagara Mohawk Power Corp. 4pp. 62194:056-62194:059.

**9207060032** Informs that licensee 900831 IEEE submittal schedule & selected methods, in response to GL 88-20, Suppl 4, acceptable.  
ROONEY, V.L. Project Directorate I-4. TAC M83643. 92/06/30. OPEKA, J.F. Connecticut Yankee Atomic Power Co. OPEKA, J.F. Northeast Nuclear Energy Co. 2pp. 62209:031-62209:032.

- 9207080042** NUREG/CR-5445 PERFORMANCE OF INTACT AND PARTIALLY DEGRADED CONCRETE BARRIERS IN LIMITING MASS TRANSPORT. WALTON,J.C. EG&G Idaho, Inc. FIN A-6858. EGG-2662. 92/06/30. Division of Engineering (Post 870413). 39pp. 62197:032-62197:074.
- 9207080049** NUREG/CR-5672 V02 CHARACTERISTICS OF LOW-LEVEL RADIOACTIVE WASTE. Decontamination Waste Program,Annual Report For Fiscal Year 1991. MORCOS,N., MCCONNELL,J.W., AKERS,D.W. EG&G Idaho, Inc. FIN A-6359. EGG-2635. 92/06/30. Division of Regulatory Applications (Post 870413). 58pp. 62197:075-62197:136.
- 9207080056** NUREG/CR-5693 AGING ASSESSMENT OF COMPONENT COOLING WATER SYSTEMS IN PRESSURIZED WATER REACTORS. LOFARO,R., GUNTHER,W., SUBUDHI,M. Brookhaven National Laboratory. FIN A-3270. BNL-NUREG-52283. 92/06/30. Division of Engineering (Post 870413). 150pp. 62197:137-62197:186.
- 9207080061** NUREG/CR-5805 IDENTIFICATION AND ASSESSMENT OF CONTAINMENT AND RELEASE MANAGEMENT STRATEGIES FOR A BWR MARK II CONTAINMENT. LIN,C.C., LEHNER,J.R. Brookhaven National Laboratory. FIN L-1240. BNL-NUREG-52306. 92/06/30. Division of Systems Research (Post 880717). 128pp. 62195:124-62195:249.
- 9207080067** NUREG/CR-5806 APPLICATION OF CONTAINMENT AND RELEASE MANAGEMENT STRATEGIES TO PWR DRY-CONTAINMENT PLANTS. YANG,J.W., LEHNER,J.R. Brookhaven National Laboratory. FIN L-1240. BNL-NUREG-52307. 92/06/30. Division of Systems Research (Post 880717). 96pp. 62195:001-62195:099.
- 9207080081** NUREG/CR-5865 GENERIC SERVICE WATER SYSTEM RISK-BASED INSPECTION GUIDE. STEWART,M.A., SMITH,C.L. EG&G Idaho, Inc. FIN A-6553. EGG-2674. 92/05/31. Division of Radiation Protection & Emergency Preparedness (Post 870411). 21pp. 62195:100-62195:123.
- 9207080082** Forwards initial exam rept 50-356/OL-92-01,administered on 920602 to facility employee that applied for license to operate licensee LOPRA reactor. GALLO,R.M. Operator Licensing Branch. 92/06/30. JONES,B.G. Illinois, Univ. of, Urbana, IL. 2pp. 62204:199-62204:202.
- 9207080085** NUREG/CR-4551 V2R1P4 EVALUATION OF SEVERE ACCIDENT RISKS: QUANTIFICATION OF MAJOR INPUT PARAMETERS.Experts' Determination Of Source Term Issues. HARPER,F.T., BREEDING,R.J., BROWN,T.D. Sandia National Laboratories. FIN A-1322. SAND86-1309. 92/06/30. Division of Safety Issue Resolution (Post 880717). 500pp. 62195:250-62197:031.
- 9207080090** Forwards initial exam rept 50-005/OL-92-01 administered on 920526-27 to two facility employees who had applied for license to operate PA State Breazeale Reactor. GALLO,R.M. Operator Licensing Branch. 92/06/29. SHIRLEY,D.A. Pennsylvania State Univ., Harrisburg, PA. 2pp. 62204:093-62204:150.
- 9207080094** Exam rept 50-005/OL-92-01 on 920526-27.Exam results:written & operating exams administered to one SRO,Instant applicant & one SRO,Upgrade applicant.SRO,Instant applicant passed both exams & SRO,Upgrade failed operating exam. COLLINS,J.F., CALDWELL,J.L. Operator Licensing Branch. 92/06/29. 55pp. 62204:095-62204:150.
- 9207080098** Forwards initial exam rept 50-151/OL-92-01 administered on 920602 to facility employees who applied for license to operate TRIGA Reactor. GALLO,R.M. Operator Licensing Branch. 92/06/30. JONES,B.G. Illinois, Univ. of, Urbana, IL. 2pp. 62204:052-62204:092.
- 9207080157** Discusses licensee 911226 response to generic Itr 88-20, suppl 4, "Individual Plant Exams for External Events." Recommends that licensee update IPEEE plans to be consistent w/approaches provided in NUREG-1407. JOHNSON,A. Project Directorate I-3. GL-88-20. 92/06/30. MECREDDY,R.C. Rochester Gas & Electric Corp. 4pp. 62242:225-62242:228.
- 9207080178** Forwards comments based on technical review of reactor operator & senior reactor operator licensing exams administered on 920622,per NUREG-1021 (Operator Licensing Examiner Std). GATES,W.G. Omaha Public Power District. LIC-92-212R. 92/06/30. PELLET,J.L. Region 4 (Post 820201). 27pp. 62254:279-62254:305.
- 9207080213** Accepts licensee selected IPEEE methods,in response to GL 88-20,Suppl 4.Informs that IPEEE submittal schedule not acceptable.Requests that licensee reassess schedule & report results no later than 920918. CONICELLA,N.F. Project Directorate I-1. GL-88-20. 92/06/29. BEEDLE,R.E. Power Authority of the State of New York (New York Power Authority). 5pp. 62209:040-62209:045.
- 9207080254** Discusses need for power factor constraints for EDG surveillances.Concludes that imposition of power factor constraint for monthly surveillances may not be warranted. GRIMES,C.I. Technical Specifications Branch. 92/06/23. BUSH,L. Westinghouse Electric Corp. WOODS,B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). WUNDERLY,B. Babcock & Wilcox Co. 5pp. 62197:347-62197:351.
- 9207080304** Notification of 920715 meeting w/public in Rockville,MD to discuss industry comments re Proposed Fire Protection requirements. CARUSO,M.A. Reactor Systems Branch. 92/06/25. JONES,R.C. Reactor Systems Branch. 2pp. 62203:341-62203:342.
- 9207070254** Requests clarification & approval of change to decommissioning plan re control of heavy loads.Equipment associated w/disposal of radwaste burial liner meets requirements specified in NUREG-0612. HILL,L.M. Long Island Power Authority. LSNRC-1970. 92/07/01. BERNERO,R. Office of Nuclear Material Safety & Safeguards. 2pp. 62260:353-62260:354.
- 9207070318** Forwards revised pages to emergency response data sys data point library,per Section 3.6 to Rev 1 to NUREG-1384.Human engineering deficiency modes completed for Unit 2.Add changes for Unit 1 will be submitted. JUMP,W.J. Houston Lighting & Power Co. ST-HL-AE-4122. 92/06/30. Document Control Branch (Document Control Desk). 2pp. 62273:342-62273:346.
- 9207080173** Advises that licensee selected IPEEE methods as described in 911220 response to generic Itr 88-20,acceptable. DEAGAZIO,A. Project Directorate I-4. TAC M83591. 92/06/30. SIEBER,J.D. Duquesne Light Co. 3pp. 62260:001-62260:003.
- 9207090107** Informs of issuance of rev 0 of improved STS for proof & review for any errors or differences from comment resolution decisions. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/30. MCCOY,K. Westinghouse Operating Plants Owners Group. BEARD,P.M. Babcock & Wilcox Operating Plants Owners Group. CONWAY,W.F. C-E Operating Plants Owners Group. 4pp. 62269:291-62269:295.
- 9207090162** Forwards nonproprietary & proprietary repts,in response to GL 92-01,Rev 1, "Reactor Vessel Structural Integrity," in ref to NUREG-0712 & NRC 890919 Itr re closeout of GL 88-11 & License Condition 2.C.7.Proprietary repts withheld. ROSENBLUM,R.M. Southern California Edison Co. GL-92-01. 92/07/06. Document Control Branch (Document Control Desk). 13pp. 62339:035-62339:232.
- 9207090243** Forwards Resident Safety Insp Repts 50-272/92-11, 50-311/92-07 & 50-354/92-07 on 920503-0613.Violations noted. WENZINGER,E.C. Region 1 (Post 820201). EA-92-050. 92/07/02. MILTENBERGER,S. Public Service Electric & Gas Co. of New Jersey. 3pp. 62309:242-62309:305.
- 9207090253** Notice of violation from insp on 920503-0613.Violation noted:licensee failed to satisfy requirement of NUREG 0737 Item III.D.3.4 re release of ammonium hydroxide. \* Region 1 (Post 820201). 50-311/92-07. 92/07/02. 2pp. 62309:245-62309:246.
- 9207090317** Forwards SER re implementation of NUREG-0619,concluding that proposal is not acceptable re effectiveness of UT sys to detect thermal fatigue cracks that are 0.172 inch in depth. DROMERICK,A.W. Project Directorate I-4. TAC M83157. 92/07/08. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 62293:336-62293:345.
- 9207090332** Safety evaluation concluding that proposal is not acceptable to eliminate future NUREG-0619 routine PT examinations. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/08. 7pp. 62293:339-62293:345.
- 9207100219** Forwards nonproprietary ANF-1358(NP)(A) & proprietary ANF-1358(P)(A) topical repts entitled, "Loss of Feedwater Heating Transient in BWRs," for compliance w/procedures in NUREG-0390.Proprietary ANF-1358(P)(A) withheld. HERSHBERGER,D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. DEH:043:92. 92/06/25. MURLEY Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 62329:170-62329:219.
- 9207100228** Forwards results of review of Rev 11 to emergency preparedness plan & Revs 13 & 14 to EPIP 13.1.1.Emergency action level scheme in EPIP 13.1.1 less conservative than guidance established in NUREG-0654. SCARANO,R.A. Region 5 (Post 820201). 92/06/30. SORESENSEN,G.C. Washington Public Power Supply System. 21pp. 62364:285-62364:305.
- 9207130272** Forwards prioritization evaluation re Generic Issues 156.2.2, "Design Codes,Criteria & Load Combinations" which will be incorporated into NUREG-0933, "Prioritization of Generic Safety Issues." BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 92/07/09. MINNERS,W. Division of Safety Issue Resolution (Post 880717). 4pp. 62337:187-62337:190.
- 9207140017** NUREG/IA-0071 ANALYSIS OF THE UPTF SEPARATE EFFECTS TEST 11 (STEAM-WATER COUNTERCURRENT FLOW IN THE BROKEN LOOP HOT LEG) USING RELAPS/MOD2. DILLISTONE,M.J. Winfrith Technology Centre (United Kingdom). FIN A-4682. AEEW-M2555. 92/06/30. Office of Nuclear Regulatory Research (Post 860720). 31pp. 62399:001-62399:033.
- 9207140022** NUREG/IA-0080 ASSESSMENT OF RELAP5/MOD2 USING SEMISCALE INTERMEDIATE BREAK LOSS-OF-COOLANT EXPERIMENT 9-IB-3. CHOU,G.-H., HORNG,T.-S., LIAI,L.-Y. Institute of Nuclear Energy Research (Taiwan). FIN A-4682. 92/06/30. Office of Nuclear Regulatory Research (Post 860720). 200pp. 62373:271-62374:120.
- 9207140031** NUREG/CR-5880 FRACTURE-MECHANICS-BASED FAILURE ANALYSIS. ROSENFELD,A.R., MARSCHALL,C.W. Battelle Memorial Institute. \* Oak Ridge National Laboratory. FIN B-0119. ORNL-SUB82176241. 92/06/30. Division of Engineering (Post 870413). 38pp. 62373:227-62373:270.
- 9207140034** NUREG-0725 R08 PUBLIC INFORMATION CIRCULAR FOR SHIPMENTS OF IRRADIATED REACTOR FUEL. \* Division of Safeguards & Transportation (Post 870413). 92/06/30. 35pp. 62373:189-62373:226.
- 9207140229** NUREG/BR-0088 R02 LOCAL PUBLIC DOCUMENT ROOM DIRECTORY. \* Division of Freedom of Information & Publications Services (Post 890205). 92/06/30. 34pp. 62373:150-62373:184.
- 9207140232** NUREG/CP-0119 V03 AD PROCEEDINGS OF THE NINETEENTH WATER REACTOR SAFETY INFORMATION MEETING. WEISS,A.J. Brookhaven National Laboratory. FIN A-3988. 92/06/30. Office of Nuclear Regulatory Research (Post 860720). 24pp. 62373:122-62373:148.
- 9207140233** Revises 920131 submittal of ERDS data point library & plant attribute library,per Rev 1 to NUREG-1394.Software Spec ERDS-SRS-1.00-1, "ERDS Data Point Library" and. PARKER,T.M. Northern States Power Co. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62394:294-62394:353.
- 9207140239** NUREG-0847 S09 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF WATTS BAR NUCLEAR PLANT,UNITS 1 AND 2.Docket Nos. 50-390 And 50-391.(Tennessee Valley Authority) TAM,P.S. Division of Reactor Projects - I/II (Post 870411). 92/06/30. 200pp. 62372:327-62373:119.

## 224 NONDOCKETED ITEMS

- 9207140243** NUREG/CR-5892 A HIGHWAY ACCIDENT INVOLVING UNIRRADIATED NUCLEAR FUEL IN SPRINGFIELD, MASSACHUSETTS, ON DECEMBER 16, 1991. CARLSON, R.W., FISCHER, L.E. Lawrence Livermore National Laboratory. FIN A-0291. UCLRLD-110638. 92/06/30. Division of Safeguards & Transportation (Post 870413). 108pp. 62397:001-62397:106.
- 9207140248** NUREG/CR-5885 METALLURGICAL EVALUATION OF WELD OVERLAP PIPE SECTIONS FROM BRUNSWICK UNIT 2 NUCLEAR POWER STATION. CZAJKOWSKI, C.J., BOWERMAN, B., SCHUSTER, M. Brookhaven National Laboratory. FIN L-1438. BNL-NUREG-52331. 92/06/30. Division of Engineering Technology (Post 890827). 113pp. 62372:098-62372:221.
- 9207140262** NUREG/CR-5877 ASPECTS OF MONITORING AND QUALITY ASSURANCE FOR RADIOLABELED ANTIBODIES. BARBER, D.E. Minnesota, Univ. of, Minneapolis, MN. \* Brookhaven National Laboratory. FIN L-1284. BNL-NUREG-52328. 92/06/30. Division of Regulatory Applications (Post 870413). 47pp. 62372:046-62372:097.
- 9207140266** NUREG/CR-5875 EXPERIMENTAL MODELING OF HEAT AND MASS TRANSFER IN A TWO-FLUID BUBBLING POOL WITH APPLICATION TO MOLTEN CORE-CONCRETE INTERACTIONS. GREENE, G.A. Brookhaven National Laboratory. FIN L-1259. BNL-NUREG-52325. 92/06/30. Division of Systems Research (Post 880717). 106pp. 62371:299-62372:045.
- 9207140273** NUREG/CR-5871 V01 DEVELOPMENT OF EQUIPMENT PARAMETER TOLERANCES FOR THE ULTRASONIC INSPECTION OF STEEL COMPONENTS. Application To Components Up To 3 Inches Thick. GREEN, E.R., DOCTOR, S.R., HOCKEY, R.L. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN B-2289. PNL-8064. 92/06/30. Division of Engineering (Post 870413). 67pp. 62371:232-62371:296.
- 9207140276** Informs of closure of TAC M54545 re control room habitability issue. New TAC will be assigned when GL issued. ANDERSON, J.W. Project Directorate I-4. TAC M54545. 92/07/09. OPEKA, J.F. Connecticut Yankee Atomic Power Co. 3pp. 62378:238-62378:240.
- 9207140288** NUREG/CR-5720 MOTOR-OPERATED VALVE RESEARCH UPDATE. STEELE, R., WATKINS, J.C., DEWALL, K.G. EG&G Idaho, Inc. FIN A-6857. EGG-2643. 92/06/30. Division of Engineering (Post 870413). 99pp. 62371:129-62371:231.
- 9207140291** NUREG-1458 EMERGENCY RESPONSE TO A HIGHWAY ACCIDENT IN SPRINGFIELD, MASSACHUSETTS, ON DECEMBER 16, 1991. \* Division of Safeguards & Transportation (Post 870413). 92/06/30. 144pp. 62371:001-62371:128.
- 9207140307** Final response to FOIA request for documents re 810909 memo from NRC to F Rhodes re in-service testing (ASME Code 11). App A records encl & are being made available in PDR. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/06. WILLIAMS, D. JRB Associates. 2pp. 62383:186-62383:189.
- 9207140309** Requests that ASME operations & maint committee revise requirements to ensure ability of certain pumps & valves to perform hydraulic & mechanical safety functions. RICHARDSON, J.E. Division of Engineering Technology (Post 890827). GL-89-04. 91/09/09. RHODES, F.T. Wolf Creek Nuclear Operating Corp. 2pp. 62383:188-62383:189.
- 9207150342** Forwards prioritization evaluation of Generic Issue 78, "Monitoring of Fatigue Transient Limits for RCS." Evaluation will be incorporated into NUREG-0933, "Prioritization of GSIs." BECKJORD, J.S. Office of Nuclear Regulatory Research (Post 860720). 92/07/10. MINNERS, W. Division of Safety Issue Resolution (Post 880717). 10pp. 62396:350-62396:359.
- 9207160275** NUREG-0750 V35 I01 INDEXES TO NUCLEAR REGULATORY COMMISSION ISSUANCES. January-March 1992. \* Division of Freedom of Information & Publications Services (Post 890205). 92/06/30. 38pp. 62404:269-62404:302.
- 9207170037** Responds to 920521 ltr to I Selin, soliciting NRCs assistance in determining alternatives to releasing radwaste water to city sewer sys & requesting current status of NRCs studies in area. TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 92/06/30. SCHIFF, S. House of Rep. 3pp. 62453:236-62453:241.
- 9207170040** Solicits assistance in determining alternatives to releasing radwaste water into city sewer sys. SCHIFF, S. House of Rep. CCS. 92/05/21. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2pp. 62453:239-62453:241.
- 9207200023** Summary of 920520 & 21 meetings w/utills, Entergy, EXCEL, Westinghouse, NUMARC & owners groups re new STS. GRIMES, C.I. Technical Specifications Branch. 92/06/29. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 26pp. 62427:322-62427:347.
- 9207200284** Notification of 920730 meeting w/utill in Spring City, TN to discuss status, needed actions & priorities of various licensing issues ref in NUREG-0847, suppl 9. TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). TAC M72494. 92/07/14. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 3pp. 62438:091-62438:093.
- 9207210188** Forwards guidelines & ref matl requirements necessary in preparing for evaluation visit scheduled for period of 921116-25. Requalification exams will be performed per sections 601 & 604 of NUREG-1021. MILLER, L.F. Region 5 (Post 820201). 92/07/13. SORENSEN, G.C. Washington Public Power Supply System. 10pp. 62421:170-62421:178.
- 9207220127** Discusses requalification program evaluation visit scheduled for wk of 920906 for licensed personnel at plant & requests ref matls listed in encl. PEEBLE, S.T.A. Region 2 (Post 820201). 92/07/10. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 7pp. 62432:344-62432:350.
- 9207220282** Advises that generic issue 2, "Failure of Protective Devices on Essential Equipment" has very little safety significance & will be dropped from further pursuit. Encl evaluation will be incorporated into NUREG-0933. BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). 92/07/01. MINNERS, W. Division of Safety Issue Resolution (Post 880717). 5pp. 62453:313-62453:317.
- 9207230134** Forwards request for addl info to complete review of chapters 4 & 15 of FSAR submittals through amend 84, per NUREG-0800, "Std Review Plan." Response requested within 30 days of receipt of ltr. HOLIAN, B. Project Directorate IV-2. TAC M82075. 92/07/20. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 4pp. 62459:032-62459:035.
- 9207230236** Discusses change to promote use of improved STS such as NUREG-1433 for GE BWR-4 reactors when proposed changes have potential generic applications. Encloses Section 3.1.7 & Bases 3.1.7 from STS as an alternative to changes. CLARK, R.J. Project Directorate I-2. TAC M83237. 92/07/16. BECK, G.J. Philadelphia Electric Co. 16pp. 62459:099-62459:114.
- 9207240036** Forwards initial exam rept 50-407/OL-92-02 on stated date. GALLO, R.M. Operator Licensing Branch. 92/07/22. GEHMLICH, D.K. Utah, Univ. of, Salt Lake City, UT. 2pp. 62479:135-62479:187.
- 9207240043** Exam rept 50-407/OL-92-02 on stated date. Exam results: all candidates passed first test (disregarded), four passed second exam & one candidate withdrew, constituting failure. CALDWELL, J.L., DOYLE, P.W. Operator Licensing Branch. 92/07/22. 49pp. 62479:137-62479:187.
- 9207270006** Advises that rev 31 to plant emergency plan consistent w/provisions of 10CFR50.47(b) & app 1 of NUREG-0654. CLINE, W.E. Region 2 (Post 820201). 92/06/30. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 62475:001-62475:003.
- 9207270187** Forwards unedited copy of Section 3.3 for BWR owners group BWR/4 & BWR/6 versions of new STS. GRIMES, C.I. Technical Specifications Branch. 92/06/04. BUSH, L. Westinghouse Operating Plants Owners Group. ROBERTSON, J.L. BWR Owners Group. WOODS, B. C-E Operating Plants Owners Group. 203pp. 62517:001-62517:211.
- 9207270209** Forwards preliminary unedited copy of Section 3.6 Bases for B&W, Westinghouse & C-E owners groups versions of new STS. GRIMES, C.I. Technical Specifications Branch. 92/06/01. BUSH, L. Westinghouse Operating Plants Owners Group. ROBERTSON, J.L. BWR Owners Group. WOODS, B. C-E Operating Plants Owners Group. 203pp. 62485:001-62485:244.
- 9207270224** Forwards response to NRC 920713 telcon questions re amend to License NPF-11, changing TS re residual gadolinium, evaluation of reactor bldg crane for compliance w/NUREG-0612 & estimated total expected exposure re rerecking mod. SHIELDS, J. Commonwealth Edison Co. 92/07/20. SIEGEL, B., PHILLIPS, C. NRC - No Detailed Affiliation Given. 3pp. 62528:176-62528:178.
- 9207270252** Requests industry views on SRP format. Applicable portions of ACRS briefing handouts & ACRS May 1992 meeting transcripts encl. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/15. RASIN, W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Management). 43pp. 62486:245-62486:287.
- 9207270263** NUREG/CR-6009 V02 DEVELOPING AND ASSESSING ACCIDENT MANAGEMENT PLANS FOR NUCLEAR POWER PLANTS. Evaluation Of A Prototype Process. HANSON, D.J., JOHNSON, S.P., BLACKMAN, H.S. EG&G Idaho, Inc. FIN B-5723. EGG-2682. 92/07/31. Division of Systems Research (Post 880717). 188pp. 62509:178-62509:359.
- 9207270274** NUREG/CP-0123 PROCEEDINGS OF THE SECOND NRC/ASME SYMPOSIUM ON PUMP AND VALVE TESTING. Held At The Hyatt Regency Hotel, Washington, DC, July 21-23, 1992. \* EG&G Idaho, Inc. FIN A-6812. EGG-2676. 92/07/31. Office of Nuclear Regulatory Research (Post 860720). 600pp. 62510:001-62510:202.
- 9207270284** NUREG/CR-5867 GRADIENT STUDY OF A LARGE WELD JOINING TWO FORGED A 508 SHELLS OF THE MIDLAND REACTOR VESSEL. IRWIN, G.R., ZHANG, X.J. Maryland, Univ. of, College Park, MD. \* Oak Ridge National Laboratory. FIN B-0119. ORNL SUB 7977810. 92/06/30. Division of Engineering (Post 870413). 19pp. 62508:287-62508:307.
- 9207270292** Forwards preliminary unedited copy of Section 3.3 for B&W owners group version of new STS. GRIMES, C.I. Technical Specifications Branch. 92/05/22. BUSH, L. Westinghouse Operating Plants Owners Group. ROBERTSON, J.L. BWR Owners Group. WOODS, B. C-E Operating Plants Owners Group. 600pp. 62483:001-62483:313.
- 9207270295** NUREG/CR-5819 PROBABILITY AND CONSEQUENCES OF RAPID BORON DILUTION IN A PWR. A Scoping Study. DIAMOND, D.J., KOHUT, P., NOURBAKHSH, H. Brookhaven National Laboratory. FIN A-3868. BNL-NUREG-52313. 92/06/30. Division of Systems Technology (Post 890827). 94pp. 62512:115-62512:212.
- 9207270306** Forwards preliminary, unedited Section 3.3 for CEOG version of new STS. GRIMES, C.I. Technical Specifications Branch. 92/05/29. BUSH, L. Westinghouse Electric Corp. WOODS, B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). WUNDERLY, B. Babcock & Wilcox Co. 200pp. 62518:001-62518:102.
- 9207270307** NUREG-0304 V17 N01 REGULATORY AND TECHNICAL REPORTS (ABSTRACT INDEX JOURNAL). Compilation For First Quarter 1992, January-March. \* Division of Freedom of Information & Publications Services (Post 890205). 92/06/30. 41pp. 62508:242-62508:284.
- 9207270318** NUREG/CR-5854 UNIVERSAL TREATMENT OF PLUMES AND STRESSES FOR PRESSURIZED THERMAL SHOCK EVALUATIONS. THEOFANOUS, T.G., ANGELINI, S., YAN, H. California, Univ. of, Santa Barbara. CA. FIN D-1634. 92/06/30. Division of Systems Research (Post 880717). 96pp. 62508:146-62508:241.
- 9207270321** NUREG/CR-3950 V07 FUEL PERFORMANCE ANNUAL REPORT FOR 1989. BAILEY, W.J., BERTING, F.M. Battelle Memorial Institute, Pacific Northwest Laboratory. WU, S.L. Reactor Systems Branch. FIN L-1478. PNL-5210. 92/06/30. Division of Systems Technology (Post 890827). 200pp. 62508:310-62508:177.

**9207280210** Partial response to FOIA request for documents re NRC TIA review of 900320 loss of off-site power event at plant. Forwards documents listed in App C which are being made available for PDR. App B documents also available in PDR. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/12/08. LAMBERSKI, J. Troutman, Sanders, Lockerman & Ashmore. 3pp. 62519:256-62519:290.

**-9207280225** Summarizes NRC IIT Rept, NUREG-1410, "Loss of Vital AC Power & RHR During Mid-Loop Operations At Vogtle Unit 1." Excerpts from NUREG-1410 encl. BOEHNERT, P. ACRS - Advisory Committee on Reactor Safeguards. 90/06/08. CARROLL, J. ACRS - Advisory Committee on Reactor Safeguards. 27pp. 62519:261-62519:287.

**9207280252** Forwards corrected data point library for ERDS, initially submitted in 920317 ltr. Encl corrects Section 3.6 re administrative implementation requirements, per Rev 1 to NUREG-1394. MCCOY, C.K. Georgia Power Co. ELV-03884. 92/07/20. Document Control Branch (Document Control Desk). 4pp. 62535:018-62535:021.

**9207280287** Final response to FOIA request for documents. Forwards copies of hand-outs at 910806 presentation of course entitled, "NRC: What It Is & What It Does," which are being made available in PDR. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/19. UNNERSTALL, K. Newman & Holtzinger. 1p. 62514:009-62514:157.

**-9207280291** Forwards NUREG-0325, rev 14 dtd 900815 consisting of functional organization charts for all NRC ofcs, regions & components. BIRD, P.E. NRC - No Detailed Affiliation Given. 90/09/20. NRC - No Detailed Affiliation Given. 2pp. 62514:010-62514:157.

**9207310044** Forwards proposed draft rev 7 of operating licensing exam stds, NUREG-1021, for comment. NRC will implement rev 7 of examiner stds for initial & requalification exams scheduled to be 180 days or more after final comment published. ROE, J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 92/07/23. TIPTON, T. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manager. 200pp. 62585:012-62585:347.

**9207310083** Provides data point library for plant. Data point library submittal completes emergency response data sys info requirements for plant contained in NUREG-1394, Rev 1. MCCARTHY, D.C. Carolina Power & Light Co. NLS-92-166. 92/07/27. Document Control Branch (Document Control Desk). 57pp. 62612:264-62612:320.

**9207310124** Concludes that technical rationale provided by util to justify operability of unit 2 brand rex cables for one more fuel cycle acceptable, per NUREG-1232, vol 3, suppl 2. ROSS, T.M. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). 92/07/24. MEDFORD, M.O. Tennessee Valley Authority. 3pp. 62585:354-62585:356.

**9207310156** Forwards completed ERDS survey questionnaire, per Rev 1 to NUREG-1394 re ERDS implementation, consisting of quality codes & descriptions for plant process computer sys at facility. MCCREEDY, R.C. Rochester Gas & Electric Corp. 92/07/20. JOHNSON, A.R. Project Directorate I-3. 7pp. 62613:348-62613:354.

#### ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

**9206230193** NRC Info Notice 92-047, "Intentional Bypassing of Automatic Actuation of Plant Protective Features." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/06/29. Consolidated Edison Co. of New York, Inc. 4pp. 62480:018-62480:021.

**9206260043** NRC Info Notice 92-048, "Failure of Exide Batteries." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 4pp. 62480:007-62480:010.

**9206280237** NRC Info Notice 92-050, "Cracking of Valves in Condensate Return Lines of BWR Emergency Condenser Sys." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/02. Consolidated Edison Co. of New York, Inc. 7pp. 62480:011-62480:017.

**9207010301** Forwards 920601 memo from JG Partlow & WT Russell to NRR Div Director, for placement in PDR. DUNNING, T.G. Technical Specifications Branch. 92/06/25. Document Control Branch (Document Control Desk). 1p. 62178:120-62178:133.

**-9207010306** Provides interim guidance for Project Managers & Technical Reviewers on identifying & processing TS amend requests as either generic line-item improvements or plant-specific changes. PARTLOW, J.G. Associate Director for Projects (Post 870411). RUSSELL, W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 92/06/01. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 62178:121-62178:133.

**9207010307** Responds to 920430 & 0602 ltrs on behalf of Union of Concerned Scientists re substantive contents of & process for drafting Rev 1 to GL 92-01, "Reactor Vessel Structural Integrity." TAYLOR, J.M. Ofc of the Executive Director for Operations. GL-92-01. 92/06/22. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousey). 10pp. 62194:001-62194:019.

**-9207010312** Expresses concern re substantive contents of process for drafting GL-92-01, rev 1 re reactor vessel structural integrity. CURRAN, D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousey). GL-92-01. 92/04/30. THE CHAIRMAN, SELIN, J., ROGERS, K.C. Commissioners (Post 750119). 8pp. 62194:012-62194:019.

**9207010322** Advises that memos re research user needs for advanced passive reactors & regulatory needs for human factors research released from NRR & should be included in NRC PDR FOIA file. COFFMAN, F.D. Human Factors Branch. 92/06/30. YEATES, E. NRC - No Detailed Affiliation Given. 1p. 62182:345-62182:360.

**-9207010326** Outlines regulatory needs for human factors research of NRR. Three functional areas developed, including human performance, personnel issues & advanced technologies & sys. MURLEY, T.E. Office of Nuclear Regulatory Research (Post 860720). 91/06/03. BECKJORD, E.S. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 62182:346-62182:348.

**-9207010326** Forwards research user needs for advanced passive reactors. Add research user need requests in other areas such as mats & chemistry will follow. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 90/12/11. BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). 12pp. 62182:349-62182:360.

**9207020010** Forwards FEMA final "Exercise Evaluation Rept for Off-Site Radiological Emergency Plans & Preparedness Ingestion Pathway Exercise at SONGS on 911120." PATER, R.J. Region 5 (Post 820201). 92/06/23. RAY, H.B. Southern California Edison Co. 2pp. 62247:001-62247:066.

**-9206160422** Forwards final rept for 911120 ingestion pathway exercise of radiological emergency response plans site-specific to facility. No deficiencies observed. KWIATKOWSKI, D. Federal Emergency Management Agency. 92/05/28. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 62247:004-62247:004.

**-9206170097** Final "Exercise Evaluation Rept of Off-site Radiological Emergency Plans & Preparedness, Ingestion Pathway Exercise on 911120." SCOTT, E. Federal Emergency Management Agency. 92/04/24. 57pp. 62247:005-62247:066.

**9207020199** Forwards notice of applications & amends to OLs involving NSHC.W/o encl. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/22. GRAHAM, B. Senate, Environment & Public Works. KOSTMAYER, P.H. House of Rep., Interior & Insular Affairs. SHARP, P.R. House of Rep., Energy & Commerce. 2pp. 62194:267-62194:268.

**9207020228** Responds to 920522 ltr re AW Lippitt ltr concerning licensing extension of civilian nuclear plants by NRC. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/22. NUNN, S. Senate. 40pp. 62186:310-62186:349.

**9207020233** NRC Info Notice 92-051, "Misapplication & Inadequate Testing of Molded-Case Circuit Breakers." ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 92/07/09. Consolidated Edison Co. of New York, Inc. 6pp. 62480:001-62480:006.

**9207060179** Request for OMB review & supporting statement re operator licensing & requalification exams. Estimated respondent burden is 160 h. CRANFORD, G.F. Office of Information Resources Management (Post 890205). OMB 5150-0131. 92/06/26. 9pp. 62209:001-62209:009.

**9207060290** Request for OMB review & supporting statement re integrated schedules policy statement. Estimated respondent burden is 2,800 h. CRANFORD, G.F. Office of Information Resources Management (Post 890205). 92/06/29. 39pp. 62243:247-62243:282.

**9207070224** Discusses FEMA Sept 1991 exercise of offsite radiological emergency response plans for plant. Approval of plans will remain in effect. Util should interact w/ offsite officials to resolve outstanding concerns identified by FEMA.W/o encl. MCCORMICK-BARGE Region 3 (Post 820201). 92/06/26. EVERS, K.H. Washington Public Power Supply System. 2pp. 62208:029-62208:030.

**9207070239** Request for OMB review & supporting statement re 48CFR20, NRC acquisition regulation. Estimated respondent burden is 120,441 h. CRANFORD, G.F. Office of Information Resources Management (Post 890205). OMB-3150. 92/07/01. 200pp. 62236:001-62236:259.

**9207070427** Request for OMB review & supporting statement re survey for fabricators & Users of DOT Specification Packages. Estimated respondent burden is 171 h. CRANFORD, G.F. Office of Information Resources Management (Post 890205). 92/07/01. 2pp. 62242:163-62242:178.

**9207090205** Forwards final rept "Diagnostic Methods & Measurements Approaches to Detect Incipient Defects Due to Aging of Cables." FARMER, W.S. Electrical & Mechanical Engineering Branch (Post 880717). 92/07/01. VAGINS, M., VORA, J. Office of Nuclear Regulatory Research (Post 860720). ROSA, F. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62313:081-62313:308.

**-9207090209** NISTIR4485 "Diagnostic Methods & Measurement Approaches to Detect Incipient Defects Due to Aging of Cables." MARTZLOFF, F.D., PERREY, A.G. National Institute of Standards & Technology (formerly National Bureau of Standards). 92/07/31. 70pp. 62313:083-62313:308.

**9207090273** Expresses appreciation for assistance provided by D Pereira during two wk rotational assignment on 920518-29. ROE, J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 92/07/06. ZIMMERMAN, R.F. Region 5 (Post 820201). 1p. 62271:210-62271:210.

**9207090313** NRR ofc ltr 1101, "Procedures for Insp Development Activities Under Associate Director for Insp & Technical Assessment." MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). NRRL-1101. 92/06/29. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 62269:312-62269:321.

**9207100063** Forwards FEMA 920603 ltr & associated final rept for Nov 1991 exercise of offsite radiological emergency response plans. FEMA identified one deficiency. MCCORMICK-BARGE Region 3 (Post 820201). 92/07/01. ELIASON, L.R. Northern States Power Co. 2pp. 62382:171-62382:260.

**-9206170062** Forwards final rept for 911105 exercise of offsite radiological emergency response plans site-specific to Monticello Plant. One deficiency & two areas requiring corrective action identified. KWIATKOWSKI, D. Federal Emergency Management Agency. 92/06/03. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 2pp. 62382:173-62382:173.



## 226 NONDOCKETED ITEMS

- 9206170109 "Exercise Rept Monticello Plant NSP Joint Exercise on 911105."  
\* Federal Emergency Management Agency. 92/03/30. 85pp. 62382:174-62382:260.
- 9207130113 Forwards current update of OGCB 10CFR21 tracking sys.  
BERLINGER,C.H. Generic Communications Branch. 92/06/26. PARTLOW,J.G.,  
RUSSELL,W.T., ROSSI,C.E. Office of Nuclear Reactor Regulation, Director (Post  
870411). 11pp. 62337:191-62337:201.
- 9207140011 Responds to 920514 ltr forwarding constituent JR Keough ltr protesting  
NRC prevention of foundries from competing in mfg of cast iron casks for high level  
radwaste. Concerns raised re suitability of nodular cast iron as structural matl.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 92/06/18. LEVIN,C.  
Senate. 2pp. 62384:340-62384:346.
- 9207140012 Forwards constituent JR Keough (Applied Process, Inc) 920205 ltr re NRC  
refusal to allow transport of nuclear waste in ductile iron casks. Response requested.  
LEVIN,C. Senate. CCS. 92/05/14. RATHBUN,D. Office of Congressional Affairs (Post  
911117). 4pp. 62384:342-62384:346.
- 9207140093 Discusses 920625 meeting w/RL Morby & other members of MO Dept of  
Natural Resources re remediation of firing range at Dept of Army Lake City Army Am-  
munition Plant.  
GROBE,J.A. Region 3 (Post 820201). 92/07/02. MORBY,R.L. Environmental Protec-  
tion Agency. 1p. 62299:295-62299:295.
- 9207150309 Forwards notice of opportunity for public comment for proposed generic  
communication for transmittal to Ofc of FR for publication.  
BOGER,B.A. Division of Reactor Projects - III,IV,V (Post 901216). 92/06/22.  
MEYER,D.L. Division of Freedom of Information & Publications Services (Post  
890205). 1p. 62378:245-62378:251.
- 9207150332 Notice of opportunity for public comment on proposed generic  
communication, suppl 1 to generic ltr 83-28, "Required Actions Based on Generic Im-  
plications of Salem ATWS Events."  
BOGER,B.A. Division of Reactor Projects - III,IV,V (Post 901216). GL-83-28. 92/06/  
22. 5pp. 62378:246-62378:251.
- 9207160169 Advises that recipient contact listed public health unit re 920622 request  
for physician info to assist in seeking medical attention.  
GLENN,J.E. Medical, Academic & Commercial Use Safety Branch. 92/07/07.  
IACONO,C. Affiliation Not Assigned. 1p. 62555:289-62555:289.
- 9207160315 Documents resolution of all comments received during Peer Review of  
draft AEOD rept, "Experience w/Reactor Coolant Pump Seals Installed in Reactor  
Coolant Pumps Mfg by Byron Jackson."  
O'REILLY,P.D. Trends & Patterns Analysis Branch. 92/06/17. Trends & Patterns  
Analysis Branch. 46pp. 62395:292-62395:338.
- 9207160354 Summary of operating reactors events meeting 92-10 on 920708 re select-  
ed events occurring since last briefing on 920701. List of attendees, significant  
elements of discussed events & reactor scram statistics for wk ending 920705 encl.  
CHAFEE,A.E. Events Assessment Branch. OREM-92-010. 92/07/10. ROSSI,C.E. Di-  
vision of Operational Events Assessment (Post 870411). 15pp. 62396:039-62396:053.
- 9207170109 Responds to 920506 ltr requesting assistance in determining need for re-  
authorization of small business innovation research program.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/02. LEVIN,C.  
Senate. 2p. 62423:359-62423:361.
- 9207170122 Requests assistance in determining need for reauthorization of small busi-  
ness innovation research program.  
LEVIN,C. Senate. 92/05/06. NRC - No Detailed Affiliation Given. 1p. 62423:360-  
62423:361.
- 9207200035 Summary of operating reactors events meeting 92-09 on 920701.  
CHAFEE,A.E. Events Assessment Branch. OREM-92-009. 92/07/07. ROSSI,C.E. Di-  
vision of Operational Events Assessment (Post 870411). 17pp. 62429:258-62429:274.
- 9207200320 Updates 920123 memo re AEOD Reactor Operations Branch participation  
in events assessment panel. Representation for next eight months listed.  
ROSENTHAL,J.E. Reactor Operations Analysis Branch. 92/07/13. CHAFEE,A.E.  
Events Assessment Branch. 2pp. 62418:359-62418:360.
- 9207210286 Request for OMB review & supporting statement re cumulative occupa-  
tional exposure history & occupational exposure record for monitoring period. Total es-  
timated respondent burden is 4,828 h.  
CRANFORD,G.F. Office of Information Resources Management (861109-870412).  
OMB 3150-0006. 92/07/13. 25pp. 62440:146-62440:168.
- 9207220064 Discusses FEMA findings during plant exercise on 920602. Two deficien-  
cies involving public alert & notification process noted. W/o encl.  
CLINE,W.E. Region 2 (Post 820201). 92/07/02. WATSON,R.A. Carolina Power &  
Light Co. 3pp. 62432:173-62432:175.
- 9207230051 Consent agreement & order by & between EPA & listed parties re Metallur-  
gical Corp of America site.  
SEGEL,D.W. Environmental Protection Agency. 88/07/27. 65pp. 62441:273-  
62441:338.
- 9207230083 Comments on work plan two for Metcoa restart site prepared by GSX  
Svc, Inc.  
KINNEMAN,J.D. Region 1 (Post 820201). 92/03/20. MANNING,C. Environmental Pro-  
tection Agency. 1p. 62442:127-62442:304.
- 9207230096 Forwards Metcoa Work Plan 2. Comments requested.  
MANNING,C. Environmental Protection Agency. 92/03/20. KINNEMAN,J. Region 1  
(Post 820201). 1p. 62442:128-62442:128.
- 9207230102 "Work Plan Number Two, Metcoa Restart Site, Pulaiki, Pa."  
\* GSX Services, Inc. 90/12/21. 180pp. 62442:129-62442:304.
- 9207230240 Summary of 920612 meeting w/Thermal Science, Inc in Rockville, MD re  
recent fire testing of thermo-lag 330 fire barrier sys for wide trays.  
MCCRACKEN,C.E. Plant Systems Branch. 92/07/16. NRC - No Detailed Affiliation  
Given. 39pp. 62517:291-62517:329.
- 9207240105 Discusses Public Law 97-415 authorizing NRC to issue & make immedi-  
ately effective any amend to operating license upon determination by Commission that  
amend involves NSHC.  
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/  
14. GRAHAM,B. Senate, Environment & Public Works. 2pp. 62501:143-62501:144.
- 9207240220 Forwards comments on draft medical svcs guidance memo GM MS-1, rev  
1.  
KANTOR,F. Emergency Preparedness Branch. 92/06/29. WINGERT,V. Federal Emer-  
gency Management Agency. 4pp. 62501:146-62501:149.
- 9207240222 Forwards health physics position re redefinition of restricted area bound-  
aries to exclude area to be used for residential quarters.  
CUNNINGHAM,L.J. Radiation Protection Branch. 92/07/06. COOPER,R.W. Region 1  
(Post 820201). STORR,J.P. Region 2 (Post 820201). NORELIUS,C.E. Region 3 (Post  
820201). 4pp. 62501:150-62501:153.
- 9207240230 Forwards mailing label used to send documents to Research Reactors Divi-  
sion at ORNL. Requests that records be updated w/listed address & that SE Troy  
name be removed since SE Troy no longer works for div.  
HARRIS,J.G. Oak Ridge National Laboratory. 92/07/20. NRC - No Detailed Affiliation  
Given. 2pp. 62528:224-62528:225.
- 9207270301 Compilation of abstracts, slides & summaries of papers for NRC regulatory  
info conference on 920721 & 22 in Washington, DC.  
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/  
21. 200pp. 62500:001-62501:019.
- 9207280161 Ack receipt of 920429 ltr forwarding final rept for Oct 1991 exercise of off-  
site radiological emergency response plans for util. No deficiencies noted & twelve  
areas requiring corrective actions identified.  
MCCORMICK-BARGE Region 3 (Post 820201). 92/07/16. REED,C. Commonwealth  
Edison Co. 2pp. 62489:110-62489:224.
- 9205290181 Forwards final exercise rept for 911009 joint exercise of offsite radiologi-  
cal emergency response plans site-specific to plant.  
KIATKOWSKI,D. Federal Emergency Management Agency. 92/04/29. CONGEL,F.J.  
Division of Radiation Protection & Emergency Preparedness (Post 870411). 2pp.  
62489:112-62489:112.
- 9205290185 Joint Exercise Rept for Dresden Nuclear Power Station.  
\* Federal Emergency Management Agency. 92/03/24. 112pp. 62489:113-62489:224.
- 9207280187 Summary of 920630 meeting w/Industry Siting Group re technical & regula-  
tory review of siting issues-emergency planning area.  
ZALCMAN,B. License Renewal Project Directorate (Post 920517). 92/07/13. License  
Renewal Project Directorate (Post 920517). 43pp. 62528:266-62528:309.
- 9207280203 Notification of 920720 meeting w/BWR/6 licensees in Rockville, MD to dis-  
cuss individual plant exams, licensee performed safety sys function insp, improved TS  
implementation & drywell radiation source term reduction.  
O'CONNOR,P.W. Project Directorate IV-1. 92/07/15. MURLEY,T., MIRAGLIA,F.,  
RUSSELL,W. NRC - No Detailed Affiliation Given. 5pp. 62530:290-62530:294.
- 9207280263 Documents understanding of 920714 telcon re 10CFR150.20 & procedural  
matters involving processing of NRC form 241. Concurrence of clarification requested.  
YUHAS,G.P. Region 5 (Post 820201). 92/07/16. GLENN,J.E. Medical, Academic &  
Commercial Use Safety Branch. 2pp. 62497:109-62497:110.
- 9207300261 Forwards third set of questions & answers on major rev of 10CFR20. Rev  
of answer to question 54 also encl.  
CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post  
870411). 92/07/23. MILLER,V.L., RAGLIN,K.A. NRC - No Detailed Affiliation Given.  
COOPER,R.W. Region 1 (Post 820201). 15pp. 62580:294-62580:308.
- 9207310024 Forwards biweekly notice of applications & amends to OLs involving NSHC  
published in FR on 920708, for info.  
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/  
21. GRAHAM,B. Senate, Environment & Public Works. KOSTMAYER,P.H. House of  
Rep., Interior & Insular Affairs. SHARP,P.R. House of Rep., Energy & Commerce. 2pp.  
62645:038-62645:039.

### PR PROPOSED RULE

- 9207020226 Responds to 920522 ltr re AW Lippitt ltr concerning licensing extension of  
civilian nuclear plants by NRC.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 92/06/22. NUNN,S.  
Senate. 2pp. 62427:173-62427:178.
- 9207170026 Requests info re licensing extension of civilian nuclear plants by NRC, per  
encl ltr dtd 920409 from constituent AW Lippitt.  
NUNN,S. Senate. CCS. 92/05/22. RATHBUN,D.K. Office of Congressional Affairs  
(Post 911117). 3pp. 62427:175-62427:178.
- 9207080047 Comment supporting 57FR20525 re NRC proposal to allow U mill facilities  
to accept non-11(e)2 wastes & NRC guidance for use of U mill feed mats other than  
natural ores.  
ANDERSON,L.F. Utah, State of. 57FR20525. 92/07/02. NRC - No Detailed Affiliation  
Given. 3pp. 62218:308-62218:310.
- 9207080054 Comment supporting 57FR20525 re NRC proposal to allow U mill facilities  
to accept non-11(e)2 wastes & NRC guidance for use of U mill feed mats other than  
natural ores.  
ANDERSON,L.F. Utah, State of. 57FR20525. 92/07/02. NRC - No Detailed Affiliation  
Given. 4pp. 62218:327-62218:330.
- 9207130004 Forwards T Dunning comments on proposed rule 10CFR50 re rev to sta-  
tion blackout rule, 10CFR50.63, W/o encl.  
KNIEL,K. Reactor & Plant Safety Issues Branch. 57FR14514. 92/07/01. JULIAN,E.  
Docketing & Services Branch. 1p. 62285:003-62285:003.
- 9207130006 Comment on proposed rule 10CFR50 re rev to station blackout  
rule, 10CFR50.63.  
DUNNING,T. Technical Specifications Branch. 57FR14514 00001. 92/05/28.  
SERKIZ,A. Reactor & Plant Safety Issues Branch. 1p. 62285:004-62285:004.



- 9207130009** Comment supporting low-level radwaste after treatment to reduce volume & represents safest, most cost effective solution. SCHNELL, D.F. Union Electric Co. 57FR15034 00010. 92/06/26. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:006-62285:006.
- 9207130013** Comment supporting proposed rule 10CFR50.54 re receipt of byproduct & special nuclear matl. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 57FR15034 00009. 92/07/06. Docketing & Services Branch. 2pp. 62285:010-62285:011.
- 9207130016** Comment supporting proposed rule re "Receipt of Byproduct & SNM." JACKSON, M.A. Commonwealth Edison Co. 57FR15034 00008. 92/06/30. Office of the Secretary of the Commission. 2pp. 62285:014-62285:015.
- 9207130019** Comment opposing proposed rule 10CFR110 re import & export radwaste. LEWIS, M.I. Affiliation Not Assigned. 57FR17859 00003. 92/06/22. Office of the Secretary of the Commission. 10pp. 62285:017-62285:027.
- 9207130020** Comment supporting proposed rule 10CFR50 re "Receipt of Byproduct & SNM." EDWARDS, D.W. Yankee Atomic Electric Co. 57FR15034 00004. 92/07/02. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:028-62285:028.
- 9207130023** Comment supporting proposed rule 10CFR50.54 re rulemaking to amend regulations governing "Conditions of Licenses" to allow reactor licensee to receive back of low-level radwaste. ORSER, W.S. Detroit Edison Co. 57FR15034 00006. 92/07/02. Docketing & Services Branch. 3pp. 62285:030-62285:032.
- 9207130025** Comment supporting proposed rule 10CFR110 re import & export of radwastes. BEEDLE, R.E. Power Authority of the State of New York (New York Power Authority). 57FR17859 00004. 92/06/26. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62285:034-62285:035.
- 9207130026** Comment supporting proposed rule 10CFR50 re receipt of byproduct & special nuclear matl. BOHLKE, W.H. Florida Power & Light Co. 57FR15034 00005. 92/07/01. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62285:036-62285:037.
- 9207130029** Comment supporting proposed rule 10CFR50 re receipt of byproduct & special nuclear matl. RUEGER, G.M. Pacific Gas & Electric Co. 57FR15034 00004. 92/06/25. Docketing & Services Branch. 2pp. 62285:040-62285:041.
- 9207130034** Comment supporting proposed rule 10CFR50 re receipt of byproduct & special nuclear matl. FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 57FR15034 00003. 92/06/26. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62285:045-62285:046.
- 9207130035** Comment supporting proposed rules 10CFR19 & 20 re extension of implementation date of revised stds for protection against radiation. NICHOLSON, N.A. Affiliation Not Assigned. 57FR21216 00035. 92/06/18. COOL, D.A. Office of Nuclear Regulatory Research (Post 860720). 2pp. 62285:047-62285:048.
- 9207130036** Comment supporting proposed rules 10CFR19 & 20 re extension of implementation date for revised stds for protection against radiation. \* Air Force, Dept. of. 57FR21216 00034. 92/06/24. Docketing & Services Branch. 1p. 62285:049-62285:049.
- 9207130040** Comment supporting proposed rules 10CFR19 & 20 re extension of implementation date of stds for protection against radiation. MARTIN, J.B. Pacific Gas & Electric Co. 57FR21216 00033. 92/06/24. Docketing & Services Branch. 1p. 62285:052-62285:052.
- 9207130041** Comment on supporting proposed rules 10CFR19 & 20 re extension of implementation date for stds for protection against radiation. BECK, G.J. Philadelphia Electric Co. 57FR21216 00032. 92/06/19. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:053-62285:053.
- 9207130044** Comment supporting proposed rules 10CFR19 & 20 re extension of implementation date for revised stds for protection against radiation. ANDERSON, R.A. Boston Edison Co. 57FR21216 00031. 92/06/24. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:056-62285:056.
- 9207130045** Comment supporting proposed rule 10CFR50.63 re proposed rev to "Loss of All Alternating Current Power." WOODARD, J.D. Southern Nuclear Operating Co. 57FR14514 00007. 92/07/02. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:057-62285:057.
- 9207130049** Comment supporting proposed rule 10CFR50.63 re "Loss of All Alternating Current Power." MCCOY, C.K. Georgia Power Co. 57FR14514 00006. 92/07/02. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62285:060-62285:061.
- 9207130050** Comment on proposed rule 110 re import & export of radwastes. Mods & clarifications provided. BARBOUR, D.A. Fuel Cycle Facilities Forum. 57FR17859 00005. 92/07/01. Docketing & Services Branch. 5pp. 62285:062-62285:066.
- 9207130057** Comment on proposed rule 10CFR50.63 re SBO rule & EDG reliability. CHAN, T.N. Tennessee Valley Authority. 57FR14514 00005. 92/07/01. Docketing & Services Branch. 5pp. 62285:068-62285:072.
- 9207130058** Comment supporting proposed rule 10CFR50 re RG DG-1021 on SBO & EDG reliability. GEORGE, J.B., HENDRIX, C.W. Duke Engineering & Services. 57FR14514 00004. 92/07/01. Docketing & Services Branch. 4pp. 62285:074-62285:077.
- 9207130061** Comment opposing proposed rule 10CFR50 on RG DG-1021 re SBO & EDG reliability. STRAMBACK, G.B. General Electric Co. 57FR14514 00003. 92/06/30. Docketing & Services Branch. 3pp. 62285:079-62285:082.
- 9207130063** Comment opposing proposed rule 10CFR50 re loss of all ac power. RASIN, W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 57FR14514 00002. 92/07/02. CHILK, S.J. Office of the Secretary of the Commission. 12pp. 62285:084-62285:095.
- 9207130065** Comment supporting proposed rules 10CFR19 & 20 re draft revisions to reg guide 8.7, Rev 1, "Instructions for Recording & Reporting Occupational Radiation Exposure Data." SCHMITT, J.F. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 57FR21216 00030. 92/06/19. COOL, D.A. Radiation Protection & Health Effects Branch. 7pp. 62285:096-62285:102.
- 9207130067** Comment supporting proposed rules 10CFR20 & 61 re low level radwaste. WOOD, D.G. Air Force, Dept. of. 57FR14500 00003. 92/06/24. Office of the Secretary of the Commission. 1p. 62285:103-62285:103.
- 9207130069** Comment supporting NUMARC comments on proposed rule 10CFR50 re loss of all alternating power. KNUBEL, J. General Public Utilities Corp. - GPU Service Corp. 57FR14514 00009. 92/07/06. Office of the Secretary of the Commission. 5pp. 62285:104-62285:108.
- 9207130078** Comment supporting proposed rule 10CFR50 re loss of all alternating current power. HIATT, S.L. Ohio Citizens for Responsible Energy. 57FR14514 00050. 92/07/05. 2pp. 62285:109-62285:110.
- 9207130097** Comment supporting proposed rules 10CFR31 & 32 & requests 920606 ltr be placed in rulemaking docket. SILBERG, J.E. Shaw, Pittman, Potts & Trowbridge. 56FR67011. 92/06/25. PARLER, W.C. Office of the General Counsel (Post 860701). 1p. 62285:111-62285:111.
- 9207140054** Comment supporting proposed rules 10CFR30 & 35 re elimination of recordkeeping. WOOD, D.G. Air Force, Dept. of. 57FR24763 00001. 92/06/24. Office of the Secretary of the Commission. 1p. 62299:141-62299:141.
- 9207140128** Comment supporting proposed rule re termination of record keeping requirements of Immediately Effective Interim Final Rule. MARCUS, C.S. California, Univ. of, Los Angeles, Medical School. 57FR24763 00002. 92/06/24. CHILK, S. Office of the Secretary of the Commission. 1p. 62311:358-62311:358.
- 9207140158** Comment on proposed rule 10CFR51 re environ review for renewal of operating licenses. GALLO, J. Gallo & Ross. 56FR47016 00120. 92/06/24. CHILK, S.J. Office of the Secretary of the Commission. 10pp. 62310:352-62310:361.
- 9207140178** Proposed rules 10CFR30 & 35 "Departures from Manufacturer Instructions; Elimination of Recordkeeping Requirements." Rule would eliminate recordkeeping requirements re justification for & precise description of departure. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/05/28. 10pp. 62311:104-62311:113.
- 9207160006** Comment supporting proposed rule 10CFR50 re regulations for receipt of byproduct & SNM. Believes rule will provide for more efficient low level waste mgt for reactor licensees. HOUSE, W.B. Chem-Nuclear Systems, Inc. 57FR15034 00015. 92/07/02. Docketing & Services Branch. 1p. 62375:001-62375:001.
- 9207160018** Comment supporting proposed rule 10CFR30 & 35 re eliminate certain recordkeeping requirements concerning preparation & use of radiopharms. LULL, R.J., MURPHY, P.H. American College of Nuclear Physicians. 57FR24763 00003. 92/07/09. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62375:002-62375:003.
- 9207160019** Comment supporting proposed rule 10CFR50 to allow reactor licensees to receive back byproduct & SNM sent off site for vol reduction when faced w/no disposal options. MARSHALL, S.W. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 57FR15034 00016. 92/07/06. Docketing & Services Branch. 1p. 62375:004-62375:004.
- 9207160024** Comment supporting proposed rule 10CFR50 re receipt of byproduct & special nuclear matl. MILLS, L.E. Edison Electric Institute. 57FR15034 00022. 92/07/08. CHILK, S.J. Office of the Secretary of the Commission. 6pp. 62375:006-62375:011.
- 9207160025** Comment supporting proposed rule 10CFR30 & 35 to eliminate certain recordkeeping requirements re preparation & use of radiopharms. KEESEE, R.E. Sincor International Corp. 57FR24763 00004. 92/07/07. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62375:012-62375:013.
- 9207160026** Comment opposing proposed rules 10CFR20 & 50 re changes to reduce regulatory burden. Believes that proposed change would reduce protection of public health & safety & should be abandoned. HIRSCH, D. Committee to Bridge the Gap. 57FR27187 00003. 92/07/06. Docketing & Services Branch. 1p. 62375:014-62375:014.
- 9207160028** Comment supporting proposed amend to 10CFR50 which would allow compacted low-level radioactive wastes to return to reactor site where they were generated. FUDALA, J.F. Affiliation Not Assigned. 57FR15034 00023. 92/06/24. Office of Public Affairs (Post 911177). 1p. 62375:015-62375:015.
- 9207160031** Comment opposing proposed rule 10CFR50 re receipt of byproduct & SNM. Believes increased exposure obviously results in greater risks of harmful effects to public. ROUNTREE, G. Rountree & Seagle. 57FR15034 00017. 92/07/07. CUNNINGHAM, L.J. Docketing & Services Branch. 2pp. 62375:161-62375:162.
- 9207160033** Comment supporting proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. TOOTHMAN, E.H. Bethlehem Steel Corp. 57FR27187 00002. 92/07/02. Docketing & Services Branch. 2pp. 62375:016-62375:017.
- 9207160036** Comment supporting proposed rule 10CFR50 to allow licensees to receive back byproduct & special nuclear matl that has been sent offsite to be reduced in vol by compaction or incineration. JUMP, W.J. Houston Lighting & Power Co. 57FR15034 00024. 92/07/07. Docketing & Services Branch. 1p. 62375:018-62375:018.

## 228 NONDOCKETED ITEMS

- 9207160037** Comment supporting proposed rule 10CFR30 & 35 to eliminate unnecessary recordkeeping requirements re preparation & use of radiopharmaceuticals. PRICE, G.W. American College of Radiology. 57FR24763 00005. 92/07/09. Docketing & Services Branch. 1p. 62375:019-62375:019.
- 9207160039** Comment supporting proposed rule 10CFR50 re receipt of byproduct & SNM. KNOTTS, J.B. Winston & Strawn. 57FR15034 00018. 92/07/08. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 62375:022-62375:025.
- 9207160040** Comment supporting proposed rule 10CFR50 re receipt of byproduct & special nuclear matl. SHELTON, D.C. Centenior Energy. 57FR15034 00025. 92/07/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62375:026-62375:026.
- 9207160045** Comment supporting proposed rule 10CFR30 & 35 re elimination of record-keeping requirements. COLLINS, S.S. Illinois, State of. 57FR24763 00006. 92/07/10. Docketing & Services Branch. 2pp. 62375:029-62375:030.
- 9207160047** Comment supporting proposed rule 10CFR50 re receipt of byproduct & special nuclear matl. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 57FR15034 00026. 92/07/08. Docketing & Services Branch. 1p. 62375:033-62375:033.
- 9207160053** Comment supporting proposed rules 10CFR20 & 50 re elimination of requirements which have marginal or no safety benefit. Believes rule changes represent positive first step toward important initiative for future. BARKLEY, R.S. Affiliation Not Assigned. 57FR27187 00001. 92/06/30. Docketing & Services Branch. 1p. 62375:035-62375:035.
- 9207160055** Comment opposing proposed rule 10CFR50 re receipt of byproduct & SNM. JOHNSRUD, J.H. Environmental Coalition on Nuclear Power. 57FR15034 00019. 92/07/05. Docketing & Services Branch. 4pp. 62375:037-62375:040.
- 9207160056** Comment supporting proposed rule 10CFR30 & 35 re elimination of record-keeping requirements. BAKER, B.W. Amersham Corp. 57FR17859 00006. 92/07/09. Docketing & Services Branch. 2pp. 62375:041-62375:042.
- 9207160060** Proposed rule 10CFR20 & 50, "Reducing Regulatory Burden on Nuclear Licensees." Rule would remove unnecessary regulatory requirements re frequency of reporting info to ECOS analysis for operating power reactors. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/11. 22pp. 62375:044-62375:065.
- 9207160062** Comment supporting proposed rule 10CFR50 re receipt of byproduct & SNM. BEARD, P.M. Florida Power & Light Co. 57FR15034 00020. 92/07/06. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62375:071-62375:072.
- 9207160066** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule. MCGAHA, J.R. Entergy Operations, Inc. 57FR14514 00010. 92/07/02. CHILK, S.J. Office of the Secretary of the Commission. 8pp. 62375:074-62375:081.
- 9207160068** Comment supporting proposed rule 10CFR110 re export & import of rad-waste. MILLS, L.E. Edison Electric Institute. 57FR17859 00007. 92/07/13. CHILK, S.J. Office of the Secretary of the Commission. 4pp. 62375:082-62375:085.
- 9207160070** Comment supporting proposed rule 10CFR50 re receipt of byproduct & SNM. ANDERSON, R.A. Boston Edison Co. 57FR15034 00021. 92/07/10. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62375:086-62375:086.
- 9207160074** Comment opposing proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. THAYER, J.K. Yankee Atomic Electric Co. 57FR14514 00018. 92/07/10. Docketing & Services Branch. 3pp. 62375:088-62375:090.
- 9207160076** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Nuclear Util Backfitting & Reform Group believes that backfitting analysis required, per 10CFR50.109, for proposed regulation. STENGER, D.F. Nuclear Utility Backfitting & Reform Group. STENGER, D.F. Winston & Strawn. 57FR14514 00011. 92/07/06. CHILK, S.J. Office of the Secretary of the Commission. 6pp. 62375:171-62375:176.
- 9207160081** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule. OPEKA, J.F. Northeast Utilities. 57FR14514 00019. 92/07/06. CHILK, S.J. Office of the Secretary of the Commission. 5pp. 62375:091-62375:095.
- 9207160083** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule. CAHILL, W.J., MARSHALL, J.S. Texas Utilities Electric Co. (TU Electric). 57FR14514 00012. 92/07/06. Docketing & Services Branch. 7pp. 62375:096-62375:102.
- 9207160087** Comment supporting proposed rule 10CFR50 re receipt of byproduct & SNM. ORTIGER, T.W. Illinois, State of. 57FR15034 00011. 92/07/07. Docketing & Services Branch. 2pp. 62375:103-62375:104.
- 9207160089** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Supports rule. TOSCH, K.W. New Jersey, State of. 57FR14514 00020. 92/07/07. Office of the Secretary of the Commission. 2pp. 62375:105-62375:106.
- 9207160090** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule. SKOLDS, J.L. Southern California Edison Co. 57FR14514 00014. 92/07/06. Docketing & Services Branch. 5pp. 62375:107-62375:111.
- 9207160093** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule. TUCKER, H.B. Duke Power Co. 57FR14514 00021. 92/07/06. Docketing & Services Branch. 4pp. 62375:112-62375:115.
- 9207160094** Comment supporting proposed rule 10CFR50 re receipt of byproduct & SNM. BUREN, M.A. Shaw, Pittman, Potts & Trowbridge. 57FR15034 00012. 92/07/08. CHILK, S.J. Office of the Secretary of the Commission. 6pp. 62375:116-62375:121.
- 9207160098** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Supports rule. GRAZIO, R.E. Florida Power & Light Co. 57FR14514 00015. 92/07/06. Docketing & Services Branch. 3pp. 62375:122-62375:124.
- 9207160101** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Supports rule. JUMP, W.J. Houston Lighting & Power Co. 57FR14514 00016. 92/07/06. Docketing & Services Branch. 1p. 62375:125-62375:125.
- 9207160103** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Supports rule. SHELTON, D.C. Centenior Energy. 57FR14514 00022. 92/07/06. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62375:126-62375:127.
- 9207160104** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule. ODELL, W.H. Gulf States Utilities Co. 57FR14514 00017. 92/07/06. Office of the Secretary of the Commission. 6pp. 62375:128-62375:133.
- 9207160111** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Supports rule. Responds to four questions in FR. JACKSON, M.A. Commonwealth Edison Co. 57FR14514 00023. 92/07/08. Docketing & Services Branch. 4pp. 62375:134-62375:137.
- 9207160114** Comment supporting proposed rule 10CFR50 re loss of all alternating current power & draft reg guide DG-1021. MEDFORD, M.O. Tennessee Valley Authority. 57FR14514 00013. 92/07/02. CHILK, S.J. Office of the Secretary of the Commission. 5pp. 62375:138-62375:142.
- 9207160147** Comment supporting proposed rule 10CFR50 re receipt of byproduct & SNM. TIPTON, T.E. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 57FR15034 00014. 92/07/08. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62375:165-62375:166.
- 9207160158** Comment opposing proposed rule 10CFR50 re regulations that would allow nuclear wastes to be returned to reactor sites. LORION, J. Floridians for Safe Energy. 57FR15034 00013. 92/07/08. Docketing & Services Branch. 4pp. 62375:167-62375:170.
- 9207170015** Responds to 920519 ltr transmitting constituent V Sahadevan (Dag Hammarskjold Cancer Treatment Ctr) ltr re recent revs to 10CFR170 & 171. NRC published 30-day comment period on proposed FY92 fee schedules on 920429. TAYLOR, J.M. Ofc of the Executive Director for Operations. 56FR14870. 92/06/11. BYRD, R.C. Senate. 1p. 62436:331-62436:344.
- 9207170016** Forwards V Sahadevan (Dag Hammarskjold Cancer Treatment Ctr) 920515 ltr re reduced fee schedule for nuclear byproduct license. BYRD, R.C. Senate. 56FR14870. 92/05/19. RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 2pp. 62436:340-62436:344.
- 9207170018** Responds to 920225 & 0410 requests for info re waiver of time to terminate license for constituent PL Romano (Dept of Public Works, City of Norwalk, CT). NRC eliminated previous fee exemptions for state & local govts. TAYLOR, J.M. Ofc of the Executive Director for Operations. 57FR18095. 92/06/10. SHAYS, C. House of Rep. 1p. 62437:355-62437:361.
- 9206150446** Responds to 920218 ltr requesting waiver of FY91 annual fee for License 06-20903-01, invoice AM01330-91. TAYLOR, J.M. Ofc of the Executive Director for Operations. 57FR18095. 92/06/08. ROMANO, P.L. Norwalk, CT. 3pp. 62437:356-62437:357.
- 9207170019** Requests response to constituent PL Romano (Dept of Public Works, City of Norwalk, CT) request. SHAYS, C. House of Rep. 57FR14870. 92/04/30. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 1p. 62437:358-62437:361.
- 9207170028** Responds to 920428 ltr written on behalf of constituent, W Green, of W Green & Associates re NRC fee schedules in 10CFR170 & 171. TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 92/06/02. DANFORTH, J.C. Senate. 2pp. 62436:345-62436:353.
- 9207170053** Forwards constituent W Green ltr re Part 170 & 171 fees. DANFORTH, J.C. Senate. CCS. 92/04/28. RATHBUN, D.K. Commissioners (Post 750119). 4pp. 62436:349-62436:353.
- 9207170058** Responds to 920610 ltr submitted on behalf of constituent, Northern Montana Health Care, re increase in fees charged by NRC. TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 92/06/25. BURNS, C. Senate. 2pp. 62456:301-62456:308.
- 9207170064** Forwards ltr from constituent concerned w/Commission fee cost increases. BURNS, C. Senate. CCS. 92/06/10. RATHBUN, D. Office of Congressional Affairs (Post 911117). 5pp. 62456:303-62456:308.
- 9207200043** Responds to 920506 ltr concerning issues raised by constituent B Mason re assessment of insp fee of \$1,200 by NRC for insp activities authorized by License 34-26127-01. TAYLOR, J.M. Ofc of the Executive Director for Operations. CCS. 92/06/03. MCEWEN, B. House of Rep. 2pp. 62451:233-62451:240.
- 9207200049** Requests assistance in replying to encl ltr from constituent B Mason re NRC insp fees. MCEWEN, B. House of Rep. CCS. 92/05/06. CARR, K.M. Commissioners (Post 750119). 2pp. 62451:235-62451:236.

- 9207200053 Forwards check in amount of \$1,200 for insp conducted on 920206. Licensees feel that fee extremely outrageous. JONES,D.M. Miller-Mason Paving Co. CCS. 92/04/10. License Fee & Debt Collection Branch (Post 890827). 2pp. 62451:237-62451:238.
- 9207200057 Ack receipt of 920506 ltr transmitting correspondence from B Mason re NRC insp fees. Response being prepared & will be forwarded as soon as possible. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 92/05/18. MCEWEN,B. House of Rep. 1p. 62451:239-62451:240.
- 9207200114 Comment on proposed rules 10CFR170 & 171 re 100% fee recovery for FY92. Opposes rules. CLEMENTS,F.R. Navy, Dept. of. 57FR18095 00027. 92/06/09. Docketing & Services Branch. 2pp. 62404:267-62404:268.
- 9207210225 Comment supporting proposed rule 10CFR50 re receipt of byproduct & special nuclear matl. CREEL,G.C. Baltimore Gas & Electric Co. 57FR15034 00027. 92/07/08. Docketing & Services Branch. 1p. 62421:206-62421:206.
- 9207210226 Comment supporting proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. SMITH,D.A. Air Force, Dept. of. 57FR27187 00005. 92/07/07. Docketing & Services Branch. 1p. 62421:207-62421:207.
- 9207210228 Comment supporting proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. LIETO,R.P. Henry Ford Hosp., Detroit, MI. 57FR27187 00004. 92/07/02. Docketing & Services Branch. 1p. 62421:208-62421:209.
- 9207210232 Comments on proposed rule 10CFR20 & 50 re reduced regulatory burden on nuclear licensees. MURPHY,P.H. American College of Nuclear Physicians. 57FR27187 00006. 92/07/15. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62421:221-62421:222.
- 9207210241 Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. Believes that monitoring should be required if evidence of potential excessive radiation level found. SMITH,D.A. Affiliation Not Assigned. 57FR27187 00008. 92/07/14. Docketing & Services Branch. 3pp. 62421:223-62421:224.
- 9207210242 Comment supporting proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. RASIN,W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 57FR27187 00007. 92/07/16. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62421:225-62421:226.
- 9207210245 Comment supporting proposed rule 10CFR50 re receipt of byproduct & SNM. SIEBER,J.D. Duquesne Light Co. 57FR15034 00028. 92/07/10. Docketing & Services Branch. 2pp. 62421:228-62421:229.
- 9207230010 Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. Supports rules. GATES,W.G. Omaha Public Power District. 57FR27187 00010. 92/07/13. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62441:001-62441:001.
- 9207230013 Comment on proposed rules 10CFR20 & 61 re low level waste shipment manifest info. Offers no comment on proposed rules. SANDERSON,R.E. Environmental Protection Agency. 57FR14500 00007. 92/07/13. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62441:002-62441:002.
- 9207230014 Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. Opposes proposed changes to 10CFR50.59, FSAR updates & radiological effluent repts. HIATT,S.L. Ohio Citizens for Responsible Energy. 57FR27187 00009. 92/07/14. NRC - No Detailed Affiliation Given. 1p. 62441:003-62441:003.
- 9207230015 Comment supporting proposed rules 10CFR20 & 61 re proposed low level waste shipment manifest info. LARSON,G.S. Midwest Interstate Low-Level Radioactive Waste Commission. 57FR14500 00008. 92/07/15. Docketing & Services Branch. 4pp. 62441:004-62441:007.
- 9207230016 Comment opposing proposed rules 10CFR20 & 61 re low level waste shipment manifest info. BLACK,S.A. Teledyne Isotopes. 57FR14500 00010. 92/07/16. Docketing & Services Branch. 3pp. 62441:008-62441:010.
- 9207230017 Comment supporting proposed rules 10CFR20 & 61 re low level waste shipment manifest info. THAYER,J.K. Yankee Atomic Electric Co. 57FR14500 00011. 92/07/17. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62441:011-62441:012.
- 9207230019 Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. Proposed rule would allow util to eliminate one FSAR update every two years, in event that util elect to perform maint outage every year. SORESENSEN,G.C. Washington Public Power Supply System. 57FR27187 00011. 92/07/15. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62441:013-62441:015.
- 9207230020 Comment opposing proposed rules 10CFR20 & 61 re low level waste shipment manifest info. LULL,R.J. American College of Nuclear Physicians. 57FR14500 00012. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62441:016-62441:017.
- 9207230021 Comment supporting proposed rule 10CFR20 & 61 re low level waste shipment manifest info & reporting. SMITH,G. Tennessee, State of. 57FR14500 00004. 92/07/09. Docketing & Services Branch. 1p. 62441:018-62441:018.
- 9207230023 Comment supporting proposed rules 10CFR20 & 61 re low level waste shipment manifest info. GLEASON,E.J. New York, State of. 57FR14500 00013. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62441:019-62441:020.
- 9207230026 Comment supporting proposed rule 10CFR20 & 61 re low level waste shipment manifest info & reporting. HIATT,S.L. Ohio Citizens for Responsible Energy. 57FR14500 00005. 92/07/15. Docketing & Services Branch. 1p. 62441:021-62441:021.
- 9207230028 Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. Supports rules. PRICE,G.W. American College of Radiology. 57FR27187 00012. 92/07/16. Office of the Secretary of the Commission. 2pp. 62441:022-62441:023.
- 9207230031 Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. Supports rules. REYNOLDS,N.S. Nuclear Utility Backfitting & Reform Group. REYNOLDS,N.S. Winston & Strawn. 57FR27187 00013. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 62441:024-62441:026.
- 9207230034 Comment supporting proposed rules 10CFR20 & 61 re low level waste shipment manifest info. PELLETIER,R.F. Energy, Dept. of. 57FR14500 00006. 92/07/17. CHILK,S.J. Office of the Secretary of the Commission. 13pp. 62441:027-62441:039.
- 9207230042 Comment supporting proposed rules 10CFR20 & 61 re low level radwaste shipment manifest info. HOUSE,W.B. Chem-Nuclear Systems, Inc. 57FR14500 00014. 92/07/20. Docketing & Services Branch. 2pp. 62441:339-62441:340.
- 9207230047 Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. Util believes that limitation of interval between successive FSAR updates to period not to exceed 24 months unnecessary. EDWARDS,D.W. Yankee Atomic Electric Co. 57FR27187 00014. 92/07/20. Docketing & Services Branch. 2pp. 62441:341-62441:342.
- 9207230121 Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. Supports rule. BEEDLE,R.E. Power Authority of the State of New York (New York Power Authority). 57FR27187 00015. 92/07/15. Docketing & Services Branch. 2pp. 62441:355-62441:356.
- 9207230124 Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. Supports rule. MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 57FR27187 00016. 92/07/17. Docketing & Services Branch. 2pp. 62441:357-62441:357.
- 9207230296 Forwards two sets of workpapers for 10CFR170 & 171 in support of FY 1992 Final Rule scheduled for publication in Federal Register. One set to PDR for time-stamp & display for immediate perusal & other for processing through NUDOS sys. HOLLOWAY,C.J. Office of the Controller (Post 890205). 92/07/22. LANHAM,D.H. Document Control Branch (Document Control Desk). 400pp. 62458:002-62459:005.
- 9207240012 Comment supporting proposed rule re minor mods to nuclear power reactor event reporting requirements. TIPTON,T.E. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 57FR28642. 92/07/20. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 890205). 2pp. 62456:055-62456:056.
- 9207270020 Comment supporting proposed rule 10CFR50.54 re receipt of byproduct & special nuclear matl. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 57FR15034 00030. 92/07/17. Docketing & Services Branch. 1p. 62475:047-62475:047.
- 9207270021 Comment supporting proposed rule 10CFR50.54, "Receipt of Byproduct & Special Nuclear Matl." DICUS,G.J. Arkansas, State of. 57FR15034 00029. 92/07/10. SOLOMAN,S. Office of State Programs (Post 911117). 1p. 62475:048-62475:048.
- 9207270031 Comment supporting proposed rules 10CFR20 & 61 re low level waste shipment manifest info & reporting. Suggests mods to resolve inconsistencies & ambiguities relating to direct land disposal & vol reduction processing. BARBOUR,D.A. Nuclear Metals, Inc. 57FR14500 00019. 92/07/20. CHILK,S. Office of the Secretary of the Commission. 4pp. 62475:103-62475:106.
- 9207270038 Comment on proposed rule 10CFR110 re "Import & Export of Radioactive Wastes." Recommends that listed details be addressed in proposed rule. NEWMAN,H.J. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 57FR17859 00010. 92/07/13. Docketing & Services Branch. 1p. 62475:120-62475:120.
- 9207270039 Comment supporting proposed rules 10CFR20 & 61 re low-level waste shipment & manifest info & reporting. Concerns listed re several aspects of proposed rule. MILLS,L.E. Edison Electric Institute. 57FR14500 00018. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 25pp. 62475:204-62475:228.
- 9207270042 Comment opposing proposed rule 10CFR110 re import & export of radwastes. GLEASON,E.J. New York, State of. 57FR17859 00009. 92/07/13. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62475:229-62475:230.
- 9207270043 Comment supporting proposed rules 10CFR20 & 61 re low level waste shipment manifest info & reporting. Standardization on nationwide basis contains pitfalls. PALMER,A.J. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 57FR14500 00017. 92/07/20. Docketing & Services Branch. 7pp. 62475:231-62475:237.
- 9207270045 Comment supporting proposed rule 10CFR110 re import & export of radioactive wastes. HIATT,S.L. Ohio Citizens for Responsible Energy. 57FR17859 00008. 92/07/13. Docketing & Services Branch. 1p. 62475:238-62475:238.
- 9207270047 Comment supporting proposed rule 10CFR20 & 50 re reduction of regulatory burden on licensees w/o reducing protection for public health & safety. ORTIGIER,T.W. Illinois, State of. 57FR27187 00019. 92/07/20. Docketing & Services Branch. 7pp. 62475:239-62475:245.
- 9207270050 Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees. Supports rule. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 57FR27187 00018. 92/07/20. Docketing & Services Branch. 3pp. 62475:247-62475:249.

## 230 NONDOCKETED ITEMS

- 9207270052** Comment supporting proposed rules 10CFR30 & 35 re administering drugs in manner not approved on package insert.  
FRIEDLANDER,M. Polyclinic Medical Center, Harrisburg, PA. 57FR24763 00007. 92/07/10. Docketing & Services Branch. 1p. 62475:250-62475:250.
- 9207270054** Comment on proposed rule 10CFR20 & 50 re reducing regulatory burden on nuclear licensees.Supports rules.  
BOHLKE,W.H. Florida Power & Light Co. 57FR27187 00017. 92/07/17. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62475:251-62475:252.
- 9207270055** Comment supporting proposed rules 10CFR20 & 61 re LLW shipment manifest & reporting.  
BULLARD,C.W. Central Midwest Interstate Low-Level Radioactive Waste Commission (formerly Cent. 57FR14500 00016. 92/07/18. Docketing & Services Branch. 1p. 62475:253-62475:253.
- 9207270058** Comment on proposed rule 10CFR20 & 61 re low-level waste shipment manifest & reporting.  
ORTCIGER,T.W. Illinois, State of. 57FR14500 00026. 92/07/20. Docketing & Services Branch. 6pp. 62475:271-62475:276.
- 9207270062** Comment opposing proposed rule 10CFR20 & 61 re low-level waste shipment manifest,information & reporting.  
FERTEL,M.S. US Council for Energy Awareness. 57FR14500 00025. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62475:277-62475:278.
- 9207270064** Comment supporting proposed rule 10CFR20 & 61 re low-level waste shipment manifest info & reporting.  
WOODWARD,J.D. Southern Nuclear Operating Co. 57FR14500 00024. 92/07/17. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62475:279-62475:280.
- 9207270067** Comment supporting proposed rules 10CFR20 & 61 re low-level radioactive waste shipment manifest info & repts.  
PENZA,S.F. New Jersey, State of. 57FR14500 00015. 92/07/16. Docketing & Services Branch. 2pp. 62475:281-62475:282.
- 9207270069** Comment supporting proposed rule 10CFR110 re import & export of radwastes.  
ORTCIGER,T.W. Illinois, State of. 57FR17859 00015. 92/07/20. Docketing & Services Branch. 2pp. 62475:283-62475:284.
- 9207270070** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9,task DG-1021.Endorses comments made by NUMARC on proposed rev to SBO Rule.  
BEARD,P.M. Florida Power Corp. 57FR14514 00027. 92/07/16. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62475:285-62475:286.
- 9207270073** Comment supporting proposed rule 10CFR20 & 61 re low-level waste shipment manifest info & reporting.  
GATES,W.G. Omaha Public Power District. 57FR14500 00023. 92/07/17. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62475:287-62475:287.
- 9207270074** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9,task DG-1021.Opposes rule.  
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 57FR14514 00028. 92/07/17. Docketing & Services Branch. 4pp. 62475:288-62475:291.
- 9207270075** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9,task DG-1021.Supports detailed comments submitted by NUMARC,as representing licensee views.  
SORENSEN,G.C. Washington Public Power Supply System. 57FR14514 00026. 92/07/10. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62475:292-62475:292.
- 9207270080** Comment supporting proposed rule 10CFR20 & 61 re low-level waste manifest info & reporting.  
PAINE,D. Nuclear Fuel Services, Inc. 57FR14500 00022. 92/07/16. Docketing & Services Branch. 2pp. 62475:323-62475:324.
- 9207270084** Comment supporting proposed rule 10CFR20 & 61 re low-level radwaste manifest info & reporting.  
RETTIG,H., LOISELLE,A. DuPont Merck Pharmaceutical Co. 57FR14500 00021. 92/07/16. Docketing & Services Branch. 2pp. 62475:326-62475:327.
- 9207270087** Comment supporting proposed rule 10CFR20 & 61 re low-level waste shipment & manifest info & reporting.  
SLCAK,S.T., NAGLE,J.C. ACURI Association, Inc. (Appalachian Compact Users of Radioactive Isotopes). 57FR14500 00020. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 6pp. 62475:329-62475:334.
- 9207270090** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9,task DG-1021.Endorses comments offered by NUMARC.  
ANDERSON,R.A. Boston Edison Co. 57FR14514 00025. 92/07/10. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62475:338-62475:338.
- 9207270093** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9,task DG-1021.Endorses comments submitted by NUMARC.  
RUEGER,G.M. Pacific Gas & Electric Co. 57FR14514 00024. 92/07/09. CHILK,S.J. Office of the Secretary of the Commission. 4pp. 62475:339-62475:342.
- 9207270119** Comment on proposed rule 10CFR110 re import & export of radwaste.  
PELLETIER,R.F. Energy, Dept. of. 57FR17859 00014. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 62476:078-62476:081.
- 9207270123** Comment opposing proposed rule 10CFR110 re import & export of radwastes.  
JOHNSRUD,J.H. Environmental Coalition on Nuclear Power. 57FR17859 00013. 92/07/08. Docketing & Services Branch. 9pp. 62476:082-62476:090.
- 9207270127** Comment opposing proposed rule 10CFR110 re import & export of radwaste.  
FERTEL,M.S. US Council for Energy Awareness. 57FR17859 00011. 92/07/13. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62476:091-62476:092.
- 9207270131** Comments on proposed rule 10CFR110 re import & export of radwaste.  
CARRIKER,A.W. Affiliation Not Assigned. 57FR17859 00012. 92/07/13. Docketing & Services Branch. 2pp. 62476:093-62476:094.
- 9207290050** Comment supporting proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees.  
BECK,G.J. Philadelphia Electric Co. 57FR27187 00025. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62506:065-62506:066.
- 9207290053** Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees.Opposes rule.  
LEWIS,M.I. Lewis, M. 57FR27187 00026. 92/07/23. Docketing & Services Branch. 4pp. 62506:069-62506:072.
- 9207290059** Advises that author unable to attend 920720 Workshop on Standardized Reactor Design Certification & Rulemaking Procedures.Rulemaking process for design certification seems designed to ensure that public comments will not be heeded.  
MARIOTTE,M. Nuclear Information & Resource Service. 92/07/17. CAMERON,C. NRC - No Detailed Affiliation Given. 2pp. 62567:288-62567:295.
- 9207290066** "Statement of Michael Mariotte,Executive Director,Nuclear Info & Resource Svc Before House Interior Subcommittee on Energy & Environ."  
MARIOTTE,M. Nuclear Information & Resource Service. 91/04/30. 6pp. 62567:290-62567:295.
- 9207290062** Comment requesting changes to proposed rule 10CFR20 in App F of NRC forms 540,440A,541,541A,542 & 542A.  
STATON,J.W. Newport News Shipbuilding & Dry Dock Co. 57FR14500 00009. 92/07/15. Docketing & Services Branch. 7pp. 62506:083-62506:089.
- 9207290063** Comment supporting proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees.  
MCCOY,C.K. Georgia Power Co. 57FR27187 00020. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62506:090-62506:090.
- 9207290068** Comment supporting proposed rule 10CFR20 & 61,"Low-Level Waste Shipment Manifest Info & Reporting."  
MCCOY,C.K. Georgia Power Co. 57FR14500 00027. 92/07/20. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62506:092-62506:093.
- 9207290069** Comment supporting proposed rules 10CFR30 & 35 re elimination of recordkeeping requirements from departure of manufacturers instructions.  
MATTMULLER,S. St. Johns Mercy Medical Center, St. Louis, MO. 57FR24763 00008. 92/07/22. Docketing & Services Branch. 1p. 62506:094-62506:094.
- 9207290071** Comment supporting proposed rules 10CFR20 & 61 re LLW shipment manifest info & reporting.  
TUITE,P.T. WMG, Inc. (formerly Waste Management Group, Inc.). 57FR14500 00028. 92/07/17. Office of the Secretary of the Commission. 4pp. 62506:109-62506:112.
- 9207290077** Comment on proposed rule 10CFR50 re nuclear waste dumps.All energy should be put into developing safe sustainable energy & that nuclear should be phased out.  
COPPS,R.A. Affiliation Not Assigned. 57FR15034 00031. 92/07/17. Office of the Secretary of the Commission. 1p. 62506:114-62506:114.
- 9207290079** Comment on proposed rules 10CFR20 & 61 re low-level waste manifest info & reporting.  
BOVINO,M.J. Interstate Nuclear Services Corp. dba INS Corp. 57FR14500 00029. 92/07/17. Docketing & Services Branch. 1p. 62506:115-62506:115.
- 9207290084** Comment on proposed rule 10CFR50 re minor mods to nuclear power reactor event reporting requirements.Requirement to submit LER (10CFR50.73) should be retained.  
HIATT,S.L. Ohio Citizens for Responsible Energy. 57FR28642 00001. 92/07/15. 2pp. 62506:126-62506:127.
- 9207290088** Comment on proposed rules 10CFR170 & 171 re 100% fee recovery for FY92.  
FORNACE,J. Suburban General Hosp., Norristown, PA. 57FR18095 00029. 92/05/06. KASSIRER,J.P. Affiliation Not Assigned. 2pp. 62506:129-62506:130.
- 9207290093** Proposed rule 10CFR50, "Minor Mods to Nuclear Power Reactor Event Reporting Requirements." Rule would reduce industry reporting burden & NRC response burden in event review & assessment.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 57FR28642. 92/06/19. 16pp. 62506:133-62506:148.
- 9207290151** Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees.Supports rules.  
SHELTON,D.C. Centenor Energy. 57FR27187 00021. 92/07/17. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62506:184-62506:185.
- 9207290162** Comment opposing proposed rule 10CFR50 re minor mods to nuclear power reactor event reporting requirements.  
LEWIS,M.I. Lewis, M. 57FR28642 00002. 92/07/23. Docketing & Services Branch. 4pp. 62506:186-62506:189.
- 9207290165** Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees.Supports rule.  
BURZYNSKI,M.J. Tennessee Valley Authority. 57FR27187 00024. 92/07/21. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62506:190-62506:191.
- 9207290170** Comment opposing proposed rule 10CFR30 & 35 re dept from mfg instruction:elimination of recordkeeping requirements.  
LEWIS,M.I. Lewis, M. 57FR24763 00009. 92/07/23. Docketing & Services Branch. 4pp. 62506:192-62506:195.
- 9207290182** Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees.Util believes rule to be good first step but should go further w/ respect to two listed items.  
TUCKER,H.B. Duke Power Co. 57FR27187 00023. 92/07/20. Docketing & Services Branch. 3pp. 62506:196-62506:199.
- 9207290191** Comment on proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees.Supports rule.  
SCHNELLD,F. Union Electric Co. 57FR27187 00022. 92/07/21. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 62506:200-62506:202.

**9207300167** Expresses appreciation for invitation to participate in NRC Workshop on Design Certification Procedures. Believes process excludes local citizens participation & therefore, recipient declines offer.  
BECKER, J., RICCIO, J.P. Public Citizen Litigation Group. 92/07/16. MIZUNO, G.S. Office of the General Counsel (Post 860701). 1p. 62581:210-62581:210.

**9207300198** Transcript of 920720 public workshop on std design certification rulemaking procedures. Pp 1-231.  
\* NRC - No Detailed Affiliation Given. 92/07/20. 232pp. 62584:001-62584:234.

**9207300243** Forwards 920716 ltr from DK Rathbun which discusses Public Law 101-508 & transmits final rule 10CFR170 & 171 re rev of fee schedules; 100% fee recovery, FY92.  
FOLDS, L. Office of Congressional Affairs (Post 911117). 92/07/23. Document Control Branch (Document Control Desk). 1p. 62581:019-62581:197.

**-9207300265** Forwards final rule 10CFR170 & 171 re rev of fee schedules; 100% fee recovery, FY92.  
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 92/07/16. SASSER, J. Senate. PANETTA, L.E. House of Rep. JOHNSTON, J.B. Senate, Appropriations. 15pp. 62581:020-62581:034.

**-9207300281** Final rule 10CFR170 & 171, "Rev of Fee Schedules; 100% Fee Recovery, FY92," amending licensing, insp & annual fees charged to applicants & licensees.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/07/08. 163pp. 62581:035-62581:197.

**9207310027** Comment requesting Commission promptly answer two questions listed in 920623 ltr by way of rule, regulation, or order & order NRC staff action proposed by 920513 57FR20525 be held abeyance until such relief requested is granted.  
DARKE, J.F. Affiliation Not Assigned. 57FR20525. 92/07/13. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. SURMEIER, J., BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 12pp. 62583:218-62583:233.

**9207310047** Comment commending proposed suppl one to GL 83-28 4.2.3 & 4.2.4 closing all GL 83-28 actions for Callaway but staff conclusion should be expanded.  
PASSWATER, A.C. Union Electric Co. 57FR29540. 92/07/23. NRC - No Detailed Affiliation Given. 2pp. 62549:084-62549:085.

**9207310055** Comment on proposed guidelines on disposal of Non-Atomic Energy Act, Section 11.e.(2) By-Product Matl in Tailings Impoundments.  
MATHES, D.E. Energy, Dept. of. 57FR20525. 92/07/22. FLIEGEL, M. Office of Nuclear Material Safety & Safeguards. 2pp. 62549:086-62549:087.

**9207310062** Forwards 920715 ltr from DK Rathbun re NRC amend of 10CFR50.82 on timing of collection of funds for decommissioning of plants that shut down before expected end of operating life.  
FOLDS, L. Office of Congressional Affairs (Post 911117). 92/07/23. Document Control Branch (Document Control Desk). 1p. 62595:333-62595:359.

**-9207310067** Discusses NRC amend to regulations in 10CFR50.82 on timing of collection of funds for decommissioning for plants that shut down before expected end of operating life.  
RATHBUN, D.K. Office of Congressional Affairs (Post 911117). 92/07/15. SHARP, P. House of Rep., Energy & Commerce. KOSTMAYER, P. House of Rep., Interior & Insular Affairs. GRAHAM, B. Senate, Environment & Public Works. 4pp. 62595:334-62595:337.

**-9207310077** Final rule 10CFR50 re decommissioning funding for prematurely shut down power reactors.  
TAYLOR, J.M. Ofc of the Executive Director for Operations. 56FR41493. 92/06/26. 22pp. 62595:338-62595:359.

#### PRM PETITION FOR RULEMAKING

**9207100032** Partial response to FOIA request for documents not previously released & re petition of Oregon & Washington for rulemaking on classification of high level radwaste at DOE facilities. App A & B documents available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/31. FACAROS, N. Affiliation Not Assigned. 6pp. 62314:245-62314:308.

**-9207100052** Forwards eleven comments & two related documents received in response to notice of petition for rulemaking (PRM-60-4). Comment period expired 910318.  
MEYER, D.L. Regulatory Publications Branch. 91/04/12. HUSSEMAN, T. Washington, State of. 1p. 62314:251-62314:308.

**9207130001** Comment supporting petition for rulemaking PRM-35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
KIPPER, M.S. North County Medi-Scan, Ltd., Vista, CA. 57FR21043 00022. 92/07/01. Docketing & Services Branch. 1p. 62285:001-62285:001.

**9207130003** Comment supporting petition for rulemaking PRM-35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
GRIFF, R.J. Pacific Medical Center, Seattle, WA. 57FR21043 00021. 92/07/01. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:002-62285:002.

**9207130008** Comment supporting petition for rulemaking PRM-35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
KARVELIS, K.C. Henry Ford Hosp., Detroit, MI. 57FR21043 00020. 92/06/30. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:005-62285:005.

**9207130010** Comment on petition for rulemaking PRM-35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
HEO, J. Presbyterian- Univ. of Pennsylvania Medical Center, Philadelphia. 57FR21043 00019. 92/06/30. Docketing & Services Branch. 1p. 62285:007-62285:007.

**9207130011** Comment supporting petition for rulemaking PRM-35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
KOLODNY, G.M. Harvard Medical School, Boston, MA. KOLODNY, G.M. Beth Israel Hosp., Boston, MA. 57FR21043 00012. 92/06/29. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:008-62285:008.

**9207130012** Comment supporting petition for rulemaking PRM-35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
HECK, L.L. Methodist Hosp. of Indiana, Inc., Indianapolis, IN. 57FR21043 00018. 92/06/30. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:009-62285:009.

**9207130014** Comment supporting petition for rulemaking PRM-35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
SELBY, J.B. Medical Univ. of South Carolina, Charleston, SC. 57FR21043 00017. 92/06/30. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:012-62285:012.

**9207130015** Comment supporting petition for rulemaking PRM-35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
PARKER, J.A. Beth Israel Hosp., Boston, MA. PARKER, J.A. Harvard Medical School, Boston, MA. PARKER, J.A. Brigham & Women's Hosp., Boston, MA. 57FR21043 00011. 92/06/29. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:013-62285:013.

**9207130018** Comment supporting petition for rulemaking PRM-35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
POWELL, M.R. Nuclear Medicine Consultants, San Francisco, CA. 57FR21043 00016. 92/06/30. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:016-62285:016.

**9207130021** Comment supporting petition for rulemaking PRM-35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
FREEDMAN, G.S. Freedman & Associates-Nuclear Medicine. 57FR21043 00015. 92/06/30. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:029-62285:029.

**9207130024** Comment opposing petition for rulemaking PRM 35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
KARELITZ, J.R. St. John's Hosp. & Health Center, Santa Monica, CA. 57FR21043 00014. 92/06/29. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:033-62285:033.

**9207130027** Comment supporting petition for rulemaking PRM-35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
STRADER, W.J. El Paso Nuclear Medicine Associates, El Paso, TX. 57FR21043 00013. 92/06/29. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:038-62285:038.

**9207130028** Comment on PRM 35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi. Supports rule.  
DONOHOE, K.J. Beth Israel Hosp., Boston, MA. 57FR21043 00010. 92/06/29. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:039-62285:039.

**9207130030** Comment on PRM 35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi. Supports rule.  
ELTON, W.J. Lower Columbia Pathologists, P.S., Longview & Centralia, WA. 57FR21043 00009. 92/06/29. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:042-62285:042.

**9207130032** Comment on PRM-35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
GODWIN, A.V. Conference of Radiation Control Program Directors, Inc. 57FR21043 00005. 92/06/18. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62285:043-62285:044.

**9207130037** Comment on PRM 35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi. Not in favor of limitations on outpatient or home therapy.  
DOCKRAY, K.T. Dockray, K.T., MD. 57FR21043 00008. 92/06/29. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:050-62285:050.

**9207130038** Comment on PRM 35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi. Supports rule.  
GODWIN, I.D. American Medical Laboratories, Inc. 57FR21043 00007. 92/06/29. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:051-62285:051.

**9207130042** Comment on PRM 35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi. Opposes rule.  
GARNER, D.M. Dexter Memorial Hosp., Dexter, MO. 57FR21043 00006. 92/06/12. LESAR, M.T. Office of Administration (Post 890205). 1p. 62285:054-62285:054.

**9207130043** Comment on PRM 35-10A re confinement, safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi. Supports rule.  
NELP, W.B. Washington, Univ. of, Medical Center, Seattle, WA. 57FR21043 00023. 92/07/01. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62285:055-62285:055.

**9207130047** Comment on PRM 35-10 re access to affordable quality care by providing outpatient option to patients who medically qualify. Supports rule.  
GODWIN, A.V. Conference of Radiation Control Program Directors, Inc. 57FR21043 00031. 92/06/18. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62285:058-62285:059.



## 232 NONDOCKETED ITEMS

- 9207130056** Comment supporting petition for rulemaking PRM-35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
BREWER,G.F. Internal Medicine Associates of Yakima, Inc., P.S., Yakima, WA. 57FR21043 00039. 92/07/01. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62285:067-62285:067.
- 9207130059** Comment on PRM 35-10 re access to affordable quality care by providing outpatient option to patients who medically qualify.Supports rule.  
LEWIS,D.H. Harborview Medical Center, Seattle, WA. 57FR8282 00033. 92/06/25. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62285:073-62285:073.
- 9207130060** Comment on PRM 35-10 re access to affordable quality care by providing outpatient option to patients who medically qualify.Opposes rule.  
GODWIN,A.V. Alabama, State of. 57FR8282 00032. 92/06/15. Office of the Secretary of the Commission. 1p. 62285:078-62285:078.
- 9207130062** Comment on PRM 35-10 re access to affordable quality care by providing outpatient option to patients who medically qualify.Supports rule.  
MURRELL,H.J. Murrell & Westgate, Inc., Columbia, MO. 57FR8282 00034. 92/06/30. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62285:083-62285:083.
- 9207130242** Transmits strawman rule language,dtd 920629, "Proposed Resolution of PRM-35-9" to be placed in PDR.  
TSE,A. Regulation Development Branch. 92/07/09. LANHAM,D. Document Control Branch (Document Control Desk). 25pp. 62337:337-62337:360.
- 9207140164** Comment on petition for rulemaking PRM-20-20.Provides addendum to 901226 petition incorporating timely upgrade of NCRP 37 for radionuclides in present & possible anticipated use in nuclear medicine.  
MARCUS,C.S. California, Univ. of, Los Angeles, CA. 56FR26945 00139. 92/06/12. CHILK,S.J. Office of the Secretary of the Commission. 13pp. 62311:217-62311:229.
- 9207160023** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Supports rule.  
BASSO,L.V. Affiliation Not Assigned. 57FR21043 00028. 92/07/03. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62375:005-62375:005.
- 9207160034** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Supports rule.  
ARNOLD,J.S. Affiliation Not Assigned. 57FR21043 00029. 92/07/07. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62375:159-62375:160.
- 9207160041** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Supports rule.  
MOALLEM,A. Affiliation Not Assigned. 57FR21043 00030. 92/07/13. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62375:027-62375:027.
- 9207160046** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Supports rule.  
PUTERBAUGH,M. Affiliation Not Assigned. 57FR21043 00031. 92/07/03. Docketing & Services Branch. 2pp. 62375:031-62375:032.
- 9207160049** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Supports rule.  
HEYMAN,S. Affiliation Not Assigned. 57FR21043 00032. 92/07/08. Docketing & Services Branch. 1p. 62375:034-62375:034.
- 9207160054** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Supports rule.  
D'ABREO,J.E. Affiliation Not Assigned. 57FR21043 00033. 92/07/02. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62375:036-62375:036.
- 9207160058** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Supports rule.  
LLAURADO,J.G. Affiliation Not Assigned. 57FR21043 00034. 92/07/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62375:043-62375:043.
- 9207160061** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Supports rule.  
SAIN,A.K. Affiliation Not Assigned. 57FR21043 00035. 92/07/06. CHILK,S.J. Office of the Secretary of the Commission. 5pp. 62375:066-62375:070.
- 9207160064** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Supports rule.  
DEVRIES,D.F. Affiliation Not Assigned. 57FR21043 00036. 92/07/08. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62375:073-62375:073.
- 9207160122** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Supports rule.  
EBY,J.B. Affiliation Not Assigned. 57FR21043 00025. 92/07/02. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62381:119-62381:119.
- 9207160127** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Opposes rule.  
SEIWERT,V.J. Affiliation Not Assigned. 57FR21043 00026. 92/07/03. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62375:164-62375:164.
- 9207160129** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Supports rule.  
CHASE,P.J. Kennedy Memorial Hosp., Cherry Hill, Stratford & Washington Townships, NJ (form. 57FR21043 00027. 92/07/08. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62375:177-62375:177.
- 9207270017** Comment on petition for rulemaking PRM-35-10A for deletion of requirement in 10CFR35.72(a)(2) re release of patients containing 30 mCi (or less) from hospital confinement.  
BASS,W.B. Alabama, Univ. of, Birmingham, AL. 57FR21043 00049. 92/07/17. Docketing & Services Branch. 2pp. 62475:045-62475:046.
- 9207270022** Comment supporting petition for rulemaking PRM-35-10A re confinement of radionuclide therapy patients.  
MACEY,D.J., MURRAY,J.L. Texas, Univ. of, Houston, TX. 57FR21043 00048. 92/07/17. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62475:049-62475:050.
- 9207270026** Comment supporting petition for rulemaking PRM 35-10A re safety mgt for ambulatory patients receiving radiopharms in amount greater than 30 mCi.  
DODGE,J.T. Internal Medicine Associates of Yakima, Inc., P.S., Yakima, WA. 57FR21043 00039. 92/07/01. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62475:095-62475:095.
- 9207270028** Comment on petition for rulemaking PRM-35-10A re addl days of confinement within hosp.Urges that petition be brought before ACMUI to assist in getting balanced,professional judgement on impact of petitioner request for change.  
PRICE,G.W. American College of Radiology. 57FR21043 00047. 92/07/15. Docketing & Services Branch. 2pp. 62475:096-62475:097.
- 9207270029** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
SAEGNER,E.L. Cincinnati, Univ. of, Medical Center, Cincinnati, OH. 57FR21043 00038. 92/07/14. Docketing & Services Branch. 5pp. 62475:098-62475:102.
- 9207270033** Comment supporting petitions for rulemaking PRM-35-10 & PRM-35-10A re outpatient practice of nuclear medicine as related to radiopharm therapy involving medical dosages greater than 30 mCi I-131.  
ALLEN,H.C. Allen, H.C., Jr., MD. 57FR21043 00046. 92/07/14. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62475:107-62475:108.
- 9207270038** Comment supporting petition for rulemaking PRM-35-10A re use of radiopharm therapy in amounts greater than 30 mCi.  
CALCEE,J.V. Affiliation Not Assigned. 57FR21043 00037. 92/06/30. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62475:203-62475:203.
- 9207270049** Comment supporting petition for rulemaking PRM-35-10A re diagnostic & therapeutic use of radiopharms in amounts greater than 30 mCi.  
SHEARER,D.M. Shearer, D.M., MD. 57FR21043 00041. 92/07/14. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62475:246-62475:246.
- 9207270076** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Supports rule.  
FRIEDMAN,S.E. Pitts Radiological Associates, Columbia, SC. 57FR21043 00044. 92/07/14. Docketing & Services Branch. 1p. 62475:293-62475:293.
- 9207270081** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Opposes rules.  
COLVIN,G.L. Affiliation Not Assigned. 57FR21043 00043. 92/07/08. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62475:325-62475:325.
- 9207270085** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Supports rule.  
MCCREARY,T.W. Medical Center, Inc., Beaver, PA. 57FR21043 00042. 92/07/14. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62475:328-62475:328.
- 9207270088** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Supports rule.  
KIM,H.H. Lower Columbia Pathologists, P.S., Longview & Centralia, WA. 57FR21043 00045. 92/07/13. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 62475:335-62475:337.
- 9207270113** Forwards corrected copy of 920616 comments on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
HARDIN,C.M. Conference of Radiation Control Program Directors, Inc. 57FR21043. 92/07/10. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62524:172-62524:174.
- 9207290199** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
GODWIN,A.V. Affiliation Not Assigned. 57FR21043 00005. 92/06/16. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62524:173-62524:174.
- 9207270158** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Supports rule.  
WALKER,R.C. Radiology Consultants of Little Rock, P.A., Little Rock, AR. 57FR21043 00040. 92/07/13. Docketing & Services Branch. 1p. 62475:359-62475:359.
- 9207290057** Comment on PRM 35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.Opposes rule.  
THOMAS,F.D. Syracuse Univ., Syracuse, NY. 57FR21043 00050. 92/07/17. Docketing & Services Branch. 1p. 62506:081-62506:081.
- 9207290091** Comment supporting petition for rulemaking PRM-35-10A re confinement,safety instructions & precautions used for patients receiving radiopharm doses greater than 30 mCi.  
ROSE,J.H. Huntington Memorial Hosp., Pasadena, CA. 57FR21043 00051. 92/07/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62506:132-62506:132.

### PROJ PROJECTS - PREDOCKET LICENSING

- 9206100146** Forwards staff requirements memos dtd 920420,22 & 28 & SECY-92-120, "NRC Staff Review Schedules for Westinghouse AP600 & GE Simplified BWR Designs," for info.  
MCCREE,V.M. Standardization Project Directorate (Post 920517). 92/06/02. MARRIOTT,P.W. General Electric Co. 2pp. 61968:336-61968:343.
- 9206100180** Discusses SECY-92-120, "NRC Staff Review Schedules for Westinghouse AP600 & GE SBWR Designs."  
REMICK,F.J. Commissioners (Post 750119). 92/04/20. CHILK,S.J. Office of the Secretary of the Commission. 1p. 61968:342-61968:342.
- 9206100181** Discusses SECY-92-120, "NRC Staff Review Schedules for Westinghouse AP600 & GE SBWR Designs."  
CURTISS,J.R. Commissioners (Post 750119). 92/04/22. CHILK,S.J. Office of the Secretary of the Commission. 1p. 61968:343-61968:343.
- 9207010272** Forwards proprietary Rev 0 to DOE-HTGR-88486, "Effects of Water Vapor on Release of Gaseous Fission Products from High-Temp Gas-Cooled Reactor Fuel Compacts Containing Exposed U Oxycarbide Fuel" rept for info.Rept withheld.  
WILLIAMS,P.M. Energy, Dept. of. 92/06/25. Document Control Branch (Document Control Desk). 1p. 62248:159-62248:159.



- 9207060171 Ack receipt of NRC 920601 ltr responding to vendor 920507 ltr re proposed rulemaking for certificate of compliance for TN-24 storage cask. Concurs w/ combined rulemaking initiated by NRC in order to avoid any threatened delays. HANSON, A.S. Transamerica Delaval, Inc. 92/06/26. HAUGHNEY, C.J. Source Containment & Devices Branch (Post 911213). 2pp. 62254:277-62254:278.
- 9207060261 Forwards "Standardized BWR Testing Program for TRACG Qualification," per NRC request at 920529 meeting. STARK, S.J. General Electric Co. MFN 138-92. 92/06/29. PIERSON, R.C. Standardization Project Directorate (Post 920517). 1p. 62248:247-62248:329.
- 9207060263 "Standardized BWR Testing Program for TRACG Qualification." RAO, A.S. General Electric Co. 92/06/30. 80pp. 62248:248-62248:329.
- 9207060288 Forwards request for addl info re experimental data base info to support CANDU 3 design. Response required within 90 days of receipt of ltr. KENNEDY, J.L. Advanced Reactors Project Directorate (Post 920517). 92/06/29. SHIFLETT, D.R. AECL Technologies. 9pp. 62203:324-62203:333.
- 9207070112 Forwards Westinghouse AP600 security rept, per 10CFR50.34(c), 10CFR50.4 & GL 82-39. Rept withheld (ref 10CFR73.2, 10CFR73.21(b) & 10CFR73.29(d)). LIPARULO, N.J. Westinghouse Electric Corp. ET-NRC-92-3717. 92/06/30. MCKEE, P. Document Control Branch (Document Control Desk). 2pp. 62451:328-62451:329.
- 9207070117 Forwards proprietary App F, "Ref Panthers PCCS Test Matrix," per request during 920529 meeting w/NRC on SBWR testing program. Encl Withheld. STARK, S.J. General Electric Co. MFN 138-92. 92/06/29. PIERSON, R.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62262:268-62262:271.
- 9207070419 Requests that preliminary discussions w/NRC safeguards licensing staff be initiated. Lists safeguard topics to be discussed. DESELL, L.J. Energy, Dept. of. 92/06/29. STURZ, F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 62274:125-62274:125.
- 9207080188 "Independent Citizens Investigative Committee Rept of Phase I Feasibility Studies - Monitored Retrievable Storage Facility." KALLIS, J. North Dakota, State of. 92/03/03. 146pp. 62304:231-62305:015.
- 9207090094 Rev 1 to EIP-24, "Emergency Preparedness Training Program." LINDBERGH, B.E., SCHIFFHAUER, C., DAMERON, M. West Valley Nuclear Services Co., Inc. 92/06/19. 16pp. 62309:312-62309:327.
- 9207090099 Forwards proprietary slides from 920601 AP600 presentation on integral sys testing. Slides withheld (ref 10CFR9.17(a)(4)). LIPARULO, N.J. Westinghouse Electric Corp. ET-NRC-92-3713. 92/06/25. MURLEY, T. Document Control Branch (Document Control Desk). 2pp. 62309:100-62309:108.
- 9207090101 Requests that proprietary slides from 920601 AP600 presentation on integral sys testing be withheld (ref 10CFR2.790). LIPARULO, N.J. Westinghouse Electric Corp. AW-92-328. 92/06/25. MURLEY, T. Document Control Branch (Document Control Desk). 7pp. 62309:102-62309:108.
- 9207090124 Forwards application for final design approval & design certification for Westinghouse AP600 reactor design. NRC should provide requests for addl info no later than 92/07/01. CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 92/06/28. JOHNSON, G.Q. Materials & Chemical Engineering Branch. NORBERG, J.A. Mechanical Engineering Branch. BAGCHI, G. Generic Communications Branch. 14pp. 62271:001-62271:014.
- 9207090138 Forwards proprietary slides used during 920623 presentation to ACRS Thermal Hydraulic Phenomena Subcommittee meeting on IST programs, in support of AP600 design. Slides withheld (ref 10CFR2.790). LIPARULO, N.J. Westinghouse Electric Corp. ET-NRC-92-3716. 92/06/30. MURLEY, T. Document Control Branch (Document Control Desk). 1p. 62309:353-62309:361.
- 9207090150 Forwards slides used during presentation to ACRS 920623 thermal hydraulic phenomena subcommittee meeting on IST programs in support of AP600 design. Details withheld (ref 10CFR2.790). LIPARULO, N.J. Westinghouse Electric Corp. AW-92-330. 92/06/30. MURLEY, T. Document Control Branch (Document Control Desk). 8pp. 62309:354-62309:361.
- 9207090156 Rev 3 to EIP-7, "Duties & Responsibilities of Liaison Manager." LINDBERGH, B.E., SCHIFFHAUER, C., DAMERON, M. West Valley Nuclear Services Co., Inc. 92/06/24. 13pp. 62339:233-62339:245.
- 9207090228 Ack receipt of ACRS 920610 ltr re testing & analysis of programs in support of simplified BWR design certification. Scaling analysis important element in overall testing program. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/06/29. WARD, D.A. ACRS - Advisory Committee on Reactor Safeguards. 5pp. 62271:055-62271:063.
- 9207090266 Discusses testing & analysis programs in support of simplified BWR design certification, per ACRS 385th & 386th 920506-09 & 0604-05 meetings. WARD, D.A. ACRS - Advisory Committee on Reactor Safeguards. 92/06/10. THE CHAIRMAN, SELIN, J. Commissioners (Post 750119). 4pp. 62271:060-62271:063.
- 9207100278 Ack receipt of 920417 & 0515 ltrs containing calculations & analyses, specs & floppy discs, per NRC 920323 questions. Status of NRC comments on standardized NUHOMS encl. STURZ, F.C. Source Containment & Devices Branch (Post 911213). 92/07/08. LEHNERT, R.A. Pacific Nuclear Systems, Inc. 11pp. 62364:333-62364:343.
- 9207130095 Forwards draft Commission paper re design certification & licensing policy issues concerning passive & evolutionary ALWR designs. CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 92/07/06. KINTNER, E.E. ALWR Utility Steering Committee. 44pp. 62375:273-62375:315.
- 9207130125 Forwards discussion of term "decommissioning" as term relates to advanced LWR requirements, per NRC request. BOCKHOLD, G. Electric Power Research Institute. 92/07/06. HILTZ, T.G. NRC - No Detailed Affiliation Given. 9pp. 62366:241-62366:249.
- 9207130218 Forwards data base of issues identified for Chapters 2-10 of draft SER for passive plant util requirements document & list of issues in Chapters 2-10 which have responses outstanding. BOCKHOLD, G. Electric Power Research Institute. 92/07/02. Document Control Branch (Document Control Desk). 600pp. 62393:001-62394:006.
- 9207140135 Requests copies of proposed certificates of compliance, in ref to Vol 57, Number 124 of FR, dtd 920626 re proposed rule for addition of casks to "List of Approved Spent Fuel Storage Casks." HANSON, A.S. Transnuclear, Inc. 92/07/07. SCHNEIDER, J.F. Office of Nuclear Material Safety & Safeguards. 1p. 62385:311-62385:311.
- 9207140174 Responds to 920323 ltr to JR Wolf suggesting that NRC prescribe threshold limit of transuranic waste to be 100 nCi/g. Staff does not believe rulemaking warranted at this time for listed reasons. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 92/06/08. OLSEN, M.D. Energy, Dept. of, Idaho Operations Office. 2pp. 62338:029-62338:031.
- 9207150188 Notification of 920710 meeting w/ACRS to discuss review of EPRI ALWR requirements document for evolutionary plant designs. PIERSON, R.C. Standardization Project Directorate (901216-920516). 92/07/01. THADANI, A., HOLAHAN, G., PERCH, R. NRC - No Detailed Affiliation Given. 17pp. 62378:276-62378:292.
- 9207150207 Forwards proprietary slides from 920709 meeting w/ACRS on integral sys test programs in support of AP600 design. Slides withheld (ref 10CFR9.17(a)(4)). LIPARULO, N.J. Westinghouse Electric Corp. ET-NRC-92-3721. 92/07/08. MURLEY, T. Document Control Branch (Document Control Desk). 1p. 62415:101-62415:109.
- 9207150209 Requests that proprietary slides from 920709 meeting w/ACRS on AP600 testing & analysis program be withheld (ref 10CFR2.790). LIPARULO, N.J. Westinghouse Electric Corp. AW-92-33. 92/07/08. MURLEY, T. Document Control Branch (Document Control Desk). 8pp. 62415:102-62415:109.
- 9207150218 Forwards proprietary matl presented to ALWR Utility Steering Committee on 911114 re Post 72 h licensing design basis. Matl reflects list of portable equipment required by AP600 for post-72 h operation. Matl withheld (ref 10CFR9.17(a)(4)). LIPARULO, N.J. Westinghouse Electric Corp. ET-NRC-92-3689. 92/06/30. HASSELBERG, R. Document Control Branch (Document Control Desk). 3pp. 62409:325-62409:334.
- 9207150220 Requests that proprietary matl re AP600 equipment required after 72 hours be withheld (ref 10CFR2.790). LIPARULO, N.J. Westinghouse Electric Corp. AW-92-331. 92/06/30. MURLEY, T. Document Control Branch (Document Control Desk). 7pp. 62409:328-62409:334.
- 9207150303 Ack receipt of application for final design approval under app O of 10CFR52 & std design certification under 10CFR52 for Westinghouse AP600 std plant design. WCAP repts ref in application should be submitted for review. PIERSON, R.C. Standardization Project Directorate (Post 920517). 92/07/06. MCINTYRE, B.A. Westinghouse Electric Corp. 4pp. 62395:286-62395:291.
- 9207150347 Forwards stated documents, in response to 920602 ltr re DOE request for rulemaking on transuranic limit in West Valley Demonstration Project wastes. COMFORT, G.C. Fuel Cycle Safety Branch. 92/07/09. VAUGHAN, R.C. Coalition on West Valley Nuclear Wastes. 2pp. 62412:333-62412:340.
- 9207150348 Requests NRC prescription of stds to define transuranic per West Valley Demonstration Project Act. OLSEN, M.D. Energy, Dept. of, Idaho Operations Office. 92/03/23. WOLF, J.R. Office of the General Counsel (Post 860701). 4pp. 62412:335-62412:338.
- 9207150349 Responds to 920323 suggestion that NRC prescribe, per West Valley Demonstration Project Act, threshold limit of transuranic waste to be 100 nCi/g. NRC does not believe rulemaking is warranted at this time for listed reasons. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 92/06/08. OLSEN, M.D. Energy, Dept. of, Idaho Operations Office. 2pp. 62412:339-62412:340.
- 9207150352 Forwards proprietary drawings C-110-D-19005-006 Rev 0, C-110-B-19005-007 Rev 0, C-110-B-19005-007 Rev 0 & C-110-D-19008-008 Rev 0, per 920624 ltr re test program for General Nuclear Sys, Inc. w/two oversize drawings. PAQUIN, P.L. General Nuclear Systems, Inc. 611-0449-92. 92/07/08. SCHNEIDER, J. Source Containment & Devices Branch (Post 911213). 3pp. 62446:353-62446:355.
- 9207160108 Forwards proprietary & nonproprietary "AP600 PRA," "AP600 SAR," proprietary WCAP-13276, "AP600 PRA Fault Trees Output Files," "AP600 ITAAC Program Plan & Pilot ITAACs," WCAP-13405 & WCAP-13404 W/233 oversize figures. CASO, C.L. Westinghouse Electric Corp. ET-NRC-92-3710. 92/06/26. MURLEY, T. Document Control Branch (Document Control Desk). 4pp. 62724:001-62724:213.
- 9207160118 Requests withholding of proprietary WCAP-13275 & WCAP-13276 per 10CFR2.790(b)(1). LIPARULO, N.J. Westinghouse Electric Corp. AW-92-328. 92/06/26. MURLEY, T. Document Control Branch (Document Control Desk). 7pp. 62724:005-62724:011.
- 9207160131 "AP600 ITAAC Program Plan & Pilot ITAACs." \* Westinghouse Electric Corp. 92/06/26. 59pp. 62724:012-62724:071.
- 9207160134 WCAP-13405 "AP600 PRA Fault Trees Output Files." \* Westinghouse Electric Corp. 92/06/26. 22pp. 62724:072-62724:095.
- 9207160135 WCAP-13404 "AP600 PRA Fault Trees." \* Westinghouse Electric Corp. 92/06/26. 17pp. 62724:096-62724:114.
- 9207160137 "AP600 PRA," Vols 1-3. \* Westinghouse Electric Corp. 92/06/26. 600pp. 62724:115-62728:286.
- 9207160141 "AP600 Std SAR," Vols 1-11. \* Westinghouse Electric Corp. 92/06/26. 1,400pp. 62728:287-62742:213.
- 9207160201 Requests addl info to support review of CANDU 3 reactivity coefficients. KENNEDY, J.L. Advanced Reactors Project Directorate (Post 920517). 92/07/08. SHIFLETT, D.R. AECL Technologies. 2pp. 62396:275-62396:276.
- 9207160273 Forwards Rev 1 to proposed Certificate of Compliance 1007 & SER for Ventilated storage cask (VSC) sys VSC-24 issued on 920505 & 06, respectively. Revs associated w/criticality SE & associated operating procedures & Tech Specs. STURZ, F.C. Source Containment & Devices Branch (Post 911213). 92/07/08. MASSEY, J.V. Pacific Sierra Nuclear Associates. 10pp. 62429:324-62429:345.
- 9207160278 Rev 1 to SER for ventilated storage cask sys. \* NRC - No Detailed Affiliation Given. 92/07/08. 12pp. 62429:334-62429:345.

## 234 NONDOCKETED ITEMS

**9207170168** Approves 920228,0513,18 & 0605 requests/affidavits for withholding listed topical repts re matl properties of basket for Castor V storage cask & matl properties of steel basket (ref 10CFR2.790).  
CUNNINGHAM,R.E. Division of Industrial & Medical Nuclear Safety (Post 870729). 92/07/15. BARNHART,V.J. General Nuclear Systems, Inc. 3pp. 62431:340-62431:342.

**9207170239** Informs that in 920513 ltr,listed & encl repts on thermal analyses of CASTOR X improperly contained prohibitions against repts being cited & reproduced.Proprietary repts on subj also encl.Proprietary repts withheld.  
PAQUIN,P.L. General Nuclear Systems, Inc. 611-0341-92. 92/05/21. STURZ,F.C. Source Containment & Devices Branch (Post 911213). 1p. 62446:227-62446:279.

**9207170245** Forwards nonproprietary & proprietary repts on thermal analyses of CASTOR X to address comments from 910522 ltr & 910523 meeting at LLNL.Proprietary repts withheld.  
PAQUIN,P.L. General Nuclear Systems, Inc. 611-0320-92. 92/05/13. Source Containment & Devices Branch (Post 911213). 4pp. 62446:228-62446:231.

**9207170255** GNS B 112/91E R01 "Calculation of Temps Within Wall of CASTOR X/33 Cask as Function of Cask Thermal Power."  
\* General Nuclear Systems, Inc. 92/03/31. 25pp. 62446:232-62446:256.

**9207170258** GNS B 58/92 R00 "QFD - Computer Code for Calculation of Fuel Rod Temps in Transport & Storage Casks."  
\* General Nuclear Systems, Inc. 92/03/31. 23pp. 62446:257-62446:279.

**9207200064** Summary of 920622 meeting w/Westinghouse in Rockville,MD re insps,tests,analyses & acceptance criteria for AP600. Overview of Westinghouse program for development of Tier 1 matl & list of attendees encl.  
BOYCE,T.H. Standardization Project Directorate (Post 920517). 92/07/07. Standardization Project Directorate (Post 920517). 59pp. 62429:192-62429:250.

**9207200087** Notification of 920721 & 22 meetings w/Westinghouse in Monroeville,PA to discuss computer analysis input parameter data for AP600 research.  
HASSELBERG,F.W. Standardization Project Directorate (Post 920517). 92/07/13. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 3pp. 62429:252-62429:254.

**9207200232** Forwards proprietary draft "Scaling Analysis for Oregon State Univ AP600 Integral Sys & Long Term Cooling Test Facility," in response to ACRS request in support of ACRS review of AP600 test program.Rept withheld.  
LIPARULO,N.J. Westinghouse Electric Corp. ET-NRC-92-3715. 92/07/07. MURLEY,T. Document Control Branch (Document Control Desk). 3pp. 62459:310-62459:319.

**9207200242** Requests that proprietary draft "Scaling Analysis for Oregon State Univ AP600 Integral Sys & Long Term Cooling Test Facility" be withheld (ref 10CFR2.790).  
LIPARULO,N.J. Westinghouse Electric Corp. AW-92-329. 92/07/07. MURLEY,T. Document Control Branch (Document Control Desk). 7pp. 62459:313-62459:319.

**9207200254** Notification of 920724 meeting w/Pacific Nuclear Fuel Svcs in Rockville,MD to review unresolved items re SAR & to discuss important items such as structural/mechanical, thermal,criticality evaluation & radiological protection.  
LEU,K.C. Source Containment & Devices Branch (Post 911213). 92/07/17. HAUGHNEY,C.J. Source Containment & Devices Branch (Post 911213). 1p. 62451:322-62451:322.

**9207200295** Discusses acceptance review evaluation of application for final design certification for Westinghouse AP600 reactor design.  
CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 92/07/14. CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 2pp. 62418:357-62418:358.

**9207200307** Summary of 920611 meeting w/EPRI re generic sys classification,reliability-based TS & shutdown risk considerations for ALWRs.  
HILTZ,T.G. Standardization Project Directorate (Post 920517). 92/07/07. Standardization Project Directorate (Post 920517). 36pp. 62438:154-62438:190.

**9207230029** Forwards supplemental info for West Valley Waste Form Qualification Program for cement solidification of sludge wash waste liquid,consisting of Rev 0 to Test Summary Rept WVNS-TSR-044, "Waste Form Qualification Work for Sludge..."  
ROWLAND,T.J. Energy, Dept. of, Idaho Operations Office. 92/07/14. COMFORT,G.C. NRC - No Detailed Affiliation Given. 10pp. 62486:292-62486:357.

**9207230030** WVNS-TSR-044 R00 Rev 0 to Test Summary Rept WVNS-TSR-044, "Waste Form Qualification Work for Sludge Wash Liquids."  
MAHONEY,J.L. Energy, Dept. of, Idaho Operations Office. BAKER,M.N., MICHNIK,L.E. Energy, Dept. of. 92/06/29. 56pp. 62486:295-62486:357.

**9207230142** Summary of ACRS 381st meeting on 920109-11 in Bethesda,MD re integral sys testing for Westinghouse AP-600 Nuclear Plant & key technical issues for future nuclear power plants.  
\* ACRS - Advisory Committee on Reactor Safeguards. 92/07/23. ACRS - Advisory Committee on Reactor Safeguards. 44pp. 62586:245-62586:288.

**9207230210** Forwards requests for addl info re AP600 design.Info to be used in preparation of RELAP-5 input data for research activities in support of application for final design approval & design certification of AP600.  
HASSELBERG,F.W. Standardization Project Directorate (Post 920517). 92/07/14. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 62459:041-62459:043.

**9207230268** Notification of 920723 & 24 meetings w/Westinghouse in Rockville,MD to discuss low-pressure (long-term cooling) testing of Westinghouse AP600 design.  
HASSELBERG,F.W. Standardization Project Directorate (Post 920517). 92/07/15. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 4pp. 62478:252-62478:255.

**9207230274** Notification of 920720 meeting w/GE Nuclear Energy in Rockville,MD to discuss simplified BWR testing.  
MCCREE,V.M. Standardization Project Directorate (Post 920517). 92/07/15. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 3pp. 62478:165-62478:167.

**9207240133** Advises that proprietary version of 920403 topical rept WCAP-13277 will be withheld from public disclosure,based on listed reasons.  
HASSELBERG,F.W. Standardization Project Directorate (Post 920517). 92/07/15. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 62479:227-62479:229.

**9207270362** Requests addl info re AP600 testing program by 920817.  
HILTZ,T.G. Standardization Project Directorate (Post 920517). 92/07/21. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 62517:330-62517:332.

**9207280329** Notification of 920723 meeting w/Westinghouse in Rockville,MD to discuss AP600 PRA.  
HASSELBERG,F.W. Standardization Project Directorate (Post 920517). 92/07/20. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 4pp. 62530:301-62530:304.

**9207290137** Forwards technical paper, "Consequences of Failure to Shutdown Following Loss of Coolant Accident in Pickering NGS A Unit."  
SHIFLETT,D.R. AECL Technologies. 92/07/23. Document Control Branch (Document Control Desk). 17pp. 62506:164-62506:180.

**9207300003** Summary of ACRS 387th meeting on 920709-11 re programs of integral sys & separate effects testing in support of Westinghouse AP600 plant design certification.  
SHEWMON,P. ACRS - Advisory Committee on Reactor Safeguards. 92/07/17. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 6pp. 62587:338-62587:343.

**9207300147** Ack receipt of 920601 ltr informing NRC of steps taken to correct nonconformance noted in QA insp rept 72-1007/92-01.  
MACDONALD,C.E. Transportation Branch. 92/07/23. MASSEY,J.V. Pacific Sierra Nuclear Associates. 3pp. 62580:346-62580:348.

**9207300259** Advises of major problem areas associated w/chapter 12 of Westinghouse AP-600 SSAR,including inadequate description of radiation sources in plant & lack of listing of very high radiation areas in plant.  
CUNNINGHAM,L.J. Radiation Protection Branch. 92/07/23. PIERSON,R.C. Associate Director for Advanced Reactors & License Renewal (Post 910918). 2pp. 62580:285-62580:286.

**9207310019** Forwards EPRI util requirements document,vol 3,chapter 1,app A,rev 3, "PRA Key Assumptions & Ground Rules." Document to be treated as proprietary info.  
POHIDA,M. Division of Radiation Protection & Emergency Preparedness (Post 870411). 92/07/22. ELLISON,P. EG&G Idaho, Inc. 1p. 62588:204-62588:204.

**9207310174** Forwards revised Chapter 9 data base for passive plant draft SER issues.Issues include,balance-of-plant fire protection program,independence of ventilation sys inside containment & requirements for smoke removal capability.  
BOCKHOLD,G. Electric Power Research Institute. 92/07/17. Document Control Branch (Document Control Desk). 25pp. 62615:325-62615:349.

### PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

**9207060186** Final deficiency rept & Part 21 rept re inadequacies in motor-operated diagnostic equipment supplied by ITI Movats Corp.Initially reported on 920403.Closing torque switch settings for motor-operated valves will be recalibr.  
MUSELER,W.J. Tennessee Valley Authority. WBRD-50-391/92-06. 92/07/01. Document Control Branch (Document Control Desk). 4pp. 62254:345-62254:348.

**9207060248** Final Part 21 rept re defect in assembly process for GH Bettis containment atmosphere control sys valve replacement actuators.Initially reported on 920529.Air filter installed in compressor main air line to prevent contamination.  
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. NLR-N92085. 92/06/29. Document Control Branch (Document Control Desk). 5pp. 62254:306-62254:310.

**9207070221** Corrected Part 21 rept re defects in MSIV poppets supplied by Atwood & Morrill Co,Inc,originally submitted via 920619 ltr.Corrects info in corrective action section to indicate that poppet S/N 4 not S/N 3 installed at facility.  
LYSTER,M.D. Centor Energy. PY-CEI/NRR-1518. 92/07/01. Document Control Branch (Document Control Desk). 1p. 62451:330-62451:330.

**9207080003** Part 21 rept re discovery of Klockner-Moeller 480-volt breaker in tripped condition due to fracture of plastic arm within breaker.Two of three failed breakers sent to mfg for analysis.Results expected by end of Jul 1992.  
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 92-441. 92/07/01. Document Control Branch (Document Control Desk). 3pp. 62276:355-62276:357.

**9207080018** Amend 1 to Part 21 Rept 158 re gear-wear induced failures in engine-driven jacket water pump in DSRV-16-4 standby DG sys. Initially reported on 911029.Grand Gulf station observed wear characteristics in as little as 500 operating hours.  
GUNTTRUM,B.C. Cooper Industries, Inc. 92/06/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62305:344-62305:347.

**9207080186** Part 21 rept re potential capacitor problem in KD-10 relay.Caused by dissipation of paper used as dielectric in capacitor.Product advisory ltr sent to ABB Relay Div customers encl.  
WILSON,J.G., SUN,S.C. ASEA Brown Boveri, Inc. 92/06/26. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 62284:352-62284:360.

**9207080270** Part 21 rept re potential that covers on Rosemount Model 1152,1153 & 1154 transmitters not torqued to specs.Problem noted during normal scheduled calibr of production equipment.List of affected units encl.  
HENKENIUS,M.A. Rosemount, Inc. 92/06/30. Document Control Branch (Document Control Desk). 16pp. 62304:206-62304:221.

**9207090068** Initial Part 21 rept re non-segregated phase electrical bus duct mfg in 1972.Initially reported on 920427.Detailed calculations being done by FPC to evaluate momentary fault current against detailed ratings of all bus sections.  
METCALFE,W.A. Calvert Co., Inc. 92/06/30. NRC - No Detailed Affiliation Given. 3pp. 62308:341-62308:343.

**9207090081** Part 21 rept re replacement swing arm not being completely interchangeable w/original part.Initially reported on 920116.Vendor will inform customers of potential for stated interference between stud & valve body.  
GODWIN,G.C. BW/IP International, Inc. (formerly Byron Jackson Pump Division). 92/06/30. Region 5 (Post 820201). 7pp. 62308:354-62308:360.

**9207140051** LER 92-011-01: on 920608, discovered possibility of potential secondary containment bypass leakage paths & control room boundary leakage paths. On 911009, temporary shaft seal installed in SGTs. Also reported per Part 21. W/920706 ltr. ZINKE, G.A., COTTLE, W.T. Entergy Operations, Inc. GNRO-92/00080. 92/07/06. 8pp. 62437:234-62437:241.

**9207150165** Part 21 rept re failure to comply w/1 minute rating of NCX-17 cells mfg by GNB Battery Co (formally Gould). Addl testing of cell sizes & end voltages scheduled to begin on 920713 & be completed on 920815. SEIKEN, A. Nuclear Logistics, Inc. (NLI). NCR-02-01. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62409:357-62409:358.

**9207150212** Part 21 rept re defect in forged elbow SA234 WPC. Initially reported by util on 920625. Connex will audit quality sys prior to awarding purchase orders to Ram Forge to verify measurements taken on elbow. LEININGER, D.J. Connex Pipe Systems, Inc. 92/07/08. Document Control Branch (Document Control Desk). 2pp. 62415:146-62415:188.

**9207150335** Final Part 21 rept re failure of Byron Jackson River water pump couplings. Initially reported on 911121. Couplings failed in svc due to lack of toughness. Couplings examined & suspect matl removed from svc. NOONAN, T.P. Duquesne Light Co. ND3MNC:3295. 92/07/07. Document Control Branch (Document Control Desk). 6pp. 62409:356-62409:361.

**9207200071** Part 21 rept, updating 911230 Interim Rept 91-028 re list of questions which may include possible deviation in Westinghouse small break fuel rod thermal analysis computer code. Questions under review. LIPARULO, N.J. Westinghouse Electric Corp. ET-NRC-92-3718. 92/07/01. Document Control Branch (Document Control Desk). 2pp. 62451:311-62451:312.

**9207200125** Part 21 rept re access hole cover (AHC) radial cracking. AHC cracking first experienced in 1987. SIL 462 Suppl 3 issued to BWR util on 920608 to rept observations & to provide new insp recommendations for AHCs. STRAMBACK, G.B. General Electric Co. GBS92030.WP. 92/07/09. BERLINGER, C.H. Generic Communications Branch. App. 62464:357-62464:360.

**9207270046** Part 21 rept re blown fuse in Elgar inverters, high inrush current to inverter & missing resistor on R14. Caused by improper timing circuit, lack of retrievable records & workmanship error. Resistor changed & sites notified. \* Elgar Corp. 92/07/15. TOMLINSON, R. Texas Utilities Electric Co. (TU Electric). 10pp. 62516:345-62516:354.

**9207280024** Interim Part 21 rept re temp increases in one hot leg of reactor vessel upper plenum. Caused by flow switching between adjacent hot leg nozzles. Vendor will actively work w/util to initiate evaluation program leading to resolution. LIPARULO, N.J. Westinghouse Electric Corp. ET-NRC-92-3724. 92/07/24. Document Control Branch (Document Control Desk). 3pp. 62562:103-62562:105.

**9207280159** Part 21 rept re listed defects w/Elgar inverters during testing. Licensee plans to correct defects before placing equipment in svc. Written rept to be submitted within 30 days. SKIBA Texas Utilities Electric Co. (TU Electric). 92/05/13. JOLLIFFE Office for Analysis & Evaluation of Operational Data, Director. 1p. 62562:333-62562:333.

**9207280168** Part 21 rept re QA program breakdown of Kranco, Inc., supplier of Units 1 & 2 polar cranes. Unit 1 not impacted by problem. Adequacy of parts installed in Unit 2 will be established prior to conduct of critical lifts. AGLES, J. Texas Utilities Electric Co. (TU Electric). 92/07/16. MACKINNON, J. Office for Analysis & Evaluation of Operational Data, Director. 1p. 62562:341-62562:341.

**9207280177** Part 21 rept re defect discovered in degraded grid trip/bus transfer scheme for Class IE vital bus equipment. Time delay of .7 s incorporated in loading scheme to allow loads to drop off of auto-swapped Class IE buses. LABRUNA Public Service Electric & Gas Co. of New Jersey. 92/05/08. SCARFO, G. Office for Analysis & Evaluation of Operational Data, Director. 1p. 62584:291-62584:291.

**9207280188** Part 21 rept re 911107 C feedwater isolation valve actuator failure due to defect in poppet seal. Seal replaced & testing by independent lab being performed to determine physical properties of original poppet seals. HAILE, D. South Carolina Electric & Gas Co. 92/07/10. SCARFO, G. Office for Analysis & Evaluation of Operational Data, Director. 2pp. 62584:292-62584:293.

**9207280255** Part 21 rept re discrepancy in procedure used to analyze feedwater controller failure event using COTRANSA2 code. Initially reported by Siemens Nuclear Power Corp on 920617. Caused by transient analysis error. FIES, C., WHITCOMB, D.L., REIS, M.P. Washington Public Power Supply System. PER 282-706. 92/07/09. ANDREWS, T. NRC - No Detailed Affiliation Given. App. 62562:119-62562:123.

**9207280257** Part 21 rept re cracking of stellite 21 hardfacing on guide nose of poppets supplied as part of MSIV leakage improvement mod. Initially reported by CLEI on 920522. Recommends that liquid penetrant exam be performed. SHIELDS, S.N. Atwood & Morrill Co., Inc. 92/06/24. BERLINGER NRC - No Detailed Affiliation Given. App. 62568:340-62568:344.

#### QA999 QUALITY ASSURANCE INSPECTIONS

**9207060027** Forwards updated organizational chart, similar to Figure 1-1 of Rev 8 to NEDO-11209-04A, per NRC 920601 request. Updated chart incorporates changes delineated in vendor 920415 ltr to NRC. CASE, J.M. General Electric Co. 92/06/23. ZECH, G.G. Performance & Quality Evaluation Branch (Post 890101). 2pp. 62250:085-62250:086.

**9207060083** Notification of 920612 meeting w/Thermal Science, Inc. & NIST in Rockville, MD to discuss Thermo-Lag fire barrier test program & technical issues. MCCracken, C.E. Plant Systems Branch. 92/06/05. RUSSELL, W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 3pp. 62250:086-62250:087.

**9207060057** Responds to 920615 ltr requesting NRC position on applicability of 10CFR21 to equipment that will perform safety related function in nuclear facility not based in US. Equipment installed in foreign country not subj to 10CFR21. NORRHOLM, L.J. Vendor Inspection Branch. 92/06/26. MCQUILLAN, P.G. Limitorque Corp. 1p. 62218:331-62218:331.

**9207090152** Forwards list of former customers who no longer receive error notices & working list of error notice transmittals from 3 former suppliers. Requests confirmation from NRC re receipt of supplier error notices. ORR, R.S. Boeing Computer Services Co. (div. of Boeing Co.). 92/06/12. Ofc of Enforcement (Post 870413). 7pp. 62341:310-62341:316.

**9207170114** Informs that, insofar demand in ASME-II-A justified & will be demanded in future, in response to Nonconformance A re flattening test used for pipes for bending in pipeline. LIESEGANG, G. LIESEGANG GmbH. 92/06/17. NORRHOLM, L.J. Vendor Inspection Branch. 2pp. 62440:212-62440:213.

**9207220141** Responds to NRC ltr re violations noted in insp rept 99901246/92-01. Corrective actions: list created & being maintained, covering all G type cells & nuclear plant holding cells. BENDER, R.P. Yuasa Exide, Inc. 92/07/13. NORRHOLM, L.J. Vendor Inspection Branch. 5pp. 62472:350-62472:354.

**9207270066** Advises effective 920710, company name changed from Siemens Nuclear Power Corp to Siemens Power Corp, per Section 2.9 of approved Topical Rept EMF-1A. Rev 25. Change will be reflected in rev of topical rept to be sent at end of yr. VOLMER, C.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. CJV:92:79. 92/07/17. ZECH, G.G. Performance & Quality Evaluation Branch (Post 890101). 1p. 62528:192-62528:192.

**9207270130** Responds to Westinghouse Pensacola Plant 920618 reply to NOV & notice of nonconformance issued 920521. Replies to NOV & notice of nonconformance & C/A taken determined to be adequate for all violations & nonconformances identified. NORRHOLM, L.J. Vendor Inspection Branch. 92/07/14. SMELSTOYS, B.R. Westinghouse Electric Corp. 2pp. 62476:095-62476:096.

#### REGGD REGULATORY GUIDES

**9207010034** Forwards reg guide 1.97 safety insp rept 50-293/92-06 on 920504-08. Staff determined that licensee had established program to meet recommendations of reg guide 1.97. Understands that program will be fully implemented in 1993. ANDERSON, C.J. Region 1 (Post 820201). GL-82-33. 92/06/23. ANDERSON, R.A. Boston Edison Co. App. 62143:041-62143:059.

**-9207010036** Reg guide 1.97 safety insp rept 50-293/92-06 on 920504-08. No violations noted. Major areas inspected: licensee implementation of reg guide 1.97, Rev 3, re post-accident monitoring instrumentation. CHEUNG, L., RULAND, W.H. Region 1 (Post 820201). 92/06/22. 14pp. 62143:045-62143:059.

**9207020113** Forwards SE approving use of Category 3 instrumentation for accumulator level & pressure. PULSIFER, R.M. Project Directorate III-2. GL-82-33. 92/06/23. KOVACH, T.J. Commonwealth Edison Co. 3pp. 62183:269-62183:274.

**-9207020114** SE approving use of Category 3 instrumentation for accumulator level & pressure. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/23. 3pp. 62183:272-62183:274.

**9207020139** Commits to maintain five elements of Section 1.2 of Reg Guide 1.155, "SBO," pending resolution & upon resolution of Generic Issue B-58, "EDG Reliability," per NRC supplemental SE provided w/920312 ltr approving stated SBO submittals. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 92-356. 92/06/24. Document Control Branch (Document Control Desk). 3pp. 62219:347-62219:349.

**9207060230** Forwards response to Reg Guide 1.97, "Accident Monitoring Instrumentation," in response to NRC 920312 ltr forwarding results of Reg Guide 1.97 insp performed during wk of 920224-28. SCHROCK, C.A. Wisconsin Public Service Corp. NRC-92-080. 92/07/01. Document Control Branch (Document Control Desk). 23pp. 62247:331-62247:353.

**9207070306** Forwards info re status of Reg Guide 1.97 activities at facility, consisting of accident monitoring instrumentation program. Updated version of table of Reg Guide 1.97 variables, submitted on 920703, also encl. FRANZ, J.F. Iowa Electric Light & Power Co. NG-92-2629. 92/06/26. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 23pp. 62267:307-62267:329.

**9207100044** Forwards response to Rev 1 to Generic Ltr 92-01, "Reactor Vessel Structural Integrity." Encl rept documents compliance w/10CFR50 & guidance provided in Reg Guide 1.99, Rev 2. TERRY, C.D. Niagara Mohawk Power Corp. GL-92-01. 92/07/02. Document Control Branch (Document Control Desk). 2pp. 62366:132-62366:158.

**9207100147** Informs of plans to revise fuel oil testing program by replacing accelerated stability test w/particulate test. Revs & justifications listed. Comparison of DAEC fuel oil QA program to Reg Guide 1.137 encl. FRANZ, J.F. Iowa Electric Light & Power Co. NG-92-2216. 92/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 62334:259-62334:263.

**9207100201** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity. No data from surveillance program have exceeded mean-plus-two std deviation bound predicted by Reg Guide 1.99, Rev 2. STARKEY, R.B. Carolina Power & Light Co. NLS-92-178. 92/07/06. Document Control Branch (Document Control Desk). App. 62334:264-62334:267.

**9207130058** Comment supporting proposed rule 10CFR50 re RG DG-1021 on SBO & EDG reliability. GEORGE, J.B., HENDRIX, C.W. Duke Engineering & Services. 57FR14514 00004. 92/07/01. Docketing & Services Branch. App. 62285:074-62285:077.

**9207130081** Comment opposing proposed rule 10CFR50 on RG DG-1021 re SBO & EDG reliability. STRAMBACK, G.B. General Electric Co. 57FR14514 00003. 92/06/30. Docketing & Services Branch. 3pp. 62285:079-62285:082.

## 236 NONDOCKETED ITEMS

- 9207130065** Comment supporting proposed rules 10CFR19 & 20 re draft revisions to reg guide 8.7, Rev 1, "Instructions for Recording & Reporting Occupational Radiation Exposure Data."  
SCHMITT,J.F. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 57FR21216 00030. 92/06/19. COOL,D.A. Radiation Protection & Health Effects Branch. 7pp. 62285:096-62285:102.
- 9207130149** Summary of 920512 CRGR meeting 220 re rev 1 to Reg Guide 8.7 on recording & reporting ORE & other issues.  
JORDAN,E.L. Regional Operations & Generic Requirements, EDO (Pre 870413). GL-83-28. 92/06/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 38pp. 62418:004-62418:041.
- 9207130204** Forwards SE accepting licensee initial response to SBO rule, per 920331 submittal.  
HOPKINS,J.B. Project Directorate III-3. TAC M68536. 92/07/01. SHELTON,D.C. Toledo Edison Co. 2pp. 62338:023-62338:028.
- 9207130209** Safety evaluation accepting licensee initial response to SBO rule.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/01. 4pp. 62338:025-62338:028.
- 9207130234** Forwards request for addl info re util responses to reg guide 1.97, Rev 3 on conformance w/emergency response capability.  
JOHNSON,A.R. Project Directorate I-3. TAC M80439. 92/07/07. MECREDY,R.C. Rochester Gas & Electric Corp. 10pp. 62338:013-62338:022.
- 9207140272** Responds to NRC SER re conformance to Rev 2 to Reg Guide 1.97 re variables for containment pressure & containment hydrogen monitoring, transmitted via 920413 ltr.  
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. A10333. 92/07/06. Document Control Branch (Document Control Desk). 15pp. 62385:067-62385:081.
- 9207160038** Comment on draft reg guide DG-1021, "Selection, Design, Qualification, Testing & Reliability of Emergency Diesel Generator Units Used as Class 1E Onsite Electric Power Sys & Nuclear Power Plants." Endorses NUMARC comments.  
SHELTON,D.C. Centenor Energy. 57FR14593 00002. 92/07/06. Regulatory Publications Branch. 2pp. 62375:020-62375:021.
- 9207160044** Comment supporting draft reg guide DG-1021, "Selection, Design, Qualification, Testing & Reliability of EDG Units Used as Class 1E Onsite Electric Power Sys at Nuclear Power Plants."  
JUMP,W.J. Houston Lighting & Power Co. 57FR14593 00001. 92/07/06. Regulatory Publications Branch. 1p. 62375:028-62375:028.
- 9207160066** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule.  
MCGAHA,J.R. Entergy Operations, Inc. 57FR14514 00010. 92/07/02. CHILK,S.J. Office of the Secretary of the Commission. 8pp. 62375:074-62375:081.
- 9207160074** Comment opposing proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021.  
THAYER,J.K. Yankee Atomic Electric Co. 57FR14514 00018. 92/07/10. Docketing & Services Branch. 3pp. 62375:088-62375:090.
- 9207160076** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Nuclear Util Backfitting & Reform Group believes that backfitting analysis required, per 10CFR50.109, for proposed regulation.  
STENGER,D.F. Nuclear Utility Backfitting & Reform Group. STENGER,D.F. Winston & Strawn. 57FR14514 00011. 92/07/06. CHILK,S.J. Office of the Secretary of the Commission. 6pp. 62375:171-62375:176.
- 9207160081** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule.  
OPEKA,J.F. Northeast Utilities. 57FR14514 00019. 92/07/06. CHILK,S.J. Office of the Secretary of the Commission. 5pp. 62375:091-62375:095.
- 9207160083** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule.  
CAHILL,W.J., MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 57FR14514 00012. 92/07/06. Docketing & Services Branch. 7pp. 62375:096-62375:102.
- 9207160089** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Supports rule.  
TOSCH,K.W. New Jersey, State of. 57FR14514 00020. 92/07/07. Office of the Secretary of the Commission. 2pp. 62375:105-62375:106.
- 9207160090** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule.  
SKOLDS,J.L. Southern California Edison Co. 57FR14514 00014. 92/07/06. Docketing & Services Branch. 5pp. 62375:107-62375:111.
- 9207160093** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule.  
TUCKER,H.B. Duke Power Co. 57FR14514 00021. 92/07/06. Docketing & Services Branch. 4pp. 62375:112-62375:115.
- 9207160098** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Supports rule.  
GRAZIO,R.E. Florida Power & Light Co. 57FR14514 00015. 92/07/06. Docketing & Services Branch. 3pp. 62375:122-62375:124.
- 9207160101** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Supports rule.  
JUMP,W.J. Houston Lighting & Power Co. 57FR14514 00016. 92/07/06. Docketing & Services Branch. 1p. 62375:125-62375:125.
- 9207160103** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Supports rule.  
SHELTON,D.C. Centenor Energy. 57FR14514 00022. 92/07/06. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62375:126-62375:127.
- 9207160104** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule.  
ODELL,W.H. Gulf States Utilities Co. 57FR14514 00017. 92/07/06. Office of the Secretary of the Commission. 6pp. 62375:128-62375:133.
- 9207160111** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Supports rule. Responds to four questions in FR.  
JACKSON,M.A. Commonwealth Edison Co. 57FR14514 00023. 92/07/08. Docketing & Services Branch. 4pp. 62375:134-62375:137.
- 9207160114** Comment supporting proposed rule 10CFR50 re loss of all alternating current power & draft reg guide DG-1021.  
MEDFORD,M.O. Tennessee Valley Authority. 57FR14514 00013. 92/07/02. CHILK,S.J. Office of the Secretary of the Commission. 5pp. 62375:138-62375:142.
- 9207160286** Forwards Safety Insp Rept 50-029/92-03 on 920428-0702. One deviation noted re Reg Guide 1.97 instrumentation identification & four unresolved items closed out.  
LINVILLE,J.C. Region 1 (Post 820201). 92/07/09. THAYER,J.K. Yankee Atomic Electric Co. 3pp. 62416:311-62416:322.
- 9207160385** Forwards amends 159 & 149 to licenses DPR-77 & DPR-79, respectively & safety evaluation. Amends revise TS to incorporate balance of RG 1.97 instrumentation involving PAM & CI valves instrumentation.  
LABARGE,D.E. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). TAC M80256. 92/07/09. MEDFORD,M.O. Tennessee Valley Authority. 3pp. 62397:188-62397:223.
- 9207160387** Amends 149 & 159 to licenses DPR-79 & DPR-77, respectively, revising TS to incorporate balance of RG 1.97 instrumentation involving PAM & CI valves instrumentation.  
HEBDON,F.J. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). DPR-79 A 149. 92/07/09. 28pp. 62397:191-62397:218.
- 9207160388** Safety evaluation supporting amends 159 & 149 to licenses DPR-77 & DPR-79, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/09. 5pp. 62397:219-62397:223.
- 9207170031** Suppls response to NRC supplemental safety evaluation re station blackout rule. Procedure for DG reliability program developed & issued which implements guidance in NUMARC 87-00, App D & incorporates Reg Guide 1.155, Section 1.2.  
WOODARD,J.D. Southern Nuclear Operating Co. 92/07/13. Document Control Branch (Document Control Desk). 3pp. 62440:214-62440:217.
- 9207200192** Requests that encl documents re CRGR meeting 220 be made publicly available.  
ALLISON,D. NRC - No Detailed Affiliation Given. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62418:001-62418:306.
- 9207200197** Forwards rev 1 to reg guide 8.7, "Instructions for Recording & Reporting ORE Data," for CRGR approval for publication w/o formal review.  
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 92/04/10. JORDAN,E.L. Committee to Review Generic Requirements. 38pp. 62418:042-62418:079.
- 9207200203** Informs that util currently does not plan to replace or downgrade qualification of safety injection tank level & pressure instruments, in response to NRC 920401 ltr re Reg Guide 1.97.  
SAGER,D.A. Florida Power & Light Co. L-92-194. 92/07/14. Document Control Branch (Document Control Desk). 1p. 62451:323-62451:323.
- 9207210243** Comment opposing draft rev 3 to reg guide 01.008.  
ANDERSON,R.A. Boston Edison Co. 57FR14593. 92/07/10. Regulatory Publications Branch. 1p. 62421:227-62421:227.
- 9207230216** Forwards request for addl info re individual plant exam submittal for generic issue GI-23 & draft reg guide DG-1008. Response to request should be submitted within 30 days of ltr receipt.  
BUCKLEY,B.C. Project Directorate II-2. TAC M74476. 92/07/17. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 25pp. 62458:123-62458:147.
- 9207270070** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Endorses comments made by NUMARC on proposed rev to SBO rule.  
BEARD,P.M. Florida Power Corp. 57FR14514 00027. 92/07/16. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62475:285-62475:286.
- 9207270074** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Opposes rule.  
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 57FR14514 00028. 92/07/17. Docketing & Services Branch. 4pp. 62475:288-62475:291.
- 9207270075** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Supports detailed comments submitted by NUMARC, as representing licensee views.  
SORENSEN,G.C. Washington Public Power Supply System. 57FR14514 00026. 92/07/10. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62475:292-62475:292.
- 9207270090** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Endorses comments offered by NUMARC.  
ANDERSON,R.A. Boston Edison Co. 57FR14514 00025. 92/07/10. CHILK,S.J. Office of the Secretary of the Commission. 1p. 62475:338-62475:338.
- 9207270093** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Endorses comments submitted by NUMARC.  
RUEGER,G.M. Pacific Gas & Electric Co. DCL-92-157. 92/07/09. CHILK,S.J. Office of the Secretary of the Commission. 4pp. 62475:339-62475:342.
- 9207270322** Application for amend to License NPF-12, consisting of TS Change TSP 890005, revising accident monitoring instrumentation in TS 3/4.3.3.6, Tables 3.3-10 & 4.3-7 for consistency w/accepted program, per Rev 3 to Reg Guide 1.97.  
SKOLDS,J.F. South Carolina Electric & Gas Co. 92/07/22. WUNDER,G.F. Document Control Branch (Document Control Desk). 3pp. 62528:131-62528:153.

**9207280074** Advises that installed instrumentation high quality commercial grade & existing range sufficient to ensure compliance w/Tech Specs during normal operating conditions, per 881024 ltr re Reg Guide 1.97. SCHROCK, C.A. Wisconsin Public Service Corp. NRC-92-093. 92/07/24. Document Control Branch (Document Control Desk). 1p. 62568:352-62568:352.

**9207300113** Accepts licensee clarification that normal source of power supply to Class 1E buses is through reserve station svc transformers, per 920624 submittal in response to reg guide 1.155 on SBO pending resolution of Generic Issue B-56. BUCKLEY, B.C. Project Directorate II-2. TAC M88611. 92/07/22. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 2pp. 62580:327-62580:328.

# REVIEW GRP NRC RESEARCH REVIEW GROUPS

**9206100215** Forwards requests for addl info re NP-6628 rept, "Procedure for Seismic Evaluation & Design of Small Bore Piping (NCIG-14)." NORBERG, J.A. Mechanical Engineering Branch. 92/06/01. RASIN, W. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 18pp. 62273:030-62273:046.

**9207010027** Notification of 920707 meeting w/NUMARC in Rockville, MD to discuss thermo-lag fire barrier issues & proposed generic ltr. MCCracken, C.E. Plant Systems Branch. 92/06/24. THADANI, A.C. Division of Systems Technology (Post 890827). 4pp. 62233:336-62233:338.

**9207010297** Requests early release to PDR of SECY document on 10CFR100 revs scheduled for NRC Commissioner briefing on 920624. TIPTON, T.E. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 92/06/16. CHILK, S.J. Office of the Secretary of the Commission. 1p. 62182:344-62182:344.

**9207020082** Summary of 920624 meeting w/NUMARC Executive Committee re several issues of importance to both NRC & industry review of existing regulatory requirements. ABBATE, C.M. Commissioners (Post 750119). 92/06/26. Commissioners (Post 750119). 2pp. 62183:278-62183:279.

**9207020097** Notification of 920625 meeting w/NUMARC working groups in Rockville, MD to discuss guidance documents for implementation of maint rule. CORREIA, R.P. Performance & Quality Evaluation Branch (Post 890101). 92/06/24. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 2pp. 62184:332-62184:333.

**9207020112** Notices of canceled 920630 meeting w/NUMARC industry siting group in Rockville, MD to discuss review of technical & regulatory issues re siting new nuclear power plants. ZALCMAN, B. License Renewal Project Directorate (Post 920517). 92/06/18. CRAIG, J.W. License Renewal Project Directorate (Post 920517). 2pp. 62184:337-62184:338.

**9207020118** Submits daily highlight of 920629 meeting w/NUMARC in Rockville, MD to discuss industry response to Bulletin 92-001. MASCIANTONIO, A. Project Directorate III-1. IEB-92-001. 92/06/26. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 3pp. 62184:334-62184:336.

**9207020121** Notification of 920626 meeting w/NUMARC in Rockville, MD to discuss guidance documents for implementation of maint rule. CORREIA, R.P. Performance & Quality Evaluation Branch (Post 890101). 92/06/24. MURLEY, T., MIRAGLIA, F., RUSSELL, W. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62194:047-62194:048.

**9207060057** Notification of 920707 meeting w/NUMARC in Rockville, MD to discuss Thermo-Lag fire barrier issues & proposed generic ltr. Location of meeting changed. MCCracken, C.E. Plant Systems Branch. 92/06/30. THADANI, A.C. Division of Systems Technology (Post 890827). 3pp. 62250:064-62250:065.

**9207060242** Informs that predecisional info released to nuclear industry re flow chart from draft of reg guide for license renewal rule. Flow chart encl. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BECKJORD, E.S. Office of Nuclear Regulatory Research (Post 860720). 92/06/10. TAYLOR, J.M. Ofc of the Executive Director for Operations. 3pp. 62209:023-62209:025.

**9207070162** "Fire Safety Requirements for Cables Used in NPP (Methodological Recommendations)." MIKEEV, A.K. Union of Soviet Socialist Republics. 89/09/19. 33pp. 62235:118-62235:181.

**9207070168** "Questions of Formalizing Design of NPP Operator Support System." ANOKHIN, A.N. Union of Soviet Socialist Republics. 92/02/28. 40pp. 62235:182-62235:222.

**9207070173** "USSR Ministry of Atomic Energetics & Industry of Basic Principles for Selection, Training, Work Clearance & Control of Nuclear Power Plant Personnel in Process of Operation." VEL'CHINSKIY, V. Union of Soviet Socialist Republics. 90/12/31. 70pp. 62235:223-62235:294.

**9207070178** "Fire Prevention Standards for Designing Power Plants VSN 01-87 Minatomenerg SSSR." STANTSIL, A. Union of Soviet Socialist Republics. 92/03/31. 35pp. 62235:295-62235:346.

**9207070181** "Regulations Governing Procedures for Investigation & Recording of Violations in Operation of Nuclear Power Plants." SHTEYNBERG, N.A., SIDORENKO, V.A. Union of Soviet Socialist Republics. 91/04/20. 89pp. 62237:001-62237:090.

**9207070198** "Law of Russian Federation For Use of Nuclear Power." SHOMAKER, E. U.S./U.S.S.R. Joint Coordinating Committee for Civilian Nuclear Reactor Safety. 2667. 92/03/31. 64pp. 62237:091-62237:155.

**9207070202** "Regulations Governing Procedures for Investigation & Recording of Violations in Operation of Nuclear Power Plants." \* Union of Soviet Socialist Republics. 91/12/31. 132pp. 62237:156-62237:271.

**9207070209** "Nuclear Power Plant w/Vver-1000 (U-87) Reactor Section: Preliminary Project Smoke Removal from Rooms of "Free Mode" Zone. Explanatory Note. Drawings." W/nine oversize drawings. KUTYURIN, G.I. Union of Soviet Socialist Republics. 90/12/31. 75pp. 62270:152-62270:294.

**9207070211** Undated, "Thermophysical Safety Test Stand 108." FOWLER, G. U.S./U.S.S.R. Joint Coordinating Committee for Civilian Nuclear Reactor Safety. 92/03/31. 17pp. 62237:272-62237:290.

**9207070212** "Operational Operator Support Sys for Voronezh Automated Training Sys." KRYTYEV, I.S. Union of Soviet Socialist Republics. 92/03/31. 35pp. 62237:291-62237:325.

**9207070222** Requests that encl info provided to NRC by B Lee of NUMARC be placed in PDR. NORRHOLM, L.J. NRC - No Detailed Affiliation Given. 92/06/15. MCKNIGHT, J. NRC - No Detailed Affiliation Given. 12pp. 62237:349-62237:360.

**9207070225** Paper entitled, "Thermophysical Safety Testing Unit T-2." FOWLER, G. U.S./U.S.S.R. Joint Coordinating Committee for Civilian Nuclear Reactor Safety. 2633. 92/03/31. 11pp. 62238:336-62238:349.

**9207070234** "Thermophysical Safety Test Stand 108." \* Union of Soviet Socialist Republics. 92/03/31. 11pp. 62238:350-62238:360.

**9207070241** "Modern Methods of Substantiating Thermal & Hydraulic Aspects of Nuclear Power Plant Safety on Oversized Experimental Test Stands." NIGMATULIN, B.I. Union of Soviet Socialist Republics. 92/03/31. 29pp. 62236:260-62236:289.

**9207070245** "Plan of Measures to Carry Out Memorandum." \* Union of Soviet Socialist Republics. 92/03/31. 11pp. 62236:290-62236:300.

**9207070248** "Technical Characteristics of Six Pieces of Firefighting Equipment." \* Union of Soviet Socialist Republics. 92/03/31. 26pp. 62236:301-62236:328.

**9207070253** "Free Measures to Improve Fire Safety at Nuclear Power Plants." \* Union of Soviet Socialist Republics. 92/03/31. 42pp. 62242:183-62242:224.

**9207090140** Forwards "BWR Vessel Internals License Renewal Industry Rept" & associated comment response document. Rept submitted for NRC review via SER process. GRIFFING, E.P. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 92/06/28. CRAIG, J. License Renewal Project Directorate (Post 920517). 1p. 62340:001-62340:220.

**-9207090141** "BWR Vessel Internals License Renewal Industry Rept." \* Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 92/06/01. 300pp. 62340:002-62340:220.

**9207130050** Comment on proposed rule 110 re import & export of radwastes. Mods & clarifications provided. BARBOUR, D.A. Fuel Cycle Facilities Forum. 57FR17859 00005. 92/07/01. Docketing & Services Branch. 5pp. 62285:062-62285:066.

**9207130063** Comment opposing proposed rule 10CFR50 re loss of all ac power. RASIN, W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 57FR14514 00002. 92/07/02. CHILK, S.J. Office of the Secretary of the Commission. 12pp. 62285:084-62285:095.

**9207130065** Comment supporting proposed rules 10CFR19 & 20 re draft revisions to reg guide 8.7, Rev 1, "Instructions for Recording & Reporting Occupational Radiation Exposure Data." SCHMITT, J.F. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 57FR21216 00030. 92/06/19. COOL, D.A. Radiation Protection & Health Effects Branch. 7pp. 62285:096-62285:102.

**9207130095** Forwards draft Commission paper re design certification & licensing policy issues concerning passive & evolutionary ALWR designs. CRUTCHFIELD, D. Associate Director for Advanced Reactors & License Renewal (Post 910918). 92/07/06. KINTNER, E.E. ALWR Utility Steering Committee. 44pp. 62375:273-62375:315.

**9207130149** Summary of 920512 CRGR meeting 220 re rev 1 to Reg Guide 8.7 on recording & reporting ORE & other issues. JORDAN, E.L. Regional Operations & Generic Requirements, EDO (Pre 870413). GL-83-28. 92/08/17. TAYLOR, J.M. Ofc of the Executive Director for Operations. 38pp. 62418:004-62418:041.

**9207150194** Notification of 920708 & 0709 meetings w/NUMARC in Rockville, MD to discuss criteria for radiation surveys of potentially contaminated matl for unrestricted use. KLEMENTOWICZ, S. Radiation Protection Branch. 92/07/01. CUNNINGHAM, L.J. Radiation Protection Branch. 2pp. 62378:274-62378:275.

**9207150262** Notification of 920706 meeting w/NUMARC in Rockville, MD to discuss guidance documents for implementation of maint rule, 10CFR50.65. CORREIA, R.P. Performance & Quality Evaluation Branch (Post 890101). 92/07/06. MURLEY, T., MIRAGLIA, F., RUSSELL, W. NRC - No Detailed Affiliation Given. 2pp. 62378:272-62378:273.

**9207180005** Summary of 920602 meeting w/NUMARC re environ issues, emergency planning & site suitability. ZALCMAN, B. License Renewal Project Directorate (901216-920516). 92/06/24. License Renewal Project Directorate (901216-920516). 51pp. 62396:202-62396:252.

**9207180078** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Nuclear Util Backfitting & Reform Group believes that backfitting analysis required, per 10CFR50.109, for proposed regulation. STENGER, D.F. Nuclear Utility Backfitting & Reform Group. STENGER, D.F. Winston & Strawn. 57FR14514 00011. 92/07/06. CHILK, S.J. Office of the Secretary of the Commission. 6pp. 62375:171-62375:176.



## 238 NONDOCKETED ITEMS

- 9207160106** Notification of 920707 meeting w/NUMARC in Rockville,MD to discuss guidance documents for implementation of main rule.  
CORREIA,R.P. Performance Evaluation Branch (870411-881231). 92/07/06. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 2pp. 62396:058-62396:059.
- 9207160147** Comment supporting proposed rule 10CFR50 re receipt of byproduct & SNM.  
TIPTON,T.E. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 57FR15034 00014. 92/07/08. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62375:165-62375:166.
- 9207170046** Forwards "Protective Measures Requirements Reevaluation." Rept addresses areas where security resources can be redirected w/o reduction in level of security effectiveness.  
WHITESEL,R.N. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 92/06/24. GRIMES,B.K. Division of Reactor Inspection & Safeguards (Post 870411). 1p. 62456:320-62456:335.
- 9207170047** "Protective Measures Requirements Reevaluation."  
\* Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 92/06/30. 15pp. 62456:321-62456:335.
- 9207170153** Summary of 920527 meeting w/NUMARC,BNL & NUS Corp re PRAs of low power & shutdown operations.  
RAMEY-SMITH,A. Probabilistic Risk Analysis Branch (Post 910830). 92/06/22. CUNNINGHAM,M. Probabilistic Risk Analysis Branch (Post 910830). 2pp. 62403:080-62403:081.
- 9207170225** Partial response to FOIA request for info.App L records encl & are being made available in PDR.Records in app M withheld in entirety (ref FOIA exemption 5). GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/13. REDDA,T. Southern Technical Services, Inc. 4pp. 62427:001-62427:172.
- 9101220068** Advises that licensee has established shutdown plant issues as priority issue & formed NUMARC Shutdown Plant Issues Working Group.  
COLVIN,J.F. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 90/12/18. SNIJEZEK,J.H. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 1p. 62427:063-62427:170.
- 9207200023** Summary of 920520 & 21 meetings w/utills,Entergy,EXCEL, Westinghouse,NUMARC & owners groups re new STS.  
GRIMES,C.I. Technical Specifications Branch. 92/06/29. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 26pp. 62427:322-62427:347.
- 9207200192** Requests that encl documents re CRGR meeting 220 be made publicly available.  
ALLISON,D. NRC - No Detailed Affiliation Given. 92/07/09. Document Control Branch (Document Control Desk). 3pp. 62418:001-62418:006.
- 9207200197** Forwards rev 1 to reg guide B.7, "Instructions for Recording & Reporting ORE Data," for CRGR approval for publication w/o formal review.  
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 92/04/10. JORDAN,E.L. Committee to Review Generic Requirements. 38pp. 62418:042-62418:079.
- 9207200202** Recommends that proposed rulemaking on adding two spent fuel storage casks to 10CFR72.214 does not warrant CRGR review. Response requested within 2 wks of memo date.Draft proposed rule 10CFR72 encl.  
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 860720). 92/02/27. JORDAN,E.L. Committee to Review Generic Requirements. 13pp. 62418:080-62418:092.
- 9202200212** Requests review of encl draft suppl 1 to generic ltr 83-28, "Required Actions Based on Generic Implications of Salem ATWS Events."  
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). GL-83-28. 92/01/29. JORDAN,E.L. Committee to Review Generic Requirements. 3pp. 62418:093-62418:094.
- 9207200211** Discusses C Morris 910109 differing prof opinion re life testing of reactor trip breakers per generic ltr 83-28.List of written record reviewed by NRR Standing Panel encl.  
RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). GL-83-28. 92/01/16. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 62418:095-62418:100.
- 9202200237** Forwards findings & conclusions on reporting requirements for single breaker failure,completeness of nuclear plant reliability data sys & work w/C Morris on list of reported failures of reactor trip circuit breakers.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 91/12/12. RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 80pp. 62418:101-62418:186.
- 9207200224** Summarizes result of survey of regional inspectors re generic ltr 83-28 insps of reactor test breakers failures, per 911112 discussion.  
GAUTAM,A.S. Special Inspection Branch. GL-83-28. 92/01/07. RUSSELL,W. Associate Director for Inspection & Technical Assessment (Post 870411). 1p. 62418:187-62418:187.
- 9202200247** Repts results of meetings w/C Morris & B Denning.C Morris continues to feel that breakers are unreliable & that repts do not provide evidence of improvement in reliability.Life test needed.  
GAUTAM,A.S. Special Inspection Branch. 92/01/07. RUSSELL,W. Associate Director for Inspection & Technical Assessment (Post 870411). 1p. 62418:188-62418:188.
- 9202260112** Concludes that listed data reinforces views (reflected in 911017 memo) that imposition of any addl requirements, beyond current maint & app B requirements,for life testing of reactor trip breaker would not yield addl protection.  
THADANI,A. Division of Systems Technology (Post 890827). 91/11/12. RUSSELL,B. Associate Director for Inspection & Technical Assessment (Post 870411). 1p. 62418:189-62418:189.
- 9202200254** Recommends options A & B to meet intent of items 4.2.3 & 4.2.4 of generic ltr 83-28 re trip breakers.  
THADANI,A. Division of Systems Technology (Post 890827). GL-83-28. 91/02/20. RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 5pp. 62418:190-62418:194.
- 9202200263** Transmits finding that proposed suppl to generic ltr 83-28 consistent w/ 10CFR50.65 requirements.  
ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). GL-83-28. 91/10/22. RUSSELL,W.T. Associate Director for Inspection & Technical Assessment (Post 870411). 10pp. 62418:195-62418:204.
- 9202200270** Provides second differing prof opinion re suppl 1 to generic ltr 83-28 concerning reactor trip breaker.  
MORRIS,C. Electrical Systems Branch. GL-83-28. 91/01/09. TAYLOR,J.M. Ofc of the Executive Director for Operations. 12pp. 62418:205-62418:216.
- 9202200278** Forwards panel rept on C Morris differing prof view on life testing of breakers in context of generic ltr 83-28.Author agrees w/panel recommendation to revise proposed bulletin.  
SHAO,L.C. Office of Nuclear Reactor Regulation, Director (Post 870411). GL-83-28. 89/02/28. MURLEY,T.E. Division of Engineering & Systems Technology (870411-890826). 1p. 62418:217-62418:217.
- 9202200318** Forwards panel recommendations on disposition of differing prof view by C Morris.Panel believes there are ways to determine breaker reliability other than life testing.  
JOYCE,J.P. Instrumentation & Control Systems Branch (870411-890826). GL-83-28. 89/02/21. SHAO,L.C. Division of Engineering & Systems Technology (870411-890826). 23pp. 62418:218-62418:240.
- 9202200330** Comments on draft suppl 1 to generic ltr 83-28.NRC will not require life testing.  
MORRIS,C. NRC - No Detailed Affiliation Given. GL-83-28. 90/08/13. BOYCE,T. NRC - No Detailed Affiliation Given. 2pp. 62418:241-62418:242.
- 9202200340** Comments on draft suppl 1 to generic ltr 83-28.Disagrees w/ contents of ltr.  
MORRIS,C. Electrical Systems Branch. GL-83-28. 90/09/19. BOYCE,T. Project Directorate III-2. 13pp. 62418:243-62418:255.
- 9202200345** Comments on draft suppl 1 to generic ltr 83-28, "Required Actions Based on Generic Implications of Salem ATWS Events." Rigorous administrative program is not substitute for counters.  
MORRIS,C. Electrical Systems Branch. GL-83-28. 90/12/05. ROSA,F. Electrical Systems Branch. 2pp. 62418:256-62418:257.
- 9202200363** Requests review of encl draft suppl 1 to generic ltr 83-28 re reactor trip breaker life testing & refurbishment or replacement.  
MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). GL-83-28. 90/12/04. JORDAN,E.L. Committee to Review Generic Requirements. 43pp. 62418:258-62418:300.
- 9205200280** Provides addl info re draft suppl 1 to Generic Ltr 83-28, "Required Actions Based on Generic Implications of Salem ATWS Events." Informs that previous assessment concerning RTB life testing valid.  
MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). GL-83-28. 92/05/05. JORDAN,E.L. Committee to Review Generic Requirements. 2pp. 62418:301-62418:302.
- 9207200298** Comments on proposed withdrawal by NRR of recommendations of sections 4.2.3 & 4.2.4 of generic ltr 83-28.CRGR should consider listed items before rejecting life testing or ongoing qualification as described in generic ltr suppl.  
MORRIS,C.E. Office of Nuclear Reactor Regulation, Director (Post 870411). GL-83-28. 92/05/12. JORDAN,E.L. Committee to Review Generic Requirements. 4pp. 62418:303-62418:306.
- 9207200305** Notification of 920708 meeting w/NUMARC in Rockville,MD to discuss guidance documents for implementing main rule.  
CORREIA,R.P. Performance & Quality Evaluation Branch (Post 890101). 92/07/02. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 2pp. 62427:313-62427:314.
- 9207210006** Forwards draft rev 2A to NUMARC 93-01, "Industry Guideline for Monitoring Effectiveness of Maint at Nuclear Power Plants." Comments requested by 920717 in order to facilitate reg guide development & review schedule.  
CORREIA,R.P. NRC - No Detailed Affiliation Given. 92/07/13. SNIJEZEK,J.H. Ofc of the Executive Director for Operations. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). HELTEMES,C.J. Office of Nuclear Regulatory Research (Post 860720). 2pp. 62440:022-62440:085.
- 9207210010** NUMARC 93-01 R2A DRF Draft rev 2A to "Industry Guideline for Monitoring Effectiveness of Maint at Nuclear Power Plants."  
\* Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 92/07/09. 62pp. 62440:024-62440:085.
- 9207210214** Notices of CRGR meeting 224 on 920717 in Rockville,MD to discuss proposed amend to emergency planning regulations re exercises & license renewal topics tentatively scheduled for CRGR meeting 225 on 920728.  
JORDAN,E.L. Committee to Review Generic Requirements. 92/07/10. ARLOTTO,G.A. Office of Nuclear Material Safety & Safeguards. KANE,W.F. Region 1 (Post 820201). MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62501:358-62501:359.
- 9207210242** Comment supporting proposed rules 10CFR20 & 50 re reducing regulatory burden on nuclear licensees.  
RASIN,W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 57FR27187 00007. 92/07/16. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 62421:225-62421:226.
- 9207220309** Final response to FOIA request for documents.Records in app A encl & are being made available in PDR.  
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/11/15. WILLIAMS,O.G. JRA Associates. 2pp. 62462:326-62462:331.
- 9207220312** Encl 4 to minutes of CRGR meeting 201 re draft generic ltr on changes in TS surveillance interval & exceptions to 10CFR50,app J to accommodate 24 month fuel cycle.  
\* Committee to Review Generic Requirements. 91/11/15. Committee to Review Generic Requirements. 4pp. 62462:326-62462:331.



**9207230270** Forwards NUMARC 92-01, "Process for Evaluating Accident-Management Capabilities." Intends to discuss role of evaluation process as outlined in subj rept & fundamental issues in development activities at 920514 meeting w/NRC. RASIN,W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 92/05/01. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62478:168-62478:251.

**-9207230271** NUMARC 92-01 "Process for Evaluating Accident-Mgt Capabilities." \* Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 92/04/30. 83pp. 62478:170-62478:251.

**9207240012** Comment supporting proposed rule re minor mods to nuclear power reactor event reporting requirements. TIPTON,T.E. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 57FR28642. 92/07/20. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 890205). 2pp. 62456:055-62456:056.

**9207240216** Discusses NRC review of draft Rev 2A of NUMARC 93-01, "Industry Guideline for Monitoring Effectiveness of Maint at Nuclear Power Plants," dtd 920709. SNIEZEK,J.H. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 92/07/17. TIPTON,T. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 1p. 62501:145-62501:145.

**9207270252** Requests industry views on SRP format.Applicable portions of ACRS briefing handouts & ACRS May 1992 meeting transcripts encl. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/15. RASIN,W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 43pp. 62486:245-62486:287.

**9207290253** Confirms 920706 telcon w/MP Siemen re placing SQUG GIP in PDR. SEARS,P. Project Directorate I-3. 92/07/09. SMITH,N.P. Commonwealth Edison Co. 1p. 62555:355-62555:355.

**9207290285** Forwards addl matl relative to NRCs plans to amend Fitness-for-Duty Rule,10CFR26.Issues identified as needing further NRC review listed. WHITESEL,R.N. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 92/07/24. GRIMES,B.K. Division of Reactor Inspection & Safeguards (Post 870411). 10pp. 62590:351-62590:360.

**9207290402** Forwards "International Standards for Protection Against Ionizing Radiation & for Safety of Radiation Sources." Requests comments.W/o encl. COOL,D.A. Radiation Protection & Health Effects Branch. 92/07/23. SCHMIDT,J. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 1p. 62529:353-62529:353.

**9207300215** Forwards third set of questions & answers re new major ref of 10CFR20.Rev of answer to question 54 also encl.W/o encl. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 92/07/23. SCHMITT,J.F. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 1p. 62581:216-62581:216.

**9207300233** Notification of 920728 CRGR meeting 225 in Rockville,MD to discuss proposed reg guide & SRP for implementing license renewal rule. JORDAN,E.L. Committee to Review Generic Requirements. 92/07/23. ARLOTTO,G.A. Office of Nuclear Material Safety & Safeguards. KANE,W.F. Region 1 (Post 820201). MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 62580:318-62580:317.

**9207310044** Forwards proposed draft rev 7 of operating licensing exam stds,NUREG-1021, for comment.NRC will implement rev 7 of examiner stds for initial & requalification exams scheduled to be 180 days or more after final comment published. ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 92/07/23. TIPTON,T. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 200pp. 62585:012-62585:347.

**9207310185** Comments on branch technical position on fatigue evaluation for license renewal for consideration at CRGR 920728 meeting to review reg guide & SRP for license renewal.Requests that industry position be accepted. RASIN,W.H. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 92/07/27. JORDAN,E.L. Committee to Review Generic Requirements. 6pp. 62636:280-62636:325.

#### SECY POSITION PAPERS BEFORE THE COMMISSION

**9205200311** SECY-92-171 Provides Commission w/recommended course of action to address issue associated w/administration of byproduct matl or radiation from byproduct matl to patients who may be pregnant or nursing. TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/05/11. 72pp. 62465:313-62465:361.

**9205210293** SECY-92-184 Requests Commission approval of change in general statement of policy & procedure for NRC enforcement actions. TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/05/19. 14pp. 62645:040-62645:052.

**9205260121** SECY-92-186 Informs Commission that EDO intends to publish final rule amending requirements contained in 10CFR50.82(a) on timing for collecting decommissioning funds for reactors that shut down prematurely. TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/05/21. 27pp. 62412:069-62412:095.

**9205280108** SECY-92-187 Informs Commission of staff planned publication of encl NUREG-1422, "Summary of Chernobyl Followup Research Activities." TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/05/21. 79pp. 62645:082-62645:175.

**9206020284** SECY-92-194 Recommends Commission approve proposed policy statement for implementation of agency 2-yr trial program for conducting open enforcement conferences. TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/05/26. 34pp. 62412:001-62412:035.

**9206120040** SECY-92-204 Informs Commission of DOE proposed retransfer of spent fuel from Switzerland to France for reprocessing & requests for staff authority to act on certain DOE retransfer requests. DENTON,H.R. Office of International Programs (Post 911117). 92/06/03. 24pp. 62465:289-62465:312.

**9206160264** SECY-92-212 Requests Commission approval of proposed ltr to President providing Commission comments on proposed renewal of US- Bangladesh Agreement for Cooperation. DENTON,H.R. Office of International Programs (Post 911117). 92/06/10. 38pp. 62465:251-62465:288.

**9206250196** SECY-92-220 Litigation rept 1992-12. CORDES,J.F. Solicitor (Post 860701). 92/06/18. 16pp. 62645:177-62645:192.

**9206290076** SECY-92-217 Informs Commission of intent to issue suppl 1 to Generic Ltr 90-02, "Alternative Requirements for Fuel Assemblies in Design Features Section of Tech Specs." TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/16. 8pp. 62645:053-62645:060.

**9207010299** SECY-92-231 Weekly info rept for wk ending 920619. BLAHA,J.L. Assistant for Operations (Post 890205). 92/06/25. 31pp. 62178:134-62178:164.

**9207020129** SECY-92-227 Informs Commission that staff issued NRC Bulletin 92-001, "Failure of Electrical Raceway Thermo-Lag Fire Barrier Sys to Maintain Cabling in Wide Trays & Small Conduits Free From Fire Damage," to all holders of operating licenses. TAYLOR,J.M. Ofc of the Executive Director for Operations. IEB-92-001. 92/06/24. 9pp. 62645:083-62645:091.

**9207020283** SECY-92-226 Litigation rept 1992-13 covering Burton vs NRC & Dutro vs BPA. CORDES,J.F. Solicitor (Post 860701). 92/06/24. 22pp. 62645:061-62645:082.

**9207020284** SECY-92-228 Responds to 920212 staff requirements memo re performance of util plants. TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/25. 18pp. 62465:207-62465:224.

**9207020330** SECY-92-232 Informs Commission of recent exchange of correspondence between US & Lithuanian officials re nuclear safety cooperation. DENTON,H.R. Office of International Programs (Post 911117). 92/06/30. 26pp. 62465:225-62465:250.

**9207060309** SECY-92-234 Notifies of completion of remedial action on AMAX site & proposes termination of license when DOE takes title & custody of site. TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/30. 145pp. 62465:003-62465:147.

**9207090245** SECY-92-192 Requests that NRC security procedures be revised to ban signs,banners,posters & similar types of demonstrative paraphernalia & devices at all ASLB adjudicatory proceedings. COTTER,B.P. Atomic Safety & Licensing Board Panel. 92/05/26. 20pp. 62341:181-62341:200.

**9207090255** SECY-92-193 Responds to Commissions SRMs M911118 & M920225 about reconstitution of design bases info by discussing ongoing agency activities & by recommending future agency actions. Commission approves action recommended by staff. TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/05/26. 20pp. 62293:309-62293:328.

**9207100407** SECY-92-235 Informs of status of EEO program. TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/07/01. 57pp. 62465:148-62465:206.

**9207130007** SECY-92-242 Weekly info rept for wk ending 920703. BLAHA,J.L. Assistant for Operations (Post 890205). 92/07/09. 32pp. 62314:019-62314:050.

**9207210317** SECY-92-251 Weekly info rept for wk ending 920710. BLAHA,J.L. Assistant for Operations (Post 890205). 92/07/15. 39pp. 62438:282-62438:322.

**9207220411** SECY-92-236 Weekly info rept for wk ending 920626. BLAHA,J.L. Assistant for Operations (Post 890205). 92/07/01. 41pp. 62442:305-62442:346.

#### STATE PROG STATE PROGRAMS

**9207010139** Discusses proposed license termination of UNC's Wood River Junction Site.Based on discussions & draft EA NRC staff prepared to recommend license be terminated. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 92/06/25. VARIN,D.W. Rhode Island, State of. 4pp. 62234:296-62234:299.

**9207020120** Notification of cooperative agreement,mod 17,to "Radiation Monitoring Program Requirements." Contractor:State of Missouri. CRAMPTON,S.A. Division of Contracts & Property Management (Post 890205). FIN B-8452-2. NRC-30-83-645. 92/06/23. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). WEIDMAN,D.G. NRC - No Detailed Affiliation Given. 1p. 62194:151-62194:153.

**-9207020126** Mod 17,providing incremental funding,to "Radiation Monitoring Program Requirements." \* Missouri, State of. TRAVER,D. Division of Contracts & Property Management (Post 890205). FIN B-8452-2. NRC-30-83-645. 92/06/23. 2pp. 62194:152-62194:153.

**9207020131** Notification of cooperative agreement,mod 16,to "Radiation Monitoring Program Requirements." Contractor:NC Dept of Environ,Health & Natural Resources. CRAMPTON,S.A. Division of Contracts & Property Management (Post 890205). FIN B-8405-2. NRC-29-83-627. 92/06/23. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). DECKER,T. NRC - No Detailed Affiliation Given. 1p. 62194:145-62194:147.

**-9207020133** Mod 16,providing incremental funding,to "Radiation Monitoring Program Requirements." \* North Carolina, State of. TARNER,D. Division of Contracts & Property Management (Post 890205). FIN B-8405-2. NRC-29-83-627. 92/06/23. 2pp. 62194:146-62194:147.

## 240 NONDOCKETED ITEMS

- 9207020138** Notification of cooperative agreement, mod 17, to "Radiation Monitoring Program Requirements." Contractor: Michigan Dept of Health. CRAMPTON, S.A. Division of Contracts & Property Management (Post 890205). FIN B-8451-2. NRC-30-83-644. 92/06/23. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). WEIDMAN, D.G. NRC - No Detailed Affiliation Given. 1p. 62194:139-62194:141.
- 9207020142** Mod 17, providing incremental funding, to "Radiation Monitoring Program Requirements." \* Michigan, State of. TARNER, D. Division of Contracts & Property Management (Post 890205). FIN B-8451-2. NRC-30-83-644. 92/06/23. 2pp. 62194:140-62194:141.
- 9207020146** Notification of cooperative agreement, mod 12, to "Radiation Monitoring Program Requirements." Contractor: Georgia Dept of Natural Resources. CRAMPTON, S.A. Division of Contracts & Property Management (Post 890205). FIN B-8404-2. NRC-29-83-625. 92/06/23. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). DECKER, T. NRC - No Detailed Affiliation Given. 1p. 62194:142-62194:144.
- 9207020150** Mod 12, providing incremental funding, to "Radiation Monitoring Program Requirements." \* Georgia, State of. TARNER, D. Division of Contracts & Property Management (Post 890205). FIN B-8404-2. NRC-29-83-625. 92/06/23. 2pp. 62194:143-62194:144.
- 9207020166** Notification of cooperative agreement, mod 12, to "Radiation Monitoring Program Requirements." Contractor: Missouri Dept of Health. CRAMPTON, S.A. Division of Contracts & Property Management (Post 890205). FIN B-8454-2. NRC-30-83-643. 92/06/23. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). WEIDMAN, D.G. NRC - No Detailed Affiliation Given. 1p. 62194:227-62194:229.
- 9207020169** Mod 16, providing incremental funding, to "Radiation Monitoring Program Requirements." \* Missouri, State of. TARNER, D. Division of Contracts & Property Management (Post 890205). FIN B-8454-2. NRC-30-83-643. 92/06/23. 2pp. 62194:228-62194:229.
- 9207020171** Notification of cooperative agreement, mod 19, to "Radiation Monitoring Program Requirements." Contractor: Wisconsin Div of Health. CRAMPTON, S.A. Division of Contracts & Property Management (Post 890205). FIN B-8453-2. NRC-30-83-647. 92/06/23. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). WEIDMAN, D.G. NRC - No Detailed Affiliation Given. 1p. 62194:157-62194:159.
- 9207020175** Mod 19, providing incremental funding, to "Radiation Monitoring Program Requirements." \* Wisconsin, State of. TARNER, D. Division of Contracts & Property Management (Post 890205). FIN B-8453-2. NRC-30-83-647. 92/06/23. 2pp. 62194:158-62194:159.
- 9207020299** Notice of NRC governor designees receiving advance notification of transportation of nuclear waste. KAMMERER, C. State Programs (900112-911116). 92/06/10. 11pp. 62197:303-62197:314.
- 9207020305** Ack receipt of 920505 ltr informing of personnel changes & notification of state adoption of rules on "Financial Assurance & Recordkeeping for Decommissioning." KAMMERER, C. NRC - No Detailed Affiliation Given. 92/06/19. BROWN, D.H. North Carolina, State of. 1p. 62197:352-62197:352.
- 9207020324** Ack receipt of 920406 response to comments following 1991 review of radiation control program. KAMMERER, C. NRC - No Detailed Affiliation Given. 92/06/12. LUNA, J.W. Tennessee, State of. 2pp. 62197:355-62197:356.
- 9207060009** "NPDES Discharge Monitoring Rept for May 1992 for Hope Creek Generating Station." W/920625 ltr. HAGAN, J. Public Service Electric & Gas Co. of New Jersey. 92/05/31. CAPORALE, G. New Jersey, State of. 21pp. 62250:183-62250:203.
- 9207060207** EN-92-048: on 920625, notice of violation & proposed imposition of civil penalty in amount of \$1,250 will be issued, based on use of licensed matl in Agreement State w/o meeting appropriate reciprocity requirements. HOLODY, D., MARTIN, T.T. Region 1 (Post 820201). EA-92-099. 92/06/22. 1p. 62292:130-62292:130.
- 9207070236** NPDES noncompliance notification: on 920624, grab sample of Outfall 002 circulating water discharge indicated TRC concentration of 0.33 mg/l. Caused by flow balance between plant sys. Unit 1 in shutdown condition. BAKER, D.L. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 92/06/29. MORLEY, F. Michigan, State of. 2pp. 62265:326-62265:327.
- 9207080015** Forwards insp repts 50-352/92-01 & 50-353/92-01 on 920514. No violations or deviations noted. JOYNER, J.H. Region 1 (Post 820201). 92/06/25. SMITH, D.M. Philadelphia Electric Co. 3pp. 62218:238-62218:249.
- 9207080021** Forwards insp repts 50-352/92-01 & 50-353/92-01 performed for LLRW shipment LGS-018-92 at facility. Insp conducted under provisions of MOU between Commonwealth of PA & NRC. DORNSIFE, W.P. Pennsylvania, Commonwealth of. 92/05/26. COOPER, R.W. Region 1 (Post 820201). 9pp. 62218:241-62218:249.
- 9207080047** Comment supporting 57FR20525 re NRC proposal to allow U mill facilities to accept non-11(e)2 wastes & NRC guidance for use of U mill feed matls other than natural ores. ANDERSON, L.F. Utah, State of. 57FR20525. 92/07/02. NRC - No Detailed Affiliation Given. 3pp. 62218:308-62218:310.
- 9207080054** Comment supporting 57FR20525 re NRC proposal to allow U mill facilities to accept non-11(e)2 wastes & NRC guidance for use of U mill feed matls other than natural ores. ANDERSON, L.F. Utah, State of. 57FR20525. 92/07/02. NRC - No Detailed Affiliation Given. 4pp. 62218:327-62218:330.
- 9207080188** "Independent Citizens Investigative Committee Rept of Phase I Feasibility Studies - Monitored Retrievable Storage Facility." KALLIS, J. North Dakota, State of. 92/03/03. 146pp. 62304:231-62305:015.
- 9207100032** Partial response to FOIA request for documents not previously released & re petition of Oregon & Washington for rulemaking on classification of high level radwaste at DOE facilities. App A & B documents available in PDR. GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/31. FACAROS, N. Affiliation Not Assigned. 6pp. 62314:245-62314:308.
- 9207100052** Forwards eleven comments & two related documents received in response to notice of petition for rulemaking (PRM-60-4). Comment period expired 910318. MEYER, D.L. Regulatory Publications Branch. 91/04/12. HUSSEMAN, T. Washington, State of. 1p. 62314:251-62314:308.
- 9207100086** Forwards licensee 920611 & NRC 920617 replies opposing 920601 request for hearing on Amend 158 to License DPR-65, changing TSs to modify existing two region configuration of spent fuel pool to consist of three regions. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/07/08. MARUCCI, M.E. Affiliation Not Assigned. 4pp. 62334:145-62334:258.
- 9207100106** Forwards ME Marucci 920602 ltr expressing concerns re facility for review & response. WEICKER, L.P. Connecticut, State of. 92/06/12. THE CHAIRMAN, SELIN, J. Commissioners (9205119). 7pp. 62334:256-62334:291.
- 9207100141** Ack receipt of 920612 ltr from Selin, forwarding ME Marucci ltr re facility. NRC working on response & copy of reply will be forwarded as soon as possible. KAMMERER, C. Office of State Programs (Post 911117). 92/06/25. WEICKER, L.P. Connecticut, State of. 3pp. 62334:256-62334:258.
- 9207100245** "New Hampshire Yankee, State of NH & Commonwealth of Massachusetts, Seabrook Station 1992 Graded Exercise on 920604." \* Public Service Co. of New Hampshire. \* New Hampshire, State of. \* Massachusetts, Commonwealth of. 92/06/04. 1,000pp. 62598:001-62600:355.
- 9207100298** Identifies two key issues re USGS, based on review of DOE Yucca Mountain Site Characterization Project Otc 920422 response to State of NV. Issues include scientific work done by USGS & work to support Study Plan 8.3.1.2.2.6. GERTZ, C.P. Energy, Dept. of. HLWR. 92/07/01. LOUX, R.R. Nevada, State of. 2pp. 62437:072-62437:073.
- 9207130206** Forwards "Otc of Civilian Radwaste Mgt QA Audit Plan for Audit YMP-92-18 of Raytheon Svcs NV Las Vegas, NV," conducted on 920622-26. HORTON, D.G. Energy, Dept. of. HLWR. 92/05/12. BULLOCK, R.L. Nevada, State of. 3pp. 62386:001-62386:295.
- 9207140181** Informs of plan to test & evaluate use of hydrogen peroxide in liquid radwaste sys for removal of organics. No NPDES permit noncompliances expected if discharge into Cooling Tower Blowdown necessary. FIELDS, J.S. Pennsylvania Power & Light Co. PLE-15773. 92/07/07. LEHMAN, S.J. Pennsylvania, Commonwealth of. 2pp. 62385:312-62385:313.
- 9207150148** Remits payments for 1992-93 Energy Resource Supplier Assessment & 1991-92 Energy Resource Supplies Assessment Adjustment, in accordance w/OR Revised Statutes. WALT, T.D. Portland General Electric Co. 92/06/30. STEWART-SMITH, Oregon, State of. 3pp. 62403:096-62403:124.
- 9207160045** Comment supporting proposed rule 10CFR30 & 35 re elimination of record-keeping requirements. COLLINS, S. Illinois, State of. 57FR24763 00006. 92/07/10. Docketing & Services Branch. 62375:029-62375:030.
- 9207160087** Comment supporting proposed rule 10CFR50 re receipt of byproduct & SNM. ORTIGER, T.W. Illinois, State of. 57FR15034 00011. 92/07/07. Docketing & Services Branch. 2pp. 62375:103-62375:104.
- 9207160089** Comment on proposed rule 10CFR50 re loss of all alternating current power & draft reg guide 1.9, task DG-1021. Supports rule. TOSCH, K.W. New Jersey, State of. 57FR14514 00020. 92/07/07. Office of the Secretary of the Commission. 2pp. 62375:105-62375:106.
- 9207160267** Forwards Insp Rept 15000004/92-04 on 920415 & 0527 & 28. Violation re failure to have NRC license to perform radiography in areas under federal jurisdictions under review for escalated enforcement action. SCARANO, R.A. Region 5 (Post 820201). EA-92-111. 92/06/25. Westex Co., Inc. 3pp. 62423:325-62423:334.
- 9207160270** Insp Rept 15000004/92-04 on 920415 & 0527 & 28. Violation noted. Major areas inspected: events surrounding purchase of Boothe Twining, Inc assets by Westex Corp & use of radioactive matl by Westex in federal jurisdictions. MONTGOMERY, J., PRENDERGAST, K., YUHAS, G. Region 5 (Post 820201). EA-92-111. 92/06/25. 7pp. 62423:328-62423:334.
- 9207160339** Responds to 920615 correspondence re changes to Indian Point Unit 3, physical security plan identified as Temporary Addendum, rev 3. Extension of temporary addendum until Apr 1993 acceptable. JOYNER, J.H. Region 1 (Post 820201). 92/07/10. BEEDLE, R. New York, State of. 3pp. 62413:360-62413:362.
- 9207170012** Forwards summary of State of NH PUC 920602 meeting re New England Telephone Co motion to postpone hearings on docket, order establishing hearing date on increases in decommissioning costs & revs to second rate tariff. ARNOLD, W.E. New Hampshire, State of. 92/06/22. Affiliation Not Assigned. 8pp. 62440:323-62440:330.
- 9207170033** Responds to 920428 ltr requesting info on concern expressed in RE Sauer 920313 ltr re GAO rept re LLRW. TAYLOR, J.M. Office of the Executive Director for Operations. CCS. 92/06/09. GLENN, J. Senate. 2pp. 62436:246-62436:252.
- 9207170042** Forwards correspondence from RE Sauer re GAO study on LLRW. GLENN, J. Senate. CCS. 92/04/28. Office of Congressional Affairs (Post 911117). 4pp. 62436:248-62436:252.

- 9207170207** NPDES noncompliance notification: on 920608, 10 gallons of hydraulic oil discharged to access road west of cooling tower. Caused by failure of hydraulic sys on 20-ton mobile crane. Broken hydraulic lines replaced.  
SWANSON, R.N. Public Service Electric & Gas Co. of New Jersey. NLR-E92184. 92/07/08. New Jersey, State of. 9pp. 62456:247-62456:255.
- 9207170243** Forwards "NPDES Discharge Monitoring Rept for June 1992 for North Anna Power Station." High pH problems in turbine bldg sumps may be due to residual effects of earlier hydrazine spill.  
MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 92/07/09. Virginia, Commonwealth of. 4pp. 62436:173-62436:199.
- 9207200009** Requests info re scientists outside Yucca Mountain Project accessing site & performing research activities in support of Unsaturated-Zone Gaseous Phase Movement Study Plan & not by USGS as documented, per 920406-10 QA audit.  
LOUX, R.R. Nevada, State of. HLWR. 92/04/22. GERTZ, C. Energy, Dept. of. 2pp. 62480:224-62480:225.
- 9207200134** "Generator Quarterly Hazardous Waste Rept" for June 1992 for Susquehanna Steam Electric Station, W/920713 ltr.  
STANLEY, H.G., BELLES, T.D. Pennsylvania Power & Light Co. PLES-5113. 92/06/30. 4pp. 62464:318-62464:321.
- 9207200208** Partial response to FOIA request for documents. Documents listed in App A & B encl & being made available for PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 890205). 91/10/31. MARBLE, J.P. Huckaby, Fleming, Frailey, Chaffin & Darrah. 17pp. 62749:002-62750:088.
- 9207220082** Informs recipient of issuance of SNM license to Spencer Chemical Co for activities conducted at Jayhawk Works located between Pittsburg, KS & Joplin, MS.  
JOHNSON, L. Atomic Energy Commission (Pre 750119). 58/04/30. RKEED, T.R. Kansas, State of. 1p. 62749:076-62749:076.
- 9207240032** Forwards 820614 telcon & insp rept on 800617.  
ALLEN, G.W. Kansas, State of. 82/06/16. CAIN, C.L. NRC - No Detailed Affiliation Given. 1p. 62749:340-62749:340.
- 9207220085** Forwards SNM licenses which have been issued to Spencer Chemical Co, Mallinckrodt Chemical Works & Univ of Missouri.  
JOHNSON, L. Atomic Energy Commission (Pre 750119). 58/04/30. AMOS, J.R. Missouri, State of. 1p. 62749:077-62749:077.
- 9207220152** Forwards special nuclear matl license issued to Spencer Chemical Co.  
JOHNSON, L. Atomic Energy Commission (Pre 750119). 58/07/11. AMOS, J.R. Missouri, State of. 1p. 62749:096-62749:096.
- 9207220162** Forwards special nuclear matl licenses which have been issued to Mallinckrodt Chemical Works, Spencer Chemical Co & Univ of Missouri.  
FLUERY, E.R. Atomic Energy Commission (Pre 750119). 58/08/06. AMOS, J.R. Missouri, State of. 1p. 62749:098-62749:098.
- 9207200209** Informs that delay in mailing groundwater withdrawal rept for first quarter 1992 due to delays experienced in internal routing procedures for such correspondence, in response to 920630 ltr. Rept sent on 920505 instead of due date 920420.  
MARSHALL, B.M. Virginia Power (Virginia Electric & Power Co.). 92/07/10. SINHA, B.N. Virginia, Commonwealth of. 1p. 62451:321-62451:321.
- 9207200240** Raises concerns re release of tritium into State of CO rivers. Items of immediate concern include, what alternative treatment evaluated & calculations used to determine where in South Platte River tritium std would be met.  
NELSON, P.A. Colorado, State of. 92/07/16. WEISS, S.H. Non-Power Reactors, Decommissioning & Environmental Proj. Dir. (Post 920517). COHLMIA, P.J. Public Service Co. of Colorado. 2pp. 62451:324-62451:325.
- 9207200279** NPDES noncompliance notification: on 920708, fish kill discovered in plant circulating water discharge. Caused by thermal shock from increasing circulating water discharge temps. Addl info will be included in 1992 fish kill summary.  
SKOLDS, J.L. South Carolina Electric & Gas Co. ONO 920051. 92/07/14. KRECKER, W.R. South Carolina, State of. 9pp. 62450:338-62450:346.
- 9207210029** Forwards insp rept 15000033/92-01 on 920113-15 & investigation Case 4-91-020. Violations identified & being considered for escalated enforcement action. Investigation conducted focused on personnel failure to wear ratemeters.  
CALLAN, L.J. Region 4 (Post 820201). EA-92-091. 92/07/16. MANGER, M.G. Midwest Industrial X-Ray, Inc. 3pp. 62419:245-62419:254.
- 9207210037** Insp rept 15000033/92-01 on 920113-15. Violations noted & being considered for escalated enforcement action. Major areas inspected: review of organization & mgt. licensee internal audits & training.  
FISHER, W.L. Region 4 (Post 820201). 92/07/16. 7pp. 62419:249-62419:254.
- 9207210094** Notification of 920716 meeting w/util to discuss results of most recent SALP for util.  
KUNIHIO, D.M. Region 5 (Post 820201). 92/07/10. SYKES, M.J. Oregon, State of. 1p. 62420:282-62420:282.
- 9207210096** Notification of 920716 meeting w/util to discuss results of most recent SALP for plant.  
KUNIHIO, D.M. Region 5 (Post 820201). 92/07/10. LEMIEUX, J. Washington, State of. 1p. 62420:287-62420:287.
- 9207220091** Ack receipt of rept of proposed activities in Non-Agreement States (NRC form 241) & receipt of reciprocity recognition fee. Proposed activities may be conducted under general license authorized by 10CFR150.20.  
HOSEY, C.M. Region 2 (Post 820201). 92/06/18. ROBINSON, J. Summit Engineering, Inc. 2pp. 62432:280-62432:281.
- 9207220103** Forwards insp rept 15000012/92-01 on 920212-0327. Six apparent violations noted & being considered for escalated enforcement actions. No NOV being issued for subj insp findings.  
NORELIUS, C.E. Region 3 (Post 820201). EA-92-078. 92/05/19. PRESTON, R. American Testing & Inspection. 2pp. 62432:295-62432:303.
- 9207220106** Insp rept 15000012/92-01 on 920212-0327. Violations noted but not cited. Major areas inspected: licensed program & enforcement history, audits, training, field insp, survey meter calibr & personnel monitoring.  
GIBBONS, D.R., SCHULTZ, W.H., GROBE, J.A. Region 3 (Post 820201). 92/05/18. 7pp. 62432:297-62432:303.
- 9207220183** "NPDES Discharge Monitoring Rept for June 1992 for Pilgrim Nuclear Power Station." W/920716 ltr.  
WAGNER, E.J. Boston Edison Co. BECO 5.92-086. 92/06/30. 10pp. 62473:340-62473:349.
- 9207220245** "NPDES Discharge Monitoring Rept for June 1992 for Susquehanna Steam Electric Station, Units 1 & 2." W/920715 ltr.  
FIELDS, J.S. Pennsylvania Power & Light Co. PLE-15794. 92/06/30. WILKES, J.J. Pennsylvania, Commonwealth of. 12pp. 62473:273-62473:284.
- 9207220276** Forwards "SAR for Low Enriched Fuel Conversion of Rhode Island Nuclear Science Ctr Research Reactor."  
TEHAN, T. Rhode Island, State of. 92/07/17. Document Control Branch (Document Control Desk). 1p. 62474:001-62474:134.
- 9207220305** Forwards State of PA Low Level Radwaste Shipment Insp Rept 50-412/PA-92-01/NRC-92-16 on 920504. No violations or deviations noted.  
JOYNER, J.H. Region 1 (Post 820201). 92/07/10. SIEBER, J.D. Duquesne Light Co. 3pp. 62474:192-62474:203.
- 9207220306** Forwards State of PA Low Level Radwaste Shipment Insp Rept 50-412/PA-92-01 on 920504. No violations or deviations noted. Major areas inspected: radwaste shipment to burial site including, shipping documentation & package insp.  
DORNSIFE, W.P. Pennsylvania, Commonwealth of. 92/05/11. COOPER, R.W. Region 1 (Post 820201). 9pp. 62474:195-62474:203.
- 9207230011** Advises that annual maint of diffuser pipe for facilities completed on 920619. Activity did not interfere w/free discharge of Susquehanna River.  
FIELDS, J.S. Pennsylvania Power & Light Co. PLE-15800. 92/07/16. COUNSIL, E.E. Pennsylvania, Commonwealth of. 1p. 62478:285-62478:285.
- 9207230021** Comment supporting proposed rule 10CFR20 & 61 re low level waste shipment manifest info & reporting.  
SMITH, G. Tennessee, State of. 57FR14500 00004. 92/07/09. Docketing & Services Branch. 1p. 62441:018-62441:018.
- 9207230023** Comment supporting proposed rules 10CFR20 & 61 re low level waste shipment manifest info.  
GLEASON, E.J. New York, State of. 57FR14500 00013. 92/07/20. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62441:019-62441:020.
- 9207230224** Documents activities of OR DOE plant resident inspectors for period from 920228-0429 & discusses activities & observations & conclusions during subj period.  
BLESS, A., SARTE, V. Oregon, State of. 92/04/30. STEWART-SMITH Oregon, State of. 6pp. 62478:323-62478:328.
- 9207270021** Comment supporting proposed rule 10CFR50.54, "Receipt of Byproduct & Special Nuclear Matl."  
DICUS, G.J. Arkansas, State of. 57FR15034 00029. 92/07/10. SOLOMAN, S. Office of State Programs (Post 911117). 1p. 62475:048-62475:048.
- 9207270042** Comment opposing proposed rule 10CFR110 re import & export of radwastes.  
GLEASON, E.J. New York, State of. 57FR17859 00009. 92/07/13. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 62475:229-62475:230.
- 9207270047** Comment supporting proposed rule 10CFR20 & 50 re reduction of regulatory burden on licensees w/o reducing protection for public health & safety.  
ORTCIGER, T.W. Illinois, State of. 57FR27187 00019. 92/07/20. Docketing & Services Branch. 7pp. 62475:239-62475:245.
- 9207270058** Comment on proposed rule 10CFR20 & 61 re low-level waste shipment manifest & reporting.  
ORTCIGER, T.W. Illinois, State of. 57FR14500 00026. 92/07/20. Docketing & Services Branch. 6pp. 62475:271-62475:276.
- 9207270067** Comment supporting proposed rules 10CFR20 & 61 re low-level radioactive waste shipment manifest info & repts.  
PENZA, S.F. New Jersey, State of. 57FR14500 00015. 92/07/16. Docketing & Services Branch. 2pp. 62475:281-62475:282.
- 9207270069** Comment supporting proposed rule 10CFR110 re import & export of radwastes.  
ORTCIGER, T.W. Illinois, State of. 57FR17859 00015. 92/07/20. Docketing & Services Branch. 2pp. 62475:283-62475:284.
- 9207270096** Forwards insp rept 92-06 on 920616 & 0701-02. Six apparent violations identified & are being considered for escalated enforcement action.  
SCARANO, R.A. Region 5 (Post 820201). EA-92-127. 92/07/15. CTI, Inc. (formerly Alaska Welding Center). 3pp. 62475:343-62475:358.
- 9207270105** Insp rept 92-06 on 920616 & 0701-02. Violation noted being considered for escalated enforcement action. Major areas inspected: organization & mgt controls, internal audits, training & use of licensed matls.  
SKOV, D.D., YUHAS, G.P. Region 5 (Post 820201). 92/07/14. 13pp. 62475:348-62475:358.
- 9207270097** Forwards enforcement conference insp rept 15000004/92-09 on 920615.  
SCARANO, R.A. Region 5 (Post 820201). EA-92-105. 92/07/13. MASSEY, B. Metals Evaluation & Testing, Inc. 1p. 62475:294-62475:298.
- 9207270109** Enforcement conference insp rept 15000004/92-09 on 920615. Discussion re insp finding & violations identified during 920131-0205 insp, corrective actions, safety concerns & enforcement policy.  
PRENDERGAST, K., YUHAS, G. Region 5 (Post 820201). EA-92-105. 92/07/09. 4pp. 62475:295-62475:298.
- 9207270122** Forwards 920702 request for hearing submitted by KL Alkema on behalf of State of UT. State requests hearing on amend 30 to license SUA-1358.  
CHILK, S.J. Office of the Secretary of the Commission. #392 13111. MLA. 92/07/17. COTTER, B.P. Atomic Safety & Licensing Board Panel. 1p. 62476:224-62476:227.
- 9207270129** Requests hearing on licensee-initiated amend of matl license subj to 10CFR40 & for action per 10CFR2.206. Certificate of Svc encl.  
ALKEMA, K.L., CHANCELLOR, D. Utah, State of. 2.206. 92/07/02. Ofc of the Executive Director for Operations. 4pp. 62476:224-62476:227.

## 242 NONDOCKETED ITEMS

- 9207270150** Notification of significant open meeting w/licensee on 920727 in Region V of enforcement conference to discuss violations identified during insp.  
SCARANO,R.A. Region 5 (Post 820201). 92/07/15. Region 5 (Post 820201). 2pp. 62482:355-62482:356.
- 9207270227** Discusses 920519 License Change Request 92-02 to License NPF-57, allowing exception to Spec 4.0.4 for intermediate range & source range monitors when Operation Conditions 2 & 3 entered from Operation Condition 1. No comments offered.  
TOSCH,K. New Jersey, State of. 92/07/10. Document Control Branch (Document Control Desk). 2pp. 62528:179-62528:180.
- 9207280070** Safety insp on 920413 of license. Insp findings: no violations noted.  
PRENDERGAST,K. Region 5 (Post 820201). \* M.M.P. Quality Inspections, Inc. 92/04/13. 1p. 62488:125-62488:125.
- 9207280085** Safety insp on 920414 of license. Insp findings: procedures not established nor monitored for external radiation, packages containing I-131 for tracer mat in 1991 & 1992.  
PRENDERGAST,K. Region 5 (Post 820201). \* Flo-Log, Inc. 92/04/14. 2pp. 62488:211-62488:212.
- 9207280181** Forwards updated version of NRC site decommissioning mgt plan, revised as of May 1992, for info. W/o encl.  
AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/21. GRADERT,M. Aluminum Co. of America. KERRIGAN,J.E. AMAX, Inc. HAERTJENS,B.L. Babcock & Wilcox Co. 5pp. 62595:270-62595:274.
- 9207290006** Requests mod to NPDES Permit IL0036919, adding contributory waste stream listing & changing approx flow value for main condenser cooling water at Outfall 002 & adding special condition re treatment of DG transformer at Outfall 005.  
MARSHALL,B.J. Illinois Power Co. O-601225. 92/07/15. KLUGE,T.R. Illinois, State of. 24pp. 62589:002-62589:029.
- 9207290251** Forwards listed insp procedures re low level radwaste storage facilities & temporary instruction re mats insp of licensees in states denied access to low level waste disposal facilities. W/o encl.  
LENTZ,J.J. Low-Level Waste Management Branch (Post 901230). 92/07/23. LINSOOTT,S. Connecticut, State of. 1p. 62590:350-62590:350.
- 9207290311** NPDES noncompliance notification on 920619, until reported oil sheen on Delaware River in area between svc water intake structure & circulating water sys intake. Sheen did not result from plant operations. Discharge rept retracted.  
THOMSON,F.X. Public Service Electric & Gas Co. of New Jersey. NLR-E92212. 92/07/24. New Jersey, State of. 2pp. 62593:354-62593:355.
- 9207290313** Forwards Rev 1 to "SAR for Low Enriched Fuel of Rhode Island Nuclear Science Ctr Research Reactor," per telcon w/M Mendonca. Rev updates analysis of LOCA to reflect beamport operational & design considerations.  
TEHANT, Rhode Island, State of. 92/07/23. Document Control Branch (Document Control Desk). 1p. 62611:251-62611:260.
- 9207290315** Rev 1 to "SAR for Low Enriched Fuel of Rhode Island Nuclear Science Ctr Research Reactor."  
\* Rhode Island, State of. 92/07/23. 9pp. 62611:252-62611:260.
- 9207300159** Extends invitation for State of AL continued participation in NRC State Liaison Officer program.  
ROGERS,K.C. Commissioners (Post 750119). 92/07/17. HUNT,G. Alabama, State of. 1p. 62580:358-62580:358.
- 9207300162** Informs that recipients reappointed by Commission as members of ACMUI for addl 2 yr term, effective 920701.  
ROGERS,K.C. Commissioners (Post 750119). 92/07/15. MARCUS,C.S. California, State of. MCKEOWN,J.A. Pennsylvania, Commonwealth of. SIEGEL,B.A. Missouri, State of. 3pp. 62581:207-62581:209.
- 9207300182** "NPDES Discharge Monitoring Rept for June 1992." W/920723 ltr.  
VONDRA,C.A. Public Service Electric & Gas Co. of New Jersey. 92/06/30. CAPORALE,G. New Jersey, State of. 23pp. 62593:180-62593:204.
- 9207300289** Forwards correspondence from OH EPA to Chemetron for info.  
JONES,K. Ohio, State of. 92/07/22. HUFFERT,T. NRC - No Detailed Affiliation Given. 3pp. 62638:133-62638:135.
- 9207310147** "Tennessee Comprehensive Annual Financial Rept for Yr Ended 910630."  
\* Tennessee, State of. 91/06/30. 144pp. 62640:100-62640:247.
- 9207310170** Submits results of review of util 920622 ltr transmitting description & safety evaluation summary for certain changes to procedures & mods to plant for 1991, per 10CFR50.59 SE summaries lacking basis listed in encl.  
TOSCH,K.W. New Jersey, State of. 92/07/21. Document Control Branch (Document Control Desk). 4pp. 62613:355-62613:356.
- 9207310181** "Tennessee Single Audit Rept for Yr Ended 910630."  
\* Tennessee, State of. 91/06/30. 600pp. 62614:001-62615:225.
- 9207010243** Provides summary of data applicable to Point Beach, Units 1 & 2 from encl B&W Rept BAW-2166, "B&WOG Response to GL 92-01," in response to GL 92-01, "Reactor Vessel Structural Integrity," per commitments in response to GL 88-11 LINK,B. Wisconsin Electric Power Co. VPPND-92-231. 92/06/25. Document Control Branch (Document Control Desk). 10pp. 62223:071-62223:356.
- 9207010348** Forwards "Incorporating Risk Perspectives into Present Indicators using Risk Categorization Scheme: Procedure Guide," "Sys Unavailability Factors" & "Short-Term Indicators of Unavailability & Unreliability."  
JOHNSON,C. Human Factors Branch. 92/06/25. Public Document Branch. 1p. 62184:001-62184:295.
- 9207010354** Final "Incorporating Risk Perspectives into Present Indicators using Risk Categorization Scheme: Procedure Guidance."  
AZARM,M.A., CARBONARO,J. Brookhaven National Laboratory. VESELY,W.E. Science Applications International Corp. (formerly Science Applications, Inc.). FIN A-3295. 87/03/31. Division of Reactor System Safety (880720-870413). 34pp. 62184:002-62184:035.
- 9207010356** "Short-Term Indicators of Unavailability & Unreliability."  
AZARM,M.A., CARBONARO,J.F. Brookhaven National Laboratory. VESELY,W.E. Science Applications International Corp. (formerly Science Applications, Inc.). FIN A-3295. 87/04/29. Division of Reactor & Plant Systems (870413-880716). 55pp. 62184:036-62184:090.
- 9207010357** "Sys Unavailability Indicators."  
VESELY,W.E. Brookhaven National Laboratory. FIN A-3295. 87/09/30. AZARM,M.A. Office of Nuclear Regulatory Research (Post 860720). 208pp. 62184:091-62184:295.
- 9207020123** Advises that rept BAW-2148P, rev 1 "Low Upper-Shelf Toughness Fracture Analysis of Reactor Vessels of Zion Units 1 & 2 for Load Level A & B Conditions," will be withheld from public disclosure, per 920511 request.  
PATEL,C.P. Project Directorate III-2. 92/06/22. KOVACH,T.J. Commonwealth Edison Co. 4pp. 62183:355-62183:358.
- 9207020152** Forwards preliminary unedited Section 3.8 of new STS. Suggests that lead plant licensees wait for receipt of edited, reviewed version to prepare plant specific applications.  
GRIMES,C.I. Technical Specifications Branch. 92/05/21. BUSH,L. Westinghouse Electric Corp. 600pp. 62185:001-62186:309.
- 9207020165** Summary of 920608-09 meeting w/Owners Groups to discuss status of activities for resolving comments on draft STS & related matters. List of attendees encl respectively.  
GRIMES,C.I. Technical Specifications Branch. 92/06/25. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 22pp. 62184:305-62184:326.
- 9207020291** Forwards preliminary unedited Section 3.3 of Westinghouse Owners Group version of new STS.  
GRIMES,C.I. Technical Specifications Branch. 92/05/27. BUSH,L. Westinghouse Electric Corp. ROBERTSON,J.L. Entergy Operations, Inc. WOODS,B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 200pp. 62203:004-62203:238.
- 9207060027** Forwards updated organizational chart, similar to Figure 1-1 of Rev 8 to NEDO-11209-04A, per NRC 920601 request. Updated chart incorporates changes delineated in vendor 920415 ltr to NRC.  
CASE,J.M. General Electric Co. 92/06/23. ZECH,G.G. Performance & Quality Evaluation Branch (Post 890101). 2pp. 62250:085-62250:086.
- 9207060051** Informs that 920430 submittal containing proprietary info will be withheld from public disclosure per 10CFR2.790.  
WAMBACH,T.V. Standardization Project Directorate (Post 920517). TAC M80912. 92/06/25. BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 62204:213-62204:215.
- 9207060060** Forwards summary of confirmatory & open items identified in final SER for chapter 12, "Radiation Protection," & chapter 14, "Initial Plant Test Programs," for info.  
NINH,S.Q. Standardization Project Directorate (Post 920517). 92/06/29. MARRIOTT,P.W. General Electric Co. 14pp. 62204:182-62204:195.
- 9207060202** Forwards BAW-2168, "Response to Generic Ltr 92-01 for North Anna Unit 1 & North Anna Unit 2" re reactor vessel integrity.  
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 92-211A. 92/06/29. Document Control Branch (Document Control Desk). 3pp. 62259:283-62259:330.
- 9207060203** BAW-2168 "Response to Generic Ltr 92-01 for North Anna Unit 1 & North Anna Unit 2."  
DEVAN,M.J., LOWE,A.L. Babcock & Wilcox Co. GL-92-01. 92/06/30. 45pp. 62259:286-62259:330.
- 9207060227** Forwards BAW-2166, "B&W Owners Group Response to Generic Ltr 92-01," to assess util compliance w/generic ltr re reactor vessel mats surveillance program & unirradiated & irradiated properties of reactor vessel mats.  
STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 92-211. 92/06/29. Document Control Branch (Document Control Desk). 3pp. 62248:172-62248:246.
- 9207060254** Discusses need for power factor constraints for EDG surveillances. Concludes that imposition of power factor constraint for monthly surveillances may not be warranted.  
GRIMES,C.I. Technical Specifications Branch. 92/06/23. BUSH,L. Westinghouse Electric Corp. WOODS,B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). WUNDERLY,B. Babcock & Wilcox Co. 5pp. 62197:347-62197:351.
- 9207070145** Forwards Rev 1 to Topical Rept CEN-412, "Relaxation of Reactor Coolant Pump Casing Insp Requirements." Requests that rept be generically reviewed & SER supporting relaxation of subj requirements be issued.  
HUTCHINSON,J.J. C-E Operating Plants Owners Group. CEOG-92-284. 92/06/25. Document Control Branch (Document Control Desk). 3pp. 62268:001-62268:355.
- 9207070147** CEN-412 R01 "Relaxation of Reactor Coolant Pump Casing Insp Requirements."  
\* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 92/06/30. 400pp. 62268:004-62268:355.

**9207080215** Appeals prescribed review fee for WCAP-12610. Chronology of review listed. Invoice encl.  
LIPARULO, N.J. Westinghouse Electric Corp. 92/06/25. TREMPER, L. License Fee & Debt Collection Branch (Post 890827). 4pp. 62277:014-62277:017.

**9207080334** Forwards response to GL 92-01, Rev 1 re reactor vessel structural integrity. B&W Rept BAW-2166, "B&WOG Response to GL 92-01" also encl.  
MECREDY, R.C. Rochester Gas & Electric Corp. GL-92-01. 92/07/02. JOHNSON, A.R. Project Directorate I-3. 7pp. 62305:046-62305:103.

**9207090107** Informs of issuance of rev 0 of improved STS for proof & review for any errors or differences from comment resolution decisions.  
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/06/30. MCCOY, K. Westinghouse Operating Plants Owners Group. BEARD, P.M. Babcock & Wilcox Operating Plants Owners Group. CONWAY, W.F. C-E Operating Plants Owners Group. 4pp. 62269:291-62269:295.

**9207090178** Responds to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity. Submits info to support extension of submittal date for plant-specific analysis until 1993. Comparison of analytical inputs in BAW-2148 encl.  
BROUGHTON, T.G. General Public Utilities Corp. - GPU Service Corp. GL-92-01. 92/07/02. Document Control Branch (Document Control Desk). 4pp. 62338:150-62338:153.

**9207100219** Forwards nonproprietary ANF-1358(NP)(A) & proprietary ANF-1358(P)(A) topical repts entitled, "Loss of Feedwater Heating Transient in BWRs," for compliance w/procedures in NUREG-0390. Proprietary ANF-1358(P)(A) withheld.  
HERSHBERGER, D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. DEH-043:92. 92/06/25. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 62329:170-62329:219.

**-9207100222** ANF-1358(NP)(A) Nonproprietary "Loss of Feedwater Heating Transient in BWRs" topical rept.  
\* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 92/06/30. 49pp. 62329:171-62329:219.

**9207100283** Forwards B&W Rept BAW-2167, dtd June 1992 entitled, "Response to GL 92-01 for Commonwealth Edison Co Byron Units 1 & 2, Braidwood Units 1 & 2 & Zion Units 1 & 2," in response to GL 92-01, Rev 1 & GL 88-11.  
JACKSON, M.A. Commonwealth Edison Co. GL-88-11. 92/07/02. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 62365:156-62365:240.

**-9207100291** BAW-2167 "Response to GL 92-01 for Commonwealth Edison Co Byron Units 1 & 2, Braidwood Units 1 & 2 & Zion Units 1 & 2."  
\* Babcock & Wilcox Co. GL-92-01. 92/06/30. 79pp. 62365:159-62365:240.

**9207100396** Forwards response to GL 92-01, Rev 1, "Reactor Vessel Structural Integrity." Westinghouse repts demonstrating that util has adequate program to monitor reactor vessel structural integrity also encl.  
WALT, T.D., CROSS, J.E. Portland General Electric Co. GL-92-01. 92/07/06. Document Control Branch (Document Control Desk). 12pp. 62379:001-62380:037.

**-9207100401** WCAP-8426 "Portland General Electric Co Trojan Unit 1 Reactor Vessel Radiation Surveillance Program."  
DAVIDSON, J.A., PHILLIPS, J.H., CHIRIGOS, J.N. Westinghouse Electric Corp. 75/01/31. 44pp. 62379:013-62380:030.

**9207140190** Forwards request for clarification of util changes for Topical Rept (Duke-1-A), "QA Program".  
JULIAN, C.A. Region 2 (Post 820201). 92/06/30. TUCKER, H.B. Duke Power Co. 6pp. 62311:230-62311:235.

**9207140278** Comments on encl draft NRC Info Notice 91-052, Suppl 1, "Nonconservative Errors in Overtemp Delta-Temp Setpoint Caused by Improper Gain Settings."  
MILLER, R.B. Westinghouse Electric Corp. ET-NRC-92-3719. 92/07/07. Document Control Branch (Document Control Desk). 7pp. 62385:060-62385:066.

**9207160108** Forwards proprietary & nonproprietary "AP800 PRA," "AP800 SAR," proprietary WCAP-13276, "AP800 PRA Fault Trees Output Files," "AP800 ITAAC Program Plan & Pilot ITAACs." WCAP-13405 & WCAP-13404.W/233 oversize figures.  
CASO, C.L. Westinghouse Electric Corp. ET-NRC-92-3710. 92/06/26. MURLEY, T. Document Control Branch (Document Control Desk). 4pp. 62724:001-62742:213.

**-9207160119** Requests withholding of proprietary WCAP-13275 & WCAP-13276 per 10CFR2.790(b)(1).  
LIPARULO, N.J. Westinghouse Electric Corp. AW-92-326. 92/06/26. MURLEY, T. Document Control Branch (Document Control Desk). 7pp. 62724:005-62724:011.

**-9207160131** "AP800 ITAAC Program Plan & Pilot ITAACs."  
\* Westinghouse Electric Corp. 92/06/26. 59pp. 62724:012-62724:071.

**-9207160134** WCAP-13405 "AP800 PRA Fault Trees Output Files."  
\* Westinghouse Electric Corp. 92/06/26. 22pp. 62724:072-62724:095.

**-9207160135** WCAP-13404 "AP800 PRA Fault Trees."  
\* Westinghouse Electric Corp. 92/06/26. 17pp. 62724:096-62724:114.

**9207160109** Notification of 920616 meeting w/BWROG in Rockville, MD to discuss ATWS fuel consequences & mitigation procedure.  
RICHINGS, H. Reactor Systems Branch. 92/07/01. JONES, R.C. Reactor Systems Branch. 2pp. 62396:056-62396:057.

**9207160118** Notification of revised 920616 meeting w/BWROG in Rockville, MD. Date changed to 920716.  
RICHINGS, H. Reactor Systems Branch. 92/07/01. JONES, R.C. Reactor Systems Branch. 2pp. 62395:361-62395:362.

**9207170071** Forwards preliminary FSAR page markups reflecting latest PTS analysis & Westinghouse Topical Repts WCAP-13300 & WCAP-13301 which provides technical bases for FSAR changes.  
MUSELER, W.J. Tennessee Valley Authority. TAC M77896. 92/07/17. Document Control Branch (Document Control Desk). 12pp. 62471:178-62471:219.

**-9207170079** WCAP-13300 "Evaluation of PTS for Watts Bar Unit 1."  
CHICOTS, J.M., STRAUCH, P.L., MEYER, T.A. Westinghouse Electric Corp. 92/04/30. 15pp. 62471:190-62471:204.

**-9207170083** WCAP-13301 "Evaluation of PTS for Watts Bar Unit 2."  
CHICOTS, J.M., STRAUCH, P.L., MEYER, T.A. Westinghouse Electric Corp. 92/04/30. 15pp. 62471:205-62471:219.

**9207170087** Requests that response to encl request for addl info re util 920214 request for review & approval of Westinghouse topical rept WCAP-13100, "Technical Justification for Eliminating..." be submitted within 30 days of ltr receipt.  
HOLIAN, B.E. Project Directorate IV-2. TAC M82947. 92/07/10. CAHILL, W.J. Texas Utilities Electric Co. (TU Electric). 3pp. 62403:090-62403:092.

**9207170118** Determines that submitted info sought to be withheld contains trade secrets/proprietary commercial info & will be withheld from public disclosure pursuant to 10CFR2.790(b)(5) & Section 103(b).  
ROONEY, V.L. Project Directorate I-4. TAC M83307. 92/07/13. LIPARULO, N.J. Westinghouse Electric Corp. 3pp. 62413:191-62413:193.

**9207170131** Determines that submitted info sought to be withheld contains trade secrets/proprietary commercial info & will be withheld from public disclosure pursuant to 10CFR2.790(b)(5) of Atomic Energy Act of 1954 as amended.  
STOLZ, J.F. Project Directorate I-1. TAC M72136. 92/07/13. LIPARULO, N.J. Westinghouse Electric Corp. 5pp. 62413:200-62413:204.

**9207170253** Responds to NRC request for review of WCAP-13360, "Westinghouse Dynamic Rod Worth Measurement Technique." Util met w/Westinghouse on 920428 to discuss technique. Util requests to use technique to evaluate fuel rods.  
LINK, B. Wisconsin Electric Power Co. VNPDP-92-246. 92/07/10. Document Control Branch (Document Control Desk). 2pp. 62436:244-62436:245.

**9207200023** Summary of 920520 & 21 meetings w/utis, Entergy, EXCEL, Westinghouse, NUMARC & owners groups re new STS.  
GRIMES, C.I. Technical Specifications Branch. 92/06/29. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 26pp. 62427:322-62427:347.

**9207200076** Notification of 920730 meeting w/B&WOG in Rockville, MD to discuss cavity dosimetry.  
LOIS, L. Reactor Systems Branch. 92/07/13. JONES, R.C. Reactor Systems Branch. 2pp. 62427:357-62427:358.

**9207230118** Notification of 920730 meeting w/CEOG in Rockville, MD to discuss proposed study to justify reduction or elimination of response time testing.  
NEWBERRY, S. Instrumentation & Control Systems Branch. 92/07/15. THADANI, A. Division of Systems Technology (Post 890827). 2pp. 62479:005-62479:006.

**9207240133** Advises that proprietary version of 920403 topical rept WCAP-13277 will be withheld from public disclosure, based on listed reasons.  
HASSELBERG, F.W. Standardization Project Directorate (Post 920517). 92/07/15. LIPARULO, N.J. Westinghouse Electric Corp. 3pp. 62479:227-62479:229.

**9207240187** Forwards summary of confirmatory & open items identified in FSER for Chapter 19, probabilistic risk assessment of advanced BWR.  
NINH, S.Q. Standardization Project Directorate (901216-920516). 92/07/16. MARRIOTT, P.W. General Electric Co. 12pp. 62479:077-62479:088.

**9207270142** Forwards proprietary & nonproprietary versions of "Chem-Nuclear Sys, Inc Multi-Use Container High Integrity Container Licensing Topical Rept, Docket WM-107." Affidavit encl. Proprietary rept withheld. W/10 oversize drawings.  
HOUSE, W.B. Chem-Nuclear Systems, Inc. RA-0629-92. 92/07/22. LOHAUS, P.H. Low-Level Waste Management Branch (Post 901230). 3pp. 62595:148-62595:269.

**-9207270147** Nonproprietary version of "Chem-Nuclear Sys, Inc Multi-Use Container, High Integrity Container Licensing Topical Rept, Docket WM-107."  
\* Chem-Nuclear Systems, Inc. 92/07/23. 110pp. 62595:151-62595:269.

**9207270187** Forwards unedited copy of Section 3.3 for BWR owners group BWR/4 & BWR/6 versions of new STS.  
GRIMES, C.I. Technical Specifications Branch. 92/06/04. BUSH, L. Westinghouse Operating Plants Owners Group. WUNDERLY, B. Babcock & Wilcox Operating Plants Owners Group. 203pp. 62517:001-62517:211.

**9207270197** Advises that util 920622 submittal of WCAP-12774, "Technical Justification for Eliminating Pressurizer Surge Line Rupture as Structural Design Basis for Watts Bar Units 1 & 2" will be withheld from public disclosure (ref 10CFR2.790).  
TAM, P.S. Project Directorate II-4 (formerly TVA Project Directorate) (Post 900603). TAC M83837. 92/07/21. LIPARULO, N.J. Westinghouse Electric Corp. 4pp. 62583:214-62583:217.

**9207270209** Forwards preliminary unedited copy of Section 3.6 Bases for B&W, Westinghouse & C-E owners groups versions of new STS.  
GRIMES, C.I. Technical Specifications Branch. 92/06/01. BUSH, L. Westinghouse Operating Plants Owners Group. WUNDERLY, B. Babcock & Wilcox Operating Plants Owners Group. 203pp. 62485:001-62486:244.

**9207270269** Informs that GE rept "BWR Beltline Matl Upper Shelf Energy Estimation Methods, GE-NE-523-18-1191," dtd June 1992, marked as proprietary will be withheld from public disclosure per 10CFR2.790(b)(5) as requested.  
CAPRA, R.A. Project Directorate I-1. TAC M83823. 92/07/17. TULLY, C.L. BWR Owners Group. TULLY, C.L. Southern Nuclear Operating Co. 4pp. 62486:288-62486:291.

**9207270271** Advises that 920324 submittal of C-E SA-ALL-NCR-92-003-00, "Subgroup 4.5 & 22 CEA Slip Analysis for Reactor Power Cutback Timer" will be withheld from public disclosure, per 10CFR2.790.  
THOMPSON, C.M. Project Directorate V. 92/07/21. CONWAY, W.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 62491:352-62491:358.

**9207270287** Advises that licensee 880324 response to Bulletin 88-002, "Rapidly Propagating Fatigue Cracks in Steam Generator Tube" acceptable. Util proposed long-term corrective action as required in WCAP-12592 also acceptable.  
WUNDER, G.F. Project Directorate II-1. TAC M87327. 92/07/22. SKOLDS, J.L. South Carolina Electric & Gas Co. 3pp. 62496:316-62496:318.

**9207270292** Forwards preliminary unedited copy of Section 3.3 for B&W owners group version of new STS.  
GRIMES, C.I. Technical Specifications Branch. 92/05/22. BUSH, L. Westinghouse Operating Plants Owners Group. 600pp. 62483:001-62484:313.

**9207270306** Forwards preliminary, unedited Section 3.3 for CEOG version of new STS.  
GRIMES, C.I. Technical Specifications Branch. 92/05/29. BUSH, L. Westinghouse Electric Corp. 200pp. 62518:001-62518:102.



## 244 NONDOCKETED ITEMS

- 9207270337** Forwards proprietary WCAP-13421, "Meeting on Best Estimate LOCA Models Held on 920617." Encl withheld.  
LIPARULO,N.J. Westinghouse Electric Corp. ET-NRC-92-3720. 92/06/25. SAPP,L. Planning, Program & Management Support Branch (Post 870411). 2pp. 62527:346-62527:354.
- 9207270343** Requests that proprietary WCAP-13421, "Meeting on Best Estimate LOCA Models Held on 920617." be withheld (ref 10CFR9.5(4)).  
LIPARULO,N.J. Westinghouse Electric Corp. AW-92-332. 92/06/25. SAPP,L. Planning, Program & Management Support Branch (Post 870411). 7pp. 62527:348-62527:354.
- 9207270365** Notification of 920723 meeting w/Siemens Nuclear Power Corp in Rockville,MD to discuss LOCA evaluation models.  
ORR,F.R. Reactor Systems Branch. 92/07/20. JONES,R.C. Reactor Systems Branch. 2pp. 62491:338-62491:339.
- 9207280164** Notification of 920813 meeting w/Westinghouse Nuclear Corp in Rockville,MD to discuss 10CFR50.46 reporting.  
ORR,F.R. Reactor Systems Branch. 92/07/20. JONES,R.C. Reactor Systems Branch. 2pp. 62530:288-62530:289.
- 9207280228** Submits info for NRC consideration re GL 89-10 on motor operated valve positioning. Requests that NRC formally notify licensees that requirement to consider position re changeable valves in GL 89-10 inapplicable.  
ELIASZ,R.W. Westinghouse Operating Plants Owners Group. OG-92-43. 92/07/21. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 62566:275-62566:278.
- 9207280249** Forwards response to Rev 1 to Generic Ltr 92-01 re reactor vessel structural integrity, consisting of Westinghouse topical repts & SWRI repts. Proprietary WCAP-8047 withheld (ref 10CFR2.790).  
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). GL-92-01. 92/07/13. MURLEY,T.E. Document Control Branch (Document Control Desk). 12pp. 62565:002-62566:068.
- 9207280261** WCAP-8512 "American Electric Power Co DC Cook Unit 2 Reactor Vessel Radiation Surveillance Program."  
DAVIDSON,J.A., YANINCHKO,S.E., CHIRIGOS,J.N. Westinghouse Electric Corp. 75/11/30. 33pp. 62565:015-62566:048.
- 9207290293** Notification of 920729 public meeting in Rockville,MD to discuss RV water level instrumentation for BWRs.  
THADANI,A.C. Instrumentation & Control Systems Branch. 92/07/22. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 2pp. 62555:356-62555:357.
- 9207290375** Forwards proprietary suppl to addl info on WCAP-12488, "Westinghouse Fuel Criteria Evaluation Process." Encl withheld (ref 10CFR9.5(4)).  
LIPARULO,N.J. Westinghouse Electric Corp. ET-NRC-92-3723. 92/07/17. JONES,R.C. Reactor Systems Branch (870411-890826). 2pp. 62612:047-62612:049.
- 9207290385** Requests that proprietary suppl to addl info on WCAP-12488, "Westinghouse Fuel Criteria Evaluation Process." be withheld (ref 10CFR2.790(a)).  
LIPARULO,N.J. Westinghouse Electric Corp. AW-92-337. 92/07/17. JONES,R.C. Reactor Systems Branch (870411-890826). 1p. 62612:049-62612:049.
- 9207300051** Notification of corrected time for 920729 meeting w/BWR Regulatory Response Group Members to discuss reactor vessel water level instrumentation in BWRs.  
NEWBERRY,S.F. Division of Systems Technology (Post 890827). 92/07/22. MURLEY,T., MIRAGLIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 2pp. 62555:353-62555:354.
- 9207300067** Forwards nonproprietary GE-NE-187-37-0991, "Shroud Support Access Hole Cover SER for Dresden & Quad Cities" to suppl 920221 proprietary submittal, as result of GE Svcs Info Ltr (SIL) 462 & associated suppl.  
SCHRAGE,J.L. Commonwealth Edison Co. 92/07/21. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 62619:303-62619:344.
- 9207300073** GE-NE-187-37-0991 Nonproprietary GE-NE-187-37-0991, "Shroud Support Access Hole Cover SER for Dresden & Quad Cities."  
CHI,L.L. General Electric Co. 91/09/30. 35pp. 62619:310-62619:344.
- 9207300074** Notification of cancelled meeting w/CPL on 900723 to discuss topical repts.  
ORR,F.R. Reactor Systems Branch. 92/07/20. JONES,R.C. Reactor Systems Branch. 2pp. 62580:318-62580:319.
- 9207300085** Forwards rewrite of Amend 15 to Duke Power Co Topical Rept DUKE-1-A, "QA Program." Amend supercedes submittal transmitted on 920422.  
PRIORY,R.B. Duke Power Co. 92/07/20. Document Control Branch (Document Control Desk). 4pp. 62592:256-62592:315.
- 9207300252** Rewrite of Amend 15 to Duke-1-A. "QA Program." Section 17.0 & 17.3, responding to 920630 request for clarification. Amend 15 supercedes submittal transmitted on 920422.  
\* Duke Power Co. 92/07/20. 55pp. 62592:260-62592:315.
- 9207300086** Notification of 920818 meeting w/ABB-CE in Rockville,MD to discuss reactor core sys topics re ABB-CE PWR fuel & topical repts.  
KOPP,L.I. Division of Systems Technology (Post 890827). 92/07/23. JONES,R.C. Reactor Systems Branch. 3pp. 62580:320-62580:322.
- 9207300089** Submits summary of organizational changes effective 920701, per commitment in Licensing Topical Rept NEDO-11209-04A, Rev 8. Revised organizational chart encl.  
CASE,J.M. General Electric Co. 92/07/22. Document Control Branch (Document Control Desk). 2pp. 62592:345-62592:346.
- 9207300228** Application for amend to License NPF-6, revising surveillance requirements for SG tubing, Tech Spec 4.4.5. Details of sleeve qualification discussed in encl Rept CEN-801-P, Rev 01-P, "ANO Unit 2." Rept withheld (ref 10CFR2.790).  
CARNS,N.S. Entergy Operations, Inc. 2CAN078293. 92/07/22. Document Control Branch (Document Control Desk). 15pp. 62584:235-62584:253.
- 9207310069** Forwards proprietary slide presentation given by ABB C-E during 920520 meeting w/NRC on use of erbium as burnable absorber. Encl withheld (ref 10CFR2.790).  
TOELLE,S.A. ASEA Brown Boveri, Inc. LD-92-074. 92/06/04. PHILLIPS,L.E. Reactor Systems Branch. 8pp. 62638:139-62638:146.
- 9207310199** Forwards amend 15 to Topical Rept SCE-1-A, "QA Program," updating organizational structure, titles and responsibilities as result of senior mgt realignments.  
ROSENBLUM,R.M. Southern California Edison Co. 92/07/27. Document Control Branch (Document Control Desk). 3pp. 62615:226-62615:324.
- 9207310211** Amend 15 to Topical Rept SCE-1-A, "QA Program," updating organizational structure, titles & responsibilities as result of senior mgt realignments.  
KATZ,B. Southern California Edison Co. 92/07/31. 95pp. 62615:229-62615:324.
- 9207310235** Forwards revised matrix from Rev 12 of Topical Rept CPC-2A, "Quality Program Description for Operational Nuclear Plants" annual submittal dtd 920615.  
HOFFMAN,D.P. Consumers Power Co. 92/07/27. Document Control Branch (Document Control Desk). 1p. 62611:268-62611:341.
- 9207310243** CPC-2A R12 Revised matrix from Rev 12 to Topical Rept CPC-2A, "Quality Program Description for Operational Nuclear Plants."  
\* Consumers Power Co. 92/07/27. 73pp. 62611:269-62611:341.

## WASTE MGT NUCLEAR WASTE MANAGEMENT

- 9207010001** Advises that implementation of CNWRA Technical Operating Procedure (TOP) TOP-001-11 for development of compliance determination strategies & methods valid.  
HOOKS,K. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 92/06/24. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 1p. 62246:340-62246:340.
- 9207010038** Forwards rev 1 to Study Plan 8.3.1.4.2.2, "Characterization of Structural Features in Site Area."  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/06/15. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 62231:231-62231:347.
- 9207010062** Rev 1 to Study Plan 8.3.1.4.2.2, "Characterization of Structural Features in Site Area."  
\* Energy, Dept. of. HLWR. 92/04/22. 115pp. 62231:233-62231:347.
- 9207010156** Forwards "NRC Observation Audit Rept 92-10 for Ofc of Civilian Radwaste Mgt Audit YMP-92-13 of USGS."  
HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 92/06/23. ROBERTS,J.P. Energy, Dept. of. 2pp. 62292:001-62292:015.
- 9207010165** YMP-92-13 "NRC Observation Audit Rept 92-10 for Ofc of Civilian Radwaste Mgt Audit YMP-92-13 of USGS."  
HOLONICH,J.J. Energy, Dept. of. HLWR. 92/06/04. 12pp. 62292:003-62292:015.
- 9207010183** Advises that response to Corrective Action Request YM-92-030 resulting from Yucca Mountain QA Div Audit YMP-92-13 of USGS satisfactory.  
SPENCE,R.E. Energy, Dept. of. HLWR. 92/06/24. HAYES,L.R. Interior, Dept. of, Geological Survey. 6pp. 62292:016-62292:021.
- 9207010215** Forward CNWRA 91-001, "High-Level Radwaste Repository Functional Analysis."  
LATZ,J.E. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. HLWR. 92/03/27. MEARSE,S.D. Division of Contracts & Property Management (Post 890205). 1p. 62231:142-62231:230.
- 9207010226** CNWRA 91-001 "High-Level Radwaste Repository Functional Analysis."  
ROMINE,D.T. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. HLWR. 92/03/31. NRC - No Detailed Affiliation Given. 88pp. 62231:143-62231:230.
- 9207020130** Forwards CNWRA 91-011 repts entitled "Sorption Modeling for HLW Performance Assessment." W/o encl.  
STILTENPOLE,B. Program Management, Policy Development & Analysis Staff (Post 870413). 92/05/18. MAJOR,R. Advisory Committee on Nuclear Waste. 1p. 62221:359-62221:359.
- 9207020147** Informs that review of available data indicates that licensee property cleared of residual radioactive contamination to extent required by EPA.  
CHERNOFF,A.R. Energy, Dept. of. 92/04/24. Bonneville Transloaders. 2pp. 62242:341-62242:342.
- 9207020282** Responds to NRC Phase I review comments on study plan 8.3.1.9.2.2, "Water Resources Assessment of Yucca Mountain, NV."  
ROBERTS,J.P. Energy, Dept. of. 92/06/29. HOLONICH,J.J. Division of High-Level Waste Management (Post 870413). 2pp. 62292:086-62292:087.
- 9207020294** Notice of availability of proposed rev to staff technical position re concentration averaging & encapsulation.  
LOHAUS,P.H. Low-Level Waste Management Branch (Post 901230). 92/06/17. 15pp. 62197:287-62197:302.
- 9207020300** Forwards USGS Administrative Rept, "Mines, Prospects & Mineral Occurrences in Esmeralda & Nye Counties, NV, Near Yucca Mountain" & DOE/RW-0205, "Section 175 Rept: Secretary of Energy Rept to Congress..." W/two oversize drawings.  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/06/19. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 3pp. 62300:005-62300:086.
- 9207020304** "Mines, Prospects & Mineral Occurrences in Esmeralda & Nye Counties, NV, Near Yucca Mountain" 1991 Administrative Rept.  
BERGQUIST,J.R., MCKEE,E.D. Interior, Dept. of, Geological Survey. HLWR. 91/12/31. 391pp. 62300:008-62301:043.
- 9207020309** DOE/RW-0205 "Section 175 Rept: Secretary of Energy Rept to Congress Per Section 175 of Nuclear Waste Policy Act, as Amended."  
\* Energy, Dept. of. HLWR. 88/12/31. 100pp. 62301:044-62301:181.
- 9207020311** Rev 0 to YMP-91-21, "Socioeconomic Plan."  
\* Energy, Dept. of. HLWR. 91/05/31. 94pp. 62301:182-62301:276.



- 9207020318 Paper entitled, "Geostatistical Techniques for Describing & Modeling Heterogeneity in Rock Properties" presented at 910402-05 Characterization of Transport Phenomena in Vadose Zone Workshop at Univ of AZ in Tucson, AZ. RAUTMAN, C.A. Sandia National Laboratories. HLWR. 91/12/06. 3pp. 62301:277-62302:086.
- 9207060167 Forwards one oversize chart of OCWRM integration logic w/ first tier sys decisions for use, per request at 920522 sys studies meeting. Much of info on chart outdated & will not be updated in near future. W/one oversize drawing. ROBERTS, J.P. Energy, Dept. of. HLWR. 92/06/25. LARSON, H.J. Advisory Committee on Nuclear Waste. 3pp. 62273:130-62273:132.
- 9207060180 Forwards Audit Plan YMP-92-19, "Ofc of Civilian Waste Mgt QA Audit Plan for Audit YMP-92-19, Rev 1 of Los Alamos Natl Lab, Los Alamos, NM, 920707-11." HORTON, D.G. Energy, Dept. of. HLWR. 92/06/24. CANEPA, J.A. Los Alamos National Laboratory. 2pp. 62292:114-62292:119.
- 9207060181 Audit Plan YMP-92-19, "Ofc of Civilian Radwaste Mgt QA Audit Plan for Audit YMP-92-19, Rev 1 of Los Alamos Natl Lab, Los Alamos, NM 920707-11." MARTIN, J.S., HORTON, D.G. Energy, Dept. of. HLWR. 92/06/23. 4pp. 62292:116-62292:119.
- 9207060182 Clarifies & document ofc of civilian radwaste mgt does not plan to provide TRW mgt & operating contractor QA program description to NRC for acceptance. ROBERTS, J.P. Energy, Dept. of. HLWR. 92/06/29. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 3pp. 62292:120-62292:122.
- 9207060198 Forwards Ofc of Geologic Disposal weekly highlights for wks ending 920605 & 12 & Yucca Mountain Site Ofc field activity rept for wks ending 920605 & 12. PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. HLWR. 92/06/24. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 33pp. 62254:215-62254:247.
- 9207060262 Forwards CNWRA 91-011, "Sorption Modeling for High-Level Waste Performance Assessment: Literature Review," per Change 1 of May 1991 project plan for sorption modeling for HLW performance assessment research project. RUSSELL, J.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. HLWR. 91/08/29. MEARSE, S.D. Division of Contracts & Property Management (Post 890205). 1p. 62259:043-62259:282.
- 9207070217 Submits info describing procedure to follow in requesting extension of time period for public comment of FR notice issued by NRC on "Revised Guidance on Disposal of Non-Atomic Energy Act of 1954, Section 11e(2) Byproduct Matl..." BANGART, R.L. Division of Low-Level Waste Management & Decommissioning (Post 870413). 92/06/26. DARKE, J. Affiliation Not Assigned. 10pp. 62267:145-62267:154.
- 9207070242 Forwards Surveillance Repts YMP-SR-92-001, YMP-SR-92-004, YMP-SR-92-007, YMP-SR-92-008 & YMP-SR-92-011, reflecting surveillances of drilling exercises & field activities by DOE at Yucca Mountain site for info, per 920430 meeting. ROBERTS, J.P. Energy, Dept. of. HLWR. 92/06/22. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 62292:298-62292:339.
- 9207070294 Advises that DOE recently received results of Phase I reviews for listed study plans. Suggests that NRC request copies of procedures through DOE/Headquarters Regulatory Integration Branch. ROBERTS, J.P. Energy, Dept. of. HLWR. 92/06/30. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 62292:222-62292:223.
- 9207070392 Forwards Yucca Mountain Site Characterization Project participant monthly status repts for info. DESELL, L.J. Energy, Dept. of. HLWR. 92/06/30. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 29pp. 62292:229-62292:290.
- 9207070393 "Yucca Mountain Site Characterization Project Monthly Highlights & Status Rept" for Apr 1992. \* Sandia National Laboratories. HLWR. 92/04/30. 32pp. 62292:259-62292:290.
- 9207080009 Forwards const review rept of review conducted on 920616 of Grand Junction Processing & Disposal Sites. Several open items noted which need to be addressed by DOE. Major areas inspected: scope of const activities & site conditions. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 92/07/06. CHERNOFF, A.R. Energy, Dept. of. 5pp. 62305:337-62305:341.
- 9207080010 Responds to 920623 ltr re 920513 FR notice on U Mill facilities, request for public comments on revised guidance on disposal of Non-Atomic Energy Act of 1954 by product matl. Comments received by 920715 to be considered. FLIEGEL, M. Uranium Recovery Branch (Post 901230). 92/07/02. DARKE, J. Affiliation Not Assigned. 1p. 62307:129-62307:129.
- 9207080013 Responds to 920604 ltr to H Thompson re recovery of potentially radioactive matl in Republic of Philippines. Recommends consultation w/ Philippine Nuclear Research Inst re identification & disposition of matl. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 92/06/29. DULAY, E.V. Affiliation Not Assigned. 3pp. 62305:356-62305:358.
- 9207080014 Submits comments on "Engineering Test Instruction for Performing Supplemental Waste Form Testing to Support Waste Form Topical Rept Submittal (Rev 1 to ETI-92-003). Interim approval of rept extended until 921231. KANE, J. Low-Level Waste Management Branch (Post 901230). 92/07/02. HOUSE, W.B. Chem-Nuclear Systems, Inc. 3pp. 62305:353-62305:355.
- 9207080026 Notification of 920716 meeting w/ DOE in Richland, WA to discuss status of DOE's plans re classification & disposal of Hanford double-shell tank wastes. AUSTIN, J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/02. MEYER, D.L. Regulatory Publications Branch. 4pp. 62277:105-62277:108.
- 9207080038 Advises that proposed Project Interface Document (PID) 05-S-47 re proposed changes to riprap specs for Grand Junction UMTRAP site unacceptable & will not solve const problems w/ production of riprap for erosion protection. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 92/06/29. CHERNOFF, A.R. Energy, Dept. of. 3pp. 62305:334-62305:336.
- 9207080112 Forwards Audit Rept YMP-92-16, "DOE OCRWM Ofc of QA Audit Rept for Audit of SAIC Las Vegas, NV & NV Test Site" during period 920518-22. HORTON, D.G. Energy, Dept. of. HLWR. 92/06/29. VOEGELE, M.D. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 62293:047-62293:086.
- 9207080115 YMP-92-16 "DOE OCRWM Ofc of QA Audit Rept for Audit of SAIC Las Vegas, NV & NV Test Site" during 920518-22. Program elements evaluated: instructions, procedures, plans & drawings, document control & control of measuring & test equipment. MAUDLIN, R.L., HORTON, D.G. Energy, Dept. of. HLWR. 92/06/25. 38pp. 62293:049-62293:086.
- 9207080137 Forwards UMTRA-DOE/AL 350125.0000, Rev A, "Guidance for Implementing UMTRA Project Long-Term Surveillance Program - Final for Review." CHERNOFF, A.R. Energy, Dept. of. 92/06/25. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 97pp. 62291:080-62291:274.
- 9207080224 UMTRA-DOE/AL 350125. Rev A to UMTRA-DOE/AL 350125.0000, "Guidance for Implementing UMTRA Project Long-Term Surveillance Program - Final for Review." \* Energy, Dept. of. 92/04/30. 100pp. 62291:149-62291:274.
- 9207080164 Forwards Project Interface Document 06-S-20, outlining design change to final RAP for stabilization of inactive U mill tailings sites at Rifle, CO, dtd Feb 1992 for review & approval. ARP, S.J. Energy, Dept. of. 92/06/29. MULLINS, A. Division of Low-Level Waste Management & Decommissioning (Post 870413). 11pp. 62293:293-62293:303.
- 9207080203 Forwards Stripa Project Technical Repts (TR) TR 92-09, TR 92-10 & TR 92-11. W/o encls. LEVICH, R.A. Energy, Dept. of. HLWR. 92/06/30. STABLEIN, N.K. NRC - No Detailed Affiliation Given. 2pp. 62293:094-62293:095.
- 9207080214 Forwards comment/response document addressing NRC updated draft TER open issues on Belfield & Bowman ND sites received by UMTRA Project ofc on 920612. Comment/response document reflects discussions held on issues during 920609 telcon. CHERNOFF, A.R. Energy, Dept. of. 92/07/01. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 24pp. 62272:331-62272:355.
- 9207080319 Press release announcing President Bush appointment of D Langmuir to second term on Nuclear Waste Technical Review Board. ALFORD, P.N. Nuclear Waste Technical Review Board. HLWR. 92/07/07. 2pp. 62293:116-62293:117.
- 9207080323 Press release announcing President Bush appointment of EJ Cording to Nuclear Waste Technical Review Board. ALFORD, P.N. Nuclear Waste Technical Review Board. HLWR. 92/07/07. 2pp. 62334:357-62334:358.
- 9207090008 Forwards info re 10CFR960, per request. W/o encl. PRESTHOLT, P.T. Energy, Dept. of. 92/07/02. MILTON, D. Clark County, NV. 1p. 62307:313-62307:313.
- 9207090084 Forwards "NRC Observation Audit Rept 92-12 for Yucca Mountain QA Div Audit YMP-92-16 of SAIC Technical & Mgt Support Svcs." HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 92/06/23. ROBERTS, J.P. Energy, Dept. of. 3pp. 62293:126-62293:139.
- 9207090095 92-12 "NRC Observation Audit Rept 92-12 for Yucca Mountain QA Div Audit YMP-92-16 of SAIC Technical & Mgt Support Svcs." BELKE, W.L., KALMAN, K.L. Repository Licensing & Quality Assurance Project Directorate (Post 881120). MABRITO, B. Center for Nuclear Waste Regulatory Analyses. HLWR. 92/06/18. 10pp. 62293:129-62293:139.
- 9207090125 Forwards summary of 920317 NRC/DOE technical exchange in Albuquerque, NM re draft staff technical position on geologic repository operations area underground facility design - thermal loads. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 92/06/25. ROBERTS, J.P. Energy, Dept. of. 3pp. 62295:093-62295:355.
- 9207090130 Summary of 920317 NRC/DOE technical exchange in Albuquerque, NM re draft staff technical position on geologic repository operations area underground facility design - thermal loads. List of attendees & slides encl. LEE, M.P. Repository Licensing & Quality Assurance Project Directorate (Post 881120). BUNTON, R. Energy, Dept. of. HLWR. 92/04/08. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 200pp. 62295:096-62295:355.
- 9207090185 Forwards revised Ofc of Radwaste Mgt FY92 headquarters QA surveillance schedule, revised on 920624, for both internal & external surveillance currently planned for FY92. HORTON, D.G. Energy, Dept. of. HLWR. 92/07/06. HOOKS, K. NRC - No Detailed Affiliation Given. 3pp. 62293:145-62293:147.
- 9207090186 Forwards summary of 920428-29 NRC/DOE technical exchange in Albuquerque, NM re scenario development & screening & const of complementary cumulative distribution function related to DOE 1988 SCP & NRC 1989 Site Characterization Analysis. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 92/06/30. ROBERTS, J.P. Energy, Dept. of. 3pp. 62382:020-62382:169.
- 9207090190 Summary of 920428-29 NRC/DOE technical exchange in Albuquerque, NM re scenario development & screening & const of complementary cumulative distribution function related to DOE 1988 SCP & NRC 1989 Site Characterization Analysis. LEE, M.P. Repository Licensing & Quality Assurance Project Directorate (Post 881120). BUNTON, R. Energy, Dept. of. HLWR. 92/06/04. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 100pp. 62382:023-62382:169.

## 246 NONDOCKETED ITEMS

- 9207090355** Forwards "Ofc of Civilian Radwaste Mgt Yucca Mountain QA Div QA Surveillance Rept of Mgt & Operations Contractor Surveillance Number YMP-SR-92-012," conducted on 920527-0601.  
HORTON,D.G. Energy, Dept. of. HLWR. 92/06/19. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 62437:046-62437:058.
- 9207090356** YMP-SR-92-012 "Ofc of Civilian Radwaste Mgt Yucca Mountain QA Div QA Surveillance Rept of Mgt & Operations Contractor Surveillance Number YMP-SR-92-012," conducted on 920527-0601.  
HARRIS,D.J., HORTON,D.G. Energy, Dept. of. HLWR. 92/06/18. 11pp. 62437:048-62437:058.
- 9207100048** Forwards rev 0 to Study Plan 8.3.1.4.2.1, "Characterization of Vertical and Lateral Distribution of Stratigraphic Units Within Site Area."  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/06/22. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 3pp. 62334:028-62334:144.
- 9207100056** Rev 0 to Study Plan 8.3.1.4.2.1, "Characterization of Vertical and Lateral Distribution of Stratigraphic Units Within Site Area."  
\* Energy, Dept. of. 92/06/22. 115pp. 62334:031-62334:144.
- 9207100298** Identifies two key issues re USGS based on review of DOE Yucca Mountain Site Characterization Project Ofc 920422 response to State of NV. Issues include scientific work done by USGS & work to support Study Plan 8.3.1.2.2.6.  
GERTZ,C.P. Energy, Dept. of. HLWR. 92/07/01. LOUX,R.R. Nevada, State of. 2pp. 62437:072-62437:073.
- 9207100302** Notification of 920716 meeting w/DOE & State of NV in Rockville,MD to discuss items of interest re QA. Attendees listed. Agenda encl.  
BROOKS,P.P. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 92/07/01. HOOKS,K.R. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 3pp. 62437:074-62437:076.
- 9207100311** Informs of status of NRC efforts to improve regulatory oversight of decommissioning of nuclear facilities. Most recent update of Site Decommissioning Mgt Plan encl. W/o encl.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/07/02. SYNAR,M. House of Rep., Government Operations. 5pp. 62366:184-62366:188.
- 9207100422** Forwards "Ofc Civilian Radwaste Mgt Yucca Mountain QA Div QA Surveillance Rept of Software QA Surveillance YMP-SR-92-018, Conducted on 920716-17 at LLNL,Livermore,CA."  
HORTON,D.G. Energy, Dept. of. HLWR. 92/07/01. CLARKE,W.L. Lawrence Livermore National Laboratory. 2pp. 62437:086-62437:094.
- 9207100426** "Ofc of Civilian Radwaste Mgt Yucca Mountain QA Div QA Surveillance Rept of Software QA Surveillance YMP-SR-92-018, Conducted on 920616-17, at LLNL,Livermore,CA."  
MAUDLIN,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 92/06/30. 7pp. 62437:088-62437:094.
- 9207130033** Forwards corrective action requests YM-92-050 through YM-92-054 resulting from Yucca Mountain QA Division audit YMP-92-18 of Raytheon Svcs NV. Requests that corrective actions to be taken to correct deficiencies be identified.  
SPENCE,R.E. Energy, Dept. of. WBS 1.2.9.3. 92/07/06. BULLOCK,R.L. Raytheon Service Co. 17pp. 62437:095-62437:111.
- 9207130039** Forwards Audit Plan YMP-92-16, "OCRWM QA Audit Plan for Audit YMP-92-21 of LLL Livermore,CA 920810-14."  
HORTON,D.G. Energy, Dept. of. WBS 1.2.9.3. 92/07/06. CLARKE,W.L. Lawrence Livermore National Laboratory. 2pp. 62437:112-62437:117.
- 9207130054** Audit Plan YMP-92-16, "OCRWM QA Audit Plan for Audit YMP-92-21 of Lawrence Livermore National Lab,Livermore,CA, 920810-14."  
MAUDLIN,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 92/07/06. 4pp. 62437:114-62437:117.
- 9207130074** Informs that results of verification of corrective action to Corrective Action Request YM-92-025 resulting from Yucca Mountain QA Div Audit YMP-92-11 of Raytheon Svcs NV unsatisfactory.  
SPENCE,R.E. Energy, Dept. of. WBS 1.2.9.3. 92/07/06. BULLOCK,R.L. Raytheon Service Co. 5pp. 62437:118-62437:122.
- 9207130087** Informs of evaluation of response & closure of corrective action request YM-92-042 resulting from Yucca Mountain QA Division audit YMP-92-16 of SAIC. Response satisfactory.  
SPENCE,R.E. Energy, Dept. of. WBS 1.2.9.3. 92/07/06. VOEGELE,M.D. Science Applications International Corp. (formerly Science Applications, Inc.). 13pp. 62437:123-62437:135.
- 9207130157** Forwards Surveillance Rept YMP-SR-014 resulting from Yucca Mountain QA Division surveillance of implementation of quality mgt procedure QMP 02-01. No corrective action requests issued.  
HORTON,D.G. Energy, Dept. of. WBS 1.2.9.3. 92/07/01. GERTZ,C.P. Energy, Dept. of. 1p. 62437:136-62437:143.
- 9207130162** YMP-SR-92-014 "Office of Civilian Radwaste Mgt Yucca Mountain QA Div QA Surveillance Rept Surveillance YMP-SR-92-014 conducted 920608-10 at Yucca Mountain Site Characterization Project Office Training Ctr in Las Vegas,NV."  
COCOROS,A.E., HORTON,D.G. Energy, Dept. of. HLWR. 92/06/30. 7pp. 62437:137-62437:143.
- 9207130189** Forwards technical data tracking, project technical info model - overview draft, qualified records vs QA records & technical data workshop - Yucca Mountain project parameter dictionary.  
PRESTHOLT,P.T. NRC - No Detailed Affiliation Given. 92/07/02. ABRAMS,C. NRC - No Detailed Affiliation Given. 72pp. 62387:238-62387:309.
- 9207130171** Forwards latest engineering & const group staffing assignments for UMTRA Project, for info & use. Changes will become effective 920713.  
CHERNOFF,A.R. Energy, Dept. of. 92/07/08. SURMEIER,J.J. Uranium Recovery Branch (Post 901230). 2pp. 62374:291-62374:292.
- 9207130190** Advises NRC of DOE intention to dispose of 61 cubic yards of tailings from Grand Junction Projects Ofc remedial action project in UMTRAP Cheney disposal cell & seeks NRC concurrence w/action.  
CHERNOFF,A.R. Energy, Dept. of. 92/07/08. SURMEIER,J.J. Uranium Recovery Branch (Post 901230). 12pp. 62375:227-62375:238.
- 9207130184** Informs that results of verification of corrective action to corrective action request YM-92-026 resulting from Yucca Mountain QA Div audit YMP-92-11 of Raytheon Svcs NV satisfactory.  
SPENCE,R.E. Energy, Dept. of. WBS 1.2.9.3. 92/07/06. BULLOCK,R.L. Raytheon Service Co. 7pp. 62437:144-62437:150.
- 9207130208** Forwards "Ofc of Civilian Radwaste Mgt QA Audit Plan for Audit YMP-92-18 of Raytheon Svcs NV Las Vegas,NV," conducted on 920622-26.  
HORTON,D.G. Energy, Dept. of. HLWR. 92/05/12. BULLOCK,R.L. Nevada, State of. 3pp. 62386:001-62386:295.
- 9207130261** Forwards "Ofc of Civilian Radwaste Mgt QA Program Trends Rept for First Quarter FY92," for period Jan-Dec 1991 & Apr 1991-Mar 1992.  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/07/08. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 62437:156-62437:176.
- 9207130265** "Ofc of Civilian Radwaste Mgt QA Program Trends Rept for First Quarter FY92," for period of Jan-Dec 1991.  
HORTON,D.G. Energy, Dept. of. HLWR. 92/03/13. 10pp. 62437:158-62437:166.
- 9207130267** "Ofc of Civilian Radwaste Mgt QA Program Trends Rept for Second Quarter FY92," for period Apr 1991-Mar 1992.  
HORTON,D.G. Energy, Dept. of. HLWR. 92/04/28. 10pp. 62437:167-62437:176.
- 9207140008** Responds to 920507 ltr to Chairman Selin forwarding constituent FE Coupal ltr re deep sea disposal of spent nuclear fuel & high level nuclear waste. Statute vests authority for sea disposal w/EPA.  
TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 92/06/17. MARLENEER, R. House of Rep. 5pp. 62384:332-62384:339.
- 9207140009** Forwards constituent FE Coupal 920308 ltr re sea disposal of nuclear waste. Response requested.  
MARLENEER, R. House of Rep. CCS. 92/05/07. THE CHAIRMAN, SELIN, I. Commissioners (Post 750119). 2p. 62384:337-62384:339.
- 9207150272** Forwards Stripa Project Technical Rept TR 92-14. W/o encl.  
LEVICH,R.A. Energy, Dept. of. WBS 1.2.9. 92/07/08. STABLEIN,N.K. NRC - No Detailed Affiliation Given. 2pp. 62480:066-62480:067.
- 9207160112** Responds to NRC audit observer inquiry made during DOE Ofc of QA Audit YMP-91-1-01 conducted on 911028-1101.  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/07/06. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 57pp. 62480:068-62480:124.
- 9207160162** Requests that proposal be resubmitted following format outlined in encl package entitled, "Intl Science & Technology Ctr (ISTC)-Info for Project Proposals" for ISTC being established in Moscow.  
DOWDY,E.J. State, Dept. of. 92/07/01. YOUNGBLOOD,B.J. Division of High-Level Waste Management (Post 870413). 11pp. 62480:125-62480:135.
- 9207160307** Forwards QAPP change notices 92-03,92-04 & 92-05 to QAPP 568-DOC-115 & response to NRC comments on change notices 91-01,92-01 & 92-02 for Reynolds Electrical & Engineering Co Inc.  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/07/10. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 4pp. 62480:171-62480:182.
- 9207160321** QA Program Plan Change Notice 92-03 to QAAP 568-DOC-115, rev 8.  
PRITCHETT,R.F. Reynolds Electrical & Engineering Co., Inc. WBS 1.2.9.3. 92/03/27. 2pp. 62480:175-62480:176.
- 9207160330** QA Program Plan Change Notice 92-04 to QAAP 568-DOC-115, rev 8.  
PRITCHETT,R.F. Reynolds Electrical & Engineering Co., Inc. WBS 1.2.9.3. 92/04/14. 4pp. 62480:177-62480:181.
- 9207160334** QA Program Plan Change Notice 92-05 to QAAP 568-DOC-115, rev 8.  
PRITCHETT,R.F. Reynolds Electrical & Engineering Co., Inc. WBS 1.2.9.3. 92/04/10. 1p. 62480:182-62480:182.
- 9207160333** Extends invitation to observe 90% independent technical design review of Package 1A for Exploratory Studies Facility, Title II design on 920727 in Las Vegas,NV.  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/07/10. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 62480:183-62480:184.
- 9207160374** Forwards Ofc Geologic Disposal Weekly Highlights for wks ending 920619 & 26 & Yucca Mountain Site Ofc Field Activity Rept.  
PRESTHOLT,P.T., GILRAY,J.W. NRC - No Detailed Affiliation Given. HLWR. 92/07/10. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 32pp. 62430:151-62430:182.
- 9207170135** Informs that info submitted by 920415 ltr, consisting of Multi-Use Container-High Integrity Container (MUC-HIC) Prototype Testing Program reviewed & application for MUC-HIC topical rept assigned Docket WM-107.  
KANE,J. Low-Level Waste Management Branch (Post 901230). 92/07/10. HOUSE,W.B. Chem-Nuclear Systems, Inc. 9pp. 62433:327-62433:335.
- 9207170140** Forwards Falls City, TX Final Remedial Action Plan revised pages addressing open issues noted as result of review of previously submitted revised pages & "Remedial Action Insp Plan," Rev F for review & concurrence.  
CHERNOFF,A.R. Energy, Dept. of. 92/07/15. SURMEIER,J.J. Uranium Recovery Branch (Post 901230). 1p. 62431:233-62431:258.
- 9207170142** FCT-06-92-04-04-01 "UMTRA Falls City, TX (FCT) Radon Barrier Thickness-RAECM Calculation FCT Remedial Action Plan & Sensitivity Analysis."  
\* Jacobs Engineering Group, Inc. 92/07/01. 9pp. 62431:234-62431:242.
- 9207170149** Rev F "Remedial Action Insp Plan, Testing & Insp."  
MARTZ,S.D. Morrison-Knudsen Co., Inc. 92/06/15. 17pp. 62431:243-62431:258.

- 9207170170** Trip rept of 920612 visit to NRC Region I for radwaste protection managers meeting to respond to request from Region I to provide info on waste form & storage issues. PERSON, L.S., NELSON, R. Low-Level Waste Management Branch (Post 901230). 92/07/06. LOHAUS, P.H. Low-Level Waste Management Branch (Post 901230). 4pp. 62431:356-62431:359.
- 9207170212** Requests attendance at NRC annual LLW Regulatory Workshop to give 45 minute speech on relationship of site characterization to performance assessment & confirmation of assessment models through site characterization. ROSS, F.W. Low-Level Waste Management Branch (Post 901230). FIN A-1764. 92/07/08. KOZAK, M.W. Sandia National Laboratories. 2pp. 62436:298-62436:299.
- 9207200001** Approves extension of corrective action due date for CAR YM-92-02-020 until 920731, per 920629 ltr. SPENCE, R.E. Energy, Dept. of. HLWR. 92/07/10. VOEGELE, M.D. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 62480:223-62480:223.
- 9207200009** Requests info re scientists outside Yucca Mountain Project accessing site & performing research activities in support of Unsaturated-Zone Gaseous Phase Movement Study Plan & not by USGS as documented, per 920406-10 QA audit. LOUX, R.R. Nevada, State of. HLWR. 92/04/22. GERTZ, C. Energy, Dept. of. 2pp. 62480:224-62480:225.
- 9207200145** Forwards Surveillance Rept YMP-SR-92-017. "OCRWM Yucca Mountain QA Div QA Surveillance Rept of Borehole Sample Handling at Yucca Mountain, NV & Yucca Mountain Site Characterization Project Ofc., Conducted 920613-15." HORTON, D.G. Energy, Dept. of. HLWR. 92/07/13. GERTZ, C.P. Energy, Dept. of. 2pp. 62480:270-62480:275.
- 9207200149** YMP-SR-92-017 "OCRWM Yucca Mountain QA Div QA Surveillance Rept of Borehole Sample Handling at Yucca Mountain, NV & Yucca Mountain Site Characterization Project Ofc., Las Vegas, NV Surveillance YMP-SR-92-017 Conducted 920613-15." MARTIN, J.S., HORTON, D.G. Energy, Dept. of. HLWR. 92/07/12. 4pp. 62480:272-62480:275.
- 9207210145** Forwards "US DOE Ofc of Civilian Radwaste Mgt Ofc of QA Audit Rept for Audit of Reynolds Electrical & Engineering Co, Inc Las Vegas, NV Audit YMP-92-17," conducted on 920608-10. HORTON, D.G. Energy, Dept. of. HLWR. 92/07/10. PRITCHETT, R.F. Reynolds Electrical & Engineering Co., Inc. 2pp. 62481:014-62481:035.
- 9207210153** YMP-92-17 "US DOE Ofc of Civilian Radwaste Mgt Ofc of QA Audit Rept for Audit of Reynolds Electrical & Engineering Co, Inc Las Vegas, NV Audit YMP-92-17," conducted on 920608-10. ARCEO, A.I., HORTON, D.G. Energy, Dept. of. HLWR. 92/07/09. 20pp. 62481:016-62481:035.
- 9207210251** Forwards listed Stripa Project Technical Repts published during 1992. W/o encl. LEVICH, R.A. Energy, Dept. of. HLWR. 92/07/15. STABLEIN, N.K. NRC - No Detailed Affiliation Given. 2pp. 62480:343-62480:344.
- 9207210341** Forwards Ofc of Geologic Disposal weekly highlights for wk ending 920703. PRESTHOLT, P.T., GILRAY, J.W. NRC - No Detailed Affiliation Given. 92/07/15. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 11pp. 62471:290-62471:300.
- 9207220013** Lists action items resulting from NRC/DOE UMTRAP mgt meeting on 920604. DOE will prepare info on well integrity & provide NRC w/list of concerns raised during DOE review of Uranium site data. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 92/07/17. CHERNOFF, A.R. Energy, Dept. of. 2pp. 62476:315-62476:316.
- 9207220023** Submits results of review of DOE Calculation 06-570-11-00, "Cover Settlement & Cracking Analysis" transmitted on 920622. Areas to be addressed by DOE in remedial action plan or project interface documents listed. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 92/07/17. CHERNOFF, A.R. Energy, Dept. of. 2pp. 62476:313-62476:314.
- 9207220026** Notification of financial assurance workshop on 920722 in Rockville, MD to provide info & implementation guidance to Headquarters Licensing Managers. Agenda encl. BYKOSKI, L. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/16. HICKEY, J.W. Fuel Cycle Safety Branch. 2pp. 62459:308-62459:309.
- 9207220043** Informs that NRC finds that 920417 version of "MGDS Annotated Outline Skeleton Text for Preparation of License Application" document generally follows format of DG-3003, except for Chapter 5. NRC comments on document encl. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 92/07/13. ROBERTS, J.P. Energy, Dept. of. 5pp. 62481:036-62481:040.
- 9207220051** Forwards 920602 ltr from ACRS re 920417 version of "Mined Geologic Disposal Sys Annotated Outline Skeleton Text for Preparation of License Application." HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 92/06/25. ROBERTS, J.P. Energy, Dept. of. 2pp. 62481:041-62481:043.
- 9207220058** Forwards draft "Staff Technical Position on Geologic Repository Operations Area Underground Facility Design--Thermal Loads" for review & comment in anticipation of ACNW briefing scheduled for Jul 1992. YOUNGBLOOD, B.J. Division of High-Level Waste Management (Post 870413). HLWR. 92/07/08. FRALEY, R.F. Advisory Committee on Nuclear Waste. 2pp. 62481:044-62481:128.
- 9207220072** Draft "Staff Technical Position on Geologic Repository Operations Area Underground Facility Design--Thermal Loads." NATARAJA, M.S., BRANDSHAUG, T. Division of High-Level Waste Management (Post 870413). HLWR. 92/06/30. 82pp. 62481:047-62481:128.
- 9207220080** Forwards "NRC Observation Audit Rept 92-11 for OCRWM Audit YMP-92-15 of Yucca Mountain Site Characterization Project Ofc" conducted at Las Vegas, NV from 920504-07. No preliminary corrective action requests issued. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 92/07/14. ROBERTS, J.P. Energy, Dept. of. 2pp. 62481:136-62481:143.
- 9207220150** 92-11 "NRC Observation Audit Rept 92-11 for OCRWM Audit YMP-92-15 of Yucca Mountain Site Characterization Project Ofc" from 920504-07. GILRAY, J.W., HOOKS, K.R. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 92/06/03. 6pp. 62481:138-62481:143.
- 9207220161** Forwards final "Completion Review Rept for the Proposed Remedial Action of the Green River, UT, Uranium Mill Tailings Site." Rept discusses completed remedial action against previously approved plans and specs. SURMEIER, J.J. Uranium Recovery Branch (Post 901230). 92/07/16. CHERNOFF, A.R. Energy, Dept. of. 4pp. 62496:254-62496:298.
- 9207220170** Final "Completion Review Rept for Proposed Remedial Action of Green River, UT, Uranium Mill Tailings Site." \* Division of Low-Level Waste Management & Decommissioning (Post 870413). 92/07/15. 41pp. 62496:258-62496:298.
- 9207220185** Responds to EPA's proposed rulemaking & request for comment on hazardous waste identification rule, EDO 92-7782. BERNERO, R.M. Office of Nuclear Material Safety & Safeguards. 92/07/16. LOWRANCE, S.K. Environmental Protection Agency. 6pp. 62476:320-62476:325.
- 9207220201** Forwards "RIP Repository Performance Assessment & Strategy Evaluation Model: Theory & Capabilities" & draft "RIP Repository Performance Assessment & Strategy Evaluation Model: User Guide, Version 1.00a." PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. HLWR. 92/07/13. LINEHAN, J.J. Division of High-Level Waste Management (Post 870413). 1p. 62487:001-62487:357.
- 9207220207** "RIP Repository Performance Assessment & Strategy Evaluation Model: Theory & Capabilities" Version 1.00. MILLER, J., KOSSIK, R., CUNNANE, M. Golder Associates. HLWR. 92/03/31. 248pp. 62487:002-62487:244.
- 9207220214** Draft "RIP Repository Performance Assessment & Strategy Evaluation Model: User Guide," Version 1.00a. KOSSIK, R. Golder Associates. HLWR. 92/03/02. 125pp. 62487:245-62487:357.
- 9207220244** Trip rept of 920420-24 visit to Bethesda, MD to provide hardware graphics engine & graphics pipeline. MARTIN, R., RUSSELL, J.L. Center for Nuclear Waste Regulatory Analyses. 92/07/16. Center for Nuclear Waste Regulatory Analyses. 13pp. 62472:328-62472:340.
- 9207230110** Forwards Program Manager Periodic Rept (PMPR) PMPR 92-10, "CNWRA Program Managers Periodic Rept on Activities of CNWRA" for fiscal reporting period 920606-0703. STILTENPOLE, B. NRC - No Detailed Affiliation Given. HLWR. 92/07/21. LINEHAN, J.J. Division of High-Level Waste Management (Post 870413). BALLARD, R. Geology & Engineering Branch (Post 910506). BROWN, W. Program Management, Policy Development & Analysis Staff (Post 870413). 2pp. 62587:070-62587:114.
- 9207230112** Forwards Program Managers Periodic Rept (PMPR) PMPR 92-10, "CNWRA Program Managers Periodic Rept on Activities of CNWRA" for fiscal reporting period 920606-0703. LATZ, J.E. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. HLWR. 92/07/17. KNAPP, M.R. Division of High-Level Waste Management (Post 870413). 1p. 62587:072-62587:072.
- 9207230115** PMPR 92-10 "CNWRA Program Managers Periodic Rept on Activities of CNWRA" for fiscal reporting period 920606-0703. \* Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. HLWR. 92/07/17. NRC - No Detailed Affiliation Given. 42pp. 62587:073-62587:114.
- 9207230120** Notification of 920722 meeting w/DOE in Bethesda, MD to discuss use of NRC so-called "three bucket approach" for implementation of 40CFR191 - EPA radiation protection std for high-level radwaste. Agenda encl. LEE, M.P. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 92/07/08. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 5pp. 62586:345-62586:349.
- 9207230125** Forwards results of NRC detailed technical review of Study Plan 8.3.1.8.1.1 on probability of magmatic disruption of repository. Expresses concern that subj study plan as presently written, may not comply w/10CFR60. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 92/07/10. ROBERTS, J.P. Energy, Dept. of. 27pp. 62587:006-62587:032.
- 9207230171** Advises that Inyo County would like to go on record as being opposed to proposed changes to format & content of SCP study plans by DOE, described in 920708 ltr. Proposed deletion of QA controls will seriously affect quality of review. METTAM, B. Inyo County, CA. 92/07/15. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 62479:360-62479:361.
- 9207240199** Responds to 920717 ltr transmitting addl info for solidification of boric acid waste stream, identified in Interim TER dtd Jul 1991. Interim status for solidification of boric acid waste stream remains valid until 921231. KANE, J. Division of Low-Level Waste Management & Decommissioning (Post 870413). 92/07/21. CADE, M. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 1p. 62528:234-62528:234.
- 9207240228** Notification of 920723 meeting w/DOE in Rockville, MD to discuss renegotiation of 860507-08 agreement on format & content of Yucca Mountain study plans. ABRAMS, C. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 92/07/08. HOLONICH, J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 4pp. 62587:131-62587:133.
- 9207270013** Provides estimates of costs associated w/conducting environ monitoring at low level waste sites, per 920623 request during staff briefing, Richland, WA low level waste site compliance summary from annual environ rept for 1991 encl. TAYLOR, J.M. Ofc of the Executive Director for Operations. 92/07/17. DE PLANQUE Commissioners (Post 750119). 3pp. 62517:280-62517:290.

## 248 NONDOCKETED ITEMS

- 9207270014 Compliance summary from "Annual Environ Monitoring Rept for CY91,US Ecology Richland,WA Low Level Radwaste Disposal Facility."  
PALMER,A.J., NEWMAN,H.J. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 91/12/31. 8pp. 62517:283-62517:290.
- 9207270053 Forwards info re bitumen which resulted from literature review performed as part of Final Waste Form Working Group for DOE/SAIC Mixed Waste Integrated Program.  
DAVIS,B.J. Low-Level Waste Management Branch (Post 901230). 92/07/20. SINGH,D. Argonne National Laboratory. 17pp. 62524:320-62524:336.
- 9207270142 Forwards proprietary & nonproprietary versions of "Chem-Nuclear Sys,Inc Multi-Use Container High Integrity Container Licensing Topical Rept,Docket WM-107." Affidavit encl.Proprietary rept withheld.W/10 oversize drawings.  
HOUSE,W.B. Chem-Nuclear Systems, Inc. RA-0629-92. 92/07/22. LOHAUS,P.H. Low-Level Waste Management Branch (Post 901230). 3pp. 62595:148-62595:269.
- 9207270147 Nonproprietary version of "Chem-Nuclear Sys,Inc Multi-Use Container,High Integrity Container Licensing Topical Rept, Docket WM-107."  
\* Chem-Nuclear Systems, Inc. 92/07/23. 110pp. 62595:151-62595:269.
- 9207270165 Forwards Rev 1 to Project Interface Document PID-05-S-46, "Radon Barrier Thickness..." & Rev 0 to Calculation 05-691-02-00, "UMTRA - Grand Junction Embankment Design, Radon Barrier Thickness Calculation."  
CHERNOFF,A.R. Energy, Dept. of. 92/07/21. SURMEIER,J.J. Uranium Recovery Branch (Post 901230). 1p. 62530:164-62530:285.
- 9207270167 05-S-46 R01 Rev 1 to Project Interface Document 05-S-46, "Radon Barrier Layer - Thickness Change."  
\* Morrison-Knudsen Co., Inc. 92/06/23. 3pp. 62530:165-62530:167.
- 9207270168 05-691-02-00 R00 Rev 0 to Calculation 05-691-02-00, "UMTRA - Grand Junction Embankment Design, Radon Barrier Thickness Calculation."  
LUBIS,H. Morrison-Knudsen Engineers, Inc. 92/06/24. 130pp. 62530:168-62530:285.
- 9207280181 Forwards updated version of NRC site decommissioning mgt plan, revised as of May 1992, for info.W/o encl.  
AUSTIN,J.H. Decommissioning & Regulatory Issues Branch (Post 901230). 92/07/21. GRADERT,M. Aluminum Co. of America. KERRIGAN,J.E. AMAX, Inc. HAERTJENS,B.L. Babcock & Wilcox Co. 5pp. 62595:270-62595:274.
- 9207280217 Responds to 920622-26 visit to Las Vegas,NV to conduct audit observation of QA Audit YMP-92-018 of Raytheon Svcs, Nevada.Implementation of QA program appeared to be effective.  
HSIUNG,S. CHOWDHURY,A.H., SAGAR,B. Center for Nuclear Waste Regulatory Analyses. 92/07/22. Center for Nuclear Waste Regulatory Analyses. 4pp. 62568:348-62568:351.
- 9207290033 Responds to NRC 920610 & 25 ltrs.transmitting summaries for DOE/NRC technical exchanges re waste forms:spent reactor fuel & air & vapor movement due to thermal gradients on 920225-26 & 0317-18, respectively.  
DESELL,L.J. Energy, Dept. of. HLWR. 92/07/20. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 3pp. 62587:276-62587:278.
- 9207290073 Forwards "Annotated Outlines for Preparation of License Applications and Their Relationship to the DOE Issues Resolution and the NRC/DOE Licensing Processes." as committed to in NRC/DOE met meeting on 920206.  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/07/20. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 6pp. 62587:279-62587:284.
- 9207290251 Forwards listed insp procedures re low level radwaste storage facilities & temporary instruction re mats insp of licensees in states denied access to low level waste disposal facilities.W/o encl.  
LENTZ,J.J. Low-Level Waste Management Branch (Post 901230). 92/07/23. LINSOTT,S. Connecticut, State of. 1p. 62590:350-62590:350.
- 9207290279 Forwards FY92,Rev 4 OCRWM QA audit schedule for internal & external audits planned for FY92.Rev reflects completion of Audits YMP-92-17 & 18 & to show correct dates & audit team leader for YMP-92-24 audit of Yucca Mountain Project Ofc.  
HORTON,D.G. Energy, Dept. of. HLWR. 92/07/13. Energy, Dept. of. 4pp. 62683:051-62683:054.
- 9207290350 Forwards table listing dates that will be used to designate qualified QA program.Acceptance dates established in Ofc of Civilian Radwaste Mgt QA program acceptance ltr to NRC.  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/07/20. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 3pp. 62587:314-62587:316.
- 9207290416 Forwards sixteen photographs of LM-300 RIG & map of NV test site.W/o encl.  
PRESTHOLT,P.T. NRC - No Detailed Affiliation Given. HLWR. 92/07/21. BROOKS,P. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 1p. 62595:275-62595:275.
- 9207300001 Forwards CNWRA 92-006, "Theoretical & Experimental Investigation of Thermohydrologic Processing..." CNWRA 92-003, "Porflow:A Multifluid Multiphase Model..." & CNWRA 91-001, "High-Level Radwaste Repository..."  
HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 92/07/08. ROBERTS,J.P. Energy, Dept. of. 1p. 62594:001-62594:147.
- 9207300002 Discusses review of DOE 920303 submittal of "Rept of Early Site Suitability Evaluation of Potential Repository Site at Yucca Mountain,NV." Detailed comments & questions for future post-closure tectonic activities encl.  
HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). HLWR. 92/07/22. ROBERTS,J.P. Energy, Dept. of. 13pp. 62587:325-62587:337.
- 9207300131 Trip rept of 920504-06 attendance at short course on grid generation,adaptive refinement & redistribution in Austin, TX.List of attendees & Univ of Texas at Austin projected program schedule for 1992 encl.  
ABABOU,R., BACA,R.G., PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 92/07/21. Center for Nuclear Waste Regulatory Analyses. 12pp. 62592:348-62592:360.
- 9207300135 Requests that corrective action requests be changed & updated to reflect current mgt philosophy & that requests not be used as measure of job performance or punitive action.DOE endorsed & actively pursuing total quality mgt.  
HORTON,D.G. Energy, Dept. of. HLWR. 92/07/24. Energy, Dept. of. 4pp. 62588:021-62588:024.
- 9207300145 Forwards response to NRC comment re Phase 1 rev of site characterization study plan 8.3.1.2.2.6, "Characterization of Yucca Mountain Unsaturated-Zone Gaseous Phase Movement." Agrees that addl gas flow monitoring should be performed.  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/07/23. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 62588:025-62588:029.
- 9207300240 Forwards rev 6 to N-QA-093, "Technical & Mgt Support Svcs QA Program Description - SAIC,Las Vegas,NV."  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/07/23. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 62588:045-62588:098.
- 9207300250 Rev 5 to N-QA-093, "Technical & Mgt Support Svcs QA Program Description - SAIC,Las Vegas,NV."  
HARPER,J.B., NELSON,H.H. Energy, Dept. of. HLWR. 92/02/28. 26pp. 62588:047-62588:098.
- 9207300244 Forwards Rev D to MK-F-UMTRA-41, "UMTRAP Rifle,CO Remedial Action Insp Plan."  
CHERNOFF,A.R. Energy, Dept. of. 92/07/22. SURMEIER,J.J. Division of Low-Level Waste Management & Decommissioning (Post 870413). 2pp. 62595:312-62595:332.
- 9207300247 Rev D to MK-F-UMTRA-41, "UMTRAP Rifle,CO Remedial Action Insp Plan."  
\* MK-Ferguson Co. 92/07/22. 19pp. 62595:314-62595:332.
- 9207300269 Trip rept of 920615-20 visit to Bethlehem,PA re short course on scanning tunnelling microscopy,atomic force microscopy & other scanned probe microscopies.Copy of short course outline & list of participants encl.  
PABALAN,R.T., RUSSELL,J.L., PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 92/07/01. Center for Nuclear Waste Regulatory Analyses. 7pp. 62638:114-62638:120.
- 9207310010 Forwards rev 0 to procedure AP-6.14, "Reportable Geologic Conditions," per 920629 earthquake of 5.6 magnitude in Yucca Mountain region.  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/07/22. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 3pp. 62683:129-62683:149.
- 9207310016 Rev 0 to procedure AP-6.14, "Reportable Geologic Conditions."  
\* Energy, Dept. of. HLWR. 91/01/17. 18pp. 62683:132-62683:149.
- 9207310035 Forwards summary of administrative record re SCA comments 42 & 43 remaining open from 901214 ltr & addl info relating to comment 43 open item provided for Yucca Mountain Site Characterization Project.  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/07/23. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 16pp. 62683:150-62683:165.
- 9207310140 Informs that SCA open item 95,previously transmitted in NRCs phase I review of Study Plan,8.3.1.2.1.4,could not be resolved in near-term.Progress in resolving open items will be reported in characterization progress repts.  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/07/23. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 2pp. 62683:115-62683:121.
- 9207310154 Forwards DOE response to NRC request for addl clarification on SNL QA program description,Rev 0.Associated quality requirements matrices also encl.  
ROBERTS,J.P. Energy, Dept. of. HLWR. 92/07/23. HOLONICH,J.J. Repository Licensing & Quality Assurance Project Directorate (Post 881120). 75pp. 62683:204-62683:278.
- 9207310187 Forwards,for NRC concurrence,Mod M008 to Cooperative Agreement DE-FC04-87AL20532,between DOE & State of TX.Mod addresses NRC comments provided in 870430 ltr re continuation of use of proposed EPA stds on interim basis.  
THOMAS,M.J. Energy, Dept. of. 92/07/24. SURMEIER,J. Uranium Recovery Branch (Post 901230). 9pp. 62615:350-62615:358.
- 9207310259 Forwards Issuance of Corrective Action Request YM-92-057 from Yucca Mountain QA Div Audit YMP-92-19 of LASL.  
SPENCE,R.E. Energy, Dept. of. HLWR. 92/07/24. CANEPA,J.A. Los Alamos National Laboratory. 5pp. 62683:295-62683:299.

## WASTE RES WASTE MANAGEMENT RESEARCH REPORTS

- 9207170212 Requests attendance at NRC annual LLW Regulatory Workshop to give 45 minute speech on relationship of site characterization to performance assessment & confirmation of assessment models through site characterization.  
ROSS,F.W. Low-Level Waste Management Branch (Post 901230). FIN A-1764. 92/07/08. KOZAK,M.W. Sandia National Laboratories. 2pp. 62436:298-62436:299.

## XPORTLIC EXPORT AND IMPORT LICENSES

- 9207010358 Advises that license XCOM-1077 be issued to export to Germany & UK,active & passive fuel rod scanners for non-destructive insp of commercial power reactor fuel assemblies.  
STRATFORD,R.J. State, Dept. of. Bureau of Oceans & Intl. Environmental & Scientific Affairs. 92/06/24. DENTON,H.R. Office of International Programs (Post 911117). 1p. 62183:060-62183:060.

- 9207010360** Advises that license XSNM-2688 be issued for authorization to export to Belgium, plutonium sources containing 43.7 g plutonium & U sources containing 57.7 g U to European Central Bureau of Nuclear Measurements.  
STRATFORD, R.J. State, Dept. of, Bureau of Oceans & Intl. Environmental & Scientific Affairs. 92/06/24. DENTON, H.R. Office of International Programs (Post 911117). 2pp. 62183:061-62183:062.
- 9207070368** Responds to 920527 inquiry re exports & retransfers of nuclear matis & equipment to several countries. Answers to specific questions encl.  
RATHBUN, D.K. NRC - No Detailed Affiliation Given. CCS. 92/06/17. WOLPE, H. House of Rep. 6pp. 62412:036-62412:043.
- 9207070374** Requests response to questions re "Nuclear Non-proliferation Prevention Act," be provided within 15 working days or no later than 920617.  
MARKEY, E.J. House of Rep. CCS. 92/05/27. THE CHAIRMAN Commissioners (Post 750119). 7pp. 62412:041-62412:043.
- 9207100001** Forwards application for license to export U, as UF<sub>6</sub>, to Japan. Confirms that mat not of Australian or Canadian origin.  
FISK, R.H. Edlow International Co. 92/07/06. WRIGHT, B. Assistant Director for Export/Import & International Safeguards. 1p. 62331:224-62331:225.
- 9207100002** Application for license to export 730 kg U, as UF<sub>6</sub>, to Japan.  
FISK, M. Edlow International Co. KLK-72. 92/07/06. 1p. 62331:225-62331:225.
- 9207100003** Forwards application for license to export 185 kg U, as enriched UF<sub>6</sub>, to Japan.  
IKEDA, M. Mitsui & Co. (USA), Inc. MBK-F2-R14. 92/07/02. Office of International Programs (Post 911117). 1p. 62331:226-62331:227.
- 9207100223** Forwards application for license to export 19,207 kg UO<sub>2</sub> power, up to 4.95% enrichment, to Japan. Fee paid.  
MURRAY, D.L. General Electric Co. DLM9239. 92/07/02. WRIGHT, B. Office of International Programs (Post 911117). 1p. 62366:159-62366:160.
- 9207100224** Application for license to export 19,207 kg UO<sub>2</sub> power, enriched to 4.95%, to Japan.  
MURRAY, D.L. General Electric Co. 92/06/24. 1p. 62366:160-62366:160.
- 9207100229** Forwards application for license to export 50,000 Ci tritium to South Africa. Production schedule should be withheld.  
RISK, R.H. Edlow International Co. 92/07/01. WRIGHT, B.L. Office of International Programs (Post 911117). 1p. 62364:351-62364:352.
- 9207100230** Application for license to export 50,000 Ci tritium to South Africa.  
FISK, R.H. Edlow International Co. AEC-1. 92/06/30. 1p. 62364:352-62364:352.
- 9207130269** Requests for GOJ assurances for cooperation for diplomatic notes exchanged for case number 175.  
\* State, Dept. of. 92/07/13. U.S. Embassies. 1p. 62338:006-62338:006.

- 9207130271** Forwards lists of all exports actions completed by NRC during June, all new export applications received in June & all cases pending as of June 1992.  
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 92/07/10. DELABARRE, R. State, Dept. of. 4pp. 62388:348-62388:354.
- 9207150229** Ack receipt of Notes 269 & 343, dtd 920422 & 0519, respectively re notification of intended transfer of items under Agreement for Cooperation Between Govt of Japan & Govt of US concerning Peaceful Uses of Nuclear Energy.  
CORBETT, N. Japan. 92/05/21. U.S. Embassies. 5pp. 62409:320-62409:324.
- 9207160382** License for GE to export 226 kg U-235, contained in 6,488 kg U, to Japan.  
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. FDF 91-113. 92/07/10. 2pp. 62396:054-62396:055.
- 9207160383** License for NIST to export 46.8 g U-235 & 43.7 g Pu contained in 57.5 g U & Pu-239 & Pu-241, respectively, to Belgium.  
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 92/07/10. 2pp. 62396:340-62396:341.
- 9207170145** Forwards application for license to export 50,000 Ci tritium for use as fabrication of sealed light sources to South Africa.  
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 92/07/09. THORNE, C.E. Energy, Dept. of. 1p. 62403:082-62403:084.
- 9207170157** Forwards application for license to export low enriched U for use as reload fuel to Japan.  
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 92/07/10. THORNE, C.E. State, Dept. of, Bureau of Oceans & Intl. Environmental & Scientific Affairs. 1p. 62403:077-62403:078.
- 9207170162** Forwards application for license to export 19,207 kg UO<sub>2</sub> power ranging from natural up to max of 4.95% enrichment to Japan.  
HAUBER, R.D. Assistant Director for Exports, Security & Safety Cooperation. 92/07/09. THORNE, C.E. State, Dept. of, Bureau of Oceans & Intl. Environmental & Scientific Affairs. 1p. 62403:074-62403:076.
- 9207310143** Application for license to export 10,115 U, containing 380 g U-235, to Japan.  
HASSAN, H. B&W Fuel Co. 660-132H. 92/07/17. 4pp. 62585:357-62585:360.
- 9207310195** Application for license to export 102,404 U, containing U-235 to France.  
\* Transnuclear, Inc. TNP-526. 92/07/21. 7pp. 62588:142-62588:148.
- 9207310227** Forwards check in amount of \$580.00 as payment for renewal of license XBO-1280, due to expire on 920731, per telcon.  
PULLEN, B.G. SRB Technologies, Inc. 92/07/22. WRIGHT, B. Office of International Programs (Post 911117). 1p. 62581:346-62581:346.





## PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABABOU, R.	9207300131	WASTE MGT	ANDERSON, R.A.	9207270090	PR	AZARM, M.A.	9207010356*	TOPREP
ABBATE, C.M.	9207020082	COMMISSION	ANDERSON, R.A.	9207310219	50-293	BACAR, G.	9207300131	WASTE MGT
ABRAMS, C.	9207240228	WASTE MGT	ANDERT, T.E.	9207070299	50-315	BAER, W.E.	9207020064	50-488
ADAMS, A.	9207020220	50-274	ANDRES, L.L.	9207200004*	50-352	BAER, W.E.	9207020064	50-488
ADAMS, A.	9207210271	50-186	ANDREWS, R.S.	9207150134*	27-48	BAER, W.E.	9207020067*	50-488
ADAMS, A.	9207310082	50-262	ANGELINI, S.	9207270318	NUREG	BAER, W.E.	9207020067*	50-488
ADAMS, S.T.	9207080101*	50-244	ANOKHIN, A.N.	9207070168	REVIEW GR P	BAGGETT, S.L.	9207160155*	FOIA
ADENSAM, E.G.	9207220188*	50-261	ARBuckle, J.D.	9207020098	50-397	BAILEY, J.A.	9207070015	50-482
ADENSAM, E.G.	9207310021	50-325	ARBuckle, J.D.	9207220209	50-397	BAILEY, J.A.	9207140113	50-482
AGLES, J.	9207280168	50-446	ARCEO, A.I.	9207210153*	WASTE MGT	BAILEY, J.A.	9207150157	50-482
AIELLO, R.	9207010303*	50-302	ARKO, G.	9207200200*	FOIA	BAILEY, J.A.	9207160281	50-482
AIELLO, R.F.	9207140035*	50-395	ARNOLD, J.S.	9207160034	PRM	BAILEY, J.A.	9207210140	50-482
AKERS, D.W.	9207060049	NUREG	ARNOLD, W.E.	9207170012	50-443	BAILEY, R.M.	9207310013*	50-315
ALBERT, R.J.	9207080022*	50-271	ARON, S.J.	8704220187*	FOIA	BAILEY, W.J.	9207270321	NUREG
ALDERMAN, H.	9207280218*	50-424	ARON, S.J.	9207210265*	FOIA	BAIN, M.P.	9207200206	50-213
ALEXION, T.W.	9207150285	50-313	ARON, S.J.	9207210279*	FOIA	BAIR, G.G.	9207140323	50-344
ALEXION, T.W.	9207160082	50-313	ARON, S.J.	9207210300*	FOIA	BAJRASZEWSKI, J.	9207080246	50-328
ALEXION, T.W.	9207210218	50-313	ARON, S.J.	9207210316*	FOIA	BAJRASZEWSKI, J.	9207150110	50-328
ALEXION, T.W.	9207220404	50-313	ARON, S.J.	9207230063*	FOIA	BAJRASZEWSKI, J.	9207310168	50-328
ALEXION, T.W.	9207310075	50-313	ARON, S.J.	9207230114*	FOIA	BAKER, B.W.	9207160056	PR
ALFORD, P.N.	9207080319	WASTE MGT	ARON, S.J.	9207230127*	FOIA	BAKER, D.L.	9207070236	50-315
ALFORD, P.N.	9207080323	WASTE MGT	ARON, S.J.	9207230133*	FOIA	BAKER, D.L.	9207140311	50-315
ALKEMA, K.L.	9207270129*	40-8681	ARON, S.J.	9207230141*	FOIA	BAKER, J.W.	9207020094	50-397
ALLAN, J.	9207140182*	40-6811	ARON, S.J.	9207230204*	FOIA	BAKER, J.W.	9207020098	50-397
ALLAN, J.M.	9207090341*	40-7603	ARON, S.J.	9207230208*	FOIA	BAKER, J.W.	9207020274	50-397
ALLAN, J.M.	9207220195*	FOIA	ARON, S.J.	9207230267*	FOIA	BAKER, J.W.	9207080280	50-397
ALLEN, G.W.	9207240032*	40-2136	ARP, S.J.	9207080164	WASTE MGT	BAKER, J.W.	9207160381	50-397
ALLEN, H.C.	9207270033	PRM	ASHLEY, E.C.	9207100046*	40-7603	BAKER, J.W.	9207200164	50-397
ALLISON, D.	9207200182	50-528	ASMUSSEN, K.E.	9207160067	71-9034	BAKER, J.W.	9207220209	50-397
ALLY, K.M.	9207200135*	FOIA	ASMUSSEN, K.E.	9207160378	50-89	BAKER, J.W.	9207220242	50-397
ALTOMARE, P.	9207150121*	27-48	ASMUSSEN, K.E.	9207170069	70-734	BAKER, J.W.	9207220388	50-397
ALTOMARE, P.	9207150128*	27-48	ASSA, R.R.	9207020280	50-397	BAKER, J.W.	9207240201	50-397
AMOS, C.N.	9207060085	NUREG	ASSA, R.R.	9207060127	50-397	BAKER, J.W.	9207020325*	CONTRACT
ANDERSEN, J.W.	9207020218	50-245	ASSA, R.R.	9207060151	50-397	BAKER, M.N.	9207230030*	PROJ
ANDERSEN, J.W.	9207270176	50-245	ASSA, R.R.	9207100029	50-397	BALDWIN, R.S.	9207140187*	50-302
ANDERSEN, J.W.	9207310181	50-245	ASTWOOD, H.	9207300164	50-397	BALMAIN, P.A.	9207020056*	50-424
ANDERSON, C.	9207070055	50-219	AUSTIN, B.T.	9207280030	40-6940	BANGART, R.L.	9207070217	WASTE MGT
ANDERSON, C.	9207150074	50-245	AUSTIN, B.T.	9207220164*	FOIA	BANNER, C.	9207060144	50-354
ANDERSON, C.	9207160100	50-272	AUSTIN, B.T.	9207220172*	FOIA	BANNING, P.D.	9207220274	50-339
ANDERSON, C.	9207170043	50-410	AUSTIN, B.T.	9207220179*	FOIA	BARBER, D.E.	9207140262	NUREG
ANDERSON, C.	9207170214	50-271	AUSTIN, J.H.	9207230005	40-7455	BARBER, T.	9207020083	50-265
ANDERSON, C.J.	9207010034	50-293	AUSTIN, J.H.	9207280217	WASTE MGT	BARBOUR, D.A.	9207130050	PR
ANDERSON, C.J.	9207070144	50-352	AUSTIN, J.H.	9207060103	40-8948	BARBOUR, D.A.	9207270031	PR
ANDERSON, C.J.	9207080061	50-352	AUSTIN, J.H.	9207060105*	40-8948	BARGER-MCCORMIC	9207090260	50-237
ANDERSON, C.J.	9207100120	50-387	AUSTIN, J.H.	9207060111*	40-8948	BARGER-MCCORMIC	9207090265*	50-237
ANDERSON, C.J.	9207170025*	50-219	AUSTIN, J.H.	9207080026	WASTE MGT	BARKE, A.R.	9207310221*	50-293
ANDERSON, C.J.	9207230060	50-293	AUSTIN, J.H.	9207200112	50-267	BARKLEY, R.S.	9207160053	PR
ANDERSON, C.J.	9207280028	50-293	AUSTIN, J.H.	9207200133	50-322	BARNARD, E.	9207220180	ACRS
ANDERSON, C.J.	9207280100	50-272	AUSTIN, J.H.	9207200161	40-7604	BARNARD, E.M.	9207230108	ACRS
ANDERSON, C.J.	9207280142	50-219	AUSTIN, J.H.	9207200172*	40-7604	BARNES, I.	9207060074*	50-295
ANDERSON, C.J.	9207280155*	50-220	AUSTIN, J.H.	9207200182*	40-7604	BARNES, I.	9207300018*	50-482
ANDERSON, C.J.	9207280182	50-387	AUSTIN, J.H.	9207230008	40-7604	BARON, M.I.	9207200184	50-277
ANDERSON, J.W.	9207140276	50-245	AUSTIN, J.H.	9207280068	70-371	BARON, R.R.	9207070319	50-259
ANDERSON, L.F.	9207080047	PR	AUSTIN, J.H.	9207280073*	70-371	BARON, R.R.	9207130075	50-259
ANDERSON, L.F.	9207080054	PR	AUSTIN, J.H.	9207280079*	70-371	BARON, R.R.	9207160157	50-259
ANDERSON, R.A.	9207280279	50-293	AXELSON, W.L.	9207280181	WASTE MGT	BARON, R.R.	9207240185	50-259
ANDERSON, R.A.	9207070003	50-293	AXELSON, W.L.	9207070309	50-354	BARON, R.R.	9207300245	50-259
ANDERSON, R.A.	9207070146	50-293	AXELSON, W.L.	8704220130*	FOIA	BARR, K.P.	9207010323*	50-390
ANDERSON, R.A.	9207100266	50-293	AXELSON, W.L.	8704220148*	FOIA	BARR, K.P.	9207140087*	50-390
ANDERSON, R.A.	9207130044	PR	AXELSON, W.L.	9207160220*	FOIA	BARR, K.P.	9207140112*	50-390
ANDERSON, R.A.	9207160070	50-293	AXLINE, J.S.	9207240245	50-331	BARRETT, R.J.	9207020013*	50-454
ANDERSON, R.A.	9207210243	50-293	AYALA, C.	9207150030	50-499	BARRETT, R.J.	9207060287*	50-237
ANDERSON, R.A.	9207210320	50-293	AYALA, C.	9207270063	50-498	BARRETT, R.J.	9207070093*	50-295
ANDERSON, R.A.	9207240022	50-293	AZARM, M.A.	9207010354*	TOPREP	BARROW, M.	9207200159	40-8027

## 252 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
BARTH,C.A.	9207200036	50-312	G	BEACH,A.B.	9207300049	50-298	Q	BECKMAN,W.L.	9207270108	50-155	Q
BARTON,J.J.	9207020290	50-219	P	BEALL,J.E.	9207170025*	50-219	Q	BEEDLE,R.E.	9207060128	50-333	F
BARTON,J.J.	9207080337	50-219	P	BEARD,P.M.	9207100196	50-302	K	BEEDLE,R.E.	9207130013	50-286	H
BARTON,J.J.	9207140042	50-219	P	BEARD,P.M.	9207140213	50-302	Q	BEEDLE,R.E.	9207130025	PR	
BARTON,J.J.	9207140052	50-219	Q	BEARD,P.M.	9207160062	50-250	H	BEEDLE,R.E.	9207140290	50-333	Q
BARTON,J.J.	9207140080	50-219	S	BEARD,P.M.	9207170056	50-302	Q	BEEDLE,R.E.	9207150141	50-333	P
BARTON,J.J.	9207170151	50-219	S	BEARD,P.M.	9207210329	50-302	Q	BEEDLE,R.E.	9207170089	50-286	P
BARTON,J.J.	9207200181	50-219	P	BEARD,P.M.	9207240181	50-302	P	BEEDLE,R.E.	9207220187	50-333	K
BARTON,J.J.	9207200198	50-219	R	BEARD,P.M.	9207270070	PR		BEEDLE,R.E.	9207230121	PR	
BASS,W.B.	9207270017	PRM		BEARD,P.M.	9207300112	50-302	P	BEEDLE,R.E.	9207240092	50-286	K
BASSO,L.V.	9207160023	PRM		BECHHOEFER,C.	9207020096	50-312	G	BEEDLE,R.E.	9207270002	50-333	Q
BAUCOM,C.T.	9207020223	50-261	S	BECK,C.	9207230256*	70-146		BEEDLE,R.E.	9207270003	50-286	P
BAX,R.L.	9207020099*	50-265	S	BECK,C.K.	9207210262*	70-146		BEEDLE,R.E.	9207270004*	50-286	P
BAX,R.L.	9207070090	50-265	S	BECK,C.K.	9207210266*	70-146		BEEDLE,R.E.	9207300168	50-286	Q
BAX,R.L.	9207070098	50-265	S	BECK,C.K.	9207220097*	70-146		BEILMAN,T.P.	9207290003	50-315	S
BAX,R.L.	9207070111	50-254	S	BECK,C.K.	9207220107*	70-146		BELANGER,J.L.	9207280215*	50-237	Q
BAX,R.L.	9207070154	50-254	R	BECK,C.K.	9207220124*	70-146		BELCHER,F.H.	9207100107*	FOIA	
BAX,R.L.	9207070259	50-254	S	BECK,C.K.	9207220189*	70-146		BELISLE,G.A.	9207010228	50-413	Q
BAX,R.L.	9207140033	50-254	S	BECK,C.K.	9207220211*	70-146		BELISLE,G.A.	9207010283	50-413	Q
BAX,R.L.	9207140188	50-265	S	BECK,C.K.	9207220223*	70-146		BELISLE,G.A.	9207140065*	50-413	Q
BAX,R.L.	9207160357	50-254	S	BECK,C.K.	9207220277*	70-146		BELISLE,G.A.	9207170006	50-269	Q
BAX,R.L.	9207300169	50-265	S	BECK,C.K.	9207220320*	70-146		BELISLE,G.A.	9207270019*	50-269	Q
BAX,R.L.	9207300171	50-254	S	BECK,C.K.	9207220338*	70-146		BELKE,W.L.	9207090095*	WASTE MGT	
BAXTER,T.A.	9207060026	50-312	G	BECK,C.K.	9207220356*	70-146		BELL,D.D.	9207310131	50-286	F
BAXTER,T.A.	9207100026	50-312	G	BECK,C.K.	9207220422*	70-146		BELL,M.J.	8901090278*	27-48	
BAXTER,T.A.	9207100026	50-312	G	BECK,C.K.	9207230032*	70-146		BELL,S.R.	9207130176*	50-461	Q
BAXTER,T.A.	9207270126	50-312	G	BECK,C.K.	9207230035*	70-146		BELLAMY,R.R.	9207090208	70-698	
BAXTER,T.A.	9207270126	50-312	G	BECK,C.K.	9207230045*	70-146		BELLES,T.D.	9207200134	50-387	R
BEACH,A.B.	9207010099	50-382	F	BECK,C.K.	9207230046*	70-146		BENDER,R.P.	9207220141	QA999	
BEACH,A.B.	9207010110	50-382	Q	BECK,C.K.	9207230054*	70-146		BENESOLE,S.G.	9207170067	50-269	S
BEACH,A.B.	9207010209	50-285	F	BECK,C.K.	9207230061*	70-146		BENESOLE,S.G.	9207270059	50-269	S
BEACH,A.B.	9207010284	50-445	Q	BECK,C.K.	9207230072*	70-146		BENESOLE,S.G.	9207270114	50-269	S
BEACH,A.B.	9207070025	50-458	Q	BECK,C.K.	9207230126*	70-146		BENNETT,E.A.	9207160377	50-245	S
BEACH,A.B.	9207070038	50-458	Q	BECK,C.K.	9207230167*	70-146		BENSON,M.	9207150013	50-254	R
BEACH,A.B.	9207070054	50-458	Q	BECK,C.K.	9207230178*	70-146		BERG,B.	9207240254	50-409	I
BEACH,A.B.	9207070083	50-498	Q	BECK,C.K.	9207230181*	70-146		BERGER,R.D.	9207220142*	FOIA	
BEACH,A.B.	9207070091	50-458	Q	BECK,G.E.	9007130058*	FOIA		BERGMAN,T.A.	9207020248	50-445	P
BEACH,A.B.	9207070092	50-482	Q	BECK,G.E.	9007130062*	FOIA		BERGMAN,T.A.	9207060168	50-445	P
BEACH,A.B.	9207070105	50-382	Q	BECK,G.E.	9007130084*	FOIA		BERGMAN,T.A.	9207080138	50-445	P
BEACH,A.B.	9207070109	50-482	V	BECK,G.E.	9007130085*	FOIA		BERGMAN,T.A.	9207090321	50-445	P
BEACH,A.B.	9207070113	50-445	F	BECK,G.J.	9207020310	50-277	F	BERGMAN,T.A.	9207310225	50-445	P
BEACH,A.B.	9207070118	50-382	Q	BECK,G.J.	9207060257	50-277	P	BERGMANN,J.W.	9207060017	50-304	S
BEACH,A.B.	9207070129	50-298	F	BECK,G.J.	9207090009	50-352	Q	BERGQUIST,J.R.	9207020304*	WASTE MGT	
BEACH,A.B.	9207070219	50-445	Q	BECK,G.J.	9207100227	50-277	F	BERKOW,H.N.	9207020048*	50-302	P
BEACH,A.B.	9207070379	50-313	F	BECK,G.J.	9207130041	PR		BERKOW,H.N.	9207060225	50-302	P
BEACH,A.B.	9207080252	50-313	Q	BECK,G.J.	9207150032	50-353	P	BERKOW,H.N.	9207090290	50-280	P
BEACH,A.B.	9207080274	50-285	Q	BECK,G.J.	9207150124	50-352	P	BERKOW,H.N.	9207140293	50-280	P
BEACH,A.B.	9207080278	50-285	S	BECK,G.J.	9207170038	50-277	P	BERKOW,H.N.	9207140304	50-280	P
BEACH,A.B.	9207080301	50-458	Q	BECK,G.J.	9207170230	50-277	F	BERKOW,H.N.	9207230135*	50-389	P
BEACH,A.B.	9207090027	50-313	Q	BECK,G.J.	9207200002	50-352	P	BERKOW,H.N.	9207290172*	50-302	P
BEACH,A.B.	9207100143	50-445	Q	BECK,G.J.	9207200156	50-277	P	BERKOW,H.N.	9207290200*	50-302	P
BEACH,A.B.	9207130264	50-482	F	BECK,G.J.	9207230164	50-277	P	BERKOW,H.W.	9207020063*	50-302	P
BEACH,A.B.	9207140057	50-285	Q	BECK,G.J.	9207230172	50-277	P	BERLINGER,C.H.	9207130113	ORG	
BEACH,A.B.	9207140145	50-298	V	BECK,G.J.	9207280277	50-277	P	BERLINGER,C.H.	9207230246	I&E	
BEACH,A.B.	9207140154	50-285	Q	BECK,G.J.	9207290050	PR		BERLINGER,C.H.	9207310042	I&E	
BEACH,A.B.	9207140162	50-458	V	BECK,G.J.	9207300224	50-277	Q	BERNARD,J.A.	9207090006	50-20	Q
BEACH,A.B.	9207140163	50-498	Q	BECK,G.J.	9207310183	50-277	F	BERNARD,J.A.	9207240003	50-20	V
BEACH,A.B.	9207140167	50-285	V	BECKER,J.	9207300167	PR		BERNERO,R.M.	9207010139	70-820	
BEACH,A.B.	9207160225	50-498	Q	BECKHAM,J.T.	9207070011	50-321	P	BERNERO,R.M.	9207080013	WASTE MGT	
BEACH,A.B.	9207160291	50-382	Q	BECKHAM,J.T.	9207070402	50-321	P	BERNERO,R.M.	9207080310	40-8820	
BEACH,A.B.	9207160308	50-498	Q	BECKHAM,J.T.	9207140176	50-321	S	BERNERO,R.M.	9207100171	40-7804	
BEACH,A.B.	9207160322	50-298	Q	BECKHAM,J.T.	9207160140	50-321	R	BERNERO,R.M.	9207130115	40-8027	
BEACH,A.B.	9207160328	50-298	Q	BECKHAM,J.T.	9207160274	50-366	S	BERNERO,R.M.	9207140174	50-201	P
BEACH,A.B.	9207170011	50-285	S	BECKHAM,J.T.	9207160277	50-321	S	BERNERO,R.M.	9207140202	40-8027	
BEACH,A.B.	9207170182	50-382	Q	BECKHAM,J.T.	9207200078	50-321	P	BERNERO,R.M.	9207140256*	40-8027	
BEACH,A.B.	9207170187	50-267	Q	BECKHAM,J.T.	9207200244	50-366	P	BERNERO,R.M.	9207150349*	50-201	P
BEACH,A.B.	9207170274	50-313	Q	BECKHAM,J.T.	9207220128	50-321	P	BERNERO,R.M.	9207220185	WASTE MGT	
BEACH,A.B.	9207200014	50-498	F	BECKHAM,J.T.	9207240168	50-321	S	BERRY,R.L.	9207140314	50-29	R
BEACH,A.B.	9207200017	50-368	V	BECKHAM,J.T.	9207240184	50-321	Q	BERTING,F.M.	9207270321	NUREG	
BEACH,A.B.	9207200025	50-482	F	BECKHAM,J.T.	9207240252	50-321	Q	BETTENHAUSEN,L.	9207170160	50-334	V
BEACH,A.B.	9207200028	50-445	Q	BECKHAM,J.T.	9207300044	50-366	S	BETTENHAUSEN,L.	9207140142	50-410	V
BEACH,A.B.	9207200061	50-498	Q	BECKHAM,J.T.	9207310173	50-321	S	BETTENHAUSEN,L.	9207160029	50-443	Q
BEACH,A.B.	9207210011	50-382	F	BECKHAN,J.T.	9207240192	50-366	S	BETTENHAUSEN,L.	9207160280	50-286	Q
BEACH,A.B.	9207210020	50-445	V	BECKJORD,E.S.	9207060242	REVIEW GR	P	BETTENHAUSEN,L.	9207170024	50-219	Q
BEACH,A.B.	9207210059	50-313	Q	BECKJORD,E.S.	9207130272	NUREG		BETTENHAUSEN,L.	9207170062	50-271	V
BEACH,A.B.	9207210131	50-498	Q	BECKJORD,E.S.	9207200197*	REVIEW GR	P	BETTENHAUSEN,L.	9207170166	50-317	V
BEACH,A.B.	9207240021	50-482	Q	BECKJORD,E.S.	9207200202*	REVIEW GR	P	BETTENHAUSEN,L.	9207170175	50-244	V
BEACH,A.B.	9207240038	50-298	F	BECKJORD,E.S.	9207220282	NUREG		BETTENHAUSEN,L.	9207170181	50-213	V
BEACH,A.B.	9207240081	50-458	Q	BECKJORD,J.S.	9207150342	NUREG		BETTENHAUSEN,L.	9207170185	50-266	V
BEACH,A.B.	9207280037	50-382	Q	BECKMAN,W.L.	9207080177	50-155	P	BETTENHAUSEN,L.	9207170192	50-213	P
BEACH,A.B.	9207280046	50-482	F	BECKMAN,W.L.	9207090003	50-155	S	BETTENHAUSEN,L.	9207170232	50-352	Q
BEACH,A.B.	9207280052	50-313	Q	BECKMAN,W.L.	9207130117	50-155	R	BETTENHAUSEN,L.	9207210042	50-29	P
BEACH,A.B.	9207280092	50-285	S	BECKMAN,W.L.	9207130138	50-155	F	BETTENHAUSEN,L.	9207210086	50-354	V
BEACH,A.B.	9207280166	50-445	F	BECKMAN,W.L.	9207140318	50-155	Q	BETTENHAUSEN,L.	9207210122	50-219	Q
BEACH,A.B.	9207280384	50-498	F	BECKMAN,W.L.	9207150237	50-155	P	BETTENHAUSEN,L.	9207210136	50-277	P
BEACH,A.B.	9207290043	50-482	F	BECKMAN,W.L.	9207160011	50-155	Q	BETTENHAUSEN,L.	9207210140	50-271	P
BEACH,A.B.	9207290081	50-382	Q	BECKMAN,W.L.	9207220204	50-155	P	BETTENHAUSEN,L.	9207230185	50-220	V
BEACH,A.B.	9207300004	50-482	Q	BECKMAN,W.L.	9207220267	50-155	F	BETTENHAUSEN,L.	9207280118	50-286	V

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		
BETTENHAUSEN, L.	9207280274	50-213	P	BORCHERT, H.R.	9207240044*	70-146		BUNTON, P.	9207090190*	WASTE MGT
BEVAN, R.B.	9207060163	50-298	P	BORCHERT, R.A.	9207020086	50-336	S	BUNTON, R.	9207090130*	WASTE MGT
BEVAN, R.B.	9207060197	50-298		BORES, R.	9207160203*	50-223	Q	BURACKER, C.K.	9207070388*	FOIA
BEYER, J.R.	9207310241*	70-3070		BORES, R.J.	9207280185*	50-286	Q	BURDICK, T.M.	9207070266*	50-454
BIDINGER, G.H.	9207020140	70-1151		BORES, R.J.	9207300072*	50-247	Q	BURDICK, T.M.	9207310013*	50-315
BIDINGER, G.H.	9207020239*	70-3070		BOSNAK, R.J.	9208190047*	50-373	P	BUREN, M.A.	9207160094	PR
BIELBY, M.E.	9207140136*	50-331	V	BOULETTE, E.T.	9207150139	50-293	R	BURGESS, B.	9207140149*	50-440
BIGALBAL, M.W.	9207200206	50-213	R	BOULETTE, E.T.	9207240174	50-293	Q	BURGESS, B.L.	9207010093*	50-254
BINKOWSKI, J.A.	9207160152	50-302	R	BOURASSA, M.D.	9207090003	50-155	S	BURGESS, B.L.	9207100112*	50-454
BINKOWSKI, M.	9207290082	50-213	S	BOUWENS, M.R.	9207280380*	40-2253		BURGESS, B.L.	9207280123*	50-155
BIRD, P.E.	9207280291*	FOIA		BOVINO, M.J.	9207290079	PR		BURKE, B.	9207140183	50-416
BISSETT, P.H.	9207170259*	50-245	Q	BOWERMAN, B.	9207140248	50-324	P	BURKE, B.A.	9207300019	50-416
BLACK, S.A.	9207230016	PR		BOWLES, D.K.	9207280255	50-245	Q	BURNETT, P.T.	9207140098*	50-348
BLACK, S.C.	9207090324*	50-445	P	BOX, W.D.	9207100019*	71-5740		BURNS, C.	9207170064*	PR
BLACK, S.C.	9207100151	50-416	P	BOYCE, T.H.	9207200064	PROJ		BURSKI, R.F.	9207010018	50-382
BLACK, S.C.	9207230140	50-445	P	BOYD, C.C.	9207060174	70-824		BURSKI, R.F.	9207010262	50-382
BLACK, S.C.	9207240037	50-458	P	BOYD, G.	9207060085	NUREG		BURSKI, R.F.	9207070122*	50-382
BLACKMAN, H.S.	9207270263	NUREG		BOYD, R.S.	9207290140*	50-213	P	BURSKI, R.F.	9207090002	50-382
BLAHA, J.L.	9207010299	COMMISSION		BRADISH, T.R.	9207070312	50-528	S	BURSKI, R.F.	9207150014	50-382
BLAHA, J.L.	9207070065	COMMISSION		BRADISH, T.R.	9207210319	50-529	S	BURSKI, R.F.	9207240157	50-382
BLAHA, J.L.	9207130007	COMMISSION		BRADISH, T.R.	9207220217	50-529	S	BURSKI, R.F.	9207280311	50-382
BLAHA, J.L.	9207210317	COMMISSION		BRADLEY, E.	9207200198	50-219	R	BURSKI, R.F.	9207280333	50-382
BLAHA, J.L.	9207220411	COMMISSION		BRADY, U.L.	9207140196*	40-1478		BURZYNSKI, M.J.	9207060148	50-327
BLAHA, J.L.	9207310023	COMMISSION		BRAM, S.B.	9207010013	50-247	R	BURZYNSKI, M.J.	9207160035	50-280
BLAHA, J.L.	9207310209	COMMISSION		BRAM, S.B.	9207020279	50-247	I	BURZYNSKI, M.J.	9207210213	50-259
BLAIN, J.M.	9207080042*	50-443	I	BRAM, S.B.	9207060287	50-247	R	BURZYNSKI, M.J.	9207290165	PR
BLAKE, J.	9207020162*	50-261	Q	BRAM, S.B.	9207090203	50-247	F	BURZYNSKI, M.J.	9207300253	50-280
BLAKE, J.J.	9207020040*	50-335	Q	BRAM, S.B.	9207140180	50-247	Q	BUSCHBAUM, D.E.	9207070056	50-445
BLAKE, J.J.	9207020075*	50-416	Q	BRAM, S.B.	9207140209	50-247	S	BUSCHBAUM, D.E.	9207070184	50-445
BLAKE, J.J.	9207270106*	50-369	Q	BRAM, S.B.	9207160261	50-247	F	BUSCHBAUM, D.E.	9207070235	50-445
BLAKE, J.J.	9207270121*	50-259	Q	BRAM, S.B.	9207200048	50-247	Q	BUSCHBAUM, D.E.	9207140275	50-445
BLESS, A.	9207230224	50-344	Q	BRAM, S.B.	9207200103	50-247	F	BUSCHBAUM, D.E.	9207200109	50-445
BLESSIE, W.J.	9207060177	50-285	S	BRAM, S.B.	9207270201	50-247	R	BUSCHBAUM, D.E.	9207280108	50-445
BLESSIE, W.J.	9207160272	50-285	S	BRAM, S.B.	9207280022	50-247	P	BUSCHBAUM, D.E.	9207310104	50-445
BLIND, A.A.	9207070325	50-316	S	BRAM, S.B.	9207280023	50-247	V	BUSKEY, W.C.	9207060074*	50-295
BLIND, A.A.	9207170271	50-316	R	BRAM, S.B.	9207280102	50-247	S	BUTCHER, R.C.	9207020100*	50-250
BLIND, A.A.	9207170272	50-315	R	BRANCH, M.W.	9207140044*	50-280	Q	BUTEAU, B.R.	9207270135*	50-271
BLIND, A.A.	9207230287	50-315	S	BRANDSHAUG, T.	9207220072*	WASTE MGT		BUTLER, W.R.	9207290168*	50-271
BLIND, A.A.	9207230290	50-315	S	BRANLUND, B.J.	9207200158*	50-277	P	BYKOSKI, L.	9207220028	WASTE MGT
BLIND, A.A.	9207290003	50-315	S	BREEDING, R.J.	9207060085	NUREG		BYRAM, R.G.	9207300229	50-387
BLOOM, S.	9207070377	50-285	P	BREEN, J.J.	9207160165	50-335	R	BYRD, R.C.	9207170016*	PR
BLOOM, S.D.	9207230221	50-285	Q	BREITENBERG, M.	9207070376	71-390		BYRNE, A.H.	9207100308*	FOIA
BLOSSER, J.D.	9207020247	50-483	S	BRESLAU, B.	9207010346*	50-259	Q	BYRNE, A.H.	9207100321*	FOIA
BLOSSER, J.D.	9207140325	50-483	R	BREWER, G.F.	9207130056	PRM		BYRNE, A.H.	9207100326*	FOIA
BLOUGH, A.	9207170022	50-213	Q	BRIGGS, L.	9207170213	50-286	S	BYRON, P.M.	9207270030*	50-324
BLOUGH, A.R.	9207060100	50-213	Q	BRINKMAN, C.B.	9207200021	52-2		BYSTRAK, R.	9207170164	50-286
BLOUGH, A.R.	9207080071	50-219	Q	BRINKMAN, C.B.	9207200021	52-2		CAHILL, W.J.	9207070056	50-445
BLOUGH, A.R.	9207220299	50-334	Q	BRINKMAN, D.S.	9207070044	50-220	P	CAHILL, W.J.	9207070061	50-445
BLOUGH, A.R.	9207220337	50-289	Q	BRINKMAN, D.S.	9207220357	50-220	P	CAHILL, W.J.	9207070194	50-445
BLOUGH, A.R.	9207230049	50-219	Q	BRINKMAN, D.S.	9207220364*	50-220	P	CAHILL, W.J.	9207070235	50-445
BLOUGH, A.R.	9207230052	50-219	Q	BRINKMAN, D.S.	9207240188*	50-220	P	CAHILL, W.J.	9207070383	50-445
BLOUGH, A.R.	9207280224	50-245	Q	BRINKMAN, R.E.	9207200268*	FOIA		CAHILL, W.J.	9207080113	50-445
BLUMBERG, N.J.	9207160042*	50-443	Q	BRINKMAN, R.E.	9207200281*	FOIA		CAHILL, W.J.	9207100208	50-445
BLUMBERG, N.J.	9207160283*	50-286	Q	BRINKMAN, R.E.	9207200310*	FOIA		CAHILL, W.J.	9207130214	50-445
BLUMBERG, N.J.	9207170236*	50-352	Q	BRINKMAN, R.E.	9207200316*	FOIA		CAHILL, W.J.	9207130238	50-446
BOBO, J.T.	9207080272*	50-413	I	BROEHL, D.J.	8710190190*	50-344	P	CAHILL, W.J.	9207140275	50-445
BOCKHOLD, G.	9207130125	PRQJ		BROEMER, A.W.	9207160008	50-219	P	CAHILL, W.J.	9207150005	50-445
BOCKHOLD, G.	9207130218	PRQJ		BROOKS, P.P.	9207100302	WASTE MGT		CAHILL, W.J.	9207150182	50-445
BOCKHOLD, G.	9207310174	PRQJ		BROUGHTON, T.G.	9207080302	50-289	P	CAHILL, W.J.	9207150343	50-445
BOEHLERT, S.	9206040233*	50-333	H	BROUGHTON, T.G.	9207090176	50-289	P	CAHILL, W.J.	9207160083	PR
BOEHNER, P.	9207280225*	50-424	O	BROUGHTON, T.G.	9207150283	50-320	R	CAHILL, W.J.	9207160177	50-445
BOEHNER, P.	9207280232*	50-424	O	BROUGHTON, T.G.	9207230263	50-289	K	CAHILL, W.J.	9207170278	50-446
BOGER, B.	9207300056	50-312	P	BROUGHTON, T.G.	9207280336	50-289	P	CAHILL, W.J.	9207200109	50-445
BOGER, B.A.	9207150309	ORG		BROUGHTON, T.G.	9207280347*	50-289	P	CAHILL, W.J.	9207220345	50-445
BOGER, B.A.	9207150332*	ORG		BROUGHTON, T.G.	9207300115	50-289	F	CAHILL, W.J.	9207270057	50-445
BOGER, B.A.	9207230101*	50-530	P	BROUGHTON, T.G.	9207310133	50-289	Q	CAHILL, W.J.	9207270060	50-445
BOGER, B.A.	9207300264*	50-29	P	BROWN, E.W.	9207080268*	50-413	I	CAHILL, W.J.	9207280106	50-445
BOGER, B.A.	9207310094*	50-282	W	BROWN, G.D.	9207160126*	FOIA		CAHILL, W.J.	9207300146	50-446
BOGER, B.A.	9207310236*	50-29	F	BROWN, G.D.	9207160160*	70-925		CAHILL, W.J.	9207310104	50-445
BOGER, B.A.	9207310240*	50-322	W	BROWN, G.D.	9207160295*	40-1478		CAIN, C.L.	9207070075*	40-8027
BOHLKE, W.H.	9207080119	50-335	P	BROWN, R.B.	9207150291	40-8794		CAIN, C.L.	9207080229*	40-8027
BOHLKE, W.H.	9207080123	50-250	P	BROWN, S.	9207170061	50-312	P	CAIN, C.L.	9207240011*	40-8027
BOHLKE, W.H.	9207130026	PR		BROWN, S.	9207170082	50-312	P	CAIN, F.S.	9207080287*	50-266
BOHLKE, W.H.	9207270054	PR		BROWN, S.W.	9207160389	50-322	W	CAIN, F.S.	9207080289*	50-266
BOK, J.T.	9207080033*	50-443	I	BROWN, S.W.	9207170070	50-322	W	CAINE, T.A.	9207200158*	50-277
BOLAND, A.T.	9207140125*	50-400	Q	BROWN, S.W.	9207230083	50-322	W	CALCE, J.V.	9207270038	PRM
BOLDT, G.L.	9207080181	50-302	S	BROWN, S.W.	9207310237	50-322	W	CALDWELL, J.L.	9207060086*	50-356
BOLDT, G.L.	9207080184	50-302	S	BROWN, T.D.	9207060085	NUREG		CALDWELL, J.L.	9207060094*	50-5
BOLDT, G.L.	9207160152	50-302	R	BROWN, Y.	9207130181	CONTRACT		CALDWELL, J.L.	9207060102*	50-151
BOLDT, G.L.	9207170007	50-302	V	BRULE, E.T.	9207230165*	CONTRACT		CALDWELL, J.L.	9207220370*	50-59
BOLDT, G.L.	9207300249	50-302	S	BUCH, W.H.	9207070291	50-213	F	CALDWELL, J.L.	9207230081*	50-182
BOLLWERK, G.P.	9207080010	50-348	G	BUCHHOLZ, C.	9207080120	52-1		CALDWELL, J.L.	9207230100*	50-326
BOLLWERK, G.P.	9207200070	50-348	G	BUCKLEY, B.C.	9207060069	50-280	P	CALDWELL, J.L.	9207230107*	50-407
BONNETT, F.P.	9207170029*	50-219	Q	BUCKLEY, B.C.	9207230218	50-280	P	CALDWELL, J.L.	9207240043*	50-407
BONSER, B.R.	9207020056*	50-424	Q	BUCKLEY, B.C.	9207280317	50-280	F	CALLAHAN, M.A.	9207070386*	FOIA
BOOK, H.E.	9207150154*	70-140		BUCKLEY, B.C.	9207300113	50-280	P	CALLAHAN, M.A.	9207070389*	FOIA
BOOKER, S.R.	9207060052	27-48		BULLARD, C.W.	9207270055	PR		CALLAN, L.J.	9207010162	50-274
BOOTH, C.E.	9207060284	50-285	S	BUNDSCHUH, J.	9207300169	50-265	S	CALLAN, L.J.	9207070071	40-8027

## 254 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CALLAN,L.J.	9207080223	40-8027	CHAFFEE,A.E.	9207160354	50-285 S	CLARKSON,D.	9207170177*	50-482 F
CALLAN,L.J.	9207170184	40-8027	CHAFFEE,A.E.	9207200035	50-2 S	CLASS,R.N.	9207200282*	FOIA
CALLAN,L.J.	9207210016	40-8027	CHAMBERS,R.H.	9207010123	50-261 F	CLASS,R.N.	9207200288*	FOIA
CALLAN,L.J.	9207210029	STATE PRO G	CHAMBERS,R.H.	9207020223	50-261 S	CLAY,G.W.	9207080272*	50-413 I
CALLAN,L.J.	9207240010	40-8027	CHAMBERS,R.H.	9207090195	50-261 S	CLAYBORNE,H.E.	9207080268*	50-413 I
CALLAN,L.J.	9207240016	40-8027	CHAMBERS,R.H.	9207130080	50-261 F	CLAYTON,B.	9207090340	50-237 Q
CALVERT,J.	9207170229*	50-271 Q	CHAMBERS,R.H.	9207150019	50-261 R	CLAYTON,B.	9207090343*	50-237 Q
CALVERT,J.	9207280195*	50-387 F	CHAMBERS,R.H.	9207150127	50-261 F	CLAYTON,B.	9207130134	50-237 S
CALVO,J.A.	9207100074	50-334 F	CHAMBERS,R.H.	9207150280	50-261 S	CLAYTON,B.	9207200033	50-454 F
CALVO,J.A.	9207100087*	50-334 F	CHAMBERS,R.H.	9207230043	50-261 S	CLAYTON,B.	9207280319	50-237 Q
CALVO,J.A.	9207240020	50-277 F	CHAMBERS,R.H.	9207230292	50-261 F	CLAYTON,B.	9207280324*	50-237 Q
CAMERON,J.L.	9102120152*	FOIA	CHAMPLIN,R.L.	9207100027*	40-7603	CLAYTON,B.	9207280345*	50-237 Q
CAMERON,J.L.	9109240016*	FOIA	CHAN,T.N.	9207130057	PR	CLEMENTS,F.R.	9207200114	PR
CAMERON,J.L.	9110080002*	FOIA	CHANCELLOR,D.	9207270129*	40-8681	CLINE,W.E.	9207010196	50-335 Q
CAMERON,J.L.	9207200309*	FOIA	CHANEY,H.D.	9207150228*	50-397 Q	CLINE,W.E.	9207020173	50-259 Q
CAMERON,J.L.	9207210335*	FOIA	CHAPPO,P.M.	9207070412	40-6622	CLINE,W.E.	9207140056	70-27
CAMERON,J.L.	9207220381*	FOIA	CHARNOFF,G.	9207090012	50-346 M	CLINE,W.E.	9207140101	50-302 Q
CAMERON,J.L.	9207240219*	FOIA	CHARNOFF,G.	9207090012	50-346 M	CLINE,W.E.	9207140109	50-324 Q
CAMERON,J.L.	9207240236*	FOIA	CHASE,P.J.	9207160129	PRM	CLINE,W.E.	9207140116	50-250 Q
CANIANO,R.J.	9207010052*	40-8724	CHATTEN,R.E.	9207020101*	CONTRACT	CLINE,W.E.	9207140121	50-400 Q
CANIANO,R.J.	9207010231*	40-8135	CHAUDHARY,S.K.	9207170229*	50-271 Q	CLINE,W.E.	9207140127	70-143
CANTRELL,F.S.	9207270092*	50-395 Q	CHAVET,K.A.	9207170267	50-528 R	CLINE,W.E.	9207140132	50-369
CANTRELL,F.S.	9207280043	50-348 Q	CHAWAGA,D.	9207010069*	50-277 Q	CLINE,W.E.	9207220064	50-324
CAPHTON,D.L.	9207160283*	50-286 Q	CHERNOFF,A.R.	9207020147	WASTE MGT	CLINE,W.E.	9207220071	50-321 F
CAPPUCIO,G.	9207270135*	50-271 P	CHERNOFF,A.R.	9207080137	WASTE MGT	CLINE,W.E.	9207270006	50-395 F
CAPRA,R.A.	9207020044	50-317 P	CHERNOFF,A.R.	9207080214	WASTE MGT	CLINE,W.E.	9207270015	70-1113
CAPRA,R.A.	9207020244*	50-286 P	CHERNOFF,A.R.	9207130171	WASTE MGT	CLINE,W.E.	9207280015	50-250 F
CAPRA,R.A.	9207020323	50-220 P	CHERNOFF,A.R.	9207130180	WASTE MGT	CLUKEY,H.V.	9207160318*	40-1478
CAPRA,R.A.	9207070016*	50-317 P	CHERNOFF,A.R.	9207170140	WASTE MGT	COATES,K.	9207080198	50-410 S
CAPRA,R.A.	9207070047*	50-220 P	CHERNOFF,A.R.	9207270165	WASTE MGT	COBB,G.H.	9207100254*	40-1478
CAPRA,R.A.	9207100234	50-286 P	CHERNOFF,A.R.	9207300244	WASTE MGT	COBB,G.H.	9207240098*	70-340
CAPRA,R.A.	9207100246*	50-286 P	CHEUNG,L.	9207010036*	50-293 Q	COCOROS,A.E.	9207130162*	WASTE MGT
CAPRA,R.A.	9207160186*	50-286 P	CHEUNG,L.	9207280195*	50-387 Q	COFFMAN,F.D.	9207010322	ORG
CAPRA,R.A.	9207160363*	50-286 P	CHILL,L.	9207300073*	50-10 P	COHEN,H.D.	9207090139*	40-8081
CAPRA,R.A.	9207200127*	50-317 P	CHICOTS,J.M.	9207170079*	50-390 A	COHEN,H.D.	9207090226*	40-8081
CAPRA,R.A.	9207210120*	50-333 P	CHICOTS,J.M.	9207170083*	50-390 A	COHEN,H.D.	9207090247*	40-8081
CAPRA,R.A.	9207210284	50-220 P	CHICOTS,J.M.	9207280271*	50-315 P	COHEN,H.D.	9207090250*	40-8081
CAPRA,R.A.	9207210299*	50-220 P	CHIELDS,J.M.	9207140227	50-374 P	COHEN,W.	9207090136*	40-8081
CAPRA,R.A.	9207220208*	50-247 P	CHIELDS,W.V.	9207020136	50-333 S	COLBURN,T.	9207200313	50-341 P
CAPRA,R.A.	9207220229*	50-286 P	CHIELDS,W.V.	9207020144	50-333 S	COLBURN,T.	9207300096	50-341 P
CAPRA,R.A.	9207270269	TOPREP	CHILDS,W.V.	9207020156	50-333 S	COLBURN,T.G.	9207060141	50-341 P
CARBONARO,J.	9207010354*	TOPREP	CHILDS,W.V.	9207140159	50-333 S	COLBURN,T.G.	9207060164	50-341 Q
CARBONARO,J.F.	9207010356*	TOPREP	CHILDS,W.V.	9207140165	50-333 S	COLER,R.F.	9207200101	70-3070
CAREWAY,H.A.	9207290013	52-1	CHILDS,W.V.	9207220060	50-333 S	COLER,R.F.	9207200102	70-3070
CAREY,R.R.	9207100370*	50-498 I	CHILDS,W.V.	9207310102	50-333 S	COLEMAN,D.E.	9207270196	50-220 R
CARLSON,R.V.	9207290224	70-824	CHILDS,W.V.	9207310109	50-333 S	COLEMAN,R.D.	9207020308*	COMMISSION
CARLSON,R.V.	9207100081	70-824	CHILDS,W.V.	9207310129	50-333 S	COLLINS,D.M.	9207010037	50-269 Q
CARLSON,R.W.	9207140243	NUREG	CHILKS,S.J.	9207020319*	COMMISSION	COLLINS,D.M.	9207010056	50-259 Q
CARMODY,J.M.	9207200003*	50-352 P	CHILKS,S.J.	9207060183	10CFR	COLLINS,D.M.	9207010172	50-297 P
CARMODY,J.M.	9207200004*	50-352 P	CHILKS,S.J.	9207060184	10CFR	COLLINS,D.M.	9207010248	50-160 Q
CARNS,N.S.	9207140240	50-368 P	CHILKS,S.J.	9207090074	50-498 P	COLLINS,D.M.	9207020168	70-27
CARNS,N.S.	9207150020	50-368 P	CHILKS,S.J.	9207090103	40-8724	COLLINS,D.M.	9207080208	50-321 Q
CARNS,N.S.	9207280262	50-368 P	CHILKS,S.J.	9207100207	10CFR	COLLINS,D.M.	9207080250	50-261 Q
CARNS,N.S.	9207300228	50-368 P	CHILKS,S.J.	9207100253	10CFR	COLLINS,D.M.	9207140117	70-27
CARPENTER,C.E.	9207230146	50-461 P	CHILKS,S.J.	9207100255	10CFR	COLLINS,D.M.	9207140119	70-1151
CARR,C.W.	9207300185	71-115	CHILKS,S.J.	9207100257	10CFR	COLLINS,D.M.	9207150143	70-824
CARR,K.	9207280387*	FOIA	CHILKS,S.J.	9207100284	10CFR	COLLINS,D.M.	9207150163	70-1201
CARRICO,J.B.	9207160343*	FOIA	CHILKS,S.J.	9207130153	10CFR	COLLINS,D.M.	9207150330	50-395 Q
CARRICO,J.B.	9207160369*	FOIA	CHILKS,S.J.	9207150264	10CFR	COLLINS,D.M.	9207160346	50-321 Q
CARRICO,J.B.	9207160371*	FOIA	CHILKS,S.J.	9207160345	50-498 P	COLLINS,D.M.	9207170014*	50-321 Q
CARRIKER,A.W.	9207270131	PR	CHILKS,S.J.	9207200063	40-8027	COLLINS,D.M.	9207270232	50-250 F
CARRION,R.P.	9207140161*	50-250 Q	CHILKS,S.J.	9207200072	40-8027	COLLINS,D.M.	9207270234	50-369 F
CARROLL,K.J.	9207140314	50-29 R	CHILKS,S.J.	9207220115	10CFR	COLLINS,D.M.	9207270314	50-348 Q
CARSON,L.C.	9207150228*	50-397 Q	CHILKS,S.J.	9207220418	10CFR	COLLINS,D.M.	9207270323	50-250 F
CARSON,L.C.	9207270125*	50-397 Q	CHILKS,S.J.	9207270122	40-8681	COLLINS,D.M.	9207270329	70-27
CARTER,H.B.	8410090326*	FOIA	CHIN,D.	9105230184*	FOIA	COLLINS,D.M.	9207280110	50-424 Q
CARUSO,M.A.	9207060304	NUREG	CHIRIGOS,J.N.	9207100401*	50-344 P	COLLINS,D.M.	9207290015	50-297 F
CASE,E.G.	9207220383*	70-146	CHIRIGOS,J.N.	9207280261*	50-315 P	COLLINS,D.M.	9207290306	50-261 F
CASE,E.G.	9207220412*	70-146	CHITWOOD,R.B.	9207160310*	40-1478	COLLINS,D.M.	9207290309	50-348 F
CASE,E.G.	9207220420*	70-146	CHOU,G.H.	9207140022	NUREG	COLLINS,D.M.	9207290348	50-400 F
CASE,E.G.	9207230075*	70-146	CHOU,R.C.	9207270121*	50-259 Q	COLLINS,D.M.	9207300075	50-400 Q
CASE,E.G.	9207230078*	70-146	CHOWHURY,A.H.	9207280318	WASTE MGT	COLLINS,D.M.	9207310223	70-27
CASE,E.G.	9207230080*	70-146	CHRISTENSEN,H.	9207170005	50-324 P	COLLINS,J.F.	9207080094*	50-5 V
CASE,E.G.	9207230175*	70-146	CHRISTENSEN,H.	9207270030*	50-324 Q	COLLINS,S.	9207160045	PR
CASE,E.G.	9207290118*	50-213 P	CHRISTENSEN,H.	9207270041*	50-400 Q	COLVIN,G.L.	9207270081	PRM
CASE,J.M.	9207060027	QA999	CHRISTENSEN,H.	9207290020	50-324 P	COLVIN,J.F.	9101220068*	FOIA
CASE,J.M.	9207300089	TOPREP	CHRISTIE,B.	9207240208*	50-458 P	COMFORT,G.C.	9207150347	50-201 P
CASEY,C.	9207210301*	FOIA	CHURILLA,M.	9207280190	50-237 P	CONABLE,G.M.	9207290064*	CONTRACT
CASEY,C.C.	8912040039*	FOIA	CIALKOWSKI,M.J.	9207150052	50-373 R	CONANT,J.F.	9207010030	70-1100
CASEY,C.C.	9207240164*	FOIA	CILLIS,M.	9207090276*	70-734	CONANT,J.F.	9207160251	70-1100
CASEY,T.J.	9207170138*	50-443 P	CILLIS,M.	9207150341*	70-1257	CONANT,J.F.	9207160251	70-1100
CASO,C.L.	9207160108	PRCJ	CLARIDGE,D.L.	9207090182	50-344 S	CONANT,J.F.	9207220287	70-1100
CASO,C.A.	9207140187*	50-302 V	CLARIDGE,D.L.	9207200178*	50-344 S	CONANT,J.F.	9207220287	70-1100
CATANZARO,P.J.	9207210154*	FOIA	CLARIDGE,D.L.	9207220157	50-344 S	CONGEL,F.J.	9207200295	PROJ
CATTON,I.	9207220166	ACRS	CLARK,R.J.	9207020108	50-352 P	CONGEL,F.J.	9207300215	REVIEW GR P
CAVANAUGH,G.R.	9207150135	50-285 R	CLARK,R.J.	9207100202	50-352 F	CONGEL,F.J.	9207300261	ORG
CENTOLANZI,P.M.	9207150014	50-382 R	CLARK,R.J.	9207230236	50-352 P	CONICELLA,N.F.	9207020240	50-286 P
CERVENKA,P.	9207170151	50-219 S	CLARKSON,D.	9207170169*	50-482 F	CONICELLA,N.F.	9207080213	50-286 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CONICELLA,N.F.	9207160184	50-286 P	CREED,J.R.	9207070204	50-305 Q	DANKMYER,B.K.	9207060216	40-8778
CONICELLA,N.F.	9207160359	50-286 P	CREED,J.R.	9207070208*	50-305 Q	DARKE,J.F.	9207310027	PR
CONICELLA,N.F.	9207220226	50-286 P	CREED,J.R.	9207280029	50-263 Q	DATTA,A.	9207020226	70-1374
CONICELLA,N.F.	9207270172	50-286 P	CREED,J.R.	9207280035*	50-263 Q	DATTA,A.	9207170017	70-3070
CONNELLY,P.M.	9207150234	50-255 V	CREED,J.R.	9207280208	50-237 Q	DAUGHTERY,L.F.	9207200315	50-416 R
CONNER,J.A.	9207150058	70-27	CREED,J.R.	9207280215*	50-237 Q	DAVIDSON,J.A.	9207100401*	50-344 P
CONTE,R.	9207010045	50-271 S	CREED,J.R.	9207280219	50-315 Q	DAVIDSON,J.A.	9207280261*	50-315 P
CONTE,R.J.	9207140267*	50-410 V	CREED,J.R.	9207280222*	50-315 Q	DAVIS,A.B.	9109270081*	FOIA
CONTE,R.J.	9207170029*	50-219 V	CREEL,G.C.	9207010267	50-317 J	DAVIS,A.B.	9207080087	50-255 Q
CONTE,R.J.	9207170049	50-333 V	CREEL,G.C.	9207060003	50-317 P	DAVIS,A.B.	9207080285*	FOIA
CONTE,R.J.	9207210078	50-354 P	CREEL,G.C.	9207060012	50-317 P	DAVIS,A.B.	9207100168	50-461 Q
CONTE,R.J.	9207010045	50-354 V	CREEL,G.C.	9207080204	50-317 P	DAVIS,A.B.	9207150100*	50-329 A
CONTE,R.J.	9207230194*	50-220 V	CREEL,G.C.	9207080206	50-317 P	DAVIS,A.B.	9207150103*	50-329 A
CONTE,R.J.	9207280036	50-354 P	CREEL,G.C.	9207100258	50-317 R	DAVIS,A.B.	9207200345	50-461 P
CONWAY,J.T.	9207140171	50-410 S	CREEL,G.C.	9207100259	50-317 P	DAVIS,B.J.	9207270053	WASTE MGT
CONWAY,W.F.	9207070043	50-528	CREEL,G.C.	9207150120	50-317 Q	DAVIS,D.	9207150087	FOIA
CONWAY,W.F.	9207070314	50-528 P	CREEL,G.C.	9207200154	50-317 P	DAVIS,D.	9207200185	FOIA
CONWAY,W.F.	9207070337	50-528 P	CREEL,G.C.	9207210046	50-317 K	DAVIS,D.	9207270315	FOIA
CONWAY,W.F.	9207070350	50-528 J	CREEL,G.C.	9207210116	50-317 Y	DAVIS,G.	9207220345	50-445 R
CONWAY,W.F.	9207080017	50-528 P	CREEL,G.C.	9207210225	PR	DAVIS,P.R.	9207220171	ACRS
CONWAY,W.F.	9207080019	50-528 R	CREEL,G.C.	9207220074	50-317 P	DAVIS,P.R.	9207220176	ACRS
CONWAY,W.F.	9207210326	50-528 Q	CREEL,G.C.	9207230230*	50-317 P	DAVIS,P.R.	9207220194	50-275 O
CONWAY,W.F.	9207300061	50-528 Q	CREEL,G.C.	9207290338	50-317 Q	DAVIS,P.R.	9207220198	ACRS
COOK,S.A.	8204050127*	FOIA	CREEL,G.C.	9207290345	50-317 P	DAVIS,P.R.	9207220213	ACRS
COOK,S.A.	9207160301*	FOIA	CRENSHAW,A.	9207130090	50-400 R	DAVIS,P.R.	9207220216	ACRS
COOK,S.A.	9207160327*	FOIA	CRENSHAW,A.	9207170128	50-400 R	DE AGAZIO,A.W.	9207240227	50-412 P
COOL,D.A.	9207290402	REVIEW GR P	CRENSHAW,A.	9207202006*	50-312 G	DE PLANQUE	9207220163	COMMISSION
COOPER,R.W.	9207160250	50-245 Q	CRISCIONE,J.	9207080244	50-336 S	DE PLANQUE,E.G.	9207100140	COMMISSION
COPPS,R.A.	9207290077	PR	CRLENJAK,R.	9207140088*	50-400 Q	DE PLANQUE,E.G.	9207100221	COMMISSION
CORBETT,N.	9207150229	XPORTLIC	CRLENJAK,R.V.	9207140098*	50-348 Q	DE PLANQUE,E.G.	9207100236	COMMISSION
CORDELL,F.T.	9207090143	40-1478	CROCKER,H.W.	9207150273*	70-712	DE PLANQUE,E.G.	9207210193	COMMISSION
CORDES,J.F.	9206250196	SECY	CROCKER,H.W.	9207160132*	40-1478	DEAGAZIO,A.	9207080173	50-334 P
CORDES,J.F.	9207020283	SECY	CROOK,D.	9207230043	50-261 S	DEAN,W.M.	9207060118	50-387 P
CORRADINI,M.L.	9207220196	ACRS	CROOK,R.D.	9207090195	50-261 S	DEBARBA,E.A.	9207140037	50-213 Q
CORREIA,R.P.	9207020097	REVIEW GR P	CROSS,J.E.	9207060291	50-344 P	DECKER,T.R.	9207020182*	50-259 Q
CORREIA,R.P.	9207020211	I&E	CROSS,J.E.	9207100396	50-344 P	DECKER,T.R.	9207140139*	50-369 Q
CORREIA,R.P.	9207150282	REVIEW GR P	CROSS,J.E.	9207220248	50-344 P	DECKER,T.R.	9207140161*	50-250 Q
CORREIA,R.P.	9207160106	REVIEW GR P	CROW,W.T.	9207240025*	40-2136	DEDDENS,J.C.	9207150185	50-458 Q
CORREIA,R.P.	9207200305	REVIEW GR P	CROW,W.T.	9207240031*	40-2136	DEGRASSI,G.	9207280283	52-1
CORREIA,R.P.	9207210006	REVIEW GR P	CROWLEY,B.R.	9207020075*	50-416 Q	DELANEY,J.C.	9207090295*	40-1478
CORRELL,W.E.	9207200003*	50-352 P	CROUCHFIELD,D.	9207090124	50-344 PROJ	DELANEY,J.C.	9207090306*	FOIA
COSTELLO,F.M.	9207090225	40-8868	CRUTCHFIELD,D.	9207130095	50-344 PROJ	DELANEY,J.C.	9207090333*	40-1478
COTTER,B.P.	9207090245	SECY	CRUTCHFIELD,D.	9207270319	COMMISSION	DELANEY,J.C.	9207100018*	40-1478
COTTER,B.P.	9207270086	40-8681	CUNNANE,M.	9207220207*	WASTE MGT	DELANEY,J.C.	9207100021*	40-1478
COTTLE,W.T.	9207080271	50-416 P	CUNNINGHAM,G.E.	9207160351	70-754 P	DELANEY,J.C.	9207100039*	40-1478
COTTLE,W.T.	9207140051	50-416 S	CUNNINGHAM,G.E.	9207280314	50-73 P	DELANEY,J.C.	9207100085*	40-1478
COTTLE,W.T.	9207140133	50-416 F	CUNNINGHAM,L.J.	9207240023	52-2 ORG	DELANEY,J.C.	9207100098*	40-1478
COTTLE,W.T.	9207140175	50-416 S	CUNNINGHAM,L.J.	9207240222	50-73 PROJ	DELANEY,J.C.	9207100105*	40-1478
COTTLE,W.T.	9207140183	50-416 S	CUNNINGHAM,L.J.	9207300259	50-73 PROJ	DELANEY,J.C.	9207100108*	40-1478
COTTLE,W.T.	9207140250	50-416 P	CUNNINGHAM,M.A.	9207170231*	FOIA	DELANEY,J.C.	9207100130*	40-1478
COTTLE,W.T.	9207140255	50-416 S	CUNNINGHAM,R.	9207020231	70-3070	DELANEY,J.C.	9207100138*	40-1478
COTTLE,W.T.	9207140288	50-416 P	CUNNINGHAM,R.	9207170057*	40-8027	DELANEY,J.C.	9207100153*	40-1478
COTTLE,W.T.	9207140285	50-416 P	CUNNINGHAM,R.E.	8901100248*	40-8027	DELANEY,J.C.	9207100194*	40-1478
COTTLE,W.T.	9207170034	50-416 Q	CUNNINGHAM,R.E.	9207090100*	40-8027	DELANEY,J.C.	9207220105*	70-146
COTTLE,W.T.	9207200315	50-416 R	CUNNINGHAM,R.E.	9207140189	70-3070	DELANEY,J.C.	9207220120*	70-146
COTTLE,W.T.	9207240040	50-416 F	CUNNINGHAM,R.E.	9207140254	70-1257	DELANEY,J.C.	9207220156*	70-146
COTTLE,W.T.	9207270095	50-416 F	CUNNINGHAM,R.E.	9207170168	72-1000	DELANEY,J.C.	9207230040*	70-146
COTTLE,W.T.	9207300019	50-416 S	CUNNINGHAM,R.E.	9207230254*	70-146	DELANEY,J.C.	9207230183*	70-146
COTTLE,W.T.	9207300082	50-416 S	CUNNINGHAM,R.E.	9207240005	40-3392	DELANEY,J.C.	9207230189*	70-146
COTTLE,W.T.	9207300119	50-416 Q	CUNNINGHAM,R.E.	9207240014	40-6940	DELANEY,J.C.	9207230192*	70-146
COTTLE,W.T.	9207310200	50-416 F	CUNNINGHAM,R.E.	9207010312*	ORG	DELANEY,J.C.	9207230284*	40-2136
COURTEMACHE,S.	9207010095	I&E	CUNNINGHAM,R.E.	9207100123	40-8027	DELANEY,J.C.	9207230288*	40-2136
COURTEMACHE,S.	9207210084	I&E	CUNNINGHAM,R.E.	9207130131*	40-8027	DELANEY,J.C.	9207230294*	40-2136
COWGILL,C.J.	9207010088	50-220 Q	CUNNINGHAM,R.E.	9207130131*	40-8027	DELANEY,J.C.	9207240063*	70-340
COWGILL,C.J.	9207070123	50-317 Q	CUNNINGHAM,R.E.	9207140259*	40-8027	DELANEY,J.C.	9207240067*	70-340
COWGILL,C.J.	9207070169	50-333 P	CUNNINGHAM,R.E.	9207200065	40-8027	DELANEY,J.C.	9207240071*	70-146
COWGILL,C.J.	9207070180	50-247 Q	CUNNINGHAM,R.E.	9207200065	40-8027	DELANEY,J.C.	9207240075*	70-146
COWGILL,C.J.	9207070205	50-286 Q	CUNNINGHAM,R.E.	9207070323*	FOIA	DELANEY,J.C.	9207240078*	70-340
COX,C.	9207310002*	50-16 Q	CUNNINGHAM,R.E.	9207210204	COMMISSION	DELANEY,J.C.	9207240114*	70-340
COX,C.R.	9207310004*	50-2 Q	CUNNINGHAM,R.E.	9207210269	COMMISSION	DELANEY,J.C.	9207240115*	70-340
CRAMPTON,S.A.	9207020120	CONTRACT	CUNNINGHAM,R.E.	9207220159	COMMISSION	DELANEY,J.C.	9207280389*	40-2253
CRAMPTON,S.A.	9207020131	CONTRACT	CUNNINGHAM,R.E.	9206100181*	10CFR	DELANEY,J.C.	9207280393*	40-2253
CRAMPTON,S.A.	9207020138	CONTRACT	CUNNINGHAM,R.E.	9207080334	10CFR	DELMEDICO,J.	9207100318	I&E
CRAMPTON,S.A.	9207020146	CONTRACT	CUNNINGHAM,R.E.	9207100004	COMMISSION	DELMEDICO,J.	9207240008	I&E
CRAMPTON,S.A.	9207020158	CONTRACT	CUNNINGHAM,R.E.	9207100142	COMMISSION	DENISTON,M.E.	9207090005	50-267 F
CRAMPTON,S.A.	9207020167	CONTRACT	CUNNINGHAM,R.E.	9207100281	COMMISSION	DENTON,H.	9207070329*	FOIA
CRAMPTON,S.A.	9207020171	CONTRACT	CUNNINGHAM,R.E.	9207140248	50-324 P	DENTON,H.R.	9206120040	SECY
CRAMPTON,S.A.	9207090180	CONTRACT	CUNNINGHAM,R.E.	9207160054	PRM	DENTON,H.R.	9206160264	SECY
CRAMPTON,S.A.	9207290044	CONTRACT	CUNNINGHAM,R.E.	9207140258	50-336 S	DENTON,H.R.	9207020330	SECY
CRANFORD,G.	9207080179	ORG	DAHAN,P.	9207220215	50-275 R	DENTON,H.R.	9207200155	50-317 S
CRANFORD,G.F.	9207080290	ORG	DAHL,G.	9207140209	50-247 S	DENTON,H.R.	9207200179	50-317 S
CRANFORD,G.F.	9207070239	ORG	DAHLBERG,K.A.	9207270196	50-220 R	DENTON,R.E.	9207200137	50-317 R
CRANFORD,G.F.	9207070427	ORG	DAHLBERG,K.S.	9207300263	50-220 F	DENTON,R.E.	9207200322	50-317 S
CRANFORD,G.F.	9207210286	ORG	DAMERON,M.	9207090094	50-201 F	DENTON,R.E.	9207230033	50-318 S
CRAWFORD,M.A.	8906200186*	FOIA	DAMERON,M.	9207090156	50-201 F	DENTON,R.E.	9207230277	50-317 S
CREED,J.	9207070324	50-315 S	DANFORTH,J.C.	9207170053*	PR	DENTON,R.E.	9207290094	50-318 S
CREED,J.R.	9207010073*	50-331 Q	DANKMYER,B.	9207290275	40-8778	DENTON,R.E.	9207290111	50-317 S

## 256 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
DERRIG,M.	9207290106	50-213 S	DROMERICK,A.W.	9207290222	50-219 P	ERESIAN,W.	9207060102*	50-151 V
DESAI,B.B.	9207270019*	50-269 Q	DRYSDALE,F.D.	9207160042*	50-443 Q	ERICKSON,R.A.	9206160419*	50-206 F
DESAI,B.B.	9207270077*	50-269 Q	DUBINSKI,L.	9207100030*	40-1478	ESELGROTH,P.W.	9207070207*	50-286 F
DESELL,L.J.	9207070392	WASTE MGT	DUBINSKI,L.	9207100144*	40-1478	EVERETT,R.J.	9207160204*	40-8027
DESELL,L.J.	9207070419	PROJ	DUBINSKI,L.	9207100197*	40-1478	EVERETT,R.J.	9207200046*	40-8027
DESELL,L.J.	9207290033	WASTE MGT	DUBINSKI,L.	9207140193*	40-1478	EZZELL,G.A.	9207200088*	FOIA
DEVAN,M.J.	9207060203*	50-338 P	DUBINSKI,L.	9207150249*	40-1478	FACAROS,N.	9207090249	FOIA
DEVINE,J.C.	9207020145	50-219 P	DUBINSKI,L.	9207160150*	FOIA	FAGERSTAD,D.H.	9207150297	FOIA
DEVINE,J.C.	9207280104	50-219 P	DUBINSKI,L.	9207160206*	40-1478	FAIRAND,B.P.	9207080210	71-524
DEVRIES,D.F.	9207160064	PRM	DUBINSKI,L.	9207160235*	FOIA	FAIRAND,B.P.	9207290263	71-524
DEWALL,K.G.	9207140288	NUREG	DUBINSKI,L.	9207230298*	40-2136	FAIRTALE,M.B.	9207310229	50-29 F
DIHR,V.K.	9207220218	ACRS	DUDLEY,R.F.	9207100111*	50-29 P	FAIRTALE,M.B.	9207100076	50-29 F
DIAMOND,D.J.	9207270295	NUREG	DUDLEY,R.F.	9207100135*	50-29 P	FAIRTALE,M.B.	9207100128	50-29 F
DIAZ,A.A.	9207140273	NUREG	DUGSTAD,D.	9207130102	50-282 R	FAIRTALE,M.B.	9207280335	50-29 P
DICK,G.F.	9207020270	50-498 P	DULL,J.	9207280119	50-245 Q	FAIRTALE,M.B.	9207280383	50-10 P
DICK,G.F.	9207080144	50-498 P	DUNCAN,J.	9207060008*	52-1	FAIRTALE,M.B.	9207300260	50-29 P
DICK,G.F.	9207160309	50-498 P	DUNCAN,J.	9207060143	52-1	FARAZ,Y.H.	9207100372	40-7102
DICK,G.F.	9207210163	50-498 P	DUNCAN,J.	9207060154	52-1	FARAZ,Y.H.	9207220389	40-8794
DICUS,G.J.	9207270021	PR	DUNCAN,J.	9207290035	52-1	FARBER,M.J.	9207070218	50-456 Q
DIEDERICH,G.J.	9207070164	50-10 R	DUNCAN,J.	9207290080*	52-1	FARBER,M.J.	9207070230*	50-456 Q
DIEDERICH,G.J.	9207150052	50-373 R	DUNCAN,J.	9207290083*	52-1	FARBER,M.J.	9207070240	50-454 Q
DIEDERICH,G.J.	9207150198	50-374 P	DUNCAN,J.	9207290085*	52-1	FARBER,M.J.	9207070249*	50-454 Q
DIEDERICH,G.J.	9207160030	50-374 S	DUNCAN,J.	9207290089*	52-1	FARCAROS,N.	9207090256*	FOIA
DIEDERICH,G.J.	9207160182	50-374 S	DUNCAN,J.	9207290092*	52-1	FARMER,W.S.	9207090205	ORG
DIEDERICH,G.J.	9207270356	50-373 S	DUNCAN,J.	9207290095*	52-1	FARR,D.	9207070116	50-455 S
DIEDRICH,J.S.	9207010221	40-8027	DUNCAN,J.	9207290098*	52-1	FARR,D.	9207290381	50-454 S
DIETER,J.G.	9207200235*	FOIA	DUNLAP,A.	9207310006*	50-373 Q	FARR,M.M.	9207220222	50-361 R
DIETER,J.G.	9207200247*	FOIA	DUNNING,T.	9207130006	PR	FAULKNER,R.L.	9207160320*	40-1478
DIETER,J.G.	9207200253*	FOIA	DUNNING,T.G.	9207010301	ORG	FAUVER,D.N.	9207200096	70-3073
DIETER,J.G.	9207200276*	FOIA	DUVALLS,P.	9207150327*	50-288 Q	FEIGENBAUM,T.	9207070425	50-443 F
DIETER,J.G.	9207200325*	FOIA	DWYER,P.A.	9207020033	NUREG	FEIGENBAUM,T.C.	9207010174	50-443 S
DIETRICH,J.	9207080002	40-8027	DZIADOSZ,D.	9207010133*	50-280 P	FEIGENBAUM,T.C.	9207070002	50-443 V
DIETRICH,J.	9207230007	40-8027	DZIADOSZ,D.	9207010148*	50-339 P	FEIGENBAUM,T.C.	9207070139	50-443 F
DIETRICH,J.S.	9207060001	40-8027	EAPEN,P.K.	9207070058*	50-219 Q	FEIGENBAUM,T.C.	9207080024	50-443 I
DIETRICH,J.S.	9207070127	40-8027	EAPEN,P.K.	9207170229*	50-271 Q	FEIGENBAUM,T.C.	9207080139	50-443 R
DIETRICH,J.S.	9207070265	40-8027	EATON,R.B.	9207140260	50-293 P	FEIGENBAUM,T.C.	9207080140	50-443 P
DIETRICH,J.S.	9207130129	40-8027	EATON,R.B.	9207200188	50-293 Q	FEIGENBAUM,T.C.	9207080293	50-443 Q
DIETRICH,J.S.	9207130186	40-8027	EATON,R.B.	9207200249	50-293 P	FEIGENBAUM,T.C.	9207100397	50-443 P
DIETRICH,J.S.	9207130189	40-8027	EATON,R.B.	9207210170	50-293 P	FEIGENBAUM,T.C.	9207130071	50-443 I
DIETRICH,J.S.	9207130192	40-8027	EATON,R.B.	9207220310	50-293 P	FEIGENBAUM,T.C.	9207150018	50-443 S
DIETRICH,J.S.	9207130199	40-8027	EBERT,P.	9207170155	50-309 S	FEIGENBAUM,T.C.	9207150027	50-443 R
DIETRICH,J.S.	9207130203	40-8027	EBNETER,S.D.	9207010288	50-335 Q	FEIGENBAUM,T.C.	9207170013	50-443 P
DIETRICH,J.S.	9207140040	40-8027	EBNETER,S.D.	9207020159	50-269 Q	FEIGENBAUM,T.C.	9207170136	50-443 P
DIETRICH,J.S.	9207150290	40-8027	EBNETER,S.D.	9207020235	50-280 Q	FEIGENBAUM,T.C.	9207210009	50-443 S
DIETRICH,J.S.	9207150320	40-8027	EBNETER,S.D.	9207140085	50-324 Q	FEIGENBAUM,T.C.	9207220002	50-443 H
DIETRICH,J.S.	9207170197	40-8027	EBNETER,S.D.	9207140198	50-335 Q	FEIGENBAUM,T.C.	9207240170	50-443 Q
DIETRICH,J.S.	9207220005	40-8027	EBNETER,S.D.	9207220040	50-261 P	FEIGENBAUM,T.C.	9207280059	50-443 S
DIETRICH,J.S.	9207240004	40-8027	EBNETER,S.D.	9207220081	50-335 Q	FERDINAND,B.	9207080121	40-8905
DIETRICH,J.S.	9207280006	40-8027	EBNETER,S.D.	9207220088	70-143 Q	FERGUSON,G.B.	9207070166	70-143
DIETRICH,J.S.	9207310066	40-8027	EBNETER,S.D.	9207220121	50-413 Q	FERGUSON,D.A.	9207070101	50-322 G
DIETRICH,J.S.	9207310145	40-8027	EBY,J.B.	9207160122	PRM	FERGUSON,G.A.	9207070115	50-322 G
DIETRICH,J.S.	9207310251	40-8027	ECKERT,J.P.	9207080295	70-28	FERINGER,D.	9207150140*	FOIA
DIETZ,C.R.	9207080109	50-261 Q	ECKERT,L.	9207010033*	50-289 Q	FERTLE,M.S.	9207270062	PR
DIETZ,C.R.	9207170279	50-261 P	ECKERT,L.	9207080044*	50-334 Q	FERTLE,M.S.	9207270127	PR
DIETZ,C.R.	9207310231	50-261 P	ECONOMOS,N.	9207020162*	50-261 Q	FEST,J.	9207200215	50-311 R
DIETZ,G.R.	9207240113*	71-482	ECONOMOS,N.	9207270106*	50-369 Q	FEST,J.	9207200338	50-272 R
DILLISTONE,M.J.	9207140017	NUREG	EDGAR,J.B.	9207070300	70-1257	FEY,F.L.	9207070311	50-282 F
DINGES,H.R.	9207230291*	40-2136	EDGAR,J.B.	9207290431	70-1257	FEY,F.L.	9207130178	50-282 F
DOCKRAY,K.T.	9207130037	PRM	EDISON,G.	9207060259	50-443 P	FEY,F.L.	9207200098	50-282 R
DOCTOR,S.R.	9207140273	NUREG	EDISON,G.E.	9207020039	50-443 P	FIELDS,J.S.	9207140181	50-387 P
DODGE,J.T.	9207270026	PRM	EDISON,G.E.	9207060249	50-443 P	FIELDS,J.S.	9207220245	50-387 R
DODGE,R.E.	9207220319	50-244 R	EDISON,G.E.	9207070252	50-443 P	FIELDS,J.S.	9207230011	50-387 P
DOERFLEIN,L.T.	9207170027*	50-213 Q	EDISON,G.E.	9207300282	50-443 P	FIES,C.	9207280255	50-397 S
DOERFLEIN,L.T.	9207210071	50-245 P	EDWARDS,C.T.	9207230086*	70-146	FIES,C.L.	9207160381	50-397 S
DOERFLEIN,L.T.	9207280256*	50-245 Q	EDWARDS,C.T.	9207230087*	70-146	FIGUEROA,D.E.	9207280285	50-228 R
DOERING,J.	9207090199	50-352 S	EDWARDS,D.W.	9207130020	50-271 H	FIGUEROA,D.E.	9207280286*	50-228 R
DOERING,J.	9207170113	50-352 S	EDWARDS,D.W.	9207230047	PR	FILAR,K.A.	9207270011	50-346 S
DOERING,J.	9207170119	50-352 S	EGAN,D.	9207200198	50-219 R	FINKEL,A.E.	9207170236*	50-352 Q
DOERING,J.	9207200093	50-353 S	EHLE,D.	9207270171	50-454 R	FIRLIT,J.F.	9207020001	50-220 K
DOERING,J.	9207230153	50-353 S	ELAM,K.	9207290381	50-454 S	FIRLIT,J.F.	9207020295	50-220 F
DOERING,J.	9207230186	50-352 S	ELGERT,O.J.	9207150080*	70-140 Q	FIRLIT,J.F.	9207300263	50-220 F
DOERING,J.	9207230188	50-353 S	ELIASON,L.R.	9207170010	50-282 Q	FISCHER,L.E.	9207140243	NUREG
DOERING,J.	9207300052	50-352 S	ELIASON,L.R.	9207170055	50-263 Q	FISH,T.	9207010045	50-271 S
DONOHUE,K.J.	9207130028	PRM	ELIASZ,R.W.	9207280228	TOPREP	FISHER,W.L.	9207160329*	40-1478
DOORNBOS,R.L.	9207140136*	50-331 V	ELKIN,P.T.	9207130176*	50-461 Q	FISHER,W.L.	9207210037*	STATE PRO G
DORNSIFE,W.P.	9207080021*	50-352 Q	ELLIOTT,M.P.	9207020179*	70-27	FISICARO,J.J.	9207060186	50-368 P
DORNSIFE,W.P.	9207220306*	50-412 Q	ELLIOTT,M.P.	9207140122*	70-27	FISICARO,J.J.	9207080007	50-368 P
DOSKOCIL,W.	9207170138*	50-443 P	ELLIS,D.W.	9207240022	50-293 S	FISICARO,J.J.	9207160312*	50-313 P
DOWDY,E.J.	9207160162	WASTE MGT	ELLIS,W.B.	9207080032*	50-443 I	FISICARO,J.J.	9207210092	50-368 R
DOYLE,P.W.	9207240043*	50-407 V	ELMS,A.L.	9207150174	50-423 R	FISICARO,J.J.	9207210102	50-313 R
DRAGOUN,T.	9207160203*	50-223 Q	ELROD,S.A.	9207170201*	50-335 Q	FISICARO,J.J.	9207220018	50-313 Q
DRISKILL,D.D.	9207140216*	FOIA	ELTON,W.J.	9207130030	PRM	FISICARO,J.J.	9207220268	50-368 Q
DRISKILL,D.D.	9207140289*	FOIA	ENGLAND,L.A.	9207280152	50-458 S	FISICARO,J.J.	9207270136	50-313 Q
DRISKILL,D.D.	9207220181*	FOIA	ENGLAND,L.A.	9207310192	50-458 S	FISICARO,J.J.	9207270279	50-313 Q
DROMERICK,A.W.	9207080029	50-219 P	ENGLE,L.B.	9207060036	50-338 P	FISICARO,J.J.	9207280083	50-313 Q
DROMERICK,A.W.	9207080046	50-219 Q	ENGLE,L.B.	9207080283	50-338 P	FISICARO,J.J.	9207280139	50-313 P
DROMERICK,A.W.	9207090317	50-219 P	ERESIAN,W.	9207080281	50-338 V	FISK,M.	9207300246	50-368
DROMERICK,A.W.	9207170125	50-219 P		9207060066*	50-356		9207100002*	XPORTLIC



AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
FISK,R.H.	9207100001	XPORTLIC	FURIA,J.	9207080075*	50-220 Q	GILRAY,J.W.	9207210341	WASTE MGT
FISK,R.H.	9207100230*	XPORTLIC	GAGLIARDO,J.E.	9207280072*	50-313 Q	GILRAY,J.W.	9207220150*	WASTE MGT
FITZGERALD,J.A.	9207220367*	FOIA	GAGLIARDO,J.E.	9207280172*	50-445 Q	GISCLON,J.M.	9207170242	50-275 F
FITZPATRICK,E.	9207020292	50-315 P	GAGLIARDO,J.E.	9207290087*	50-382 Q	GISCLON,J.M.	9207170262	50-275 F
FITZPATRICK,E.	9207130034	50-315 H	GAINTY,C.A.	9207150049*	50-331 Q	GISCLON,J.M.	9207210224	50-275 F
FITZPATRICK,E.	9207150024	50-315 Q	GALLO,J.	9207140158	PR	GISCLON,J.M.	9207220022	50-275 F
FITZPATRICK,E.	9207150125	50-315 R	GALLO,R.M.	9207060082	50-356 V	GISCLON,J.M.	9207220180	50-275 F
FITZPATRICK,E.	9207280249	50-315 P	GALLO,R.M.	9207060090	50-5 V	GISCLON,J.M.	9207300094	50-275 F
FITZPATRICK,E.	9207280364	50-315 K	GALLO,R.M.	9207060098	50-151 V	GLEASON,E.J.	9207230023	PR
FITZPATRICK,E.	9207300133	50-315 Q	GALLO,R.M.	9207220366	50-59 V	GLEASON,E.J.	9207270042	PR
FLACK,E.D.	9207130093	70-1113	GALLO,R.M.	9207230074	50-182 V	GLENN,C.J.	9207060200	40-8778
FLAGG,R.	9207160170	50-333 R	GALLO,R.M.	9207230095	50-326 V	GLENN,J.	9207170042*	STATE PRO G
FLEMING,R.F.	9207070165*	50-2 P	GALLO,R.M.	9207230105	50-407 V	GLENN,J.E.	9207160169	ORG
FLEMING,R.F.	9207090019	50-2 Q	GALLO,R.M.	9207240036	50-407 V	GLINSKI,R.L.	9207010231*	40-8135
FLEMING,R.F.	9207150268	50-2 S	GARCIA,E.	9207100264	50-326 S	GLIVINSKI,D.L.	9207310221*	50-293 Q
FLEURY,E.R.	9207210013*	70-146	GARCIA,P.J.	9207270353*	40-8027	GLOERSEN,W.B.	9207020182*	50-259 Q
FLEURY,E.R.	9207220093*	70-146	GARDE,G.	9207220395*	FOIA	GODWIN,A.V.	9207130032	PRM
FLEURY,E.R.	9207230050*	70-146	GARDNER,M.J.	9207270290	50-338 S	GODWIN,A.V.	9207130047	PRM
FLIEGEL,M.	9207080010	WASTE MGT	GARDNER,R.L.	9207130085	50-298 R	GODWIN,A.V.	9207130060	PRM
FLOYD,S.D.	9207090007	50-324 F	GARDNER,R.L.	9207170233	50-298 S	GODWIN,A.V.	9207290199*	PRM
FLUERY,E.R.	9207220162*	70-146	GARDNER,R.L.	9207200143	50-298 S	GODWIN,G.C.	9207060081	50-445 S
FLUERY,E.R.	9207220227*	70-146	GARDNER,R.L.	9207210005	50-298 S	GODWIN,I.D.	9207130038	PRM
FLUERY,E.R.	9207220390*	70-146	GARDNER,R.L.	9207280091	50-298 S	GODY,A.	9207270153*	50-397 Q
FLUERY,E.R.	9207230059*	70-146	GARDNER,R.L.	9207300039	50-298 S	GODY,A.	9207270281*	50-528 Q
FLUERY,E.R.	9207230069*	70-146	GARDNER,R.L.	9207300043	71-9071	GOLDBERG,J.	9207150082*	70-1113
FLUERY,E.R.	9207230088*	70-146	GARDNER,R.N.	9207140089*	50-346 Q	GOLDBERG,J.H.	9207060158	50-250 Q
FOGEL,D.M.	9207080195	70-135	GARDNER,R.N.	9207140120	50-282 Q	GOLDBERG,J.H.	9207060170	50-389 Q
FOLDS,L.	9207300243	PR	GARNER,D.M.	9207130042	PRM	GOLDBERG,J.H.	9207210324	50-335 Q
FOLDS,L.	9207310062	PR	GARRITY,J.H.	9207200151	50-438 A	GOLDBERG,J.H.	9207140270*	40-8027
FORD,F.R.	9207060041*	70-152	GARVIN,J.C.	9207210276*	FOIA	GOLDBERG,R.	9207020170	50-346 M
FORNACE,J.	9207290088	PR	GASSMANN,W.P.	9207200033*	50-352 P	GOLDBERG,R.	9207020170	50-346 M
FOSTER,D.L.	9207090338*	40-7603	GATES,W.G.	9207060177	50-285 S	GOLDBERG,R.	9207100010	50-346 M
FOSTER,D.L.	9207100014*	40-7603	GATES,W.G.	9207060178	50-285 V	GOLDBERG,R.	9207100010	50-346 M
FOSTER,D.L.	9207140182*	40-6811	GATES,W.G.	9207060237	50-285 P	GOOD,B.A.	9207070081	50-146 R
FOSTER,J.E.	9207140313*	50-461 Q	GATES,W.G.	9207060264	50-285 S	GOODEN,A.	9207140114*	50-324 Q
FOSTER,J.E.	9207220363*	50-329 Q	GATES,W.G.	9207080073	50-285 Q	GOODLING,B.	9207170080*	40-8778
FOSTER,J.E.	9207220378*	FOIA	GATES,W.G.	9207090201	50-285 P	GORE,B.F.	9207070372*	50-395 Q
FOSTER,T.M.	9207280346*	FOIA	GATES,W.G.	9207100136	50-285 P	GORHAM,E.D.	9207060085	NUREG
FOSTER,W.E.	9207150072*	50-329 A	GATES,W.G.	9207100340	50-285 R	GRADLE,R.C.	9207290094	50-318 S
FOWLER,G.	9207070211	REVIEW GR P	GATES,W.G.	9207130107	50-285 P	GRANT,J.M.	9207160264	50-29 H
FOWLER,G.	9207070225	REVIEW GR P	GATES,W.G.	9207130109*	50-285 P	GRANT,J.M.	9207280009	50-29 F
FOX,B.M.	9207080032*	50-443 I	GATES,W.G.	9207150135	50-285 R	GRAY,E.H.	9207080065*	50-352 Q
FOX,J.	9207101268	52-1	GATES,W.G.	9207150287	50-285 S	GRAY,E.H.	9207100125*	50-387 Q
FOX,J.	9207060110	52-1	GATES,W.G.	9207160272	50-285 S	GRAY,E.H.	9207160163*	50-272 Q
FOX,J.	9207290010	52-1	GATES,W.G.	9207200186	50-285 J	GRAY,E.H.	9207230064*	50-293 Q
FOX,J.	9207300151	52-1	GATES,W.G.	9207230010	PR	GRAY,R.E.	9207100218	FOIA
FOX,J.	9207300161	52-1	GATES,W.G.	9207230158	50-285 F	GRAZIO,R.E.	9207160098	PR
FOX,J.	9207300174	52-1	GATES,W.G.	9207270073	PR	GREGG,R.J.	9207230130*	70-371
FOX,J.N.	9207290009	52-1	GATES,W.G.	9207270099	50-285 S	GREEN,D.G.	9207130137*	50-445 M
FRALAY,R.F.	9207220240	ACRS	GATES,W.G.	9207280356	50-285 K	GREEN,D.G.	9207150323*	50-445 M
FRALAY,R.F.	9207220251	ACRS	GATES,W.G.	9207290310	50-285 F	GREEN,E.R.	9207140273	NUREG
FRALAY,R.F.	9207220253	ACRS	GATES,W.G.	9207290318	50-285 R	GREENE,G.A.	9207140266	NUREG
FRANKE,R.E.	9207200179	50-317 S	GATES,W.G.	9207290322	50-285 Q	GREENLEE,H.	9207100189*	40-1478
FRANKE,R.E.	9207200322	50-317 S	GATES,W.G.	9207310160	50-285 P	GREENLEE,M.A.	9207100205*	40-1478
FRANKE,R.E.	9207290111	50-317 S	GATES,W.G.	9207310165	50-285 P	GREENLEE,N.A.	9207100248*	40-1478
FRANZ,J.F.	9207070027	50-331 P	GATES,W.G.	9207310188	50-285 R	GREENLEE,N.A.	9207100250*	40-1478
FRANZ,J.F.	9207070306	50-331 P	GAUTAM,A.S.	9202200247*	REVIEW GR P	GREENLEE,N.A.	9207240102*	70-340
FRANZ,J.F.	9207080218	50-331 P	GAUTAM,A.S.	9207200224*	REVIEW GR P	GREENLEE,N.A.	9207240108*	70-340
FRANZ,J.F.	9207100147	50-331 P	GAY,R.A.	9207210320	50-293 S	GREENMAN,E.G.	9207070062	50-254 P
FRANZ,J.F.	9207100263	50-331 K	GEKLER,W.C.	9207010263	40-8027	GREENMAN,E.G.	9207070232	50-266 Q
FRANZ,J.F.	9207100303	50-331 P	GEKLER,W.C.	9207070262	40-8027	GREENMAN,E.G.	9207080104	50-266 P
FRANZ,J.F.	9207150351	50-331 P	GEKLER,W.C.	9207230022	40-8027	GREENMAN,E.G.	9207080188	50-237 P
FRANZ,J.F.	9207160080	50-331 P	GEKLER,W.C.	9207290041	40-8027	GREENMAN,E.G.	9207100122	50-155 Q
FRANZ,J.F.	9207240234	50-331 P	GENT,J.R.	9207060154	52-1	GREENMAN,E.G.	9207140084	50-266 Q
FRANZ,J.F.	9207280344	50-331 Q	GEORGE,D.E.	9207160298*	40-1478	GREENMAN,E.G.	9207140096	50-461 Q
FRANZ,J.F.	9207290099	50-331 Q	GEORGE,J.B.	9207130058	PR	GREENMAN,E.G.	9207140105	50-461 Q
FREDRICKSON,P.	9207020157*	50-338 Q	GERTZ,C.P.	9207100298	WASTE MGT	GREENMAN,E.G.	9207170223	50-266 Q
FREDRICKSON,P.	9207140044*	50-280 Q	GIBBONS,D.R.	8901240231*	FOIA	GREENMAN,E.G.	9207200022	50-440 S
FREDRICKSON,P.	9207280122	50-280 Q	GIBBONS,D.R.	8910200232*	FOIA	GREENMAN,E.G.	9207220257	50-461 P
FREEDMAN,G.S.	9207130021	PRM	GIBBONS,D.R.	9004100072*	FOIA	GREENMAN,E.G.	9207220263	50-374 Q
FRENCH,A.G.	9207270341	FOIA	GIBBONS,D.R.	9007190378*	FOIA	GREENMAN,E.G.	9207280308	50-155 Q
FREUDENBERGER	9207010303*	50-302 Q	GIBBONS,D.R.	9104120100	FOIA	GREENMAN,E.G.	9207280312*	50-155 Q
FREUDENBERGER	9207020084*	50-302 Q	GIBBONS,D.R.	9106180105*	FOIA	GREENMAN,E.G.	9207280144	50-237 P
FRIED,M.	9207100198	FOIA	GIBBONS,D.R.	9207220106*	STATE PRO G	GREENMAN,E.G.	9207310018	50-237 P
FRIEDLANDER,M.	9207270052	PR	GIBBONS,D.R.	9207220155*	FOIA	GREGAR,L.R.	9207140039	50-305 Q
FRIEDMAN,S.E.	9207270076	PRM	GIBBONS,D.R.	9207220278*	FOIA	GREGAR,L.R.	9207140129	50-440 Q
FRIELING,G.D.	9207280097	50-266 Q	GIBBONS,D.R.	9207220292*	FOIA	GREGAR,L.R.	9207140148*	50-440 Q
FRIZZLE,C.D.	9207070021	50-309 P	GIBBONS,D.R.	9207220365*	FOIA	GREGAR,L.R.	9207170184	50-331 Q
FRIZZLE,C.D.	9207280233	50-309 K	GIBBONS,D.R.	9207240132*	FOIA	GREGAR,L.R.	9207170186*	50-331 Q
FROST,W.E.	9207150079*	50-329 A	GIBBONS,D.R.	9207240147*	FOIA	GREGAR,L.R.	9207170189	50-266 Q
FUDALA,J.F.	9207160028	PR	GIBBONS,D.R.	9207240176*	FOIA	GREGAR,R.	9207100126	50-461 S
FULLER,L.L.	9207220314	50-387 R	GIBBS,R.	9207140087*	50-390 P	GREGG,H.I.	9207070058*	50-219 Q
FULLER,R.E.	9207020084	50-387 S	GIBSON,A.F.	9207010286	50-395 P	GREGORY,J.J.	9207060085	NUREG
FULLER,R.E.	9207080280	50-387 S	GIBSON,A.F.	9207010328	50-259 Q	GRIEF,R.J.	9207130003	PRM
FULLER,R.E.	9207240201	50-387 S	GIBSON,A.F.	9207140071	50-369 Q	GRIER,B.H.	9207100043*	40-7603
FULVIO,A.A.	9207240185	50-278 S	GIBSON,A.F.	9207140091	50-348 Q	GRIER,R.H.	9207090233*	40-8081
FULVIO,A.A.	9207270027	50-278 S	GILBERT,G.	9207310037*	50-369 F	GRIFFING,E.P.	9207090140	REVIEW GR P
FUNDERBURK,C.J.	9207220297	FOIA	GILRAY,J.W.	9207160374	WASTE MGT	GRIFFITHS,R.	9207090097	50-336 G

## 258 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
GRIFFITHS,R.	9207090097	50-336	G	HAGAN,J.J.	9207070309	50-354	S	HASSELBERG,F.W.	9207240133	PROJ	
GRIMES,B.K.	9207100073*	50-286	Q	HAGAN,J.J.	9207200194	50-354	R	HASSELBERG,F.W.	9207280329	PROJ	
GRIMES,C.I.	9207020152	NUREG		HAGEMAN,R.C.	9207090351*	40-7603		HATTOX,B.A.	9207080296*	70-28	
GRIMES,C.I.	9207020165	NUREG		HAGER,R.C.	9207090145	71-740		HAUBER,R.D.	9207130271	XPORTLIC	
GRIMES,C.I.	9207020291	NUREG		HAGUE,R.L.	9207070182	50-305	Q	HAUBER,R.D.	9207160382	XPORTLIC	
GRIMES,C.I.	9207060254	NUREG		HAGUE,R.L.	9207070184*	50-305	Q	HAUBER,R.D.	9207160383	XPORTLIC	
GRIMES,C.I.	9207200023	NUREG		HAGUE,R.L.	9207170188*	50-331	Q	HAUBER,R.D.	9207170145	XPORTLIC	
GRIMES,C.I.	9207270187	NUREG		HAILE,D.	9207280188	50-395	S	HAUBER,R.D.	9207170157	XPORTLIC	
GRIMES,C.I.	9207270209	NUREG		HALL,B.E.	9207060144	50-354	F	HAUBER,R.D.	9207170162	XPORTLIC	
GRIMES,C.I.	9207270292	NUREG		HALL,D.P.	9207150007	50-498	Q	HAUGHLIN,J.	9207280098*	50-443	Q
GRIMES,C.I.	9207270306	NUREG		HALL,D.P.	9207240136	50-498	P	HAUSMAN,G.M.	9207150016*	50-456	Q
GRIMM,J.P.	9207220272*	40-8943		HALL,D.W.	9207220329	50-309	Q	HAYES,B.B.	9207140277*	FOIA	
GRIMSLEY,D.H.	9207070286	FOIA		HALL,J.R.	9207101037	50-440	P	HAYES,B.B.	9207140284*	FOIA	
GRIMSLEY,D.H.	9207070347	FOIA		HALL,J.R.	9207150132	50-440	P	HAYES,B.B.	9207140320*	FOIA	
GRIMSLEY,D.H.	9207080120	50-10	P	HALL,J.R.	9207160091	50-440	P	HAYES,B.B.	9207150056*	50-329	A
GRIMSLEY,D.H.	9207080132	FOIA		HALL,J.R.	9207160097*	50-440	P	HAYES,B.B.	9207200146*	FOIA	
GRIMSLEY,D.H.	9207080153	FOIA		HALL,J.R.	9207210137	50-440	P	HAYES,B.B.	9207220181*	FOIA	
GRIMSLEY,D.H.	9207080281	FOIA		HALL,J.R.	9207300160	50-440	P	HAYES,K.B.	9207210102	50-313	R
GRIMSLEY,D.H.	9207090020	FOIA		HALL,J.R.	9207300222	50-440	F	HEBDON,F.J.	9207100077*	50-260	P
GRIMSLEY,D.H.	9207090089	40-8027		HALL,R.E.	9207010280	40-8904		HEBDON,F.J.	9207160387*	50-327	P
GRIMSLEY,D.H.	9207090115	40-6811		HALL,R.E.	9207210045	40-1341		HEBERT,J.R.	9207010300	50-309	P
GRIMSLEY,D.H.	9207090163	40-8027		HALL,R.E.	9207210051*	40-1341		HEBERT,J.R.	9207070247	50-309	P
GRIMSLEY,D.H.	9207090216	40-1478		HALL,R.E.	9207220270	40-8943		HEBERT,J.R.	9207140319	50-309	R
GRIMSLEY,D.H.	9207090241	FOIA		HALL,R.E.	9207220272*	40-8943		HEBERT,J.R.	9207150051	50-309	V
GRIMSLEY,D.H.	9207100032	FOIA		HALL,R.E.	9207240072	40-6622		HEBERT,J.R.	9207170155	50-309	S
GRIMSLEY,D.H.	9207100059	FOIA		HALL,R.E.	9207240077*	40-6622		HECK,L.L.	9207130012	PRM	
GRIMSLEY,D.H.	9207100119	40-8027		HALL,S.L.	9207140319	50-309	R	HECK,L.L.	9207130012	PRM	
GRIMSLEY,D.H.	9207100217	FOIA		HALLTANGER,J.	9207140068	50-395	S	HECK,L.L.	9207280326*	FOIA	
GRIMSLEY,D.H.	9207100307	FOIA		HAMBY,M.R.	9207230065	50-400	S	HECK,L.L.	9207070280	50-440	S
GRIMSLEY,D.H.	9207140281	50-329	A	HAMMOND,H.A.	9207200079*	70-3070		HECK,L.L.	9207170269	50-440	R
GRIMSLEY,D.H.	9207140307	FOIA		HAMMOND,H.A.	9207200079*	70-3070		HEHL,C.W.	9207080085	50-245	P
GRIMSLEY,D.H.	9207150092	27-48		HAMPTON,J.W.	9207020181*	50-269	Q	HEHL,C.W.	9207170030	50-271	P
GRIMSLEY,D.H.	9207150108	FOIA		HAMPTON,J.W.	9207060137	50-269	K	HEHL,C.W.	9207300088	50-244	Q
GRIMSLEY,D.H.	9207160075	FOIA		HAMPTON,J.W.	9207070341	50-269	Q	HEHL,C.W.	9207080085	NUREG	
GRIMSLEY,D.H.	9207160171	50-29	P	HAMPTON,J.W.	9207090064	50-269	P	HELMING,J.O.	9207090093*	50-269	P
GRIMSLEY,D.H.	9207160183	40-8027		HAMPTON,J.W.	9207090171	50-269	F	HENDL,G.F.	9207200142	50-458	R
GRIMSLEY,D.H.	9207160200	FOIA		HAMPTON,J.W.	9207150112	50-269	Q	HENDRICKSON,R.	9207160021	50-116	V
GRIMSLEY,D.H.	9207170048	40-8027		HAMPTON,J.W.	9207170067	50-269	S	HENDRICKSON,R.	9207130058	PR	
GRIMSLEY,D.H.	9207170225	FOIA		HAMPTON,J.W.	9207200042	50-269	Q	HENKENIUS,M.A.	9207080270	PT21	
GRIMSLEY,D.H.	9207200041	40-8027		HAMPTON,J.W.	9207200051	50-269	P	HENRIE,J.O.	9207060091*	50-295	K
GRIMSLEY,D.H.	9207200054	FOIA		HAMPTON,J.W.	9207200177	50-287	Q	HEO,J.	9207130010	PRM	
GRIMSLEY,D.H.	9207200104	FOIA		HAMPTON,J.W.	9207200196	50-269	Q	HERBENICK,G.D.	9207200321	50-250	R
GRIMSLEY,D.H.	9207200208	40-1478		HAMPTON,J.W.	9207210189	50-269	P	HERBENICK,G.D.	9207020242	50-309	F
GRIMSLEY,D.H.	9207200219	FOIA		HAMPTON,J.W.	9207270059	50-269	S	HERBERT,J.R.	9207020289	50-309	Q
GRIMSLEY,D.H.	9207220302	FOIA		HAMPTON,J.W.	9207270114	50-269	S	HERBERT,J.R.	9207200106	50-309	Q
GRIMSLEY,D.H.	9207220309	FOIA		HAMPTON,J.W.	9207270159	50-269	F	HERBERT,J.R.	9207310196	50-309	Q
GRIMSLEY,D.H.	9207220322	50-454	Q	HANDLER,E.	9207160292*	40-1478		HERDT,A.R.	9207020011	50-321	Q
GRIMSLEY,D.H.	9207220323	50-329	Q	HANDLOVITS,S.M.	9207140056	50-255	R	HERDT,A.R.	9207020014	50-269	Q
GRIMSLEY,D.H.	9207220334	50-309	Q	HANNON,J.N.	9207210247	50-461	P	HERDT,A.R.	9207020025	50-424	Q
GRIMSLEY,D.H.	9207220343	50-346	Q	HANNON,J.N.	9207220424*	50-483	P	HERDT,A.R.	9207140027	50-369	Q
GRIMSLEY,D.H.	9207220353	50-344	Q	HANSELL,S.	9207230194*	50-220	V	HERDT,A.R.	9207140059	50-413	Q
GRIMSLEY,D.H.	9207220375	FOIA		HANSEN,A.G.	9207060195	50-305	Q	HERDT,A.R.	9207140067	50-413	Q
GRIMSLEY,D.H.	9207270302	50-280	P	HANSEN,A.G.	9207230151	50-305	Q	HERDT,A.R.	9207140152	50-269	Q
GRIMSLEY,D.H.	9207270310	40-8027		HANSEN,A.G.	9207280246	50-305	F	HERDT,A.R.	9207270056	50-269	Q
GRIMSLEY,D.H.	9207270317	FOIA		HANSEN,A.G.	9207300158	50-305	V	HERDT,A.R.	9207270101	50-321	Q
GRIMSLEY,D.H.	9207270344	FOIA		HANSON,A.S.	9207060171	72-1005		HERNAN,R.W.	9207020213	50-289	P
GRIMSLEY,D.H.	9207280183	FOIA		HANSON,A.S.	9207140135	72-1005		HERNAN,R.W.	9207060214*	50-423	P
GRIMSLEY,D.H.	9207280206	40-8027		HANSON,D.J.	9207270283	NUREG		HERRON,R.	9207170273	50-285	R
GRIMSLEY,D.H.	9207280210	50-424	S	HARDIN,C.M.	9207270113	PRM		HERSHBERGER,D.	9207100219	TOPREP	
GRIMSLEY,D.H.	9207280273	50-245	Q	HARMON,D.F.	9207100035*	40-7603		HEYMAN,S.	9207160049	PRM	
GRIMSLEY,D.H.	9207280287	FOIA		HARMON,D.F.	9207100082*	40-7603		HEYSEK,W.G.	9207150283	50-320	R
GRIMSLEY,D.H.	9207280298	FOIA		HARMON,D.F.	9207100093*	40-7603		HIATT,S.L.	9207130078	PR	
GRIMSLEY,D.H.	9207280328	FOIA		HARMON,D.F.	9207150298*	40-1478		HIATT,S.L.	9207230014	PR	
GRIMSLEY,D.H.	9207280330	FOIA		HARMON,D.F.	9207180209*	40-1478		HIATT,S.L.	9207230026	PR	
GRIMSLEY,D.H.	9207280331	FOIA		HARMON,D.F.	9207280351*	40-2253		HIATT,S.L.	9207270045	PR	
GRIMSLEY,D.H.	9207280366	FOIA		HARMON,D.F.	9207280360*	40-2253		HIATT,S.L.	9207280084	PR	
GRIMSLEY,D.H.	9207280378	FOIA		HARMON,D.F.	9207280368*	40-2253		HICKEY,J.W.	8410080318*	FOIA	
GRIMSLEY,D.H.	9207280115	50-213	P	HARMON,D.F.	9207280375*	40-2253		HICKEY,J.W.	8607300180*	FOIA	
GRIMSLEY,D.H.	9207160110	40-8027		HARMON,P.E.	9207270019*	50-269	Q	HICKEY,J.W.	9207020268	70-143	
GROBE,J.	9207140184	I&E		HARMON,P.E.	9207270077*	50-269	Q	HICKEY,J.W.	9207020321	70-1151	
GROBE,J.	9207010057	40-8724		HARPER,A.G.	9207200210*	FOIA		HICKEY,J.W.	9207020322	70-1201	
GROBE,J.A.	9207010220	40-8135		HARPER,A.G.	9207200218*	FOIA		HICKEY,J.W.	9207020325	70-734	
GROBE,J.A.	9207080068	40-3392		HARPER,F.T.	9207080085	NUREG		HICKEY,J.W.	9207020331	70-1257	
GROBE,J.A.	9207140093	ORG		HARPER,J.B.	9207300250*	WASTE MGT		HICKEY,J.W.	9207020332	70-27	
GROBE,J.A.	9207150117*	FOIA		HARRELL,P.H.	9207070064*	50-458	Q	HICKEY,J.W.	9207070045	70-143	
GROBE,J.A.	9207220106*	STATE PRO	R	HARRELL,P.H.	9207240085*	50-458	Q	HICKEY,J.W.	9207080345	70-1151	
GROOME,J.W.	9207150019	50-261	R	HARRELL,P.H.	9207300060*	50-298	Q	HICKEY,J.W.	9207090028	70-27	
GROSSI,R.J.	9207060028*	50-443	I	HARRISON,D.K.	9207090093*	50-269	P	HICKEY,J.W.	9207090028*	70-27	
GRUMME,L.L.	9207170009	50-397	Q	HARRIS,D.J.	9207090356*	WASTE MGT		HICKEY,J.W.	9207090040	70-734	
GRUMME,L.L.	9207310184	50-397	Q	HARRIS,J.G.	9207240230	ORG		HICKEY,J.W.	9207090048*	70-27	
GUILD,C.C.	9207060015	FOIA		HARRIS,R.	9207280105*	50-272	Q	HICKEY,J.W.	9207100145	70-398	
GUNTHER,W.	9207060056	NUREG		HARRIS,R.H.	9207140085*	50-369	Q	HICKEY,J.W.	9207100271	40-8820	
GUNTHER,W.	9207060018	50-397	S	HARVEY,M.	9207200089	40-8848		HICKEY,J.W.	9207130083	70-1113	
HAAG,R.C.	9207270092*	50-395	Q	HASSAN,H.	9207310143	XPORTLIC		HICKEY,J.W.	9207140205	40-8820	
HAAG,R.C.	9207270092*	50-395	Q	HASSE,R.A.	9207140050*	50-305	Q	HICKEY,J.W.	9207160326	70-1201	
HAERTJENS,B.L.	9207060313	70-135		HASSELBERG,F.W.	9207200087	PROJ		HICKEY,J.W.	9207160331	40-3392	
HAERTJENS,B.L.	9207130188	70-135		HASSELBERG,F.W.	9207230210	PROJ		HICKEY,J.W.	9207160335	40-8027	
HAGAN,J.	9207060009	50-364	R	HASSELBERG,F.W.	9207230288	PROJ		HICKEY,J.W.	9207170077*	FOIA	

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HICKEY,J.W.	9207170090*	FOIA	HOOD,D.S.	9207220388	50-424 P	HUTCHISON,L.	9207200176*	50-397 R
HICKEY,J.W.	9207230201	70-1100	HOOKER,C.A.	9207090276*	70-734	HUTCHISON,L.B.	9207020274	50-397 R
HICKEY,J.W.	9207230202*	70-1100	HOOKER,C.A.	9207150315*	70-1257	HUTCHISON,L.B.	9207220386	50-397 R
HICKEY,J.W.	9207230206*	70-1100	HOOKER,C.A.	9207150341*	70-1257	IKEDA,M.	9207100003	XPORTLIC
HICKEY,J.W.	9207230211	70-1257	HOOKER,E.O.	9207080173	70-28	IMBRO,E.V.	9207100073*	50-286 Q
HICKEY,J.W.	9207230213*	70-1257	HOOKS,K.	9207010001	WASTE MGT	IRWIN,G.R.	9207270284	50-329 A
HICKEY,J.W.	9207230217*	70-1257	HOOKS,K.R.	9207220150*	WASTE MGT	ISAAS,P.	9207220370*	50-59 V
HICKEY,J.W.	9207240171	70-1100	HOOPER,G.L.	9207140303	50-424 R	ISHAMEL,J.R.	9207160014	71-633
HICKEY,J.W.	9207280027	40-3392	HOPKINS,J.B.	9207130204	50-346 P	IVEY,K.D.	9207140087*	50-390 Q
HICKEY,J.W.	9207280213	70-135	HOPKINS,J.B.	9207230227	50-266 P	JABBOUR,K.N.	9207020230	50-368 P
HICKEY,J.W.	9207280341	40-8027	HOPKINS,P.C.	9207140065*	50-413 Q	JABBOUR,K.N.	9207020255	50-321 P
HICKEY,J.W.	9207300208	40-8027	HOPPER,G.T.	9207140010*	50-348 V	JABBOUR,K.N.	9207080248	50-321 P
HICKEY,J.W.	9207310095	40-8027	HORN,G.R.	9207080182	50-298 P	JABLONSKI,F.J.	9207150018*	50-458 P
HICKEY,J.W.N.	9207150077	70-1113	HORN,G.R.	9207150233	50-298 P	JACKIW,I.N.	9207080107	50-348 Q
HIGGINS,W.R.	9207202032	50-395 S	HORN,G.R.	9207220373	50-298 F	JACKIW,I.N.	9207020230	50-348 Q
HIGGINS,W.R.	9207070264	50-395 S	HORN,G.R.	9207280126	50-298 K	JACKIW,I.N.	9207140111*	50-266 Q
HILL,L.M.	9207080020	50-322 W	HORN,G.R.	9207310155	50-298 Q	JACKIW,I.N.	9207170228*	50-266 Q
HILL,L.M.	9207080140	50-322 W	HORN,M.	9207130185	40-8027	JACKIW,I.N.	9207220140	50-266 Q
HILL,L.M.	9207070251	50-322 W	HORN,M.	9207290261	40-8027	JACKIW,I.N.	9207220145*	50-266 Q
HILL,L.M.	9207070254	50-322 W	HORNG,T.S.	9207140022	NUREG	JACKIW,I.N.	8607300187*	FOIA
HILL,L.M.	9207090159	50-322 W	HORTON,D.G.	9207080180	WASTE MGT	JACKSON,G.	9207160124*	FOIA
HILL,L.M.	9207140222	50-322 W	HORTON,D.G.	9207080181*	WASTE MGT	JACKSON,G.	9207160213*	FOIA
HILL,L.M.	9207220132*	50-322 W	HORTON,D.G.	9207080112	WASTE MGT	JACKSON,G.	9207160219*	FOIA
HILL,R.D.	9207160149	50-364 R	HORTON,D.G.	9207080115*	WASTE MGT	JACKSON,G.	9207160337*	FOIA
HILL,R.D.	9207160161	50-348 R	HORTON,D.G.	9207090185	WASTE MGT	JACKSON,J.A.	9207280289	FOIA
HILL,R.D.	9207220168	50-364 S	HORTON,D.G.	9207090355	WASTE MGT	JACKSON,M.A.	9207080112	50-237 P
HILTZ,T.G.	9207200307	PROJ	HORTON,D.G.	9207090358*	WASTE MGT	JACKSON,M.A.	9207100283	50-295 P
HILTZ,T.G.	9207270362	PROJ	HORTON,D.G.	9207100422	WASTE MGT	JACKSON,M.A.	9207130016	PR
HIND,J.A.	9207080346*	FOIA	HORTON,D.G.	9207100426*	WASTE MGT	JACKSON,M.A.	9207160111	PR
HINNANT,C.S.	9207230065	50-400 S	HORTON,D.G.	9207130039	WASTE MGT	JACKSON,M.A.	9207290351	50-454 R
HIPPE,M.	9207070008	50-263 S	HORTON,D.G.	9207130054*	WASTE MGT	JACKSON,M.A.	9207310171	50-237 Q
HIPPE,M.	9207300211	50-263 S	HORTON,D.G.	9207130157	WASTE MGT	JACKSON,R.L.	9207290240*	70-1100
HIRSCH,D.	9207160026	PR	HORTON,D.G.	9207130162*	WASTE MGT	JACOBSON,J.M.	9207150034*	50-237 Q
HITCH,J.W.	9207200245*	FOIA	HORTON,D.G.	9207130208	WASTE MGT	JACOBSON,J.M.	9207150049*	50-331 Q
HOCKEY,R.L.	9207140273	NUREG	HORTON,D.G.	9207130265*	WASTE MGT	JACOBSON,J.M.	9207310006*	50-373 Q
HODGES,M.W.	9207080098	50-244 Q	HORTON,D.G.	9207130267*	WASTE MGT	JACQUES,L.J.	8901240231*	FOIA
HODGES,M.W.	9207170021	50-219 Q	HORTON,D.G.	9207200145	WASTE MGT	JAFFE,D.H.	9207070022	50-245 P
HODGES,M.W.	9207170035	50-333 Q	HORTON,D.G.	9207200149*	WASTE MGT	JAFFE,D.H.	9207070365	50-245 P
HODGES,M.W.	9207170250	50-245 Q	HORTON,D.G.	9207210145	WASTE MGT	JAFFE,D.H.	9207130122	50-213 P
HODGES,M.W.	9207230058	50-245 P	HORTON,D.G.	9207210153*	WASTE MGT	JAFFE,D.H.	9207220417	50-245 P
HODGES,M.W.	9207280141	50-220 Q	HORTON,D.G.	9207290279	WASTE MGT	JANUSKA,A.G.	9207280290*	50-237 Q
HOEFFERT,N.	9207220393	50-301 S	HORTON,D.G.	9207300135	WASTE MGT	JAPE,F.	9207010331*	50-413 Q
HOELLER,E.	9207020155	50-348 G	HOSEY,C.M.	9207220091	STATE PRO G	JAPE,F.	9207180032*	50-348 Q
HOFFMAN,D.P.	9207220261	50-155 Q	HOTZ,J.	9207300254*	50-368 P	JENKINS,G.	9207080211	I&E
HOFFMAN,D.P.	9207310235	50-155 P	HOUSE,J.E.	9207090279*	50-373 Q	JESSEN,D.	9207100325	71-9233
HOFFMAN,E.A.	9207220274	50-339 P	HOUSE,W.B.	9207080122	27-47	JINKS,S.M.	9207140038	50-333 R
HOFFMAN,S.T.	9207020196	50-348 P	HOUSE,W.B.	9207160006	PR	JOHNSON,A.	9207080157	50-244 P
HOFFMAN,S.T.	9207080289	50-348 F	HOUSE,W.B.	9207230042	PR	JOHNSON,A.R.	9207130194	50-244 P
HOFFMAN,S.T.	9207150190	50-348 P	HOUSE,W.B.	9207270142	WASTE MGT	JOHNSON,A.R.	9207130234	50-244 P
HOFFMAN,S.T.	9207240109	50-348 P	HOWE,A.	9207010031	50-317 S	JOHNSON,A.R.	9207220304	50-244 Q
HOFFMAN,S.T.	9207240134	50-348 P	HOWELL,A.T.	9207070103*	50-482 Q	JOHNSON,A.R.	9207220308	50-244 Q
HOFFPAUIR,J.G.	9207070328	50-382 S	HOWELL,A.T.	9207140166*	50-498 Q	JOHNSON,B.A.	9207290032	50-390 A
HOFFPAUIR,J.G.	9207150068	50-382 S	HOWELL,A.T.	9207170246	50-482 S	JOHNSON,C.	9207010346	TOPREP
HOFFPAUIR,J.G.	9207150084	50-382 S	HOYLE,A.	9207270355*	FOIA	JOHNSON,E.	9207080251	50-249 S
HOGGE,A.J.	9207200257*	50-287 Q	HOYT,J.	9207280284	FOIA	JOHNSON,H.S.	9207230223*	CONTRACT
HOLBERT,O.A.	9207240208*	50-458 P	HSIA,A.H.	9207020006	50-454 P	JOHNSON,I.M.	9207150204	50-295 F
HOLIAN,B.	9207230134	50-445 P	HSIA,A.H.	9207020021*	50-454 P	JOHNSON,J.R.	9207140014	50-390 Q
HOLIAN,B.E.	9207100249	50-445 P	HSIUNG,S.	9207280318	WASTE MGT	JOHNSON,J.R.	9207140023	50-338 Q
HOLIAN,B.E.	9207150328	50-446 A	HUBER,M.P.	9207310006*	50-373 Q	JOHNSON,J.R.	9207140081	50-259 Q
HOLIAN,B.E.	9207170087	50-446 A	HUDDLESTON,B.	9207170215	71-62	JOHNSON,J.R.	9207140106	50-390 Q
HOLIAN,B.E.	9207210142	50-446 A	HUDDLESTON,B.	9207170221*	71-62	JOHNSON,J.R.	9207140110	50-324 Q
HOLLAND,W.E.	9207010253*	50-327 Q	HUDDLESTON,E.	9207080185	71-62	JOHNSON,J.R.	9207140141	50-390 Q
HOLLINGSWORTH	9207200194	50-354 R	HUDDLESTON,E.W.	9207080321	71-9156	JOHNSON,J.R.	9207140168	50-390 Q
HOLLOMAN,T.J.	9207210328	50-327 R	HUDDLESTON,E.W.	9207090004	71-9185	JOHNSON,J.R.	9207220019	50-321 Q
HOLLOWAY,C.J.	9207230296	PR	HUDDLESTON,E.W.	9207090104	71-9157	JOHNSON,J.R.	9207220084	50-269 P
HOLM,R.L.	9207020298	50-151 V	HUDDLESTON,E.W.	9207170227*	71-62	JOHNSON,J.R.	9207220087	50-324 P
HOLMES,S.	9207160203*	50-223 Q	HUDSPETH,J.B.	9207080062	50-348 F	JOHNSON,J.R.	9207220137	50-269 Q
HOLMES-RAY,P.	9207010303*	50-302 Q	HUDSPETH,J.B.	9207280299	50-348 F	JOHNSON,J.R.	9207270012	50-269 Q
HOLMES-RAY,P.	9207020084*	50-302 Q	HUDSPETH,J.B.	9207300041	50-348 F	JOHNSON,L.	9207090283*	FOIA
HOLODY,D.	9207080207	I&E	HUETER,L.J.	9207090210*	40-8081	JOHNSON,L.	9207080271*	FOIA
HOLONICH,J.J.	9207010156	WASTE MGT	HUETER,L.J.	9207090222*	40-8081	JOHNSON,L.	9207090292*	40-8081
HOLONICH,J.J.	9207010165*	WASTE MGT	HUETER,L.J.	9207090230*	40-8081	JOHNSON,L.	9207210015*	70-146
HOLONICH,J.J.	9207090084	WASTE MGT	HUFFERT,A.M.	9207070416	40-8724	JOHNSON,L.	9207220082*	70-146
HOLONICH,J.J.	9207090125	WASTE MGT	HUFFERT,A.M.	9207070422	40-8724	JOHNSON,L.	9207220085*	70-36
HOLONICH,J.J.	9207090186	WASTE MGT	HUFFHAM,J.	9207280214*	50-280 F	JOHNSON,L.	9207220090*	70-146
HOLONICH,J.J.	9207220043	WASTE MGT	HUGHES,A.	9207020052	CONTRACT	JOHNSON,L.	9207220101*	70-146
HOLONICH,J.J.	9207220051	WASTE MGT	HUGHES,A.	9207020296	CONTRACT	JOHNSON,L.	9207220110*	70-146
HOLONICH,J.J.	9207220080	WASTE MGT	HUGHES,A.	9207140326	50-352 V	JOHNSON,L.	9207220130*	70-146
HOLONICH,J.J.	9207230125	WASTE MGT	HUGHES,A.	9207140328	CONTRACT	JOHNSON,L.	9207220152*	70-146
HOLONICH,J.J.	9207300001	WASTE MGT	HULL,J.T.	9207080121	50-336 G	JOHNSON,L.	9207220169*	70-146
HOLONICH,J.J.	9207300002	WASTE MGT	HULL,J.T.	9207100101*	50-336 H	JOHNSON,L.	9207220173*	70-146
HOM,S.R.	9207020059	50-346 M	HUNSTAD,A.	9207200274	50-282 S	JOHNSON,L.	9207220177*	70-146
HOM,S.R.	9207020164	50-346 M	HUNSTAD,A.A.	9207130236	50-282 S	JOHNSON,L.	9207220184*	70-146
HOM,S.R.	9207100012	50-346 M	HUNSTAD,A.A.	9207300058	50-282 S	JOHNSON,L.	9207220230*	70-146
HOM,S.R.	9207100094	50-346 M	HUNT,M.	9207010331*	50-413 Q	JOHNSON,L.	9207220238*	70-146
HOMER,L.	9207290129	50-213 S	HUNT,M.D.	9207020210*	50-416 Q	JOHNSON,L.	9207220280*	70-146
HOOD,D.S.	9207170172	50-424 P	HUTCHISON,J.J.	9207070145	TOPREP	JOHNSON,L.	9207220296*	70-146
HOOD,D.S.	9207200345	50-424 P	HUTCHISON,L.	9207200171*	50-397 R	JOHNSON,L.	9207220303*	70-146

## 260 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
JOHNSON, L.	9207220324*	70-146	JULIAN, C.A.	9207020007	50-335 Q	KEPPLER, J.G.	9207070142*	50-263 Q
JOHNSON, L.	9207220360*	70-146	JULIAN, C.A.	9207020070	50-416 Q	KEPPLER, J.G.	9207220371*	FOIA
JOHNSON, L.	9207220419*	70-146	JULIAN, C.A.	9207020154	50-261 Q	KEPPLER, J.G.	9207220385*	50-329 Q
JOHNSON, L.	9207230027*	70-146	JULIAN, C.A.	9207020205	50-416 Q	KEPPLER, J.G.	9207220391*	50-329 Q
JOHNSON, L.	9207230038*	70-146	JULIAN, C.A.	9207140061	50-280 Q	KERNES, E.A.	9207130085	50-298 R
JOHNSON, L.	9207230057*	70-146	JULIAN, C.A.	9207140190	50-269 P	KERRY, J.F.	9207060209*	50-443 U
JOHNSON, L.	9207230090*	70-146	JULIAN, C.A.	9207160016	50-348 Q	KIDD, Y.T.	9207280322	FOIA
JOHNSON, L.	9207230122*	70-146	JULIAN, C.A.	9207270100	50-369 Q	KIM, H.H.	9207270088	PRM
JOHNSON, L.	9207230129*	70-146	JULIAN, C.A.	9207270117	50-259 Q	KING, D.A.	9207140321	CONTRACT
JOHNSON, L.	9207230173*	70-146	JUMP, W.J.	9207070226	50-498 Q	KING, E.B.	9207170051*	50-286 Q
JOHNSON, L.	9207230176*	70-146	JUMP, W.J.	9207070318	50-498 F	KING, L.	9207140088*	50-400 Q
JOHNSON, L.	9207230301*	40-1478	JUMP, W.J.	9207070321	50-498 Q	KING, L.	9207220007*	50-327 Q
JOHNSON, L.	9207240052*	70-340	JUMP, W.J.	9207070333	50-498 Q	KING, W.	9207220158*	FOIA
JOHNSON, P.	9207010054	50-275 S	JUMP, W.J.	9207070367	50-498 F	KING, W.T.	9003200284*	FOIA
JOHNSON, P.H.	9207090320*	50-275 Q	JUMP, W.J.	9207100162	50-499 S	KING, W.T.	9003300183*	FOIA
JOHNSON, P.H.	9207130017	50-397 S	JUMP, W.J.	9207130099	50-498 R	KING, W.T.	9207220193*	FOIA
JOHNSON, P.H.	9207150222*	50-397 Q	JUMP, W.J.	9207140242	50-499 S	KING, W.T.	9207220250*	FOIA
JOHNSON, P.H.	9207270296*	50-275 Q	JUMP, W.J.	9207150002	50-498 Q	KINNEMAN, J.D.	9207090215*	70-698
JOHNSON, R.H.	9207080288*	50-413 I	JUMP, W.J.	9207150030	50-499 S	KINNEMAN, J.D.	9207230037	40-8406
JOHNSON, S.P.	9207270263	NUREG	JUMP, W.J.	9207150196	50-498 Q	KINNEMAN, J.D.	9207230093	ORG
JOHNSON, W.D.	9207210076*	50-313 Q	JUMP, W.J.	9207160036	PR	KINNEMAN, J.D.	9207280321	40-2253
JOHNSON, W.D.	9207280045*	50-382 Q	JUMP, W.J.	9207160044	50-498 H	KIPER, R.L.	9207170138*	50-443 P
JOHNSON, W.D.	9207180055	PR	JUMP, W.J.	9207160101	PR	KIPPER, M.S.	9207130001	PRM
JOHNSON, J.H.	9207270123	PR	JUMP, W.J.	9207210146*	50-498 Q	KIRBERG, S.L.	9207300054	52-1
JOHNSON, C.B.	9207220339	50-346 Q	JUMP, W.J.	9207220032	50-498 J	KIRBERG, S.L.	9207310127	52-1
JOHNSTON, J.R.	9207130117	50-155 R	JUMP, W.J.	9207240083	50-498 F	KIRCHER, K.F.	9207220061*	FOIA
JOHNSON, L.	9207230073*	70-146	JUMP, W.J.	9207270063	50-498 S	KIRCHER, K.F.	9207220067*	FOIA
JONES, D.M.	9207200053*	PR	KALLIS, J.	9207080188	PROJ	KIRCHER, K.F.	9207220075*	FOIA
JONES, D.T.	9207140322	50-334 R	KALMAN, G.	9207020237	50-206 P	KIRKWOOD, A.	9207150106	I&E
JONES, D.W.	9207140139*	50-369 Q	KALMAN, G.	9207160043	50-206 P	KIRKWOOD, A.	9207220181*	FOIA
JONES, K.	9207300289	40-8724	KALMAN, G.	9207160065	50-206 P	KISER, W.S.	8704220166*	FOIA
JONES, S.	9207060144	50-354 F	KALMAN, K.L.	9207090095*	WASTE MGT	KLAPPROTH, J.F.	9207310136	52-1
JONES, T.M.	9207070125	50-325 S	KAMMERER, C.	9207020299	STATE PRO G	KLASKY, M.	9207090034*	70-27
JONES, W.R.	9004230293*	FOIA	KAMMERER, C.	9207020305	STATE PRO G	KLEIN, T.	9207150029	50-286 S
JORDAN, D.D.	9207100356*	50-498 I	KAMMERER, C.	9207020324	STATE PRO G	KLEINSORGE, W.P.	9207020040*	50-335 Q
JORDAN, E.L.	9207130149	REVIEW GR P	KAMMERER, C.	9207100141*	50-336 H	KLEMENTOWICZ, S.	9207150194	REVIEW GR P
JORDAN, E.L.	9207210214	REVIEW GR P	KANE, G.E.	9207100385	50-338 S	KLINE, J.R.	9207070101	50-322 G
JORDAN, E.L.	9207300233	REVIEW GR P	KANE, G.E.	9207160063*	50-338 R	KLINE, J.R.	9207070115	50-322 G
JORDAN, M.J.	9207140136*	50-331 V	KANE, G.E.	9207160078*	50-338 R	KNAPP, M.R.	9207150104*	FOIA
JORDAN, M.J.	9207170241*	50-461 V	KANE, G.E.	9207230018	50-339 S	KNICELEY, J.R.	9207070208*	50-305 Q
JORGENSEN, B.L.	9207170180	50-315 Q	KANE, J.	9207080014	WASTE MGT	KNICELEY, J.R.	9207280035*	50-263 Q
JORGENSEN, B.L.	9207170183*	50-315 Q	KANE, J.	9207170135	WASTE MGT	KNIEL, K.	9207130004	PR
JOUSTRA, J.	9207080002	I&E	KANE, J.	9207240199	WASTE MGT	KNOP, R.	9207130134	50-237 S
JOW, H.N.	9207080085	NUREG	KANSLER, M.R.	9207200117	50-281 S	KNOP, R.C.	9207090344*	50-237 Q
JOYCE, J.P.	9202200318*	REVIEW GR P	KANSLER, M.R.	9207290419	50-280 S	KNORR, J.E.	9207200129	50-250 S
JOYCE, T.P.	9207080017	50-304 S	KANTOR, F.	9207240220	ORG	KNOTTS, J.B.	9207160039	PR
JOYCE, T.P.	9207080035	50-304 S	KARABA, P.J.	9207310080	50-237 S	KNUBEL, J.	9207150258	50-146 P
JOYCE, T.P.	9207170273	50-295 R	KARAGANIS, J.V.	9207200067	40-2061	KNUBEL, J.	9207130069	PR
JOYNER, J.	9207160191	50-146 S	KARAGANIS, J.V.	9207200067	40-2061	KOEHLER, T.J.	9207060190	50-266 S
JOYNER, J.	9207280032	50-245 S	KARELITZ, J.R.	9207130024	PRM	KOEHLER, T.J.	9207200252*	50-266 S
JOYNER, J.H.	9207010025	50-289 Q	KARVELIS, K.C.	9207130008	PRM	KOEHLER, T.J.	9207300036	50-266 S
JOYNER, J.H.	9207010040	50-387 Q	KASNICKE, J.	9207140123*	70-1151 S	KOENEKE, A.	9207140038	50-333 R
JOYNER, J.H.	9207010064	50-277 Q	KASUGA, R.	9207230025	50-213 S	KOFFRON, K.L.	9207070073	50-457 S
JOYNER, J.H.	9207070138	50-286 F	KATZ, B.	9207310211*	50-206 P	KOFFRON, K.L.	9207140082	50-456 R
JOYNER, J.H.	9207070159	50-247 Q	KEENEY, M.	9008060149*	FOIA	KOFFRON, K.L.	9207160249	50-456 R
JOYNER, J.H.	9207080015	50-352 Q	KEESE, R.E.	9207160025	PR	KOGA, R.H.	9207070128	70-1151
JOYNER, J.H.	9207080020	50-271 Q	KEIMIG, R.R.	9207080022*	50-271 Q	KOH, Y.S.	9207200150*	CONTRACT
JOYNER, J.H.	9207080027	50-293 Q	KEIMIG, R.R.	9207080058*	50-352 Q	KOHL, H.	9207310218*	50-266 H
JOYNER, J.H.	9207080036	50-334 Q	KEIMIG, R.R.	9207170051*	50-286 Q	KOHUT, P.	9207270295	NUREG
JOYNER, J.H.	9207080051	50-352 Q	KEISER, H.W.	9207070371	50-387 K	KOLASA, M.J.	9207220096*	FOIA
JOYNER, J.H.	9207080064	50-220 Q	KEISER, H.W.	9207080133	50-387 P	KOLASA, M.J.	9207220099*	FOIA
JOYNER, J.H.	9207150035	50-293 Q	KEISER, H.W.	9207080161	50-388 P	KOLASA, M.J.	9207220102*	FOIA
JOYNER, J.H.	9207150263	50-352 Q	KEISER, H.W.	9207080186*	50-388 P	KOLASA, M.J.	9207220111*	FOIA
JOYNER, J.H.	9207160195	50-223 Q	KEISER, H.W.	9207090187	50-387 Q	KOLASA, M.J.	9207220128*	FOIA
JOYNER, J.H.	9207160285	50-344 F	KEISER, H.W.	9207090189	50-387 J	KOLLI, S.	9207200308*	FOIA
JOYNER, J.H.	9207180339	50-286 F	KEISER, H.W.	9207130223	50-387 P	KOLLI, S.	9207210261*	FOIA
JOYNER, J.H.	9207180353	50-333 F	KEISER, H.W.	9207200141	50-387 P	KOLLI, S.	9207210270*	FOIA
JOYNER, J.H.	9207180355	50-271 F	KEISER, H.W.	9207220314	50-387 R	KOLLI, S.	9207210277*	FOIA
JOYNER, J.H.	9207180356	50-219 F	KEISER, H.W.	9207280016	50-388 P	KOLLI, S.	9207210290*	FOIA
JOYNER, J.H.	9207180358	50-3 F	KEISER, H.W.	9207280096	50-387 P	KOLODNY, G.M.	9207130011	PRM
JOYNER, J.H.	9207170041	50-286 Q	KEISER, H.W.	9207310113	50-387 P	KOLODNY, G.M.	9207130011	PRM
JOYNER, J.H.	9207210106	50-245 Q	KEISER, H.W.	9207310176	50-387 P	KONWINSKI, G.R.	9207210051*	40-1341
JOYNER, J.H.	9207220305	50-412 Q	KELLAM, T.B.	9008100157*	50-424 S	KOPP, L.I.	9207300086	TOPREP
JOYNER, J.H.	9207230104	70-371 Q	KELLER, C.A.	9207160283*	40-1478	KOSMIDER, M.D.	9207240210*	40-3392
JOYNER, J.H.	9207230184	50-317 Q	KELLER, J.	9207010013	50-247 R	KOSSIK, R.	9207220207*	WASTE MGT
JOYNER, J.H.	9207280008	50-443 F	KELLER, J.	9207270201	50-247 R	KOSSIK, R.	9207220214*	WASTE MGT
JOYNER, J.H.	9207280034	50-271 F	KELLER, L.A.	9207270092*	50-395 R	KOUBA, W.	9207150003	50-455 S
JOYNER, J.H.	9207280044	50-443 Q	KELLOGG, P.J.	9207010253*	50-327 Q	KOVACH, T.J.	9207020258	50-373 F
JOYNER, J.H.	9207280095	50-443 Q	KELLOGG, P.J.	9207140102*	50-259 Q	KOVACH, T.J.	9207020260	50-10 F
JOYNER, J.H.	9207280180	50-286 Q	KELLY, E.	9207070405*	50-293 Q	KOVACH, T.J.	9207020264	50-295 F
JOYNER, J.H.	9207300040	50-247 Q	KELLY, E.M.	9207160288*	50-29 Q	KOVACH, T.J.	9207020266	50-254 F
JOYNER, J.H.	9207300063	50-293 Q	KELLY, E.M.	9207280272*	50-271 Q	KOVACH, T.J.	9207020269	50-454 F
JUDD, C.A.	9207080008	40-8989	KELLY, G.	9207080007	52-1 F	KOVACH, T.J.	9207020271	50-456 F
JUDD, C.A.	9207160086	40-8989	KELLY, G.	9207290075	52-1 F	KOVACH, T.J.	9207070274	50-374 Q
JUDD, G.	9207010098	70-920	KELLY, L.	9207150282	50-286 R	KOVACH, T.J.	9207140199	50-295 Q
JULIAN, C.	9207010348*	50-259 Q	KENNEDY, J.L.	9207080288	PROJ	KOVACH, T.J.	9207170165	50-254 Q
JULIAN, C.A.	9207010277	50-389 Q	KENNEDY, J.L.	9207160201	PROJ	KOVACH, T.J.	9207220243	50-454 F
JULIAN, C.A.	9207010320	50-413 Q	KENT, A.P.	9207130099	50-498 R	KOVACH, T.J.	9207270303	50-295 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
KOVACH,T.J.	9207280174	50-254	Q	LANDRUM,L.H.	9207100008*	40-1478	LEVINE,J.M.	9207300061	50-528	Q	
KOVACH,T.M.	9207200005	50-254	Q	LANDRUM,L.H.	9207100011*	40-1478	LEW.D.	9207280167	50-271	Q	
KOZAK,T.J.	9207010252*	50-331	Q	LANDRUM,L.H.	9207230285*	40-2136	LEW.D.C.	9207280297	50-293	F	
KRIEGER,R.W.	9207090300	50-206	P	LANE,J.J.	9207230196*	70-146	LEW.R.D.	9207210283*	FOIA		
KRIEGER,R.W.	9207200218	50-361	S	LANGE,M.J.	9207220409	71-721	LEWIS,D.H.	9207130059	PRM		
KRIEGER,R.W.	9207280332	50-361	S	LANKSBURY,R.D.	9207140108*	50-461	Q	LEWIS,M.I.	9207130019	PR	
KRIEGER,R.W.	9207290255	50-206	S	LANKSBURY,R.D.	9207140151*	50-440	Q	LEWIS,M.I.	9207290053	PR	
KRUMLAND,K.M.	9207220380*	50-298	T	LANKSBURY,R.D.	9207170216	50-461	Q	LEWIS,M.I.	9207290162	PR	
KRYTYEV,I.S.	9207070212	REVIEW GR	P	LANKSBURY,R.D.	9207170218*	50-461	Q	LEWIS,M.I.	9207290170	PR	
KUCZYNSKI,J.	9207210008	50-10	F	LARKINS,J.T.	9207160084*	50-313	P	LEWIS,P.A.	9207220092*	FOIA	
KUNIHIO,D.M.	9207210094	50-344	Q	LARKSBURY,R.	9207010126	50-461	S	LIAL-L.Y.	9207140022	NUREG	
KUNIHIO,D.M.	9207210096	50-344	Q	LARSON,G.S.	9207230015	PR		LICKUS,R.	9207010249	50-455	S
KUNOWSKI,M.A.	9207070297*	50-456	Q	LATZ,J.E.	9207010215	WASTE MGT		LIEBERMAN,J.	8706240090*	FOIA	
KUNOWSKI,M.A.	9207280290*	50-237	Q	LATZ,J.E.	9207230112*	WASTE MGT		LIEBERMAN,J.	9207060211	I&E	
KUNZMANN,D.	9207020099*	50-265	S	LAUTERBACH,K.E.	9207150099*	70-140		LIEBERMAN,J.	9207070152	50-306	Q
KUNZMANN,D.	9207070098	50-265	S	LAWRENCE,A.	9207230300*	CONTRACT		LIEBERMAN,J.	9207090148	50-327	Q
KUNZMANN,D.	9207140033	50-254	S	LAWRENCE,J.W.	9207290100	50-213	P	LIEBERMAN,J.	9207100318	I&E	
KUNZMANN,D.P.	9207070090	50-265	S	LAWRENCE,J.W.	9207290109	FOIA		LIEBERMAN,J.	9207140062	50-255	Q
KUNZMANN,D.P.	9207070111	50-254	S	LAWYER,L.L.	9207140035*	50-395	V	LIEBERMAN,J.	9207220332*	50-329	Q
KUSMIT,D.	9207020176	50-336	G	LAYFIELD,R.L.	9207090144*	40-8081		LIEBERMAN,J.	9207240008	I&E	
KUTYURIN,G.I.	9207070209	REVIEW GR	P	LAYFIELD,R.L.	9207090236*	40-8081		LIEBERMAN,J.	9207240013	50-280	Q
KWIATKOWSKI,D.	9205290181*	50-10	F	LAYFIELD,R.L.	9207090311*	40-8081		LIEBERMAN,J.	9207290026	50-286	Q
KWIATKOWSKI,D.	9206180422*	50-206	F	LAYFIELD,R.L.	9207150189*	70-712		LIEBERMAN,J.	9207290030	50-220	Q
KWIATKOWSKI,D.	9206170062*	50-263	F	LAYFIELD,R.L.	9207280327*	40-2253		LIEBERMAN,J.I.	9206170324*	50-245	U
LABARGE,D.E.	9207130237	50-327	P	LAZARUS,W.J.	9207090240*	50-443	Q	LIEBERMAN,J.I.	9207100113*	50-336	H
LABARGE,D.E.	9207160385	50-327	P	LAZARUS,W.J.	9207210022	50-244	P	LIEBERMAN,J.I.	9207100134*	50-336	H
LABARGE,D.E.	9207280223	50-327	P	LE.N.B.	9207020041	50-400	P	LIESEGANG,G.	9207170114	QA999	
LABRUNA,S.	9207280177	50-354	S	LE.N.B.	9207070270	50-400	P	LIETO,R.P.	9207210228	PR	
LABRUNA,S.	9207080248	50-354	S	LE.N.B.	9207140279	50-400	P	LIN,C.C.	9207080061	NUREG	
LABRUNA,S.	9207140280	50-272	P	LE.N.B.	9207150064	50-324	P	LINDERBERGH,B.E.	9207090094	50-201	F
LABRUNA,S.	9207140297	50-354	P	LE.N.B.	9207160001	50-324	P	LINDBERGH,B.E.	9207090156	50-201	F
LABRUNA,S.	9207160059	50-272	F	LE.N.B.	9207160260	50-261	P	LINK,B.	9207010243	50-266	Q
LABRUNA,S.	9207200094	50-354	P	LE.N.B.	9207210210	50-400	P	LINK,B.	9207010342	50-266	Q
LABRUNA,S.	9207210019	50-272	P	LE.N.B.	9207230251	50-400	P	LINK,B.	9207010345	50-266	Q
LABRUNA,S.	9207230147	50-272	P	LE.N.B.	9207230264*	50-400	P	LINK,B.	9207020219	50-266	S
LABRUNA,S.	9207240001	50-354	Q	LEACH,M.N.	9207170241*	50-461	V	LINK,B.	9207060190	50-266	S
LABRUNA,S.	9207240099	50-272	P	LEADERS,W.M.	9207140223*	70-712	T	LINK,B.	9207070017	50-266	K
LABRUNA,S.	9207280132	50-272	K	LEBARON,L.E.	9207140002	50-213	S	LINK,B.	9207140301	50-266	R
LABRUNA,S.	9207300173	50-272	Q	LEBARON,L.E.	9207230056*	50-213	F	LINK,B.	9207170253	50-266	P
LAMBERSKI,J.	9207280201	50-424	S	LEDERMAN,M.G.	9207070421	40-8724		LINK,B.	9207200248	50-266	S
LAMBERT,K.J.	9107280026*	FOIA		LEDERMAN,M.G.	9207070421	40-8724		LINK,B.	9207300036	50-266	S
LAMBERT,K.J.	9207200243	FOIA		LEDERMAN,M.G.	9207290019	40-8724		LINK,B.	9207310137	50-266	S
LAMBERT,K.J.	9207240159*	FOIA		LEE,B.	9207080056	NUREG		LINK,B.E.	9207220383	50-301	P
LAMBERTUS,H.	9207100071*	40-1478		LEE,J.C.	9207220221	ACRS		LINK,R.E.	9207270155	50-266	F
LAMBERTUS,H.	9207100079*	40-1478		LEE,J.J.	9007130087*	FOIA		LINVILLE,J.	9207070396	50-293	Q
LAMBERTUS,H.	9207100177*	40-1478		LEE,M.P.	9207090130*	WASTE MGT		LINVILLE,J.C.	9207080011	50-443	Q
LAMBERTUS,H.	9207100179*	40-1478		LEE,M.P.	9207090190*	WASTE MGT		LINVILLE,J.C.	9207090235	50-443	Q
LAMBERTUS,H.	9207100261*	70-712		LEE,M.P.	9207230120	WASTE MGT		LINVILLE,J.C.	9207160286	50-29	Q
LAMBERTUS,H.	9207100265*	70-712		LEGAN,P.	9207100375*	50-498	I	LINVILLE,J.C.	9207280078	50-309	Q
LAMBERTUS,H.	9207100269*	70-712		LEGENDRE,A.L.	9207150018	50-443	S	LINVILLE,J.C.	9207280267	50-271	Q
LAMBERTUS,H.	9207140191*	70-712		LEHNER,J.R.	9207080061	NUREG		LIPARULA,N.J.	9207150220*	PROJ	
LAMBERTUS,H.	9207140214*	70-712		LEHNER,J.R.	9207080067	NUREG		LIPARULA,N.J.	9207200232	PROJ	
LAMBERTUS,H.	9207140225*	40-1478		LEININGER,D.J.	9207150212	50-458	S	LIPARULA,N.J.	9207070112	PROJ	
LAMBERTUS,H.	9207140244*	70-712		LEITCH,G.M.	9207090011	50-352	Q	LIPARULO,N.J.	9207080215	TOPREP	
LAMBERTUS,H.	9207140282*	40-1478		LEITCH,G.M.	9207170076	50-352	R	LIPARULO,N.J.	9207090099	PROJ	
LAMBERTUS,H.	9207150040*	70-712		LEITCH,G.M.	9207200220	50-352	Q	LIPARULO,N.J.	9207090101*	PROJ	
LAMBERTUS,H.	9207150057*	40-1478		LENTZ,C.L.	9207200330*	FOIA		LIPARULO,N.J.	9207090138	PROJ	
LAMBERTUS,H.	9207150177*	70-712		LENTZ,J.J.	9207290251	WASTE MGT		LIPARULO,N.J.	9207090150*	PROJ	
LAMBERTUS,H.	9207150199*	70-712		LERCH,R.M.	9207010093*	50-254	Q	LIPARULO,N.J.	9207150207	PROJ	
LAMBERTUS,H.	9207150201*	70-712		LERCH,R.M.	9207070179*	50-461	Q	LIPARULO,N.J.	9207150209*	PROJ	
LAMBERTUS,H.	9207150206*	70-712		LEROY,P.G.	9207080049	70-3070		LIPARULO,N.J.	9207150218	PROJ	
LAMBERTUS,H.	9207150224*	70-712		LEROY,P.G.	9207080225	70-3070		LIPARULO,N.J.	9207160119*	PROJ	
LAMBERTUS,H.	9207150230*	40-1478		LEROY,P.G.	9207130173	70-3070		LIPARULO,N.J.	9207200071	PT21	
LAMBERTUS,H.	9207150232*	70-712		LEROY,P.G.	9207140077	70-3070		LIPARULO,N.J.	9207200242*	PROJ	
LAMBERTUS,H.	9207150236*	70-712		LEROY,P.G.	9207140090	70-3070		LIPARULO,N.J.	9207270337	TOPREP	
LAMBERTUS,H.	9207150243*	70-712		LEROY,P.G.	9207200081*	70-3070		LIPARULO,N.J.	9207270343*	TOPREP	
LAMBERTUS,H.	9207150271*	40-1478		LEROY,P.G.	9207200081*	70-3070		LIPARULO,N.J.	9207280024	PT21	
LAMBERTUS,H.	9207150310*	40-1478		LEROY,P.G.	9207210239	70-3070		LIPARULO,N.J.	9207290375	TOPREP	
LAMBERTUS,H.	9207180198*	40-1478		LEROY,P.G.	9207280176	70-3070		LIPARULO,N.J.	9207290385*	TOPREP	
LAMBERTUS,H.	9207180224*	FOIA		LEROY,P.G.	9207310232	70-3070		LIPPARD,L.M.	9207200084*	70-3070	
LAMBERTUS,H.	9207240050*	70-340		LESSER,M.S.	9207020157*	50-338	Q	LIPPARD,L.M.	9207200084*	70-3070	
LAMBERTUS,H.	9207240058*	70-340		LESTER,K.S.	9207090187	71-6294		LLOYDARO,D.J.G.	9207160058	PRM	
LAMBERTUS,H.	9207240073*	70-146		LEU,K.C.	9207200254	72-1004		LLOYD,R.C.	9207070372*	50-395	Q
LAMBERTUS,H.	9207240086*	70-340		LEVICH,R.A.	9207080203	WASTE MGT		LO,R.H.	9207090278	50-324	P
LAMBERTUS,H.	9207240089*	FOIA		LEVICH,R.A.	9207150272	WASTE MGT		LO,R.H.	9207100065	50-324	P
LANDGRAF,S.W.	9207200266*	FOIA		LEVICH,R.A.	9207210251	WASTE MGT		LO,R.H.	9207200233	50-324	P
LANDGRAF,S.W.	9207200272*	FOIA		LEVINA,A.H.	9207280365*	40-2253		LO,R.H.	9207290388	50-281	P
LANDGRAF,S.W.	9207200280*	FOIA		LEVINA,A.H.	9207280370*	40-2253		LOFARO,R.	9207060056	NUREG	
LANDGRAF,S.W.	9207210308*	FOIA		LEVIN,C.	9207140012*	ORG		LOHSAU,P.H.	9207020294	WASTE MGT	
LANDGRAF,S.W.	9207220021*	FOIA		LEVIN,C.	9207170122*	ORG		LOIS,L.	9207200076	TOPREP	
LANDGRAF,S.W.	9207220027*	FOIA		LEVINE,J.M.	9207070009	50-528	V	LOISELLE,A.	9207270084	PR	
LANDGRAG,S.W.	9207220033*	FOIA		LEVINE,J.M.	9207070010	50-528	V	LONG,R.L.	9207010091	50-320	P
LANDIS,K.	9207010303*	50-302	Q	LEVINE,J.M.	9207070310	50-528	S	LONG,R.L.	9207010097*	50-320	P
LANDIS,K.	9207020084*	50-302	Q	LEVINE,J.M.	9207070312	50-528	S	LONG,R.L.	9207150202	50-320	P
LANDIS,K.A.	9207170201*	50-335	Q	LEVINE,J.M.	9207170267	50-528	R	LORION,J.	9207160158	PR	
LANDIS,K.D.	9207010179	50-335	Q	LEVINE,J.M.	9207210319	50-529	S	LOUDEN,P.	9207140150*	50-373	Q
LANDRUM,L.H.	9207090289*	40-1478		LEVINE,J.M.	9207220217	50-529	S	LOUDEN,P.L.	9207310008*	50-305	Q
LANDRUM,L.H.	9207090329*	FOIA		LEVINE,J.M.	9207270218	50-528	F	LOUDERMILK,A.	9207010035	50-259	R

## 262 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LOUX,R.R.	9207200009	WASTE MGT	MACDONALD,C.E.	9207230143	71-9033	MARTIN,T.O.	9207280107	50-237 P
LOWE,A.L.	9207060203*	50-338 P	MACDONALD,C.E.	9207230280	71-9157	MARTIN,T.T.	9207010019	50-286 Q
LOWENSTEIN,R.	9207210311*	70-146	MACDONALD,C.E.	9207240090	71-741	MARTIN,T.T.	9207010041	50-352 Q
LUBINSKI,L.	9207140274*	FOIA	MACDONALD,C.E.	9207240096*	71-741	MARTIN,T.T.	9207010079	50-317 Q
LUBIS,H.	9207270168*	WASTE MGT	MACDONALD,C.E.	9207240237	71-5950	MARTIN,T.T.	9207060207	I&E
LUDT,R.R.	8410090322*	FOIA	MACDONALD,C.E.	9207280241	71-6386	MARTIN,T.T.	9207070024	50-387 Q
LUDT,R.R.	8410090332*	FOIA	MACDONALD,C.E.	9207280242*	71-6386	MARTIN,T.T.	9207080093*	50-245 P
LUDT,R.R.	8410090342*	FOIA	MACDONALD,C.E.	9207280296	71-9098	MARTIN,T.T.	9207170088	50-443 Q
LUDT,R.R.	8410090348*	FOIA	MACDONALD,C.E.	9207300147	72-1007	MARTIN,T.T.	9207210194	50-245 Q
LUDT,R.R.	8410090358*	FOIA	MACDONALD,C.E.	9207300183	71-9006	MARTZ,S.D.	9207170149*	WASTE MGT
LUDT,R.R.	8410090359*	FOIA	MACDONALD,C.E.	9207300262	71-9151	MARTZLOFF,F.D.	9207090209*	ORG
LUDT,R.R.	8410090360*	FOIA	MACDONALD,C.E.	9207310117	71-460	MARUCCI,M.E.	9207020176	50-336 G
LUDT,R.R.	8410090361*	FOIA	MACDONALD,C.E.	9207220380*	50-298 F	MARUCCI,M.E.	9207100118*	50-336 H
LUDT,R.R.	8410090362*	FOIA	MACDONALD,C.E.	9207270103	50-336 G	MASCIANTONIO,A.	9207020023	50-255 P
LUDT,R.R.	8410090363*	FOIA	MACDONALD,C.E.	9207270103	50-336 G	MASCIANTONIO,A.	9207020116	REVIEW GR P
LUDT,R.R.	8410090364*	FOIA	MACDONALD,C.E.	9207270022	PRM	MASCIANTONIO,A.	9207020306	50-255 P
LUDT,R.R.	8607300184*	FOIA	MACKENZIE,D.N.	9207160325*	FOIA	MASCIANTONIO,A.	9207080136	50-255 P
LUDT,R.R.	9207160088*	FOIA	MADEDA,T.J.	9207100773*	50-331 Q	MASCIANTONIO,A.	9207060165	50-255 P
LUDT,R.R.	9207160096*	FOIA	MADEDA,T.J.	9207280215*	50-237 Q	MASCIANTONIO,A.	9207220313	50-255 P
LUDT,R.R.	9207160120*	FOIA	MADER,D.A.	9207230295*	CONTRACT	MASCIANTONIO,A.	9207220317*	50-255 P
LUDT,R.R.	9207160128*	FOIA	MADERA,J.R.	8909080133*	FOIA	MASCIANTONIO,A.	9207290120	50-282 P
LUDT,R.R.	9207160226*	FOIA	MADERA,J.R.	9207200326*	FOIA	MASCIANTONIO,A.	9207290148	50-255 P
LUEBER,R.A.	9207160357	50-254 S	MADSEN,G.J.	9207090199	50-352 S	MASNIK,M.T.	9207130216	50-320 T
LUEHMAN,J.	9207090148	50-327 Q	MADSEN,G.J.	9207170113	50-352 S	MASNYK,O.M.	9207010250*	50-180 Q
LUKE,C.D.	9207200346*	FOIA	MADSEN,G.J.	9207170119	50-352 S	MASNYK,O.M.	9207150152*	70-824
LUKE,C.D.	9207230119*	70-146	MADSEN,G.J.	9207200093	50-353 S	MASNYK,O.M.	9207150178*	70-1201
LUKE,C.D.	9207230186*	70-146	MADSEN,G.J.	9207230153	50-353 S	MASON,J.R.	9207200259*	FOIA
LUKE,C.D.	9207230188*	70-146	MADSEN,G.J.	9207230166	50-352 S	MASON,M.	9207150286	71-9019
LUKE,C.D.	9207230195*	70-146	MADSEN,G.J.	9207230168	50-353 S	MASSE,F.X.	9207090006	50-20 Q
LUKE,C.D.	9207230232*	70-146	MADSEN,G.J.	9207300052	50-352 S	MASTERLARK,J.M.	9207300171	50-254 S
LUKE,C.D.	9207230238*	70-146	MAHONEY,J.L.	9207230030*	PROJ	MATHES,D.E.	9207310055	PR
LUKE,C.D.	9207230241*	70-146	MAIN,A.P.	9207220274	50-339 P	MATHEW,R.K.	9207280133*	50-245 Q
LUKE,C.D.	9207230247*	70-146	MAMACOS,J.P.	9207200187*	FOIA	MATTHEWS,D.B.	9207020259*	50-321 P
LUKE,C.D.	9207230250*	70-146	MAMACOS,J.P.	9207210154*	FOIA	MATTHEWS,D.B.	9207060281*	50-413 P
LULL,R.J.	9207160018	PR	MAMISH,N.L.	9207150228*	50-397 Q	MATTHEWS,D.B.	9207200348*	50-424 P
LULL,R.J.	9207230020	PR	MANAHAN,M.P.	9207100009*	50-220 P	MATTHEWS,D.B.	9207300284	50-270 P
LUSHER,J.	9207150038*	50-293 Q	MANAHAN,M.P.	9207100047*	50-410 P	MATTIA,M.J.	9207020051*	CONTRACT
LYASH,J.J.	9207010086*	50-277 Q	MANGUSI,J.	9207170209	71-3014	MATTIA,M.J.	9207020058*	CONTRACT
LYASH,J.J.	9207070037*	50-322 Q	MANION,W.J.	9207070380*	FOIA	MATTIA,M.J.	9207020062*	CONTRACT
LYASH,J.J.	9207210023	50-352 Q	MANNING,C.	9207230071	40-8406	MATTIA,M.J.	9207020101*	CONTRACT
LYASH,J.J.	9207210081	50-352 Q	MANNING,C.	9207230098*	ORG	MATTIA,M.J.	9207020302*	CONTRACT
LYASH,J.J.	9207280175*	50-277 Q	MARBET,L.K.	9207220350	50-344 Q	MATTIA,M.J.	9207020325*	CONTRACT
LYASH,J.J.	9207210209	50-352 P	MARBLE,J.D.	9207200191	40-1478	MATTIA,M.J.	9207100404*	CONTRACT
LYNCH,J.L.	8704220158*	FOIA	MARCUS,C.S.	9207140128	PR	MATTIA,M.J.	9207100424*	CONTRACT
LYSTER,J.D.	9207070409	50-440 P	MARCUS,C.S.	9207140164	PRM	MATTIA,M.J.	9207100427*	CONTRACT
LYSTER,M.A.	9207070175	50-440 P	MARGULIES,B.	9207200101	70-3070	MATTIA,M.J.	9207130187*	CONTRACT
LYSTER,M.D.	9207010129	50-440 P	MARGULIES,M.B.	9207200092	70-3070	MATTIA,M.J.	9207130200*	CONTRACT
LYSTER,M.D.	9207060172	50-440 P	MARGULIES,M.B.	9207200102	70-3070	MATTIA,M.J.	9207140327*	50-352 V
LYSTER,M.D.	9207070040	50-440 P	MARGULIES,M.B.	9207270115	70-3070	MATTIA,M.J.	9207140329*	CONTRACT
LYSTER,M.D.	9207070221	50-440 S	MARIOTTE,M.	9207290059	PR	MATTIA,M.J.	9207150094*	CONTRACT
LYSTER,M.D.	9207070280	50-440 S	MARIOTTE,M.	9207290066*	PR	MATTIA,M.J.	9207200013*	CONTRACT
LYSTER,M.D.	9207170269	50-440 P	MARKEY,E.J.	9207060209*	50-443 U	MATTIA,M.J.	9207200150*	CONTRACT
LYSTER,M.D.	9207200097	50-440 P	MARKEY,E.J.	9207070374*	XPORTLIC	MATTIA,M.J.	9207200299*	CONTRACT
LYSTER,M.D.	9207200335	50-440 P	MARLENEER,	9207140009*	WASTE MGT	MATTIA,M.J.	9207220384*	CONTRACT
LYSTER,M.D.	9207240153	50-440 P	MARLYNIAK,J.	9207080042*	50-443 I	MATTIA,M.J.	9207230165*	CONTRACT
LYSTER,M.D.	9207280115	50-440 H	MARSHALL,C.W.	9207140031	NUREG	MATTIA,M.J.	9207230187*	CONTRACT
LYSTER,M.D.	9207300127	50-440 Q	MARSH,C.B.	9207020030*	50-255 P	MATTIA,M.J.	9207230223*	CONTRACT
LYTTON,R.S.	9207090093*	50-289 P	MARSH,L.B.	9207200318*	50-341 P	MATTIA,M.J.	9207230289*	CONTRACT
MAAS,L.J.	9207060149	70-1257	MARSH,L.B.	9207290126*	50-282 P	MATTIA,M.J.	9207230285*	CONTRACT
MABRITO,B.	9207090065*	WASTE MGT	MARSH,L.B.	9207290153*	50-255 P	MATTIA,M.J.	9207230300*	CONTRACT
MACCHIARULO,J.	9207300076	50-286 S	MARSH,L.B.	9207310093	50-255 P	MATTIA,M.J.	9207240057*	CONTRACT
MACDONALD,C.E.	9206800222	71-62	MARSHALL,B.J.	9207290006	50-461 P	MATTIA,M.J.	9207240242*	CONTRACT
MACDONALD,C.E.	9207010055	71-9034	MARSHALL,B.M.	9207170243	50-338 R	MATTIA,M.J.	9207280230*	CONTRACT
MACDONALD,C.E.	9207080258	71-9176	MARSHALL,B.M.	9207200209	50-280 R	MATTIA,M.J.	9207290249*	CONTRACT
MACDONALD,C.E.	9207080339	71-9239	MARSHALL,B.M.	9207300012	50-338 P	MATTMULLER,S.	9207290069	PR
MACDONALD,C.E.	9207130254*	71-471	MARSHALL,J.S.	9207160083	PR	MAUDLIN,R.L.	9207080115*	WASTE MGT
MACDONALD,C.E.	9207140016	71-9010	MARSHALL,J.S.	9207230124	PR	MAUDLIN,R.L.	9207100426*	WASTE MGT
MACDONALD,C.E.	9207140021	71-9216	MARSHALL,J.S.	9207230276	50-445 F	MAUDLIN,R.L.	9207130054*	WASTE MGT
MACDONALD,C.E.	9207140024	71-5797	MARSHALL,S.W.	9207160019	PR	MAUGER,J.A.	9207100053*	40-7603
MACDONALD,C.E.	9207140026*	71-5797	MARSHALL,W.	9207150067	50-302 F	MAUPIN,J.A.	9207310193*	COMMISSION
MACDONALD,C.E.	9207140230	71-9216	MARTIN,J.B.	9207150285	50-302 F	MAURA,F.	9207140149*	50-440 Q
MACDONALD,C.E.	9207140231	71-9010	MARTIN,J.B.	9207090211	50-528 Q	MAVROULES,N.	9207080209*	50-443 U
MACDONALD,C.E.	9207150111	71-354	MARTIN,J.B.	9207090336	50-528 Q	MAXWELL,D.C.	9207140316	50-10 R
MACDONALD,C.E.	9207150113*	71-354	MARTIN,J.B.	9207130040	50-275 H	MAXWELL,G.F.	9207020080	50-387 P
MACDONALD,C.E.	9207150126	71-737	MARTIN,J.B.	9207210123	50-344 Q	MAXWELL,G.F.	9207020249	50-387 P
MACDONALD,C.E.	9207150129*	71-737	MARTIN,J.B.	9207270037	50-528 Q	MAXWELL,G.F.	9207020265*	50-387 P
MACDONALD,C.E.	9207150131	71-249	MARTIN,J.S.	9207280138	70-1257	MAXWELL,G.F.	9207220264*	50-387 P
MACDONALD,C.E.	9207150138*	71-249	MARTIN,J.S.	9207080181*	WASTE MGT	MAXWELL,G.F.	9207220268*	50-387 P
MACDONALD,C.E.	9207150145	71-736	MARTIN,J.S.	9207200149*	WASTE MGT	MAXWELL,G.F.	9207230084	50-387 P
MACDONALD,C.E.	9207150147*	71-736	MARTIN,R.	9207220244	WASTE MGT	MAXLATH,J.	9207280102	50-247 S
MACDONALD,C.E.	9207150326	71-715	MARTIN,R.D.	9207140287*	40-8027	MCALPINE,E.	9207140123*	70-1151
MACDONALD,C.E.	9207160347	71-4909	MARTIN,R.D.	9207160117*	40-8027	MCALPINE,E.J.	9207020178*	70-27
MACDONALD,C.E.	9207170001	71-632	MARTIN,R.D.	9207200317*	FOIA	MCALPINE,E.J.	9207140122*	70-27
MACDONALD,C.E.	9207170002	71-632	MARTIN,R.E.	9207020034	50-413 P	MCBREARTY,R.A.	9207280105*	50-272 Q
MACDONALD,C.E.	9207170003	71-742	MARTIN,R.E.	9207060277	50-413 P	MCBREARTY,R.A.	9207080065*	50-352 Q
MACDONALD,C.E.	9207170004*	71-742	MARTIN,R.E.	9207220281	50-413 P	MCBREARTY,R.A.	9207100125*	50-387 Q
MACDONALD,C.E.	9207220175	71-9233	MARTIN,T.	9207200250*	FOIA	MCBREARTY,R.A.	9207230084*	50-293 Q
MACDONALD,C.E.	9207220397	71-557	MARTIN,T.	9207200256*	FOIA	MCCABE,B.C.	9207170104	50-333 P



AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MCCABE,B.C.	9207210114	50-333	MCCOY,C.K.	9207290068	50-321	MELLEN,L.	9207220007*	50-327
MCCABE,E.	9207010033*	50-289	MCCOY,C.K.	9207290265	50-424	MELLOR,R.A.	9207070012	50-29
MCCABE,E.	9207150038*	50-293	MCCRACKEN,C.E.	9207010027	REVIEW GR P	MENDONCA,M.M.	9207230179	50-27
MCCABE,E.	9207280098*	50-443	MCCRACKEN,C.E.	9207060057	REVIEW GR P	MESSIER,M.	9207160384*	FOIA
MCCALLUM,C.P.	9207220235*	70-146	MCCRACKEN,C.E.	9207060063	QA999	METCALFE,W.A.	9207090068	50-302
MCCALLUM,C.P.	9207240048*	70-340	MCCRACKEN,C.E.	9207230240	ORG	METER,J.J.	9207160268	50-387
MCCALLUM,C.P.	9207240056*	70-340	MCCRANERY,J.P.	9207300118	50-312	METER,J.J.	9207220382	50-387
MCCAMMON,S.D.	9207220044*	FOIA	MCCRANERY,J.P.	9207300118	50-312	METTAM,B.	9207230171	WASTE MGT
MCCAMMON,S.D.	9207220053*	FOIA	MCCRAW,E.O.	9207210049	50-413	MEYER,D.L.	9207100052*	FOIA
MCCAMMON,S.D.	9207220059*	FOIA	MCCRAW,E.O.	9207210093	50-369	MEYER,T.A.	9207080273*	50-424
MCCANN,G.M.	9001230162*	FOIA	MCCRAW,E.O.	9207210231	50-269	MEYER,T.A.	9207170079*	50-390
MCCANN,G.M.	9003300184*	FOIA	MCCREARY,T.W.	9207270085	PRM	MEYER,T.A.	9207170083*	50-390
MCCANN,G.M.	9004100072*	FOIA	MCCREE,V.M.	9206100146	10CFR	MEYER,T.A.	9207280271*	50-315
MCCANN,G.M.	9005020076*	FOIA	MCCREE,V.M.	9207230274	PROJ	MEYER,W.A.	9207080211	50-186
MCCANN,G.M.	9005020080*	FOIA	MCDONALD,D.G.	9207070013	50-317	MEYER,W.A.	9207290361	50-186
MCCANN,G.M.	9005020082*	FOIA	MCDONALD,D.G.	9207080151	50-317	MEYER,W.A.	9207310249	50-186
MCCANN,G.M.	9005020095*	FOIA	MCDONALD,D.G.	9207100126	50-317	MEYERS,T.A.	9207080276*	50-424
MCCANN,G.M.	9005230194*	FOIA	MCDONALD,D.G.	9207200123	50-317	MICHAEL,R.P.	9207010344*	50-369
MCCANN,G.M.	9005230196*	FOIA	MCDONALD,D.G.	9207200213	50-317	MICHAELS,T.S.	9207020193	50-2
MCCANN,G.M.	9007130009*	FOIA	MCDONALD,D.G.	8906290222*	FOIA	MICHAELSON	9207170271	50-316
MCCANN,G.M.	9207220149*	FOIA	MCEWEN,B.	9207200049*	PR	MICHAELSON	9207170272	50-315
MCCANN,G.M.	9207220193*	FOIA	MCGAHA,J.R.	9207160066	PR	MICHAUD,P.W.	9207220272*	40-8943
MCCANN,G.M.	9207240064*	FOIA	MCGARRY,J.M.	9207090116	70-3070	MICHAUD,P.W.	9207240077*	40-6622
MCCANN,G.M.	9207240074*	FOIA	MCGARRY,J.M.	9207200075	70-3070	MICHAELS,T.S.	9207270332	50-97
MCCANN,G.M.	9207240132*	FOIA	MCGARRY,J.M.	9207200075	70-3070	MICHNIK,L.E.	9207230030*	PROJ
MCCANN,G.M.	9207240179*	FOIA	MCGARRY,J.M.	9207200086*	70-3070	MIELE,M.L.	9207150312	50-247
MCCANN,R.J.	9207140325	50-483	MCGARRY,J.M.	9207200086*	70-3070	MIKEEV,A.K.	9207070162	REVIEW GR P
MCCARTHY,D.C.	9207080169	50-261	MCGARRY,J.M.	9207270091	70-3070	MILHOAN,J.L.	9207220077	I&E
MCCARTHY,D.C.	9207080178	50-324	MCGARRY,J.M.	9207270091	70-3070	MILHOAN,J.L.	9207140140	50-285
MCCARTHY,D.C.	9207080184	50-261	MCGAUGHY,R.W.	9207080127	50-331	MILHOAN,J.L.	9207160294	50-313
MCCARTHY,D.C.	9207080189	50-400	MCGHEE,P.	9207230289*	CONTRACT	MILHOAN,J.L.	9207280058	50-313
MCCARTHY,D.C.	9207080190	50-261	MCGOVERN,J.J.	9207170156	70-687	MILHOAN,J.L.	9207280156	50-285
MCCARTHY,D.C.	9207080191	50-324	MCGRANERY,J.P.	9207010206	50-312	MILHOAN,J.L.	9207290048	50-285
MCCARTHY,D.C.	9207140253	50-400	MCGRANERY,J.P.	9207010206	50-312	MILHOAN,J.L.	9207290055	50-445
MCCARTHY,D.C.	9207150313	50-261	MCGRANERY,J.P.	9207020191	50-312	MILHOAN,J.L.	9207290070	50-445
MCCARTHY,D.C.	9207220325	50-261	MCGRANERY,J.P.	9207020191	50-312	MILHOAN,J.L.	9207300037	50-313
MCCARTHY,D.C.	9207280051	50-261	MCGRANERY,J.P.	9207240017	50-312	MILHOAN,J.L.	9207300042	50-445
MCCARTHY,D.C.	9207300175	50-400	MCGRANERY,J.P.	9207270107	50-312	MILHOAN,J.L.	9207310015	50-285
MCCARTHY,D.C.	9207310060	50-261	MCGRANERY,J.P.	9207270116	50-312	MILIAN,L.	9207140248	50-324
MCCARTHY,D.C.	9207310083	50-400	MCGRATH,E.R.	9207020279	50-247	MILLER,C.L.	9207020032	50-277
MCCARTHY,D.C.	9207310091	50-324	MCGUIRE,D.R.	9207010042*	50-269	MILLER,C.L.	9207020253*	50-387
MCCABE,E.	9207080044*	50-334	MCGUIRE,D.R.	9207010065*	50-259	MILLER,C.L.	9207060033	50-387
MCCCKIN,T.C.	9207130121	50-369	MCGUIRE,D.R.	9207010250*	50-160	MILLER,C.L.	9207100102*	50-277
MCCONNELL,J.W.	9207060049	NUREG	MCGUIRE,D.R.	9207080256*	50-261	MILLER,C.L.	9207220212	50-387
MCCORMACK,G.M.	9207240028*	FOIA	MCGUIRE,D.R.	9207150152*	70-824	MILLER,C.L.	9207220298*	50-387
MCCORMICK,M.J.	9207020163	50-410	MCGUIRE,D.R.	9207150178*	70-1201	MILLER,C.L.	9207230097*	50-387
MCCORMICK,M.J.	9207080198	50-410	MCGUIRE,D.R.	9207150334*	50-395	MILLER,D.B.	9207200184	50-277
MCCORMICK,M.J.	9207200237	50-410	MCGUIRE,D.R.	9207270348*	70-27	MILLER,D.B.	9207230044	50-171
MCCORMICK,M.J.	9207270189	50-410	MCGUIRE,D.R.	9207300081*	50-400	MILLER,D.M.	8908140157*	FOIA
MCCORMICK,M.J.	9207300263	50-220	MCKEE,E.D.	9207020304*	WASTE MGT	MILLER,G.L.	9207130187*	CONTRACT
MCCORMICK-BARGE	9207010015	50-255	MCKIBBEN,J.C.	9207290361	50-186	MILLER,H.J.	9207010077	50-254
MCCORMICK-BARGE	9207010023	50-254	MCKIBBEN,J.C.	9207310084*	50-123	MILLER,H.J.	9207010087*	50-254
MCCORMICK-BARGE	9207070034	50-440	MCMECKIN,T.C.	9207010292	50-369	MILLER,H.J.	9207070174	50-461
MCCORMICK-BARGE	9207070224	50-305	MCMECKIN,T.C.	9207010339	50-369	MILLER,H.J.	9207070176*	50-461
MCCORMICK-BARGE	9207070229	50-440	MCMECKIN,T.C.	9207070006	50-369	MILLER,H.J.	9207140072	50-346
MCCORMICK-BARGE	9207100083	50-263	MCMECKIN,T.C.	9207080050	50-369	MILLER,H.J.	9207140075*	50-346
MCCORMICK-BARGE	9207100148	50-282	MCMECKIN,T.C.	9207080055	50-370	MILLER,H.J.	9207140124	50-266
MCCORMICK-BARGE	9207100297	50-331	MCMECKIN,T.C.	9207200189	50-369	MILLER,H.J.	9207140138	50-440
MCCORMICK-BARGE	9207100305*	50-331	MCMECKIN,T.C.	9207200296	50-369	MILLER,H.J.	9207140143*	50-440
MCCORMICK-BARGE	9207100317*	50-155	MCMECKIN,T.C.	9207220118	50-369	MILLER,H.J.	9207140302	50-315
MCCORMICK-BARGE	9207140146	50-373	MCMECKIN,T.C.	9207270157	50-369	MILLER,H.J.	9207280114	50-155
MCCORMICK-BARGE	9207140150*	50-373	MCMECKIN,T.C.	9207270320	50-369	MILLER,J.	9207220207*	WASTE MGT
MCCORMICK-BARGE	9207170226	50-331	MCMECKIN,T.C.	9207280081	50-370	MILLER,L.F.	9207090214*	50-528
MCCORMICK-BARGE	9207200015	50-483	MCMECKIN,T.C.	9207310034	50-369	MILLER,L.F.	9207090330*	50-397
MCCORMICK-BARGE	9207200027	50-295	MCMECKIN,T.C.	9207310108	50-369	MILLER,L.F.	9207150025	50-397
MCCORMICK-BARGE	9207220258	50-456	MCMILLIN,T.W.	9207220368	FOIA	MILLER,L.F.	9207210112	50-206
MCCORMICK-BARGE	9207280181	50-10	MCNAMARA,N.	9207020042	NUREG	MILLER,L.F.	9207210188	50-397
MCCORMICK-BARGE	9207280303	50-341	MCNAMARA,N.	9207300069*	50-293	MILLER,L.F.	9207220362	50-206
MCCORMICK-BARGE	9207300184	50-254	MCNEILL,N.G.	9207140139*	50-369	MILLER,L.F.	9207220372*	50-206
MCCORMICK-BARGE	9207300187*	50-254	MEADOWS,M.D.	9207310243	71-471	MILLER,L.F.	9207270149	50-397
MCCORMICK-BARGE	9207310001	50-16	MEADOWS,T.	9207210117*	50-206	MILLER,L.F.	9207300047	50-206
MCCORMICK-BARGE	9207310002*	50-16	MECK,K.	9207170076	50-352	MILLER,M.	9207010054	50-275
MCCORMICK-BARGE	9207310004*	50-2	MECREDY,R.C.	9207080334	50-244	MILLER,M.E.	9207090111	50-346
MCCOY,C.K.	9206900215	50-424	MECREDY,R.C.	9207090120	50-244	MILLER,M.E.	9207200060	50-346
MCCOY,C.K.	9207070020	50-424	MECREDY,R.C.	9207090160	50-244	MILLER,M.T.	9207090215*	70-698
MCCOY,C.K.	9207130049	50-321	MECREDY,R.C.	9207090179	50-244	MILLER,R.B.	9207140278	TOPREP
MCCOY,C.K.	9207140179	50-424	MECREDY,R.C.	9207220319	50-244	MILLER,T.	9207150053	50-302
MCCOY,C.K.	9207140303	50-424	MECREDY,R.C.	9207230070	50-244	MILLER,T.A.	9207150252	50-302
MCCOY,C.K.	9207150023	50-424	MECREDY,R.C.	9207310156	50-244	MILLER,W.G.	9207280338*	FOIA
MCCOY,C.K.	9207150060	50-424	MEDEIROS,J.	9207080042*	50-443	MILLS,L.E.	9207160024	PR
MCCOY,C.K.	9207150248	50-424	MEDFORD,M.O.	9207160114	PR	MILLS,L.E.	9207160068	PR
MCCOY,C.K.	9207270335	50-424	MEDLING,E.S.	9207220234	50-206	MILLS,L.E.	9207270039	PR
MCCOY,C.K.	9207280053	50-424	MEDOFF,J.	9207100125*	50-387	MILSTEIN,R.	9207100114*	70-3070
MCCOY,C.K.	9207280076	50-424	MEEHAN,B.	9207020275	CONTRACT	MILTENBERGER,S.	9207070030	50-272
MCCOY,C.K.	9207280252	50-424	MEEHAN,B.	9207200157	CONTRACT	MILTENBERGER,S.	9207080005	50-354
MCCOY,C.K.	9207280270	50-425	MEHTA,G.B.	8906290227*	FOIA	MILTENBERGER,S.	9207200291	50-272
MCCOY,C.K.	9207280279	50-424	MEHTA,H.S.	9207300073*	50-10	MIRAGLIA,F.J.	9202200363*	REVIEW GR P
MCCOY,C.K.	9207290063	50-321	MELLEN,L.	9207140088*	50-400	MIRAGLIA,F.J.	9205200280*	50-528

## 264 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MITCHELL,R.C.	9207160123	52-1	MYERS,J.R.	9207280091	50-298 S	NORELIUS,C.E.	9207200045	50-2 Q
MITCHELL,R.C.	9207200077	52-1	NAGLE,J.C.	9207270087	PR	NORELIUS,C.E.	9207220103	STATE PRO G
MLYNAREK,M.G.	9207140058	50-255 R	NAIR,R.P.	9105080005*	FOIA	NORELIUS,C.E.	9207280040	50-454 P
MOALLEMA,	9207160041	PRM	NARDONE,P.	9207150027	50-443 R	NORELIUS,C.E.	9207280056	50-2 Q
MOCK,G.	9207300226	71-6717	NASH,D.A.	9207140200	40-8027	NORELIUS,C.E.	9207280305	50-481 Q
MODES,M.C.	9207140085*	50-369 Q	NASH,D.A.	9207300207	50-285 I	NORELIUS,C.E.	9207280307*	50-481 Q
MOELLER,D.W.	9207150180	ADVCN	NASH,E.C.	9207280171	FOIA	NORELIUS,C.E.	9207310003	50-2 Q
MOFFITT,N.E.	9207190101*	50-285 Q	NATARAJA,M.S.	9207220072*	WASTE MGT	NORRHOLM,L.J.	9207070222	REVIEW GR P
MOFFITT,N.E.	9207070372*	50-395 Q	NAUGHTON,J.T.	9207090126	50-47 W	NORRHOLM,L.J.	9207080057	QA999
MOHRBACHER,J.	9207080213	71-715	NAUSSBAUMER,D.	9207240101*	70-340	NORRHOLM,L.J.	9207270130	QA999
MOLLURA,A.E.	9207150295*	50-146 P	NEAL,K.H.	9207070414	50-249 S	NORRIS,B.S.	9207070037*	50-322 Q
MONTGOMERY,J.	9207100322	I&E	NEAL,K.H.	9207140206	50-237 S	NORRIS,J.A.	9207060054	50-250 P
MONTGOMERY,J.	9207160270	STATE PRO G	NEFF,D.	92072020314	CONTRACT	NORRIS,J.A.	9207230132	50-389 P
MOORE,B.L.	9207210291	50-348 F	NEFF,D.	9207200012	CONTRACT	NOURBAKHSH,H.	9207270295	NUREG
MOORE,L.A.	9207080083	71-595	NEFF,D.	9207200292	CONTRACT	NOVACHEK,F.J.	9207270130	71-346
MOORE,T.S.	9207070101	50-322 G	NEFF,D.	9207230190	CONTRACT	NOWICKI,P.R.	9207100115*	50-336 H
MOORE,T.S.	9207070115	50-322 G	NEGRIAN,P.	9207230113*	70-146	NUNN,S.	9207170026*	PR
MORCOS,N.	9207060049	NUREG	NEGRON,M.A.	9207170100	50-280 R	NUSSBAUMER,D.	9207070222*	40-1478
MOROSS,K.M.	8906290225*	FOIA	NEISLER,J.H.	9207140120*	50-282 Q	NUSSBAUMER,D.	9207150227*	70-712
MORRIS,C.	9202200270*	REVIEW GR P	NEISLER,J.H.	92071010093*	50-254 Q	NUSSBAUMER,D.	9207160313*	40-1478
MORRIS,C.	9202200330*	REVIEW GR P	NEJFELT,G.M.	9207070179*	50-461 Q	NUSSBAUMER,D.	9207230234*	70-146
MORRIS,C.	9202200340*	REVIEW GR P	NELP,W.B.	9207130043	PRM	NUSSBAUMER,D.A.	9207090231*	70-712
MORRIS,C.	9202200345*	REVIEW GR P	NELSON,D.J.	9207270030*	50-324 Q	NUSSBAUMER,D.A.	9207090257*	70-712
MORRIS,C.	9207200298*	REVIEW GR P	NELSON,D.M.	9207280012	50-461 S	NUSSBAUMER,D.A.	9207100066*	40-7603
MORRIS,P.A.	9207290156*	50-213 P	NELSON,D.M.	9207280248	50-461 S	NUSSBAUMER,D.A.	9207100256*	40-1478
MORRIS,P.A.	9207290192*	50-213 P	NELSON,D.W.	9207010022*	50-461 Q	NUSSBAUMER,D.A.	9207100262*	70-712
MORRIS,P.A.	9207290197*	50-213 P	NELSON,D.W.	9207280315*	50-461 Q	NUSSBAUMER,D.A.	9207100267*	70-712
MORRIS,P.A.	9207290206*	50-213 P	NELSON,H.H.	9207300250*	WASTE MGT	NUSSBAUMER,D.A.	9207140218*	70-712
MORRIS,P.A.	9207290274*	50-213 P	NELSON,P.A.	9207200240	50-267 P	NUSSBAUMER,D.A.	9207140220*	70-712
MOWERLY,E.C.	9207200051*	CONTRACT	NELSON,R.	9207170170	WASTE MGT	NUSSBAUMER,D.A.	9207140238*	40-1478
MOZAFARI,B.L.	9207060097	50-281 P	NERON,G.	9207140092	50-336 R	NUSSBAUMER,D.A.	9207140261*	70-712
MOZAFARI,B.L.	9207160280	50-281 P	NERSES,V.	9207150244*	50-309 P	NUSSBAUMER,D.A.	9207150031*	40-1478
MOZAFARI,B.L.	9207220165	50-281 P	NERSES,V.	9207210174*	50-293 P	NUSSBAUMER,D.A.	9207150083*	70-140
MULAY,S.	8905090349*	FOIA	NERSES,V.	9207280237*	50-271 P	NUSSBAUMER,D.A.	9207150086*	70-140
MULAY,S.	8905180415*	FOIA	NERSES,V.	9207280352*	50-309 P	NUSSBAUMER,D.A.	9207150098*	70-140
MULAY,S.	8905180418*	FOIA	NESSEN,P.	9207220311	I&E	NUSSBAUMER,D.A.	9207150102*	70-712
MULAY,S.	9001230206*	FOIA	NESSEN,P.	9207220349	I&E	NUSSBAUMER,D.A.	9207150192*	70-712
MULAY,S.J.	8906130014*	FOIA	NETTLES,K.W.	9207170129	50-395 F	NUSSBAUMER,D.A.	9207150284*	40-1478
MULAY,S.J.	8908140289*	FOIA	NEUSCHWANGER,J.	9207140286	50-461 S	NUSSBAUMER,D.A.	9207160153*	40-1478
MULDER,R.U.	9207100061	50-62 S	NEWBERRY,S.	9207101036	I&E	NUSSBAUMER,D.A.	9207160323*	FOIA
MULDER,R.U.	9207220333	50-62 H	NEWBERRY,S.	9207230118	TOPREP	NUSSBAUMER,D.A.	9207160336*	40-1478
MULLAUER,J.	9207210223*	FOIA	NEWBERRY,S.F.	9207300051	TOPREP	NUSSBAUMER,D.A.	9207230225*	70-146
MULLAUER,J.	9207220280*	FOIA	NEWBURGH,G.	9207150123	50-245 R	NUSSBAUMER,D.A.	9207230239*	70-146
MULLER,E.R.	9207080180	40-7455	NEWMAN,H.J.	9207270014*	27-48	NUSSBAUMER,D.A.	9207230244*	70-146
MUNRO,W.	9207150139	50-283 R	NEWMAN,H.J.	9207270036	PR	NUSSBAUMER,D.A.	9207230265*	70-146
MUNZING,L.	9207140080	50-219 S	NEWMARK,N.M.	9207290180*	50-213 P	NUSSBAUMER,D.A.	9207240094*	70-340
MURLEY,T.E.	9012280074*	ORG	NGE.	9207300073*	50-10 P	NUSSBAUMER,H.	9207150254*	40-1478
MURLEY,T.E.	9202200212*	REVIEW GR P	NGUYEN,A.J.	9207240208*	50-458 P	O'CONNOR,P.W.	9207170123	50-416 P
MURLEY,T.E.	9207010326*	ORG	NGUYEN,D.	9207280195*	50-387 Q	O'NEAL,R.E.	9105140325*	FOIA
MURLEY,T.E.	9207020199	ORG	NGUYEN,T.T.	9207010133*	50-280 P	O'NEAL,R.E.	9105150158*	FOIA
MURLEY,T.E.	9207080242	REVIEW GR P	NGUYEN,T.T.	9207010148*	50-339 P	O'REILLY,P.D.	9207160315	ORG
MURLEY,T.E.	9207090107	NUREG	NICHOLSON,L.	9207010031	50-317 S	O'CONNOR,P.W.	9207280203	ORG
MURLEY,T.E.	9207090313	ORG	NICHOLSON,L.	9207280065	50-220 S	O'CONNOR,P.W.	9207310212	50-416 P
MURLEY,T.E.	9207100386	50-336 H	NICHOLSON,L.E.	9207010080*	50-220 Q	ODELL,W.H.	9207090018	50-458 S
MURLEY,T.E.	9207240105	ORG	NICHOLSON,L.E.	9207070130*	50-317 Q	ODELL,W.H.	9207140045	50-458 P
MURLEY,T.E.	9207270252	NUREG	NICHOLSON,L.E.	9207070188*	50-247 Q	ODELL,W.H.	9207140221	50-458 S
MURLEY,T.E.	9207270301	ORG	NICHOLSON,L.E.	9207210147	50-220 F	ODELL,W.H.	9207150119	50-458 P
MURLEY,T.E.	9207310024	ORG	NICHOLSON,L.E.	9207210205	50-317 V	ODELL,W.H.	9207150193	50-458 S
MURPHY,P.H.	9207160018	PR	NICHOLSON,L.E.	9207280026	50-317 P	ODELL,W.H.	9207160104	PR
MURPHY,P.H.	9207210232	PR	NICHOLSON,L.E.	9207280144	50-317 F	ODELL,W.H.	9207200142	50-458 R
MURPHY,W.P.	9207070050	50-271 Q	NICHOLSON,L.W.	9207210143	50-317 Q	ODELL,W.H.	9207240206	50-458 P
MURPHY,W.P.	9207160172	50-271 R	NICHOLSON,N.A.	9207130035	PR	ODELL,W.H.	9207280152	50-458 S
MURPHY,W.P.	9207160375	50-271 P	NIEMEYER,E.	9207270355*	FOIA	ODELL,W.H.	9207310167	50-458 Q
MURPHY,W.P.	9207170032*	50-271 P	NIGMATULIN,B.I.	9207070241	REVIEW GR P	ODELL,W.H.	9207310192	50-458 S
MURPHY,W.P.	9207220252	50-271 F	NIMITZ,R.	9207280032	50-245 S	OLSEN,A.F.	9207100139	70-27
MURPHY,W.P.	9207230149	50-271 V	NIMITZ,R.L.	9207210115*	50-245 Q	OLSEN,A.F.	9207170174	70-27
MURPHY,W.P.	9207300089	50-271 Q	NINH,S.Q.	9207020232	52-1	OLSEN,A.F.	9207240145	70-27
MURRAY,B.	9207010280*	50-445 Q	NINH,S.Q.	9207060060	52-1	OLSEN,M.D.	9207150348*	50-201 P
MURRAY,B.	9207070033*	50-458 Q	NINH,S.Q.	9207160332	52-1	OLSHAN,L.N.	9207020118	60-265 Q
MURRAY,B.	9207080329*	50-458 Q	NINH,S.Q.	9207220401	52-1	OLSON,A.M.	9207200004*	50-352 P
MURRAY,B.	9207180246*	50-498 Q	NINH,S.Q.	9207240187	52-1	OPEKA,J.F.	9207060232	50-213 I
MURRAY,B.	9207180286*	50-382 Q	NOGGLE,J.	9207080031*	50-293 Q	OPEKA,J.F.	9207060232	50-213 I
MURRAY,B.	9207180319*	50-498 Q	NOLL,W.G.	9207290319	50-245 S	OPEKA,J.F.	9207060232	50-213 I
MURRAY,B.	9207170277*	50-313 Q	NOONAN,T.P.	9207020185	50-334 R	OPEKA,J.F.	9207070191	50-423 K
MURRAY,B.	9207240029*	50-482 Q	NOONAN,T.P.	9207080173	50-412 S	OPEKA,J.F.	9207070191	50-423 K
MURRAY,D.L.	9207100223	XPORTLIC	NOONAN,T.P.	9207140226	50-334 S	OPEKA,J.F.	9207070317	50-213 F
MURRAY,D.L.	9207100224*	XPORTLIC	NOONAN,T.P.	9207150335	50-334 S	OPEKA,J.F.	9207070317	50-213 F
MURRAY,J.L.	9207130082	PRM	NORBERG,J.A.	9206100215	TOPREP	OPEKA,J.F.	9207080150	50-213 P
MURRELL,H.J.	9207080188	50-390 S	NORDERHAUG,L.	9207170132	50-27 Q	OPEKA,J.F.	9207080150	50-213 P
MUSELER,W.J.	9207080278	50-390 A	NORELIUS,C.E.	9007250299*	FOIA	OPEKA,J.F.	9207140019	50-245 P
MUSELER,W.J.	9207070059	50-390 A	NORELIUS,C.E.	9008070337*	FOIA	OPEKA,J.F.	9207140019	50-245 P
MUSELER,W.J.	9207170068	50-390 A	NORELIUS,C.E.	9008220195*	FOIA	OPEKA,J.F.	9207140037	50-213 Q
MUSELER,W.J.	9207170071	50-390 A	NORELIUS,C.E.	9207010020	50-461 Q	OPEKA,J.F.	9207140037	50-213 Q
MUSELER,W.J.	9207170208	50-390 Q	NORELIUS,C.E.	9207010086	50-331 Q	OPEKA,J.F.	9207140272	50-213 P
MUSELER,W.J.	9207170208	50-390 Q	NORELIUS,C.E.	9207010242	50-254 Q	OPEKA,J.F.	9207140272	50-213 P
MUSSELER,R.A.	9207270110*	50-321 Q	NORELIUS,C.E.	9207070161	50-2 P	OPEKA,J.F.	9207150191	50-213 P
MUTH,D.W.	9207230277	50-317 S	NORELIUS,C.E.	9207100175	50-440 Q	OPEKA,J.F.	9207150191	50-213 P
MYERS,J.R.	9207170233	50-298 S	NORELIUS,C.E.	9207150037	50-341 Q	OPEKA,J.F.	9207150236	50-213 P

## PERSONAL AUTHOR INDEX 265

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
OPEKA,J.F.	9207150236	50-213	P	PARKER,T.M.	9207130102	50-282	R	PEDERSON,C.D.	9207280013	50-295	F
OPEKA,J.F.	9207160081	50-423	H	PARKER,T.M.	9207130207	50-263	P	PEDERSON,C.D.	9207280042	50-155	P
OPEKA,J.F.	9207160218	50-213	P	PARKER,T.M.	9207130236	50-282	S	PEDERSON,C.D.	9207280064*	50-2	Q
OPEKA,J.F.	9207160218	50-213	P	PARKER,T.M.	9207140233	50-263	F	PEDERSON,C.D.	9207280069	50-346	Q
OPEKA,J.F.	9207160218	50-213	P	PARKER,T.M.	9207140235	50-282	Y	PEDERSON,C.D.	9207280075*	50-346	Q
OPEKA,J.F.	9207170060	50-245	P	PARKER,T.M.	9207160145	50-263	R	PEDERSON,C.D.	9207280087	50-10	F
OPEKA,J.F.	9207170060	50-245	P	PARKER,T.M.	9207170044	50-282	F	PEDERSON,C.D.	9207280116	50-155	F
OPEKA,J.F.	9207170199	50-213	P	PARKER,T.M.	9207170050	50-282	P	PEDERSON,C.D.	9207280121	50-456	F
OPEKA,J.F.	9207170199	50-213	P	PARKER,T.M.	9207170052*	50-282	P	PEDERSON,C.D.	9207280247	50-266	F
OPEKA,J.F.	9207200128	50-245	R	PARKER,T.M.	9207200274	50-282	S	PEDERSON,C.D.	9207280300	50-454	F
OPEKA,J.F.	9207200128	50-245	R	PARKER,T.M.	9207300058	50-282	S	PEEBLES,R.A.	9207010246	50-324	V
OPEKA,J.F.	9207200152	50-213	R	PARKER,T.M.	9207300157	50-263	Q	PEEBLES,T.A.	9207020153	50-259	V
OPEKA,J.F.	9207200152	50-213	R	PARKER,T.M.	9207300211	50-263	S	PEEBLES,T.A.	9207020224	50-321	V
OPEKA,J.F.	9207200152	50-213	R	PARKER,T.M.	9207300257	50-282	Q	PEEBLES,T.A.	9207140005	50-348	V
OPEKA,J.F.	9207220003	50-213	P	PARROTT,J.D.	9207280073*	70-371		PEEBLES,T.A.	9207140028	50-395	V
OPEKA,J.F.	9207220003	50-213	P	PARSONS,J.L.	8906020038*	FOIA		PEEBLES,T.A.	9207140078	50-400	Q
OPEKA,J.F.	9207220003	50-213	P	PARTLOW,J.G.	9207010306*	ORG		PEEBLES,T.A.	9207140186	50-302	V
OPEKA,J.F.	9207230053	50-213	F	PARTLOW,J.G.	9207020184	50-445	Q	PEEBLES,T.A.	9207220006	50-327	Q
OPEKA,J.F.	9207230053	50-213	F	PASCIAC,W.	9207080031*	50-293	Q	PEEBLES,T.A.	9207220007*	50-327	Q
OPEKA,J.F.	9207240002	50-423	P	PASCIAC,W.	9207080075*	50-220	Q	PEEBLES,T.A.	9207220068	50-335	V
OPEKA,J.F.	9207240002	50-423	P	PASCIAC,W.	9207280049*	50-443	Q	PEEBLES,T.A.	9207220127	50-338	V
OPEKA,J.F.	9207240150	50-336	P	PASCIAC,W.J.	9207210115*	50-245	Q	PEEBLES,T.A.	9207220143	50-259	V
OPEKA,J.F.	9207240150	50-336	P	PASCIAC,W.	9207010069*	50-277	Q	PEEBLES,T.A.	9207220151	50-348	V
OPEKA,J.F.	9207240173	50-423	Q	PASSWATER,A.C.	9207310047	50-483	H	PELLET,J.L.	9207210027*	50-445	V
OPEKA,J.F.	9207240173	50-423	Q	PATE,R.	9207160265	70-1257		PELLETIER,J.P.	9207090352	50-271	P
OPEKA,J.F.	9207280204	50-245	F	PATER,R.	9207160290	70-1257		PELLETIER,J.P.	9207270133	50-271	P
OPEKA,J.F.	9207280204	50-245	F	PATER,R.	9207280020	70-1257		PELLETIER,R.F.	9207230034	PR	
OPEKA,J.F.	9207310152	50-213	P	PATER,R.J.	9207020010	50-206	F	PELLETIER,R.F.	9207270119	PR	
OPEKA,J.F.	9207310152	50-213	P	PATER,R.J.	9207080159	50-344	Q	PELLETT,J.L.	9207200019*	50-368	V
ORDERS,W.T.	9207140065*	50-413	Q	PATER,R.J.	9207090270	50-312	Q	PELUSO,L.	9207280185*	50-286	Q
ORR,F.R.	9207270365	TOPREP		PATER,R.J.	9207090274	70-734		PELUSO,L.	9207300072*	50-247	Q
ORR,F.R.	9207280157	50-324	P	PATER,R.J.	9207090276*	70-734		PENDERGAST,J.	9207090151	50-341	S
ORR,F.R.	9207280164	TOPREP		PATER,R.J.	9207090358	50-312	F	PENDERGAST,J.	9207090158	50-341	S
ORR,F.R.	9207300074	TOPREP		PATER,R.J.	9207150315*	70-1257		PENDERGAST,J.	9207140018	50-341	S
ORR,R.S.	9207090152	QA999		PATER,R.J.	9207150337	70-1257		PENNINGTON,W.S.	9207230214*	70-1257	
ORRIS,K.	9207010002	50-454	F	PATER,R.J.	9207150341*	70-1257		PENZA,S.F.	9207270067	PR	
ORRIS,K.	9207010003	50-454	F	PATER,R.J.	9207170132	50-27	Q	PERREY,A.G.	9207090209*	ORG	
ORRIS,K.	9207010004	50-454	F	PATER,R.J.	9207170217	50-27	Q	PERRY,J.S.	9207090183	50-461	P
ORRIS,K.	9207010007	50-454	F	PATER,R.J.	9207170220*	50-27	Q	PERRY,J.S.	9207310216	50-461	Q
ORRIS,K.	9207010012	50-454	F	PATEL,C.P.	9207020123	50-295	P	PERRY,R.A.	9207140192	50-336	S
ORSER,W.S.	9207080168	50-341	P	PATEL,C.P.	9207070078	50-295	P	PERRY,W.W.	9207220220*	70-146	
ORSER,W.S.	9207080151	50-341	S	PATEL,C.P.	9207220199	50-295	P	PERSHEY,C.E.	9207140082	50-456	R
ORSER,W.S.	9207080158	50-341	S	PATEL,C.P.	9207300136	50-295	P	PERSON,L.S.	9207170170	WASTE MGT	
ORSER,W.S.	9207080194	50-341	P	PATEL,C.P.	9207300141*	50-295	P	PESCHEL,J.M.	9207010174	50-443	S
ORSER,W.S.	9207130023	50-341	H	PATNAIK,P.	9207160163*	50-272	Q	PESCHEL,J.M.	9207210009	50-443	S
ORSER,W.S.	9207140018	50-341	S	PATNAIK,P.	9207230064*	50-293	Q	PESCHEL,J.M.	9207280059	50-443	S
ORSER,W.S.	9207140224	50-341	S	PATRICK,W.C.	9207300131	WASTE MGT		PETERSON,D.C.	9207140301	50-266	R
ORSER,W.S.	9207200342	50-341	R	PATRICK,W.C.	9207300269	WASTE MGT		PETERSON,P.M.	9207140085*	50-369	Q
ORSER,W.S.	9207300219	50-341	Q	PATTERSON,C.A.	9207140102*	50-259	Q	PETERSON,P.M.	9207280105*	50-272	Q
ORSINI,C.N.	9207150049*	50-331	Q	PATTERSON,J.W.	8904130552*	FOIA		PETERSON,S.J.	9207220279	40-6969	
ORTCIGER,T.W.	9207160087	PR		PATTERSON,J.W.	9103120018*	FOIA		PEVEY,L.E.	9207270048	70-398	
ORTCIGER,T.W.	9207270047	PR		PATTERSON,J.W.	9103120020*	FOIA		PHILLIPS,J.H.	9207100401*	50-344	P
ORTCIGER,T.W.	9207270058	PR		PATTERSON,J.W.	9207160164*	FOIA		PHILLIPS,M.	9207220286*	50-263	Q
ORTCIGER,T.W.	9207270069	PR		PATTERSON,J.W.	9207160223*	FOIA		PHILLIPS,M.	9207280316*	50-155	Q
ORTH,S.	9207100317*	50-155	Q	PATTERSON,J.W.	9207200332*	FOIA		PHILLIPS,M.P.	9207010072*	50-155	Q
OSGOOD,N.L.	9207150015	71-3014		PATTERSON,J.W.	9207200337*	FOIA		PHILLIPS,M.P.	9207100127*	50-155	Q
PABALAN,R.T.	9207300269	WASTE MGT		PATTERSON,J.W.	9207220406*	FOIA		PHILLIPS,M.P.	9207170171	50-341	Q
PACKER,D.F.	9207070328	50-382	S	PAUL,R.A.	9207280080*	50-346	Q	PHILLIPS,M.P.	9207170176*	50-341	Q
PACKER,D.F.	9207150068	50-382	S	PAUL,R.C.	9207220352*	50-329	Q	PHILLIPS,M.P.	9207220265	50-263	Q
PACKER,D.F.	9207150084	50-382	S	PAUL,R.C.	9207220403*	FOIA		PHILLIPS,M.S.	9207280343*	40-2253	
PAGE,B.M.	9207220182	50-275	O	PAUSTIAN,H.H.	9207160145	50-263	R	PHILLIPS,M.S.	9207280358*	40-2253	
PAGE,R.G.	9207150036*	40-1478		PAWLICK,E.T.	9207080307*	FOIA		PIERSON,R.C.	9207070258	52-1	
PAINE,D.	9207080087	70-143		PAWLICK,E.T.	9207080331*	FOIA		PIERSON,R.C.	9207150186	PROJ	
PAINE,D.	9207080228	70-143		PAWLICK,E.T.	9207150072*	50-329	A	PIERSON,R.C.	9207150303	PROJ	
PAINE,D.	9207080233	70-143		PAWLICK,E.T.	9207150079*	50-329	A	PIET,P.L.	9207080004	50-237	Q
PAINE,D.	9207080162	70-143		PAWLICK,E.T.	9207150095*	50-329	A	PIET,P.L.	9207080029	50-237	P
PAINE,D.	9207080231	70-143		PAWLICK,E.T.	9207220348*	50-329	Q	PIET,P.L.	9207080306	50-237	P
PAINE,D.	9207150300	70-143		PAWLICK,E.T.	9207220352*	50-329	Q	PIET,P.L.	9207090155	50-237	P
PAINE,D.	9207200190	71-9247		PAYNE,A.C.	9207060085	NUREG		PIET,P.L.	9207130183	50-237	K
PAINE,D.	9207220408	70-143		PEDERSEN,T.L.	9207070006	50-369	S	PIET,P.L.	9207170059	50-237	P
PAINE,D.	9207270080	PR		PEDERSEN,T.L.	9207080055	50-370	S	PINDALE,S.M.	9207200260	50-272	P
PALLA,R.	9207290028	52-1		PEDERSEN,T.L.	9207200189	50-369	S	PINDALE,S.M.	9207200329	50-272	P
PALMER,A.J.	9207090016	27-48		PEDERSEN,T.L.	9207280081	50-370	S	PIRTLE,G.L.	9207280222*	50-315	Q
PALMER,A.J.	9207270014*	27-48		PEDERSEN,T.L.	9207310108	50-369	S	PITTIGLIO,C.L.	9207200119*	50-267	P
PALMER,A.J.	9207270043	PR		PEDERSON,C.	9207070324	50-315	S	PLASSE,R.A.	9207020252	50-333	P
PAQUIN,P.L.	9207090054	71-9249		PEDERSON,C.D.	9207010022*	50-461	Q	PLASSE,R.A.	9207090284	50-333	P
PAQUIN,P.L.	9207150352	PROJ		PEDERSON,C.D.	9207010073*	50-331	Q	PLENIEWICZ,R.	9207070116	50-455	S
PAQUIN,P.L.	9207170239	PROJ		PEDERSON,C.D.	9207070143	50-305	F	PLENIEWICZ,R.	9207070170	50-10	R
PAQUIN,P.L.	9207170245*	PROJ		PEDERSON,C.D.	9207100313	50-155	Q	PLENIEWICZ,R.	9207150003	50-455	S
PARKER,B.A.	9207140125*	50-400	Q	PEDERSON,C.D.	9207150063	50-315	Q	PLENIEWICZ,R.	9207270171	50-454	R
PARKER,J.A.	9207130015	PRM		PEDERSON,C.D.	9207150069	50-461	F	PLENIEWICZ,R.	9207290381	50-454	S
PARKER,J.A.	9207130015	PRM		PEDERSON,C.D.	9207200050*	50-2	Q	PLOSKI,T.	9207100317*	50-155	Q
PARKER,J.A.	9207130015	PRM		PEDERSON,C.D.	9207270305	50-454	F	PLOSKI,T.	9207100305*	50-331	Q
PARKER,T.M.	9207070008	50-263	S	PEDERSON,C.D.	9207270308	50-254	F	PLOSKI,T.	9207300187*	50-254	Q
PARKER,T.M.	9207100237	50-263	P	PEDERSON,C.D.	9207270311	50-373	F	PLUECKER,T.C.	9207100427*	CONTRACT	
PARKER,T.M.	9207100280	50-282	P	PEDERSON,C.D.	9207270312	50-255	F	PLUNKETT,T.F.	9207060014	50-251	P
PARKER,T.M.	9207100290	50-282	P	PEDERSON,C.D.	9207280001	50-10	F	PLUNKETT,T.F.	9207070005	50-250	P
PARKER,T.M.	9207100293*	50-282	P	PEDERSON,C.D.	9207280002	50-263	F	PLUNKETT,T.F.	9207200122	50-251	P

# 266 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PLUNKETT,T.F.	9207200129	50-250 S	RAGHAVAN,L.	9207090319	50-250 P	REYES,L.A.	9207140083	50-390 Q
PLUNKETT,T.F.	9207200132	50-250 P	RAGHAVAN,L.	9207240151	50-250 P	REYES,L.A.	9207140099	50-324 P
PLUNKETT,T.F.	9207200269	50-250 S	RAINSBERRY,J.L.	9207220222	50-361 R	REYES,L.A.	9207200007	50-321 P
PLUNKETT,T.F.	9207200321	50-250 R	RAJENDRAN,K.	9207070429*	50-395 R	REYES,L.A.	9207270016	50-324 Q
PLUNKETT,T.F.	9207210338	50-250 P	RALEIGH,J.J.	9207290379	50-387 P	REYES,L.A.	9207270025	50-369 Q
PLUNKETT,T.F.	9207220262	50-250 K	RAIMEY-SMITH,A.	9207170153	REVIEW GR P	REYNOLDS,N.S.	9207090102	50-460 G
PLUNKETT,T.F.	9207300276	50-250 Q	RAMIREZ,P.	9207160051	71-743	REYNOLDS,N.S.	9207090102	50-460 G
POERTNER,W.K.	9207270019*	50-269 Q	RAMIREZ,P.	9207160079	71-744	REYNOLDS,N.S.	9207100096*	50-336 H
POERTNER,W.K.	9207270077*	50-269 Q	RAMSEY,T.B.	9207240167	71-9151	REYNOLDS,N.S.	9207100096*	50-336 H
POHIDA,M.	9207310019	PROJ	RAMSEY,T.B.	9207300057	71-9151	REYNOLDS,N.S.	9207200040	50-336 G
POLLACK,M.J.	9207070369	50-272 S	RANGANATH,S.	9207200158*	50-277 P	REYNOLDS,N.S.	9207200040	50-336 G
POLLACK,M.J.	9207070382	50-272 S	RANKIN,W.	9207140114*	50-324 Q	REYNOLDS,N.S.	9207230031	PR
POLLACK,M.J.	9207200055	50-272 S	RANKIN,W.H.	9207140147*	70-143	REYNOLDS,N.S.	9207230031	PR
POLLACK,M.J.	9207200059	50-311 S	RAO,A.S.	9207060263*	PROJ	REYNOLDS,N.S.	9207270098	50-336 G
POLLACK,M.J.	9207200113	50-311 S	RASIN,W.H.	9207130063	PR	REYNOLDS,N.S.	9207270098	50-336 G
POLLACK,M.J.	9207200201	50-311 S	RASIN,W.H.	9207210242	PR	RHEE,S.J.	9207100132	50-249 S
POLLACK,M.J.	9207310112	50-272 S	RASIN,W.H.	9207230270	REVIEW GR P	RHODES,F.T.	9207010029	50-482 P
POMEROY,P.W.	9207170256*	CONTRACT	RASIN,W.H.	9207310185	REVIEW GR P	RHODES,F.T.	9207170167	50-482 F
POSUSNY,C.	9207060191	52-1	RATHBUN,D.K.	9207070368	XPORTLIC	RHODES,F.T.	9207210248	50-482 P
POSUSNY,C.	9207070273	52-1	RATHBUN,D.K.	9207100121*	50-336 H	RICCIO,J.P.	9207300167	PR
POSUSNY,C.	9207160002	52-1	RATHBUN,D.K.	9207200158*	50-336 H	RICHARDS,S.A.	9207010059	50-206 Q
POSUSNY,C.	9207220369	52-1	RATHBUN,D.K.	9207200057*	PR	RICHARDS,S.A.	9207150217	50-397 Q
POSUSNY,C.	9207290012	52-1	RATHBUN,D.K.	9207300285*	PR	RICHARDS,S.A.	9207210002	50-528 Q
POTTER,J.P.	9207010207*	50-335 Q	RATHBUN,D.K.	9207310067*	PR	RICHARDS,S.A.	9207210103	50-206 Q
POTTER,J.P.	9207140107*	50-302 Q	RATLIFF,S.A.	9207160157	50-259 R	RICHARDS,S.A.	9207270286	50-275 Q
POTTER,J.P.	9207140125*	50-400 Q	RATTA,A.J.	9207080058*	50-352 Q	RICHARDSON,J.D.	9207010217	40-8027
POWELL,G.	9207100152	50-254 P	RAUTMAN,C.A.	9207020318*	WASTE MGT	RICHARDSON,J.E.	9207140309*	FOIA
POWELL,G.	9207100156	50-254 P	RAVELO,W.	9207310051	50-237 S	RICHARDSON,J.E.	9207160276	50-298 P
POWELL,G.	9207140188	50-265 S	RAY,B.	9207270277	50-286 S	RICHER,C.L.	9207130200*	CONTRACT
POWELL,M.R.	9207130018	PRM	RAY,B.	9207280295	50-286 S	RICHEY,R.B.	9207200131	50-324 V
POWELL,P.L.	9207220242	50-397 S	RAY,H.B.	9207310211*	50-206 P	RICHINGS,H.	9207160109	TOPREP
POWERS,K.	9207230039	50-277 V	RAY,N.K.	9207280271*	50-315 P	RICHINGS,H.	9207160118	TOPREP
POWERS,K.	9207240185	50-278 S	REAVY,C.R.	9207150215	50-255 F	RING,M.A.	9207140115	50-282 Q
POWERS,K.	9207270027	50-278 S	RECKLEY,W.D.	9207170094	50-482 P	RING,M.A.	9207150011	50-255 Q
PRAY,M.J.	9207100036	50-336 G	REDDA,T.	9207080110	FOIA	RING,M.A.	9207150012	50-456 Q
PRELL,J.	9207170259*	50-245 Q	REED,C.	9207150204	50-295 F	RING,M.A.	9207150028	50-237 Q
PRENDERGAST,K.	9207160270*	STATE PRO G	REED,T.A.	9207020018	50-269 P	RING,M.A.	9207150039	50-331 Q
PRENDERGAST,K.	9207270109*	STATE PRO G	REED,T.A.	9207130132	50-369 P	RING,M.A.	9207150045*	50-331 Q
PRENDERGAST,K.	9207280070	STATE PRO G	REED,T.A.	9207200340	50-369 P	RING,M.A.	9207310005	50-373 Q
PRENDERGAST,K.	9207280085	STATE PRO G	REED,T.A.	9207220396	50-369 P	RISK,R.H.	9207100229	XPORTLIC
PRESTHOLT,P.T.	9207060198	WASTE MGT	REED,T.A.	9207280372	50-369 Q	ROARK,C.M.	9207100279*	40-6811
PRESTHOLT,P.T.	9207090008	WASTE MGT	REESE,J.H.	9207090349	50-528 Q	ROARE,D.J.	9207070257	52-1
PRESTHOLT,P.T.	9207130169	WASTE MGT	REESE,J.H.	9207090353*	50-528 Q	ROBERTS,J.P.	9207010038	WASTE MGT
PRESTHOLT,P.T.	9207160374	WASTE MGT	REESE,J.H.	9207150225	50-397 Q	ROBERTS,J.P.	9207020282	WASTE MGT
PRESTHOLT,P.T.	9207210341	WASTE MGT	REESE,J.H.	9207150322	50-288 Q	ROBERTS,J.P.	9207020300	WASTE MGT
PRESTHOLT,P.T.	9207220201	WASTE MGT	REESE,J.H.	9207150327*	50-288 Q	ROBERTS,J.P.	9207060167	WASTE MGT
PRESTHOLT,P.T.	9207290416	WASTE MGT	REESE,J.H.	9207270118	50-397 Q	ROBERTS,J.P.	9207060182	WASTE MGT
PREVATTE,R.L.	9207270030*	50-324 Q	REESE,J.H.	9207270125*	50-397 Q	ROBERTS,J.P.	9207070242	WASTE MGT
PRICE,E.	9207140249*	70-712	REEVES,D.L.	9207200144*	50-298 S	ROBERTS,J.P.	9207070294	WASTE MGT
PRICE,E.	9207150047*	40-1478	REEVES,D.L.	9207210005	50-298 S	ROBERTS,J.P.	9207100048	WASTE MGT
PRICE,E.	9207150184*	70-712	REEVES,D.L.	9207300039	50-298 S	ROBERTS,J.P.	9207130261	WASTE MGT
PRICE,E.	9207150188*	70-712	REICHOLD,W.P.	890620038*	FOIA	ROBERTS,J.P.	9207160112	WASTE MGT
PRICE,E.	9207160279*	40-1478	REICHOLD,W.P.	8906200184*	FOIA	ROBERTS,J.P.	9207160307	WASTE MGT
PRICE,E.R.	9207140217*	70-712	REICHOLD,W.P.	8906200186*	FOIA	ROBERTS,J.P.	9207160333	WASTE MGT
PRICE,E.R.	9207150066*	40-1478	REICHOLD,W.P.	9207210244*	FOIA	ROBERTS,J.P.	9207290073	WASTE MGT
PRICE,E.R.	9207150208*	70-712	REICHOLD,W.P.	9207220149*	FOIA	ROBERTS,J.P.	9207290350	WASTE MGT
PRICE,E.R.	9207150210*	70-712	REICHOLD,W.P.	9207240064*	FOIA	ROBERTS,J.P.	9207300145	WASTE MGT
PRICE,E.R.	9207240082*	40-1478	REICHOLD,W.P.	9207240074*	FOIA	ROBERTS,J.P.	9207300240	WASTE MGT
PRICE,E.R.	9207240093*	70-340	REICHOLD,W.P.	9207240100*	FOIA	ROBERTS,J.P.	9207310010	WASTE MGT
PRICE,G.W.	9207160037	PR	REICHOLD,W.P.	9207240213*	FOIA	ROBERTS,J.P.	9207310035	WASTE MGT
PRICE,G.W.	9207230028	PR	REID,D.A.	9207200032	50-271 P	ROBERTS,J.P.	9207310140	WASTE MGT
PRICE,H.L.	9207270028	PRM	REID,D.A.	9207310086	50-271 S	ROBERTS,J.P.	9207310154	WASTE MGT
PRICE,H.L.	9207150061*	70-712	REID,J.	9207220147	50-249 S	ROBERTS,T.	9207140248	50-324 P
PRICE,H.L.	9207210305*	70-146	REILLY,W.F.	9207200212	50-186 P	ROBINSON,C.	9207230205*	70-1100
PRICE,H.L.	9207220062*	70-146	REIS,E.J.	9207200036	50-312 G	ROBINSON,W.R.	9207090154	50-344 S
PRICE,H.L.	9207220114*	70-146	REIS,M.P.	9207280255	50-397 S	ROBINSON,W.R.	9207090182	50-344 S
PRICE,H.L.	9207220286*	70-146	REISENBUECHLER	9207020219	50-266 S	ROBINSON,W.R.	9207140323	50-344 R
PRIORY,R.B.	9207300085	50-269 P	REMIK	9207210264	COMMISSION	ROBINSON,W.R.	9207200173	50-344 S
PRITCHETT,R.F.	9207160321*	WASTE MGT	REMIK	9207210307	COMMISSION	ROBINSON,W.R.	9207220157	50-344 S
PRITCHETT,R.F.	9207160330*	WASTE MGT	REMIK,F.	9207100233	COMMISSION	ROBINSON,W.R.	9207240248	50-344 S
PRITCHETT,R.F.	9207160334*	WASTE MGT	REMIK,F.J.	9206100180*	10CFR	ROBINSON,W.R.	9207300091	50-344 S
PSUIK,T.S.	9207010133*	50-280 P	REMIK,F.J.	9207090334	10CFR	ROCHE,L.A.	9207100109*	70-3070
PSUIK,T.S.	9207010148*	50-339 P	REPKA,D.A.	9207090082	50-348 G	RODEHAU,T.J.	9207140324*	CONTRACT
PULLEN,B.G.	9207310227	XPORTLIC	REPKA,D.A.	9207090082	50-348 G	ROE,J.W.	9202200283*	REVIEW GR P
PULSIFER,R.M.	9207020113	50-454 P	REPKA,D.A.	9207090118	50-348 G	ROE,J.W.	9207090273	ORG
PUTERBAUGH,M.	9207160046	PRM	REPKA,D.A.	9207090118	50-348 G	ROE,J.W.	9207310044	NUREG
QUALLS,P.	9207090353*	50-528 Q	RESCHESKE,P.R.	9207100112*	50-454 Q	ROEDER,J.R.	9207150156*	70-140
QUALLS,P.M.	9207170220*	50-27 Q	RESCHESKE,P.R.	9207280123*	50-155 Q	ROEDER,J.R.	9207150181*	70-140
QUAY,T.R.	9207020243*	50-206 P	RESEIGH,M.M.	9207020325*	CONTRACT	ROEDER,J.R.	9207150281*	40-1478
QUAY,T.R.	9207060123*	50-397 P	RETTIG,H.	9207270084	PR	ROEDER,J.R.	9207160230*	FOIA
QUAY,T.R.	9207100037*	50-397 P	REYES,L.A.	9207010193	50-413 Q	ROEDER,J.R.	9207160266*	40-1478
QUAY,T.R.	9207160020*	50-275 P	REYES,L.A.	9207010244	50-281 P	ROEDER,J.R.	9207160268*	40-1478
QUAY,T.R.	9207160050*	50-206 P	REYES,L.A.	9207010270	50-280 Q	ROEDER,J.R.	9207160287*	40-1478
QUAY,T.R.	9207160069*	50-206 P	REYES,L.A.	9207010287	50-327 Q	ROGERS	9207210230	COMMISSION
QUAY,T.R.	9207240128*	50-530 P	REYES,L.A.	9207010318	50-390 Q	ROGERS	9207210282	COMMISSION
QUINTON,M.D.	9207070428	50-395 R	REYES,L.A.	9207020195	50-324 Q	ROGERS	9207220153	COMMISSION
RAFTERY,R.P.	9207060183	52-1	REYES,L.A.	9207020222	50-302 F	ROGERS,K.C.	9207090334	10CFR
RAGHAVAN,L.	9207060054	50-250 P	REYES,L.A.	9207060023	50-400 P	ROGERS,K.C.	9207100005	COMMISSION

## PERSONAL AUTHOR INDEX 267

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ROGERS,K.C.	9207100006	COMMISSION	RULAND,W.H.	9207150078*	50-245 Q	SCACE,S.E.	9207150174	50-423 R
ROGERS,K.C.	9207100282	COMMISSION	RUMPLE,R.	9207150009	50-324 R	SCACE,S.E.	9207150174	50-423 R
ROGERS,K.C.	9207130022	COMMISSION	RUND,J.	9207220154	50-237 S	SCACE,S.E.	9207160377	50-245 S
ROGERS,K.C.	9207130081	COMMISSION	RUSSELL,J.E.	9207080249	50-286 Q	SCACE,S.E.	9207160377	50-245 S
ROGERS,K.C.	9207140263*	40-8027	RUSSELL,J.E.	9207150029	50-286 S	SCACE,S.E.	9207290319	50-245 S
ROGERS,K.C.	9207300159	STATE PRO G	RUSSELL,J.E.	9207150282	50-286 R	SCACE,S.E.	9207290319	50-245 S
ROGERS,K.C.	9207300162	COMMISSION	RUSSELL,J.E.	9207170161	50-286 S	SCARANO,R.A.	9207100228	50-397 F
ROGERS,K.C.	9207310190	COMMISSION	RUSSELL,J.E.	9207170164	50-286 S	SCARANO,R.A.	9207150307	70-1257
ROGGE,J.	9207080077*	50-219 Q	RUSSELL,J.E.	9207230148	50-286 S	SCARANO,R.A.	9207160267	STATE PRO G
ROGGE,J.	9207220301*	50-334 Q	RUSSELL,J.E.	9207270249	50-286 Q	SCARANO,R.A.	9207270096	STATE PRO G
ROGGE,J.	9207280093	50-334 P	RUSSELL,J.E.	9207270277	50-286 S	SCARANO,R.A.	9207270097	STATE PRO G
ROGGE,J.	9207280150	50-219 F	RUSSELL,J.E.	9207280295	50-286 S	SCARANO,R.A.	9207270150	STATE PRO G
ROGGE,J.F.	9207220341*	50-289 Q	RUSSELL,J.E.	9207300076	50-286 S	SCHAPKER,J.F.	9207150034*	50-237 Q
ROHLER,H.E.	9007130010*	FOIA	RUSSELL,J.L.	9207060262	WASTE MGT	SCHIFFER,W.	9207150003	50-455 S
ROHLER,H.E.	9007130012*	FOIA	RUSSELL,J.L.	9207220244	WASTE MGT	SCHIFF,S.	9207170040*	NUREG
ROMBERG,W.D.	9207310103	50-213 Q	RUSSELL,J.L.	9207300269	WASTE MGT	SCHIFFHAUER,C.	9207090094	50-201 F
ROMBERG,W.D.	9207310103	50-213 Q	RUSSELL,K.	9207150289	71-742	SCHIFFHAUER,C.	9207090156	50-201 F
ROMBERG,W.D.	9207310103	50-213 Q	RUSSELL,M.J.	9207140288	NUREG	SCHMIDT,W.	9207280065	50-220 S
ROMBERG,W.D.	9207310158	50-245 Q	RUSSELL,W.T.	9108150279*	50-29 P	SCHMITT,J.F.	9207130065	PR
ROMBERG,W.D.	9207310158	50-245 Q	RUSSELL,W.T.	9207010306*	ORG	SCHNEBLI,G.A.	9207020100*	50-250 Q
ROMINE,D.T.	9207010226*	WASTE MGT	RUSSELL,W.T.	9207200211*	REVIEW GR P	SCHNELL,D.F.	9207090165	50-483 Q
ROOD,H.	9207160017	50-275 P	RYAN,D.J.	9207090021	40-501	SCHNELL,D.F.	9207130009	50-483 H
ROONEY,V.L.	9207060032	50-423 P	RYAN,J.C.	9207130221*	50-293 Q	SCHNELL,D.F.	9207170065	50-483 P
ROONEY,V.L.	9207060062	50-423 P	RYAN,R.M.	9207310119	70-920	SCHNELL,D.F.	9207220044	50-483 R
ROONEY,V.L.	9207060210	50-423 P	RYTKONEN,B.	9207140324*	CONTRACT	SCHNELL,D.F.	9207230002	50-483 R
ROONEY,V.L.	9207070267	50-423 P	SAEGNER,E.L.	9207270029	PRM	SCHNELL,D.F.	9207290181	PR
ROONEY,V.L.	9207170118	50-423 P	SAGAR,B.	9207280318	WASTE MGT	SCHNELL,D.F.	9207310049	50-483 Q
ROSA,J.M.	9207210130*	50-317 Y	SAGER,D.A.	9207060235	50-389 S	SCHRAAGE,J.L.	9207090014	50-254 K
ROSE,J.H.	9207290091	PRM	SAGER,D.A.	9207100191	50-335 K	SCHRAAGE,J.L.	9207160205	50-254 P
ROSENBERG,A.V.	9207100375*	50-498 I	SAGER,D.A.	9207160165	50-335 R	SCHRAAGE,J.L.	9207220009	50-237 P
ROSENBLUM,R.M.	9207010046	50-206 P	SAGER,D.A.	9207160192	50-335 R	SCHRAAGE,J.L.	9207300067	50-10 P
ROSENBLUM,R.M.	9207020327	50-206 P	SAGER,D.A.	9207170066	50-335 F	SCHRAAGE,J.L.	9207310054	50-254 P
ROSENBLUM,R.M.	9207090162	50-361 P	SAGER,D.A.	9207200203	50-335 P	SCHREIBER,M.	9207170169*	50-482 F
ROSENBLUM,R.M.	9207100408	50-361 P	SAGER,D.A.	9207270230	50-389 S	SCHREIBER,M.	9207170177*	50-482 F
ROSENBLUM,R.M.	9207150211	50-206 P	SAGER,D.A.	9207300239	50-335 Q	SCHROCK,C.A.	9207060189	50-305 P
ROSENBLUM,R.M.	9207300148	50-206 Q	SAGER,D.A.	9207310207	50-335 S	SCHROCK,C.A.	9207060230	50-305 P
ROSENBLUM,R.M.	9207300200	50-361 P	SAGER,D.A.	9207310222	50-335 S	SCHROCK,C.A.	9207070343	50-305 Q
ROSENBLUM,R.M.	9207310153	50-206 P	SAHA,G.	9207230215*	FOIA	SCHROCK,C.A.	9207100270	50-305 S
ROSENBLUM,R.M.	9207310199	50-206 P	SAIN,A.K.	9207160061	PRM	SCHROCK,C.A.	9207150168	50-305 S
ROSENFIELD,A.R.	9207140031	NUREG	SALMON,H.P.	9207020136	50-333 S	SCHROCK,C.A.	9207170173	50-305 I
ROSENTHAL,J.E.	9207200320	ORG	SALMON,H.P.	9207020144	50-333 S	SCHROCK,C.A.	9207230258	50-305 K
ROSS,F.W.	9207170212	WASTE RES	SALMON,H.P.	9207020156	50-333 S	SCHROCK,C.A.	9207270124	50-305 K
ROSS,T.M.	9207060066	50-259 P	SALMON,H.P.	9207020295	50-220 F	SCHROCK,C.A.	9207280074	50-305 P
ROSS,T.M.	9207080128	50-259 P	SALMON,H.P.	9207140038	50-333 R	SCHROEDER,C.W.	9207010083	50-249 P
ROSS,T.M.	9207220275	50-259 P	SALMON,H.P.	9207140159	50-333 S	SCHROEDER,C.W.	9207070227	50-10 R
ROSS,T.M.	9207220351	50-259 P	SALMON,H.P.	9207140165	50-333 S	SCHROEDER,C.W.	9207070414	50-249 S
ROSS,T.M.	9207230156	50-259 P	SALMON,H.P.	9207160170	50-333 R	SCHROEDER,C.W.	9207080232	71-9233
ROSS,T.M.	9207230229	50-259 P	SALMON,H.P.	9207210336	50-333 Q	SCHROEDER,C.W.	9207080251	50-249 S
ROSS,T.M.	9207300132	50-259 P	SALMON,H.P.	9207220060	50-333 S	SCHROEDER,C.W.	9207100132	50-249 S
ROSS,T.M.	9207310124	50-259 P	SALMON,H.P.	9207280011	50-333 Q	SCHROEDER,C.W.	9207140206	50-237 S
ROSSI,C.E.	9202200237*	REVIEW GR P	SALMON,H.P.	9207310102	50-333 S	SCHROEDER,C.W.	9207140316	50-10 R
ROSSI,C.E.	9206230193	50-3 Q	SALMON,H.P.	9207310109	50-333 S	SCHROEDER,C.W.	9207220144	50-237 S
ROSSI,C.E.	9206260043	50-3 Q	SALMON,H.P.	9207310129	50-333 S	SCHROEDER,C.W.	9207220147	50-249 S
ROSSI,C.E.	9206290237	50-3 Q	SALYERS,G.W.	9207140147*	70-143	SCHROEDER,C.W.	9207220154	50-237 S
ROSSI,C.E.	9207020233	50-3 Q	SAMPELS,M.D.	9207130136	50-445 M	SCHROEDER,C.W.	9207280190	50-237 S
ROSSIN,A.D.	9207020198*	50-312 G	SAMPELS,M.D.	9207130136	50-445 M	SCHROEDER,C.W.	9207300033	50-237 S
ROTH,J.	9207090215*	70-898	SAMPELS,M.D.	9207130137*	50-445 M	SCHROEDER,C.W.	9207310051	50-237 S
ROTH,J.	9207210118	70-33	SAMPELS,M.D.	9207130137*	50-445 M	SCHROEDER,C.W.	9207310080	50-237 S
ROUNTREE,G.	9207160031	PR	SAMPELS,M.D.	9207150317	50-445 M	SCHRUM,D.L.	9207150016*	50-456 Q
ROUSON,J.D.	8910200232*	FOIA	SAMPELS,M.D.	9207150317	50-445 M	SCHULTZ,S.P.	9207070401	50-29 F
ROWE,J.W.	9207080033*	50-443 I	SAMPELS,M.D.	9207150323*	50-445 M	SCHULTZ,W.H.	9012100200*	FOIA
ROWLAND,T.J.	9207230029	PROJ	SAMPELS,M.D.	9207150323*	50-445 M	SCHULTZ,W.H.	9012100204*	FOIA
ROYEN,J.	9207270018	MISC	SAMWORTH,B.	9207080341	50-266 H	SCHULTZ,W.H.	9101110137*	FOIA
RUZELL,D.L.	9207100270	50-305 S	SAMWORTH,R.B.	9207230209	50-266 P	SCHULTZ,W.H.	9101110148*	FOIA
RUBIN,S.D.	9207020313	50-333 S	SANBORN,G.	9207220077	I&E	SCHULTZ,W.H.	9104120007*	FOIA
RUEGER,G.M.	9207060083	50-275 Q	SANDEL,P.S.	9207150266*	40-1478	SCHULTZ,W.H.	9104120010*	FOIA
RUEGER,G.M.	9207070303	50-275 P	SANDEL,P.S.	9207160138*	40-1478	SCHULTZ,W.H.	9104160111*	FOIA
RUEGER,G.M.	9207070320	50-275 S	SANDERSON,R.E.	9207230013	PR	SCHULTZ,W.H.	9104160115*	FOIA
RUEGER,G.M.	9207100363	50-323 S	SANER,D.	9207150321	50-397 I	SCHULTZ,W.H.	9105020311*	FOIA
RUEGER,G.M.	9207130029	PR	SANER,D.	9207150336	50-397 I	SCHULTZ,W.H.	9105020313*	FOIA
RUEGER,G.M.	9207140001	50-323 Q	SARSOUR,B.	9207180095	50-346 R	SCHULTZ,W.H.	9105150180*	FOIA
RUEGER,G.M.	9207150008	50-275 S	SARTE,V.	9207230224	50-344 Q	SCHULTZ,W.H.	9107160236*	FOIA
RUEGER,G.M.	9207160139	50-275 P	SAUER,R.E.	9207080341	27-48	SCHULTZ,W.H.	9107160241*	FOIA
RUEGER,G.M.	9207160148*	50-275 P	SAUER,R.E.	9207310122	71-8144	SCHULTZ,W.H.	9108260056*	FOIA
RUEGER,G.M.	9207200214	50-275 P	SAUNDERS,G.	9008060157*	FOIA	SCHULTZ,W.H.	9108260059*	FOIA
RUEGER,G.M.	9207240240	50-275 Q	SAUNDERSON,R.	9207270189	50-410 R	SCHULTZ,W.H.	9108100106*	FOIA
RUEGER,G.M.	9207270093	50-275 H	SCACE,S.E.	9207020086	50-336 S	SCHULTZ,W.H.	9207080258*	40-8081
RUEGER,G.M.	9207270264	50-275 S	SCACE,S.E.	9207020086	50-336 S	SCHULTZ,W.H.	9207200251*	FOIA
RUEGER,G.M.	9207270360	50-323 S	SCACE,S.E.	9207080244	50-336 S	SCHULTZ,W.H.	9207200263*	FOIA
RUEGER,G.M.	9207280090	50-275 S	SCACE,S.E.	9207080244	50-336 S	SCHULTZ,W.H.	9207200309*	FOIA
RUEGER,G.M.	9207300066	50-275 S	SCACE,S.E.	9207140092	50-336 R	SCHULTZ,W.H.	9207200332*	FOIA
RUEGER,G.M.	9207300070	50-275 S	SCACE,S.E.	9207140092	50-336 R	SCHULTZ,W.H.	9207200337*	FOIA
RUFFIN,R.	9207140255	50-416 S	SCACE,S.E.	9207140192	50-336 S	SCHULTZ,W.H.	9207200351*	FOIA
RUFFIN,R.	9207240040	50-416 S	SCACE,S.E.	9207140192	50-336 S	SCHULTZ,W.H.	9207210025*	FOIA
RUITER,G.H.	9207150168	50-305 R	SCACE,S.E.	9207140258	50-336 S	SCHULTZ,W.H.	9207210244*	FOIA
RULAND,W.	9207170074*	50-410 Q	SCACE,S.E.	9207140258	50-336 S	SCHULTZ,W.H.	9207210335*	FOIA
RULAND,W.	9207280133*	50-245 Q	SCACE,S.E.	9207150123	50-245 R	SCHULTZ,W.H.	9207220108*	STATE PRO G
RULAND,W.H.	9207010036*	50-293 Q	SCACE,S.E.	9207150123	50-245 R	SCHULTZ,W.H.	9207220155*	FOIA

## 268 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SCHULTZ, W.H.	9207220260*	FOIA	SHEA, J.W.	9207100097	50-277 P	SILVER, H.	9207060147	50-302 P
SCHULTZ, W.H.	9207220392*	FOIA	SHEAR, G.	9207140184	I&E	SILVER, H.	9207290168	50-302 P
SCHULTZ, W.H.	9207240095*	FOIA	SHEAR, G.	9207280018	I&E	SILVER, H.	9207290195	50-302 P
SCHULTZ, W.H.	9207240196*	FOIA	SHEAR, G.L.	9207220030	70-3072	SILVERMAN, D.J.	9207020209	40-8027
SCHULTZ, W.H.	9207240207*	FOIA	SHEARER, D.M.	9207270049	PRM	SILVERMAN, D.J.	9207020209	40-8027
SCHULTZ, W.H.	9207240219*	FOIA	SHEDLOCK, M.	9207200215	50-311 R	SIMENS, H.G.	9207130147	50-228 Q
SCHULTZ, W.M.	9207240176*	FOIA	SHEDLOCK, M.	9207200338	50-272 R	SIMENS, H.G.	9207280286*	50-228 R
SCHUMACHER, M.C.	9207070290	50-456 Q	SHEIBANI, M.	9207280053	50-424 S	SIMMONS, F.	9109240018*	FOIA
SCHUMACHER, M.C.	9207070297*	50-456 Q	SHELL, R.H.	9207090177	50-259 P	SIMMONS, N.C.	9207210063*	50-413 R
SCHUMACHER, M.C.	9207280080*	50-346 Q	SHELL, R.H.	9207170275	50-327 P	SIMMONS, N.C.	9207210097*	50-369 R
SCHUMACHER, M.C.	9207280288	50-237 Q	SHELTON, D.C.	9207020208	50-346 H	SIMMONS, N.C.	9207210237*	50-269 R
SCHUMACHER, M.C.	9207280290*	50-237 Q	SHELTON, D.C.	9207060011	50-346 P	SIMMONS, T.	9207200251*	FOIA
SCHUSTER, M.	9207140248	50-324 P	SHELTON, D.C.	9207080179	50-346 P	SIMMONS, T.	9207200263*	FOIA
SCHWEITZER, J.F.	9207060039	70-152	SHELTON, D.C.	9207080262	50-346 P	SIMMONS, T.	9207220392*	FOIA
SCOTT, E.	9206170097*	50-206 F	SHELTON, D.C.	9207150251	50-346 P	SIMON, J.	9207202422*	CONTRACT
SCOTT, H.	9207090239	FOIA	SHELTON, D.C.	9207160038	50-346 H	SIMONS, H.	9207090265*	50-237 Q
SCOTT, M.A.	9207170201*	50-335 Q	SHELTON, D.C.	9207160040	50-346 H	SIMONS, H.	9207140150*	50-373 Q
SCOTT, M.L.	9207202086*	CONTRACT	SHELTON, D.C.	9207160103	PR	SIMONS, H.	9207300187*	50-254 Q
SCOTT, M.L.	9207090191*	CONTRACT	SHELTON, D.C.	9207200139	50-346 P	SIMPKIN, T.W.	9207070068	50-237 P
SCOTT, M.L.	9207100393	CONTRACT	SHELTON, D.C.	9207200261	50-346 P	SIMPKIN, T.W.	9207080105	50-456 P
SCOTT, M.L.	9207100419	CONTRACT	SHELTON, D.C.	9207270238	50-346 V	SIMPKIN, T.W.	9207280205	50-457 S
SCOTT, M.L.	9207100425	CONTRACT	SHELTON, D.C.	9207290151	50-346 H	SINGLEY, M.A.	9207020141	50-346 M
SCOTT, M.L.	9207130193	CONTRACT	SHELTON, D.C.	9207300129	50-346 P	SINGLEY, M.A.	9207020141	50-346 M
SCOTT, M.L.	9207140324*	CONTRACT	SHEPPARD, J.J.	9207060223	40-8027	SINGLEY, M.A.	9207020141	50-346 M
SCOTT, M.L.	9207150091	CONTRACT	SHEPPARD, J.J.	9207060295	40-8027	SINGLEY, M.A.	9207020141	50-346 M
SCOTT, M.L.	9207170252	CONTRACT	SHEPPARD, J.J.	9207270061	40-8027	SINKULE, M.	9207020111	50-338 Q
SCOTT, M.L.	9207200136	CONTRACT	SHEPPARD, J.J.	9207280014	40-8027	SINKULE, M.	9207140030	50-280 Q
SCOTT, M.L.	9207200168*	CONTRACT	SHEPPARD, J.J.	9207290233	40-8027	SINKULE, M.V.	9207010286	50-302 Q
SCOTT, M.L.	9207220342	CONTRACT	SHERBINI, S.	9207280049*	50-443 Q	SINKULE, M.V.	9207020074	50-302 Q
SCOTT, M.L.	9207230160	CONTRACT	SHERMAN, R.N.	9207090154	50-344 S	SINKULE, M.V.	9207020093	50-250 Q
SCOTT, M.L.	9207230180	CONTRACT	SHERMAN, R.N.	9207240248	50-344 S	SINKULE, M.V.	9207020110	50-335 Q
SCOTT, M.L.	9207230282	CONTRACT	SHERMAN, R.N.	9207300091	50-344 S	SINKULE, M.V.	9207020190	50-338 Q
SCOTT, M.L.	9207230293	CONTRACT	SHERR, T.S.	9207080212	70-27	SINKULE, M.V.	9207020200	50-250 Q
SCOTT, M.L.	9207230297	CONTRACT	SHERR, T.S.	9207080241	70-143	SINKULE, M.V.	9207140070	50-338 Q
SCOTT, M.L.	9207240053	CONTRACT	SHERR, T.S.	9207090288	70-1151	SINKULE, M.V.	9207140074	50-280 Q
SCOTT, M.L.	9207240239	CONTRACT	SHERR, T.S.	9207090294	70-1100	SINKULE, M.V.	9207170198	50-335 Q
SCOTT, M.L.	9207280226	CONTRACT	SHERR, T.S.	9207090304	70-1257	SISCO, C.	9207210090*	50-354 V
SCOTT, M.L.	9207290247	CONTRACT	SHERR, T.S.	9207090308	70-1113	SKIBA	9207280159	50-446 S
SEABORG, G.T.	9207270361*	FOIA	SHERR, T.S.	9207090316	70-36	SKINNER, P.H.	9207020216	50-321 Q
SEAGREN, R.D.	9207100019*	71-5740	SHERR, T.S.	9207090327	70-143	SKINNER, P.H.	9207270110*	50-321 Q
SEARS, P.	9207280235	50-271 P	SHERR, T.S.	9207100133	70-1201	SKINNER, P.H.	9207280189	50-321 Q
SEARS, P.	9207290253	REVIEW GR P	SHERR, T.S.	9207200108	70-27	SKOGLUND, R.R.	9207300033	50-237 P
SEARS, P.M.	9207070026	50-271 P	SHERR, T.S.	9207290231	70-1100	SKOLDS, J.F.	9207070385	50-395 P
SEARS, P.M.	9207290154	50-271 P	SHERR, T.S.	9207300170	70-143	SKOLDS, J.F.	9207270322	50-395 S
SEARS, P.M.	9207300180	50-271 P	SHEWMON, P.	9207300003	ACRS	SKOLDS, J.L.	9207020312	50-395 S
SECKER, P.	9207270295	NUREG	SHIELDS, J.	9207140153	50-374 Q	SKOLDS, J.L.	9207070001	50-395 S
SEGEL, D.W.	9207230051	ORG	SHIELDS, J.	9207150176	50-373 P	SKOLDS, J.L.	9207070284	50-395 S
SEIKEN, A.	9207150165	50-382 S	SHIELDS, J.	9207270224	50-373 P	SKOLDS, J.L.	9207080171	50-395 K
SEIWEIT, V.J.	9207160127	PRM	SHIELDS, S.N.	9207280257	50-219 S	SKOLDS, J.L.	9207140068	50-395 F
SELBY, J.B.	9207130014	PRM	SHIFLETT, D.R.	9207290137	PROJ	SKOLDS, J.L.	9207140024	50-395 F
SELIN, I.	9207020301	COMMISSION	SHINGLETON, E.B.	9207310128	50-259 S	SKOLDS, J.L.	9207160090	PR
SELIN, I.	9207020316	COMMISSION	SHINKLE, P.	9207100069	FOIA	SKOLDS, J.L.	9207200279	50-395 S
SELIN, I.	9207060086*	COMMISSION	SHIPMAN, W.B.	9207140048	50-321 F	SKOLDS, J.L.	9207210273	50-395 Q
SELIN, I.	9207060206*	50-443 U	SHIRAKI, C.Y.	9207230109	50-331 P	SKOLDS, J.L.	9207240178	50-395 Q
SELIN, I.	9207070077	40-8724	SHIRAKI, C.Y.	9207290235	50-331 P	SKOLDS, J.L.	9207270243	50-395 Q
SELIN, I.	9207070404	COMMISSION	SHIRAKI, C.Y.	9207290237*	50-331 P	SKOV, D.D.	9207270105*	STATE PRO G
SELIN, I.	9207100211	COMMISSION	SHIRLEY, D.A.	9207200140	50-5	SLADE, G.B.	9207060308	50-255 F
SELIN, I.	9207100212	COMMISSION	SHOMAKER, E.	9207070198	REVIEW GR P	SLADE, G.B.	9207070007	50-255 Q
SELIN, I.	9207100252	COMMISSION	SHON, F.J.	9207200101	70-3070	SLADE, G.B.	9207070349	50-255 Q
SELIN, I.	9207130031	COMMISSION	SHON, F.J.	9207200102	70-3070	SLADE, G.B.	9207080187	50-255 Q
SELIN, I.	9207170072	COMMISSION	SHORTRIDGE, R.B.	9207010200*	50-335 Q	SLADE, G.B.	9207210056	50-255 Q
SELIN, I.	9207210212	COMMISSION	SHOUP, C.S.	9207150311*	FOIA	SLADE, G.B.	9207290163	50-255 Q
SELIN, I.	9207210302	COMMISSION	SHTEYENBERG, N.A.	9207070181	REVIEW GR P	SLADE, G.B.	9207310097	50-255 Q
SELIN, I.	9207210327	COMMISSION	SHUM, E.	9207170057*	40-8027	SLAWINSKI, W.J.	9002280089*	FOIA
SERRA, P.L.	9207060218	50-331 F	SHUMWAY, D.	9207140003	71-9056	SLAWINSKI, W.J.	9008070339*	FOIA
SERRA, P.L.	9207080174	50-331 F	SHUMWAY, D.	9207140004	71-9033	SLAWINSKI, W.J.	9008220196*	FOIA
SESSIONS, W.S.	9207280387*	FOIA	SHUMWAY, D.	9207140006	71-9135	SLCAK, S.T.	9207270087	PR
SEYFRIED, R.J.	9207200323*	FOIA	SHUMWAY, D.	9207140007	71-9127	SLYVIA, B.R.	9207140252	50-220 P
SHACKFORD, J.	9207140088*	50-400 Q	SHYLOCK, M.	9207020210*	50-416 Q	SMITH, C.	9207010331*	50-413 Q
SHAFER, W.D.	9207010067	50-155 Q	SIDORENKO, V.A.	9207070181	REVIEW GR P	SMITH, C.	9207160032*	50-348 Q
SHAFER, W.D.	9207220340*	50-329 Q	SIEBER, J.D.	9207060301	50-334 F	SMITH, C.L.	9207060081	NUREG
SHAH, N.	9207070297*	50-456 Q	SIEBER, J.D.	9207140322	50-334 F	SMITH, D.A.	9207210226	PR
SHAH, N.	9207280080*	50-346 Q	SIEBER, J.D.	9207150345	50-334 P	SMITH, D.A.	9207210241	PR
SHANBAKY, M.	9207010095	I&E	SIEBER, J.D.	9207210245	50-412 H	SMITH, D.M.	9207240144	50-277 K
SHANBAKY, M.	9207060002	I&E	SIEBER, J.D.	9207230193	50-412 Q	SMITH, D.M.	9207280310	50-277 F
SHANBAKY, M.	9207210084	I&E	SIEBER, J.D.	9207240250	50-334 P	SMITH, D.R.	9207080205	40-8948
SHANBAKY, M.	9207220311	I&E	SIEBER, J.D.	9207280099	50-334 Q	SMITH, D.R.	9207080208	40-8948
SHANBAKY, M.	9207220349	I&E	SIEGEL, B.A.	9207220148	10CFF	SMITH, G.	9207230021	PR
SHANLEY, L.	9207200137	50-317 R	SIEGEL, B.L.	9207060293	50-237 P	SMITH, G.D.	9207310222	50-335 S
SHANNON, M.	9207270041*	50-400 Q	SIEGEL, B.L.	9207100124	50-373 P	SMITH, J.	9207020149	50-336 G
SHAO, L.C.	9202200278*	REVIEW GR P	SIEGEL, B.L.	9207100129*	50-373 P	SMITH, I.W.	9207020087	50-336 G
SHAPPERT, L.B.	9207100019*	71-5740	SIEGEL, B.L.	9207200234	50-237 P	SMITH, I.W.	9207270112	50-336 G
SHARKEY, T.P.	9207020247	50-483 S	SIEGEL, B.L.	9207200238*	50-237 P	SMITH, J.F.	9207150049*	50-331 Q
SHARPER, D.	9207210008	50-10 F	SIEGEL, B.L.	9207300149	50-373 P	SMITH, J.J.	9207200204*	FOIA
SHAYS, C.	9207170019*	PR	SIEMASZ, B.	9207140224	50-341 S	SMITH, P.	9207270355*	FOIA
SHEA, J.R.	9207070326*	FOIA	SILBERG, J.E.	9207130097	PR	SMITH, R.E.	9207080004	50-244 P
SHEA, J.R.	9207070334*	FOIA	SILVER, H.	9207020045	50-302 P	SMITH, R.E.	9207080005*	50-244 P
SHEA, J.W.	9207020104	50-277 P	SILVER, H.	9207020060	50-302 P	SMITHMD, B.	9207080081	50-274 S



AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SNELL,W.	9207010022*	50-461 Q	STARKEY,R.B.	9207220129	50-324 Q	STOHR,J.P.	9207280184*	50-280 F
SNELL,W.	9207090277	50-373	STARKEY,R.B.	9207290101	50-400 P	STOHR,J.P.	9207290132	50-413 P
SNELL,W.	9207090279*	50-373 Q	STARKEY,R.D.	9207020056*	50-424 P	STOLZ,J.F.	9207010325	50-423 P
SNELL,W.	9207150071	50-461 Q	STATON,J.W.	9207290062	PR	STOLZ,J.F.	9207010327*	50-423 P
SNELL,W.	9207280315*	50-461 Q	STAUTER,J.C.	8806100278*	FOIA	STOLZ,J.F.	9207010335*	50-423 P
SNELL,W.	9207310008*	50-305 Q	STEELE,R.	9207140288	NUREG	STOLZ,J.F.	9207100287	50-219 P
SNELL,W.G.	9207010251	50-331 Q	STEFANAKOS,T.K.	9105160037*	FOIA	STOLZ,J.F.	9207140207	50-213 Q
SNELL,W.G.	9207010252*	50-331 Q	STEFANAKOS,T.K.	9207200175*	FOIA	STOLZ,J.F.	9207170131	50-213 P
SNELL,W.G.	9207070187	50-461 Q	STEFANKO,J.S.	9207080176*	50-388 P	STOLZ,J.F.	9207290218*	50-336 P
SNELL,W.G.	9207310007	50-305 Q	STEIN,S.J.	9207080097	71-5796	STONE,B.J.	9207200342	50-341 R
SNIEZEK,J.H.	8605190330*	50-171 P	STEIN,S.R.	9004230293*	FOIA	STONE,J.C.	9207020236	50-272 P
SNIEZEK,J.H.	9207240216	REVIEW GR	STEINHARDT,C.R.	9207080012	50-305 P	STONE,J.C.	9207060071	50-272 P
SOFGE,J.T.	9207140234*	50-263 F	STEINHARDT,C.R.	9207130240	50-305 P	STONE,J.C.	9207080135	50-354 P
SOKOLSKY,D.	9207100363	50-323 S	STEINHARDT,C.R.	9207140236	50-305 P	STONE,J.C.	9207310064	50-272 P
SOKOLSKY,D.	9207270360	50-323 S	STEINHARDT,C.R.	9207240060	50-305 Q	STONEBERG,R.E.	9207100078*	40-7803
SOLBERG,D.	9207170254*	FOIA	STEINHARDT,C.R.	9207240116	50-305 P	STONEBERG,R.E.	9207100088*	40-7803
SOONG,S.	9207230205*	70-1100	STEINHARDT,C.R.	9207290159	50-305 Q	STORZ,L.F.	9207160095	50-346 R
SOONG,S.	9207240079	70-36	STEINHARDT,C.R.	9207310214	50-305 P	STORZ,L.F.	9207270011	50-346 S
SOONG,Y.	9207100009*	50-220 P	STELLO,V.	8512300104*	FOIA	STRADER,W.J.	9207130027	PRM
SOONG,Y.	9207100047*	50-410 P	STELLO,V.	9207080152*	50-10 P	STRAMBACK,G.B.	9207130081	PR
SORENSEN,G.C.	9207090178	50-397 P	STELLO,V.	9207080180*	50-341 P	STRAMBACK,G.B.	9207200125	PT21
SORENSEN,G.C.	9207100154	50-397 P	STELLO,V.	9207080194*	50-250 P	STRANSKY,R.J.	9207150298	50-341 P
SORENSEN,G.C.	9207150065	50-397 P	STELLO,V.	9207080200*	50-259 P	STRASMAJ,J.	9207010249	50-455 S
SORENSEN,G.C.	9207150115	50-397 P	STELLO,V.	9207080207*	50-287 P	STRATFORD,R.J.	9207010358	XPORTLIC
SORENSEN,G.C.	9207150304	50-397 P	STELLO,V.	9207080257*	50-10 P	STRATFORD,R.J.	9207010360	XPORTLIC
SORENSEN,G.C.	9207170163	50-397 F	STELLO,V.	9207080265*	50-293 P	STRAUCH,P.L.	9207170079*	50-390 A
SORENSEN,G.C.	9207200083	50-397 P	STELLO,V.	9207080269*	50-255 P	STRAUCH,P.L.	9207170083*	50-390 A
SORENSEN,G.C.	9207200147	50-397 P	STELLO,V.	9207080276*	50-312 P	STRAUS,D.R.	9207100084	50-346 M
SORENSEN,G.C.	9207230019	PR	STELLO,V.	9207080283*	50-171 P	STRAUS,D.R.	9207100084	50-346 M
SORENSEN,G.C.	9207270075	50-397 H	STELLO,V.	9207080291*	50-10 P	STROTHER,C.D.	9207100010	50-346 M
SPANGENBERG,F.	9207070104	50-461 V	STELLO,V.	9207080351*	50-312 P	STROTHER,C.D.	9207100010	50-346 M
SPANGENBERG,F.	9207070110	50-461 V	STELLO,V.	9207080356*	50-259 P	STRUCKMEYER,R.	9207020042	NUREG
SPANGENBERG,F.	9207070124	50-461 V	STELLO,V.	9207080044*	50-171 P	STUART,D.B.	9207150081*	70-1113
SPANGENBERG,F.	9207130167	50-461 P	STELLO,V.	9207080050*	50-293 P	STUART,D.B.	9207150085*	70-1113
SPANGENBERG,F.	9207130175	50-461 Q	STELLO,V.	9207080055*	50-267 P	STURZ,F.C.	9207100278	72-1004
SPANGENBERG,F.	9207140286	50-461 S	STELLO,V.	9207080059*	50-220 P	STURZ,F.C.	9207160273	72-1007
SPANGENBERG,F.	9207150001	50-461 Q	STELLO,V.	9207080063*	50-285 P	SUBUDHI,M.	9207080056	NUREG
SPANGENBERG,F.	9207150004	50-461 H	STELLO,V.	9207080067*	50-250 P	SULLIVAN,D.	9207220384*	CONTRACT
SPANGENBERG,F.	9207170124	50-461 R	STELLO,V.	9207080069*	50-10 P	SULLIVAN,L.H.	9207220203	ACRS
SPANGENBERG,F.	9207270220	50-461 P	STELLO,V.	9207080073*	50-341 P	SULLIVAN,P.C.	9207210294*	70-146
SPANGENBERG,F.	9207270339	50-461 F	STELLO,V.	9207080086*	50-10 P	SULLIVAN,P.G.	9207220055*	70-146
SPANGENBERG,F.	9207280012	50-461 S	STELLO,V.	9207090114*	50-10 P	SUN,S.C.	9207080186	PT21
SPANGENBERG,F.	9207280117	50-461 Q	STELLO,V.	9207270346*	40-8027	SURMEIER,J.J.	9207080009	WASTE MGT
SPANGENBERG,F.	9207280248	50-461 S	STENGER,D.F.	9207160076	PR	SURMEIER,J.J.	9207080038	WASTE MGT
SPARACINO,J.	9207160182	50-374 S	STENGER,D.F.	9207160076	PR	SURMEIER,J.J.	9207220013	WASTE MGT
SPENCE,R.E.	9207010163	WASTE MGT	STEPHENSON,W.A.	9207090181	50-302 S	SURMEIER,J.J.	9207220023	WASTE MGT
SPENCE,R.E.	9207130033	WASTE MGT	STEPHENSON,W.A.	9207090184	50-302 S	SURMEIER,J.J.	9207220161	WASTE MGT
SPENCE,R.E.	9207130074	WASTE MGT	STEPHENSON,W.A.	9207300249	50-302 S	SWANSON,R.N.	9207170207	50-354 S
SPENCE,R.E.	9207130087	WASTE MGT	STETKA,T.F.	9207070095*	50-458 Q	SWART,R.J.	9207070259	50-254 S
SPENCE,R.E.	9207130184	WASTE MGT	STETKA,T.F.	9207080255*	50-313 Q	SWETLAND,P.	9207150106	I&E
SPENCE,R.E.	9207200001	WASTE MGT	STETZ,J.P.	9207140002	50-213 S	SYLVIA,B.R.	9207140171	50-410 S
SPENCE,R.E.	9207310259	WASTE MGT	STETZ,J.P.	9207170235	50-213 S	SYLVIA,B.R.	9207280007	50-220 P
SPENCER,J.W.	9207010222	50-324 Q	STETZ,J.P.	9207200206	50-213 R	SYLVIA,B.R.	9207290267	50-220 P
SPENCER,J.W.	9207010225	50-325 S	STETZ,J.P.	9207230025	50-213 S	SCZCZEC,M.J.	9207230187*	CONTRACT
SPENCER,J.W.	9207070042	50-324 Q	STETZ,J.P.	9207290082	50-213 S	TALWANI,P.	9207070429*	50-395 R
SPENCER,J.W.	9207070125	50-325 S	STETZ,J.P.	9207290106	50-213 S	TAM,P.S.	9207060059	50-390 A
SPENCER,J.W.	9207140246	50-324 Q	STETZ,J.P.	9207290129	50-213 S	TAM,P.S.	9207100060	50-390 A
SPENCER,J.W.	9207150009	50-324 R	STEWART,W.J.	9207210025*	FOIA	TAM,P.S.	9207140239	50-390 E
SPENCER,J.W.	9207150260	50-324 S	STEWART,M.A.	9207060081	NUREG	TAM,P.S.	9207160297	50-390 A
SPENCER,M.S.	9207270342	FOIA	STEWART,M.A.	9207270263	NUREG	TAM,P.S.	9207200284	50-390 E
SPESSARD,R.L.	9207220346*	50-329 Q	STEWART,S.L.	9207090191*	CONTRACT	TAM,P.S.	9207220300	50-390 A
SPIRO,H.	9207200195	40-7580	STEWART,W.L.	9207010127	50-280 P	TAM,P.S.	9207220344	50-390 A
SPRENGEL,D.P.	9207290249*	CONTRACT	STEWART,W.L.	9207010137	50-339 P	TAM,P.S.	9207230255	50-390 A
SRENIAWSKI,D.J.	9003070084*	FOIA	STEWART,W.L.	9207020139	50-280 P	TAM,P.S.	9207240143	50-390 A
SRENIAWSKI,D.J.	9004100066*	FOIA	STEWART,W.L.	9207060202	50-338 P	TAM,P.S.	9207270187	50-390 A
SRENIAWSKI,D.J.	9004100070*	FOIA	STEWART,W.L.	9207060227	50-280 P	TAM,P.S.	9207310217	50-390 A
SRENIAWSKI,D.J.	9004100072*	FOIA	STEWART,W.L.	9207080003	50-338 S	TARNER,D.	9207020133*	CONTRACT
SRENIAWSKI,D.J.	9207010052*	40-8724	STEWART,W.L.	9207100117	50-280 S	TARNER,D.	9207020142*	CONTRACT
SRENIAWSKI,D.J.	9207200326*	FOIA	STEWART,W.L.	9207150026	50-338 Q	TARNER,D.	9207020150*	CONTRACT
STADJUHAR,P.	9005020081*	FOIA	STEWART,W.L.	9207150133	50-338 R	TARNER,D.	9207020161*	CONTRACT
STANLEY,H.G.	9207180268	50-387 S	STEWART,W.L.	9207170100	50-280 R	TARNER,D.	9207020169*	CONTRACT
STANG,J.F.	9207150292	50-315 P	STEWART,W.L.	9207200066	50-338 P	TARNER,D.	9207020175*	CONTRACT
STANLEY,H.G.	9207200134	50-387 R	STEWART,W.L.	9207200165	50-339 Q	TARNER,D.	9207290064*	CONTRACT
STANLEY,H.G.	9207200382	50-387 S	STEWART,W.L.	9207200226	50-338 P	TAUSS,G.H.	9207020058*	CONTRACT
STANSBERRY,W.	9207300081*	50-400 Q	STEWART,W.L.	9207230243	50-338 K	TAYLOR,J.M.	9104290092*	FOIA
STANSBERRY,W.M.	9207010042*	50-289 Q	STEWART,W.L.	9207240026	50-280 F	TAYLOR,J.M.	9205200311	SECY
STANSBERRY,W.W.	9207010065*	50-259 Q	STEWART,W.L.	9207270020	PR	TAYLOR,J.M.	9205210293	SECY
STANSBERRY,W.W.	9207150334*	50-395 Q	STEWART,W.L.	9207270050	PR	TAYLOR,J.M.	9205260121	SECY
STANTIS,A.	9207070178	REVIEW GR	STEWART,W.L.	9207270074	PR	TAYLOR,J.M.	9205280108	SECY
STARKE,S.J.	9207060261	PROJ	STEWART,W.L.	9207300005	50-280 P	TAYLOR,J.M.	9206020284	SECY
STARKE,S.J.	9207070117	PROJ	STILLE,T.	9207080284	70-925	TAYLOR,J.M.	9206120307	40-8778
STARKE,S.J.	9207080128	52-1	STILTENPOLE,B.	9207020130	ADVCM	TAYLOR,J.M.	9206150446*	PR
STARKE,S.J.	9207100137	52-1	STILTENPOLE,B.	9207230110	WASTE MGT	TAYLOR,J.M.	9206170322	50-245 U
STARKEY,R.B.	9207080158	50-400 P	STIMAC,S.F.	9207080010	50-295 K	TAYLOR,J.M.	9206290076	SECY
STARKEY,R.B.	9207100195	50-261 P	STIMAC,S.F.	9207170195	50-295 P	TAYLOR,J.M.	9207010307	ORG
STARKEY,R.B.	9207100201	50-400 P	STOHR,J.P.	9207010207	50-297 P	TAYLOR,J.M.	9207020129	SECY
STARKEY,R.B.	9207100204	50-324 P	STOHR,J.P.	9207020227	50-416 F	TAYLOR,J.M.	9207020228	ORG
STARKEY,R.B.	9207150318	50-400 P	STOHR,J.P.	9207060162	50-413 Q	TAYLOR,J.M.	9207020284	50-10 P

## 270 PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
TAYLOR,J.M.	9207060169	50-443 U	THIERRY,R.L.	9207150008	50-275 S	TUCKMAN,M.S.	9207240223	50-413 V
TAYLOR,J.M.	9207060219*	50-443 U	THIERRY,R.L.	9207270267*	50-275 S	TUITE,P.T.	9207290071	PR
TAYLOR,J.M.	9207060309	SECY	THIERRY,R.L.	9207280090	50-275 S	TURK,J.L.	9207200294	50-70 H
TAYLOR,J.M.	9207090146*	50-220 P	THIERRY,R.L.	9207300066	50-275 S	TURNAGE,F.E.	9207310053*	50-324 P
TAYLOR,J.M.	9207090228	PROJ	THIERRY,R.L.	9207300070	50-275 S	TURNER	9207170271	50-316 R
TAYLOR,J.M.	9207090237*	50-220 P	THOMAS,F.D.	9207290057	PRM	TURNER	9207170272	50-315 R
TAYLOR,J.M.	9207090248*	50-220 P	THOMAS,M.	9207160032*	50-348 Q	ULLRICH,E.	9207070048	I&E
TAYLOR,J.M.	9207090255	SECY	THOMAS,M.J.	9207310187	WASTE MGT	UNNERSTALL,K.	9207280282	FOIA
TAYLOR,J.M.	9207090310	50-387 P	THOMPSON,C.M.	9207230096	50-530 P	UTTAL,S.L.	9207100045	70-3070
TAYLOR,J.M.	9207090339	50-259 P	THOMPSON,C.M.	9207240121	50-530 P	UTTAL,S.L.	9207100099	70-3070
TAYLOR,J.M.	9207090348	50-333 P	THOMPSON,C.M.	9207270271	50-528 P	VALTONEN,K.	9207270295	NUREG
TAYLOR,J.M.	9207090354	50-395 P	THOMPSON,D.	9207270348*	70-27 O	VAN DELL,R.E.	9207140234*	50-263 F
TAYLOR,J.M.	9207090357	50-237 P	THOMPSON,G.A.	9207230012	50-275 O	VAN HORN,R.A.	9207270079	40-8681
TAYLOR,J.M.	9207140138	50-324 P	THOMPSON,H.L.	9207210038	40-8989	VARGA,S.A.	9207200092*	50-387 P
TAYLOR,J.M.	9207100042	50-483 P	THOMPSON,H.L.	9207270333	FOIA	VARGA,S.A.	9207100067	50-286 Q
TAYLOR,J.M.	9207100050	50-335 P	THOMSON,F.X.	9207290311	50-272 S	VARGA,S.A.	9207310048	50-324 P
TAYLOR,J.M.	9207100103	50-275 P	THOMSON,F.X.	9207160140	50-321 R	VAUGHN,G.E.	9207100185	50-400 F
TAYLOR,J.M.	9207100309	50-289 H	TIETZ,G.	9207210217	50-254 R	VAUGHN,G.E.	9207130090	50-400 R
TAYLOR,J.M.	9207100311	WASTE MGT	TIETZ,G.C.	9207150013	50-254 R	VAUGHN,G.E.	9207170128	50-400 R
TAYLOR,J.M.	9207100371*	50-220 P	TING,P.	9207290240*	70-1100	VEL'CHINSKIY,V.	9207070173	REVIEW GR P
TAYLOR,J.M.	9207100407	SECY	TINGEN,S.G.	9207140044*	50-280 Q	VERRELLI,D.M.	92072020115	50-400 Q
TAYLOR,J.M.	9207140008	WASTE MGT	TIPPS,S.B.	9207140176	50-321 S	VERRELLI,D.M.	9207150346	50-416 Q
TAYLOR,J.M.	9207140011	ORG	TIPPS,S.B.	9207160274	50-366 S	VERRELLI,D.M.	9207270035	50-400 Q
TAYLOR,J.M.	9207140178	PR	TIPPS,S.B.	9207160277	50-321 S	VERRELLI,D.M.	9207270078	50-395 Q
TAYLOR,J.M.	9207160060	PR	TIPPS,S.B.	9207240168	50-321 S	VESELY,W.E.	9207010354*	TOPREP
TAYLOR,J.M.	9207170015	PR	TIPPS,S.B.	9207240192	50-366 S	VESELY,W.E.	9207010356*	TOPREP
TAYLOR,J.M.	9207170018	PR	TIPPS,S.B.	9207300044	50-366 S	VESELY,W.E.	9207010357*	TOPREP
TAYLOR,J.M.	9207170028	PR	TIPPS,S.B.	9207310173	50-321 S	VIRGILO,M.J.	9207300064	50-285 P
TAYLOR,J.M.	9207170033	STATE PRO G	TIPTON,T.E.	9207010297	REVIEW GR P	VISSING,G.S.	9207060043	50-336 P
TAYLOR,J.M.	9207170036	50-333 H	TIPTON,T.E.	9207160147	PR	VISSING,G.S.	9207070403	50-336 P
TAYLOR,J.M.	9207170037	NUREG	TIPTON,T.E.	9207240012	PR	VISSING,G.S.	9207290216	50-336 P
TAYLOR,J.M.	9207170058	PR	TITUS,A.	9207090013	50-302 H	VITTUM,S.L.	9207220234	50-206 R
TAYLOR,J.M.	9207170109	ORG	TOBIN,W.J.	9207080256*	50-261 Q	VOLMER,C.J.	9207270066	QA999
TAYLOR,J.M.	9207200043	PR	TOCCI,J.	9207240110	71-482	VON ZELLEN,B.W.	9207220318	50-454 Q
TAYLOR,J.M.	9207200302	50-220 H	TOELLE,S.A.	9207310069	TOPREP	VONDRA,C.A.	9207070369	50-272 S
TAYLOR,J.M.	9207200314*	50-220 H	TOKAR,J.W.	9207080117	70-36	VONDRA,C.A.	9207070382	50-272 S
TAYLOR,J.M.	9207270013	27-48	TOKAR,M.	9207020234	70-1257	VONDRA,C.A.	9207200055	50-272 S
TAYLOR,J.M.	9207270217	52-1	TOKAR,M.	9207090033	70-1257	VONDRA,C.A.	9207200055	50-272 S
TAYLOR,J.M.	9207290072	40-8681	TOKAR,M.	9207090034*	70-27	VONDRA,C.A.	9207200059	50-311 S
TAYLOR,J.M.	9207290093	PR	TOKAR,M.	9207090037	70-36	VONDRA,C.A.	9207200113	50-311 S
TAYLOR,J.M.	9207300281*	PR	TOKAR,M.	9207090047	70-398	VONDRA,C.A.	9207200201	50-311 S
TAYLOR,J.M.	9207310077*	PR	TOKAR,M.	9207150017	70-36	VONDRA,C.A.	9207200215	50-311 R
TAYLOR,J.M.	9207310081	50-123 P	TOKAR,M.	9207230205*	70-1100	VONDRA,C.A.	9207200338	50-272 R
TAYLOR,J.M.	9207310215	50-286 H	TOKAR,M.	9207230214*	70-1257	VONDRA,C.A.	9207300182	50-272 R
TAYLOR,J.M.	9207210130*	50-317 Y	TOKAR,M.	9207290248	70-824	VONDRA,C.A.	9207310112	50-272 S
TAYLOR,M.S.	9207020157*	50-338 Q	TOOTHMAN,E.H.	9207160033	PR	WAGNER,E.J.	9207010319	50-293 R
TAYLOR,S.	9207020046	CONTRACT	TOSCH,K.	9207270227	50-354 P	WAGNER,E.J.	9207220183	50-293 R
TAYLOR,S.	9207020055	CONTRACT	TOSCH,K.W.	9207160089	PR	WAGNER,P.C.	9207080255*	50-313 Q
TAYLOR,S.	9207020080	CONTRACT	TOSCH,K.W.	9207310170	50-219 R	WALKER,D.I.	9207150183*	FOIA
TEDROW,J.	9207270041*	50-400 Q	TOWNSEND,J.D.	9207220215	50-275 R	WALKER,D.I.	9207150259*	40-1478
TEHAN,T.	9207220276	50-193 P	TOWNSEND,J.D.	9207240131	50-275 R	WALKER,D.I.	9207150288*	40-1478
TEHAN,T.	9207200313	50-193 P	TOY,H.	9207300050	71-5950	WALKER,D.I.	9207160116*	40-1478
TENNYSON,M.	9207160030	50-374 S	TOY,H.L.	9207080243	70-8	WALKER,D.I.	9207160168*	40-1478
TENNYSON,M.	9207270356	50-373 S	TOY,H.L.	9207080243	70-8	WALKER,D.I.	9207160247*	40-1478
TERRY,C.D.	9207100007	50-220 P	TRACY,H.T.	9207080266	50-29 J	WALKER,D.I.	9207160289*	40-1478
TERRY,C.D.	9207100044	50-410 P	TRAN,H.	9207220239	50-331 R	WALKER,D.I.	9207160293*	40-1478
TERRY,C.D.	9207230054	50-220 P	TRAPP,J.M.	9207280155*	50-220 Q	WALKER,D.I.	9207160303*	40-1478
TERRY,C.D.	9207220001	50-410 P	TRASK,T.C.	9207270135*	50-271 P	WALKER,D.I.	9207230269*	70-146
TERRY,C.D.	9207230155	50-220 Q	TRAVER,D.	9207020126*	CONTRACT	WALKER,H.A.	9207150016*	50-456 Q
TERRY,C.D.	9207240180	50-220 P	TRAVERS,M.A.	9207230036	40-8406	WALKER,J.R.	9207070266*	50-454 V
TERRY,C.D.	9207300179	50-220 Q	TREJO,F.	9207070364*	FOIA	WALKER,N.M.	9207100273	70-3070
TERRY,C.D.	9207310090	50-220 P	TREJO,F.	9207070378*	FOIA	WALKER,R.C.	9207270158	PRM
TESTA,E.D.	9207140107*	50-302 Q	TREMBLAY,L.A.	9207060252	50-271 P	WALKER,R.D.	9207070399	50-445 P
THADANI,A.	9202200254*	REVIEW GR P	TREMBLAY,L.A.	9207080183	50-271 R	WALKER,R.D.	9207130238	50-446 S
THADANI,A.	9202280112*	REVIEW GR P	TREMBLAY,L.A.	9207140015	50-271 H	WALKER,R.D.	9207150005	50-445 Q
THADANI,A.C.	9207020135*	50-317 P	TROCINE,L.	9207020100*	50-250 Q	WALKER,R.D.	9207150182	50-445 P
THADANI,A.C.	9207290293	TOPREP	TROSKOSKI,W.	9207240013	50-280 Q	WALKER,R.D.	9207160177	50-445 F
THADANI,M.	9207310058	50-438 A	TROTTIER,E.H.	9207130288	50-309 Q	WALKER,R.D.	9207200109	50-445 S
THADANI,M.C.	9207070029	50-438 A	TROTTIER,E.H.	9207140292	50-309 P	WALKER,R.D.	9207270057	50-445 R
THAYER,J.K.	9207180074	PR	TROTTIER,E.H.	9207150242	50-309 P	WALLIN,G.A.	9207160172	50-271 R
THAYER,J.K.	9207180255	50-29 P	TROTTIER,E.H.	9207280349	50-309 P	WALPOLE,J.W.	9207220283	40-7804
THAYER,J.K.	9207230017	50-29 H	TSE,A.	9207130242	PRM	WALSH,J.T.	9207200306*	50-220 H
THAYER,J.K.	9207270246	50-29 Q	TUCKER,H.B.	9207080099	50-269 P	WALSH,J.T.	9207200311*	50-220 H
THE CHAIRMAN	9207020301	COMMISSION	TUCKER,H.B.	9207080259	50-413 I	WALT,T.D.	9207060291	50-344 P
THE CHAIRMAN	9207020316	COMMISSION	TUCKER,H.B.	9207150195	50-269 K	WALT,T.D.	9207100396	50-344 P
THE CHAIRMAN	9207080080	COMMISSION	TUCKER,H.B.	9207160093	50-414 P	WALT,T.D.	9207150148	50-344 P
THE CHAIRMAN	9207080206*	50-443 U	TUCKER,H.B.	9207200223	50-269 P	WALT,T.D.	9207220248	50-344 P
THE CHAIRMAN	9207070404	COMMISSION	TUCKER,H.B.	9207200255	50-287 Q	WALTON,G.A.	9207010323*	50-390 Q
THE CHAIRMAN	9207100211	COMMISSION	TUCKER,H.B.	9207280010	50-269 Q	WALTON,G.A.	9207060074*	50-295 K
THE CHAIRMAN	9207100212	COMMISSION	TUCKER,H.B.	9207290182	PR	WALTON,G.A.	9207140112*	50-390 Q
THE CHAIRMAN	9207100252	COMMISSION	TUCKER,M.P.	9207060021*	50-322 W	WALTON,J.C.	9207060042	NUREG
THE CHAIRMAN	9207130031	COMMISSION	TUCKMAN,M.S.	9207202037	50-413 Q	WALZEL,M.R.	9207140208	FOIA
THE CHAIRMAN	9207170072	COMMISSION	TUCKMAN,M.S.	9207070296	50-413 V	WAMBACH,T.V.	9207060051	52-2
THE CHAIRMAN	9207210212	COMMISSION	TUCKMAN,M.S.	9207100358	50-413 F	WAMBACH,T.V.	9207100058	52-2
THE CHAIRMAN	9207210302	COMMISSION	TUCKMAN,M.S.	9207140305	50-413 F	WAMBACH,T.V.	9207130179	52-2
THE CHAIRMAN	9207210327	COMMISSION	TUCKMAN,M.S.	9207160238	50-413 P	WANG,A.	9207220413	50-213 P
THEOFAFANOS,T.G.	9207270318	NUREG	TUCKMAN,M.S.	9207170143	50-413 F	WANG,A.B.	9207060238	50-213 P
THIERRY,R.	9207070320	50-275 S	TUCKMAN,M.S.	9207240034	50-413 F	WANG,A.B.	9207060240*	50-213 P

## PERSONAL AUTHOR INDEX 271

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WANGLER,M.E.	9207100015	71-5740	WILLIAMS,B.	9207300254*	50-368	WOODWARD,J.B.	9207070153	50-348
WANGLER,M.E.	9207200115	71-5957	WILLIAMS,F.J.	9207070287	50-247	WOODWARD,J.D.	9207270064	PR
WARD,D.	9207220228	ACRS	WILLIAMS,F.J.	9207080253	50-247	WOOLSEY,R.T.	9207180138*	40-1478
WARD,D.	9207230191	ACRS	WILLIAMS,F.J.	9207220205	50-247	WOOLSEY,R.T.	9207180144*	70-712
WARD,D.A.	9207090266*	PROJ	WILLIAMS,J.	9207150279	50-259	WOOLSEY,R.T.	9207230199*	70-146
WARD,D.A.	9207220237	ACRS	WILLIAMS,J.F.	9207100072	50-260	WRIGHT,B.L.	9207070338*	FOIA
WARD,D.A.	9207220246	ACRS	WILLIAMS,J.F.	9207160304	50-259	WRIGHT,G.C.	9207010009	50-315
WARD,D.A.	9207220249	ACRS	WILLIAMS,J.H.	9207140267*	50-410	WRIGHT,G.C.	9207010141	50-373
WARD,D.A.	9207230154	ACRS	WILLIAMS,M.	9207210110	50-482	WRIGHT,G.C.	9207070197	50-461
WARD,K.D.	9207150034*	50-237	WILLIAMS,O.G.	9207070331	FOIA	WRIGHT,G.C.	9207070255	50-454
WAREMBOURG,D.W.	9207010011	71-9216	WILLIAMS,O.G.	9207140300	FOIA	WRIGHT,G.C.	9207070281	50-305
WAREMBOURG,D.W.	9207010021	50-267	WILLIAMS,O.G.	9207160167	FOIA	WRIGHT,G.C.	9207090280	50-263
WAREMBOURG,D.W.	9207090001	50-267	WILLIAMS,O.G.	9207220307	FOIA	WRIGHT,G.C.	9207090342	50-155
WAREMBOURG,D.W.	9207090005	50-267	WILLIAMS,P.M.	9207010272	PROJ	WRIGHT,G.C.	9207100100	50-454
WAREMBOURG,D.W.	9207220394	50-267	WILLIAMS,R.A.	9207210063*	50-413	WRIGHT,G.C.	9207140130	50-331
WAREMBOURG,D.W.	9207280268	50-267	WILLIAMS,R.A.	9207210087*	50-369	WRIGHT,G.C.	9207150041	50-331
WASTER,S.L.	9207100332	40-8980	WILLIAMS,R.A.	9207210237*	50-269	WRIGHT,G.C.	9207170238	50-454
WATKINS,J.C.	9207140288	NUREG	WILLIAMS,S.E.	9207010106*	50-320	WRIGHT,G.C.	9207170240	50-461
WATKINS,R.L.	9207060107	50-317	WILLIAMS,S.T.	9207310134	50-289	WRIGHT,G.C.	9207170249	50-155
WATSON,R.A.	9207310159	50-324	WILLIAMS,S.T.	9207220136*	FOIA	WRIGHT,G.C.	9207220098	50-346
WAUGH,G.H.	9207230117*	70-371	WILLINK,W.	9207240254	50-409	WRIGHT,G.C.	9207280162	50-266
WEBER,G.A.	9207070325	50-316	WILLSON,F.F.	9207140247*	70-712	WRIGHT,G.C.	9207310012	50-315
WEBER,G.A.	9207230287	50-315	WILSON,B.A.	9207010245	50-327	WRIGHT,G.C.	9207310032	50-155
WEBER,G.A.	9207230290	50-315	WILSON,B.A.	9207020061	50-259	WU,S.L.	9207270321	NUREG
WEBER,W.	9207310163*	50-285	WILSON,B.A.	9207020148	50-259	WUNDER,G.	9207020054	50-395
WEICKER,L.P.	9207100106*	50-336	WILSON,B.A.	9207140094	50-259	WUNDER,G.F.	9207070215	50-395
WEIDEMAN,D.G.	8901190467*	FOIA	WILSON,B.A.	9207140144	50-327	WUNDER,G.F.	9207270287	50-395
WEIGLE,R.F.	9207230325	FOIA	WILSON,B.A.	9207220052	50-327	WYLLIE,C.	9207230116	ACRS
WEIL,C.H.	9207140313*	50-461	WILSON,D.L.	9207220239	50-331	WYLLIE,C.	9207230145	ACRS
WEIL,C.H.	9207150122*	FOIA	WILSON,D.L.	9207240245	50-331	WYLLIE,J.D.	9207230082	50-413
WEIL,C.H.	9207220358*	50-461	WILSON,G.D.	9207080124	50-410	YAN,H.	9207270318	NUREG
WEIL,C.H.	9207220376*	FOIA	WILSON,G.D.	9207280086	50-220	YANDELL,L.A.	9207100189*	50-445
WEIL,C.H.	9207220398*	50-329	WILSON,J.L.	9207080186	PT21	YANDELL,L.A.	9207200034*	50-445
WEIL,C.H.	9207220399*	50-329	WILSON,J.L.	9207080222	50-327	YANG,J.W.	9207060067	NUREG
WEISS,A.J.	9207140232	NUREG	WILSON,J.L.	9207080246	50-328	YANINCHKO,S.E.	9207280261*	50-315
WEISS,S.H.	9207020201*	50-2	WILSON,J.L.	9207080354	50-327	YIN,I.T.	9207070178*	50-461
WEISS,S.H.	9207230177	50-47	WILSON,J.L.	9207090172	50-327	YORK,J.W.	9207140044*	50-280
WEISS,S.H.	9207280340*	50-29	WILSON,J.L.	9207090345	50-327	YOUNG,D.A.	9207100025*	40-1478
WEISS,S.H.	9207310096*	50-262	WILSON,J.L.	9207150110	50-328	YOUNG,R.J.	9207060235	50-369
WELSH,K.A.	9207150213*	50-458	WILSON,J.L.	9207160341	50-328	YOUNG,T.E.	9206030130*	50-220
WENZINGER,E.	9207010082	50-277	WILSON,J.L.	9207200153	50-327	YOUNGBLOOD,B.	9207160258*	FOIA
WENZINGER,E.	9207280170	50-277	WILSON,J.L.	9207210328	50-327	YOUNGBLOOD,B.J.	9207150109*	FOIA
WENZINGER,E.C.	9207010048	50-387	WILSON,J.L.	9207290259	50-327	YOUNGBLOOD,B.J.	9207220058	WASTE MGT
WENZINGER,E.C.	9207070031	50-322	WILSON,J.L.	9207310166	50-328	YUHAS,G.	9207160270*	STATE PRO G
WENZINGER,E.C.	9207090243	50-272	WINSLOW,T.P.	9207270082	70-1113	YUHAS,G.	9207270109*	STATE PRO G
WERT,L.D.	9207270110*	50-321	WITHERS,B.D.	9207080165	50-482	YUHAS,G.P.	9207280263	STATE PRO G
WESTBERG,R.A.	9207140089*	50-346	WITHERS,B.D.	9207160047	PR	ZABIELSKI,V.	9207200194	50-354
WESTERMAN,T.F.	9207070052*	50-458	WITHERS,B.D.	9207170169*	50-482	ZAGRZEBSKI,R.	9207070073	50-457
WHARTON,L.R.	9207220423	50-483	WITHERS,B.D.	9207170177*	50-482	ZALCMAN,B.	9207020112	REVIEW GR P
WHITCOMB,D.L.	9207280255	50-397	WIFFORD,H.	9207100314*	50-289	ZALCMAN,B.	9207160005	REVIEW GR P
WHITE,J.	9207010051*	50-387	WOHL,D.P.R.	9207220224	ACRS	ZALCMAN,B.	9207280187	ORG
WHITE,J.R.	9207090259*	50-272	WOHL,D.P.R.	9207220224	ACRS	ZALESNY,P.	9207020176	50-336
WHITE,J.R.	9207280063	50-272	WOLF,C.	9207230223*	CONTRACT	ZECH,L.J.	9207060035	50-304
WHITE,J.R.	9207280077	50-387	WONG,H.	9207210007*	50-528	ZEILER,J.	9207140065*	50-413
WHITE,J.R.	9207280084	50-387	WONG,H.	9207210105*	50-206	ZERINGUE,O.J.	9207140296	50-259
WHITEHEAD,D.W.	9207170247*	FOIA	WONG,H.	9207210133*	50-528	ZERINGUE,O.J.	9207240138	50-259
WHITEHEAD,D.W.	9207170251*	FOIA	WONG,H.J.	9207090350*	50-528	ZERINGUE,O.J.	9207240149	50-259
WHITESEL,R.N.	9207170046	REVIEW GR P	WOOD,D.G.	9207130067	PR	ZERINGUE,O.J.	9207240212	50-259
WHITESEL,R.N.	9207280285	REVIEW GR P	WOOD,D.G.	9207140054	PR	ZERINGUE,O.J.	9207270008	50-259
WHITMAN,A.I.	9207230197*	70-146	WOODARD,C.H.	9207150078*	50-245	ZERINGUE,O.J.	9207290133	50-259
WHITMAN,G.	9207220144	50-237	WOODARD,C.H.	9207170074*	50-410	ZERINGUE,O.J.	9207310128	50-259
WHITT,M.S.	9207210092	50-368	WOODARD,J.D.	9207060250	50-348	ZHANG,X.J.	9207270284	50-329
WICHES,D.L.	9207020172	40-8981	WOODARD,J.D.	9207060285	50-348	ZIEGENHORN,D.L.	9109100117*	FOIA
WIDEMAN,S.G.	9207070015	50-482	WOODARD,J.D.	9207070345	50-348	ZIELINSKI,K.	9207140029	50-255
WIDEMAN,S.G.	9207160281	50-482	WOODARD,J.D.	9207130045	50-348	ZIELINSKI,K.	9207150096	50-255
WIEDEMAN,D.G.	8901190471*	FOIA	WOODARD,J.D.	9207140271	50-348	ZIMMERMAN,J.M.	9207220238*	FOIA
WIEDEMAN,D.G.	8906140094*	FOIA	WOODARD,J.D.	9207160149	50-364	ZIMMERMAN,R.P.	9207010063	50-206
WIEDEMAN,D.G.	8906140096*	FOIA	WOODARD,J.D.	9207160161	50-348	ZIMMERMAN,R.P.	9207090301	50-528
WIEDEMAN,D.G.	8906140118*	FOIA	WOODARD,J.D.	9207170031	50-348	ZIMMERMAN,R.P.	9207090309	50-275
WIEDEMAN,D.G.	8906140123*	FOIA	WOODARD,J.D.	9207200126	50-348	ZIMMERMAN,R.P.	9207090322	50-397
WIEDEMAN,D.G.	9207010231*	40-8135	WOODARD,J.D.	9207210321	50-348	ZIMMERMAN,R.P.	9207100173	50-397
WIENS,L.A.	9207200199	50-269	WOODARD,J.D.	9207220004	50-348	ZIMMERMAN,R.P.	9207100188	50-275
WIENS,L.A.	9207220284*	50-413	WOODARD,J.D.	9207220168	50-364	ZIMMERMAN,R.P.	9207150350	50-344
WIENS,L.A.	9207230200	50-269	WOODARD,J.D.	9207300282	50-348	ZIMMERMAN,R.P.	9207210129	50-528
WIENS,L.A.	9207300194	50-269	WOODARD,J.D.	9207310157	50-348	ZIMMERMAN,R.P.	9207270265	50-528
WILCOX,J.D.	9207100073*	50-286	WOODLAN,D.R.	9207080317	50-446	ZINKE,G.A.	9207140051	50-416
WILLIAM,J.J.	9207100348	50-498	WOODLAN,D.R.	9207270060	50-445	ZINKE,G.A.	9207140175	50-416
WILLIAM,S.T.	9207220089*	FOIA	WOODS,P.R.	9207100424*	CONTRACT	ZUBY,J.M.	9207220035*	70-3072
						ZUBY,J.M.	9207220039*	70-3072



## CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
ABB Atom, Inc. (formerly ASEA Atom, Inc.)	9207220287	70-1100	Amersham Corp.	9207160056	PR
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9207010030	70-1100	Applied Technical Services, Inc.	9207300226	71-6717
	9207060187*	50-368 P	Arizona Public Service Co. (formerly Arizona Nuclear Power Project)	9207070009	50-528 V
	9207070147*	TOPREP		9207070009	50-528 V
	9207160251	70-1100		9207070010	50-528 V
	9207160254*	70-1100		9207070010	50-528 V
	9207200021	52-2		9207070010	50-528 V
	9207200024*	52-2		9207070043	50-528 Q
	9207220287	70-1100		9207070310	50-528 S
ACURI Association, Inc. (Appalachian Compact Users of Radioactive Isotopes)	9207270087	PR		9207070312	50-528 S
AECL Technologies	9207290137	PRCJ		9207070314	50-528 P
ASEA Brown Boveri, Inc.	9207080186	PT21		9207070337	50-528 P
	9207160251	70-1100		9207070337	50-528 P
	9207200021	52-2		9207070350	50-528 J
	9207310069	TOPREP		9207080017	50-528 P
ATI Consulting	9207080168*	50-361 P		9207080019	50-528 R
	9207080170*	50-361 P		9207170267	50-528 R
Advanced Medical Systems, Inc.	9207080097	71-5796		9207210319	50-528 S
Aerotest Operations, Inc.	9207130147	50-228		9207210326	50-528 S
	9207280285	50-228		9207220217	50-528 T
	9207280286*	50-228		9207270218	50-528 F
Air Force, Dept. of	9207130036	PR		9207270218	50-528 F
	9207130067	PR		9207300081	50-528 Q
	9207140054	PR	Arizona State Univ., Tempe, AZ	9207080085	50-528 NUREG
	9207210226	PR	Arizona, Univ. of, Tucson, AZ	9207270295	50-528 NUREG
Akron General Medical Center, Akron, OH	8906200186*	FOIA	Arkansas, State of	9207270021	PR
	8908140289*	FOIA	Army, Dept. of	9207280365*	40-2253
	9007180378*	FOIA		9207280370*	40-2253
Akron Industrial Services, Inc.	9207080083	71-595		9207280343*	40-2253
Alabama Power Co.	9207090082	50-348 G	Army, Dept. of, Corps of Engineers	9207280358*	40-2253
	9207090118	50-348 G		9207090126	50-47 W
Alabama, State of	9207130060	PRM			
Alabama, Univ. of, Birmingham, AL	9207270017	PRM		9207280325	FOIA
Allen, H.C., Jr., MD	9207270033	PRM		9207060091*	50-295 K
Allied-Signal Corp.	9207240210*	40-3382	Aronson, Fetridge, Weigle & Stern	9207280257	50-219 S
Aluminum Co. of America	9207090021	40-501	Atomics International	8906020038*	FOIA
American Associated Testing, Inc.	9207160051	71-743	Atwood & Morrill Co., Inc.	9101020351*	FOIA
American College of Nuclear Physicians	9207180018	PR			
	9207210232	PR		9109240016*	FOIA
	9207230020	PR		9207280326*	FOIA
American College of Radiology	9207180037	PR	B&W Fuel Co.	9207090197	71-6294
	9207230028	PR		9207300185	71-115
				9207310143	XPORTLIC
American Electric Power Co., Inc.	9207270028	PRM			
American Medical Laboratories, Inc.	9207310221*	50-293 Q	BP Chemicals International	9207220283	40-7604
American Municipal Power-Ohio, Inc.	9207130038	PRM	BW/IP International, Inc. (formerly Byro Jackson Pump Division)	9207090081	50-445 S
American Scitac, Inc.	9207100084	50-348 M	Babcock & Wilcox Co.	9207080173	70-28
	8410090322*	FOIA		9207080173	70-28
	8410090326*	FOIA		9207080174	70-824
	8410090332*	FOIA		9207060203*	50-338 P
	8410090342*	FOIA		9207080195	70-135
	8410090348*	FOIA		9207080199*	70-135
	8410090356*	FOIA		9207080295	70-28
	8410090359*	FOIA		9207080295	70-28
	8410090360*	FOIA		9207080295	70-28
	8410090361*	FOIA		9207080295	70-28
	8410090362*	FOIA		9207080296*	70-28
	8410090363*	FOIA		9207080296*	70-28
	8410090364*	FOIA		9207080296*	70-28
	8607300184*	FOIA		9207080296*	70-28
	9207180088*	FOIA		9207080313	70-135
	9207180096*	FOIA		9207100081	70-824
	9207180120*	FOIA		9207100139	70-27
	9207180128*	FOIA			
American Standard, Inc.	9207180228*	FOIA		9207100291*	50-295 P
	9207150080*	70-140		9207100291*	50-295 P
				9207130168	70-135

# 274 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9207150058	70-27		9207060067	NUREG
	9207170174	70-27		9207140232	NUREG
	9207210201*	50-269		9207140248	50-324
	9207240145	70-27		9207140262	NUREG
	9207290224	70-824		9207140266	NUREG
Baltimore Gas & Electric Co.	9207010070	50-317		9207270295	NUREG
	9207010267	50-317		9207280283	52-1
	9207060003	50-317	C-E Operating Plants Owners Group	9207070145	TOPREP
	9207060003	50-317	CiC-Union Europeenne, International et Cie	9207070412	40-6622
	9207060012	50-317			
	9207060012	50-317	California, Univ. of, Los Angeles, CA	9207140164	PRM
	9207080204	50-317	California, Univ. of, Los Angeles, Medical School	9207140128	PR
	9207080204	50-317	California, Univ. of, Santa Barbara, CA	9207270318	NUREG
	9207080206	50-317	Calvert Co., Inc.	9207090068	50-302
	9207100258	50-317	Carolina Power & Light Co.	9207010123	50-261
	9207100259	50-317		9207010222	50-324
	9207150120	50-317		9207010225	50-325
	9207200137	50-317		9207020223	50-261
	9207200137	50-317		9207070042	50-324
	9207200154	50-317		9207070042	50-324
	9207200155	50-317		9207070125	50-325
	9207200179	50-317		9207080109	50-261
	9207200322	50-317		9207080158	50-400
	9207210046	50-317		9207080160*	50-400
	9207210046	50-317		9207080169	50-261
	9207210116	50-317		9207080178	50-324
	9207210116	50-317		9207080178	50-324
	9207210116	50-317		9207080184	50-261
	9207210221	50-317		9207080189	50-400
	9207210221	50-317		9207080190	50-261
	9207210225	PR		9207080191	50-324
	9207220074	50-317		9207080191	50-324
	9207230033	50-318		9207080007	50-324
	9207230230*	50-317		9207080195	50-261
	9207230277	50-317		9207100185	50-400
	9207240156*	50-317		9207100195	50-261
	9207240156*	50-317		9207100201	50-400
	9207240156*	50-317		9207100204	50-324
	9207290094	50-318		9207130080	50-261
	9207290111	50-317		9207130090	50-400
	9207290338	50-317		9207140246	50-324
	9207290338	50-317		9207140246	50-324
	9207290345	50-317		9207140253	50-400
	9207290345	50-317		9207150009	50-324
Baton Rouge, LA	9207100069	FOIA		9207150019	50-261
Battelle Memorial Institute	9207130187*	CONTRACT		9207150127	50-261
	9207140031	NUREG		9207150260	50-324
Battelle Memorial Institute, Columbus Laboratories	9207080243	70-8		9207150280	50-261
				9207150313	50-261
	9207220254	70-8		9207150316	50-400
	9207300050	71-5950		9207170128	50-400
Battelle Memorial Institute, Pacific Northwest Laboratory	9202190101*	50-285	Q	9207170279	50-261
	9207070372*	50-395	Q	9207200131	50-324
				9207220129	50-324
	9207140273	NUREG		9207220138*	50-324
Bel-Jean Copy/Print Center	9207270321	NUREG		9207220325	50-261
Beth Israel Hosp., Boston, MA	9207100404*	CONTRACT		9207230043	50-261
	9207130011	PRM		9207230065	50-400
	9207130015	PRM		9207230292	50-261
	9207130028	PRM		9207280051	50-261
Bethlehem Steel Corp.	9207160033	PR		9207290101	50-400
Bingham Environmental	9207080008*	40-8989		9207290107*	50-400
	9207160102*	40-8989		9207300175	50-400
Boeing Computer Services Co. (div. of	9207090152	QA999		9207310060	50-261
Boeing Co.)				9207310083	50-400
Boston Edison Co.	9207010319	50-293	R	9207310091	50-324
	9207060279	50-293	K	9207310091	50-324
	9207070003	50-293	P	9207310159	50-324
	9207070004*	50-293	P	9207310231	50-261
	9207070146	50-293	S	9207010215	WASTE MGT
	9207100266	50-293	R	9207010226*	WASTE MGT
	9207130044	PR		9207060262	WASTE MGT
	9207150139	50-293	R	9207090095*	WASTE MGT
	9207160070	50-293	H		
	9207210243	50-293	H	9207220244	WASTE MGT
	9207210320	50-293	S	9207230112*	WASTE MGT
	9207220183	50-293	R	9207230115*	WASTE MGT
	9207240022	50-293	S	9207280318	WASTE MGT
	9207240174	50-293	Q	9207300131	WASTE MGT
	9207270090	PR		9207300269	WASTE MGT
Brigham & Women's Hosp., Boston, MA	9207310219	50-293	Q	9207010129	50-440
Brookhaven National Laboratory	9207130015	PRM		9207010138*	50-440
	9202280331*	50-255	P	9207020208	50-346
	9207010354*	TOPREP		9207060011	50-346
	9207010356*	TOPREP		9207060172	50-440
	9207010357*	TOPREP		9207060176*	50-440
	9207060058	NUREG		9207070040	50-440
	9207060061	NUREG		9207070175	50-440



AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9207070221	50-440 S		9207010012	50-454 F
	9207070280	50-440 S		9207010012	50-454 F
	9207070409	50-440 P		9207010083	50-249 P
	9207070409	50-440 P		9207010101	50-454 F
	9207070411*	50-440 P		9207020083	50-265 S
	9207080179	50-346 P		9207020099*	50-265 S
	9207080262	50-346 P		9207020119	50-295 F
	9207150251	50-346 P		9207020119	50-295 F
	9207150253*	50-346 P		9207020125	50-295 F
	9207160038	50-346 H		9207020125	50-295 F
	9207160040	50-346 H		9207020166	50-295 F
	9207160103	PR		9207020174	50-295 F
	9207170269	50-440 R		9207020258	50-373 F
	9207200097	50-440 P		9207020260	50-10 F
	9207200139	50-346 P		9207020260	50-10 F
	9207200261	50-346 P		9207020264	50-295 F
	9207200335	50-440 F		9207020266	50-254 F
	9207240153	50-440 P		9207020266	50-254 F
	9207270238	50-346 V		9207020269	50-454 F
	9207280115	50-440 H		9207020269	50-454 F
	9207290151	50-346 H		9207020271	50-456 F
	9207300127	50-440 Q		9207060010	50-295 K
	9207270055	PR		9207060010	50-295 K
Central Midwest Interstate Low-Level Radioactive Waste Commission (formerly Central Power & Light Co.	9207100370*	50-498 I		9207060013*	50-295 K
				9207060013*	50-295 K
Chem-Nuclear Systems, Inc.	9207080122	27-47		9207060015*	50-295 K
	9207090054	71-9249		9207060015*	50-295 K
	9207160006	PR		9207060016*	50-295 K
	9207230042	PR		9207060016*	50-295 K
	9207270142	WASTE MGT		9207060017	50-304 S
	9207270147*	WASTE MGT		9207060019*	50-295 K
Chemetron Corp.	9207070421	40-8724		9207060019*	50-295 K
	9207290019	40-8724		9207060024*	50-295 K
Child Care Group	9207100198	FOIA		9207060024*	50-295 K
	9207100308*	FOIA		9207060028*	50-295 K
	9207100321*	FOIA		9207060028*	50-295 K
	9207100326*	FOIA		9207060030*	50-295 K
Cincinnati, Univ. of, Medical Center, Cincinnati, OH	9207270029	PRM		9207060030*	50-295 K
Cintichem, Inc.	9207170156	70-687		9207060031*	50-295 K
				9207060031*	50-295 K
	9207170159*	70-687		9207060034*	50-295 K
Citibank, N.A.	9207200159	40-8027		9207060034*	50-295 K
Clark & Stant, P.C.	9207270290	50-338 S		9207060035	50-304 S
Clermont Mercy Hosp., Batavia, OH (formerly Clermont County Hosp.)	9008060149*	FOIA		9207060037*	50-295 K
				9207060037*	50-295 K
	9008060157*	FOIA		9207060038*	50-295 K
Cleveland Clinic Foundation, Cleveland, OH	8204050127*	FOIA		9207060038*	50-295 K
	8704220166*	FOIA		9207060040*	50-295 K
	8704220187*	FOIA		9207060040*	50-295 K
	9207160301*	FOIA		9207060058*	50-295 K
	9207160327*	FOIA		9207060064*	50-295 K
	9207210265*	FOIA		9207060068*	50-295 K
	9207210279*	FOIA		9207060068*	50-295 K
	9207210300*	FOIA		9207060070*	50-295 K
	9207210316*	FOIA		9207060070*	50-295 K
	9207230063*	FOIA		9207060072*	50-295 K
	9207230114*	FOIA		9207060072*	50-295 K
	9207230127*	FOIA		9207060074*	50-295 K
	9207230133*	FOIA		9207060084*	50-295 K
	9207230141*	FOIA		9207060084*	50-295 K
	9207230204*	FOIA		9207060083*	50-295 K
	9207230208*	FOIA		9207060083*	50-295 K
	9207230215*	FOIA		9207060085*	50-295 K
	9207230231*	FOIA		9207060085*	50-295 K
	9207230257*	FOIA		9207060096*	50-295 K
	9207230267*	FOIA		9207060096*	50-295 K
Cleveland Electric Illuminating Co.	9207010343*	50-440 P		9207060099*	50-295 K
	9207020141	50-346 M		9207060099*	50-295 K
	9207240154*	50-440 P		9207060104*	50-295 K
				9207060104*	50-295 K
Cleveland, OH	9207020170	50-346 M		9207060106*	50-295 K
	9207100010	50-346 M		9207060106*	50-295 K
Colorado, State of	9207200240	50-287 P		9207060106*	50-295 K
Commercial Discount Corp.	9207090348*	40-7803		9207060109*	50-295 K
	9207090347*	40-7803		9207060109*	50-295 K
	9207100022*	40-7803		9207060112*	50-295 K
	9207100027*	40-7803		9207060112*	50-295 K
	9207100053*	40-7803		9207060113*	50-295 K
	9207100078*	40-7803		9207060113*	50-295 K
	9207100088*	40-7803		9207060114*	50-295 K
				9207060114*	50-295 K
Committee to Bridge the Gap Commonwealth Edison Co.	9207160026	PR		9207060114*	50-295 K
	9207010002	50-454 F		9207060116*	50-295 K
	9207010002	50-454 F		9207060116*	50-295 K
	9207010003	50-454 F		9207060117*	50-295 K
	9207010003	50-454 F		9207060117*	50-295 K
	9207010004	50-454 F		9207060119*	50-295 K
	9207010004	50-454 F		9207060119*	50-295 K
	9207010007	50-454 F		9207060124*	50-295 K
	9207010007	50-454 F		9207060124*	50-295 K

## 276 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9207060126*	50-295		9207090017*	50-254
	9207060126*	50-295		9207090017*	50-254
	9207060129*	50-295		9207090022*	50-254
	9207060129*	50-295		9207090022*	50-254
	9207060130*	50-295		9207090025*	50-254
	9207060130*	50-295		9207090025*	50-254
	9207060132*	50-295		9207090030*	50-254
	9207060132*	50-295		9207090030*	50-254
	9207060133*	50-295		9207090032*	50-254
	9207060133*	50-295		9207090032*	50-254
	9207070068	50-237		9207090035*	50-254
	9207070068	50-237		9207090035*	50-254
	9207070068	50-237		9207090038*	50-254
	9207070068	50-237		9207090038*	50-254
	9207070068	50-237		9207090039*	50-254
	9207070068	50-237		9207090039*	50-254
	9207070068	50-237		9207090039*	50-254
	9207070068	50-237		9207090041	50-254
	9207070068	50-237		9207090041	50-254
	9207070068	50-237		9207090042*	50-254
	9207070068	50-237		9207090042*	50-254
	9207070068	50-237		9207090045*	50-254
	9207070068	50-237		9207090045*	50-254
	9207070073	50-457		9207090049*	50-254
	9207070089*	50-237		9207090049*	50-254
	9207070089*	50-237		9207090051*	50-254
	9207070089*	50-237		9207090051*	50-254
	9207070089*	50-237		9207090053*	50-254
	9207070089*	50-237		9207090053*	50-254
	9207070089*	50-237		9207090056*	50-254
	9207070089*	50-237		9207090056*	50-254
	9207070089*	50-237		9207090058	50-254
	9207070089*	50-237		9207090058	50-254
	9207070089*	50-237		9207090060*	50-254
	9207070089*	50-237		9207090060*	50-254
	9207070089*	50-237		9207090061*	50-254
	9207070090	50-265		9207090061*	50-254
	9207070098	50-265		9207090065	50-254
	9207070111	50-254		9207090065	50-254
	9207070116	50-455		9207090066*	50-254
	9207070154	50-254		9207090066*	50-254
	9207070154	50-254		9207090070*	50-254
	9207070164	50-10		9207090070*	50-254
	9207070164	50-10		9207090071	50-254
	9207070164	50-10		9207090071	50-254
	9207070170	50-10		9207090072*	50-254
	9207070170	50-10		9207090072*	50-254
	9207070170	50-10		9207090072*	50-254
	9207070185*	50-10		9207090080	50-254
	9207070185*	50-10		9207090080	50-254
	9207070185*	50-10		9207090083*	50-254
	9207070185*	50-10		9207090083*	50-254
	9207070188*	50-440		9207090087*	50-254
	9207070188*	50-440		9207090087*	50-254
	9207070192*	50-10		9207090087*	50-254
	9207070192*	50-10		9207090088*	50-254
	9207070192*	50-10		9207090088*	50-254
	9207070200*	50-254		9207090090	50-254
	9207070203*	50-254		9207090090	50-254
	9207070214*	50-10		9207090092*	50-254
	9207070214*	50-10		9207090092*	50-254
	9207070214*	50-10		9207090112	50-237
	9207070220*	50-10		9207090112	50-237
	9207070220*	50-10		9207090112	50-237
	9207070220*	50-10		9207090112	50-237
	9207070227	50-10		9207090112	50-237
	9207070227	50-10		9207090112	50-237
	9207070227	50-10		9207090112	50-237
	9207070227	50-10		9207090127	50-254
	9207070233*	50-10		9207090127	50-254
	9207070233*	50-10		9207090132	50-254
	9207070233*	50-10		9207090132	50-254
	9207070237*	50-10		9207090153	50-454
	9207070237*	50-10		9207090155	50-237
	9207070237*	50-10		9207090155	50-237
	9207070259	50-254		9207090155	50-237
	9207070274	50-374		9207090155	50-237
	9207070305	50-10		9207090157*	50-237
	9207070414	50-249		9207090157*	50-237
	9207080004	50-237		9207090157*	50-237
	9207080004	50-237		9207090157*	50-237
	9207080029	50-237		9207090164	50-254
	9207080029	50-237		9207090164	50-254
	9207080105	50-456		9207100132	50-249
	9207080105	50-456		9207100152	50-254
	9207080111*	50-456		9207100156	50-254
	9207080111*	50-456		9207100156	50-254
	9207080154	50-456		9207100283	50-295
	9207080201	50-373		9207100283	50-295
	9207080232	71-9233		9207100283	50-295
	9207080251	50-249		9207100325	71-9233
	9207080306	50-237		9207130016	PR
	9207090014	50-254		9207130183	50-237
	9207090014	50-254		9207130183	50-237

## CORPORATE SOURCE INDEX 277

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9207140033	50-254 S		9207310171	50-237 Q
	9207140082	50-456 R		9207310171	50-237 Q
	9207140082	50-456 R		9207310171	50-237 Q
	9207140153	50-374 Q		9207310171	50-237 Q
	9207140188	50-265 S		9207310171	50-237 Q
	9207140199	50-295 Q		9207310171	50-237 Q
	9207140206	50-237 S		9207310260	50-456 F
	9207140227	50-374 P		9207310260	50-456 F
	9207140228*	50-374 P	Computer Maintenance & Parts Corp.	9207150094*	CONTRACT
	9207140316	50-10 R	Conference of Radiation Control Program	9207130032	PRM
	9207140316	50-10 R	Directors, Inc.		
	9207140316	50-10 R		9207130047	PRM
	9207150003	50-455 S		9207270113	PRM
	9207150013	50-254 R	Connecticut Yankee Atomic Power Co.	9207060232	50-213 I
	9207150013	50-254 R		9207060232	50-213 I
	9207150021*	50-374 Q		9207070291	50-213 F
	9207150052	50-373 R		9207070317	50-213 F
	9207150084	50-382 S		9207080150	50-213 P
	9207150176	50-373 P		9207080155*	50-213 P
	9207150179*	50-373 P		9207140002	50-213 S
	9207150198	50-374 P		9207140037	50-213 Q
	9207150200*	50-374 P		9207140272	50-213 P
	9207150204	50-295 F		9207150191	50-213 P
	9207150204	50-295 F		9207160218	50-213 P
	9207160030	50-374 S		9207170199	50-213 P
	9207160111	PR		9207170235	50-213 S
	9207160182	50-374 S		9207200152	50-213 S
	9207160205	50-254 P		9207200160*	50-213 H
	9207160208*	50-254 P		9207200206	50-213 H
	9207160249	50-456 R		9207200344*	50-213 H
	9207160249	50-456 R		9207220003	50-213 P
	9207160256*	50-456 R		9207220003	50-213 P
	9207160259*	50-456 R		9207230025	50-213 S
	9207160357	50-254 S		9207230053	50-213 F
	9207170059	50-237 P		9207230056*	50-213 F
	9207170063	50-456 F		9207290082	50-213 S
	9207170103	50-373 F		9207290106	50-213 S
	9207170103	50-373 F		9207290129	50-213 S
	9207170165	50-254 Q		9207310103	50-213 Q
	9207170195	50-295 P		9207310152	50-213 P
	9207170195	50-295 P	Connecticut, State of	9207100106*	50-336 H
	9207170196*	50-295 P	Connex Pipe Systems, Inc.	9207150212	50-458 S
	9207170196*	50-295 P		9207150213*	50-458 S
	9207170273	50-295 R	Consolidated Edison Co. of New York, Inc	9207010013	50-247 H
	9207170273	50-295 R		9207020279	50-247 I
	9207200005	50-254 Q		9207060287	50-247 F
	9207200005	50-254 Q		9207090203	50-247 F
	9207210008	50-10 F		9207140180	50-247 O
	9207210008	50-10 F		9207140209	50-247 P
	9207210217	50-254 R		9207150312	50-247 P
	9207210217	50-254 R		9207160261	50-247 F
	9207220009	50-237 P		9207200048	50-247 O
	9207220009	50-237 P		9207200103	50-247 F
	9207220144	50-237 S		9207270201	50-247 F
	9207220147	50-249 S		9207280022	50-247 P
	9207220154	50-237 S		9207280023	50-247 V
	9207220233	50-456 F		9207280102	50-247 S
	9207220243	50-454 F	Consumers Power Co.	9207060308	50-255 T
	9207220359	50-295 F		9207070007	50-255 O
	9207270137	50-254 P		9207070349	50-255 Q
	9207270171	50-454 R		9207080072	50-255 F
	9207270215	50-265 P		9207080177	50-155 P
	9207270224	50-373 P		9207080187	50-255 P
	9207270303	50-295 Q		9207080003	50-155 S
	9207270303	50-295 Q		9207130117	50-155 R
	9207270356	50-373 S		9207130138	50-155 F
	9207280174	50-254 Q		9207140025	50-255 F
	9207280174	50-254 Q		9207140029	50-255 F
	9207280190	50-237 S		9207140058	50-255 R
	9207280205	50-457 S		9207140318	50-155 Q
	9207280379	50-254 F		9207150088	50-255 F
	9207280379	50-254 F		9207150090	50-255 F
	9207280386	50-254 F		9207150093	50-255 F
	9207280386	50-254 F		9207150096	50-255 F
	9207290351	50-454 R		9207150101	50-255 F
	9207290351	50-454 R		9207150215	50-255 F
	9207290351	50-454 R		9207150234	50-255 V
	9207290351	50-454 R		9207150237	50-155 P
	9207290356*	50-454 R		9207180011	50-155 Q
	9207290381	50-454 S		9207180115	50-255 F
	9207300033	50-237 S		9207180262	50-255 F
	9207300067	50-10 P		9207170134	50-155 F
	9207300169	50-265 S		9207210056	50-255 Q
	9207300171	50-254 S		9207210068*	50-255 Q
	9207310051	50-237 S		9207220204	50-155 P
	9207310054	50-254 P		9207220261	50-155 Q
	9207310080	50-237 S		9207220267	50-155 F
	9207310132	50-10 F		9207220271*	50-155 F
	9207310171	50-237 Q		9207270108	50-155 Q

# 278 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Continental Mining & Milling Co. Cooper Industries, Inc.	9207270154	50-255	Duke Engineering & Services	9207200042	50-269
	9207280229	50-255		9207200042	50-269
	9207290163	50-255		9207200051	50-269
	9207310097	50-255		9207200051	50-269
	9207310235	50-155		9207200051	50-269
	9207310235	50-155		9207200056*	50-269
	9207310243*	50-155		9207200056*	50-269
	9207310243*	50-155		9207200056*	50-269
	9207100279*	40-6811		9207200177	50-287
	9207080018	50-397		9207200189	50-369
Cooperative Citizens' Monitoring Network (CCMN)	9207090097	50-336	9207200196	50-269	
Dairyland Power Cooperative	9207240254	50-409	9207200196	50-269	
Data General Corp.	9207090251*	FOIA	9207200223	50-269	
	9207280294	FOIA	9207200223	50-269	
DeKalb Area Alliance for Responsible Energy	9207220318	50-454	9207200223	50-269	
Detroit Edison Co.	9207080168	50-341	9207200223	50-269	
	9207090151	50-341	9207200223	50-269	
	9207090158	50-341	9207200255	50-287	
	9207090194	50-341	9207200257*	50-287	
	9207130023	50-341	9207200296	50-369	
	9207140018	50-341	9207210049	50-413	
	9207140224	50-341	9207210063*	50-413	
	9207200342	50-341	9207210063*	50-413	
Dexter Memorial Hosp., Dexter, MO	9207300219	50-341	9207210075*	50-413	
Dickstein, Shapiro & Morin	9207130042	PRM	9207210093	50-369	
Diplomat Limousine & Livery Services, Inc.	9207280289	FOIA	9207210097*	50-369	
	9207230289*	CONTRACT	9207210097*	50-369	
			9207210107*	50-369	
Dockray, K.T., MD	9207130037	PRM	9207210189	50-269	
Don't Waste Oregon Committee	9207220350	50-344	9207210231	50-269	
Dow, Lohnes & Albertson	9207010206	50-312	9207210231	50-269	
	9207020191	50-312	9207210231	50-269	
DuPont Merck Pharmaceutical Co.	9207270084	PR	9207210237*	50-269	
Duke Engineering & Services	9207080228*	70-3070	9207210237*	50-269	
	9207130058	PR	9207210237*	50-269	
	9207200079*	70-3070	9207210240*	50-269	
	9207200081*	70-3070	9207220118	50-369	
	9207200084*	70-3070	9207230082	50-413	
Duke Power Co.	9207010292	50-369	9207240034	50-413	
	9207010339	50-369	9207240223	50-413	
	9207010339	50-369	9207270059	50-269	
	9207010344*	50-369	9207270114	50-269	
	9207010344*	50-369	9207270157	50-369	
	9207020181*	50-269	9207270157	50-369	
	9207020307	50-413	9207270159	50-269	
	9207060137	50-269	9207270159	50-269	
	9207060137	50-269	9207270159	50-269	
	9207060137	50-269	9207270320	50-369	
	9207070006	50-369	9207270320	50-369	
	9207070296	50-413	9207280010	50-269	
	9207070341	50-269	9207280081	50-370	
	9207070341	50-269	9207290182	PR	
	9207070341	50-269	9207300085	50-269	
	9207080050	50-369	9207300085	50-269	
	9207080050	50-369	9207300085	50-269	
	9207080055	50-370	9207300085	50-269	
	9207080099	50-269	9207300085	50-269	
	9207080099	50-269	9207300085	50-269	
	9207080099	50-269	9207300085	50-269	
	9207080099	50-269	9207300085	50-269	
	9207080259	50-413	9207300252*	50-269	
	9207080259	50-413	9207300252*	50-269	
	9207090064	50-269	9207300252*	50-269	
	9207090076*	50-269	9207300252*	50-269	
	9207090076*	50-269	9207300252*	50-269	
	9207090076*	50-269	9207300252*	50-269	
	9207090093*	50-269	9207300252*	50-269	
	9207090171	50-269	9207310034	50-369	
	9207090171	50-269	9207310034	50-369	
	9207090171	50-269	9207310037*	50-369	
	9207100358	50-413	9207310037*	50-369	
	9207100358	50-413	9207310108	50-369	
	9207130121	50-369	9207020185	50-334	
	9207130121	50-369	9207060301	50-334	
	9207140305	50-413	9207060301	50-334	
	9207150112	50-269	9207090173	50-412	
	9207150112	50-269	9207140226	50-334	
	9207150112	50-269	9207140322	50-334	
	9207150195	50-269	9207140322	50-334	
	9207160093	50-414	9207150335	50-334	
	9207160238	50-413	9207150345	50-334	
	9207160238	50-413	9207210245	50-412	
	9207170067	50-269	9207230193	50-412	
	9207170143	50-413	9207240250	50-334	
	9207170143	50-413	9207240250	50-334	
	9207170152*	50-413	9207280099	50-334	
	9207170152*	50-413	9207280099	50-334	
	9207200042	50-269	9206030130*	50-220	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9207060042	NUREG		9207230030*	PROJ
	9207060049	NUREG		9207230034	PR
	9207060081	NUREG		9207270119	PR
	9207140288	NUREG		9207270165	WASTE MGT
	9207270263	NUREG		9207290033	WASTE MGT
Earthvision, Inc.	9207270274	NUREG		9207290073	WASTE MGT
	9207090097	50-336		9207290279	WASTE MGT
Edison Electric Institute	9207100115*	50-336		9207290350	WASTE MGT
	9207160024	PR		9207300135	WASTE MGT
	9207160068	PR		9207300145	WASTE MGT
Edlow International Co.	9207270039	PR		9207300240	WASTE MGT
	9207100001	XPORTLIC		9207300244	WASTE MGT
	9207100002*	XPORTLIC		9207300250*	WASTE MGT
	9207100229	XPORTLIC		9207310010	WASTE MGT
	9207100230*	XPORTLIC		9207310016*	WASTE MGT
El Paso Nuclear Medicine Associates, El Paso, TX	9207130027	PRM		9207310035	WASTE MGT
Electric Power Research Institute	9207130125	PROJ		9207310055	PR
	9207130218	PROJ		9207310140	WASTE MGT
	9207140324*	CONTRACT		9207310154	WASTE MGT
				9207310187	WASTE MGT
Elgar Corp.	9207310174	PROJ		9207310259	WASTE MGT
Energy, Dept. of	9207270046	50-445	Energy, Dept. of, Idaho Operations Office	9207150348*	50-201
	9207010038	WASTE MGT		9207230029	PROJ
	9207010062*	WASTE MGT	Entergy Operations, Inc.	9207230030*	PROJ
	9207010163	WASTE MGT		9207010018	50-382
	9207010165*	WASTE MGT			
	9207010272	PROJ		9207010262	50-382
	9207020147	WASTE MGT		9207060186	50-368
	9207020282	WASTE MGT		9207070122*	50-382
	9207020300	WASTE MGT		9207070328	50-382
				9207080007	50-368
	9207020309*	WASTE MGT			
	9207020311*	WASTE MGT		9207080142	50-313
	9207020317*	50-333		9207080142	50-313
	9207060167	WASTE MGT		9207080271	50-416
	9207060180	WASTE MGT		9207090002	50-382
				9207140051	50-416
	9207060181*	WASTE MGT			
	9207060182	WASTE MGT		9207140133	50-416
	9207070242	WASTE MGT		9207140175	50-416
	9207070294	WASTE MGT		9207140183	50-416
	9207070392	WASTE MGT		9207140240	50-368
				9207140241*	50-368
	9207070419	PROJ			
	9207080112	WASTE MGT		9207140250	50-416
	9207080115*	WASTE MGT		9207140251*	50-416
	9207080137	WASTE MGT		9207140255	50-416
	9207080164	WASTE MGT		9207140268	50-416
				9207140285	50-416
	9207080203	WASTE MGT			
	9207080214	WASTE MGT		9207150014	50-382
	9207080224*	WASTE MGT		9207150020	50-368
	9207090008	WASTE MGT		9207150022*	50-368
	9207090130*	WASTE MGT		9207150068	50-382
				9207160066	PR
	9207090185	WASTE MGT			
	9207090190*	WASTE MGT		9207160312*	50-313
	9207090355	WASTE MGT		9207170034	50-416
	9207090356*	WASTE MGT		9207200315	50-416
	9207100015	71-5740		9207210092	50-368
				9207210102	50-313
	9207100023*	71-5740			
	9207100028*	71-5740		9207220018	50-313
	9207100033*	71-5740		9207220268	50-368
	9207100048	WASTE MGT		9207240004	50-416
	9207100056*	WASTE MGT		9207240157	50-382
				9207270095	50-416
	9207100298	WASTE MGT			
	9207100422	WASTE MGT		9207270136	50-313
	9207100426*	WASTE MGT		9207270136*	50-313
	9207130033	WASTE MGT		9207270156*	50-313
	9207130039	WASTE MGT		9207270160*	50-313
				9207270162*	50-313
	9207130054*	WASTE MGT			
	9207130074	WASTE MGT		9207270168*	50-313
	9207130087	WASTE MGT		9207270173*	50-313
	9207130157	WASTE MGT		9207270177*	50-313
	9207130162*	WASTE MGT		9207270180*	50-313
				9207270182*	50-313
	9207130171	WASTE MGT			
	9207130180	WASTE MGT		9207270184*	50-313
	9207130184	WASTE MGT		9207270186*	50-313
	9207130208	WASTE MGT		9207270190*	50-313
	9207130261	WASTE MGT		9207270193*	50-313
				9207270202*	50-313
	9207130265*	WASTE MGT			
	9207130287*	WASTE MGT		9207270205*	50-313
	9207150272	WASTE MGT		9207270207*	50-313
	9207160112	WASTE MGT		9207270208*	50-313
	9207160307	WASTE MGT		9207270211*	50-313
				9207270213*	50-313
	9207160333	WASTE MGT			
	9207170140	WASTE MGT		9207270222*	50-313
	9207200001	WASTE MGT		9207270226*	50-313
	9207200115	71-5957		9207270228*	50-313
	9207200145	WASTE MGT		9207270231*	50-313
				9207270233*	50-313
	9207200149*	WASTE MGT			
	9207210145	WASTE MGT		9207270237*	50-313
	9207210153*	WASTE MGT		9207270239*	50-313
	9207210251	WASTE MGT		9207270241*	50-313
				9207270244*	50-313

# 280 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9207270248*	50-313		9207200269	50-250
	9207270250*	50-313		9207200321	50-250
	9207270251*	50-313		9207210324	50-335
	9207270253*	50-313		9207210338	50-250
	9207270254*	50-313		9207220262	50-250
	9207270256*	50-313		9207270054	PR
	9207270259*	50-313		9207270230	50-389
	9207270261*	50-313		9207270285	50-335
	9207270266*	50-313		9207300239	50-335
	9207270268*	50-313		9207300239	50-335
	9207270279	50-313		9207300276	50-250
	9207270283*	50-313		9207310207	50-335
	9207270283*	50-313		9207310222	50-335
	9207270350*	50-416		9207100196	50-302
	9207280058	50-313	Florida Power Corp.	9207140213	50-302
	9207280058	50-313		9207150043	50-302
	9207280083	50-313		9207150048	50-302
	9207280139	50-313		9207150050	50-302
	9207280139	50-313		9207150053	50-302
	9207280146*	50-313		9207150067	50-302
	9207280146*	50-313		9207150151	50-302
	9207280262	50-368		9207150252	50-302
	9207280266*	50-368		9207150265	50-302
	9207280311	50-382		9207160152	50-302
	9207280333	50-382		9207170007	50-302
	9207300019	50-416		9207170056	50-302
	9207300082	50-416		9207210329	50-302
	9207300119	50-416		9207240181	50-302
	9207300129	50-346		9207240182*	50-302
	9207300228	50-368		9207270070	PR
	9207300231*	50-368		9207300112	50-302
	9207300246	50-368		9207300249	50-302
	9207300254*	50-368		9207310256	50-302
	9207310200	50-416	Floridians for Safe Energy	9207160158	PR
Envirocare of Utah, Inc.	9207080006	40-8989	Fluor Daniel, Inc.	9207310241*	70-3070
	9207160086	40-8989		9207310248*	70-3070
	9207160092*	40-8989	Frederick C. Smith Clinic, Marion, OH	8908140157*	FOIA
	9207220279	40-8989		9207210276*	FOIA
Environmental & Resources Conservation Organization (formerly Environmental Co	9207010206	50-312	Freedman & Associates-Nuclear Medicine Fuel Cycle Facilities Forum	9207130021	PRM
	9207020191	50-312		9207130050	PR
	9207020198*	50-312	GEICO Philanthropic Foundation	9207310193*	COMMISSIO
	9207020206*	50-312	GSX Services, Inc.	9207230087*	40-8406
	9207270107	50-312	GTE Spacenet Corp.	9207230102*	ORG
	9207270116	50-312	Gallo & Ross	9207020058*	CONTRACT
	9207300118	50-312		9207140158	PR
Environmental Coalition on Nuclear Power	9207160055	PR	General Atomics (formerly GA Technologie s, Inc./General Atomic Co.)	9207160067	71-9034
Environmental Protection Agency	9207270123	PR		9207160378	50-89
	9207230013	PR		9207170069	70-734
	9207230051	ORG	General Electric Co.	9207010268	52-1
	9207230071	40-8406		9207060008*	52-1
Environmental Standards, Inc.	9207230098*	ORG		9207060027	QA999
Federal Bureau of Investigation	9207230087*	40-8406		9207060110	52-1
Federal Emergency Management Agency	9207280387*	FOIA		9207060120	52-1
	9205290181*	50-10		9207060143	52-1
	9205290185*	50-10		9207060154	52-1
	9206160422*	50-206		9207060159	52-1
	9206170062*	50-263		9207060261	PROJ
	9206170087*	50-206		9207060263*	PROJ
	9206170109*	50-263		9207070117	PROJ
Finnish Centre for Radiation & Nuclear Safety (Finland)	9207270295	NUREG		9207070257	52-1
Flo-Log, Inc.	9207280085	STATE PRO		9207070276*	52-1
Florida Power & Light Co.	9207060014	50-251		9207080126	52-1
	9207060158	50-250		9207100137	52-1
	9207060158	50-250		9207100223	XPORTLIC
	9207060170	50-389		9207100224*	XPORTLIC
	9207060235	50-389		9207130061	PR
	9207070005	50-250		9207160123	52-1
	9207070005	50-250		9207160318*	40-1478
	9207080119	50-335		9207160351	70-754
	9207080119	50-335		9207160365*	52-1
	9207080123	50-250		9207200077	52-1
	9207080123	50-250		9207200125	PT21
	9207080123	50-250		9207200158*	50-277
	9207080123	50-250		9207270082	70-1113
	9207080123	50-250		9207280314	50-73
	9207090181	50-302		9207290009	52-1
	9207090184	50-302		9207290010	52-1
	9207100191	50-335		9207290013	52-1
	9207130026	PR		9207290035	52-1
	9207160062	50-250		9207290080*	52-1
	9207160098	PR		9207290083*	52-1
	9207160165	50-335		9207290085*	52-1
	9207160182	50-335		9207290089*	52-1
	9207170066	50-335		9207290092*	52-1
	9207200122	50-251		9207290095*	52-1
	9207200129	50-250		9207290098*	52-1
	9207200132	50-250		9207300054	52-1
	9207200203	50-335		9207300073*	50-10



## CORPORATE SOURCE INDEX 281

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9207300089	TOPREP		9207280076	50-424 P
	9207300151	52-1		9207280252	50-424 F
	9207300161	52-1		9207280252	50-424 F
	9207300174	52-1		9207280270	50-425 P
	9207310127	52-1		9207280278*	50-425 P
General Nuclear Systems, Inc.	9207310136	52-1		9207280279	50-424 P
	9207150352	PROJ		9207280279	50-424 P
	9207170239	PROJ		9207290063	50-321 H
	9207170245*	PROJ		9207290063	50-321 H
	9207170255*	PROJ		9207290063	50-321 H
General Physics Corp.	9207170258*	PROJ		9207290063	50-366 H
General Public Utilities Corp. - GPU	9207310234*	50-261 P		9207290068	50-321 H
Service Corp.	9207010097*	50-320 P		9207290068	50-321 H
	9207010100*	50-320 P		9207290068	50-321 H
	9207010106*	50-320 P		9207290068	50-366 H
	9207020145	50-219 P		9207290265	50-424 O
	9207020290	50-219 P		9207300044	50-366 S
	9207080302	50-289 P	Georgia, State of	9207310173	50-321 S
	9207080337	50-219 P	Gerstman & Ellis, Ltd.	9207020150*	CONTRACT
	9207090176	50-289 P		9207220368	FOIA
	9207130069	PR	Goldberg, Fieldman & Hjelmfelt	9207020170	50-346 M
	9207140042	50-219 P		9207100010	50-346 M
	9207140052	50-219 O	Golder Associates	9207220207*	WASTE MGT
	9207140080	50-219 S	Government Accountability Project	9207220214*	WASTE MGT
	9207150202	50-320 P		9207220395*	FOIA
	9207150205*	50-320 P	Grace Hosp., Cleveland, OH	9207220035*	70-3072
	9207150256	50-146 P		9207220039*	70-3072
	9207150283	50-320 R	Grandview Hosp. & Medical Center, Dayton	8904130552*	FOIA
	9207150295*	50-146 P	OH	9207220136*	FOIA
	9207170151	50-219 S		9207220142*	FOIA
	9207200181	50-219 P		9207220164*	FOIA
	9207200198	50-219 R		9207220172*	FOIA
	9207230263	50-289 K		9207220179*	FOIA
	9207230281*	50-289 K		9207220236*	FOIA
	9207230283*	50-289 K	Grumman Data Systems Corp.	9207090239	FOIA
	9207240107	50-289 P	Gulf Oil Products Co.	9207240028*	FOIA
	9207280104	50-219 P	Gulf States Utilities Co.	9207090018	50-458 P
	9207280336	50-289 P		9207140045	50-458 P
	9207280347*	50-289 P		9207140221	50-458 S
	9207280350*	50-289 P		9207150119	50-458 P
	9207300115	50-289 P		9207150185	50-458 P
	9207310133	50-289 F		9207150193	50-458 S
	9207310134	50-289 F		9207160104	PR
General Services Administration	9207240057*	CONTRACT		9207200142	50-458 R
Georgia Power Co.	9206300215	50-424 P		9207240206	50-458 P
	9207010091	50-320 P		9207240208*	50-458 P
	9207070011	50-321 P		9207280152	50-458 S
	9207070011	50-321 Q		9207310167	50-458 S
	9207070020	50-424 Q		9207310192	50-458 S
	9207070020	50-424 Q	Harborview Medical Center, Seattle, WA	9207130059	PRM
	9207070402	50-321 P	Harmon, Curran, Gallagher & Spielberg	9207010312*	ORG
	9207070402	50-321 P	(formerly Harmon, Curran & Tousley)	9207100123	40-8027
	9207080273*	50-424 P		9207130131*	40-8027
	9207080276*	50-424 P		9207140259*	40-8027
	9207130049	50-321 H		9207200065	40-8027
	9207130049	50-321 H	Harvard Medical School, Boston, MA	9207130011	PRM
	9207140048	50-321 F		9207130015	PRM
	9207140176	50-321 S	Henry Ford Hosp., Detroit, MI	9207130008	PRM
	9207140179	50-424 Q		9207210228	PR
	9207140179	50-424 Q	Heritage Reporting Corp.	9207130200*	CONTRACT
	9207140303	50-424 R	Homeguard, Inc.	9207150297	FOIA
	9207140303	50-424 R	Hopkins, Sutter, Hamel & Park (formerly	9207220297	FOIA
	9207150023	50-424 Q	Hopkins & Sutter)		
	9207150023	50-424 Q			
	9207150080	50-424 Q	House of Rep.	9206040233*	50-333 H
	9207150248	50-424 F		9207020308*	COMMISSIO N
	9207150248	50-424 F		9207060209*	50-443 U
	9207160140	50-321 R		9207070374*	XPORTLIC
	9207160274	50-366 S		9207140009*	WASTE MGT
	9207160277	50-321 S		9207170019*	PR
	9207200078	50-321 P		9207170040*	NUREG
	9207200078	50-321 P		9207170080*	40-8778
	9207200082*	50-321 P		9207200049*	PR
	9207200082*	50-321 P		9207200306*	50-220 H
	9207200244	50-368 P		9207200311*	50-220 H
	9207240128	50-321 P	Houston Lighting & Power Co.	9207020064	50-498 G
	9207240128	50-321 P		9207020064	50-498 G
	9207240137*	50-321 P		9207020067*	50-498 G
	9207240137*	50-321 P		9207020067*	50-498 G
	9207240168	50-321 S		9207070226	50-498 Q
	9207240184	50-321 Q		9207070226	50-498 Q
	9207240184	50-321 Q		9207070318	50-498 F
	9207240192	50-368 S		9207070318	50-498 F
	9207240252	50-321 Q		9207070321	50-498 Q
	9207270335	50-424 F		9207070321	50-498 Q
	9207270335	50-424 F		9207070333	50-498 O
	9207280053	50-424 S		9207070333	50-498 O
	9207280076	50-424 P		9207070367	50-498 F

## 282 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9207070367	50-498	F	9207170227*	71-82
	9207100162	50-499	S	9207140022	NUREG
	9207100348	50-498	I		
	9207100356*	50-498	I	9207100218	FOIA
	9207130099	50-498	R	9207090191*	CONTRACT
	9207130099	50-498	R		
	9207140242	50-499	S	9207020304*	WASTE MGT
	9207150002	50-498	Q	9207080081	50-274
	9207150007	50-498	Q	9207130056	PRM
	9207150030	50-499	S		
	9207150196	50-498	Q	9207270026	PRM
	9207150196	50-498	Q	9207290079	PR
	9207160036	PR			
	9207160044	50-498	H	9207230171	WASTE MGT
	9207160044	50-498	H	9207060218	50-331
	9207160101	PR		9207060222*	50-331
	9207160101	PR		9207070027	50-331
	9207210146*	50-498	Q	9207070306	50-331
	9207220032	50-498	J	9207080127	50-331
	9207220032	50-498	J	9207080136*	50-331
	9207230286	50-498	P	9207080174	50-331
	9207230286	50-498	P	9207080218	50-331
	9207240083	50-498	F	9207100147	50-331
	9207240083	50-498	F	9207100263	50-331
	9207240136	50-498	P	9207100303	50-331
	9207270063	50-498	S	9207140286	50-461
Huckaby, Fleming, Frailey, Chaffin & Darrah	9207090143	40-1478		9207150351	50-331
				9207160080	50-331
	9207200191	40-1478		9207170124	50-461
Huntington Memorial Hosp., Pasadena, CA	9207290091	PRM		9207220239	50-331
I-NET, Inc.	9207230223*	CONTRACT		9207240234	50-331
Illinois Power Co.	9207070104	50-461	V	9207240245	50-331
	9207070110	50-461	V	9207280344	50-331
	9207070124	50-461	V	9207290099	50-331
	9207090183	50-461	P	9207160021	50-116
	9207130167	50-461	P	9207020161*	CONTRACT
	9207130175	50-461	Q	9207240113*	71-482
	9207130176*	50-461	Q	9207070331	FOIA
	9207140310*	FOIA		9207140300	FOIA
	9207150001	50-461	Q	9207160167	FOIA
	9207150004	50-461	H	9207220307	FOIA
	9207270220	50-461	P	9207170142*	WASTE MGT
	9207270339	50-461	F	9207150229	XPORTLIC
	9207280012	50-461	S	9207200150*	CONTRACT
	9207280117	50-461	Q	9207240032*	40-2136
	9207280248	50-461	S	9207200067	40-2061
	9207290006	50-461	Q	9207160129	PRM
Illinois, State of	9207310216	50-461			
	9207160045	PR		9207240098*	70-340
	9207160087	PR		9207080284	70-925
	9207270047	PR		9207100254*	40-1478
	9207270058	PR		9207100261*	70-712
Illinois, Univ. of, Urbana, IL	9207270069	PR		9207100265*	70-712
	9207020298	50-151	V	9207100269*	70-712
	9207020303*	50-151	V	9207140191*	70-712
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	9207020292	50-315	P	9207140214*	70-712
				9207140223*	70-712
	9207020292	50-315	P	9207140225*	40-1478
	9207070236	50-315	S	9207140244*	70-712
	9207070236	50-315	S	9207140247*	70-7

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9207060140	50-322	W		9207290361	50-186	S
	9207070251	50-322	W	Mitsui & Co. (USA), Inc.	9207100003	XPORTLIC	
	9207070254	50-322	W	Molycorp, Inc.	9207060216	40-8778	
	9207090159	50-322	W		9207150291	40-8794	
	9207140222	50-322	W		9207150293*	40-8794	
Lorain Community Hosp., Lorain, OH	9207220132*	50-322	W		9207150296*	40-8794	
	8905090349*	FOIA			9207290275	40-8778	
	9110080002*	FOIA		Monroe County, MI	9207290064*	CONTRACT	
Lorain County Cardiology Consultants, Inc.	9207200250*	FOIA		Morrison-Knudsen Co., Inc.	9207170149*	WASTE MGT	
Los Alamos National Laboratory	9207200256*	FOIA			9207270167*	WASTE MGT	
Louisiana Energy Services	9207220203	ACRS		Morrison-Knudsen Engineers, Inc.	9207270168*	WASTE MGT	
	9207080049	70-3070		Mose Cohen & Sons, Inc.	9207090136*	40-8081	
	9207080056*	70-3070			9207090139*	40-8081	
	9207080059*	70-3070			9207090226*	40-8081	
	9207080225	70-3070			9207090247*	40-8081	
	9207090116	70-3070			9207090250*	40-8081	
	9207130173	70-3070		Mt. Carmel Medical Center, Columbus, OH	9207090258*	40-8081	
	9207130174*	70-3070			8909080133*	FOIA	
	9207140077	70-3070		Mt. Sinai Medical Center, Cleveland, OH	9103120020*	FOIA	
	9207140086*	70-3070			9105160037*	FOIA	
	9207140090	70-3070			9207200062*	FOIA	
	9207140097*	70-3070			9207200088*	FOIA	
	9207200075	70-3070			9207200175*	FOIA	
	9207200079*	70-3070		Murrell & Westgate, Inc., Columbia, MO	9207130062	PRM	
	9207200081*	70-3070		Nathan M. Newmark Consulting Engineering	9207290180*	50-213	P
	9207200084*	70-3070					
	9207200086*	70-3070		Services			
	9207210239	70-3070		National Institute of Standards & Technology (formerly National Bureau of	9207070376	71-390	
	9207210323*	70-3070			9207090209*	ORG	
	9207270091	70-3070			9207270048	70-398	
	9207280176	70-3070		National Research Council	9207150134*	27-48	
	9207310232	70-3070		Native Americans for a Clean Environment	9207130131*	40-8027	
Lower Columbia Pathologists, P.S., Longview & Centralia, WA	9207130030	PRM			9207200065	40-8027	
	9207270088	PRM		Navy, Dept. of	9207200114	PR	
	9001230162*	FOIA		Nebraska Public Power District	9207080182	50-298	P
Lutheran Medical Center, Cleveland, OH	9105020008*	FOIA			9207130085	50-298	P
M.M.P. Quality Inspections, Inc.	9207280070	STATE PRO	G		9207150233	50-298	P
MK-Ferguson Co.	9207300247*	WASTE MGT			9207170233	50-298	S
	9207100009*	50-220	P		9207200143	50-298	S
MPM Research & Consulting	9207150145	71-736			9207200144*	50-298	S
Magna Chek, Inc.	9207010300	50-309	P		9207210005	50-298	S
Maine Yankee Atomic Power Co.	9207020242	50-309	F		9207220373	50-298	T
	9207020289	50-309	Q		9207220380*	50-298	T
	9207070021	50-309	P		9207280091	50-298	S
	9207070247	50-309	P		9207280126	50-298	K
	9207140319	50-309	R		9207300039	50-298	S
	9207150051	50-309	V		9207300043	71-9071	
	9207170155	50-309	S	Nevada, State of	9207310155	50-298	Q
	9207200106	50-309	Q	Nevada, Univ. of, Reno, NV	9207200009	WASTE MGT	
	9207280233	50-309	K		9207280230*	CONTRACT	
	9207310196	50-309	Q		9207080033*	50-443	I
Mansfield General Hosp., Mansfield, OH	8912040039*	FOIA		New England Electric System	9207100245	50-443	F
	9105230184*	FOIA		New Hampshire, State of	9207170012	50-443	P
	9207270284	50-329	A		9207160089	PR	
Maryland, Univ. of, College Park, MD	9207090006	50-20	Q		9207270067	PR	
Massachusetts Institute of Technology, Cambridge, MA	9207240003	50-20	V		9207270227	50-354	P
Massachusetts, Commonwealth of	9207100245	50-443	F		9207310170	50-219	R
	9207240110	71-482		New York, State of	9207230023	PR	
Massachusetts, Univ. of, Amherst, MA	9207240017	50-312	G		9207270042	PR	
McGranery, J.P., Jr.	9207300118	50-312	G	Newman & Holtzinger	9207020064	50-498	G
	9207270085	PRM			9207020067*	50-498	G
Medical Center, Inc., Beaver, PA	9207130014	PRM			9207020067*	50-498	G
Medical Univ. of South Carolina,					9207020209	40-8027	
Charleston, SC					9207280282	FOIA	
Mercy Hosp., Toledo, OH	8906290225*	FOIA		Newport News Shipbuilding & Dry Dock Co.	9207290062	PR	
	8906290227*	FOIA		Niagara Mohawk Power Corp.	9207020001	50-220	K
	9105140325*	FOIA			9207020002*	50-220	K
	9105150158*	FOIA			9207020163	50-410	S
	9105150158*	FOIA			9207080124	50-410	J
Mercy Medical Center, Durango, CO	9105080005*	FOIA			9207080198	50-410	S
Methodist Hosp. of Indiana, Inc., Indianapolis, IN	9207130012	PRM			9207100007	50-220	P
Michigan, State of	9207020142*	CONTRACT			9207100009*	50-220	P
Michigan, Univ. of, Ann Arbor, MI	9207070185*	50-2	P		9207100044	50-410	P
	9207090018	50-2	Q		9207100047*	50-410	P
	9207150268	50-2	S		9207140171	50-410	S
	9207220221	ACRS			9207140252	50-220	P
Midland Inspection & Engineering, Inc.	9207090145	71-740			9207150054	50-220	P
Midwest Interstate Low-Level Radioactive	9207230015	PR			9207200237	50-410	S
					9207220001	50-410	P
Waste Commission	9207200053*	PR			9207230155	50-220	Q
Miller-Mason Paving Co.	9207140262	NUREG			9207240180	50-220	P
Minnesota, Univ. of, Minneapolis, MN	9207020126*	CONTRACT			9207270189	50-410	R
Missouri, State of	9207020169*	CONTRACT			9207270196	50-220	R
					9207280007	50-220	P
Missouri, Univ. of, Columbia, MO	9207200212	50-186	P		9207280086	50-220	J
	9207310084*	50-123	P		9207280086	50-220	J
	9207310249	50-186	S		9207290267	50-220	P
Missouri, Univ. of, Rolla, MO	9207080211	50-186	P		9207290267	50-220	P

## 284 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9207300179	50-220		9207150123	50-245
	9207300179	50-220		9207150174	50-423
	9207300263	50-220		9207150191	50-213
	9207300263	50-220		9207150236	50-213
	9207310090	50-220		9207150236	50-213
North American Inspection, Inc.	9207140003	71-9056		9207150236	50-213
	9207140004	71-9033		9207160081	50-245
	9207140006	71-9135		9207160081	50-423
North Atlantic Energy Service Corp.	9207140007	71-9127		9207160081	50-423
	9207070002	50-443		9207160081	50-423
(NAESCO)					
	9207080139	50-443		9207160218	50-213
	9207080140	50-443		9207160218	50-213
	9207080234*	50-443		9207160218	50-213
	9207100397	50-443		9207160377	50-245
				9207170060	50-245
	9207130071	50-443		9207170199	50-213
	9207150018	50-443		9207200128	50-245
	9207150027	50-443		9207200128	50-245
	9207170013	50-443		9207200128	50-245
	9207170136	50-443		9207200138*	50-245
	9207210009	50-443		9207200152	50-213
	9207220002	50-443		9207200152	50-213
	9207240170	50-443		9207200152	50-213
North Carolina Eastern Municipal Power	9207280059	50-443		9207220003	50-213
	9207310053*	50-324		9207220003	50-213
Agency				9207230053	50-213
North Carolina Electric Membership Corp.	9207080268*	50-413		9207240002	50-423
North Carolina Municipal Power Agencies	9207080272*	50-413		9207240150	50-336
North Carolina, State of	9207020133*	CONTRACT		9207240173	50-423
North County Medi-Scan, Ltd., Vista, CA	9207130001	PRM		9207280204	50-245
North Dakota, State of	9207080188	PROJ		9207280204	50-245
Northeast Nuclear Energy Co.	9207010235	50-245		9207280234	50-245
	9207020086	50-336		9207290319	50-245
	9207060232	50-213		9207310103	50-213
	9207060232	50-213		9207310103	50-213
	9207070191	50-423		9207310152	50-213
	9207080244	50-336		9207310158	50-245
	9207100096*	50-336		9207070008	50-263
	9207140019	50-245		9207070311	50-282
	9207140020*	50-245		9207070311	50-282
	9207140092	50-336		9207100237	50-263
	9207140192	50-336		9207100280	50-282
	9207140258	50-336		9207100280	50-282
	9207150123	50-245		9207100290	50-282
	9207150174	50-423		9207100290	50-282
	9207150236	50-213		9207100293*	50-282
	9207150236	50-213		9207100293*	50-282
	9207150236	50-213		9207100295*	50-282
	9207150236	50-213		9207100295*	50-282
	9207160218	50-213		9207130102	50-282
	9207160218	50-213		9207130102	50-282
	9207160218	50-213		9207130178	50-282
	9207160377	50-245		9207130178	50-282
	9207170060	50-245		9207130207	50-263
	9207200040	50-336		9207130236	50-282
	9207200128	50-245		9207140233	50-263
	9207200128	50-245		9207140234*	50-263

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Nuclear Fuel Services, Inc.	9207070397*	FOIA			9207070262	40-8027	
	9207060087	70-143			9207230022	40-8027	
	9207060228	70-143			9207290041	40-8027	
	9207060233	70-143		Pacific Gas & Electric Co.	9207060083	50-275	Q
	9207070166	70-143			9207070303	50-275	P
	9207080162	70-143			9207070303	50-275	P
	9207080231	70-143			9207070320	50-275	S
	9207150300	70-143			9207100363	50-323	S
	9207200190	71-9247			9207130029	PR	
	9207220408	70-143			9207130040	50-275	H
Nuclear Information & Resource Service	9207270080	PR			9207140001	50-323	Q
	9207290059	PR			9207140323	50-344	R
	9207290086*	PR			9207150008	50-275	S
Nuclear Logistics, Inc. (NLI)	9207150165	50-382	S		9207160139	50-275	P
Nuclear Management & Resources Council	9101220068*	FOIA			9207160139	50-275	P
(NUMARC) (formerly Nuclear Utility Mana					9207160148*	50-275	P
	9207010297	REVIEW GR	P		9207160148*	50-275	P
	9207090140	REVIEW GR	P		9207170242	50-275	F
	9207090141*	REVIEW GR	P		9207170242	50-275	F
	9207130063	PR			9207170248*	50-275	F
	9207130065	PR			9207170248*	50-275	F
	9207160147	PR			9207170262	50-275	F
	9207170046	REVIEW GR	P		9207170265*	50-275	F
	9207170047*	REVIEW GR	P		9207170265*	50-275	F
	9207210010*	REVIEW GR	P		9207200214	50-275	P
	9207210242	PR			9207210224	50-275	F
	9207230270	REVIEW GR	P		9207210227*	50-275	F
	9207230271*	REVIEW GR	P		9207210227*	50-275	F
	9207240012	PR			9207220022	50-275	F
	9207290285	REVIEW GR	P		9207220050*	50-275	F
	9207310185	REVIEW GR	P		9207220050*	50-275	F
	9207130018	PRM			9207220180	50-275	F
					9207220180	50-275	F
Nuclear Medicine Consultants, San Francisco, CA					9207220191*	50-275	F
	9207270031	PR			9207220191*	50-275	F
	9207160076	PR					
Nuclear Metals, Inc.							
Nuclear Utility Backfitting & Reform							
Group					9207220215	50-275	R
Nuclear Waste Technical Review Board	9207230031	PR			9207220215	50-275	R
	9207080319	WASTE MGT			9207240131	50-275	R
	9207080323	WASTE MGT			9207240131	50-275	R
Oak Ridge National Laboratory	9207100019*	71-5740			9207240240	50-275	Q
	9207140031	NUREG			9207240240	50-275	Q
	9207240230	ORG			9207270093	50-275	H
	9207270284	50-329	A		9207270093	50-275	H
	9207130078	PR			9207270264	50-275	S
Ohio Citizens for Responsible Energy	9207230014	PR			9207270267*	50-275	S
	9207230026	PR			9207270360	50-323	S
	9207270045	PR			9207280090	50-275	S
	9207290084	PR			9207300066	50-275	S
	9207020141	50-346	M		9207300070	50-275	S
Ohio Edison Co.	9207090012	50-346	M		9207300094	50-275	F
Ohio Valley Hosp., Steubenville, OH	8901240231*	FOIA			9207300094	50-275	F
	9108240019*	FOIA			9207310221*	50-293	Q
	9207300289	40-8724			9207310003	PRM	
Ohio, State of	9207060177	50-285	S	Pacific Medical Center, Seattle, WA	9207210130*	50-317	Y
	9207060178	50-285	V	Pacific Nuclear Fuel Services, Inc.	9207100424*	CONTRACT	
				Pailen-Johnson Associates, Inc.			
Omaha Public Power District							
	9207060237	50-285	P		9207020297*	50-220	F
	9207060264	50-285	S	Parsons, Brinckerhoff, Quada & Douglas, Inc.			
	9207080073	50-285	Q	Pathfinder Mines Corp.	9207020172	40-8981	
	9207090201	50-285	P	Pennsylvania Electric Co.	9207150295*	50-146	P
	9207100136	50-285	P	Pennsylvania Power & Light Co.	9207070371	50-387	K
	9207100340	50-285	R		9207070371	50-387	K
	9207100341*	50-285	R		9207080133	50-387	P
	9207130107	50-285	P		9207080133	50-387	P
					9207080161	50-388	P
	9207130109*	50-285	P		9207080166*	50-388	P
	9207130112*	50-285	P				
	9207150135	50-285	R		9207080170*	50-388	P
	9207150287	50-285	S		9207080172*	50-388	P
	9207160272	50-285	S		9207080176*	50-388	P
	9207170233	50-298	S		9207090167	50-387	Q
	9207200186	50-285	J		9207090169	50-387	J
	9207230010	PR			9207130223	50-387	P
	9207230158	50-285	F		9207140181	50-387	P
	9207270073	PR			9207160268	50-387	S
	9207270099	50-285	S		9207200134	50-387	R
	9207280356	50-285	K		9207200134	50-387	R
	9207290310	50-285	F		9207200141	50-387	F
	9207290318	50-285	F		9207220245	50-387	R
	9207290322	50-285	Q		9207220245	50-387	R
					9207220314	50-387	R
	9207310160	50-285	P		9207220314	50-387	R
	9207310163*	50-285	P				
	9207310165	50-285	P		9207220362	50-387	S
	9207310188	50-285	R		9207230011	50-387	P
	9207310189*	50-285	R		9207230092	50-387	K
	9207230224	50-344	Q		9207230092	50-387	K
	9207270018	MISC			9207280016	50-388	P
Oregon, State of							
Organization for Economic Cooperation & Development							
PLG, Inc. (formerly Pickard, Lowe & Garrick, Inc.)					9207280017*	50-388	P
	9207010263	40-8027			9207280096	50-387	P
					9207280096	50-387	P
	9207060022*	50-295	K		9207300229	50-387	Q

# 286 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Pennsylvania State Univ., University Park, PA	9207300229	50-387	Power Authority of the State of New York (New York Power Authority)	9207200178*	50-344
	9207310113	50-387		9207210234	50-344
	9207310113	50-387		9207220157	50-344
	9207310176	50-387		9207220248	50-344
	9207200140	50-5		9207240248	50-344
Pennsylvania, Commonwealth of Philadelphia Electric Co.	9207080021*	50-352	Power Authority of the State of New York (New York Power Authority)	9207290367	50-344
	9207220306*	50-412		9207290376	50-344
	9207020310	50-277		9207290397	50-344
	9207060257	50-277		9207300091	50-344
	9207060257	50-277		9207310221*	50-293
	9207060257	50-277		9207010024	50-333
	9207060257	50-277		9207020136	50-333
	9207090009	50-352		9207020144	50-333
	9207090011	50-352		9207020156	50-333
	9207090011	50-352		9207020295	50-220
	9207090199	50-352		9207060128	50-333
	9207100227	50-277		9207070139	50-443
	9207130041	PR		9207080249	50-286
	9207150032	50-353		9207130013	50-286
	9207150033*	50-353		9207130025	PR
	9207150124	50-352		9207140038	50-333
	9207150124	50-352		9207140159	50-333
	9207170038	50-277		9207140165	50-333
	9207170038	50-277		9207140290	50-333
	9207170039*	50-277		9207150029	50-286
	9207170039*	50-277		9207150107	50-333
	9207170076	50-352		9207150141	50-333
	9207170113	50-352		9207150282	50-286
	9207170119	50-352		9207160170	50-333
	9207170230	50-277		9207170089	50-286
	9207170230	50-277		9207170089	50-286
	9207170237*	50-277		9207170161	50-286
	9207170237*	50-277		9207170164	50-286
	9207200002	50-352		9207210336	50-333
	9207200002	50-352		9207220060	50-333
	9207200003*	50-352		9207220187	50-333
	9207200004*	50-352		9207220202*	50-333
	9207200093	50-353		9207230121	PR
	9207200156	50-277		9207230148	50-286
	9207200156	50-277		9207240092	50-286
	9207200184	50-277		9207240231*	50-286
	9207200220	50-352		9207270002	50-333
	9207200220	50-352		9207270003	50-286
	9207230039	50-277		9207270004*	50-286
	9207230039	50-277		9207270005*	50-286
	9207230044	50-171		9207270249	50-286
	9207230044	50-171		9207270277	50-286
	9207230153	50-353		9207280011	50-333
	9207230164	50-277		9207280295	50-286
	9207230164	50-277		9207300076	50-286
	9207230166	50-352		9207300168	50-286
	9207230168	50-353		9207310102	50-333
	9207230172	50-277		9207310109	50-333
	9207230172	50-277		9207310129	50-333
	9207240144	50-277		9207310131	50-286
	9207240144	50-277	Presbyterian-Univ. of Pennsylvania Medical Center, Philadelphia, Prime Motor Inn, Inc. Princeton Gamma-Tech, Inc.	9207130010	PRM
	9207240185	50-278		9207240242*	CONTRACT
	9207240211*	50-277		9207160014	71-633
	9207270027	50-278		9207300167	PR
	9207270143	50-352		9207010011	71-9216
	9207280277	50-277	Public Citizen Litigation Group Public Service Co. of Colorado	9207010021	50-267
	9207280277	50-277		9207060192	50-267
	9207280281*	50-277		9207080012	50-305
	9207280281*	50-277		9207090001	50-267
	9207280310	50-277		9207090005	50-267
	9207290050	PR		9207220256	71-346
	9207300052	50-352		9207220394	50-267
	9207300173	50-272		9207280268	50-267
	9207300224	50-277		9207280269*	50-267
	9207310183	50-277		9207010174	50-443
Piedmont Municipal Power Agency	9207310183	50-277	Public Service Co. of New Hampshire	9207070425	50-443
	9207080263*	50-413		9207070426*	50-443
	9207270076	PRM		9207080024	50-443
	9207150087	FOIA		9207080293	50-443
	9207200185	FOIA		9207100245	50-443
Plain Dealer, Cleveland, OH	9207270315	FOIA	Public Service Electric & Gas Co. of New Jersey	9207170138*	50-443
	9207270052	PR		9207010060	50-354
	9207270052	CONTRACT		9207060009	50-354
	9207230187*	CONTRACT		9207060144	50-354
	8710190190*	50-344		9207060248	50-354
Polyclinic Medical Center, Harrisburg, P	9207060291	50-344		9207070030	50-272
	9207060294*	50-344		9207070030	50-272
	9207090109	50-344		9207070032*	50-272
	9207090154	50-344		9207070035*	50-272
	9207090182	50-344		9207070309	50-354
Portland Cement Association	9207100396	50-344		9207070369	50-272
	9207150148	50-344			
	9207200173	50-344			
Portland General Electric Co.					



AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9207070382	50-272	S	San Antonio, TX	9207100375*	50-498	I
	9207080005	50-354	P	San Luis Obispo, CA	9207300205*	50-275	F
	9207140280	50-272	P	Sandia National Laboratories	9207020318*	WASTE MGT	
	9207140280	50-272	P		9207060085	NUREG	
	9207140283*	50-272	P		9207070393*	WASTE MGT	
	9207140283*	50-272	P		9207170247*	FOIA	
	9207140297	50-354	P		9207170251*	FOIA	
	9207140298*	50-354	P	Sargent & Lundy, Inc.	9207070063*	50-390	A
	9207160059	50-272	F		9207070063*	50-390	A
	9207160059	50-272	F		9207070070*	50-390	A
	9207170207	50-354	S		9207070070*	50-390	A
	9207200052	50-272	S		9207070074*	50-390	A
	9207200055	50-272	S		9207070076*	50-390	A
	9207200059	50-311	S		9207070076*	50-390	A
	9207200094	50-354	Q		9207070082*	50-390	A
	9207200113	50-311	S		9207070082*	50-390	A
	9207200194	50-354	S		9207070088*	50-390	A
	9207200201	50-311	S		9207070088*	50-390	A
	9207200215	50-311	S		9207070094*	50-390	A
	9207200291	50-272	S	Sartrex Corp.	9207090168*	50-361	P
	9207200291	50-272	S		9207090170*	50-361	P
	9207200338	50-272	S	Saxton Nuclear Experimental Corp.	9207070081	50-146	R
	9207210019	50-272	P	Science Applications International Corp.	9207010354*	TOPREP	
	9207230147	50-272	P	(formerly Science Applications, Inc.)			
	9207230147	50-272	P		9207010356*	TOPREP	
	9207230299	50-354	F		9207060085	NUREG	
	9207240001	50-354	O	Scientific Ecology Group, Inc.	9207140324*	CONTRACT	
	9207240099	50-272	P	Scioto Memorial Hosp., Portsmouth, OH	9207300057	71-9151	
	9207240099	50-272	P	Seafirst Bank	8910200232*	FOIA	
	9207240103*	50-272	P		9207150321	50-397	I
	9207240103*	50-272	P		9207150336	50-397	I
	9207240141	50-272	T	Senate	9206170324*	50-245	U
	9207240141	50-272	T		9207100113*	50-336	H
	9207240155	50-272	T		9207100134*	50-336	H
	9207240155	50-272	T		9207100314*	50-289	H
	9207240155	50-272	F		9207140012*	ORG	
	9207240160	50-354	T		9207170016*	PR	
	9207240162	50-272	T		9207170026*	PR	
	9207240162	50-272	T		9207170042*	STATE PRO	G
	9207240162	50-272	T		9207170053*	PR	
	9207240217	50-272	F		9207170064*	PR	
	9207240217	50-272	T		9207170122*	ORG	
	9207280132	50-272	K		9207310218*	50-266	H
	9207280177	50-354	T	Sequoyah Fuels Corp.	8806100278*	FOIA	
	9207280361	50-272	T		9207010217	40-8027	
	9207280361	50-272	F		9207010221	40-8027	
	9207280311	50-272	S		9207020209	40-8027	
	9207300182	50-272	S		9207060001	40-8027	
	9207300182	50-272	S		9207060223	40-8027	
	9207310112	50-272	S		9207060295	40-8027	
Purdue Univ., West Lafayette, IN	9207060039	70-152			9207070127	40-8027	
Qualitest, Inc.	9207060041*	70-152			9207070265	40-8027	
Quality Systems NDE, Ltd.	9207080213	71-715			9207080002	40-8027	
Quivira Mining Co.	9207220409	71-721			9207090166*	40-8027	
	9207080121	40-8905			9207130129	40-8027	
Radiation Consultants, Inc.	9207090149*	71-740			9207130186	40-8027	
Radiology Consultants of Little Rock, P.A., Little Rock, AR	9207270158	PRM			9207130189	40-8027	
Reliability Engineering Services	9207060193	52-1			9207130192	40-8027	
Rensselaer Polytechnic Institute, Troy, NY	9207010096	70-920			9207130199	40-8027	
					9207130203	40-8027	
Reynolds Electrical & Engineering Co., Inc.	9207310119	70-920			9207140040	40-8027	
	9207160321*	WASTE MGT			9207140043*	40-8027	
	9207160330*	WASTE MGT			9207150290	40-8027	
					9207150320	40-8027	
					9207170197	40-8027	
Rhode Island, State of	9207160334*	WASTE MGT			9207220005	40-8027	
	9207220276	50-193	P		9207230007	40-8027	
	9207290313	50-193	P		9207240004	40-8027	
	9207290315*	50-193	P		9207270061	40-8027	
Rochester Gas & Electric Corp.	9207060004	50-244	P		9207280006	40-8027	
	9207060005*	50-244	P		9207280014	40-8027	
	9207060006*	50-244	P		9207280227*	40-8027	
	9207080101*	50-244	Q		9207290233	40-8027	
	9207080334	50-244	P		9207310066	40-8027	
	9207090120	50-244	F		9207310145	40-8027	
	9207090160	50-244	Q		9207310251	40-8027	
	9207090179	50-244	F	Shaw, Pittman, Potts & Trowbridge	9207020141	50-346	M
	9207220319	50-244	R		9207060026	50-312	G
	9207230070	50-244	S		9207090012	50-346	M
	9207310156	50-244	F		9207100026	50-312	G
Rondout Associates, Inc.	9207170256*	CONTRACT			9207130097	PR	
Rosemount, Inc.	9207080270	PT21			9207160094	PR	
Rountree & Seagle	9207160031	PR			9207270126	50-312	G
SCIENTECH, Inc.	9207020325*	CONTRACT			9207270342	FOIA	
SRB Technologies, Inc.	9207310227	XPORTLIC		Shearer, D.M., MD	9207270049	PRM	
Sacramento Municipal Utility District	9207100026	50-312	G	Shieldalloy Metallurgical Corp.	9207060205	40-8948	
	9207270126	50-312	G		9207060208	40-8948	
Safety & Reliability Optimization Services, Inc.	9207060085	NUREG		Siemens Corp.	9207240167	71-9151	
				Siemens Power Corp. (formerly Siemens)	9207060149	70-1257	

# 288 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Nuclear Power Corp., Advanced Nuclear	9207070300	70-1257	Southwest Research Institute Spencer Chemical Co.	9207020101*	CONTRACT
	9207100219	TOPREP		9207090289*	40-1478
	9207100222*	TOPREP		9207090329*	FOIA
	9207270066	QA999		9207100025*	40-1478
Sierra Club Legal Defense Fund, Inc. Small Business Administration	9207290431	70-1257		9207100071*	40-1478
	9207100273	70-3070		9207100079*	40-1478
	9207020325*	CONTRACT		9207100177*	40-1478
	9207100424*	CONTRACT		9207100179*	40-1478
South Carolina Electric & Gas Co.	9207200150*	CONTRACT		9207100189*	40-1478
	9207230223*	CONTRACT		9207100205*	40-1478
	9207230289*	CONTRACT		9207100247*	40-1478
	9207020312	50-395		9207100248*	40-1478
	9207070001	50-395		9207100250*	40-1478
	9207070264	50-395		9207200235*	FOIA
	9207070385	50-395		9207200247*	FOIA
	9207070428	50-395		9207200253*	FOIA
	9207080171	50-395		9207200276*	FOIA
	9207140068	50-395		9207200283*	FOIA
	9207140204	50-395		9207200323*	FOIA
	9207170129	50-395		9207200325*	FOIA
	9207200279	50-395		9207200330*	FOIA
	9207210273	50-395		9207230285*	40-2136
	9207240178	50-395		9207230291*	40-2136
	9207270243	50-395		9207240050*	70-340
	9207270322	50-395		9207240059*	70-340
	9207270324*	50-395		9207240073*	70-146
	9207280188	50-395		9207240086*	70-340
	9207070429*	50-395		9207240089*	FOIA
South Carolina, Univ. of, Columbia, SC Southern California Edison Co.	9207010046	50-206	Spiegel & McDiarmid	9207240102*	70-340
	9207020327	50-206		9207100084	50-348
	9207090162	50-361		9207130058*	FOIA
	9207090300	50-206		9207130062*	FOIA
	9207100408	50-361	St. Elizabeth Hosp. Medical Center, Youngstown, OH	9207130084*	FOIA
	9207140271	50-348		9207130085*	FOIA
	9207150211	50-206		9207130087*	FOIA
	9207160090	PR		9207220089*	FOIA
	9207200218	50-361	St. Elizabeth Medical Center, Dayton, OH	9104120100*	FOIA
	9207220222	50-361		9107260033*	FOIA
	9207220222	50-361		9207220044*	FOIA
	9207220234	50-206		9207220053*	FOIA
	9207220255	50-206		9207220059*	FOIA
	9207220255	50-206		9207220061*	FOIA
	9207220255	50-206		9207220067*	FOIA
	9207280332	50-361		9207220075*	FOIA
	9207290255	50-206		9207220089*	FOIA
	9207300148	50-206		9207220092*	FOIA
	9207300200	50-361		9207220096*	FOIA
	9207300200	50-361		9207220099*	FOIA
	9207310153	50-206		9207220102*	FOIA
	9207310199	50-206		9207220111*	FOIA
	9207310199	50-206		9207220128*	FOIA
	9207310199	50-206		9207130024	PRM
Southern Industrial Testing, Inc.	9207310211*	50-206	St. John's Hosp. & Health Center, Santa Monica, CA	9207290069	PR
	9207150289	71-742		9207290069	PR
	9207160003*	71-742		9207290249*	CONTRACT
	9207060250	50-348		8905180418*	FOIA
Southern Nuclear Operating Co.	9207060250	50-348	Louis, MO St. Louis Univ., St. Louis, MO St. Luke's Hosp., Cleveland, OH	9207200180*	FOIA
	9207060285	50-348		9207200187*	FOIA
	9207060285	50-348		9207200193*	FOIA
	9207070153	50-348		9207200200*	FOIA
	9207070153	50-348		9207210154*	FOIA
	9207070345	50-348		9207220182	50-275
	9207080062	50-348		9207220182	50-275
	9207080062	50-348		9207220182	50-275
	9207130045	50-348	Stanford Univ., Stanford, CA	9207230012	50-275
	9207130045	50-348		9207230012	50-275
	9207150221	50-424		9207130269	XPORTLIC
	9207160149	50-364		9207160162	WASTE MGT
	9207160161	50-348	State, Dept. of State, Dept. of, Bureau of Oceans & Intl Environmental & Scientific Affairs	9207010358	XPORTLIC
	9207170031	50-348		9207010360	XPORTLIC
	9207200126	50-348		9207080210	71-524
	9207200126	50-348		9207290263	71-524
	9207210291	50-348	SteriGenics International (formerly Radiation Sterilizers, Inc.)	9207290263	71-524
	9207210291	50-348		9207290263	71-524
	9207210297*	50-348		9207290263	71-524
	9207210297*	50-348		9207290263	71-524
	9207210321	50-348	Suburban General Hosp., Norristown, PA Sunbeam Corp.	9207290263	71-524
	9207210321	50-348		9207290263	71-524
	9207210321	50-348		9207290263	71-524
	9207220004	50-348		9207290263	71-524
	9207220004	50-348	Sycor International Corp. Syracuse Univ., Syracuse, NY Systems, Sciences & Software	9207290263	71-524
	9207220168	50-364		9207290263	71-524
	9207270064	PR		9207290263	71-524
	9207280299	50-348		9207290263	71-524
	9207280306*	50-348	Taunton Municipal Lighting Plant Technassociates, Inc. Technical Specialties, Inc. Technology Services, Inc. Teledyne Isotopes	9207080042*	50-443
	9207300041	50-348		9207080042*	50-443
	9207300282	50-348		9207080042*	50-443
	9207310157	FOIA		9207080042*	50-443
	9207080110	FOIA	Tennessee Valley Authority	9207230300*	CONTRACT
	9207080110	FOIA		9207230300*	CONTRACT
	9207080110	FOIA		9207230300*	CONTRACT
	9207080110	FOIA		9207230300*	CONTRACT

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9207060188	50-390	Electric)		
	9207060220*	50-327		9207070061	50-445
	9207060220*	50-327		9207070194	50-445
	9207060278	50-390		9207070235	50-445
	9207060278	50-390		9207070383	50-445
	9207070059	50-390		9207070383	50-445
	9207070319	50-259		9207070399	50-445
	9207080222	50-327		9207070399	50-445
	9207080246	50-328		9207080113	50-445
	9207080354	50-327		9207080113	50-445
	9207080354	50-327		9207080116*	50-445
	9207090172	50-327		9207080116*	50-445
	9207090172	50-327		9207080317	50-446
	9207090177	50-259		9207100208	50-445
	9207090345	50-327		9207100208	50-445
	9207090345	50-327		9207100210*	50-445
	9207130057	PR		9207100210*	50-445
	9207130075	50-259		9207130136	50-445
	9207130075	50-259		9207130136	50-445
	9207130077*	50-259		9207130137*	50-445
	9207130077*	50-259		9207130137*	50-445
	9207140296	50-259		9207130214	50-445
	9207150110	50-328		9207130214	50-445
	9207160035	50-260		9207130238	50-446
	9207160114	PR		9207140275	50-445
	9207160157	50-259		9207150005	50-445
	9207160341	50-328		9207150005	50-445
	9207170068	50-390		9207150182	50-445
	9207170068	50-390		9207150182	50-445
	9207170071	50-390		9207150317	50-445
	9207170208	50-390		9207150317	50-445
	9207170275	50-327		9207150323*	50-445
	9207170275	50-327		9207150323*	50-445
	9207170276*	50-327		9207150343	50-445
	9207170276*	50-327		9207160083	PR
	9207170276*	50-327		9207160177	50-445
	9207200151	50-438		9207160177	50-445
	9207200153	50-327		9207170278	50-446
	9207210213	50-259		9207200109	50-445
	9207210213	50-259		9207230124	PR
	9207210328	50-327		9207230276	50-445
	9207210328	50-327		9207230276	50-445
	9207240138	50-259		9207270057	50-445
	9207240138	50-259		9207270057	50-445
	9207240138	50-259		9207270060	50-445
	9207240149	50-259		9207270060	50-445
	9207240149	50-259		9207270068*	50-445
	9207240149	50-259		9207270068*	50-445
	9207240165	50-259		9207280106	50-445
	9207240165	50-259		9207280159	50-446
	9207240165	50-259		9207280168	50-446
	9207240212	50-259		9207300146	50-446
	9207240212	50-259		9207310104	50-445
	9207240212	50-259		9207270022	PRM
	9207240215*	50-259	Texas, Univ. of, Houston, TX	9207220339	50-346
	9207240215*	50-259	Toledo Coalition for Safe Energy		
	9207240215*	50-259	Toledo Edison Co.	9207202141	50-346
	9207270008	50-259		9207160095	50-346
	9207270008	50-259	Transamerica Delaval, Inc.	9207270011	50-346
	9207270008	50-259		9207060171	72-1005
	9207270010*	50-259		9207150286	71-9019
	9207270010*	50-259	Transnuclear, Inc.	9207140135	72-1005
	9207270010*	50-259		9207170209	71-3014
	9207270010*	50-259		9207310195	XPORTLIC
	9207290133	50-259	Troutman, Sanders, Lockerman & Ashmore	9207280201	50-424
	9207290133	50-259	U.S. Ecology, Inc. (formerly Nuclear	9207060052	27-48
	9207290133	50-259	Engineering, Inc.)		
	9207290145*	50-259		9207080341	27-48
	9207290145*	50-259		9207090016	27-48
	9207290145*	50-259		9207160019	PR
	9207290145*	50-259		9207270014*	27-48
	9207290165	PR		9207270036	PR
	9207290259	50-327		9207270043	PR
	9207290259	50-327		9207310122	71-6144
	9207300245	50-259	UMETCO Minerals Corp.	9207270079	40-8681
	9207300245	50-259	US Council for Energy Awareness	9207270062	PR
	9207300253	50-280		9207270127	PR
	9207310128	50-259	Underwriters Laboratory, Inc.	9207230295*	CONTRACT
	9207310166	50-328	Union Electric Co.	9207020247	50-483
	9207230021	PR		9207080242	50-483
	9207310147	STATE PRO		9207090165	50-483
Tennessee, State of	9207310181	STATE PRO		9207130009	50-483
	9207130243	71-471		9207140325	50-483
	9207130243	71-471		9207170065	50-483
	9207130243	71-471		9207210246	50-483
	9207130252*	71-471		9207220414	50-483
	9207130252*	71-471		9207230002	50-483
	9207130252*	71-471		9207230003*	50-483
Texas Utilities Co.	9207220345	50-445		9207280284	50-483
Texas Utilities Electric Co. (TU	9207070056	50-445		9207290191	PR

# 290 CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Union of Soviet Socialist Republics	9207310047	50-483		9207200066	50-338
	9207310049	50-483		9207200066	50-338
	9207070162	REVIEW GR		9207200068*	50-338
	9207070168	REVIEW GR		9207200068*	50-338
	9207070173	REVIEW GR		9207200117	50-281
	9207070178	REVIEW GR		9207200165	50-339
	9207070181	REVIEW GR		9207200167*	50-339
	9207070202	REVIEW GR		9207200169*	50-339
	9207070209	REVIEW GR		9207200170*	50-339
	9207070212	REVIEW GR		9207200209	50-280
	9207070234	REVIEW GR		9207200226	50-338
	9207070241	REVIEW GR		9207200226	50-338
	9207070245	REVIEW GR		9207220274	50-339
	9207070248	REVIEW GR		9207230018	50-339
	9207070253	REVIEW GR		9207230243	50-338
United Illuminating Co. United Nuclear Corp. (subs. of UNC, Inc.)	9207080028*	50-443		9207230243	50-338
	9207230117*	70-371		9207240026	50-280
	9207230130*	70-371		9207270020	PR
	9207300285	70-371		9207270050	PR
	9207080047	PR		9207270074	PR
Utah, State of	9207080054	PR		9207270325*	50-280
	9207270129*	40-8681		9207290419	50-280
	9207060252	50-271		9207300005	50-280
	9207060255*	50-271		9207300012	50-338
	9207070050	50-271		9207100061	50-62
Vermont Yankee Nuclear Power Corp.	9207080183	50-271	Virginia, Univ. of, Charlottesville, VA	9207220333	50-62
	9207090352	50-271		9207280302*	FOIA
	9207140015	50-271		9207280171	FOIA
	9207160172	50-271		9207290071	PR
	9207160375	50-271			
	9207160380*	50-271	Voice Systems & Services, Inc. (VSSI) Volt Temporary Services WMG, Inc. (formerly Waste Management Group, Inc.)	9207010075	50-397
	9207170032*	50-271		9207020094	50-397
	9207200032	50-271		9207020098	50-397
	9207220252	50-271		9207020274	50-397
	9207230149	50-271		9207080280	50-397
	9207270133	50-271	Washington Public Power Supply System	9207090102	50-460
	9207270135*	50-271		9207090178	50-397
	9207290300	50-271		9207100154	50-397
	9207300099	50-271		9207150065	50-397
	9207310086	50-271		9207150115	50-397
Veterans Admin. Hosp., Cleveland, OH	9005020081*	FOIA		9207150304	50-397
	9207200216*	FOIA		9207150308*	50-397
	9207200266*	FOIA		9207160381	50-397
	9207200272*	FOIA		9207170009	50-397
	9207200280*	FOIA		9207170163	50-397
	9207200282*	FOIA		9207200083	50-397
	9207200288*	FOIA		9207200090*	50-397
	9207200308*	FOIA		9207200147	50-397
	9207210261*	FOIA		9207200148*	50-397
	9207210270*	FOIA		9207200164	50-397
	9207210277*	FOIA		9207200171*	50-397
	9207210283*	FOIA		9207200176*	50-397
	9207210290*	FOIA		9207220209	50-397
	9207210308*	FOIA		9207220242	50-397
	9207220021*	FOIA		9207220386	50-397
Veterans Admin. Medical Center, Cincinnati, OH	9207220027*	FOIA		9207230019	PR
	9207220033*	FOIA		9207240201	50-397
	9109100117*	FOIA		9207270075	50-397
				9207280255	50-397
				9207310164	50-397
Veterans Admin. Medical Center, Dayton, OH	8906130014*	FOIA	Washington, Univ. of, Medical Center, Seattle, WA	9207130043	PRM
	9110070059*	FOIA			
	9207200135*	FOIA			
	9207200204*	FOIA			
	9207200210*	FOIA	Weller, Wheelus & Green West Chicago, IL West Valley Nuclear Services Co., Inc.	9207200067	40-2061
				9207090094	50-201
	9207200227*	FOIA			
	9003220284*	FOIA			
	9207010127	50-280	Westinghouse Electric Corp.	9207090156	50-201
				9207070112	PROJ
				9207070128	70-1151
				9207080215	TOPREP
				9207090099	PROJ
	9207010133*	50-280		9207090101*	PROJ
	9207010137	50-339		9207090138	PROJ
	9207010148*	50-339		9207090150*	PROJ
	9207020139	50-280		9207100401*	50-344
	9207060202	50-338		9207140278	TOPREP
	9207060227	50-280		9207150207	PROJ
	9207080003	50-338		9207150209*	PROJ
	9207100117	50-280		9207150218	PROJ
	9207100385	50-338		9207150220*	PROJ
	9207150026	50-338		9207160108	PROJ
	9207150133	50-338		9207160119*	PROJ
	9207160063*	50-338		9207160131*	PROJ
	9207160063*	50-338		9207160134*	PROJ
	9207160078*	50-338		9207160135*	PROJ
	9207160078*	50-338		9207160137*	PROJ
	9207170100	50-280		9207160141*	PROJ
	9207170243	50-338		9207170079*	50-390
	9207170244*	50-338		9207170083*	50-390
				9207200071	PT21
	9207170244*	50-338			

## CORPORATE SOURCE INDEX 291

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9207200232	PROJ		9207170173	50-305 I
	9207200242*	PROJ		9207230258	50-305 K
	9207270337	TOPREP		9207240060	50-305 Q
	9207270343*	TOPREP		9207240116	50-305 P
	9207280024	PT21		9207240117*	50-305 P
	9207280261*	50-315		9207240256*	50-305 Q
	9207280271*	50-315		9207270124	50-305 K
	9207280338*	FOIA		9207270139*	50-305 K
	9207280346*	FOIA		9207280074	50-305 P
	9207290375	TOPREP		9207290159	50-305 P
	9207290385*	TOPREP		9207290190*	50-305 P
	9207280228	TOPREP		9207310214	50-305 Q
Westinghouse Operating Plants Owners Group	9207060160	40-7455	Wisconsin, State of	9207020175*	CONTRACT
Whittar Industries, Ltd. dba Whittar Steel Strip (formerly Whittaker Corp.)			Wisconsin, Univ. of, Madison, WI	9207220196	ACRS
			Wolf Creek Nuclear Operating Corp.	9207010029	50-482 P
Winfrith Technology Centre (United Kingdom)	9207140017	NUREG		9207070015	50-482 S
Winston & Strawn	9207090015	FOIA		9207080165	50-482 P
	9207090082	50-348		9207140113	50-482 S
	9207090102	50-460		9207150157	50-482 R
				9207150160*	50-482 R
	9207090118	50-348		9207150162*	50-482 R
	9207100096*	50-336		9207150164*	50-482 R
	9207160039	PR		9207150167*	50-482 R
	9207160076	PR		9207150170*	50-482 R
	9207200040	50-336		9207150171*	50-482 R
	9207200075	70-3070		9207150172*	50-482 R
	9207200086*	70-3070		9207160047	PR
	9207230031	PR		9207160281	50-482 S
	9207270091	70-3070		9207170167	50-482 F
	9207270098	50-336		9207170169*	50-482 F
				9207170177*	50-482 F
	9207270103	50-336		9207210110	50-482 R
	9207280100	50-213		9207210248	50-482 P
	9207290109	FOIA		9207130136	50-445 M
Wisconsin Electric Power Co.	9207010243	50-266	Worsham, Forsythe, Sampels & Woolridge (formerly Worsham, Forsythe & Sampels)		
	9207010342	50-266		9207130136	50-445 M
				9207130137*	50-445 M
	9207010342	50-266		9207130137*	50-445 M
	9207010345	50-266		9207150317	50-445 M
	9207010345	50-266		9207150317	50-445 M
	9207020219	50-266			
	9207060190	50-266		9207150323*	50-445 M
				9207150323*	50-445 M
	9207070017	50-266	X-Ray Co., Inc.	9207160079	71-744
	9207070017	50-266	Yankee Atomic Electric Co.	9207070012	50-29
	9207140301	50-266		9207070401	50-29
	9207170253	50-266		9207070408*	50-29
	9207200248	50-266		9207080266	50-29
				9207130020	50-271
	9207200252*	50-266		9207140314	50-29
	9207220393	50-301		9207160074	PR
	9207270155	50-266			
	9207270155	50-266		9207160255	50-29
	9207270155	50-266		9207160257*	50-29
	9207280097	50-266		9207160264	50-29
				9207230017	50-29
	9207300036	50-266		9207230047	PR
	9207310137	50-266			
	9207310137	50-266		9207270246	50-29
Wisconsin Public Service Corp.	9207060189	50-305		9207280009	50-29
	9207060230	50-305		9207220141	QA999
				9207140315*	FOIA
	9207070343	50-305	Yuasa Exide, Inc.	9207220384*	CONTRACT
	9207100270	50-305	Zack Co.		
	9207130240	50-305	Zonar Corp.		
	9207140236	50-305		9207270341	FOIA
	9207140237*	50-305	Zuckert, Scoutt, Rasenberger & Johnson	9207230036	40-8406
			de maximis, Inc.	9207230087*	40-8406
	9207150168	50-305			





## REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
05-691-02-00 R00	9207270168*	WASTE MGT		NUREG/CR-5854	9207270318	NUREG	
05-S-46 R01	9207270167*	WASTE MGT		NUREG/CR-5860	9207140031	NUREG	
3C38-0387-001 R01	9207070063*	50-390	A	NUREG/CR-5865	9207060081	NUREG	ORNL SUB82176241
3C38-0387-002 R01	9207070076*	50-390	A	NUREG/CR-5867	9207270284	50-329	EGG-2674
3C38-1086-001 R01	9207070070*	50-390	A	NUREG/CR-5871 V01	9207140273	NUREG	A ORNL SUB79777810
							PNL-8064
3C38-1086-002 001	9207070074*	50-390	A	NUREG/CR-5875	9207140266	NUREG	BNL-NUREG-52325
7865.007-S-M-020 R02	9207220138*	50-324	Q	NUREG/IA-0080	9207140262	NUREG	BNL-NUREG-52328
86-1202153-01	92072110201*	50-269	P	NUREG/CR-5877	9207140248	50-324	P BNL-NUREG-52331
92-1	9207070429*	50-395	R	NUREG/CR-5885	9207140243	NUREG	UCRL-ID-110638
92-11	9207220150*	WASTE MGT	HLWR	NUREG/CR-5892	9207270263	NUREG	EGG-2682
				NUREG/CR-6009 V02			
92-12	9207090095*	WASTE MGT	HLWR	NUREG/IA-0071	9207140017	NUREG	AEW-M2555
92-E-0065-01 R00	9207300254*	50-368	P	NUREG/IA-0080	9207140022	NUREG	
92050S	92073110221*	50-293	Q	ORNL/NOAC-266	9207020317*	50-333	P
990-1745 R14	9207230281*	50-289	K	OSC-4747	9207090093*	50-269	P
A-MECH-ER-005 R00	9207060187*	50-368	P	OSC-4756	9207090076*	50-269	P
			GL-92-01				
ANF-1358(NP)(A)	9207100222*	TOPREP		PECO-COLR-L1R4 R00	9207200003*	50-352	P
BAW-2167	9207100291*	50-285	P	PECO-COLR-L2R1 R03	9207200004*	50-352	P
BAW-2168	9207060203*	50-338	Y	PMPR 92-10	9207230115*	WASTE MGT	HLWR
BGE-01-126 R01	9207210130*	50-317		REX - 92	9207270283*	50-313	F
CAR 92019	9207140043*	40-8027		RS-91-137 R00	9207240208*	50-458	P
CEN-412 R01	9207070147*	TOPREP		SASR 88-24 R01	9207200158*	50-277	P
CNWR 91-001	9207010226*	WASTE MGT	HLWR	SD 3526-004 R10	9207150205*	50-320	P
COLR 92-8 R00	9207150308*	50-397	P	SECY-92-171	9205200311	SECY	
CPC-2A R12	9207310243*	50-155	P	SECY-92-184	9205210293	SECY	
DC-SE-0001-SD R01	9207310241*	70-3070		SECY-92-186	9205260121	SECY	
DOE/RW-0205	9207020309*	WASTE MGT	HLWR	SECY-92-187	9205280108	SECY	
EGG-PHY-10286	9206030130*	50-220	P	SECY-92-192	9207090245	SECY	
FACT-06-92-04-04-01	9207170142*	WASTE MGT		SECY-92-193	9207090255	SECY	
GE-NE-187-37-0991	9207300073*	50-10	P	SECY-92-194	9206020284	SECY	
GNS B 112/91E R01	9207170255*	PROJ		SECY-92-204	9206120040	SECY	
GNS B 58/92 R00	9207170258*	PROJ		SECY-92-212	9206160264	SECY	
GP-R-213850	9207310234*	50-261	P	SECY-92-217	9206290076	SECY	GL-90-02
MPM-GL-692714	9207100047*	50-410	P	SECY-92-220	9206260196	SECY	
NE-876 R00	9207010148*	50-339	P	SECY-92-226	9207020283	SECY	
NE-893 R00	9207010133*	50-280	P	SECY-92-227	9207020129	SECY	IEB-92-001
NE-895 R00	9207220274	50-339	P	SECY-92-228	9207020284	50-10	P
NISTIR4485	9207090209*	ORG	92-453	SECY-92-231	9207010299	COMMISSIO	N
NUMARC 92-01	9207230271*	REVIEW GR	P	SECY-92-232	9207020330	SECY	
NUMARC 93-01 R2A DRF	9207210010*	REVIEW GR	P	SECY-92-234	9207060309	SECY	
NUREG-0304 V17 N01	9207270307	NUREG		SECY-92-235	9207100407	SECY	
NUREG-0540 V14 N04	9207020031	NUREG		SECY-92-236	9207220411	COMMISSIO	N
NUREG-0725 R08	9207140034	NUREG		SECY-92-242	9207130007	COMMISSIO	N
NUREG-0750 V35 I01	9207160275	NUREG		SECY-92-251	9207210317	COMMISSIO	N
NUREG-0837 V12 N01	9207020042	NUREG		SF-OP-01.1 R00	9207070082*	50-390	A
NUREG-0847 S08	9207140239	50-390	E	SF-OP-01.7 R01	9207070094*	50-390	A
NUREG-1456	9207020033	NUREG		SF-OP-02.1 R00	9207070088*	50-390	A
NUREG-1458	9207140291	NUREG		UMTRA-DOE/AL 350125.	9207080224*	WASTE MGT	
NUREG/BR-0045 R02	9207020027	NUREG		WCAP-11011	9207080273*	50-424	P
NUREG/BR-0088 R02	9207140229	NUREG		WCAP-11381	9207080276*	50-424	P
NUREG/BR-0117 N92-2	9207020022	NUREG		WCAP-13300	9207170079*	50-390	A
NUREG/CR-0119 V03 AD	9207140232	NUREG		WCAP-13301	9207170083*	50-390	A
NUREG/CR-0123	9207270274	NUREG	EGG-2676	WCAP-13404	9207160135*	PROJ	
NUREG/CR-3950 V07	9207270321	NUREG	PNL-5210	WCAP-13405	9207160134*	PROJ	
NUREG/CR-4551 V2R1P4	9207080085	NUREG	SAND86-1309	WCAP-8426	9207100401*	50-344	P
NUREG/CR-5445	9207080042	NUREG	EGG-2662	WCAP-8512	9207280261*	50-315	P
NUREG/CR-5672 V02	9207060049	NUREG	EGG-2635	WVNS-TSR-044 R00	9207230030*	PROJ	
NUREG/CR-5693	9207060056	NUREG	BNL-NUREG-52283	YMP-92-13	9207010165*	WASTE MGT	HLWR
NUREG/CR-5720	9207140288	NUREG	EGG-2643	YMP-92-16	9207080115*	WASTE MGT	HLWR
NUREG/CR-5805	9207060061	NUREG	BNL-NUREG-52306	YMP-92-17	9207210153*	WASTE MGT	HLWR
NUREG/CR-5806	9207060067	NUREG	BNL-NUREG-52307	YMP-SR-92-012	9207090356*	WASTE MGT	HLWR
NUREG/CR-5819	9207270295	NUREG	BNL-NUREG-52313	YMP-SR-92-014	9207130162*	WASTE MGT	HLWR
				YMP-SR-92-017	9207200149*	WASTE MGT	HLWR



## CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document, the date issued, and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8204050127	9207150108	91/11/04	FOIA	9004100066	9207200219	91/11/07	FOIA
8208190047	9207220323	91/11/15	50-373 P	9004100070	9207200219	91/11/07	FOIA
8410090318	9207160075	91/11/04	FOIA	9004100072	9207200219	91/11/07	FOIA
8410090322	9207160075	91/11/04	FOIA	9004230293	9207280328	91/11/25	FOIA
8410090326	9207160075	91/11/04	FOIA	9005020076	9207200219	91/11/07	FOIA
8410090332	9207160075	91/11/04	FOIA	9005020080	9207200219	91/11/07	FOIA
8410090342	9207160075	91/11/04	FOIA	9005020081	9207200219	91/11/07	FOIA
8410090348	9207160075	91/11/04	FOIA	9005020082	9207200219	91/11/07	FOIA
8410090358	9207160075	91/11/04	FOIA	9005020095	9207200219	91/11/07	FOIA
8410090359	9207160075	91/11/04	FOIA	9005230194	9207200219	91/11/07	FOIA
8410090360	9207160075	91/11/04	FOIA	9005230196	9207200219	91/11/07	FOIA
8410090361	9207160075	91/11/04	FOIA	9007130009	9207200219	91/11/07	FOIA
8410090362	9207160075	91/11/04	FOIA	9007130010	9207200219	91/11/07	FOIA
8410090363	9207160075	91/11/04	FOIA	9007130012	9207200219	91/11/07	FOIA
8410090364	9207160075	91/11/04	FOIA	9007130058	9207200219	91/11/07	FOIA
8605190330	9207080120	91/10/11	50-171 P	9007130062	9207200219	91/11/07	FOIA
8607300180	9207160075	91/11/04	FOIA	9007130084	9207200219	91/11/07	FOIA
8607300184	9207160075	91/11/04	FOIA	9007130085	9207200219	91/11/07	FOIA
8607300187	9207160075	91/11/04	FOIA	9007130087	9207200219	91/11/07	FOIA
8704220130	9207080132	91/10/29	FOIA	9007190378	9207200219	91/11/07	FOIA
8704220146	9207080132	91/10/29	FOIA	9007250299	9207200219	91/11/07	FOIA
8704220158	9207080132	91/10/29	FOIA	9008060149	9207200219	91/11/07	FOIA
8704220166	9207080132	91/10/29	FOIA	9008060157	9207200219	91/11/07	FOIA
8704220187	9207080132	91/10/29	FOIA	9008070337	9207200219	91/11/07	FOIA
8706240090	9207080132	91/10/29	FOIA	9008070339	9207200219	91/11/07	FOIA
8710190190	9207100396	92/07/06	50-344 P	9008100157	9207280210	91/12/09	50-424 S
8806100278	9207170048	91/11/20	FOIA	9008220195	9207200219	91/11/07	FOIA
8812300104	9207080153	91/10/28	FOIA	9008220196	9207200219	91/11/07	FOIA
8901090278	9207150092	91/11/07	27-48	9012100200	9207200219	91/11/07	FOIA
8901100248	9207170048	91/11/20	40-8027	9012100204	9207200219	91/11/07	FOIA
8901190467	9207200219	91/11/07	FOIA	9012280074	9207010322	92/06/30	ORG
8901190471	9207200219	91/11/07	FOIA	9101020351	9207200219	91/11/07	FOIA
8901240231	9207200219	91/11/07	FOIA	9101110137	9207200219	91/11/07	FOIA
8904130552	9207200219	91/11/07	FOIA	9101110148	9207200219	91/11/07	FOIA
8905090349	9207200219	91/11/07	FOIA	9101220068	9207170225	91/11/13	FOIA
8905180415	9207200219	91/11/07	FOIA	9102120152	9207200219	91/11/07	FOIA
8905180418	9207200219	91/11/07	FOIA	9103080213	9207160075	91/11/04	FOIA
8906020038	9207200219	91/11/07	FOIA	9103120018	9207200219	91/11/07	FOIA
8906130014	9207200219	91/11/07	FOIA	9103120020	9207200219	91/11/07	FOIA
8906140094	9207200219	91/11/07	FOIA	9104120007	9207200219	91/11/07	FOIA
8906140096	9207200219	91/11/07	FOIA	9104120010	9207200219	91/11/07	FOIA
8906140118	9207200219	91/11/07	FOIA	9104120100	9207200219	91/11/07	FOIA
8906140123	9207200219	91/11/07	FOIA	9104160111	9207200219	91/11/07	FOIA
8906200184	9207200219	91/11/07	FOIA	9104160115	9207200219	91/11/07	FOIA
8906200186	9207200219	91/11/07	FOIA	9104290092	9207170225	91/11/13	FOIA
8906290222	9207200219	91/11/07	FOIA	9105020008	9207200219	91/11/07	FOIA
8906290225	9207200219	91/11/07	FOIA	9105020311	9207200219	91/11/07	FOIA
8906290227	9207200219	91/11/07	FOIA	9105020313	9207200219	91/11/07	FOIA
8908140157	9207200219	91/11/07	FOIA	9105080005	9207200219	91/11/07	FOIA
8908140269	9207200219	91/11/07	FOIA	9105140325	9207200219	91/11/07	FOIA
8908080133	9207200219	91/11/07	FOIA	9105150158	9207200219	91/11/07	FOIA
8910200232	9207200219	91/11/07	FOIA	9105150180	9207200219	91/11/07	FOIA
8912040039	9207200219	91/11/07	FOIA	9105160037	9207200219	91/11/07	FOIA
9001230162	9207200219	91/11/07	FOIA	9105230184	9207200219	91/11/07	FOIA
9001230206	9207200219	91/11/07	FOIA	9106180105	9207200219	91/11/07	FOIA
9002280089	9207200219	91/11/07	FOIA	9107160236	9207200219	91/11/07	FOIA
9003070064	9207200219	91/11/07	FOIA	9107160241	9207200219	91/11/07	FOIA
9003220284	9207200219	91/11/07	FOIA	9107290028	9207200219	91/11/07	FOIA
9003300183	9207200219	91/11/07	FOIA	9107290033	9207200219	91/11/07	FOIA
9003300184	9207200219	91/11/07	FOIA	9108020332	9207200219	91/11/07	FOIA

# 296 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9108150279	9207160171	91/11/08	50-29 P	9207010357	9207010348	92/06/25	TOPREP
9108260056	9207200219	91/11/07	FOIA	9207020002	9207020001	92/06/29	50-220 P
9108260059	9207200219	91/11/07	FOIA	9207020013	9207020006	92/06/22	50-454 P
9109100106	9207200219	91/11/07	FOIA	9207020016	9207020006	92/06/22	50-454 P
9109100117	9207200219	91/11/07	FOIA	9207020021	9207020006	92/06/22	50-454 P
9109240016	9207200219	91/11/07	FOIA	9207020029	9207020007	92/06/18	50-335 Q
9109240019	9207200219	91/11/07	FOIA	9207020030	9207020023	92/06/19	50-255 P
9109270081	9207200219	91/11/07	FOIA	9207020035	9207020023	92/06/19	50-255 P
9110070059	9207200219	91/11/07	FOIA	9207020038	9207020025	92/06/17	50-424 Q
9110080002	9207200219	91/11/07	FOIA	9207020040	9207020007	92/06/18	50-335 Q
9202190101	9207230221	92/07/17	50-285 Q	9207020048	9207020045	92/06/25	50-302 P
9202200212	9207200192	92/07/09	REVIEW GR P	9207020049	9207020045	92/06/25	50-302 P
9202200237	9207200192	92/07/09	REVIEW GR P	9207020051	9207020046	92/06/17	CONTRACT
9202200247	9207200192	92/07/09	REVIEW GR P	9207020056	9207020025	92/06/17	50-424 Q
9202200254	9207200192	92/07/09	REVIEW GR P	9207020058	9207020055	92/06/23	CONTRACT
9202200263	9207200192	92/07/09	REVIEW GR P	9207020062	9207020052	92/06/22	CONTRACT
9202200270	9207200192	92/07/09	REVIEW GR P	9207020063	9207020060	92/06/25	50-302 P
9202200278	9207200192	92/07/09	REVIEW GR P	9207020065	9207020060	92/06/25	50-302 P
9202200318	9207200192	92/07/09	REVIEW GR P	9207020067	9207020064	92/06/29	50-498 G
9202200330	9207200192	92/07/09	REVIEW GR P	9207020075	9207020070	92/06/10	50-416 Q
9202200340	9207200192	92/07/09	REVIEW GR P	9207020076	9207020074	92/06/18	50-302 Q
9202200345	9207200192	92/07/09	REVIEW GR P	9207020084	9207020074	92/06/18	50-302 Q
9202200363	9207200192	92/07/09	REVIEW GR P	9207020092	9207020080	92/06/23	50-387 P
9202260112	9207200192	92/07/09	REVIEW GR P	9207020099	9207020083	92/06/19	50-265 S
9202280331	9207310093	92/07/15	50-255 P	9207020100	9207020093	92/06/17	50-250 Q
9205200280	9207200192	92/07/09	50-528 P	9207020101	9207020090	92/06/26	CONTRACT
9205290181	9207280161	92/07/16	50-10 T	9207020114	9207020113	92/06/23	50-454 P
9205290185	9207280161	92/07/16	50-10 T	9207020124	9207020111	92/06/12	50-338 Q
9206030130	9207240188	92/07/13	50-220 P	9207020126	9207020120	92/06/23	CONTRACT
9206040233	9207170036	92/06/01	50-333 H	9207020133	9207020131	92/06/23	CONTRACT
9206100130	9206100146	92/06/02	10CFR	9207020135	9207100126	92/07/06	50-317 P
9206100181	9206100146	92/06/02	10CFR	9207020142	9207020138	92/06/23	CONTRACT
9206150446	9207170018	92/06/10	PR	9207020150	9207020146	92/06/23	CONTRACT
9206160419	9207020010	92/06/23	50-206 T	9207020157	9207020111	92/06/12	50-338 Q
9206160422	9207020010	92/06/23	50-206 T	9207020161	9207020158	92/06/23	CONTRACT
9206170062	9207100083	92/07/01	50-263 T	9207020162	9207020154	92/06/18	50-261 Q
9206170097	9207020010	92/06/23	50-206 T	9207020169	9207020167	92/06/23	CONTRACT
9206170109	9207100083	92/07/01	50-263 T	9207020175	9207020171	92/06/23	CONTRACT
9206170324	9206170322	92/06/11	50-245 U	9207020179	9207020168	92/06/19	70-27
9207010022	9207010020	92/06/22	50-461 Q	9207020181	9207020159	92/06/04	50-269 Q
9207010033	9207010025	92/06/19	50-289 Q	9207020182	9207020173	92/06/15	50-259 Q
9207010036	9207010034	92/06/23	50-293 Q	9207020198	9207020191	92/06/29	50-312 G
9207010042	9207010037	92/06/25	50-269 Q	9207020201	9207020193	92/06/25	50-2 P
9207010044	9207010041	92/06/19	50-352 Q	9207020202	9207020193	92/06/25	50-2 P
9207010051	9207010048	92/06/19	50-387 Q	9207020206	9207020191	92/06/29	50-312 G
9207010052	9207010057	92/06/23	40-8724	9207020210	9207020205	92/06/11	50-416 Q
9207010062	9207010038	92/06/15	WASTE MGT	9207020238	9207020235	92/06/09	50-280 Q
9207010065	9207010056	92/06/24	50-259 Q	9207020239	9207020231	92/06/29	70-3070
9207010069	9207010064	92/06/22	50-277 Q	9207020243	9207020237	92/06/24	50-206 P
9207010072	9207010067	92/06/19	50-155 Q	9207020244	9207020240	92/06/25	50-286 P
9207010073	9207010066	92/06/23	50-331 Q	9207020245	9207020237	92/06/24	50-206 P
9207010085	9207010079	92/06/22	50-317 Q	9207020246	9207020240	92/06/25	50-286 P
9207010086	9207010082	92/06/19	50-277 Q	9207020253	9207020249	92/06/24	50-387 P
9207010087	9207010077	92/06/23	50-254 Q	9207020257	9207020249	92/06/24	50-387 P
9207010090	9207010088	92/06/19	50-220 Q	9207020259	9207020255	92/06/19	50-321 P
9207010093	9207010077	92/06/23	50-254 Q	9207020261	9207020255	92/06/19	50-321 P
9207010097	9207010091	92/06/18	50-320 P	9207020265	9207020249	92/06/24	50-387 P
9207010100	9207010091	92/06/18	50-320 P	9207020281	9207020159	92/06/04	50-269 Q
9207010106	9207010091	92/06/18	50-320 P	9207020286	9207020275	92/06/23	CONTRACT
9207010133	9207010127	92/06/24	50-280 P	9207020297	9207020295	92/06/17	50-220 F
9207010138	9207010129	92/06/24	50-440 P	9207020302	9207020296	92/06/26	CONTRACT
9207010148	9207010137	92/06/26	50-339 P	9207020303	9207020298	92/06/24	50-151 V
9207010165	9207010156	92/06/23	WASTE MGT	9207020304	9207020300	92/06/19	WASTE MGT
9207010200	9207010196	92/06/20	50-335 Q	9207020308	9207020301	92/06/24	COMMISSIO
9207010226	9207010215	92/03/27	WASTE MGT	9207020309	9207020300	92/06/19	WASTE MGT
9207010231	9207010220	92/06/16	40-8135	9207020311	9207020300	92/06/19	WASTE MGT
9207010250	9207010248	92/06/17	50-160 Q	9207020317	9207020313	92/06/25	50-333 P
9207010252	9207010251	92/06/26	50-331 Q	9207020318	9207020300	92/06/19	WASTE MGT
9207010253	9207010245	92/06/12	50-327 Q	9207020319	9207020316	92/06/19	COMMISSIO
9207010289	9207010288	92/06/12	50-335 Q	9207020325	9207020314	92/05/08	CONTRACT
9207010290	9207010284	92/06/29	50-445 Q	9207060005	9207060004	92/06/22	50-244 P
9207010293	9207010286	92/05/22	50-302 Q	9207060006	9207060004	92/06/22	50-244 P
9207010303	9207010286	92/05/22	50-302 Q	9207060008	9207060007	92/06/01	52-1
9207010306	9207010301	92/06/25	ORG	9207060013	9207060010	92/06/25	50-295 K
9207010312	9207010307	92/06/22	ORG	9207060015	9207060010	92/06/25	50-295 K
9207010323	9207010318	92/05/15	50-390 Q	9207060016	9207060010	92/06/25	50-295 K
9207010326	9207010322	92/06/30	ORG	9207060019	9207060010	92/06/25	50-295 K
9207010327	9207010325	92/06/23	50-423 P	9207060021	9207060020	92/07/06	50-322 W
9207010329	9207010325	92/06/23	50-423 P	9207060022	9207060010	92/06/25	50-295 K
9207010331	9207010320	92/06/17	50-413 Q	9207060024	9207060010	92/06/25	50-295 K
9207010335	9207010325	92/06/23	50-423 P	9207060028	9207060010	92/06/25	50-295 K
9207010340	9207010328	92/06/18	50-259 Q	9207060030	9207060010	92/06/25	50-295 K
9207010343	9207010337	92/06/19	50-440 Q	9207060031	9207060010	92/06/25	50-295 K
9207010344	9207010339	92/06/02	50-369 F	9207060034	9207060010	92/06/25	50-295 K
9207010346	9207010328	92/06/18	50-259 Q	9207060037	9207060010	92/06/25	50-295 K
9207010354	9207010348	92/06/25	TOPREP	9207060038	9207060010	92/06/25	50-295 K
9207010356	9207010348	92/06/25	TOPREP	9207060040	9207060010	92/06/25	50-295 K

# CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 297

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9207060041	9207060039	92/05/28	70-152	9207070122	9207070118	92/07/02	50-382 Q
9207060044	9207060033	92/06/23	50-387	9207070130	9207070123	92/06/30	50-317 QQ
9207060058	9207060010	92/06/25	50-295 K	9207070142	9207070133	81/09/15	50-263 Q
9207060064	9207060010	92/06/25	50-295 K	9207070147	9207070145	92/06/25	TOPREP
9207060068	9207060010	92/06/25	50-295 K	9207070165	9207070161	92/06/25	50-2 P
9207060070	9207060010	92/06/25	50-295 K	9207070176	9207070174	92/06/24	50-461 Q
9207060072	9207060010	92/06/25	50-295 K	9207070179	9207070174	92/06/24	50-461 Q
9207060074	9207060010	92/06/25	50-295 K	9207070184	9207070182	92/06/26	50-305 QQ
9207060084	9207060010	92/06/25	50-295 K	9207070185	9207070170	92/07/07	50-10 R
9207060086	9207060082	92/06/30	50-356 V	9207070186	9207070180	92/06/26	50-247 Q
9207060091	9207060010	92/06/25	50-295 K	9207070188	9207070175	92/06/19	50-440 P
9207060093	9207060010	92/06/25	50-295 K	9207070192	9207070170	92/07/07	50-10 R
9207060094	9207060090	92/06/29	50-5 V	9207070193	9207070187	92/06/29	50-461 R
9207060095	9207060010	92/06/25	50-295 K	9207070199	9207070197	92/06/30	50-461 Q
9207060096	9207060010	92/06/25	50-295 K	9207070200	9207070154	92/06/30	50-254 R
9207060099	9207060010	92/06/25	50-295 K	9207070203	9207070207	92/06/30	50-286 QQ
9207060102	9207060098	92/06/30	50-151 V	9207070207	9207070205	92/06/26	50-305 R
9207060104	9207060010	92/06/25	50-295 K	9207070208	9207070204	92/06/30	50-10 R
9207060105	9207060103	92/06/25	40-8948	9207070214	9207070164	92/06/26	50-10 R
9207060106	9207060010	92/06/25	50-295 K	9207070220	9207070164	92/06/26	50-10 R
9207060109	9207060010	92/06/25	50-295 K	9207070230	9207070218	92/06/25	50-456 Q
9207060111	9207060103	92/06/25	40-8948	9207070233	9207070233	92/06/26	50-10 R
9207060112	9207060010	92/06/25	50-295 K	9207070237	9207070227	92/06/26	50-10 R
9207060113	9207060010	92/06/25	50-295 K	9207070249	9207070240	92/06/26	50-454 Q
9207060114	9207060010	92/06/25	50-295 K	9207070260	9207070252	92/07/01	50-443 P
9207060116	9207060010	92/06/25	50-295 K	9207070266	9207070255	92/06/29	50-454 V
9207060117	9207060010	92/06/25	50-295 K	9207070276	9207070273	92/07/02	52-1 P
9207060119	9207060010	92/06/25	50-295 K	9207070289	9207070287	92/07/01	50-247 P
9207060123	9207060118	92/06/26	50-397 P	9207070297	9207070290	92/06/29	50-456 Q
9207060124	9207060010	92/06/25	50-295 K	9207070323	9207070286	91/09/30	FOIA
9207060125	9207060118	92/06/26	50-397 P	9207070326	9207070286	91/09/30	FOIA
9207060126	9207060010	92/06/25	50-295 K	9207070329	9207070286	91/09/30	FOIA
9207060129	9207060010	92/06/25	50-295 K	9207070334	9207070286	91/09/30	FOIA
9207060130	9207060010	92/06/25	50-295 K	9207070338	9207070286	91/09/30	FOIA
9207060131	9207060127	92/06/26	50-397 P	9207070354	9207070347	91/10/21	FOIA
9207060132	9207060010	92/06/25	50-295 K	9207070359	9207070347	91/10/21	FOIA
9207060133	9207060010	92/06/25	50-295 K	9207070364	9207070347	91/10/21	FOIA
9207060139	9207060136	92/06/25	50-255 P	9207070372	9207070215	92/06/29	50-395 Q
9207060153	9207060151	92/07/01	50-397 P	9207070374	9207070368	92/06/17	XPORTLIC
9207060166	9207060163	92/06/30	50-298 P	9207070378	9207070347	91/10/21	FOIA
9207060176	9207060172	92/06/30	50-440 P	9207070380	9207070347	91/10/21	FOIA
9207060181	9207060180	92/06/24	WASTE MGT	9207070384	9207070377	92/06/30	50-285 P
9207060187	9207060186	92/07/01	50-368 P	9207070386	9207070347	91/10/21	FOIA
9207060203	9207060202	92/06/29	50-338 P	9207070388	9207070347	91/10/21	FOIA
9207060206	9207060169	92/06/22	50-443 U	9207070389	9207070347	91/10/21	FOIA
9207060209	9207060169	92/06/22	50-443 U	9207070393	9207070392	92/06/30	WASTE MGT
9207060214	9207060210	92/06/30	50-423 P	9207070395	9207070347	91/10/21	FOIA
9207060219	9207060169	92/06/22	50-443 U	9207070397	9207070347	91/10/21	FOIA
9207060220	9207060148	92/06/30	50-327 P	9207070405	9207070396	92/06/26	50-293 Q
9207060222	9207060218	92/05/06	50-331 F	9207070406	9207070403	92/06/30	50-336 P
9207060240	9207060238	92/06/29	50-213 P	9207070408	9207070401	92/07/02	50-29 F
9207060255	9207060252	92/07/01	50-271 P	9207070411	9207070409	92/06/29	50-440 F
9207060259	9207060249	92/06/30	50-443 P	9207070426	9207070425	92/06/30	50-443 F
9207060263	9207060261	92/06/29	PROJ	9207070429	9207070428	92/06/30	50-395 R
9207060281	9207060277	92/06/26	50-413 P	9207080008	9207080006	92/06/29	40-8989
9207060284	9207060277	92/06/26	50-413 P	9207080021	9207080015	92/06/25	50-352 Q
9207060294	9207060291	92/06/30	50-344 P	9207080022	9207080020	92/06/22	50-271 Q
9207060297	9207060293	92/06/29	50-237 P	9207080028	9207080024	92/06/29	50-443 Q
9207060300	9207060293	92/06/29	50-237 P	9207080031	9207080027	92/06/25	50-293 Q
9207070004	9207070003	92/07/01	50-293 P	9207080032	9207080024	92/06/29	50-443 Q
9207070016	9207070013	92/06/30	50-317 P	9207080033	9207080024	92/06/29	50-443 Q
9207070019	9207070013	92/06/30	50-317 P	9207080042	9207080024	92/06/29	50-443 Q
9207070028	9207070024	92/07/01	50-387 Q	9207080044	9207080036	92/06/24	50-334 Q
9207070032	9207070030	92/06/30	50-272 P	9207080056	9207080049	92/06/30	70-3070
9207070033	9207070025	92/07/01	50-458 Q	9207080058	9207080051	92/06/25	50-352 Q
9207070035	9207070030	92/06/30	50-272 P	9207080059	9207080049	92/06/30	70-3070
9207070037	9207070031	92/06/29	50-322 Q	9207080065	9207080061	92/06/26	50-352 Q
9207070047	9207070044	92/06/29	50-220 P	9207080067	9207080064	92/06/25	50-220 Q
9207070051	9207070044	92/06/29	50-220 P	9207080075	9207080064	92/06/25	50-220 Q
9207070052	9207070038	92/06/30	50-458 Q	9207080077	9207080071	92/06/26	50-219 Q
9207070058	9207070055	92/06/29	50-219 Q	9207080092	9207080087	92/07/01	50-255 Q
9207070060	9207070054	92/06/30	50-458 Q	9207080093	9207080085	92/06/22	50-245 P
9207070063	9207070059	92/06/30	50-390 A	9207080101	9207080098	92/06/29	50-244 Q
9207070064	9207070054	92/06/30	50-458 Q	9207080111	9207080105	92/06/25	50-456 P
9207070070	9207070059	92/06/30	50-390 A	9207080114	9207080107	92/06/26	50-346 Q
9207070074	9207070059	92/06/30	50-390 A	9207080115	9207080112	92/06/29	WASTE MGT
9207070075	9207070071	92/06/30	40-8027 A	9207080116	9207080113	92/07/02	50-445 P
9207070076	9207070059	92/06/30	50-390 A	9207080136	9207080127	92/06/26	50-331 P
9207070082	9207070059	92/06/30	50-390 A	9207080152	9207080120	91/10/11	50-10 P
9207070088	9207070059	92/06/30	50-390 A	9207080155	9207080150	92/06/25	50-213 P
9207070089	9207070088	92/07/01	50-237 P	9207080160	9207080158	92/06/29	50-400 P
9207070093	9207070078	92/06/26	50-295 P	9207080166	9207080161	92/06/30	50-388 P
9207070094	9207070059	92/06/30	50-390 A	9207080170	9207080161	92/06/30	50-388 P
9207070095	9207070091	92/06/30	50-458 Q	9207080172	9207080161	92/06/30	50-388 P
9207070099	9207070082	92/06/30	50-482 Q	9207080176	9207080161	92/06/30	50-388 P
9207070100	9207070078	92/06/26	50-295 P	9207080180	9207080120	91/10/11	50-341 P
9207070103	9207070092	92/06/30	50-482 Q	9207080194	9207080120	91/10/11	50-250 P

# 298 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9207080199	9207080195	92/06/22	70-135	9207090150	9207090138	92/06/30	PROJ
9207080200	9207080120	91/10/11	50-259	9207090157	9207090155	92/06/29	50-237
9207080207	9207080120	91/10/11	50-267	9207090166	9207090163	91/11/01	40-8027
9207080224	9207080137	92/06/25	WASTE MGT	9207090168	9207090162	92/07/06	50-361
9207080226	9207080223	92/07/06	40-8027	9207090170	9207090162	92/07/06	50-361
9207080228	9207080225	92/06/30	70-3070	9207090190	9207090186	92/06/30	WASTE MGT
9207080229	9207080223	92/07/06	40-8027	9207090191	9207090180	92/06/25	CONTRACT
9207080234	9207080140	92/07/01	50-443	9207090209	9207090205	92/07/01	ORG
9207080254	9207080252	92/07/02	50-313	9207090210	9207090115	91/10/16	40-8081
9207080255	9207080252	92/07/02	50-313	9207090212	9207090208	92/06/24	70-698
9207080256	9207080250	92/07/01	50-261	9207090214	9207090211	92/06/17	50-528
9207080257	9207080120	92/07/06	50-10	9207090215	9207090208	92/06/24	70-698
9207080263	9207080259	92/06/30	50-413	9207090222	9207090115	91/10/16	40-8081
9207080265	9207080120	91/10/11	50-293	9207090226	9207090115	91/10/16	40-8081
9207080268	9207080259	92/06/30	50-413	9207090227	9207090225	92/06/24	40-8868
9207080269	9207080120	91/10/11	50-255	9207090230	9207090115	91/10/16	40-8081
9207080272	9207080259	92/06/30	50-413	9207090231	9207090216	91/10/08	70-712
9207080273	9206300215	92/06/25	50-424	9207090233	9207090115	91/10/16	40-8081
9207080276	9206300215	92/06/25	50-424	9207090236	9207090115	91/10/16	40-8081
9207080279	9207080120	91/10/11	50-312	9207090237	9207080120	91/10/11	50-220
9207080283	9207080120	91/10/11	50-171	9207090240	9207090235	92/07/01	50-443
9207080285	9207080281	91/10/28	FOIA	9207090247	9207090115	91/10/16	40-8081
9207080287	9207080286	92/07/06	50-266	9207090248	9207080120	91/10/11	50-220
9207080289	9207080286	92/07/06	50-266	9207090250	9207090115	91/10/16	40-8081
9207080291	9207080120	91/10/11	50-10	9207090251	9207090241	91/11/01	FOIA
9207080296	9207080295	92/06/24	70-28	9207090253	9207090243	92/07/02	50-272
9207080307	9207080120	91/10/28	FOIA	9207090256	9207090249	91/10/07	FOIA
9207080322	9207080301	92/07/06	50-458	9207090257	9207090216	91/10/08	70-712
9207080327	9207080327	92/06/25	71-9156	9207090258	9207090115	91/10/16	40-8081
9207080329	9207080301	92/07/06	50-458	9207090259	9207090243	92/07/02	50-272
9207080331	9207080281	91/10/28	FOIA	9207090263	9207090216	91/10/08	FOIA
9207080332	9207080321	92/06/25	71-9156	9207090265	9207090260	92/07/02	50-237
9207080342	9207080339	92/07/06	71-9239	9207090266	9207090228	92/06/29	PROJ
9207080346	9207080281	91/10/28	FOIA	9207090267	9207080120	91/10/11	50-171
9207080351	9207080120	91/10/11	50-312	9207090271	9207090216	91/10/08	FOIA
9207080356	9207080120	91/10/11	50-259	9207090276	9207090274	92/06/29	70-734
9207090017	9207090014	92/06/30	50-254	9207090277	9207090277	92/07/02	50-373
9207090022	9207090014	92/06/30	50-254	9207090289	9207090216	91/10/08	40-1478
9207090025	9207090014	92/06/30	50-254	9207090292	9207090115	91/10/16	40-8081
9207090028	9207090026	92/07/02	70-27	9207090295	9207090216	91/10/08	40-1478
9207090030	9207090014	92/06/30	50-254	9207090296	9207090290	92/06/26	50-280
9207090032	9207090014	92/06/30	50-254	9207090306	9207090216	91/10/08	FOIA
9207090034	9207090026	92/07/02	70-27	9207090311	9207090115	91/10/16	40-8081
9207090035	9207090014	92/06/30	50-254	9207090320	9207090309	92/06/18	50-275
9207090036	9207090027	92/07/06	50-313	9207090324	9207090321	92/06/29	50-445
9207090038	9207090014	92/06/30	50-254	9207090325	9207090322	92/06/10	50-397
9207090039	9207090014	92/06/30	50-254	9207090328	9207090321	92/06/29	50-445
9207090042	9207090014	92/06/30	50-254	9207090329	9207090216	91/10/08	FOIA
9207090044	9207080120	91/10/11	50-171	9207090330	9207090322	92/06/10	50-397
9207090045	9207090014	92/06/30	50-254	9207090332	9207090317	92/07/08	50-219
9207090046	9207090026	92/07/02	70-27	9207090333	9207090216	91/10/08	40-1478
9207090049	9207090014	92/06/30	50-254	9207090338	9207090115	91/10/16	40-7603
9207090050	9207080120	91/10/11	50-293	9207090341	9207090115	91/10/16	40-7603
9207090051	9207090014	92/06/30	50-254	9207090343	9207090340	92/07/02	50-237
9207090053	9207090014	92/06/30	50-254	9207090344	9207090340	92/07/02	50-237
9207090055	9207080120	91/10/11	50-267	9207090346	9207090115	91/10/16	40-7603
9207090056	9207090014	92/06/30	50-254	9207090347	9207090115	91/10/16	40-7603
9207090059	9207080120	91/10/11	50-220	9207090350	9207090336	92/06/16	50-528
9207090060	9207090014	92/06/30	50-254	9207090351	9207090115	91/10/16	40-7603
9207090061	9207090014	92/06/30	50-254	9207090353	9207090349	92/06/16	50-528
9207090063	9207080120	91/10/11	50-285	9207090356	9207090355	92/06/19	WASTE MGT
9207090066	9207090014	92/06/30	50-254	9207100002	9207100001	92/07/06	XPORTLIC
9207090067	9207080120	91/10/11	50-250	9207100008	9207090216	91/10/08	40-1478
	9207080120	91/10/11	50-10	9207100009	9207100007	92/07/02	50-220
	9207090014	92/06/30	50-254	9207100011	9207090216	91/10/08	40-1478
		92/06/30	50-254	9207100014	9207090115	91/10/16	40-7603
		91/10/11	50-341	9207100018	9207090216	91/10/08	40-1478
		92/07/01	50-269	9207100019	9207100015	92/06/04	71-5740
		92/06/30	50-254	9207100021	9207090216	91/10/08	40-1478
		91/10/11	50-10	9207100022	9207090115	91/10/16	40-7603
		92/06/30	50-254	9207100023	9207100015	92/06/04	71-5740
		92/06/30	50-254	9207100025	9207090216	91/10/08	40-1478
		92/06/30	50-254	9207100027	9207090115	91/10/16	40-7603
		92/07/01	50-269	9207100028	9207100015	92/06/04	71-5740
		92/06/23	WASTE MGT	9207100030	9207090216	91/10/08	40-1478
		91/10/30	40-8027	9207100033	9207100015	92/06/04	71-5740
				9207100035	9207090115	91/10/16	40-7603
				9207100037	9207100029	92/06/29	50-397
				9207100039	9207090216	91/10/08	40-1478
				9207100040	9207100029	92/06/29	50-397
				9207100043	9207090115	91/10/16	40-7603
				9207100046	9207090115	91/10/16	40-7603
				9207100047	9207100044	92/07/02	50-410
				9207100052	9207100032	91/10/31	FOIA
				9207100053	9207090115	91/10/16	40-7603
				9207100056	9207100048	92/06/22	WASTE MGT
				9207100066	9207090115	91/10/16	40-7603



# CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 299

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9207100071	9207090216	91/10/08	40-1478	9207100427	9207100425	92/07/01	CONTRACT
9207100073	9207100067	92/07/02	50-286	9207130054	9207130039	92/07/06	WASTE MGT
9207100077	9207100072	92/07/02	50-260	9207130077	9207130075	92/07/02	50-259
9207100078	9207090115	91/10/16	40-7603	9207130094	9207130093	92/07/07	70-1113
9207100079	9207090216	91/10/08	40-1478	9207130109	9207130107	92/06/25	50-285
9207100080	9207100072	92/07/02	50-260	9207130112	9207130107	92/06/25	50-285
9207100082	9207090115	91/10/16	40-7603	9207130131	9207130115	92/07/07	40-8027
9207100085	9207090216	91/10/08	40-1478	9207130137	9207130136	92/06/30	50-445
9207100087	9207100074	92/07/06	50-334	9207130162	9207130157	92/07/01	WASTE MGT
9207100088	9207090115	91/10/16	40-7603	9207130174	9207130173	92/07/06	70-3070
9207100093	9207090115	91/10/16	40-7603	9207130176	9207130175	92/07/08	50-461
9207100096	9207100086	92/07/08	50-336	9207130187	9207130181	92/06/22	CONTRACT
9207100098	9207090216	91/10/08	40-1478	9207130200	9207130193	92/07/01	CONTRACT
9207100101	9207100086	92/07/08	50-336	9207130209	9207130204	92/07/01	50-346
9207100102	9207100097	92/07/06	50-277	9207130220	9207130216	92/07/06	50-320
9207100105	9207090216	91/10/08	40-1478	9207130252	9207130243	92/07/01	71-471
9207100106	9207100086	92/07/08	50-336	9207130254	9207130243	92/07/01	71-471
9207100107	9207090115	91/10/16	FOIA	9207130265	9207130261	92/07/08	WASTE MGT
9207100108	9207090216	91/10/08	40-1478	9207130267	9207130261	92/07/08	WASTE MGT
9207100109	9207100099	92/07/02	70-3070	9207140009	9207140008	92/06/17	WASTE MGT
9207100111	9207100076	92/07/02	50-29	9207140010	9207140005	92/06/24	50-348
9207100112	9207100100	92/07/01	50-454	9207140012	9207140011	92/06/18	ORG
9207100113	9207100086	92/07/08	50-336	9207140020	9207140019	92/06/30	50-245
9207100114	9207100099	92/07/02	70-3070	9207140026	9207140024	92/07/13	71-5797
9207100115	9207100086	92/07/08	50-336	9207140035	9207140028	92/06/23	50-395
9207100116	9207100097	92/07/06	50-277	9207140036	9207140030	92/07/01	50-280
9207100118	9207100086	92/07/08	50-336	9207140043	9207140040	92/07/07	40-8027
9207100121	9207100086	92/07/08	50-336	9207140044	9207140030	92/07/01	50-280
9207100125	9207100120	92/07/02	50-387	9207140050	9207140039	92/07/02	50-305
9207100127	9207100122	92/07/02	50-155	9207140065	9207140059	92/06/29	50-413
9207100129	9207100124	92/07/01	50-373	9207140075	9207140072	92/07/07	50-346
9207100130	9207090216	91/10/08	40-1478	9207140079	9207140071	92/06/29	50-369
9207100131	9207100086	92/07/08	50-336	9207140085	9207140071	92/06/28	50-369
9207100134	9207100086	92/07/08	50-336	9207140086	9207140077	92/06/30	70-3070
9207100135	9207100128	92/07/02	50-29	9207140087	9207140083	92/07/12	50-390
9207100138	9207090216	91/10/08	40-1478	9207140088	9207140078	92/06/30	50-400
9207100141	9207100086	92/07/08	50-336	9207140089	9207140072	92/07/07	50-346
9207100144	9207090216	91/10/08	40-1478	9207140097	9207140090	92/06/30	70-3070
9207100153	9207090216	91/10/08	40-1478	9207140098	9207140091	92/06/29	50-348
9207100157	9207090220	91/11/13	FOIA	9207140100	9207140094	92/07/02	50-259
9207100161	9207100143	92/07/07	50-445	9207140102	9207140094	92/07/02	50-259
9207100169	9207100143	92/07/07	50-445	9207140107	9207140101	92/06/30	50-302
9207100172	9207100168	92/06/29	50-461	9207140108	9207140105	92/07/02	50-461
9207100177	9207090216	91/10/08	40-1478	9207140111	9207140084	92/06/30	50-266
9207100179	9207090216	91/10/08	40-1478	9207140112	9207140106	92/06/29	50-390
9207100189	9207090216	91/10/08	40-1478	9207140114	9207140109	92/07/02	50-324
9207100194	9207090216	91/10/08	40-1478	9207140120	9207140115	92/07/07	50-282
9207100197	9207090216	91/10/08	40-1478	9207140122	9207140117	92/07/01	70-27
9207100200	9207100188	92/06/19	50-275	9207140123	9207140119	92/06/29	70-1151
9207100205	9207090216	91/10/08	40-1478	9207140125	9207140121	92/07/02	50-400
9207100210	9207100208	92/06/30	50-445	9207140134	9207140127	92/06/30	70-143
9207100222	9207100219	92/06/25	TOPREP	9207140136	9207140130	92/07/07	50-331
9207100224	9207100223	92/07/02	XPORTLIC	9207140139	9207140132	92/06/29	50-369
9207100230	9207100229	92/07/01	XPORTLIC	9207140143	9207140138	92/07/09	50-440
9207100241	9207100234	92/06/25	50-286	9207140147	9207140127	92/06/30	70-143
9207100242	9207090216	91/10/08	40-1478	9207140148	9207140129	92/07/02	50-440
9207100246	9207100234	92/06/25	50-286	9207140149	9207140138	92/07/09	50-440
9207100247	9207090216	91/10/08	40-1478	9207140150	9207140146	92/07/02	50-373
9207100248	9207090216	91/10/08	40-1478	9207140151	9207140129	92/07/02	50-440
9207100250	9207090216	91/10/08	40-1478	9207140161	9207140116	92/06/26	50-250
9207100254	9207090216	91/10/08	40-1478	9207140166	9207140163	92/07/08	50-498
9207100256	9207090216	91/10/08	40-1478	9207140172	9207140168	92/07/02	50-390
9207100261	9207090216	91/10/08	70-712	9207140182	9207090115	91/10/16	40-6811
9207100262	9207090216	91/10/08	70-712	9207140187	9207140186	92/06/23	50-302
9207100265	9207090216	91/10/08	70-712	9207140191	9207090216	91/10/08	70-712
9207100267	9207090216	91/10/08	70-712	9207140193	9207090216	91/10/08	40-1478
9207100269	9207090216	91/10/08	70-712	9207140196	9207090216	91/10/08	40-1478
9207100279	9207090115	91/10/16	40-6811	9207140214	9207090216	91/10/08	70-712
9207100291	9207100283	92/07/02	50-295	9207140216	9207140211	91/11/05	FOIA
9207100292	9207100287	92/07/08	50-219	9207140217	9207090216	91/10/08	70-712
9207100293	9207100290	92/06/15	50-282	9207140218	9207090216	91/10/08	70-712
9207100295	9207100290	92/06/15	50-282	9207140220	9207090216	91/10/08	70-712
9207100305	9207100297	92/07/02	50-331	9207140223	9207090216	91/10/08	70-712
9207100308	9207100217	91/11/05	FOIA	9207140225	9207090216	91/10/08	40-1478
9207100314	9207100309	92/07/02	50-289	9207140228	9207140227	92/07/08	50-374
9207100317	9207100313	92/07/02	50-155	9207140234	9207140233	92/07/08	50-283
9207100321	9207100217	91/11/05	FOIA	9207140237	9207140236	92/07/08	50-305
9207100326	9207100217	91/11/05	FOIA	9207140238	9207090216	91/10/08	40-1478
9207100341	9207100340	92/06/26	50-285	9207140241	9207140240	92/07/09	50-368
9207100356	9207100348	92/07/07	50-498	9207140244	9207090216	91/10/08	70-712
9207100370	9207100348	92/07/07	50-498	9207140247	9207090216	91/10/08	70-712
9207100371	9207080120	91/10/11	50-220	9207140249	9207090216	91/10/08	70-712
9207100375	9207100348	92/07/07	50-498	9207140251	9207140250	92/07/09	50-416
9207100401	9207100396	92/07/06	50-344	9207140256	9207140202	92/07/07	40-8027
9207100404	9207100393	92/07/02	CONTRACT	9207140257	9207090216	91/10/08	70-712
9207100424	9207100419	92/06/30	CONTRACT	9207140259	9207140202	92/07/07	40-8027
9207100426	9207100422	92/07/01	WASTE MGT	9207140261	9207090216	91/10/08	70-712

# 300 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9207140263	9207140202	92/07/07	40-8027	9207150199	9207090216	91/10/08	70-712
9207140265	9207090216	91/10/08	70-712	9207150200	9207150198	92/07/02	50-374
9207140267	9207140142	92/07/07	50-410	9207150201	9207090216	91/10/08	70-712
9207140269	9207140211	91/11/05	FOIA	9207150205	9207150202	92/07/08	50-320
9207140270	9207140202	92/07/07	40-8027	9207150206	9207090216	91/10/08	70-712
9207140274	9207090216	91/10/08	FOIA	9207150208	9207090216	91/10/08	70-712
9207140277	9207140211	91/11/05	FOIA	9207150209	9207150207	92/07/08	PROJ
9207140282	9207090216	91/10/08	40-1478	9207150210	9207090216	91/10/08	70-712
9207140283	9207140280	92/07/08	50-272	9207150213	9207150212	92/07/08	50-458
9207140284	9207140211	91/11/05	FOIA	9207150219	9207150217	92/06/30	50-397
9207140287	9207140202	92/07/07	40-8027	9207150220	9207150218	92/06/30	PROJ
9207140289	9207140211	91/11/05	FOIA	9207150222	9207150217	92/06/30	50-397
9207140295	9207140293	92/06/26	50-280	9207150224	9207090216	91/10/08	70-712
9207140298	9207140297	92/07/08	50-354	9207150226	9207150225	92/06/25	50-397
9207140306	9207140304	92/06/24	50-280	9207150227	9207090216	91/10/08	70-712
9207140309	9207140307	91/11/06	FOIA	9207150228	9207150225	92/06/25	50-397
9207140310	9207140281	91/10/30	FOIA	9207150230	9207090216	91/10/08	40-1478
9207140313	9207140281	91/10/30	50-461	9207150232	9207090216	91/10/08	70-712
9207140315	9207140281	91/10/30	FOIA	9207150238	9207090216	91/10/08	70-712
9207140320	9207140281	91/10/30	FOIA	9207150243	9207090216	91/10/08	70-712
9207140324	9207140321	92/07/03	CONTRACT	9207150244	9207150242	92/07/10	50-309
9207140327	9207140326	92/07/06	50-352	9207150248	9207090216	91/10/08	40-1478
9207140329	9207140328	92/07/08	CONTRACT	9207150253	9207150251	92/07/08	50-346
9207150016	9207150012	92/07/09	50-456	9207150254	9207090216	91/10/08	40-1478
9207150021	9207140153	92/07/08	50-374	9207150259	9207090216	91/10/08	40-1478
9207150022	9207150020	92/07/09	50-368	9207150266	9207090216	91/10/08	40-1478
9207150031	9207090216	91/10/08	40-1478	9207150271	9207090216	91/10/08	40-1478
9207150033	9207150032	92/07/07	50-353	9207150273	9207090216	91/10/08	70-712
9207150034	9207150028	92/07/10	50-237	9207150276	9207090216	91/10/08	70-712
9207150036	9207090216	91/10/08	40-1478	9207150281	9207090216	91/10/08	40-1478
9207150038	9207150035	92/07/06	50-293	9207150284	9207090216	91/10/08	40-1478
9207150040	9207090216	91/10/08	70-712	9207150288	9207090216	91/10/08	40-1478
9207150045	9207150039	92/07/10	50-331	9207150293	9207150293	92/07/07	40-8794
9207150047	9207090216	91/10/08	40-1478	9207150295	9207150295	92/07/01	50-146
9207150049	9207150039	92/07/10	50-331	9207150296	9207150291	92/07/07	40-8794
9207150056	9207140281	91/10/30	50-329	9207150299	9207090216	91/10/08	40-1478
9207150057	9207090216	91/10/08	40-1478	9207150308	9207150304	92/07/06	50-397
9207150061	9207090216	91/10/08	70-712	9207150310	9207090216	91/10/08	40-1478
9207150066	9207090216	91/10/08	40-1478	9207150311	9207090216	91/10/08	FOIA
9207150072	9207140281	91/10/30	50-329	9207150315	9207150307	92/06/09	70-1257
9207150078	9207150074	92/07/06	50-245	9207150323	9207150317	92/07/13	50-445
9207150079	9207140281	91/10/30	50-329	9207150327	9207150322	92/06/09	50-288
9207150080	9207090216	91/10/08	70-140	9207150332	9207150309	92/06/22	ORG
9207150081	9207150077	92/07/09	70-1113	9207150334	9207150330	92/07/09	50-395
9207150082	9207150077	92/07/09	70-1113	9207150339	9207150337	92/06/05	70-1257
9207150083	9207090216	91/10/08	70-140	9207150341	9207150337	92/06/05	70-1257
9207150085	9207150077	92/07/09	70-1113	9207150348	9207150347	92/07/09	50-201
9207150086	9207090216	91/10/08	70-140	9207150349	9207150347	92/07/09	50-201
9207150094	9207150091	92/07/10	CONTRACT	9207160003	9207150289	92/07/09	71-742
9207150095	9207140281	91/10/30	50-329	9207160020	9207160017	92/07/01	50-275
9207150098	9207090216	91/10/08	70-140	9207160022	9207160016	92/06/26	50-348
9207150099	9207090216	91/10/08	70-140	9207160027	9207160017	92/07/01	50-275
9207150100	9207140281	91/10/30	50-329	9207160032	9207160016	92/06/26	50-348
9207150102	9207090216	91/10/08	70-712	9207160042	9207160029	92/07/09	50-443
9207150103	9207140281	91/10/30	50-329	9207160050	9207160043	92/07/01	50-206
9207150104	9207150092	91/11/07	FOIA	9207160057	9207160043	92/07/01	50-206
9207150109	9207150092	91/11/07	FOIA	9207160063	9207150133	92/07/10	50-338
9207150113	9207150111	92/07/10	71-354	9207160069	9207160065	92/06/29	50-206
9207150117	9207140281	91/10/30	FOIA	9207160071	9207160065	92/06/29	50-206
9207150121	9207150092	91/11/07	27-48	9207160078	9207150133	92/07/10	50-338
9207150122	9207140281	91/10/30	FOIA	9207160084	9207160082	92/07/07	50-313
9207150128	9207150092	91/11/07	27-48	9207160085	9207160082	92/07/07	50-313
9207150129	9207150126	92/07/10	71-737	9207160088	9207160075	91/11/04	FOIA
9207150134	9207150092	91/11/07	27-48	9207160092	9207160086	92/07/09	40-8989
9207150138	9207150131	92/07/10	71-249	9207160096	9207160075	91/11/04	FOIA
9207150140	9207150092	91/11/07	FOIA	9207160097	9207160091	92/06/25	50-440
9207150147	9207150145	92/07/10	71-736	9207160102	9207160088	92/07/09	40-8989
9207150152	9207150143	92/07/10	70-824	9207160116	9207090216	91/10/08	40-1478
9207150154	9207090216	91/10/08	70-140	9207160117	9207160110	91/11/07	40-8027
9207150156	9207090216	91/10/08	70-140	9207160119	9207160108	92/06/26	PROJ
9207150160	9207150157	92/07/08	50-482	9207160120	9207160075	91/11/04	FOIA
9207150161	9207090216	91/10/08	70-140	9207160124	9207160075	91/11/04	FOIA
9207150162	9207150157	92/07/08	50-482	9207160126	9207090216	91/10/08	FOIA
9207150164	9207150157	92/07/08	50-482	9207160128	9207160075	91/11/04	FOIA
9207150167	9207150157	92/07/08	50-482	9207160131	9207160108	92/06/26	PROJ
9207150169	9207090216	91/10/08	70-712	9207160132	9207090216	91/10/08	40-1478
9207150170	9207150157	92/07/08	50-482	9207160134	9207160108	92/06/26	PROJ
9207150171	9207150157	92/07/08	50-482	9207160135	9207160108	92/06/26	PROJ
9207150172	9207150157	92/07/08	50-482	9207160137	9207160108	92/06/26	PROJ
9207150177	9207090216	91/10/08	70-712	9207160138	9207090216	91/10/08	40-1478
9207150178	9207150163	92/07/10	70-1201	9207160141	9207160108	92/06/26	PROJ
9207150179	9207150176	92/07/07	50-373	9207160144	9207090216	91/10/08	70-712
9207150181	9207150148	92/06/30	50-344	9207160148	9207160139	92/07/09	50-275
9207150183	9207090216	91/10/08	FOIA	9207160150	9207090216	91/10/08	FOIA
9207150184	9207090216	91/10/08	70-712	9207160153	9207090216	91/10/08	40-1478
9207150188	9207090216	91/10/08	70-712	9207160154	9207160100	92/07/08	50-272
9207150192	9207090216	91/10/08	70-712	9207160155	9207160075	91/11/04	FOIA

## CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 301

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9207160160	9207090216	91/10/08	70-925	9207170042	9207170033	92/06/09	STATE PRO
9207160163	9207160100	92/07/08	50-272	9207170045	9207170041	92/07/02	50-286
9207160164	9207160075	91/11/04	FOIA	9207170047	9207170046	92/06/24	REVIEW GR
9207160168	9207090216	91/10/08	40-1478	9207170051	9207170041	92/07/02	50-286
9207160186	9207160184	92/07/09	50-286	9207170052	9207170050	92/07/13	50-282
9207160190	9207160184	92/07/09	50-286	9207170053	9207170028	92/06/02	PR
9207160198	9207090216	91/10/08	40-1478	9207170054	9207170050	92/07/13	50-282
9207160203	9207160195	92/07/09	50-223	9207170057	9207170048	91/11/20	40-8027
9207160204	9207160193	91/11/12	40-8027	9207170064	9207170058	92/06/25	PR
9207160206	9207090216	91/10/08	40-1478	9207170074	9207170043	92/07/02	50-410
9207160208	9207160205	92/07/06	50-254	9207170077	9207160075	91/11/04	FOIA
9207160209	9207090216	91/10/08	40-1478	9207170079	9207170071	92/07/17	50-390
9207160213	9207160075	91/11/04	FOIA	9207170080	9206120307	92/06/01	40-8778
9207160219	9207160075	91/11/04	FOIA	9207170083	9207170071	92/07/17	50-390
9207160220	9207160200	91/11/13	FOIA	9207170090	9207160075	91/11/04	FOIA
9207160223	9207160075	91/11/04	FOIA	9207170096	9207170088	92/07/02	50-443
9207160224	9207090216	91/10/08	FOIA	9207170122	9207170109	92/06/02	ORG
9207160226	9207160075	91/11/04	FOIA	9207170138	9207170136	92/07/10	50-443
9207160230	9207090216	91/10/08	FOIA	9207170142	9207170140	92/07/15	WASTE MGT
9207160235	9207090216	91/10/08	FOIA	9207170149	9207170140	92/07/15	WASTE MGT
9207160236	9207160225	92/07/10	50-498	9207170152	9207170143	92/06/21	50-413
9207160246	9207160225	92/07/10	50-498	9207170159	9207170156	92/07/15	70-687
9207160247	9207090216	91/10/08	40-1478	9207170169	9207170167	92/07/13	50-482
9207160252	9207090216	91/10/08	40-1478	9207170176	9207170171	92/07/13	50-341
9207160254	9207160251	92/07/02	70-1100	9207170177	9207170167	92/07/13	50-482
9207160256	9207160249	92/07/02	50-456	9207170183	9207170180	92/07/06	50-315
9207160257	9207160255	92/07/08	50-29	9207170186	9207170184	92/07/10	50-331
9207160258	9207090216	91/10/08	FOIA	9207170188	9207170184	92/07/10	50-331
9207160259	9207160249	92/07/02	50-456	9207170196	9207170195	92/07/08	50-295
9207160263	9207090216	91/10/08	40-1478	9207170201	9207170198	92/07/07	50-335
9207160266	9207090216	91/10/08	40-1478	9207170218	9207170216	92/07/02	50-461
9207160269	9207090216	91/10/08	40-1478	9207170220	9207170217	92/07/13	50-27
9207160270	9207160267	92/06/25	STATE PRO	9207170221	9207170215	92/07/14	71-62
9207160278	9207160273	92/07/08	72-1007	9207170227	9207170215	92/07/14	71-62
9207160279	9207090216	91/10/08	40-1478	9207170228	9207170223	92/07/13	50-266
9207160282	9207160280	92/07/10	50-286	9207170229	9207170214	92/07/10	50-271
9207160283	9207160280	92/07/10	50-286	9207170231	9207170225	91/11/13	FOIA
9207160287	9207090216	91/10/08	40-1478	9207170236	9207170232	92/07/10	50-352
9207160288	9207160286	92/07/09	50-29	9207170237	9207170230	92/06/19	50-277
9207160289	9207090216	91/10/08	40-1478	9207170241	9207170240	92/07/10	50-461
9207160292	9207090216	91/10/08	40-1478	9207170244	9207170243	92/07/09	50-338
9207160293	9207090216	91/10/08	40-1478	9207170245	9207170239	92/05/21	PROJ
9207160295	9207090216	91/10/08	40-1478	9207170247	9207170225	91/11/13	FOIA
9207160296	9207160291	92/07/10	50-382	9207170248	9207170242	92/06/11	50-275
9207160298	9207090216	91/10/08	40-1478	9207170251	9207170225	91/11/13	FOIA
9207160300	9207160297	92/07/14	50-390	9207170254	9207170225	91/11/13	FOIA
9207160301	9207150108	91/11/04	FOIA	9207170255	9207170239	92/05/21	PROJ
9207160303	9207090216	91/10/08	40-1478	9207170256	9207170252	92/07/06	CONTRACT
9207160305	9207160304	92/07/13	50-259	9207170258	9207170239	92/05/21	PROJ
9207160310	9207090216	91/10/08	40-1478	9207170259	9207170250	92/07/13	50-245
9207160312	9207160294	92/07/10	50-313	9207170265	9207170262	92/06/26	50-275
9207160313	9207090216	91/10/08	40-1478	9207170276	9207170275	92/07/14	50-327
9207160318	9207090216	91/10/08	40-1478	9207170277	9207170274	92/07/15	50-313
9207160319	9207160308	92/07/10	50-498	9207200003	9207200002	92/07/02	50-352
9207160320	9207090216	91/10/08	40-1478	9207200004	9207200002	92/07/02	50-352
9207160321	9207160307	92/07/10	WASTE MGT	9207200013	9207200012	92/06/30	CONTRACT
9207160323	9207090216	91/10/08	FOIA	9207200019	9207200017	92/07/14	50-368
9207160325	9207160075	91/11/04	FOIA	9207200024	9207200021	92/07/07	52-2
9207160327	9207150108	91/11/04	FOIA	9207200030	9207200028	92/07/14	50-445
9207160329	9207090216	91/10/08	40-1478	9207200034	9207200028	92/07/14	50-445
9207160330	9207160307	92/07/10	WASTE MGT	9207200046	9207200041	91/11/06	40-8027
9207160334	9207160307	92/07/10	WASTE MGT	9207200049	9207200043	92/06/03	PR
9207160336	9207090216	91/10/08	40-1478	9207200050	9207200045	92/07/09	50-2
9207160337	9207160075	91/11/04	FOIA	9207200053	9207200043	92/06/03	PR
9207160343	9207160075	91/11/04	FOIA	9207200056	9207200051	92/07/13	50-269
9207160363	9207160359	92/06/25	50-286	9207200057	9207200043	92/06/03	PR
9207160365	9207100137	92/07/06	52-1	9207200062	9207200054	91/11/13	FOIA
9207160366	9207160359	92/06/25	50-286	9207200066	9207200066	92/07/16	50-338
9207160369	9207160075	91/11/04	FOIA	9207200079	9207200075	92/07/08	70-3070
9207160371	9207160075	91/11/04	FOIA	9207200081	9207200075	92/07/08	70-3070
9207160380	9207160375	92/07/10	50-271	9207200082	9207200078	92/07/17	50-321
9207160384	9207160075	91/11/04	FOIA	9207200084	9207200075	92/07/08	70-3070
9207160387	9207160385	92/07/09	50-327	9207200086	9207200075	92/07/08	70-3070
9207160388	9207160385	92/07/09	50-327	9207200088	9207200054	91/11/13	FOIA
9207170002	9207170001	92/07/14	71-632	9207200090	9207200083	92/07/13	50-397
9207170004	9207170003	92/07/14	71-742	9207200100	9207200098	92/07/07	50-282
9207170014	9207160346	92/06/22	50-321	9207200119	9207200112	92/07/13	50-267
9207170016	9207170015	92/06/11	PR	9207200127	9207200123	92/07/13	50-317
9207170019	9207170018	92/06/10	PR	9207200130	9207200123	92/07/13	50-317
9207170023	9207170021	92/07/09	50-219	9207200135	9207200054	91/11/13	FOIA
9207170025	9207170021	92/07/09	50-219	9207200138	9207200128	92/07/13	50-245
9207170026	9207020228	92/06/22	PR	9207200144	9207200143	92/07/14	50-298
9207170027	9207170022	92/07/10	50-213	9207200146	9207200104	91/11/13	FOIA
9207170029	9207170024	92/06/30	50-219	9207200148	9207200147	92/07/16	50-397
9207170032	9207170030	92/07/01	50-271	9207200149	9207200145	92/07/13	WASTE MGT
9207170039	9207170038	92/07/09	50-277	9207200150	9207200136	92/07/14	CONTRACT
9207170040	9207170037	92/06/30	NUREG	9207200158	9207200156	92/07/10	50-277

# 302 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9207200160	9207200152	92/07/13	50-213 R	9207210090	9207210086	92/07/15	50-354 V
9207200167	9207200165	92/07/16	50-339 Q	9207210097	9207210093	92/07/15	50-369 R
9207200168	9207200157	92/07/10	CONTRACT	9207210101	9207200219	91/11/07	FOIA
9207200169	9207200165	92/07/16	50-339 Q	9207210105	9207210103	92/07/02	50-206 Q
9207200170	9207200165	92/07/16	50-339 Q	9207210107	9207210093	92/07/15	50-369 R
9207200171	9207200164	92/06/10	50-397 R	9207210115	9207210106	92/07/13	50-245 Q
9207200172	9207200161	92/07/08	40-7604	9207210117	9207210112	92/07/03	50-206 Q
9207200175	9207200054	91/11/13	FOIA	9207210120	9207210114	92/07/13	50-333 P
9207200176	9207200164	92/06/10	50-397 R	9207210125	9207210114	92/07/13	50-333 P
9207200178	9207200173	92/06/24	50-344 S	9207210126	9207210123	92/06/30	50-344 Q
9207200180	9207200054	91/11/13	FOIA	9207210130	9207210116	92/07/16	50-317 Y
9207200182	9207200161	92/07/08	40-7604	9207210133	9207210129	92/06/29	50-528 Q
9207200187	9207200054	91/11/13	FOIA	9207210146	9207210131	92/07/16	50-498 Q
9207200193	9207200054	91/11/13	FOIA	9207210153	9207210145	92/07/10	WASTE MGT
9207200197	9207200192	92/07/09	REVIEW GR P	9207210154	9207200219	91/11/07	FOIA
9207200200	9207200054	91/11/13	FOIA	9207210160	9207200199	92/07/13	50-269 P
9207200202	9207200192	92/07/09	REVIEW GR P	9207210174	9207210170	92/07/15	50-293 P
9207200204	9207200054	91/11/13	FOIA	9207210177	9207210170	92/07/15	50-293 P
9207200210	9207200054	91/11/13	FOIA	9207210199	9207210194	92/07/14	50-245 Q
9207200211	9207200192	92/07/09	REVIEW GR P	9207210201	9207210189	92/07/09	50-269 P
9207200216	9207200054	91/11/13	FOIA	9207210223	9207200219	91/11/07	FOIA
9207200217	9207200213	92/07/15	50-317 P	9207210227	9207210224	92/06/22	50-275 F
9207200224	9207200192	92/07/09	REVIEW GR P	9207210237	9207210231	92/07/15	50-269 F
9207200227	9207200054	91/11/13	FOIA	9207210240	9207210231	92/07/15	50-269 F
9207200235	9207200208	91/10/31	FOIA	9207210244	9207200219	91/11/07	FOIA
9207200238	9207200234	92/07/14	50-237 P	9207210250	9207210247	92/07/09	50-461 P
9207200242	9207200232	92/07/07	PROJ	9207210261	9207200054	91/11/13	FOIA
9207200243	9207200219	91/11/07	FOIA	9207210262	9207200208	91/10/31	70-146
9207200245	9207200208	91/10/31	FOIA	9207210265	9207150108	91/11/04	FOIA
9207200247	9207200208	91/10/31	FOIA	9207210266	9207200208	91/10/31	70-146
9207200250	9207200054	91/11/13	FOIA	9207210270	9207200054	91/11/13	FOIA
9207200251	9207200219	91/11/07	FOIA	9207210276	9207200219	91/11/07	FOIA
9207200252	9207200248	92/07/09	50-266 S	9207210277	9207200054	91/11/13	FOIA
9207200253	9207200208	91/10/31	FOIA	9207210279	9207150108	91/11/04	FOIA
9207200256	9207200054	91/11/13	FOIA	9207210283	9207200054	91/11/13	FOIA
9207200257	9207200255	92/07/14	50-287 Q	9207210290	9207200054	91/11/13	FOIA
9207200259	9207200208	91/10/31	FOIA	9207210294	9207200208	91/10/31	70-146
9207200263	9207200219	91/11/07	FOIA	9207210297	9207210291	92/07/07	50-348
9207200266	9207200054	91/11/13	FOIA	9207210299	9207210284	92/07/15	50-220 F
9207200268	9207200208	91/10/31	FOIA	9207210300	9207150108	91/11/04	FOIA
9207200272	9207200054	91/11/13	FOIA	9207210301	9207200219	91/11/07	FOIA
9207200276	9207200208	91/10/31	FOIA	9207210305	9207200208	91/10/31	70-146
9207200280	9207200054	91/11/13	FOIA	9207210308	9207200054	91/11/13	FOIA
9207200281	9207200208	91/10/31	FOIA	9207210311	9207200208	91/10/31	70-146
9207200282	9207200054	91/11/13	FOIA	9207210316	9207150108	91/11/04	FOIA
9207200283	9207200208	91/10/31	FOIA	9207210318	9207200219	91/11/07	FOIA
9207200288	9207200054	91/11/13	FOIA	9207210323	9207210239	92/07/13	70-3070
9207200298	9207200192	92/07/09	REVIEW GR P	9207210335	9207200219	91/11/07	FOIA
9207200299	9207200292	92/06/30	CONTRACT	9207220007	9207220006	92/07/15	50-327 Q
9207200306	9207200302	92/07/02	50-220 H	9207220021	9207200054	91/11/13	FOIA
9207200308	9207200054	91/11/13	FOIA	9207220027	9207200054	91/11/13	FOIA
9207200309	9207200219	91/11/07	FOIA	9207220033	9207200054	91/11/13	FOIA
9207200310	9207200208	91/10/31	FOIA	9207220035	9207220030	92/07/14	70-3072
9207200311	9207200302	92/07/02	50-220 H	9207220039	9207220030	92/07/14	70-3072
9207200314	9207200302	92/07/02	50-220 H	9207220044	9207200054	91/11/13	FOIA
9207200316	9207200208	91/10/31	FOIA	9207220050	9207220022	92/04/08	50-275 F
9207200317	9207200104	91/11/13	FOIA	9207220053	9207200054	91/11/13	FOIA
9207200318	9207200313	92/06/25	50-341 P	9207220055	9207200208	91/10/31	70-146
9207200323	9207200208	91/10/31	FOIA	9207220059	9207200054	91/11/13	FOIA
9207200324	9207200313	92/06/25	50-341 P	9207220061	9207200054	91/11/13	FOIA
9207200325	9207200208	91/10/31	FOIA	9207220062	9207200208	91/10/31	70-146
9207200326	9207200219	91/11/07	FOIA	9207220067	9207200054	91/11/13	FOIA
9207200330	9207200208	91/10/31	FOIA	9207220072	9207220058	92/07/08	WASTE MGT
9207200332	9207200219	91/11/07	FOIA	9207220075	9207200054	91/11/13	FOIA
9207200337	9207200219	91/11/07	FOIA	9207220082	9207200208	91/10/31	70-146
9207200341	9207200208	91/10/31	FOIA	9207220085	9207200208	91/10/31	70-36
9207200344	9207200152	92/07/13	50-213 R	9207220089	9207200054	91/11/13	FOIA
9207200346	9207200208	91/10/31	FOIA	9207220090	9207200208	91/10/31	70-146
9207200348	9207200345	92/07/09	50-424 P	9207220092	9207200054	91/11/13	FOIA
9207200349	9207200152	92/07/13	50-213 R	9207220093	9207200208	91/10/31	70-146
9207200350	9207200345	92/07/09	50-424 P	9207220096	9207200054	91/11/13	FOIA
9207200351	9207200219	91/11/07	FOIA	9207220097	9207200208	91/10/31	70-146
9207200352	9207200152	92/07/13	50-213 R	9207220099	9207200054	91/11/13	FOIA
9207210004	9207210002	92/06/29	50-528 Q	9207220101	9207200208	91/10/31	70-146
9207210007	9207210002	92/06/29	50-528 Q	9207220102	9207200054	91/11/13	FOIA
9207210010	9207210006	92/07/13	REVIEW GR P	9207220105	9207200208	91/10/31	70-146
9207210013	9207200208	91/10/31	70-146	9207220106	9207220103	92/05/19	STATE PRO G
9207210015	9207200208	91/10/31	70-146	9207220107	9207200208	91/10/31	70-146
9207210025	9207200219	91/11/07	FOIA	9207220110	9207200208	91/10/31	70-146
9207210027	9207210020	92/07/17	50-445 V	9207220111	9207200054	91/11/13	FOIA
9207210037	9207210029	92/07/16	STATE PRO G	9207220114	9207200208	91/10/31	70-146
9207210051	9207210045	92/07/17	40-1341	9207220117	9207200208	91/10/31	70-146
9207210063	9207210049	92/07/15	50-413 R	9207220120	9207200208	91/10/31	70-146
9207210068	9207210056	92/07/16	50-255 Q	9207220124	9207200208	91/10/31	70-146
9207210069	9207210059	92/07/16	50-313 Q	9207220126	9207220121	92/07/01	50-413 Q
9207210075	9207210049	92/07/15	50-413 R	9207220128	9207200054	91/11/13	FOIA
9207210076	9207210059	92/07/16	50-313 Q	9207220130	9207200208	91/10/31	70-146

# CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 303

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9207220132	9207140222	92/07/10	50-322 W	9207220384	9207220342	92/06/29	CONTRACT
9207220136	9207200054	91/11/13	FOIA	9207220385	9207220323	91/11/15	50-329 Q
9207220138	9207220129	92/07/16	50-324 Q	9207220390	9207200208	91/10/31	70-146
9207220142	9207200054	91/11/13	FOIA	9207220391	9207220323	91/11/15	50-329 Q
9207220145	9207220140	92/07/16	50-266 Q	9207220392	9207200219	91/11/07	FOIA
9207220149	9207200219	91/11/07	FOIA	9207220395	9207220323	91/11/15	FOIA
9207220150	9207220080	92/07/14	WASTE MGT	9207220398	9207220323	91/11/15	50-329 Q
9207220152	9207200208	91/10/31	70-146	9207220399	9207220323	91/11/15	50-329 Q
9207220155	9207200219	91/11/07	FOIA	9207220403	9207220323	91/11/15	FOIA
9207220156	9207200208	91/10/31	70-146	9207220406	9207200219	91/11/07	FOIA
9207220158	9207200219	91/11/07	FOIA	9207220412	9207200208	91/10/31	70-146
9207220162	9207200208	91/10/31	70-146	9207220419	9207200208	91/10/31	70-146
9207220164	9207200054	91/11/13	FOIA	9207220420	9207200208	91/10/31	70-146
9207220167	9207200208	91/10/31	70-146	9207220422	9207200208	91/10/31	70-146
9207220169	9207200208	91/10/31	70-146	9207220424	9207220423	92/07/17	50-483 P
9207220170	9207220161	92/07/16	WASTE MGT	9207220425	9207220423	92/07/17	50-483 P
9207220172	9207200054	91/11/13	FOIA	9207230003	9207230002	92/07/15	50-483 R
9207220173	9207200208	91/10/31	70-146	9207230027	9207200208	91/10/31	70-146
9207220177	9207200208	91/10/31	70-146	9207230030	9207230029	92/07/14	PROJ
9207220179	9207200054	91/11/13	FOIA	9207230032	9207200208	91/10/31	70-146
9207220181	9207200104	91/11/13	FOIA	9207230035	9207200208	91/10/31	70-146
9207220184	9207200208	91/10/31	70-146	9207230038	9207200208	91/10/31	70-146
9207220188	9207220165	92/07/15	50-261 P	9207230040	9207200208	91/10/31	70-146
9207220189	9207200208	91/10/31	70-146	9207230045	9207200208	91/10/31	70-146
9207220190	9207220165	92/07/15	50-261 P	9207230046	9207200208	91/10/31	70-146
9207220191	9207220180	92/06/11	50-275 F	9207230050	9207200208	91/10/31	70-146
9207220193	9207200219	91/11/07	FOIA	9207230054	9207200208	91/10/31	70-146
9207220195	9207200054	91/11/13	FOIA	9207230056	9207230053	92/07/15	50-213 F
9207220202	9207220187	92/07/17	50-333 K	9207230057	9207200208	91/10/31	70-146
9207220207	9207220201	92/07/13	WASTE MGT	9207230059	9207200208	91/10/31	70-146
9207220208	9207220205	92/07/15	50-247 P	9207230061	9207200208	91/10/31	70-146
9207220210	9207220205	92/07/15	50-247 P	9207230063	9207150108	91/11/04	FOIA
9207220211	9207200208	91/10/31	70-146	9207230064	9207230060	92/07/17	50-293 Q
9207220214	9207220201	92/07/13	WASTE MGT	9207230066	9207200208	91/10/31	70-146
9207220220	9207200208	91/10/31	70-146	9207230067	9207200208	91/10/31	70-146
9207220223	9207200208	91/10/31	70-146	9207230069	9207200208	91/10/31	70-146
9207220227	9207200208	91/10/31	70-146	9207230072	9207200208	91/10/31	70-146
9207220229	9207220226	92/07/15	50-286 P	9207230073	9207200208	91/10/31	70-146
9207220230	9207200208	91/10/31	70-146	9207230075	9207200208	91/10/31	70-146
9207220232	9207220226	92/07/15	50-286 P	9207230078	9207200208	91/10/31	70-146
9207220235	9207200208	91/10/31	70-146	9207230080	9207200208	91/10/31	70-146
9207220236	9207200054	91/11/13	FOIA	9207230081	9207230074	92/07/20	50-182 V
9207220238	9207200208	91/10/31	70-146	9207230087	9207230071	92/05/13	40-8406
9207220250	9207200219	91/11/07	FOIA	9207230088	9207200208	91/10/31	70-146
9207220260	9207200219	91/11/07	FOIA	9207230090	9207200208	91/10/31	70-146
9207220266	9207220265	92/07/16	50-263 Q	9207230097	9207230094	92/07/14	50-387 P
9207220269	9207220264	92/07/14	50-387 P	9207230098	9207230093	92/03/20	ORG
9207220271	9207220267	92/07/16	50-155 F	9207230099	9207230094	92/07/14	50-387 P
9207220272	9207220270	92/07/14	40-8943	9207230100	9207230095	92/07/17	50-326 V
9207220277	9207200208	91/10/31	70-146	9207230101	9207230096	92/07/17	50-530 P
9207220278	9207200219	91/11/07	FOIA	9207230102	9207230093	92/03/20	ORG
9207220280	9207200208	91/10/31	70-146	9207230107	9207230105	92/07/17	50-407 V
9207220284	9207220281	92/07/14	50-413 P	9207230112	9207230110	92/07/21	WASTE MGT
9207220286	9207200208	91/10/31	70-146	9207230113	9207200208	91/10/31	70-146
9207220292	9207200219	91/11/07	FOIA	9207230114	9207150108	91/11/04	FOIA
9207220296	9207200208	91/10/31	70-146	9207230115	9207230110	92/07/21	WASTE MGT
9207220298	9207220212	92/07/14	50-387 P	9207230117	9207230104	92/07/14	70-371
9207220301	9207220299	92/07/16	50-334 Q	9207230119	9207200208	91/10/31	70-146
9207220303	9207200208	91/10/31	70-146	9207230122	9207200208	91/10/31	70-146
9207220306	9207220305	92/07/10	50-412 Q	9207230126	9207200208	91/10/31	70-146
9207220312	9207220309	91/11/15	FOIA	9207230127	9207150108	91/11/04	FOIA
9207220317	9207220313	92/07/15	50-255 P	9207230129	9207200208	91/10/31	70-146
9207220320	9207200208	91/10/31	70-146	9207230130	9207230104	92/07/14	70-371
9207220324	9207200208	91/10/31	70-146	9207230131	9207220388	92/07/15	50-424 P
9207220332	9207220323	91/11/15	50-329 Q	9207230133	9207150108	91/11/04	FOIA
9207220338	9207200208	91/10/31	70-146	9207230135	9207230132	92/07/15	50-389 P
9207220340	9207220323	91/11/15	50-329 Q	9207230137	9207230132	92/07/15	50-389 P
9207220341	9207220337	92/07/18	50-289 Q	9207230141	9207150108	91/11/04	FOIA
9207220346	9207220323	91/11/15	50-329 Q	9207230163	9207230156	92/07/16	50-259 P
9207220348	9207220323	91/11/15	50-329 Q	9207230165	9207230180	92/07/16	CONTRACT
9207220352	9207220323	91/11/15	50-329 Q	9207230167	9207200208	91/10/31	70-146
9207220355	9207210137	92/07/07	50-440 P	9207230170	9207200208	91/10/31	70-146
9207220356	9207200208	91/10/31	70-146	9207230173	9207200208	91/10/31	70-146
9207220358	9207220323	91/11/15	50-461 P	9207230175	9207200208	91/10/31	70-146
9207220360	9207200208	91/10/31	70-146	9207230176	9207200208	91/10/31	70-146
9207220363	9207220323	91/11/15	50-329 Q	9207230178	9207200208	91/10/31	70-146
9207220364	9207220357	92/07/13	50-220 P	9207230181	9207200208	91/10/31	70-146
9207220365	9207200219	91/11/07	FOIA	9207230183	9207200208	91/10/31	70-146
9207220367	9207220323	91/11/15	FOIA	9207230186	9207200208	91/10/31	70-146
9207220370	9207220366	92/07/17	50-59 V	9207230187	9207230180	92/07/16	CONTRACT
9207220371	9207220323	91/11/15	FOIA	9207230188	9207200208	91/10/31	70-146
9207220372	9207220362	92/07/08	50-206 V	9207230189	9207200208	91/10/31	70-146
9207220376	9207220323	91/11/15	FOIA	9207230182	9207200208	91/10/31	70-146
9207220378	9207220323	91/11/15	FOIA	9207230194	9207230185	92/07/17	50-220 V
9207220380	9207220373	92/06/22	50-298 F	9207230195	9207200208	91/10/31	70-146
9207220381	9207200219	91/11/07	FOIA	9207230196	9207200208	91/10/31	70-146
9207220383	9207200208	91/10/31	70-146	9207230197	9207200208	91/10/31	70-146

# 304 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9207230199	9207200208	91/10/31	70-146	9207240126	9207240121	92/07/20	50-530 P
9207230202	9207230201	92/07/20	70-1100	9207240127	9207240121	92/07/20	50-530 P
9207230204	9207150108	91/11/04	FOIA	9207240132	9207200219	91/11/07	FOIA
9207230205	9207230201	92/07/20	70-1100	9207240137	9207240128	92/07/17	50-321 P
9207230206	9207230201	92/07/20	70-1100	9207240140	9207200219	91/11/07	FOIA
9207230208	9207150108	91/11/04	FOIA	9207240147	9207200219	91/11/07	FOIA
9207230213	9207230211	92/07/20	70-1257	9207240154	9207240153	92/07/15	50-440 P
9207230214	9207230211	92/07/20	70-1257	9207240156	9207210116	92/07/16	50-317 Y
9207230215	9207150108	91/11/04	FOIA	9207240159	9207200219	91/11/07	FOIA
9207230217	9207230211	92/07/20	70-1257	9207240164	9207200219	91/11/07	FOIA
9207230223	9207230190	92/06/29	CONTRACT	9207240176	9207200219	91/11/07	FOIA
9207230225	9207200208	91/10/31	70-146	9207240179	9207200219	91/11/07	FOIA
9207230230	9207230184	92/07/15	50-317 Q	9207240182	9207240181	92/07/16	50-302 P
9207230231	9207150108	91/11/04	FOIA	9207240196	9207200219	91/11/07	FOIA
9207230232	9207200208	91/10/31	70-146	9207240207	9207200219	91/11/07	FOIA
9207230234	9207230208	91/10/31	70-146	9207240208	9207240206	92/07/20	50-458 P
9207230238	9207200208	91/10/31	70-146	9207240210	9207080068	92/06/29	40-3392
9207230239	9207200208	91/10/31	70-146	9207240211	9207240144	92/07/20	50-277 K
9207230241	9207200208	91/10/31	70-146	9207240213	9207200219	91/11/07	FOIA
9207230244	9207200208	91/10/31	70-146	9207240215	9207240212	92/07/22	50-259 K
9207230247	9207200208	91/10/31	70-146	9207240219	9207200219	91/11/07	FOIA
9207230250	9207200208	91/10/31	70-146	9207240231	9207240092	92/07/17	50-286 K
9207230254	9207200208	91/10/31	70-146	9207240236	9207200219	91/11/07	FOIA
9207230256	9207200208	91/10/31	70-146	9207240242	9207240239	92/07/10	CONTRACT
9207230257	9207150108	91/11/04	FOIA	9207240256	9207240060	92/07/17	50-305 Q
9207230264	9207230251	92/07/17	50-400 P	9207270004	9207270003	92/07/17	50-286 P
9207230265	9207200208	91/10/31	70-146	9207270005	9207270003	92/07/17	50-286 P
9207230267	9207150108	91/11/04	FOIA	9207270010	9207270008	92/07/20	50-259 P
9207230269	9207200208	91/10/31	70-146	9207270014	9207270013	92/07/17	27-48
9207230271	9207230270	92/05/01	REVIEW GR P	9207270019	9207270012	92/06/29	50-269 Q
9207230281	9207230263	92/07/14	50-289 K	9207270024	9207270016	92/06/19	50-324 Q
9207230283	9207230263	92/07/14	50-289 K	9207270030	9207270016	92/06/19	50-324 Q
9207230284	9207200208	91/10/31	40-2136	9207270032	9207270025	92/06/12	50-369 Q
9207230285	9207200208	91/10/31	40-2136	9207270041	9207270035	92/06/24	50-400 Q
9207230288	9207200208	91/10/31	40-2136	9207270068	9207270060	92/07/20	50-445 P
9207230289	9207230282	92/07/20	CONTRACT	9207270071	9207270056	92/06/12	50-269 Q
9207230291	9207200208	91/10/31	40-2136	9207270077	9207270056	92/06/12	50-269 Q
9207230294	9207200208	91/10/31	40-2136	9207270089	9207270078	92/06/22	50-395 Q
9207230295	9207230293	92/07/06	CONTRACT	9207270092	9207270078	92/06/22	50-395 Q
9207230298	9207200208	91/10/31	40-2136	9207270104	9207270101	92/06/23	50-321 Q
9207230300	9207230297	92/07/17	CONTRACT	9207270105	9207270096	92/07/15	STATE PRO G
9207230301	9207200208	91/10/31	40-1478	9207270106	9207270100	92/07/02	50-369 G
9207240011	9207240010	92/07/20	40-8027	9207270109	9207270097	92/07/13	STATE PRO G
9207240025	9207200208	91/10/31	40-2136	9207270110	9207270101	92/06/23	50-321 Q
9207240028	9207200208	91/10/31	FOIA	9207270121	9207270117	92/07/06	50-259 Q
9207240029	9207240021	92/07/20	50-482 Q	9207270125	9207270118	92/07/09	50-397 Q
9207240031	9207200208	91/10/31	40-2136	9207270129	9207270122	92/07/17	40-8681
9207240032	9207200208	91/10/31	40-2136	9207270135	9207270133	92/07/21	50-271 P
9207240041	9207240037	92/07/16	50-458 P	9207270139	9207270124	92/07/22	50-305 K
9207240043	9207240036	92/07/22	50-407 V	9207270147	9207270142	92/07/22	WASTE MGT
9207240044	9207200208	91/10/31	70-146	9207270153	9207270149	92/07/07	50-397 Q
9207240048	9207200208	91/10/31	70-340	9207270156	9207270136	92/07/22	50-313 K
9207240050	9207200208	91/10/31	70-340	9207270160	9207270136	92/07/22	50-313 K
9207240051	9207200219	91/11/07	FOIA	9207270162	9207270136	92/07/22	50-313 K
9207240052	9207200208	91/10/31	70-340	9207270166	9207270136	92/07/22	50-313 K
9207240056	9207200208	91/10/31	70-340	9207270167	9207270165	92/07/21	WASTE MGT
9207240057	9207240053	92/07/21	CONTRACT	9207270168	9207270165	92/07/21	WASTE MGT
9207240059	9207200208	91/10/31	70-340	9207270173	9207270136	92/07/22	50-313 K
9207240063	9207200208	91/10/31	70-340	9207270177	9207270136	92/07/22	50-313 K
9207240064	9207200219	91/11/07	FOIA	9207270178	9207270176	92/07/21	50-245 P
9207240067	9207200208	91/10/31	70-340	9207270180	9207270136	92/07/22	50-313 K
9207240071	9207200208	91/10/31	70-146	9207270182	9207270136	92/07/22	50-313 K
9207240073	9207200208	91/10/31	70-146	9207270184	9207270136	92/07/22	50-313 K
9207240074	9207200219	91/11/07	FOIA	9207270186	9207270136	92/07/22	50-313 K
9207240075	9207200208	91/10/31	70-146	9207270190	9207270136	92/07/22	50-313 K
9207240077	9207240072	92/07/15	40-6622	9207270193	9207270136	92/07/22	50-313 K
9207240078	9207200208	91/10/31	70-340	9207270202	9207270136	92/07/22	50-313 K
9207240082	9207200208	91/10/31	40-1478	9207270205	9207270136	92/07/22	50-313 K
9207240085	9207240081	92/07/20	50-458 Q	9207270207	9207270136	92/07/22	50-313 K
9207240086	9207200208	91/10/31	70-340	9207270208	9207270136	92/07/22	50-313 K
9207240088	9207200219	91/11/07	FOIA	9207270211	9207270136	92/07/22	50-313 K
9207240089	9207200208	91/10/31	FOIA	9207270213	9207270136	92/07/22	50-313 K
9207240093	9207200208	91/10/31	70-340	9207270222	9207270136	92/07/22	50-313 K
9207240094	9207200208	91/10/31	70-340	9207270226	9207270136	92/07/22	50-313 K
9207240095	9207200219	91/11/07	FOIA	9207270228	9207270136	92/07/22	50-313 K
9207240096	9207240090	92/07/22	71-741	9207270231	9207270136	92/07/22	50-313 K
9207240098	9207200208	91/10/31	70-340	9207270233	9207270136	92/07/22	50-313 K
9207240100	9207200219	91/11/07	FOIA	9207270237	9207270136	92/07/22	50-313 K
9207240101	9207200208	91/10/31	70-340	9207270239	9207270136	92/07/22	50-313 K
9207240102	9207200208	91/10/31	70-340	9207270241	9207270136	92/07/22	50-313 K
9207240103	9207240099	92/07/16	50-272 P	9207270244	9207270136	92/07/22	50-313 K
9207240108	9207200208	91/10/31	70-340	9207270248	9207270136	92/07/22	50-313 K
9207240112	9207200219	91/11/07	FOIA	9207270250	9207270136	92/07/22	50-313 K
9207240113	9207240110	92/07/16	71-482	9207270251	9207270136	92/07/22	50-313 K
9207240114	9207200208	91/10/31	70-340	9207270253	9207270136	92/07/22	50-313 K
9207240115	9207200208	91/10/31	70-340	9207270254	9207270136	92/07/22	50-313 K
9207240117	9207240116	92/07/17	50-305 P	9207270256	9207270136	92/07/22	50-313 K



## CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS 305

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9207270259	9207270136	92/07/22	50-313 K	9207280352	9207280349	92/07/21	50-309 P
9207270261	9207270136	92/07/22	50-313 K	9207280354	9207280349	92/07/21	50-309 P
9207270266	9207270136	92/07/22	50-313 K	9207280358	9207280321	92/07/23	40-2253
9207270267	9207270264	92/07/20	50-275 S	9207280360	9207280321	92/07/23	40-2253
9207270268	9207270136	92/07/22	50-313 K	9207280365	9207280321	92/07/23	40-2253
9207270270	9207270265	92/07/06	50-528 Q	9207280368	9207280321	92/07/23	40-2253
9207270276	9207270265	92/07/06	50-528 Q	9207280370	9207280321	92/07/23	40-2253
9207270281	9207270265	92/07/06	50-528 Q	9207280373	9207280364	92/07/22	50-315 K
9207270283	9207270279	92/03/26	50-313 F	9207280375	9207280321	92/07/23	40-2253
9207270291	9207270286	92/07/07	50-275 Q	9207280377	9207280366	91/11/27	FOIA
9207270296	9207270286	92/07/07	50-275 Q	9207280380	9207280321	92/07/23	40-2253
9207270324	9207270322	92/07/22	50-395 P	9207280387	9207280378	91/11/27	FOIA
9207270325	9207270302	91/11/13	50-280 P	9207280389	9207280321	92/07/23	40-2253
9207270343	9207270337	92/06/25	TOPREP	9207280393	9207280321	92/07/23	40-2253
9207270346	9207270310	91/12/03	40-8027	9207290064	9207290044	92/07/24	CONTRACT
9207270348	9207270329	92/07/21	70-27	9207290066	9207290059	92/07/17	PR
9207270350	9207270095	92/07/08	50-416 F	9207290074	9207290070	92/07/23	50-445 Q
9207270353	9207270310	91/12/03	40-8027	9207290075	9207290075	92/07/01	52-1
9207270355	9207270344	91/11/19	FOIA	9207290083	9207290075	92/07/01	52-1
9207270361	9207270333	91/11/14	FOIA	9207290085	9207290075	92/07/01	52-1
9207280017	9207280016	92/07/21	50-388 P	9207290087	9207290081	92/07/23	50-382 Q
9207280035	9207280029	92/07/17	50-263 Q	9207290089	9207290075	92/07/01	52-1
9207280045	9207280037	92/07/22	50-382 Q	9207290092	9207290075	92/07/01	52-1
9207280049	9207280044	92/07/15	50-443 Q	9207290095	9207290075	92/07/01	52-1
9207280062	9207280052	92/07/22	50-313 Q	9207290098	9207290075	92/07/01	52-1
9207280064	9207280056	92/07/10	50-2 Q	9207290107	9207290101	92/07/21	50-400 P
9207280072	9207280052	92/07/22	50-313 Q	9207290118	9207290115	91/12/19	50-213 P
9207280073	9207280068	92/07/16	70-371 Q	9207290126	9207290120	92/07/09	50-282 P
9207280075	9207280069	92/07/10	50-346 Q	9207290134	9207290115	91/12/19	50-213 P
9207280079	9207280068	92/07/16	70-371 Q	9207290135	9207290120	92/07/09	50-282 P
9207280080	9207280069	92/07/10	50-346 Q	9207290140	9207290115	91/12/19	50-213 P
9207280098	9207280095	92/07/18	50-443 Q	9207290145	9207290133	92/07/23	50-259 P
9207280105	9207280100	92/07/20	50-272 Q	9207290147	9207290115	91/12/19	50-213 P
9207280123	9207280114	92/07/17	50-155 Q	9207290153	9207290148	92/07/15	50-255 P
9207280133	9207280119	92/07/20	50-245 Q	9207290156	9207290115	91/12/19	50-213 P
9207280146	9207280139	92/07/22	50-313 P	9207290158	9207290148	92/07/15	50-255 P
9207280148	9207280141	92/07/20	50-220 Q	9207290160	9207290154	92/07/21	50-271 P
9207280155	9207280141	92/07/20	50-220 Q	9207290166	9207290154	92/07/21	50-271 P
9207280172	9207280166	92/07/21	50-445 Q	9207290172	9207290168	92/07/23	50-302 P
9207280175	9207280170	92/07/20	50-277 Q	9207290175	9207290168	92/07/23	50-302 P
9207280185	9207280180	92/07/18	50-266 Q	9207290180	9207290115	91/12/19	50-213 P
9207280186	9207280183	91/12/09	FOIA	9207290190	9207290159	92/07/24	50-305 P
9207280194	9207270302	91/11/13	50-280 F	9207290192	9207290115	91/12/19	50-213 P
9207280195	9207280192	92/07/20	50-387 Q	9207290197	9207290115	91/12/19	50-213 P
9207280196	9207270302	91/11/13	50-280 P	9207290199	9207270113	92/07/10	PRM
9207280214	9207270302	91/11/13	50-280 F	9207290200	9207290195	92/07/23	50-302 P
9207280215	9207280208	92/07/22	50-237 Q	9207290202	9207290195	92/07/23	50-302 P
9207280218	9207280210	91/12/09	50-424 Q	9207290206	9207290115	91/12/19	50-213 P
9207280222	9207280219	92/07/23	50-315 Q	9207290210	9207290115	91/12/19	50-213 P
9207280225	9207280210	91/12/09	50-424 Q	9207290218	9207290216	92/07/24	50-336 P
9207280227	9207280206	91/11/19	40-8027	9207290219	9207290216	92/07/24	50-336 P
9207280230	9207280226	92/07/22	CONTRACT	9207290237	9207290235	92/07/22	50-331 P
9207280232	9207280210	91/12/09	50-424 Q	9207290239	9207290235	92/07/22	50-331 P
9207280237	9207280235	92/07/21	50-271 P	9207290240	9207290231	92/07/22	70-1100
9207280238	9207280235	92/07/21	50-271 P	9207290249	9207290247	92/07/17	CONTRACT
9207280242	9207280241	92/07/23	71-6386	9207290274	9207290115	91/12/19	50-213 P
9207280254	9207280224	92/07/22	50-245 Q	9207290277	9207290115	91/12/19	50-213 P
9207280256	9207280224	92/07/22	50-245 Q	9207290281	9207290115	91/12/19	50-213 P
9207280261	9207280249	92/07/13	50-315 P	9207290292	9207290115	91/12/19	50-213 P
9207280266	9207280262	92/07/22	50-368 P	9207290315	9207290313	92/07/23	50-193 P
9207280269	9207280268	92/07/22	50-267 P	9207290356	9207290351	92/07/23	50-454 R
9207280271	9207280249	92/07/13	50-315 P	9207290385	9207290375	92/07/17	TOPREP
9207280272	9207280267	92/07/21	50-271 Q	9207300010	9207300004	92/07/24	50-482 Q
9207280278	9207280270	92/07/20	50-425 P	9207300018	9207300004	92/07/24	50-482 Q
9207280281	9207280277	92/07/20	50-277 P	9207300060	9207300049	92/07/24	50-296 Q
9207280286	9207280285	92/07/10	50-228 R	9207300069	9207300063	92/07/22	50-293 Q
9207280290	9207280288	92/07/21	50-237 Q	9207300072	9207300040	92/07/18	50-247 Q
9207280291	9207280287	91/11/19	FOIA	9207300073	9207300067	92/07/21	50-10 P
9207280302	9207280298	91/11/27	FOIA	9207300081	9207300075	92/07/23	50-400 Q
9207280306	9207280299	92/07/08	50-348 F	9207300141	9207300136	92/07/22	50-295 P
9207280307	9207280305	92/07/21	50-461 Q	9207300153	9207300149	92/07/17	50-373 P
9207280312	9207280308	92/07/22	50-155 Q	9207300163	9207300160	92/07/22	50-440 P
9207280315	9207280305	92/07/21	50-461 Q	9207300187	9207300184	92/07/27	50-254 Q
9207280316	9207280308	92/07/22	50-155 Q	9207300205	9207300094	92/07/08	50-275 F
9207280320	9207280317	92/07/23	50-280 F	9207300231	9207300228	92/07/22	50-368 P
9207280324	9207280319	92/07/22	50-237 Q	9207300247	9207300244	92/07/22	WASTE MGT
9207280326	9207200219	91/11/07	FOIA	9207300250	9207300240	92/07/23	WASTE MGT
9207280327	9207280321	92/07/23	40-2253	9207300252	9207300085	92/07/20	50-268 P
9207280338	9207280331	91/11/15	FOIA	9207300254	9207300246	92/07/24	50-368 P
9207280340	9207280335	92/07/22	50-29 P	9207300284	9207300260	92/07/23	50-29 P
9207280342	9207280335	92/07/22	50-29 P	9207300285	9207300243	92/07/23	PR
9207280343	9207280321	92/07/23	40-2253 P	9207300281	9207300243	92/07/23	PR
9207280345	9207280319	92/07/22	50-237 Q	9207300286	9207300284	92/07/22	50-270 P
9207280346	9207280331	91/11/15	FOIA	9207310002	9207310001	92/07/24	50-16 Q
9207280347	9207280336	92/07/22	50-289 P	9207310004	9207310003	92/07/25	50-2 Q
9207280350	9207280336	92/07/22	50-289 P	9207310006	9207310005	92/07/27	50-373 Q
9207280351	9207280321	92/07/23	40-2253	9207310008	9207310007	92/07/27	50-305 Q

# 306 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9207310013	9207310012	92/07/24	50-315 V	9207310163	9207310160	92/07/23	50-285 P
9207310016	9207310010	92/07/22	WASTE MGT	9207310189	9207310188	92/07/27	50-285 R
9207310020	9207310015	92/07/22	50-285 Q	9207310193	9207310190	92/07/17	COMMISSIO N
9207310026	9207310021	92/07/22	50-325 P	9207310211	9207310199	92/07/27	50-206 P
9207310037	9207310034	92/07/07	50-369 F	9207310218	9207310215	92/07/27	50-266 H
9207310053	9207310048	92/07/24	50-324 P	9207310221	9207310219	92/07/24	50-293 Q
9207310067	9207310062	92/07/23	PR	9207310234	9207310231	92/07/29	50-261 P
9207310077	9207310062	92/07/23	PR	9207310236	9207310229	92/07/24	50-29 F
9207310078	9207310075	92/07/24	50-313 P	9207310240	9207310237	92/06/11	50-322 W
9207310084	9207310081	92/07/23	50-123 P	9207310241	9207310232	92/07/29	70-3070
9207310094	9207310082	92/07/23	50-262 W	9207310243	9207310235	92/07/27	50-155 P
9207310096	9207310082	92/07/23	50-262 W	9207310247	9207310237	92/06/11	50-322 W
9207310099	9207310082	92/07/23	50-262 W	9207310248	9207310232	92/07/29	70-3070
9207310106	9207310093	92/07/15	50-255 P	9208170129	9207300170	92/07/22	70-143

---

# APPENDIX A

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

### A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

---

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes submitted by applicants and licensees.
4. NRC questions, requests for additional information, and applicant responses.
5. Early site review.
6. Correspondence and documents relating to unresolved design and construction issues.
7. Meeting announcements and summaries of meeting discussions on issues of item 6.
8. Correspondence regarding the utility Preliminary Safety Analysis Report (PSAR).
9. Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.).
10. Construction Permit, amendments, and correspondence relating to the construction permit and related orders issued by the Office of Nuclear Reactor Regulation (NRR show cause and modifications) not involving the Atomic Safety Licensing and Appeal Board.
11. Scheduling of license application submission or review.
12. Environmental review information (other environmental documents are filed in Categories C, D, P, or R).
13. Seismic qualification review teams (SQRT) reports and related correspondence.
14. Application for operating license.
15. General Information submitted with operating license application.
16. Amendments and changes submitted by applicants and licensees.
17. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and the Updated Final Safety Analysis Report (USAR).
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

- |  |   |
|--|---|
| 19. Safety Evaluation Reports (SERs) on specific generic issues. | 21. Backup technical documents (e.g., topical reports) submitted in support of the application. |
|  | 22. Proposed equipment failure/instructions.  |
| 20. Reports of site visits.                                      | 23. NRC's changes in internal organizational structure.   |

---

### B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORTS (PSAR) AND AMENDMENTS

---

- |   |  |
|---|--|
| All related correspondence is filed in Category A.  | 2. Amendments and changes to the PSAR.     |
| 1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report). | 3. Transmittal and acknowledgment letters. |
|   | 4. Certificates of service to the PSAR.    |

---

### C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

---

- |   |  |
|---|--|
| 1. Environmental Report (ER) submitted by the utility.                          | 6. Federal Register notices citing the availability of items 1 and 2.                              |
| 2. Amendments and supplements to the ER.  | 7. Correspondence relating to the review of ER.  |
| 3. Transmittal and acknowledgment letters.                                      | 8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER. |
| 4. Information on scheduling of submittal or review of ER.                      | 9. Correspondence relating to certification of pollution control devices.                          |
| 5. NRC questions, requests for additional information, and applicant responses. | NOTE: Other environmental documents are filed in Categories A, D, P, or R.                         |

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

### D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

---

- |   |   |
|---|---|
| <ol style="list-style-type: none"> <li>1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by NRC.</li> <li>2. Supplements to the DES and FES.</li> <li>3. Correspondence relating to the DES and FES.</li> <li>4. Comments from other Federal, State, and local government agencies; organizations; and interested individuals.</li> <li>5. Transmittal and acknowledgment letters.</li> <li>6. Documents related to NRC review of environmental issues or of the ER obtained for purposes of writing the environmental statements.</li> </ol> | <ol style="list-style-type: none"> <li>7. Backup technical documents submitted in connection with above.</li> <li>8. Federal Register notices citing availability of items 1 and 2.</li> <li>9. Reports of site visits to obtain information for the DES or FES.</li> <li>10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES.</li> </ol> <p>NOTE: Other environmental documents and correspondence are filed in Categories A, C, P, or R.</p> |
|---|---|
- 

### E. NRC SAFETY EVALUATION REPORTS (SER), SUPPLEMENTS AND CORRESPONDENCE

---

- |   |   |
|---|---|
| <ol style="list-style-type: none"> <li>1. Formal Safety Evaluation Report (SER) prepared by NRC (formerly called NRC-AEC Hazard Analysis Report) in review of PSAR.</li> <li>2. Supplements to the SER.</li> <li>3. Correspondence relating to the SER and supplements.</li> <li>4. Federal Register notices citing availability of items 1 and 2.</li> <li>5. Information on scheduling of SER submittals and review.</li> </ol> | <ol style="list-style-type: none"> <li>6. Requests for additional information for use in preparing SER; responses to such requests.</li> <li>7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER.</li> <li>8. Transmittal and acknowledgment letters.</li> </ol> <p>NOTE: Other documents dealing with specific safety-related issues are filed in Categories A, P, or W, depending on the phase of the licensing process.</p> |
|---|---|

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

### F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

---

All plans in this category are individual submissions. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in this category.

- |   |  |
|---|--|
| <ol style="list-style-type: none"> <li>1. Fire Hazard Protection Plans and surveys.</li> <li>2. Plant evacuation correspondence.</li> <li>3. Safeguards Contingency Plans.</li> <li>4. Health Physics Program and its review.</li> <li>5. Emergency Plans.</li> </ol> | <ol style="list-style-type: none"> <li>6. Correspondence relating to aforementioned plans.</li> <li>7. Supplements, changes, and revisions to plans.</li> <li>8. Correspondence and documentation relating to Appendix R of 10 CFR Part 50 (fire protection), guard training, emergency response centers, and emergency preparedness.</li> <li>9. Transmittal and acknowledgment letters.</li> <li>10. Meeting announcements and reports of meetings where the primary subject of discussion is related to the aforementioned plans and topics covered in item 8.</li> </ol> |
|---|--|

---

### G. LEGAL AND ADJUDICATORY CORRESPONDENCE

---

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in Category T. Show-cause orders and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) (not before the Board) are filed in Categories A and P. Exhibits for proceedings (Hearings) are available only on microfiche (1984 to present) in the PDR, but upon request paper files are available to the PDR from the Docketing and Service Branch, Office of the Secretary.

- |  |   |
|--|---|
| <ol style="list-style-type: none"> <li>1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents.</li> <li>2. Federal Register notices regarding hearings.</li> <li>3. Requests to make appearances at hearings.</li> </ol> | <ol style="list-style-type: none"> <li>4. Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings.</li> <li>5. Transmittal of supporting documents (e.g., SER, FES) to the Boards.</li> <li>6. Correspondence to and from intervenors.</li> <li>7. Board orders and decisions.</li> <li>8. Petitions for Commission action.</li> <li>9. Legal filings and Commission orders and decisions resulting from item 8.</li> </ol> |
|--|---|

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.



---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

### H. GENERAL CORRESPONDENCE

---

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

1. Change of address notifications (external only).
2. Changes in structure of organization (external only).
3. Changes in service lists.
4. NRC requests to applicants for additional copies of documents.
5. Correspondence from the public requesting information about the facility and NRC responses.
6. Correspondence on strictly administrative matters.

7. Letters of support, concern, or opposition to the facility.

8. Correspondence regarding the Local Public Document Rooms (LPDRs).

9. Professional qualification statements not pertaining to the hearing process.

10. Constituent, organizational, or utility correspondence forwarded by Congressman to NRC for response.

11. Resolutions passed by State and local governing bodies (e.g., town councils).

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

---

### I. FINANCIAL INFORMATION

---

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership.

2. Separately submitted financial information and related correspondence.

3. Transcripts and testimony before State commissions pertinent to financial information requested by NRC.

---

### J. INSURANCE AND INDEMNITY INFORMATION

---

1. Indemnity agreements and amendments.

2. Endorsements of insurance policies.

3. Other correspondence regarding indemnity and insurance matters.

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

### K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR), AND AMENDMENTS

---

- |   |   |
|---|---|
| <ol style="list-style-type: none"> <li>1. Final Safety Analysis Report (FSAR), (formerly called Final Hazards Summary Report), submitted by the utility.</li> <li>2. Updated Final Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility.</li> <li>3. Amendments and changes to the FSAR and USAR.</li> </ol> | <ol style="list-style-type: none"> <li>4. Federal Register notices citing availability of the FSAR and amendments.</li> <li>5. Transmittal and acknowledgment letters.</li> <li>6. Certificates of service to the FSAR and USAR.</li> </ol> <p>NOTE: All related correspondence falls in Category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in Category F.</p> |
|---|---|
- 

### L. LIMITED WORK AUTHORIZATIONS (LWA) AND RELATED CORRESPONDENCE

---

This category is limited to documents pertaining to Limited Work Authorizations (LWAs) whereby applicants can carry out limited site preparation and construction prior to the granting of a Construction Permit.

1. Limited Work Authorizations (LWAs) and amendments
  2. Correspondence pertaining to work performed under LWAs.
- 

### M. ANTITRUST REVIEWS AND ANTITRUST CORRESPONDENCE

---

1. Documents submitted as part of the application for a Construction Permit and Operating License entitled "Information Requested by the Attorney General for Antitrust Review".

sion is antitrust matters.

he primary topic of discus-

3. All antitrust proceeding documents, except for hearing transcripts, testimony, and briefings, which are filed in Category N.
- 

### HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

---

anscripts of hearings, testimony, and briefings in antitrust matters. Related

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

### O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

---

This category contains plant-specific documents pertaining to ACRS safety reviews.

ings, relating to both facility license applications and safety-related matters.

1. ACRS reports relating to facility license applications.
2. Announcement of ACRS meetings relating to facility license applications, including description of meeting agendas.
3. Statements and written testimony of ACRS members or presented by individuals at ACRS proceed-

4. Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications.

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS file category.

---

### P. OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

---

This file assumes the position of the Application/Construction Stage (Category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

7. All general technical correspondence, meeting announcements or meeting summaries relating to Technical Specifications, the Operating License or technical issues arising after the issuance of the Operating License.

1. Operating license, amendments, proposed amendments, changes, and related correspondence.
2. Show-cause and modification orders issued by NRR (not before the Board) for the operating license.
3. Technical specifications and changes.
4. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2.
5. Federal Register notices citing availability of item 1 and the FSAR.
6. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Final Safety Analysis Report (USAR).

8. Correspondence regarding codes (e.g., American Society of Mechanical Engineers), regulations, laws, or changes in policy that may affect plant operation or bear on the Operating License.
9. Information on the Standard Review Plan (STP).
10. Results of surveys or tests conducted in accordance with the Technical Specifications (not periodic reports, which fall in Category R).
11. Correspondence relating to NRC's Systematic Evaluation Program (SEP).

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

- |   |   |
|---|---|
| <p>12. Owner's group meeting announcements and reports.</p> <p>13. Quality assurance information.</p> <p>14. Environmental matters (technical).</p> <p>15. Seismic qualification review team (SQRT) reports and related correspondence.</p> <p>16. Emergency core cooling system documents.</p> <p>17. Radioactive waste information excluding onsite storage of low-level waste, filed in Category X, and independent spent fuel installations of high-level waste, filed in Category Y.</p> <p>18. Correspondence regarding expansion of spent fuel storage pool.</p> | <p>19. Start-up test reports.</p> <p>20. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; <i>not covered by an IE Bulletin.</i></p> <p>21. SERs on specific generic issues.</p> <p>22. Proposed equipment failure/instructions.</p> <p>23. Inservice testing (not inspections).</p> <p>24. Reports of site visits.</p> <p>25. Application to voluntarily surrender license, dismantle, and dispose of component parts.</p> <p>26. Changes in NRC's internal organizational structure.</p> |
|---|---|

---

## Q. INSPECTION REPORTS, RESPONSE TO BULLETINS, CIRCULARS AND INFORMATION NOTICES, CIVIL PENALTIES, AND RELATED CORRESPONDENCE

---

- |   |  |
|---|--|
| <p>1. Inspection reports.</p> <p>2. Responses to IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars (not published since 1981) and Information Notices.</p> <p>3. Responses by applicant to IE correspondence.</p> <p>4. Applicant's determination of proprietary nature of</p> | <p>7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs).</p> <p>8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in Category S.</p> <p>9. Health physics inspections/appraisals.</p> <p>10. Emergency preparedness inspections/appraisals.</p> <p>11. Inspections and related correspondence from the International Atomic Energy Agency.</p> <p>12. Systematic Assessment of Licensee Performance (SALP).</p> |
|---|--|

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

- |   |  |
|---|--|
| 13. Construction Appraisal Team/Construction Assessment Team (CAT) reports.<br><br>A. Integrated Design Inspection (IDI) reports.<br><br>B. Independent Design Verification Program (IDVP) reports. | 15. Performance Appraisal Team (PAT) reports.<br><br>16. Licensee/Vendor interface inspections.<br><br>17. Correspondence relating to items 12, 13, 14, 15 and 16. |
|---|--|
- NOTE: For IE Bulletins and Information Notices, see I&E file series.
14. Notice of significant licensee meetings.
- 

### R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

---

This category includes periodic reports of a routine nature.

- |   |  |
|---|--|
| 1. Monthly, semiannual, or annual operating reports (other than financial) for construction and operating stages.<br><br>2. Periodic environmental monitoring, effluent testing, or similar reports.<br><br>3. Periodic personnel exposure reports. | 4. Periodic nonconformance reports (issued pursuant to Board orders).<br><br>5. Operational Logbooks on Environmental Data, Radiological Data, operating log on plant systems core, plant status summary sheets.<br><br>6. Correspondence or other documents relating to the items listed. |
|---|--|
- 

### S. REPORTABLE OCCURRENCES, PNOs, PNSs, AND RELATED CORRESPONDENCE

---

This category contains all materials relating to abnormal, unusual, reportable, or nonroutine occurrences or events. These include:

- |   |  |
|---|--|
| 1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called Incident Reports, Abnormal Occurrence Reports and Reportable Occurrences).<br><br>2. Potential or possible reportable Deficiency Reports and related correspondence.<br><br>3. Individual Personnel Exposure Reports. | 4. Construction Deficiency Reports submitted under 10 CFR 50.55(e).<br><br>5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs).<br><br>6. Environmental Technical Specifications Violation Reports and Environmental Event Reports.<br><br>7. Part 21 Reports or Defects and Noncompliance.<br><br>8. Correspondence or other documents relating to items 1-7. |
|---|--|

---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

NOTE: For PNOs and PNSs, see I&E file series.

---

### T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

---

This category contains all word-for-word transcripts, testimony, and briefings, except for congressional matters (Category V), and antitrust matters (Category N).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.
2. Testimony and statements submitted to ASLB and ASLAB.
3. Commission meeting transcripts.

4. NRC staff briefings to the Commission.
5. Statements and written testimony submitted at Commission meeting or hearings.
6. Transcripts of utility briefs to NRC staff.
7. Corrections to above items.

NOTE: Transcripts on specific dockets are also filed on ACRS and 9.21 files series.

---

### U. CONGRESSIONAL/EXECUTIVE CORRESPONDENCE

---

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches.
2. Information supplied for the record of Congressional hearings.
3. Correspondence to and from Congress and the Executive Branch on other than constituent response matters.

4. Correspondence to or from State Legislative bodies.

NOTE: This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in Category H.

---

### V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

---

1. Information bearing on licensing operators and shift engineers.
2. Power plant examination summary sheet.
3. Correspondence pertaining to operator examinations.



---

## DEFINITIONS OF DOCKET 50 CATEGORIES

---

### W. DECOMMISSIONING DOCUMENTS AND CORRESPONDENCE

---

This file assumes the position of the Operating License Stage (Category P) file for general technical items from the order for termination of the operating license onward.

Report on Dismantling, Safety Analysis Report on Decommissioning.

- |  |  |
|--|--|
| <ol style="list-style-type: none"> <li>1. Order granting authority to dismantle/decommission.</li> <li>2. Technical documents submitted, such as: Decommissioning Plan, Dismantling Plan, Environmental</li> </ol> | <ol style="list-style-type: none"> <li>3. Documents relating to disposal of radioactive material and decontamination of the site.</li> <li>4. Other correspondence relating to decommissioning.</li> <li>5. All documentation relating to the ongoing operation of the plant, formerly filed in Category P.</li> </ol> |
|--|--|
- 

### X. ONSITE STORAGE OF LOW-LEVEL WASTE

---

1. License application, license, proposed amendments and amendments to store low-level waste at a commercial reactor.
2. All related correspondence and reports.

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) license or Docket-30 number associated with the Docket-50 number.

---

### Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

---

1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)

2. All related correspondence and reports to the above.

NOTE: These documents will have an NMSS license and/or a Docket-72 number. For these installations on a reactor site, the associated Docket-50 number also has been identified.



---

## APPENDIX B

---

### DEFINITIONS OF NONDOCKETED CATEGORIES

---

#### 10 CFR — Commission Meeting Records

---

Contains documentation pertaining to open and closed Commission meetings.

1. Sunshine Act Federal Register notices.
  2. Full, written explanation of closed meetings.
  3. Certification by the General Counsel on closed meetings.
  4. Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings.
  5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10 CFR Part 9, the Sunshine Act, and Commission policies.
  6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.
  7. Staff Requirements Memoranda for open meetings; memoranda of record; record of votes of Commissioners on items under consideration at meetings.
- 

#### ACRS — Advisory Committee on Reactor Safeguards

---

This category contains documents pertaining to safety-related areas reviewed by ACRS. ACRS serves as an independent advisory committee to the Commission.

1. ACRS reports relating to safety-related matters.
2. Announcements of ACRS meetings relating to safety-related matters, including description of meeting agendas.
3. Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety-related matters.
4. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both facility license applications and safety-related matters.
5. Minutes of ACRS subcommittee and full committee meetings relating to both facility license application and safety-related matters.
6. ACRS consultant reports, comments and related correspondence relating to both facility license applications and safety-related matters.
7. Technical correspondence, and memoranda to and from ACRS pertaining to safety-related matters.
8. General correspondence and related material about ACRS, but not authored by ACRS or its consultants.

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

NOTE: For Docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 series.

---

### ADVCM—NRC Advisory Committees

---

This category contains documentation pertaining to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards. Documents in this category include:

1. Charters of each advisory committee.
  2. Meeting announcements; description of meeting agenda.
  3. Minutes and verbatim transcripts of committee meetings.
  4. Committee-generated reports, memoranda, and correspondence that are publicly available.
  5. Committee-related correspondence.
- 

### COMMISSION—NRC Commissioner Correspondence

---

Contains documentation pertaining to the daily conduct of Commission business in the Office of the Commissioner.

1. Incoming and outgoing Commission-level correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures to the aforementioned.
2. Travel vouchers, telephone logs and official appointment calendars of participating Commissioner (placed in the PDR at the discretion of individual Commissioners).
3. Speeches, interviews, and testimony given by Commissioners at meetings, symposia, and Congressional hearings.
4. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.

NOTE: For transcripts of Commission meetings, see 10 CFR 9.7. For all other staff papers with a SECY series designation prepared for Commission review, see SECY file category.

---

### CONTRACT—NRC Contracts and Modifications

---

Contains documentation pertaining to AEC and NRC contracts, grants, and Interagency Agreements.

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

- |   |  |
|---|--|
| 1. Notification of contracts and grant execution, specifying contract number; project title; contractor name; contract type; funding and period of performance. | 2. Contractual documents and modifications to contracts. |
|---|--|
- 

---

## FOIA — Freedom of Information Act Requests and Appeals

---

Contains requests for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA), or denial.

- |   |  |
|---|--|
| 1. Requests made under the FOIA for NRC records (each is assigned a sequential identification number based on the year that the request is made, so that 89-100 refers to the 100th FOIA request made in 1989). | 2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request, and appeal of a denial. |
|   | 3. Records or portions thereof released in response to FOIA requests made under FOIA appeals.  |
- 

---

## GEN TECH IS — Generic Technical Issues

---

Contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR).

cussing methodologies, analyses, the program and technical aspects of issues.

- |  |   |
|--|---|
| 1. Draft reports of action plans to accomplish generic tasks in the NRR program. | 3. Meeting notifications and minutes.   |
| 2. Correspondence with industry and within NRC dis-                              | 4. Interim findings and status reports on generic tasks addressing related aspects of Generic Technical Issues. |
- 

---

## I&E — Inspection and Enforcement Issuances

---

Contains bulletins, circulars and information notices that are issued by the NRC Office responsible for Inspection and Enforcement. These issuances describe some event that has occurred at a facility that may require some follow-up action by the licensee. Also included in this category are draft bulletins and information notices (I&E Misc), Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards

Events or Unusual Occurrences (PNSs), and Notifications of Significant Enforcement Actions (ENs).

- |   |
|---|
| 1. I&E Circulars, which describe an event at a licensed facility and are informational in nature (discontinued in 1981).                          |
| 2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.          |
| 3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of that event. |

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

- |   |  |
|---|--|
| 4. Draft I&E Bulletins and Information Notices which are being considered for issuance, and related comments and evaluations.                     | Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance.  |
| 5. Preliminary Notifications of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest. | 7. Notification of Significant Enforcement Actions (ENs), which provide information on a Notice of Violation and Proposed Imposition of Civil Penalties. |
| 6. Preliminary Notifications of Safeguards Events or  | NOTE: For utility responses to such issuances and related correspondence, see Categories Q and S of file.  |
- 

### MISC—Public Document Miscellaneous

---

Contains documents about topics not included in the scope of the other non-docketed categories.

---

### NUREG—Staff and Contractor Formal Reports, Conference Proceedings, Brochures, and Related Correspondence

---

Formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other Governmental entities, and the public are published in the NUREG series.

- |   |   |
|---|---|
| 1. Results of licensing studies of specific plants or facilities preliminary to licensing actions.  | 6. Management and program analysis reports.   |
| 2. Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry. | 7. Statistical analyses that are of interest to the staff, the industry, and the public.                  |
| 3. Action and review plans, as well as guidance, for meeting NRC requirements.  | 8. Administrative reports that are of interest to the staff, the industry, and the public.                |
| 4. Task force reports on specific topics.   | 9. Correspondence from industry, government, and the public commenting on reports.                        |
| 5. Proceeding of conferences and workshops.   | 10. Internal NRC memoranda summarizing meetings or discussions pertaining to the contents of the reports. |
- NOTE: NUREG reports on specific plants or facilities are filed in Docket 50 Categories A, P, E, or D.



---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

### ORG — Organization File

---

Contains correspondence with professional organizations, Government agencies, and associations with which NRC is in contact; records other than Regulatory Guides that pertain to NRC's activities in standards development; records pertaining to specific NRC offices; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue.

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.
2. Correspondence between NRC's Office of Nuclear Regulatory Research and other Government

agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.

3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Nuclear Regulatory Research in developing standards.

NOTE: For Regulatory Guides and comments on Regulatory Guides issued by the NRC Office of Nuclear Regulatory Research, see the REGGD file category. For petitions for rulemaking filed by the public to amend, rescind or change an NRC regulation, see the PRM file category.

---

### PR — Proposed Rule

---

Contains records dealing with NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive; a staff proposal; or as a result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person.

1. Federal Register notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved.
2. Text of the Proposed Rule (PR).
3. Draft and generic proposed rules and Federal Register notices (PR Misc.).

4. Comments, statements, information, opinions, or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.

5. Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR.

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

### PRM—Petition for Rulemaking

---

Contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation.

1. Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation.
2. Federal Register notice of the filing of the petition.
3. Correspondence between NRC and the Petitioner relevant to the status and substance of the petition.

4. Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM.

5. Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

---

### PROJ—Projects

---

Contains records pertaining to two classes of projects: (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) Government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

1. "Pre-docketed" commercial nuclear power plants

These files contain all documentation up until the time that the NRC considers the application and the Safety Analysis Report (PSAR) is submitted by the utility complete enough for staff review. The unit is then assigned a docket number and the file transferred to the Docket-50 series category.

The documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket-50 series.

#### A. Application/Construction Stage

1. Application submitted by the utility.

2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the Preliminary Safety Analysis Report (PSAR).

3. Applicant Quality Assurance Manual.

4. Early site review information.

5. Backup technical documents submitted in support of the application.

6. Early site visits.

#### B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

1. PSAR submitted by the utility.

2. Amendments and change to the PSAR.

3. Transmittal and acknowledgment letters.

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

### G. Adjudicatory Correspondence

1. Motions, briefs, orders, etc., pertaining to pre-hearing conferences, if any.

2. Notices of deviations.

3. Follow-up correspondence resolving deviations cited.

### M. Antitrust Correspondence

1. Submittals and related materials pertaining to the antitrust review.

2. Government-owned reactors

### Q. Inspection Reports

1. Inspection reports of the applicant quality assurance program.

Meeting summaries and technical correspondence between NRC and other Government technical people relating to test reactors, critical experiments, and Department of Defense (DOD) reactors on U.S. Naval ships and other sites.

---

## PT 21-10 CFR Part 21 Deficiency Reports

---

Deficiency reports submitted in compliance with Part 21 of Title 10 of the Code of Federal Regulations.

1. Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.

2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.

3. NRC inspection reports of defects cited.

4. Correspondence specifying appropriate follow-up actions taken by the Agency.

---

## QA 999—Quality Assurance Inspections

---

Contains inspection reports of vendor licensee interface from vendor's view, vendor products, vendor programs including equipment environmental qualification testing, and follow-up correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of both nuclear components, or supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, PSAR and FSAR submitted by utilities for specific facilities, and vendor QA Topical Reports.

1. NRC inspection reports of vendor facilities that cover the design, fabrication and testing of components for use in nuclear facilities and vendor/licensee interface.

2. Notices of deviation.

3. Vendor corrective actions and other follow-up correspondence associated with resolution of inspection findings.

NOTE: For vendor licensee interface inspection from licensee's view, see Docket 50 Category Q.

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

### REGGD—Regulatory Guides

---

Contains new and revised Regulatory Guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of the NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

1. Federal Register notices announcing the issuance and availability of a proposed Regulatory Guide.
2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment.

4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.

5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Nuclear Regulatory Research, which is responsible for standards development, see the Organization (ORG) file category. Industry codes and standards cited in Regulatory Guides are available for reference use only in the NRC Library.

---

### RES—Research and Technical Assistance Reports

---

Contains reports, generally interim, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission.

1. *Technical letter reports* provide information on the technical aspects of work by contractors or other government agencies and their contractors. These letter reports may consist of transmittal letters with interim or final informal reports attached, or the technical information may be incorporated in the body of the letter. The form and frequency of reporting is specified in the Contract Statement of Work.

- a. Interim technical letter reports provide information on the technical aspects of the work at various stages and form a basis for development of the formal reports required by the contract. Interim technical letter reports may include, but are not limited to, informal (interim) progress reports, "quick-look" reports, data reports, project descriptions, pretest

predictions, model verifications, experiment safety analyses, experiment operating procedures, facility certification reports, and test results.

- b. Final technical letter reports are prepared to record the results of contract work that comprises review and evaluation of the work of others or work to be used by the staff in the licensing and regulation process. These technical letter reports are not followed by a formal report.
2. *Formal technical reports*, which may be periodic progress reports on long-term projects of final reports, are published in the NUREG/CR series. These reports are final products of research, original investigations, or significant compilations of information, or they may be progress reports.
  3. *Research Information Letters (RILs)* summarize research information for staff use. They are prepared in the NRC Office of Nuclear Regulatory Research (RES).

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

4. *Conference Proceedings* report the information presented at conferences sponsored or co-sponsored by NRC. Sponsorship or co-sponsorship by NRC requires that the subjects covered be of interest and value to NRC.

NOTE: For final reports of research conducted by contractors and conference proceedings, see NUREG reports series file. See also the WMRES file for research reports on disposal of high level waste.

---

### REVIEW GRP—Research Review Groups

---

Contains records pertaining to the activities of internal and external Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results; possible redirection of research projects; new research projects; and priorities within the technical areas covered by the Research Review Group.

1. Agendas for quarterly Review Group meetings.
  2. Summary minutes of Review Group meetings representing views expressed, including dissenting views.
  3. Research plans and predicted results of major experiments and presentations by research contractors.
  4. Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies.
  5. Internal memoranda relating to topics under discussion.
  6. Correspondence related to items 1 through 5.
- 

### RM—Rulemakings

---

Contains records pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration.

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
  2. Notifications of Hearing Board meetings.
  3. Petitions, motions, testimony, and statements submitted by parties to the hearings.
  4. Hearing Board orders and rulings.
  5. Technical reports submitted as evidence in the proceedings.
  6. Reports, if any, of the special Board to the Commission regarding the subject proceeding.
- 

### SECY—Staff Papers (Generally Referred to as SECY Papers) Before the Commission

---

Includes staff papers prepared for the information or approval of the Commission. They are assigned a SECY report series code.

1. Policy Issue Papers are used to present matters relating to policy formulation.

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

2. Rulemaking Issue Papers are used to present rulemaking activities of the Commission.
3. Adjudicatory Issue Papers are used to present matters relating to the granting, suspending, revoking or amending of licenses, or construction permits for nuclear power plants, and activities in which the Commission has an interest.
4. Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provide general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication.

These categories of staff papers may be issued as one of the following: (a) a Commission Meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper which does not require interactive discussion among the Commissioners in a Commission meeting, but by law must be voted upon by the Commissioners in

the presence of each other; (c) a Notation Vote paper which does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a Negative Consent paper which contains issues which the Commission would like brought to its attention before action is taken but which do not require the formality of a Commission vote, and (e) Information Papers which provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence file.

---

## STATE PROG—State Programs

---

Contains records that pertain to the Commission's relations with State Governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing and siting.

1. Correspondence between and among NRC Office of Governmental and Public Affairs and State officials, mostly State liaison officers and radiation control management health officials, regarding:
  - a. Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance.
  - b. NRC review of Agreement State radiation control program.

c. Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and in other areas.

2. Agendas, reports, and transcripts of regional workshops and training programs on current matters of policy and regulations, i.e., decommissioning and radioactive waste disposal.
3. State Legislative Reports (discontinued as of December 1984).
4. Agreement State Licensing Statistics Reports (discontinued as of December 1984).

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects series file category.



---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

### TOPREP — Topical and Vendor Reports and Correspondence

---

Contains Topical Reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket-specific and documents generated by vendor-related Owner's Groups are also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers and other vendors.
2. Revisions, modifications, and amendments to Topical Reports.

3. Correspondence between NRC and vendors pertaining to the review of submittals.
4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria.
5. Vendor-related Owner's Group meeting announcements, agendas, summaries, reports, and correspondence.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the docket series.

---

### WASH — AEC-Issued Formal Reports and Correspondence

---

Formal reports that were issued by the U.S. Atomic Energy Commission (AEC) Headquarters staff which carry the WASH series code and correspondence pertaining to those reports. The WASH series, which consisted of

administrative, scientific, and technical reports, ended in 1975 but correspondence is occasionally generated which refers to WASH reports. Post-1975 NRC-issued formal reports carry the NUREG series designation.

---

### WM — Waste Management Documents

---

Contains records dealing with the activities of the NRC Division of High-Level Waste Management. Each topic has been assigned a unique number, prefixed by the letters "WM." Documents in these files include:

1. NRC and DOE precicensing activities regarding the disposal of high-level waste in geologic repositories, pursuant to the Nuclear Waste Policy Act of 1982.
  - a. Technical high-level waste site precicensing documentation.
  - b. Meeting agendas, minutes, and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories.
  - c. Briefings by DOE on research being conducted on nuclear waste management.
2. NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, pursuant to the Uranium Mill Tailings Radiation Control Act of 1978.

---

## DEFINITIONS OF NONDOCKETED CATEGORIES

---

3. Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high-level waste standard.

5. Correspondence from citizens and other non-government organizations for the above items.

4. NRC topical report reviews and associated correspondence.

NOTE: For contractor research on waste management activities, see the WMRES category.

---

### WMRES – Waste Management and Research Reports

---

Contains interim and final reports, and correspondence between NRC and its contractors regarding prelicensing activities in the area of high-level disposal in geologic repositories, including:

1. Periodic contractor progress reports.

2. Trip reports.

3. Draft and final reports submitted for NRC review or information.

4. Correspondence between NRC staff and contractors related to technical questions or issues to be resolved.

---

### XPORTLIC – Export and Import Licenses

---

Contains records relating to the issuance of licenses to export or import nuclear facilities and materials.

1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials.

2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment.

3. Commission letters requesting Executive Branch (e.g., U.S. Department of State) views.

4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to the common defense and security of the United States.

5. Correspondence to and from foreign governments, international organizations, and members of the public.

6. Hearing records and decisions.

7. Memoranda from the office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission decision on issuance of a proposed license.

8. Licenses, license amendments, and license renewals for types specified in item 1.

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.21 and SECY-series files.

NRC FORM 335 (2-89) NRCM 1102, 3201, 3202		U. S. NUCLEAR REGULATORY COMMISSION					
<b>BIBLIOGRAPHIC DATA SHEET</b> (See Instructions on the reverse)							
2. TITLE AND SUBTITLE  Title List of Documents Made Publicly Available  July 1-31, 1992		1. REPORT NUMBER (Assigned by NRC, Add Vol., Supp., Rev., and Addendum Num- bers, if any.)  NUREG-0540 Vol. 14, No. 7					
		3. DATE REPORT PUBLISHED <table border="1"> <tr> <td>MONTH</td> <td>YEAR</td> </tr> <tr> <td>September</td> <td>1992</td> </tr> </table>		MONTH	YEAR	September	1992
		MONTH	YEAR				
September	1992						
4. FIN OR GRANT NUMBER							
5. AUTHOR(S)		6. TYPE OF REPORT  Monthly					
		7. PERIOD COVERED (Inclusive Dates)					
8. PERFORMING ORGANIZATION - NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; If contractor, provide name and mailing address.)  Division of Freedom of Information and Publications Services Office of Administration U.S. Nuclear Regulatory Commission Washington, DC 20555							
9. SPONSORING ORGANIZATION - NAME AND ADDRESS (If NRC, type "Same as above"; If contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)  Same as 8, above.							
10. SUPPLEMENTARY NOTES							
11. ABSTRACT (200 words or less)  This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.							
12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)  title list		13. AVAILABILITY STATEMENT Unlimited					
		14. SECURITY CLASSIFICATION (This Page) Unclassified (This Report) Unclassified					
		15. NUMBER OF PAGES					
		16. PRICE					



**Federal Recycling Program**

